Bed Bugs Meet the Law, Forum X



Gale E. Ridge Scientist The Connecticut Agricultural Experiment Station

Frank H. Netter School of Medicine Quinnipiac University, North Haven Connecticut November 8th,2016




Senator Andres Ayala



Representative Larry Butler

The two sides of the coin in the human and bed bug narrative





The 5 stage of acceptance...

- 1. Denial
- 2. Anger
- 3. Bargaining
- 4. Depression
- 5. Acceptance



...of bed bugs


Confirmation bias appears when bed bugs are discovered

Bed Bugs are a building problem, not a personal problem!!!!





Clipart design




Description

Shape: Broadly oval (males are a little narrower than females)

Color: Brown to tan

Size: Lentil, apple, or melon seed

Feeding: Piercing sucking mouthparts (bed bugs do not "bite"!)







Nymph

Body Form








Adult male





Seven Life Stages



Eggs
5 nymph stages called "instars"
Adults

Three species in Connecticut

Eastern bat bug Cimex adjunctus Barber



Common bed bug Cimex lectularius L.





Chimney swift bug Cimexopsis nyctalis List.




Harlan population, a laboratory line that is unafraid of host presence

Wild population, displaying the freeze and slow scatter behavior, as fear response to host presence



Predation C. lectularius refuge P. americana and C. lectularius colonies together in an arena **Peeking** Eaten C. lectularius P. americana inside tube

Reproduction



Female egg guarding



Fertile organized eggs



Dead females following cross breeding failure

Egg hiding

Randomly placed infertile eggs from X-mating of a male from New Mexico with Vermont females

Stacking



Fifth instar mating



Hitch hiking and mutual feeding





This second instar nymph had clung to the ventrad of a female and had mutually fed with her. She was then mated and isolated for egg laying behavior tests. The 2nd instar nymph was later found with its younger 1st instar siblings.

Tapping




Sibling 1st instar nymphs with no access to a host. One on left had fed on an older nymph that had been given a blood meal

Live 1st instar nymph after feeding on an adult

The Refuge





Recently fed 1st instar nymph inside the exuviae (shed skin) of an older nymph

Aggregation fidelity toward refuge

Chemistry rich refuge



A sick insect walking away after defecating on a host

Never depend on skin lesions for bed bug identification. Find the insect!



Amoxicillin reaction



Mold



Mosquito



Bed bug



Pimple



Thyroid

Management

- Communicate and Cooperate!
- Don't Panic, remain calm. Bed bugs are easy to kill if caught early.
- Identification services.
- Have Pest Management Professional (PMP) on call.
- Declare property bed bug proactive.
- Encourage early reporting. Tenants are landlords eyes and ears.

Don't shoot the messenger!

- Have routine preemptive inspection.
- Provide passive education. Give tenants bed bug information at contract signing.
- Avoid "men in white coats" scenarios.
- Rapid response stops tenants from racing out and buying over the counter pesticides.

Tools

- Dryer. Treat with high heat for 20 minutes
- Vacuum cleaner. Cracks and crevices every 10 days
- Trained staff
- Dogs
- Climbups®
- Change of clothes for staff, if needed
- Spray bottle of soapy water
- Mattress & box spring encasements
- Bed bug resistant furniture
- Metal bed frames
- White sheets
- Caulk cracks and crevices
- KEEP DETAILED RECORDS!





Climbup® bed bug interceptors





Ellie and Christi



Open discourse Questions and Answers

