

One (1) Grafted hairy *Castanea mollissima* F+P.56/M1
Grafted 1937. Present Ht.: 5'-4"; 1/2" D.B.H. from F.P.I. Nursery,
Bell, Md.

To:
Miss Bessie Haupt
333 Bryn Mawr Avenue
Bala-Cynwyd Penna.

FR 56 = FPI.45947 from Ichang, Hupeh Prov. China. Lat. 30-32°

Delivered and planted by J+ D. Diller Mar. 6 1937.
Inspected by U S Plant Inspection Washington D.C.
March 5 1937.

Note: This Asiatic chestnut is planted on the southwest side of a rather vigorous American chestnut sprout with the hope that during the natural time of flowering -cross fertilization will result.

Division Of Forest Pathology
Bureau of Plant Industry
United States Department of Agriculture
Washington D+C.

(Chest blocks off U. S. 13 by-pass West Phila.)

DATE 3-5-37 P. E. I. NO. B. E. & P. Q. NO. 051025
MATERIAL Chestnut tree
AMOUNT AND NATURE 1 tree
FROM U. S. Plant Introduction Garden, Glenn Dale, Md.
FOR Miss Bessie Haupt, Bala-Cyn Wyeld Ave. # 333, Bryn Mawr, Penna.

REGISTRY NO. INTERCEPTED AT

FR 56/M1
To be planted near a self-stemmed American chestnut tree by Jess Diller.

PASSED
MAR 5 1937

3 yr old graft.

DATE ENTO. INSPECTOR DATE PATH. INSPECTOR
U. S. GOVERNMENT PRINTING OFFICE 8-6386

Cynwyd, Pa.
333 Bryn Mawr
Miss Bessie Haupt

10-24-36. J. D. Diller inspected Amer. Chestnut sprout. It measures 26.5' high + 9.0" D.B.H. Tree produced large crop buds this year than before but they are sterile. There are numerous old blight cankers on main stem now being thrown off + numerous typical chestnut blight cankers occur on the laterals throughout the crown. Tree appears to possess some resistance to blight.

7/12/37. Diller says a grafted Chinese chest. tree was planted in March, 1937. He was to see the tree 7/13/37 + report. We furnished the C. mol. tree.

(over)

Bally, Pa [Bertes Co.]

Seed mimeo. sent '44

Hareford Memorial Church

3/7/40 - ✓ 3 FP-878 *C. mollissima*
 ✓ 3 S-8 hybrid
 ✓ 3 FP-48 *C. crenata*
 ✓ 3 FP-882 *C. mollissima*

Bally, Pa.

Seed mimeo. sent '44

Mrs. Jim Melcher

4/4/40 - ✓ 2 FP-56 *C. mollissima*
 ✓ 2 FP-791 *C. " hybrid*
 ✓ 2 RG-6 *C. crenata "*

[from shipment to W. K. Tagliavero, Barto, Pa.]

Bangor, Pennsylvania

Mr. Carl Miller
Rural Route # 2

(Letter of April 23, 1957, from S. D. Lewis, County Agent, Northampton County Agricultural Extension Association, Courthouse, Easton, Pennsylvania.)

"Located in the county two native chestnut trees that are at least 60 years of age and do bear nuts each year. The Trees are located on the farm of Carl Miller, Bangor R. D. # 2, a short distance south of Richmond on Route 611 from Easton to Stroudsburg."

Bangor, Pa

Rothrock

12/19/47 Mr. Rothrock has
3 Chinese chestnut trees that
are exceptional in all way.
They bear exceptional and have
very large nuts.

Barto, Pa.

Seed mimeo. sent '44

John Longacre

James

1387 Route 100

Barto 19504

4/6/38 - '3 MBH	}	<i>C. mollissima</i>
'3 MBJ		
'3 MBG		
'3 GW	}	<i>C. crenata</i>
'3 GZ		

Barto, Pa.

Seed mimeo. sent '44

W-1951

W.K. Tagliavini

4/4/40 - '18 [11]	FP-56	<i>C. mollissima</i>
'23 [21]	S-68	Korean "
'25	FP-832	<i>C. crenata</i>
'20 [15]	FP-791	<i>C. mol. hybrid</i>
'20 [15]	FP-634	<i>C. " "</i>
'18 [11]	RG-6	<i>C. crenata hybrid</i>

[Quantities in brackets represent the
no. of trees remaining after giving
trees to Mrs. J. Melcher, Bally, Pa.;
Ephraim Rupp, Archbold, O.; and
P. ... Monte Carner, S.C.

Seed mimeo. sent '44

W-1951

Castanea japonica
Fred Caldicott, R.F.D., Barto, Berks Co., Pa.
has two 43 yr. old trees (1937). Sent 8 lbs
of nuts 10/12/37.

4/6/38 - '6 C-1 *C. mollissima*

4/6/38 - '7 MBH

✓ 7 MBJ } do

✓ 7 MBG }

✓ 7 GW } *C. crenata*

✓ 7 GZ }

1939 - Fred ordered 200 seeds this fall Rec'd. Oct. 1939. 35 pp.

Barto, Pa.

Seed mimeo. sent '44

Stanley L. Bechel

3/31/38 - '5 5-8 hybrid

✓ 5 MBG *C. mollissima*

5 FP-638 *C. crenata*.

Barto, Pa.

Seed mimeo. sent '44

W-1951

Chester Schultz

RFD. #1

4/6/38 - 110 MBH }
110 MBJ } C. mollissima
110 MBG }
110 GW } C. crenata.
110 GZ }

8/30/38 - See JRD. map attached.

To improved road →

Packing
Barn

1	8	14	20
7	13	19	28
2	9	15	21
6	12	18	27
3	10	16	22
5	11	17	26
4		23	31
		25	36
		32	
		24	35
		33	
		34	

Asiatic Chestnut Planting on

Mr. Chester A. Schultz Farm,
Barto, Pennsylvania.

Planting made April, 1938.

Chinese Chestnuts

MBH-----10 Trees

MBJ-----10 "

MBG-----10 "

Japanese Chestnuts

GW-----10 Trees

GZ-----10 "

40		
44	47	
41	45	48
43	46	
42		
		49

J. D. Miller,
Associate Pathologist,
Forest Pathology, B.P.I.,
Washington, D.C.

August 30, 1938.

~~G F G~~
C H
~~R K B~~
A R G
R M L
R W D
J D D
B S C

H M
R J A
R C
M E F
A E G
G E P
G M P
P A H

T C T
E B H
S G M
E D
M R
A E
L B

ready

Copy: Orig. and carbons
Attach copy of letter
Attention
Comment
Comply
Criticism
Information
Initialing
Instructions
Let me have
Release if O. K.

Mail out
Order
Preference
Recording
Refer to
 Return to
Signature
File
Amend

sem
etc.

8-30-38.

Thippo:

This is strictly an orchard planting. In a few days I think Mr. Schmitt will send you (or me) another carbon copy on which he will indicate the location of trees by strains.

- Gal 10

August 30, 1938.

Mr. Chester K. Schultz,
Barto, Pennsylvania.

Dear Sir:

Enclosed herewith is a sketch map of the Asiatic chestnut planting which you made in cooperation with this Division spring of 1938. Will you kindly indicate on the carbon copy which trees represent which strains of the five strains furnished you, e.g. (8 to 13-41BG, etc.) and return carbon to me by mail. You may keep the original copy for your record.

The trees are making good growth and have good colored foliage. If the trees will again be cultivated next year as was done this year it will do much to lessen the competition of the sod and will reflect in the growth and establishment of the chestnuts.

Sincerely yours,

Jesse D. Diller,
Associate Pathologist.

BEAVERTOWN, PA.

Clarence F. Walker

Asst. Dist. Game Protector

Seed mimeo. sent '44

Weevil Memo Sent 1948-1951

4/23/36 see attached - see charts in file -

SHIP Express collect

FROM: Ball

DIVISION OF
PLANT EXPLORATION AND INTRODUCTION
BUREAU OF PLANT INDUSTRY
U. S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C.

ORDER DATE: March 14, 1936.

FOR: MR. CLARENCE F. WALKER
ASST. DIST. GAME PROTECTOR
BEAVERTOWN, PENNA.

EXPRESS ADDRESS:

SAME

3 trees each of the following:

3/14/36

✓	FP-462,	Castanea mollissima	from near Tientsin, China
✓	FP-371,	"	" " between Peiping and Tientsin
✓	FP-476,	"	" " Korea
✓	FP-480,	"	" " Katzenstein
✓	MX	"	" " Shantung
✓	MY	"	" " Tsao Lee Tzu, China
✓	NZ	"	" " Peiping
✓	NAA	"	" " Hopeh Province
✓	NAB	"	" " "
✓	NAC	"	" " "
✓	NAD	"	" " "
✓	NAP	"	" " Shantung Province
✓	NAG	"	" " Chekiang "
✓	NAH	"	" " Hopeh "
✓	NAJ	"	" " Peiping
✓	NAK	"	" " Hopeh Province
✓	NAL	"	" " "
✓	NAM	"	" " "
✓	NAO	"	" " "
✓	NAP	"	" " "
✓	NAQ	"	" " "
✓	MAR	"	" " "
✓	MAS	"	" " "
✓	FP-460	"	crenata from Hyogo-kan, Japan
✓	FP-461	"	" " " " "
✓	FP-369	"	" " " " "
✓	GL	"	" " Akita-kan, "
✓	FP-475	"	" " Yoshu-gun, "
✓	FP-479	"	" " Katzenstein
✓	FP-469	"	mollissima from Kelsey
✓	FP-366	"	crenata from Ibaraki Province, Japan

WT. OF SHIPMENT _____ LBS.

NOTE: REPORT TO WASHINGTON IF MATERIAL DOES NOT ARRIVE IN GOOD CONDITION.

SHIP Express collect

FROM:

DIVISION OF
PLANT EXPLORATION AND INTRODUCTION
BUREAU OF PLANT INDUSTRY
U. S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C.

ORDER DATE:

SHEET #2

FOR:

CLARENCE F. WALKER
BRAVETOWN, PENNA.

Asst. Dist. Game Protector

EXPRESS ADDRESS:

3 trees each of the following:

3/14/36

✓	FP-367	Castanea crenata	from Ehime Prefecture, Japan
✓	FP-368	" "	Osaka " "
✓	FP-369	" "	Ryogo " "
✓	FP-372	" "	Osaka " "
✓	FP-373	" "	Korea " "
✓	FP-339	"	alnifolia "
✓	MA	"	mollissima from Ham Jong, Korea
✓	MB	"	" " O Duk Sam, Korea
✓	MD	"	" " O Duk Sam, Korea
✓	ME	"	" " Chosen, China
✓	MF	"	" " north of Peiping, China
✓	MI	"	" " near Kobe, Japan
✓	MJ	"	" " " "
✓	MKE	"	" [source of seed uncertain]
✓	MKF	"	" " " "
✓	MKM	"	" " " "
✓	ML	"	" from An Hwei Province, China
✓	MM	"	" Chihli Province, China
✓	MN	"	" 60 mi. NE of Peiping
✓	MO	"	" Chekiang Province, China
✓	MP	"	" " " "
✓	MQ	"	" " " "
✓	MR	"	" " " "
✓	MT	"	" Peiping
✓	MB	"	" Hopeh Province, China
✓	CB	"	crenata from Yokohama Nursery Co.
✓	CC	"	" " Aomori-ken, Japan
✓	GD	"	" " Fukushima-ken, Japan
✓	GP	"	" " Iwate-ken, Japan
✓	GU	"	" " " "
✓	GH	"	" " " "
✓	GI	"	" " " " Kyoto-fu, Japan
✓	GJ	"	" " " " Akita-ken "

WT. OF SHIPMENT _____ LBS.

NOTE: REPORT TO WASHINGTON IF MATERIAL DOES NOT ARRIVE IN GOOD CONDITION.

Beavertown, Pa.

Board of Game Com.
C. F. Walker.

- 4/4/35 - 5 trees each 7P-530, 7P-601, MAU,
MAV, MAT, and MAX,
Castanea mollissima
5 trees each Gm, Gn, Gs, GR, GP,
GQ, & GS; C. crenata
4/22/35 - alum. tags sent.
4/17/35 - Receipt ack. Map in file

April

1933 Shipment

Beavertown, Pa.

Board of Game Com.
Clarence F. Walker

Castanea mollissima

Quan.

No.

see reverse side

Remarks:

4/7/33 Have seeds planted at
Lewisburg Highway Nursery, should
be between 2000 & 3000 by 1934.

Have 427 grafts made in 1932 of
20 varieties & types from Burbank's Farm at Sebastopol,
Calif. One grew 8 1/2 ft last year.

3/31/33. Have 330 hybrid seedlings in a deserted orchard near
Beavertown. Will move 65 from Penn. State Highway
Nursery raised from seed given Morton (Game
Com) 2 yrs ago by Dept.

4/24/33. Ek art attached.

7/10/33. 1933 shipment was fertilized with phosphate by members of
epileptic colony; applied too heavily and most of trees died. RR

5 MA ✓)	5 T-49) ✓
5 MD ✓ (5 FP-95 (✓
5 MG ✓)	5 FP-146) hybrids
5 MJ ✓ (5 O-16 (✓
5 MB ✓)	5 T-21) ✓
5 ME ✓ (
5 MH ✓) C. moll.	5 FP-89 Tree chinq. ✓
5 MC ✓ (
5 MF ✓)	2 FP-152 chinq. hybrid ✓
5 MI ✓ (
1 FP-127) ✓	32
5 FP-288 (✓	
6 FP-86) ✓	

C. crenata:

5 DK ✓	1 FP-203 ✓
6 DN ✓	6 DS ✓
5 DH ✓	5 DZ ✓
5 DR ✓	5 EO ✓
5 DM ✓	5 DL ✓
5 DY ✓	5 EP ✓
4 ERB ✓	5 DE ✓
5 DW ✓	5 EL ✓
6 DU ✓	5 ES ✓
5 DF ✓	5 EF ✓
5 DJ ✓	5 N ✓
56	52


62
32
58
52
202

4/33


Plants in 1st Plot - 137
 Spaced in 30' x 30'

State Colony Macadam Highway

Seedling



State Colony Private Road.



Atate Colony Private Road.

D4

D4

DF

ES

M9

DS

FP-89

DS

DE

FP-95

FP-127

FP-203

FP-152

FP-89

0-16

DE

0-16

D4

MC

MI

MC

second plot

U



Beavertown, Pa.

Board of Game Com.
C. F. Walker,

3/29/34 - a few scions of 1/1 + 1/2 chestnut hybrids, growing at G F G's Chevy Chase, Md., home.

BEAVERTOWN, PENNSYLVANIA

CLARENCE F. WALKER
COMMONWEALTH OF PENN.

Purchased Asiatic chestnut seed from Mutual Supply Co.
1934 & 35.

5/6/35 5 lbs seed of FA 616 C. moll. seed lines.

Clepper, Harry E.

An interesting Experiment With Grafted Chestnuts. Service Letter, Series 5, Sept. 6, 1934. No. 36. Pa. Dept. Forest & Waters; Harrisburg

An account of the work being done by Clarence Walker of Beavertown, Pa., an assistant game protector, in replacing chestnuts as a food for game. Early, prolific varieties with small nuts are being grafted on native stocks and others. In April 1932 300 grafts (Burbank's varieties?) were made on native stocks in the woods. Heavy mortality followed due to blighting of the stocks but the scions remained comparatively free from blight.

In the spring of 1933 Walker and voluntary assistants grafted about 900 chestnut scions on white, red and rock oak stocks. In addition to these grafts, scions were obtained from the Reihl nursery (Progress, Rochester, Boone, Van Fleet, Champion and Rush chinquapin), also from Dr. Albert Etter, nut culturist in northern California (Chinese-American and Japanese-American material originally produced by Burbank). The latter material is of two types, one low bushy and the other tall, long jointed in form. Grafts on oak were uniformly successful, about 75%. Those on rock oak appear particularly vigorous. Walker has ordered Korean, Japanese and Chinese seed, also new hybrid seed this fall, for nursery planting.

Seed mimeo. sent '44

W-1951

Town: Beavertown, Pa

CASTANEA mollissima

Owner: M. H. Biringan

FPI No. 70315 or Origin:

Address:

Number of trees: 150 (1929)

Caretaker:

If several trees, make separate

Address:

cards for each, using this outline.

Age: Ht.: DBH: Nuts: Quan.: Size: Qual.:

C. B. present: Location: Age of cankers:

Description:

Other pathological symptoms:

Average twig growth preceding year: this year:
Site and growing conditions poor fair good

REMARKS

10/10/33 Planting swept over by fire, many trees killed, some come
back by sprouting. He fertilized with chicken manure and
good excellent growth. RBC

8/28/34 Ins'd. by Mubann. See chart attached
Noted by: Date

(On reverse side sketch location of trees and number each 1,2,3 etc.)

no reply to our letter of 2/29/36
asking for information.

10/30/44- Pa. Game Land Management reported
trees "unattended for a long while"



Beavertown is situated in Snyder Co., Pa., on Route 522
midway between Sunbury and Lewisburg, (25 miles to each city),
notice the chestnut planting is about 1 mile nearly
due south of Beavertown.

Seed mimeo. sent '44

W-1951

Town: *Beavertown, Pa*
Owner: *A. W. Hatrick*
Address:
Caretaker:
Address:

CASTANEA *mal*

FPI No. *71029* or Origin:
Number of trees: *25 (1929)*
If several trees, make separate
cards for each, using this outline.

Age:	Ht.:	DBH:	Nuts:	Quan.:	Size:	Qual.:
C. B. present:		Location:			Age of cankers:	
Description:						

Other pathological symptoms:

Average twig growth preceding year:	this year:
Site and growing conditions poor	fair good

REMARKS
flint
 Oct. 10, 1933 *Stony soil but very fertile. High class apple orchard adjacent to chestnuts. 2 trees showing, 4ft to 8ft high. 2 1/2" growth this year on some. ROC. W C B.*

8/28/34 *Inspt. by Mestaun. See file.*
Noted by: _____ Date *(over)*

(On reverse side sketch location of trees and number each 1,2,3 etc.)

Written 2/28/36. No reply

10/30/44 - Pa. Game Land Management reports
few trees now of questionable quality

July 1946 - 5 trees living; squirrels get most of the nuts

Seed mimeo. sent '44

Town: Beaverstown, Pa

Owner: Reed W. Ritter

Address:

Caretaker:

Address:

CASTANEA real

W-1951

FPI No. 70315 or Origin:

Number of trees: 100 ✓ (1929)

If several trees, make separate cards for each, using this outline.

Age:	Ht.:	DBH:	Nuts:	Quan.:	Size:	Qual.:
C. B. present:		Location:			Age of cankers:	
Description:						

Other pathological symptoms:

Average twig growth preceding year:	this year:
Site and growing conditions poor	fair good

REMARKS

(1929) 30 # 78831 ✓ c. real. 1936 - written 3/2/36 - no reply.

10/10/33 Planted on mountain side south exposure gravelly clay soil. Well drained + wind swept. Poor growth. Some killed back. Av. height 2 ft ±

Noted by: Few trees made 20-24" growth this year. Date

(On reverse side sketch location of trees and number each 1, 2, 3 etc.)

Directions attached 1934. See letter file C-9.11.

10/30/44 - Pa. Game Land management re-
ports trees crowded by scrub pine
growth so that there has been little
opportunity for development.

Seed mimeo. sent '44

Berwick, Pa.

(Columbia Co.)

W-1951

Collis R. Bower.

Orange St to Frawlersville

R.F.D. #2 mail to be sent to him at 141 Perry St., Trenton, N.J.

Castanea mollissima 45862 S.P.D. 3 trees 3-29-21.

Rpt. 10-19-25: 1 tree killed to ground by blight but sprouted.

Castanea japonica 45860 S.P.D. 2 plants. 3-29-21.

Rpt. 10-19-25: Fairly vigorous. No blight.

C. mollissima 1 tree 5' high + 1 2ft high

Larger with 5-6 branches killed back by twig blight

C. japonica 1 tree 4' high + 1 3' high

Smaller with 12 branches killed back by twig blight

Larger " 3 " " " " "

all plants thrifty. one C.m. dead.

(over)

E.J.E. + L.S. 9 6-29-26

9/18/30- no nuts yet. Blight appears to injure trees. Chinese chestnut died from blight the other thrifty & 7 ft high, the third alive but not thrifty. One Jap died from blight, the other alive & growing slowly.

July 1946 - one Jap tree dead, & the other seldom bears nuts. The 2 Chinese chestnut trees are vigorous & bear "a whole lot of nuts." Blight present but "damage is slight."

9/12/51 - See attached card for explanation of address, etc. Chinese chestnut trees produce about 3 quarts of nuts per year

9/12/51

Trees planted in Columbia County, Penna.,

in 1921 - Berwick R. D. #2, north
to entire top by Collier R Bower.
I had to leave Col. Co., Pa. several
years back. However I inspect trees
several times a year. There will
be no seedling trees for sale.
The Chinese trees are bearing well
about 3 quarts each year per tree.
I thank you for your inquiry.
Collier R Bower

Bethlehem, Pa.

Seed mimeo. sent '44

W-1951

Dept Bldgs + Grounds

Lehigh University

A. Litzzenberger, Supr.

3/15/39 - 5 trees each GX, GY, GAA, GAB,
and FP-617, C. Crenata
5 trees each FP-616, FP504, MAZ,
MBD + MBC, C. mollissima

4/21/39 - map in file.

8/10/51 - Trees healthy, nuts scarce.

Bloomington

Town:

~~Mainville~~, Pa.

Columbia Co.

Seed mimeo. sent '44

Owner:

~~R. R. Lutz, R. L.~~

CASTANEA

real.

Address:

Rt. 1, R. L.

FPI No. 70315 or Origin:

Caretaker:

L. R. Lutz

Number of trees: 25 (1929)

Address:

If several trees, make separate cards for each, using this outline.

Age:	Ht.:	DBH:	Nuts:	Quan.:	Size:	Qual.:
C. B. present:		Location:			Age of cankers:	
Description:						

Other pathological symptoms:

Average twig growth preceding year:

this year:

Site and growing conditions poor

fair

good

REMARKS

No one on premises.

Searched apple orchard
and grounds but found
no trees. 10/11/37. RBC.

Noted by:

[OVER]

Date

(On reverse side sketch location of trees and number each 1, 2, 3 etc.)

Go thru Mainville, Pa. ^{eastward} on 342
to first Y, 1 1/2 miles from
town, turn left. Go 10
miles to church + school at
cross roads. Turn left on dirt
road 1/2 mile. Turn left side.

8/24/34 Advises 17 trees alive - 3 shed this spring from
blight or winter injury.

Written 3/3/36. No reply

Boyerstown Pa.

Seed mimeo. sent '44

Mr. Gordon Barneman

4/1/39-'12 FP-633 *C. mollissima*
'12 O-16 *C. mal. hybrids*

Boyertown, Pa.

Dr. Frank L. Baum.

1944-45:

Dr. Baum dead, Mrs. Isabella J. Baum, Route #2,
Douglassville, Pa. Now owns. Card filed under
Douglassville, Pa.

Boyertown, Penna.
Elmer Eidel
RFD #1

3/17/47 - 7 #58602 C. mol. (R9T5, Sav.)

BOYERTOWN, PA.

Weevil Memo Sent 1948

JOHN Z. HARNER, 309 E. Philadelphia Ave.
Pres. Union Mfg. Co., Inc.

Letter 11/29/37 -

"I have planted some chestnut trees and some nuts as per
circular from Chas. V. Stein, Maheim, Pa., herewith enclosed. Some
of my trees are four years old and a few are eight years old. The
latter are bearing. * * * * *

10/19/43 Sent about 1 dozen small nuts which appeared to
have dentata blood. Were too dry on receipt to plant.

Boysertown, Pa.

Mrs. Norma Mensch
R. F. D. 1

1939. J. D. says has 1 Jap chestnut
growing between 2 black
walnut trees; supposed
to have a number of other
40yr-old Jap chestnut trees, about
1939 - J. D. ordered 100 seeds.
11/5/40 - Burs empty this year

Boysertown, Pa.

Berks Co

H. W. Rickard
R. F. D. 2

4/23/41 - 1 lb seed FP-979 C. mol. v
1 1/2" " FP-1003 hybrid

Brockway, Pa.

A. V. Bassetti
Brockway ^{Borough} Municipal Authority

For reforestation on watershed:

4/27/51 - 100 FP-1514 C. mol. [Map in file]

BRYN MAWR, PENNA.

W-1951

MRS. WYKOFF SMITH

10/18/37 - Received seedlings in 1937 from Bartlett trees

Seed mimeo. sent '44

Butler, Pa

W-1951

Ray Monnier
R # 10 # 2

4/9/38 - 15 H-497 *C. erenata*
15 5-8 Ball hybrid

4/18/30 - ack receipt of trees; map in file.

4/11/39 - map in file. 5-8 Ball ^{not} so good
but all of the large size grew;
rabbits killed several before
netting put up. Balance in
good condition. Trees to be
cultivated