

Connecticut State Fire Safety Code

Modifications Approved from April 1, 2002 - March 31, 2003

FM-0321-02	1-3.12	escape facilities buildings under construction
FM-0400-02	1-3.12	escape facilities buildings under construction
FM-0634-02	10-2.1.2	sm child rooms with respect to story of exit disch
FM-0630-02	10-2.11.1	windows for rescue and ventillation
FM-0686-02	10-2.11.1	windows for rescue and ventillation
FM-0349-02	10-2.11.1	windows for rescue and ventillation
FM-0038-03	10-2.2.2.2	panic or fire exit hardware
FM-0692-02	10-2.5.1	arrangement of means of egress
FM-0631-02	10-2.5.1	arrangement of means of egress
FM-0190-02	10-2.5.1	arrangement of means of egress
FM-0006-03	10-3.2.1	protection from hazards
FM-0470-02	10-3.6	interior corridors
FM-0013-03	11-2.1.2	sm child rooms with respect to story of exit disch
FM-0107-03	11-2.1.2	sm child rooms with respect to story of exit disch
FM-0388-02	11-2.11.1	windows for rescue and ventillation
FM-0451-02	11-2.3.2.1	exit access corridor width
FM-0062-03	11-2.5.1	arrangement of means of egress
FM-0264-02	11-2.6	travel distance
FM-0166-02	11-3.2.1(a)(4)	protection from hazards-janitor closets
FM-0124-03	11-3.6	interior corridors
FM-0406-02	13-2.1	mains of egress requirements
FM-0386-02	14-1.6.3	construction requirements
FM-0576-02	15-3.8.1	subdivision w/residential housing spaces
FM-0664-02	17-2.2.3	stair dimensions
FM-0662-02	17-2.2.3	stair dimensions
FM-0665-02	17-2.2.3	stair dimensions
FM-0008-03	17-3.1.1	vertical opening protection
FM-0009-03	17-3.1.1	vertical opening protection
FM-0010-03	17-3.1.1	vertical opening protection
FM-0011-03	17-3.1.1	vertical opening protection
FM-0534-02	17-3.6.3	corridor doors
FM-0539-02	17-3.6.3	corridor doors
FM-0538-02	17-3.6.3	corridor doors
FM-0540-02	17-3.6.3	corridor doors
FM-0535-02	17-3.6.3	corridor doors

FM-0533-02	17-3.6.3	corridor doors
FM-0532-02	17-3.6.3	corridor doors
FM-0531-02	17-3.6.3	corridor doors
FM-0529-02	17-3.6.3	corridor doors
FM-0537-02	17-3.6.3	corridor doors
FM-0543-02	17-3.6.3	corridor doors
FM-0547-02	17-3.6.3	corridor doors
FM-0545-02	17-3.6.3	corridor doors
FM-0536-02	17-3.6.3	corridor doors
FM-0544-02	17-3.6.3	corridor doors
FM-0542-02	17-3.6.3	corridor doors
FM-0530-02	17-3.6.3	corridor doors
FM-0548-02	17-3.6.3	corridor doors
FM-0546-02	17-3.6.3	corridor doors
FM-0541-02	17-3.6.3	corridor doors
FM-0373-02	17-3.6.5	transoms, louvers, transfer grills corridor walls
FM-0679-02	17-3.7	subdivision of building spaces
FM-0676-02	17-3.7	subdivision of building spaces
FM-0681-02	17-3.7	subdivision of building spaces
FM-0675-02	17-3.7	subdivision of building spaces
FM-0276-02	18-2.4 ex 1(b)	number of exits-outside stairs
FM-0278-02	18-2.4 ex 1(b)	number of exits-outside stairs
FM-0277-02	18-2.4 ex 1(b)	number of exits-outside stairs
FM-0279-02	18-2.4 ex 1(b)	number of exits-outside stairs
FM-0275-02	18-2.4 ex 1(b)	number of exits-outside stairs
FM-0557-02	18-2.4 ex 2	number of exits-stories in building
FM-0312-02	18-3.5.2	automatic fire sprinklers
FM-0471-02	18-3.6.2	automatic fire sprinklers
FM-0191-02	19-2.1.1	means of egress requirements
FM-0056-03	19-2.1.1	means of egress requirement
FM-0489-02	19-2.1.1	means of egress requirements
FM-0080-03	19-2.2.2.1	doors in means of egress
FM-0488-02	19-2.2.3	stairs in means of egress
FM-0605-02	19-2.2.3.1	stair dimensions
FM-0123-03	19-2.2.3.1	stair dimensions
FM-0190-03	19-2.2.3.1	stair dimensions
FM-0132-03	19-2.2.3.2	location of dwelling units
FM-0054-03	19-2.2.3.3	spiral stairs
FM-0360-02	19-2.4	number of exits
FM-0193-02	19-2.4	number of exits

FM-0022-03	19-2.4	number of exits
FM-0500-02	19-2.4 ex 3(a)	number of exits-rating
FM-0242-02	19-2.6.2	travel distance
FM-0239-02	19-2.6.2	travel distance
FM-0235-02	19-2.6.2	travel distance
FM-0546-01	19-3.1.1	vertical opening protection
FM-0544-01	19-3.1.1	vertical opening protection
FM-0550-01	19-3.1.1	vertical opening protection
FM-0547-01	19-3.1.1	vertical opening protection
FM-0548-01	19-3.1.1	vertical opening protection
FM-0543-01	19-3.1.1	vertical opening protection
FM-0545-01	19-3.1.1	vertical opening protection
FM-0541-01	19-3.1.1	vertical opening protection
FM-0540-01	19-3.1.1	vertical opening protection
FM-0551-01	19-3.1.1	vertical opening protection
FM-0549-01	19-3.1.1	vertical opening protection
FM-0542-01	19-3.1.1	vertical opening protection
FM-0612-02	19-3.2.1	protection from hazards
FM-0617-02	19-3.2.1	protection from hazards
FM-0553-02	19-3.2.1	protection from hazards
FM-0607-02	19-3.2.1	protection from hazards
FM-0024-03	19-3.2.1	protection from hazards
FM-0619-02	19-3.2.1	protection from hazards
FM-0338-02	19-3.2.1	protection from hazards
FM-0337-02	19-3.2.1	protection from hazards
FM-0332-02	19-3.2.1	protection from hazards
FM-0329-02	19-3.2.1	protection form hazards
FM-0111-03	19-3.2.1	protection from hazards
FM-0325-02	19-3.2.1	protection from hazards
FM-0023-03	19-3.2.1	protection from hazards
FM-0454-02	19-3.2.1	protection from hazards
FM-0515-02	19-3.2.1	protection from hazards
FM-0645-02	19-3.2.1	protection from hazards
FM-0626-02	19-3.2.1	protection from hazards
FM-0622-02	19-3.2.1	protection from hazards
FM-0649-02	19-3.2.1	protection from hazards
FM-0650-02	19-3.2.1	protection from hazards
FM-0621-02	19-3.2.1	protection from hazards
FM-0620-02	19-3.2.1	protection from hazards
FM-0651-02	19-3.2.1	protection from hazards

FM-0600-02	19-3.2.1	protection from hazards
FM-0669-02	19-3.2.1	protection from hazards
FM-0656-02	19-3.2.1	protection from hazards
FM-0413-02	19-3.2.1	protection from hazards
FM-0568-02	19-3.2.1	protection from hazards
FM-0588-02	19-3.2.1	protection from hazards
FM-0582-02	19-3.2.1	protection from hazards
FM-0581-02	19-3.2.1	protection from hazards
FM-0565-02	19-3.2.1	protection from hazards
FM-0562-02	19-3.2.1	protection from hazards
FM-0444-02	19-3.2.1	protection from hazards
FM-0419-02	19-3.2.1	protection from hazards
FM-0512-02	19-3.2.1	protection from hazards
FM-0417-02	19-3.2.1	protection from hazards
FM-0597-02	19-3.2.1	protection from hazards
FM-0138-03	19-3.2.1	protection from hazards
FM-0044-03	19-3.2.1	protection from hazards
FM-0143-03	19-3.2.1	protection from hazards
FM-0232-02	19-3.2.1	protection from hazards
FM-0064-03	19-3.2.1	protection from hazards
FM-0063-03	19-3.2.1	protection from hazards
FM-0004-03	19-3.2.1	protection from hazards
FM-0306-02	19-3.2.1	protection from hazards
FM-0139-03	19-3.2.1	protection from hazards
FM-0060-03	19-3.2.1	protection from hazards
FM-0224-02	19-3.2.1	protection from hazards
FM-0058-03	19-3.2.1	protection from hazards
FM-0135-03	19-3.2.1	protection from hazards
FM-0287-02	19-3.2.1	protection from hazards
FM-0073-03	19-3.2.1	protection from hazards
FM-0246-02	19-3.2.1	protection from hazards
FM-0168-02	19-3.2.1	protection from hazards
FM-0192-02	19-3.2.1	protection from hazards
FM-0039-03	19-3.2.1	protection from hazards
FM-0693-02	19-3.2.1	protection from hazards
FM-0047-03	19-3.2.1	protection from hazards
FM-0045-03	19-3.2.1	protection from hazards
FM-0298-02	19-3.2.1	protection from hazards
FM-0169-02	19-3.2.1	protection from hazards
FM-0079-03	19-3.2.1	protection from hazards

FM-0432-02	19-3.2.1	protection from hazards
FM-0431-02	19-3.2.1	protection from hazards
FM-0121-03	19-3.2.1	protection from hazards
FM-0430-02	19-3.2.1	hazardous area protection
FM-0077-03	19-3.2.1	protection from hazards
FM-0180-02	19-3.2.1	protection from hazards
FM-0052-03	19-3.2.1	protection from hazards
FM-0050-03	19-3.2.1	protection from hazards
FM-0286-02	19-3.2.1	protection from hazards
FM-0424-02	19-3.2.1	protection from hazards
FM-0524-02	19-3.2.1	protection from hazards
FM-0346-02	19-3.2.1	protection from hazards
FM-0090-03	19-3.2.1	protection from hazards
FM-0148-03	19-3.2.1	protection from hazards
FM-0136-03	19-3.2.1	protection from hazards
FM-0361-02	19-3.2.1	protection from hazards
FM-0688-02	19-3.2.1	protection from hazards
FM-0690-02	19-3.2.1	protection from hazards
FM-0051-03	19-3.2.1	protection from hazards
FM-0696-02	19-3.4.1	fire alarm systems
FM-0320-02	19-3.4.1	fire alarm systems
FM-0075-03	19-3.6.1	corridor wall ratings
FM-0078-03	19-3.6.2	corridor wall doors
FM-0285-02	19-3.6.2	corridor wall doors
FM-0122-03	19-3.6.3	corridor wall door self closing
FM-0302-02	20-3.3.1	stair enclosures
FM-0615-02	21-2	means of escape
FM-0101-03	21-2.2.3	secondary means of escape
FM-0102-03	21-2.2.3	secondary means of escape
FM-0237-02	21-2.2.3	secondary means of escape
FM-0103-03	21-2.2.3	secondary means of escape
FM-0099-03	21-2.2.3	secondary means of escape
FM-0244-02	21-2.2.3	secondary means of escape
FM-0233-02	21-2.2.3	secondary means of escape
FM-0104-03	21-2.2.3	secondary means of escape
FM-0348-02	21-2.2.3c	secondary means of escape-window
FM-0150-03	21-2.2.3c	secondary means of escape-window
FM-0075-02	24-2.1.1	means of egress requirements
FM-0633-02	25-2.2.2.1	means of egress doors
FM-0646-02	25-2.4(a)	number of exits

FM-0315-02	25-3.1.1	vertical opening protection
FM-0220-02	25-3.2.1	protection from hazards
FM-0219-02	25-3.2.1	protection from hazards
FM-0601-02	25-3.2.1	protection from hazards
FM-0114-03	25-3.2.1	protection from hazards
FM-0704-02	25-3.2.1	protection from hazards
FM-0140-03	25-3.2.1	protection from hazards
FM-0625-02	25-3.2.1	protection from hazards
FM-0033-03	25-3.2.1	protection from hazards
FM-0517-02	25-3.2.1	protection from hazards
FM-0086-03	25-3.2.1	protection frm hazards
FM-0487-02	25-3.2.1(a)	protection from hazards
FM-0133-03	26-1.7	occupant load factor
FM-0017-03	26-2.1.1	means of egress requirements
FM-0018-03	26-2.2.3.1	stairs in means of egress
FM-0458-02	26-2.4	number of exits
FM-0638-02	26-2.4	number of exits
FM-0556-02	26-2.4 ex 1	number of exits
FM-0205-02	26-2.4 ex 2	number of exits
FM-0357-02	26-2.4 ex 2	number of exits
FM-0095-03	26-2.4 ex 2	number of exits
FM-0433-02	26-2.4 ex 4	number of exits
FM-0319-02	26-2.4 ex 4	number of exits
FM-0097-03	26-2.4 ex 4	number of exits
FM-0602-02	26-2.5.3 ex 2	common path of travel
FM-0015-03	26-2.6	travel distance
FM-0261-02	26-3.1.1	vertical opening protection
FM-0034-03	26-3.1.1	vertical opening protection
FM-0303-02	26-3.2.1	protection from hazards
FM-0042-03	27-2.1.1	means of egress requirements
FM-0270-02	27-2.1.1	means of egress requirements
FM-0632-02	27-2.2.3.1	stair dimensions
FM-0087-03	27-2.2.3.1	stair dimensions
FM-0208-02	27-2.3.2	corridor width
FM-0341-02	27-2.4	number of exits
FM-0292-02	27-2.4 ex 4	number of exits
FM-0414-02	27-2.4.2	number of exits
FM-0204-02	27-2.4.2	number of exits
FM-0522-02	27-2.4.2 ex 2	number of exits
FM-0199-02	27-2.4.2 ex 2	number of exits

FM-0256-02	27-2.4.2 ex 4	number of exits
FM-0301-02	27-2.4.2 ex 4	number of exits
FM-0260-02	27-2.4.2 ex 4	number of exits
FM-0407-02	27-2.5.1	arrangement of means of egress
FM-0408-02	27-2.7	exit discharge
FM-0216-02	27-3.1.2	unprotected openings-floors below street floor
FM-0668-02	27-3.2.1	protection from hazards
FM-0217-02	27-3.2.1	protection from hazards
FM-0165-02	27-3.2.1	protection from hazards
FM-0115-03	27-3.2.1	protection from hazards
FM-0695-02	27-3.2.1	protection from hazards
FM-0635-02	27-3.2.1	protection from hazards
FM-0293-02	27-3.2.1	protection from hazards
FM-0130-03	27-3.2.1	protection from hazards
FM-0137-03	27-3.2.1	protection from hazards
FM-0705-02	27-3.2.1	protection from hazards
FM-0701-02	27-3.2.1	protection from hazards
FM-0334-02	27-3.2.1	protection from hazards
FM-0284-02	27-3.2.1	protection from hazards
FM-0375-02	27-3.4.1	audible device mounting height
FM-0106-03	27-3.4.1	fire alarm systems
FM-0333-02	27-3.4.2	pull station locations
FM-0372-02	28-2.4	number of exits
FM-0654-02	28-2.4.1	number of exits
FM-0072-03	28-2.5.6	stair dimensions
FM-0655-02	29-2.4.1	number of exits
FM-0221-02	29-2.4.1	number of exits
FM-0071-03	29-2.5.4	common path of travel
FM-0652-02	31-2.11.1	windows for rescue & ventilation
FM-0608-02	5-1.3.2.1 (a)	wains coating 1/2 way up wall
FM-0614-02	5-1.3.2.1 (a)	wains coating 1/2 way up wall
FM-0660-02	5-1.3.2.1 (a)	enclosed porch with windows
FM-0254-02	5-1.3.2.1 (a)	separation rating of exit enclosure
FM-0179-02	5-1.3.2.1 (a)	wains coating 1/2 way up wall
FM-0288-02	5-1.3.2.1 (d)	unoccupied area opening into an exit enclosure
FM-0505-02	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0422-02	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0442-02	5-1.3.2.1(a)	separation rating of an exit enclosure
FM-0699-02	5-1.3.2.1(a)	separation of rating of an exit enclosure
FM-0448-02	5-1.3.2.1(a)	separation rating of an exit enclosure

FM-0116-03	5-1.3.2.1(b)	separation rating of an exit enclosure
FM-0310-02	5-1.3.2.1(b)	separation rating of an exit enclosure
FM-0440-02	5-1.3.2.1(c)	exit enclosures open protectives
FM-0629-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0028-03	5-1.3.2.1(d)	elect closet opening to exit enclosure
FM-0167-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0418-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0667-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0439-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0299-02	5-1.3.2.1(d)	opening in exit enclosures
FM-0443-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0666-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0030-03	5-1.3.2.1(d)	storage room opening to exit enclosure
FM-0447-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0300-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0385-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0328-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0324-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0025-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0554-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0423-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0336-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0108-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0339-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0380-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0149-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0384-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0098-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0574-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0158-03	5-1.3.2.1(d)	unoccupied area opening into an exit enclosure
FM-0367-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0366-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0359-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0012-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0152-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0048-03	5-1.3.2.1(d)	openings in exit enclosure
FM-0002-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0347-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0641-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0504-02	5-1.3.2.1(d)	openings in exit enclosures

FM-0065-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0066-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0296-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0226-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0297-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0067-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0059-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0068-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0228-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0519-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0178-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0049-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0076-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0527-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0627-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0189-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0082-03	5-1.3.2.1(d)	openings in exit enclosure
FM-0593-02	5-1.3.2.1(d)	5-1.3.2.1(d)
FM-0586-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0225-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0037-03	5-1.3.2.1(d)	unoccupied area opening to exit enclosure
FM-0490-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0171-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0046-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0174-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0173-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0295-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0043-03	5-1.3.2.1(d)	openings in exit enclosures
FM-0658-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0175-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0567-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0176-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0498-02	5-1.3.2.1(d)	unoccupied area opening into an exit enclosure
FM-0250-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0177-02	5-1.3.2.1(d)	openings in exit enclosures
FM-0091-03	5-1.3.2.1(d)	openings in exit enclosure
FM-0381-02	5-1.3.2.1©	exit enclosures open protectives
FM-0678-02	5-1.5	low headroom
FM-0209-02	5-1.5	low headroom
FM-0342-02	5-1.5	low headroom

FM-0203-02	5-1.5	low headroom
FM-0682-02	5-1.5	low headroom
FM-0088-03	5-1.5	low headroom
FM-0164-02	5-1.5	low headroom
FM-0368-02	5-1.5	low headroom
FM-0029-03	5-1.5	6' headroom
FM-0083-03	5-1.5	low headroom
FM-0218-02	5-1.5	low headroom
FM-0377-02	5-1.5	low headroom
FM-0673-02	5-1.5	low headroom
FM-0521-02	5-1.5	low headroom
FM-0525-02	5-1.5	low headroom
FM-0469-02	5-1.5	low headroom
FM-0468-02	5-1.5	low headroom
FM-0467-02	5-1.5	low headroom
FM-0466-02	5-1.5	low headroom
FM-0672-02	5-1.5	low headroom
FM-0196-02	5-1.5 ex 1	low headroom
FM-0376-02	5-2.1.2	egress width
FM-0507-02	5-2.1.2.2	27" exist door in lieu of 28"
FM-0200-02	5-2.1.3	floor level at door openings
FM-0604-02	5-2.1.3	floor level at door openings
FM-0092-03	5-2.1.4.1	retractable door in lieu of side hinged swinging
FM-0258-02	5-2.1.4.4	exit door swing-obstruction of egress width
FM-0369-02	5-2.1.5.2 ex 2	stair re-entry
FM-0214-02	5-2.2.2.1	stair dimensions
FM-0223-02	5-2.2.2.1	stair dimensions
FM-0014-03	5-2.2.2.1	stair dimensions
FM-0222-02	5-2.2.2.1	stair dimensions
FM-0003-03	5-2.2.2.1	stair dimensions
FM-0215-02	5-2.2.2.1	stair dimensions
FM-0549-02	5-2.2.2.1	stair dimensions
FM-0570-02	5-2.2.2.1	stair dimensions
FM-0571-02	5-2.2.2.1	stair dimensions
FM-0456-02	5-2.2.2.1	stair dimensions
FM-0085-03	5-2.2.2.1 ex 1	stair dimensions
FM-0340-02	5-2.2.2.1(a)	stair dimensions
FM-0070-03	5-2.2.2.1(b)	stair dimensions
FM-0511-02	5-2.2.2.1(b)	stair dimensions
FM-0420-02	5-2.2.2.1(b)	stair dimensions

FM-0416-02	5-2.2.2.1(b)	stair dimensions
FM-0405-02	5-2.2.2.1(b)	stair dimensions
FM-0326-02	5-2.2.2.1(b)	stair dimensions
FM-0403-02	5-2.2.2.1(b)	stair dimensions
FM-0350-02	5-2.2.2.1(b)	stair dimensions
FM-0401-02	5-2.2.2.1(b)	stair dimensions
FM-0624-02	5-2.2.2.1(b)	stair dimensions
FM-0393-02	5-2.2.2.1(b)	stair dimensions
FM-0392-02	5-2.2.2.1(b)	stair dimensions
FM-0391-02	5-2.2.2.1(b)	stair dimensions
FM-0151-03	5-2.2.2.1(b)	stair dimensions
FM-0509-02	5-2.2.2.1(b)	stair dimensions
FM-0647-02	5-2.2.2.1(b)	stair dimensions
FM-0345-02	5-2.2.2.1(b)	stair dimensions
FM-0131-03	5-2.2.2.1(b)	stair dimensions
FM-0580-02	5-2.2.2.1(b)	stair dimensions
FM-0449-02	5-2.2.2.4	spiral stairs
FM-0117-03	5-2.2.2.4(a)	spiral stairs
FM-0084-03	5-2.2.2.5	winder stairs
FM-0201-02	5-2.2.3.2	stair landings
FM-0061-03	5-2.2.3.2	stair landings
FM-0231-02	5-2.2.3.6	dimensional uniformity on stairs
FM-0671-02	5-2.2.4.2	handrails on stairs
FM-0259-02	5-2.2.4.2	handrails on stairs
FM-0587-02	5-2.2.4.5	handrail details
FM-0609-02	5-2.2.4.5	handrail details
FM-0513-02	5-2.2.4.5	handrail details
FM-0247-02	5-2.2.4.5	handrail details
FM-0689-02	5-2.2.4.5	handrail details
FM-0253-02	5-2.2.4.5(a)	handrail heights
FM-0305-02	5-2.2.4.5(a)	handrail details
FM-0637-02	5-2.2.4.5(e)	handrail continuity
FM-0702-02	5-2.2.4.5(e)	handrail continuity
FM-0007-03	5-2.2.4.6(b)	guard height
FM-0053-03	5-2.2.4.6(b)	guard height
FM-0021-03	5-2.2.4.6(b)	guard height
FM-0446-02	5-2.2.4.6(b)	guard height
FM-0120-03	5-2.2.4.6(b)	guard height
FM-0591-02	5-2.2.4.6(b) ex 3	guard details
FM-0142-03	5-2.2.5.1	enclosure & protection of stairs

FM-0126-03	5-2.2.5.2	exposures to stairs
FM-0308-02	5-2.2.5.2	exposures to stairs
FM-0252-02	5-2.2.5.3	usable space in exit enclosure
FM-0640-02	5-2.2.5.3	usable space in exit enclosures
FM-0434-02	5-2.2.5.3	usable space in exit enclosures
FM-0344-02	5-2.2.6.3	visual protection of stairs
FM-0343-02	5-2.2.6.4	separation & protection of outside stairs
FM-0262-02	5-2.2.6.4	separation & protection of outside stairs
FM-0395-02	5-2.2.6.4	separation & protection of outside stairs
FM-0035-03	5-2.2.6.7	openness of outside stairs
FM-0389-02	5-2.4.2.4	horizontal exits-floor area
FM-0514-02	5-2.4.3.1	horizontal exits-fire separation
FM-0639-02	5-2.4.3.2	horizontal exits-exterior wall terminations
FM-0577-02	5-2.5.2	ramps-dimensional criteria
FM-0411-02	5-2.5.5	enclosure & protection of ramps
FM-0230-02	5-3.1.1	capacity of means of egress
FM-0598-02	5-3.4.1	means of egress-minimum width
FM-0462-02	5-3.4.1	means of egress-minimum width
FM-0592-02	5-4.1.1	number of means of egress
FM-0119-03	5-5.1.3	remoteness of exits
FM-0257-02	5-5.1.4	remoteness of exits
FM-0441-02	5-5.1.7	exit access-intervening rooms
FM-0370-02	5-5.2.1	impediments to egress
FM-0371-02	5-5.2.1	impediments to egress
FM-0294-02	5-5.2.1	impediments to egress
FM-0611-02	5-5.3.2	exterior ways of exit access-dimensional requirements
FM-0687-02	5-5.3.2	exterior ways of exit access-dimensional requirements
FM-0238-02	5-5.3.3	exterior ways of exit access-separation
FM-0234-02	5-5.3.3	exterior ways of access-separation
FM-0243-02	5-5.3.3	exterior ways of exit access-separation
FM-0251-02	5-7.1	exit discharge-exterior/public way
FM-0206-02	5-7.2	exit discharge-interior-lobby dimensions
FM-0236-02	5-7.2(b)	exit discharge-interior-separation/sprinklers
FM-0240-02	5-7.2(b)	exit discharge-interior-separation/sprinklers
FM-0241-02	5-7.2(b)	exit discharge-interior-separation/sprinklers
FM-0683-02	5-7.3	exit discharge-stairs below LED
FM-0680-02	5-7.3	exit discharge-stairs below LED
FM-0674-02	5-7.3	exit discharge-stairs below LED
FM-0677-02	5-7.3	exit discharge-stairs below LED
FM-0110-03	6-2.3.2.1 ex 5	opening protective in fire barriers-existing doors & frames

FM-0125-03	6-2.3.2.3.1	opening protectives in fire barriers
FM-0550-02	6-2.3.2.3.1	opening protectives in fire barriers
FM-0109-03	6-2.3.2.3.1	opening protectives in fire barrier
FM-0428-02	6-2.3.2.3.1 ex 5	opening protectives in fire barriers-existing doors & frame
FM-0585-02	6-2.3.2.3.1 ex 5	opening protectives in fire barriers-existing doors & frame
FM-0069-03	6-2.3.2.3.1 ex 5	opening protectives in fire barriers-existing door frame
FM-0427-02	6-2.3.2.3.1 ex 5	opening protectives in fire barriers-existing doors & frame
FM-0429-02	6-2.3.2.3.1 ex 5	opening protectives in fire barriers-existing doors & frame
FM-0450-02	6-2.3.2.3.1(a)	opening protectives in 2 hr fire barriers
FM-0289-02	6-2.3.2.3.1(b)	opening protectives in 1 hr fire barriers
FM-0157-02	6-2.4.2	vertical opening protection
FM-0100-03	6-2.4.4	fire resistance rating of vertical openings
FM-0566-02	6-2.4.4	fire resistance rating of vertical openings
FM-0493-02	6-2.4.4	fire resistance rating of vertical openings
FM-0229-02	6-2.4.5	vertical openings-"mini-atriums"
FM-0211-02	6-2.4.5(c)	vertical openings-"mini-atriums"
FM-0526-02	6-2.4.8	vertical openings-convenience openings
FM-0153-02	6-2.4.8	vertical openings-convenience openings
FM-0595-02	6-2.4.8(c)	vertical openings-convenience openings
FM-0273-02	6-2.5.2.1	mezzanine area limitations
FM-0162-02	6-2.5.2.1	mezzanine area limitations
FM-0272-02	6-2.5.2.1	mezzanine area limitations
FM-0040-03	6-4.4	special hazard protection-laboratories
FM-0120-02	7-2.4	building services-ventillation for laboratories
FM-0563-02	7-7.4.2	standpipe & hose systems
FM-0198-02	8-1.3	classification of occupancy
FM-0032-03	8-1.7.1	occupant load factor
FM-0643-02	8-2.11.1.1	sightline constrained rail heights
FM-0426-02	8-2.3.3	main entrance/exit
FM-0255-02	8-2.5.1	arrangement of means of egress
FM-0644-02	8-2.5.6.7	aisle handrails
FM-0483-01	8-2.6.1 ex 1	excess travel dist (280/200)
FM-0031-03	8-3.4.1	audible device mtg height
FM-0642-02	8-3.4.3.3	fire alarm-voice evacuation
FM-0081-03	8-3.4.3.3	fire alarm-voice evacuation
FM-0584-02	8-7.1.3	food preparation areas
FM-0657-02	9-1.2.2	occupant load less than 75
FM-0703-02	9-1.2.2	occupant load less than 75
FM-0460-02	9-1.2.2	occupant load less than 75
FM-0202-02	9-1.2.2	occupant load less than 75

FM-0459-02	9-1.2.2	occupant load less than 75
FM-0163-02	9-1.2.2	occupant load less than 75
FM-0510-02	9-1.7.1 ex 2	occupant load limited by exit capacity
FM-0074-03	9-2.1	means of egress requirements
FM-0484-02	9-2.2.2.3 ex 1	panic & fire exit hardware
FM-0463-02	9-2.2.3.2.2	spiral stairs
FM-0159-02	9-2.3.3	main entrance/exit
FM-0323-02	9-2.3.3	main entrance/exit
FM-0133-02	9-2.5	dead end
FM-0477-02	9-2.5.4.2	access & egress routes
FM-0155-02	9-2.6.1 ex 1	travel distance-smoke protected seating
FM-0227-02	9-3.2.1(a)	protection from hazards-boiler rooms
FM-0309-02	9-3.2.1.3	protection from hazards
FM-0089-03	9-3.2.1.3	protection from hazards
FM-0603-02	9-3.2.1.3	protection from hazards
FM-0036-03	9-3.2.1.3	protection from hazards
FM-0118-03	9-3.2.1.3	protection from hazards
FM-0551-02	9-3.2.1.3	protection from hazards
FM-0506-02	9-3.2.1.3(a)(1)	protection from hazards-boiler rooms
FM-0560-02	9-3.2.1.3(a)(1)	protection from hazards-boiler rooms
FM-0382-02	9-3.2.1.3(a)(1)	protection from hazards-boiler rooms
FM-0335-02	9-3.2.1.3(a)(1)	protection from hazards-boiler rooms
FM-0383-02	9-3.2.1.3(a)(2)	protection from hazards-combustible supplies
FM-0561-02	9-3.2.1.3(a)(2)	protection from hazards-combustible supplies
FM-0421-02	9-3.2.1.3(a)(2)	protection from hazards-combustible supplies
FM-0197-02	9-3.2.1.3(b)(1)	protection from hazards-laundries
FM-0552-02	9-3.4.3.4	fire alarm-constantly attended location
FM-0318-02	9-3.5.1	automatic fire sprinklers
FM-0093-03	9-7.1.3	exist cooking arrangement