



79 Elm Street • Hartford, CT 06106-5127

www.ct.gov/deep

Affirmative Action/Equal Opportunity Employer

Mr. Michael Sullivan
Facilities Manager
Shell Oil Products US
481 East Shore Parkway
New Haven, CT 06512

RE: Modification of Registration Nos. 117-0200-R and 117-0201-R for Volatile Liquid Storage Tanks 31 & 32 located at Shell Oil Products US, in New Haven, CT

Dear Mr. Sullivan:

The Commissioner of the Department of Energy and Environmental Protection (Department) may modify any license at the request of the licensee in accordance with Section 22a-3a-5(d) of the Regulations of Connecticut State Agencies (RCSA), and any other applicable law. Any modification at the request of the licensee shall comply with the requirements of RCSA Section 22a-3a-5(a).

As requested and supported in your letter dated December 5, 2018, the Bureau of Air Management Registration Nos. 117-0200-R and 117-0201-R are hereby modified unless within 30 days of issuance of this notice a request for hearing is filed. Such request shall conform with the provisions of RCSA Section 22a-3a-6(i). The registrations have been modified as follows:

Equipment Description	License No.	Material Being Stored	Capacity (gallon)	Vapor Pressure (psi)
Aboveground Storage Tank 31	117-0200-R	Organic Liquid	1,528,800	< 11
Aboveground Storage Tank 32	117-0201-R	Organic Liquid	1,528,800	< 11

This letter in no way grants immunity from legal action resulting from the failure of this source to remain in compliance with existing air pollution regulations, nor does it provide an exemption from compliance with future Federal, State or local laws.

If you have any questions concerning this notice, please feel free to contact Ms. Rintra McIntyre of my staff at 860-424-3560.

1/7/19
Date

Robert J. Klee
Commissioner


RJK:RPM
cc: Richard Rodrigue, Air Engineering
Keith Hill, Air Enforcement
(via electronic mail): Mr. Stephen Piper of MJ Bradley
Certified Mail

Transferred To Equilon Enterprises on 12/13/17

REGISTRATION CERTIFICATE
EPAC-10 REV. 7-73



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION



STACK NO. 01171005303

EQUIPMENT CLASSIFICATION		REGISTRATION NO.
<input type="checkbox"/> FUEL BURNING	<input type="checkbox"/> INCINERATOR	01170200
<input checked="" type="checkbox"/> PROCESS MFG.	<input type="checkbox"/> AIR POLLUTION CONTROL	DATE ISSUED
FIRM NAME		12/05/73
HUMBLE OIL & REFINING		

LOCATION OF EQUIPMENT (No. & Street, Town, State)
481 EAST SHORE PARKWAY NEW HAVEN CT 06503

COMMISSIONER OR HIS REPRESENTATIVE

DEPARTMENT OF ENVIRONMENTAL PROTECTION

MEMORANDUM

DATE: December 10, 2018

TO: Robert Klee, Commissioner
Tracy Babbidge, Bureau Chief

FROM: Rintra McIntyre, APCE II
Susan Amarello, Supervising APCE
Jaimeson Sinclair, Assistant Director

SUBJECT: Modification of Registration Nos. 117-0200-R and 117-0201-R for Volatile Liquid Storage Tanks located at Shell Oil Products US, in New Haven, CT

DISCUSSION: Shell Oil Products US has submitted a letter, dated December 5, 2018, requesting to modify registrations associated with gasoline aboveground storage tanks 31 and 32. The request is a result of a minor modification application to the Title V permit submitted in November of 2017.

Proposed changes include:

Registration No. 117-0200-R for Tank 31

1. decrease the storage capacity from 1,700,000 gallons to 1,528,800 gallons; and
2. change the description of the material being stored from Exxon Extra Gasoline to organic liquid with vapor pressure less than 11 psi.

Registration No. 117-0201-R for Tank 32

1. decrease the storage capacity from 1,690,000 gallons to 1,528,800 gallons; and
2. change the description of the material being stored from Exxon Extra Gasoline to organic liquid with vapor pressure less than 11 psi.

The proposed changes meet the definition of “modification” or “modified source” pursuant to RCSA Section 22a-174-1(73) whereby the proposed activities constitute a change in the method of operation. This change in the method of operation is to broaden the volatile organic material being stored resulting in any potential emissions not previously emitted. However, NSR permits are not required because the premises is not a major source of HAPs or the increase in potential emissions are less than 15 tpy pursuant to RCSA Sections 22a-174-3a(1)(C) and (E), respectively. Furthermore, modifications of registrations for other premises have been approved in the past pursuant to former RCSA Section 22a-174-2.

The proposed registration modifications are as follows:

Equipment Description	License No.	Material Being Stored	Capacity (gallon)	Vapor Pressure (psi)
Aboveground Storage Tank 31	117-0200-R	Organic Liquid	1,528,800	< 11
Aboveground Storage Tank 32	117-0201-R	Organic Liquid	1,528,800	< 11

The compliance record was reviewed in accordance with the Environmental Compliance History Policy. Agency records, including the SIMS Enforcement database, were reviewed for information to evaluate the applicant's compliance history and the relevance of such history to the revocation being sought. Additionally, a review of air program compliance was requested from the Enforcement Section and that response forms a part of this record.

RECOMMENDATION: Based on the information submitted by the applicant, this engineering evaluation and the compliance history review, the modification of Registration Nos. 117-0200-R and 117-0201-R is recommended.



Rintra McIntyre, APCE II

12.31.2018

Date


REVIEW:



Susan Amarello
Supervising APCE

12/31/2018

Date



Jaimeson Sinclair
Assistant Director

1/2/19
Date