

LONG ISLAND SOUND BLUE PLAN 2019

LONG ISLAND SOUND **BLUE PLAN**

Sustainable Ecosystems - Compatible Uses



Long Island Sound Blue Plan

Report presented by the:

Connecticut Department of
Energy and Environmental Protection



Version 1.2
September 2019

Long Island Sound Blue Plan

Prepared by:

Connecticut Department of Energy and
Environmental Protection
Land and Water Resources Division
79 Elm Street
Hartford, CT 06106

Long Island Sound Resource and Use
Inventory and Blue Plan Advisory
Committee

Submitted to:

Environment Committee
Connecticut General Assembly
Legislative Office Building, Room 3200
Hartford, CT 06106

SIGNATURE OF ADOPTION:



Katherine S. Dykes, Commissioner

9-17-19

Date

Publication Information

This report, titled the Long Island Sound Blue Plan (Blue Plan) is presented by the Commissioner of the Connecticut Department of Energy and Environmental Protection, under the advisement of the Blue Plan Advisory Committee. The report, and accompanying documentation, is available online via the Blue Plan website:

<https://www.ct.gov/deep/LISBluePlan>

For more information contact:

Deep.BluePlanLIS@ct.gov

Long Island Sound Blue Plan
Connecticut Department of Energy and Environmental Protection
Land and Water Resources Division: Blue Plan
79 Elm Street
Hartford, CT 06106
(860) 424-3019

Funding Sources:

Gordon and Betty Moore Foundation, Stakeholder engagement options and data and information research for LIS MSP, \$60,000, The Nature Conservancy, grantee, 1/2016 – 2/2017

Long Island Sound Study (LISS)/Long Island Sound Futures Fund (LISFF), Using strategic engagement to achieve management and protection goals of the Long Island Sound Blue Plan, \$34,997, The University of Connecticut, grantee, 10/1/16-12/31/17¹

Gordon and Betty Moore Foundation, Coordination, outreach and ecological characterization support for Long Island Sound Blue Plan, \$60,000, The Nature Conservancy, grantee, 1/2017 – 3/2018

EPA Long Island Sound Study, Support for marine spatial planning in Long Island Sound: the Blue Plan, \$200,000, The University of Connecticut, grantee, 10/1/17-9/30/19²

¹ This project has been funded wholly or in part by the Long Island Sound Study provided through the Long Island Sound Futures Fund . The contents of this document do not necessarily reflect the views and policies of the LISS , nor does the LISS endorse trade names or recommend the use of commercial products mentioned in this document. No official endorsement should be inferred.

² This project has been funded wholly or in part by the United States Environmental Protection Agency under assistance agreement LI - 00A00156 to the University of Connecticut. The contents of this document do not necessarily reflect the views and policies of the Environmental Protection Agency, nor does the EPA endorse trade names or recommend the use of commercial products mentioned in this document.

LISS/LISFF Engaging Scientists and the Public to Identify “Ecologically Significant Areas” for the Long Island Sound Blue Plan, \$44,999, The Nature Conservancy, grantee, 12/01/17 – 2/1/19¹

LISS/LISFF, Producing and Implementing a Community-supported Long Island Sound Blue Plan, \$44,975, The Nature Conservancy, grantee, 3/15/19 – 6/12/20¹

Suggested Blue Plan Citation:

Connecticut Department of Energy and Environmental Protection. (2019). Long Island Sound Blue Plan. Hartford, CT.

Cover Photo:

Emily Hall

The Connecticut Department of Energy and Environmental Protection is an Affirmative Action/Equal Opportunity Employer that is committed to complying with the requirements of the Americans with Disabilities Act. Please contact us at (860) 418-5910 or deep.accommodations@ct.gov if you: have a disability and need a communication aid or service; have limited proficiency in English and may need information in another language; or if you wish to file an ADA or Title VI discrimination complaint.

Acknowledgements

Connecticut Department of Energy and Environmental Protection (CT DEEP) would like to thank the Blue Plan Advisory Committee for their contributions and insights during this process.

Katie Dykes
Robert Klee
Melanie Bachman
Bruce Beebe
Jason Bowsza
David Carey
Sylvain De Guise
Catherine Finneran
Nathan Frohling

William Gardella
Sidney J. Holbrook
Eric Lindquist
Bill Lucey
Evan Matthews
Alicia Mozian
Christine Nelson
Mark Pappalardo
Leah Schmalz
Mike Theiler

CT DEEP would also like to thank the Plan Development Team, contributing authors, reviewers, and editors for their help in preparing this report.

Plan Development Team:

David Blatt
Sylvain De Guise
Christian Fox
Nathan Frohling
Emily Hall
Mary-beth Hart
Kevin O'Brien
Brian Thompson

Contributing Authors:

David Blatt
Sylvain De Guise
Christian Fox
Nathan Frohling
Emily Hall
Mary-beth Hart
Kevin O'Brien
Emily Shumchenia

Reviewers and Editors:

Allison Castellan
Kim Czaplá
Emily Hall
Mary-beth Hart

CT DEEP would furthermore like to thank and recognize all ecological experts and stakeholders for their valuable contributions to this Blue Plan. This document would not have been possible without their input, feedback, and support. CT DEEP would like to offer a special thanks to the Ecological Experts Group for their tremendous contributions to the development of the Long Island Sound Ecologically Significant Areas.

Melissa Albino-Hegeman
Peter Auster
Giancarlo Cicchetti
Christian Conroy
Chris Elphick
Nathan Frohling

Tessa L. Getchis
Penny Howell
Maxine Montello
Nick Napoli
Kevin O'Brien
Emily Shumchenia



Blue Plan Essentials

The Blue Plan goals are simple.

They aim to protect important ecological resources and existing human uses, and serve as a tool to reduce conflicts in the future.

The Blue Plan is place-based.

Through the concept of marine spatial planning, the Blue Plan is meant to gather science-based and stakeholder/expert-vetted information to map the most important locations for special ecological features and human uses of Long Island Sound, so they can be recognized and taken into account in order to make better decisions now and in the future.

The Blue Plan is not a new regulatory program.

If an activity does not require a permit now, it will not require a permit under the Blue Plan. The Blue Plan will only apply to new permits under the existing regulatory programs listed in CGS § 25-157t(h). Permit review under these programs will undergo the same general processes, but will now use the information and standards contained in the Blue Plan. There will not be an additional Blue Plan permit.

The Blue Plan was shaped by meaningful public input.

The Blue Plan Development Team hosted 3 public hearings, several regional meetings in CT and NY, and almost 100 meetings and webinars; responded to countless individual inquiries by email, phone, and in person; and addressed 37 written comments received during the 90-day public comment period.

The Blue Plan is not retroactive.

The Blue Plan is meant to apply to future decisions, and will not affect existing activities.

The Blue Plan provides greater access to information.

Through the Blue Plan process, a large amount of information has been gathered on where important ecological features and human uses occur in Long Island Sound. This information is collated, synthesized, and made broadly available through the Blue Plan documents, including the Long Island Sound Resource and Use Inventory and online map viewer. Using these tools, stakeholders, project proponents and permitting authorities all have the same information to evaluate and substantiate more objective and well-informed decisions.

The Blue Plan is meant to support water-dependent activities.

The Plan specifically recognizes existing human uses in Long Island Sound and maps the most important places they occur and depend on. In addition to increased recognition, the Blue Plan is meant to afford protection of such important human uses, so that future activities can be sited in a manner that will minimize conflicts.

The Blue Plan applies to deeper waters.

Under the legislation mandating the creation of the Blue Plan (CGS § 25-157t), its policies are meant to apply to activities taking place in waters seaward of a 10' depth line. While more technical information is contained in the Blue Plan documents, efforts have been made to define this line and display it on a map (easily available via the Blue Plan viewer). As a result, the Blue Plan does not apply, and was never intended to apply, to a large number of regulated coastal activities such as private docks or protection of salt marshes already managed under the existing Coastal Management Program. However, the Blue Plan gathered some upland information, beyond the policy boundary, so that decisions in deeper water can consider important coastal and upland features.

The Blue Plan is meant to be a living document.

Recognizing that things change, the statute mandating the creation of the Blue Plan requires the plan to be revised at least every 5 years, with a public hearing to be held every year. The Blue Plan Advisory Committee is also required to advise the Commissioner of DEEP on the operation, implementation, and updating of the Inventory and Plan. In short, if information changes or the process does not work as planned, there are opportunities to fix it. Stakeholder input and feedback are encouraged to recognize and address issues.



Table of Contents

Acronyms and Abbreviations	I
Terminology.....	III
List of Figures and Tables	V
Chapter 1 Introduction.....	1-1
1.1 Purpose and Need for Marine Spatial Planning.....	1-1
1.2 Origins of Marine Spatial Planning in Long Island Sound.....	1-3
1.3 The Blue Plan Act	1-5
1.4 Vision and Goals of the Blue Plan	1-7
1.5 Process for Developing the Blue Plan.....	1-10
1.5a. Organizational Structure	1-10
1.5b. Elements of Blue Plan Development	1-16
Chapter 2 Management Framework.....	2-30
2.1 Introduction.....	2-30
2.2 The Public Trust Doctrine.....	2-30
2.3 Connecticut Long Island Sound Advisory Entities	2-32
2.4 Connecticut State Plans	2-34
2.5 State Regulatory Programs and Authorities	2-37
2.6 Local Government Regulatory Programs.....	2-43
2.7 Federal Authorities in Long Island Sound	2-45
2.8 Interstate, Regional, and Federal Partnerships	2-47
Chapter 3 The Blue Plan in Long Island Sound	3-55
3.1 Introduction.....	3-55
3.2 Overview of Inventory Process	3-56
3.3 Long Island Sound Areas Subject to the Blue Plan	3-57
3.4 Designation of Ecologically Significant Areas and Significant Human Use Areas	3-70
3.4a. Designation of Ecologically Significant Areas	3-75
3.4b. Designation of Significant Human Use Areas	3-108
Chapter 4 Blue Plan Policies and Standards	4-120
4.1 Introduction.....	4-120
4.2 Part I: Sound-Wide Policies.....	4-122
4.3 Part II: ESA and SHUA Policies	4-126
4.3a Part IIa: Siting and Performance Standards for ESAs	4-127

4.3b Part IIb: Siting and Performance Standards for SHUAs	4-129
4.4 Part III: Lenses for Consideration	4-135
Chapter 5 Implementation and Adaptive Management	5-137
5.1 Introduction	5-137
5.2 Agencies Implementing the Blue Plan	5-137
5.3 Role and Function of Blue Plan Advisory Committee	5-138
5.4 Monitoring Blue Plan Implementation	5-139
5.5 Adapting the Blue Plan	5-140
Chapter 6 Topics for Future Consideration	6-141
6.1 Introduction	6-141
6.2 Climate Change Considerations	6-141
6.3 Legislative Considerations	6-143
6.4 Other Areas for Future Consideration	6-143
References	I
Appendix 1: Blue Plan Policies for Federal Consistency Consideration	V
Appendix 2. Ecologically Significant Areas: Supplemental Information and Maps	XV
Appendix 3. Significant Human Use Areas: Supplemental Information and Maps	CLXX
Appendix 4. Conflict and Compatibility Matrices	CCCXXIV
Appendix 5: Comment Log with Responses	CCCXXVIII

Acronyms and Abbreviations

Abbreviations

Corp	Us Army Corp of Engineers
Ft	Foot
Inventory Plan	Long Island Sound Resource and Use Inventory Blue Plan
Sound	Long Island Sound
UConn	University of Connecticut

Acronyms

AIS	Automated Information Systems
AOI	Blue Plan Area of Interest
AWOIS	Automated Wreck and Obstruction System
BP	Blue Plan
BPAC	Blue Plan Advisory Committee
CAD	Confined Aquatic Disposal or Computer Aided Design
CCMP	Comprehensive Conservation and Management Plan
CFR	Code of Federal Regulations
CGS	Connecticut General Statutes
CLEAR	Center for Land Use Education and Research
CT ECO	CT Environmental Conditions Online
CT	Connecticut
CT DEEP	CT Department of Energy and Environmental Protection
CT NDDB	CT National Diversity Database
CT OSA	CT Office of State Archaeology
CT SHPO	CT State Historic Preservation Office
CMA	CT Coastal Management Act
CZMA	Coastal Zone Management Act of 1972
DA/DB	CT Department of Agriculture, Bureau of Aquaculture
DLG	Digital Line Graph
DMMP	Dredge Material Management Plan
EC	Ecological Characterization
ECS	Ecological Characterization Summary
ECWT	Ecological Characterization Work Team
EEG	Ecological Experts Group
ENC	Electronic Nautical Chart
ESA	Ecologically Significant Area
FERC	Federal Energy Regulatory Commission
GARFO	Greater Atlantic Region Fisheries Office
GHG	Greenhouse Gases
GIS	Geospatial Information Systems
GLD	Geographic Location Description
IPCC	Intergovernmental Panel on Climate Change
IUCN	International Union on the Conservation of Nature

LIS	Long Island Sound
LIS RDT	Long Island Sound Regional Dredging Team
LISEA	Long Island Sound Ecological Assessment
LISMaRC	Long Island Sound Mapping and Research Collaborative
LISS	Long Island Sound Study
LISTS	Long Island Sound Trawl Survey
LNG	Liquefied Natural Gas
MARCO	Mid-Atlantic Regional Ocean Council
MDAT	Marine-life and Data Analysis Team
MHW	Mean High-Water
MLLW	Mean Lower Low Water
MSP	Marine Spatial Plan/Planning
NASA	National Aeronautics and Space Administration
NAVD88	North American Vertical Datum of 1988
NERACOOS	Northeast Regional Association of Coastal and Ocean Observation Systems
NERR	National Estuarine Research Reserve
NOAA	National Oceanic and Atmospheric Administration
NRDC	National Resource Defense Council
NROC	Northeast Regional Ocean Council
NUWC	Naval Undersea Warfare Center
NY	New York
NY DEC	NY Department of Environmental Conservation
NY DOS	NY Department of State
PA	Public Act
PDT	(Blue Plan) Plan Development Team
PGP	Programmatic General Permit
PM	Participatory Mapping
POSM	Protected Open Space Mapping
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
SAV	Submerged Aquatic Vegetation
SCORP	CT Statewide Comprehensive Outdoor Recreation Plan
SG	Sea Grant
SHUA	Significant Human Use Area
SSU	Special, Sensitive, and Unique Resources
TNC	The Nature Conservancy
TRI	Terrain Ruggedness Index
US EPA	US Environmental Protection Agency
USACE	US Army Corps of Engineers
USGS	US Geological Survey
UTM	Universal Transverse Mercator
VTR	Vessel Trip Report
WPCA	Water Pollution Control Act
WQS	Water Quality Standards

Terminology

<p style="text-align: center;">Adverse Impact</p>	<p>Adverse impacts are defined in each regulatory program as stated in (statutory reference). For example, in terms of Connecticut’s Coastal Management Program adverse impacts are defined in CGS § 22a-93(15) to include, but are not limited to:</p> <ul style="list-style-type: none"> (A) Degrading water quality through the significant introduction into either coastal waters or groundwater supplies of suspended solids, nutrients, toxics, heavy metals or pathogens, or through the significant alteration of temperature, pH, dissolved oxygen or salinity; (B) degrading existing circulation patterns of coastal waters through the significant alteration of patterns of tidal exchange or flushing rates, freshwater input, or existing basin characteristics and channel contours; (C) degrading natural erosion patterns through the significant alteration of littoral transport of sediments in terms of deposition or source reduction; (D) degrading natural or existing drainage patterns through the significant alteration of groundwater flow and recharge and volume of runoff; (E) increasing the hazard of coastal flooding through significant alteration of shoreline configurations or bathymetry, particularly within high velocity flood zones; (F) degrading visual quality through significant alteration of the natural features of vistas and view points; (G) degrading or destroying essential wildlife, finfish or shellfish habitat through significant alteration of the composition, migration patterns, distribution, breeding or other population characteristics of the natural species or significant alteration of the natural components of the habitat; and (H) degrading tidal wetlands, beaches and dunes, rocky shorefronts, and bluffs and escarpments through significant alteration of their natural characteristics or function.”
<p style="text-align: center;">Area of Interest</p>	<p>The area in which data and information were collected in Long Island Sound to form a basis for Blue Plan development. Includes but is not limited to the planning area outlined in CGS § 22-157t(c), which states, “the submerged lands and waters subject to the commissioner’s planning, management and coordination authority under the Long Island Sound Blue Plan shall include Long Island Sound and its bays and inlets from the mean high water line, as defined by the most recent data of the National Oceanic and Atmospheric Administration, to the state’s waterward boundaries with the states of New York and Rhode Island.” More information can be found in Section 3.3 Long Island Sound Areas Subject to the Blue Plan and can be viewed in the Blue Plan Viewer.</p>
<p style="text-align: center;">Ecologically Significant Areas</p>	<p>Areas of resources within Long Island Sound waters, or substrates that are identified as special, sensitive, or unique, including estuarine and marine life, and their habitats. Definitions of each of the ESA criteria can be found in Section 3.4a Designation of Ecologically Significant Areas, and Appendix 2, Ecologically Significant Areas: Supplemental Information and Maps and can be viewed in the Blue Plan Viewer.</p>

<p>Feasible</p>	<p>Defined in CGS § 22a-38(17)as, “able to be constructed or implemented consistent with sound engineering principles:”</p>
<p>Marine Spatial Planning</p>	<p>Adapted from the National Oceanic and Atmospheric Administration (NOAA, 2019)</p> <p>“marine planning is a science-based tool that regions can use to address specific ocean management challenges and advance their goals for economic development and conservation. ...This process is designed to decrease user conflict, improve planning and regulatory efficiencies, decrease associated costs and delays, engage affected communities and stakeholders, and preserve critical ecosystem functions and services. Marine planning is a process developed from the bottom up to improve collaboration and coordination among all coastal and ocean interests, and to better inform and guide decision-making that affects their economic, environmental, security, and social and cultural interests.”</p>
<p>Policy Area</p>	<p>The area of Long Island Sound where Blue Plan policies and standards will apply, as outlined in CGS § 25-157t. More information and maps representing the policy area can be found in Section 3.3 Long Island Sound Areas subject to the Blue Plan and can be viewed in the Blue Plan Viewer.</p>
<p>Public Benefit</p>	<p>A material positive impact to the well-being of the Long Island Sound ecosystem, economy or the general public, as opposed to any particular benefits to individual firms or economic actors. Public benefit includes facilities in the national interest defined by CGS § 22a-93(14), and facilities in support of the State’s Comprehensive Energy Strategy, required by CGS § 16a-3d(a), and modified by PA 18-82 to become a Comprehensive Climate and Energy Strategy by 2020 (CT DEEP, 2018), and the State Plan of Conservation and Development, CGS §16a-27 through 16a-30 (Office of Policy and Management, 2005-2010).</p>
<p>Significant Human Use Areas</p>	<p>Areas of use that have a significant role in the social, cultural, historic, economic, and quality of life practices of Long Island Sound communities. Definitions of each of the SHUA criteria can be found in Section 3.4b: Designation of Significant Human Use Areas, and Appendix 3, Significant Human Use Areas: Supplemental Information and Maps and can be viewed in the Blue Plan Viewer.</p>
<p>Water-dependent uses</p>	<p>Defined in CGS § 22a-93(16) which states</p> <p>“those uses and facilities which require direct access to, or location in, marine or tidal waters and which therefore cannot be located inland, including but not limited to: Marinas, recreational and commercial fishing and boating facilities, finfish and shellfish processing plants, waterfront dock and port facilities, shipyards and boat building facilities, water-based recreational uses, navigation aides, basins and channels, industrial uses dependent upon water-borne transportation or requiring large volumes of cooling or process water which cannot reasonably be located or operated at an inland site and uses which provide general public access to marine or tidal waters;”</p>

List of Figures and Tables

Chapter Figures

Figure 1-1. Long Island Sound is a highly valued water body both ecologically and for human use, as can be seen in the use of Norwalk Harbor leading out to Long Island Sound. Photo Credit: Geoffrey Steadman	1-1
Figure 1-2. Different types of human uses, like commercial and recreational boating, and coastal wildlife will often use the same spaces in Long Island Sound. Photo Credit: Middlesex Community College – Center for New Media Productions	1-3
Figure 1-3. The Blue Plan logo and motto.....	1-7
Figure 1-4. Blue Plan Advisory Committee Meetings were held quarterly at different locations on the Connecticut coast. This meeting was held in Old Saybrook at the Vicki G. Duffy Pavilion. Photo Credit: Middlesex Community College – Center for New Media Productions	1-12
Figure 1-5. Blue Plan Advisory Committee, Subcommittees, and Work Teams Organization	1-13
Figure 1-6. Work teams focused on various aspects and goals of the Blue Plan. The Ecological Experts Group, shown above, was focused on identifying Ecological Significant Areas (ESAs) in Long Island Sound. Photo Credit: Emily Hall	1-15
Figure 1-7. To reach larger audiences and generate awareness about the Blue Plan, Middlesex Community College assisted the PDT in taping an interview series to showcase the various human uses and ecological resources across Long Island Sound. Photo Credit: Christian Fox	1-17
Figure 1-8. Stakeholder outreach took many forms, such as this Blue Plan Overview meeting with the Connecticut Harbor Management Association. Blue Plan Advisory Committee member Nathan Frohling is presenting to the group. Photo Credit: Emily Hall	1-18
Figure 1-9. The Blue Plan Map Viewer displays all the ESAs and SHUAs in an easy to use format, where different human uses, and ecological resources can be overlain to understand a specific region in Long Island Sound. Kevin O’Brien, member of the Blue Plan PDT demonstrating the Blue Plan Viewer to reporters and the interested public. Photo Credit: Middlesex Community College – Center for New Media Productions	1-27
Figure 2-1. Many different individuals using Long Island Sound as a public trust resource. Photo Credit: Marybeth Hart.....	2-32
Figure 3-1. The Long Island Sound Resource and Use Inventory formed a basis for the development of the Blue Plan, by compiling strong base of objective, science-based and verifiable information on where different natural resources and human activities take place. Photo Credit: Emily Hall	3-57
Figure 3-2. The western boundary for considering Long Island Sound (shown in purple) uses the Throg’s Neck bridge in New York to separate Long Island Sound from the East River. NOAA Nautical chart data represents the basemap.	3-59
Figure 3-3. The easternmost border, showing the Connecticut state line through the Pawcatuck River, Little Narragansett Bay, and Sandy Point.	3-60
Figure 3-4. The complete eastern Long Island Sound boundary using both the EPA Long Island Sound Study Ecoregion area as well as the state lines between Connecticut, New York and Rhode Island.	3-61
Figure 3-5. The complete extent of Long Island Sound for consideration within the Blue Plan.	3-62
Figure 3-6. Areas of Interest for Long Island Sound and Coastal Uplands.	3-63
Figure 3-7. The Blue Plan Policy Area (in blue) shown in conjunction with the Blue Plan Areas of Interest for Long Island Sound (purple) and coastal uplands (green).	3-66
Figure 3-8. Bridgeport Harbor	3-67
Figure 3-9. New Haven Harbor	3-68
Figure 3-10. Lower Connecticut River Area	3-68
Figure 3-11. Lower Thames River Area	3-69
Figure 3-12. Mystic River and Stonington Harbor Area	3-69

Figure 3-13. SHUAs showcase various types of human uses in the Sound, as well as cultural and historical resources like the Peck Ledge Lighthouse in Long Island Sound. Photo Credit: Christian Fox	3-71
Figure 3-14. ESAs encompass both ecologically valuable habitats and species. Species like the boring sponge, <i>Cliona celata</i> , shown above can be found on the Hard Bottom Habitats ESA. Photo Credit: Long Island Sound Resource Center.....	3-72
Figure 3-15 The extent of hard bottom in Long Island Sound. As mapped from the Long Island Sound Ecological Assessment (LISEA), USGS Long Island Sound surficial sediment map, and Long Island Sound Mapping and Research Collaborative SEABOSS surveys.	3-89
Figure 3-16 The top quintile of the Terrain Ruggedness Index (TRI) calculated at 8-meter resolution for Long Island Sound.....	3-90
Figure 3-17 Locations of wreck and obstructions in Long Island Sound from the NOAA Automated Wreck and Obstruction Information System.....	3-91
Figure 3-18 Overlaps among each of the input datasets representing the hard bottom and complex seafloor criterion.	3-92
Figure 3-19 This is the final ESA map for the hard bottom and complex seafloor criterion.	3-92
Figure 3-20 Grid cells sampled by the Connecticut DEEP Marine Fisheries Long Island Sound Trawl Survey (1984-2009). Map credit: The Nature Conservancy, Long Island Sound Ecological Assessment. TNC considered grid cells that did not have survey points in at least two of three periods (1984-1992, 1993-2001, 2002-2009) to be insufficiently sampled for their weighted persistence analyses.	3-95
Figure 3-21 A map showing one component of Ecologically significant areas for fish: areas of high weighted persistence for demersal fish subgroups based on TNC’s LISEA.	3-97
Figure 3-22 A map showing one component of Ecologically Significant Areas for fish: areas of high weighted persistence for water column (pelagic and diadromous) fish subgroups based on TNC's LISEA.	3-98
Figure 3-23 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in fall from LISTS 1995-2004.....	3-98
Figure 3-24 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in spring from LISTS 1995-2004.	3-99
Figure 3-25 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in fall from LISTS 2005-2014.....	3-99
Figure 3-26 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in spring from LISTS 2005-2014.	3-100
Figure 3-27 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in fall from LISTS 1995-2004.....	3-100
Figure 3-28 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish abundance in spring from LISTS 1995-2004.....	3-101
Figure 3-29 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in fall from LISTS 2005-2014.....	3-101
Figure 3-30 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in spring from LISTS 2005-2014.	3-102
Figure 3-31 Overlaps among each of the 10 input datasets representing Ecologically Significant Areas for fish species.....	3-102
Figure 3-32 This is the final map of Ecologically Significant Areas for the fish criterion.	3-103
Figure 3-33 Overlaps among the five criteria that contribute to the ESAs with rare, sensitive, or vulnerable species, communities or habitats (Pillar I).	3-104
Figure 3-34 Overlaps among the 9 criteria that contribute to the ESAs of high natural productivity, biological persistence, diversity, and abundance (Pillar 2).....	3-105
Figure 3-35 Overlaps among all 14 criteria that represent the full set of ESAs in Long Island Sound.	3-105
Figure 3-36 Methodology for delineating the Recreational Boating SHUA. The image on the left shows all areas of identified recreational boating density in the Blue Plan AOI as of a 2012 survey. The image on the right reflects a threshold based on retaining the areas where boating density is in the top two quintiles.....	3-110
Figure 3-37 All human use data. Note the grid does not cover all possible uses but centers on the offshore and immediate coastal areas.	3-112

Figure 3-38 Results of clustering analysis for all human uses based on activity frequency. Reds represent areas of high-frequency clustering; Blue areas represent clusters of low frequencies. Yellow/tan areas reflect areas that display neither high nor low clustering..... 3-112

Figure 3-39 Example SHUA maps from each overarching pillar: a) Shipwrecks; b) Sail Racing Routes; c) Cable/Pipeline Areas; and d) Recreational Fishing activity. 3-119

Figure 6-1. The shellfish industry is extremely valuable in Connecticut and in Long Island Sound, and under the threat of climate change and ocean acidification. Above is a boat from Copps Island Oysters preparing to put oyster shell on farmed shellfish sites. Photo Credit: Middlesex Community College – Center for New Media Productions 6-142

Figure 6-2. Although offshore wind energy turbines are unlikely to occur in Long Island Sound, new facilities and infrastructure could enter Long Island Sound. The Block Island Wind farm shows the potential for new renewable energy infrastructure through the Northeast. Photo Credit: Emily Hall 6-144

Chapter Tables

Table 1-1 Outreach events of the Blue Plan process. Select meeting materials area available online at the Blue Plan webinar and mapbooks web page. (CT DEEP, 2018). 1-19

Table 2-1 Overview of the Connecticut State and Local Regulatory Programs implementing the Blue Plan 2-37

Table 3-1. Establishing equivalent relationships between vertical datums and units 3-64

Table 3-2. Comparison of equivalent datum values and the relationship between statutory and the Policy Line depths..... 3-65

Table 3-3 ESA criteria, supporting datasets, and descriptions. Mapped data layers can be found in Appendix 2 and in the Blue Plan Map Viewer. Some ESA sub-criteria do not have associated datasets, but descriptions have been included so that these areas may be recognized in policy and designated if spatial information is provided in the future. 3-83

Table 3-4 The ten individual data layers that contributed to the fish criterion. 3-97

Table 3-5 Sample data construction table of hard bottom and complex seafloor, similar data construction tables can be found in Appendix 2 and 3 for both ESA and SHUA datasets. 3-106

Table 3-6 SHUA criteria, supporting datasets, and descriptions. Mapped data layers can be found in Appendix 3 and in the LIS Blue Plan Map Viewer. Some SHUA sub-criteria do not have associated datasets, but descriptions have been included so that these areas may be recognized in policy and designated if spatial information is provided in the future. 3-113

Table 4-1 Performance standards for locating new proposed activities within an ESA, in compliance with policies 2a-b noted above..... 4-127

Table 4-2 Performance standards for locating new proposed activities within a SHUA, in compliance with policies 2a-b above. 4-130

Chapter 1 Introduction

1.1 Purpose and Need for Marine Spatial Planning

If you were to ask Connecticut residents to identify the state's most important natural resource, there's an excellent chance that their response would be “Long Island Sound.” That’s because the Sound is a unique estuary³ that improves our overall quality of life, providing countless recreational opportunities, serving as an important habitat for fish and other marine wildlife, and contributing an estimated [\\$9.4 billion](#) annually to the regional economy (Long Island Sound Study, 2019).

As one of the region's greatest natural resources, however, Long Island Sound also runs the risk of being “loved to death.” The Sound is located in a highly urbanized, highly populated area of the United States, with an estimated [23.8 million](#) people living within 50 miles of its shores (Long Island Sound Study, 2019). As such, just about every square inch of the Sound is used in some way by humans and wildlife, oftentimes in the same places (for example, people usually go fishing in places where there are abundant fish) (Figure 1-1). The Sound also feels the pressure



Figure 1-1. Long Island Sound is a highly valued water body both ecologically and for human use, as can be seen in the use of Norwalk Harbor leading out to Long Island Sound. Photo Credit: Geoffrey Steadman

³ An estuary is a body of water where salt water from the ocean mixes with freshwater from upland rivers. Long Island Sound is an estuary because the salt water from the Atlantic Ocean mixes here with the freshwater coming downstream from the Thames, Connecticut, Quinnipiac, and Housatonic Rivers, as well as from smaller local rivers and streams.

of new development and new uses that can sometimes conflict with and cause harm to the plants and animals that live in the Sound, and can sometimes conflict with existing human uses as well.

An example of new development pressure can be seen in the ocean areas in our neighboring states of Rhode Island and Massachusetts, where alternative energy facilities like offshore wind turbine installations are being proposed and constructed. While the waters of Long Island Sound will not likely experience this same offshore wind development pressure (believe it or not, it isn't windy enough), there could be the potential for cables associated with these neighboring wind proposals to enter the Sound. In addition to energy uses, other new uses are proposed in Long Island Sound every day. For example, the New York Department of Transportation released a [2017 Long Island Sound Crossing Feasibility Study](#) for a bridge/tunnel between New York and Connecticut (WSP, 2017), although a formal proposal for such a project is not moving forward at this time, and, perhaps most well-known was the [2007 Broadwater proposal](#) that could have resulted in a liquefied natural gas terminal being constructed right in the middle of Long Island Sound (CT Citing Council, 2008).

Historically, many of these pressures on the Sound have been reviewed on a case-by-case basis by several separate state and local regulatory programs, without a comprehensive plan to assess and understand the presence and distribution of ecological resources and human uses in the Sound. A comprehensive plan would better organize the analysis of and response to large, complex projects like these, so that such new uses don't conflict with the broad diversity of existing uses or natural resources.

One way to develop a science-based, fully formed, commonly planned vision for Long Island Sound is through a process known as "Marine Spatial Planning," which brings multiple users of marine waters together to make informed and coordinated decisions about how to manage marine resources and distribute human uses.

The Long Island Sound Blue Plan is Connecticut's effort to develop a comprehensive marine spatial plan for Long Island Sound to guide future development and permitting of the Sound's waters and submerged lands. The Blue Plan will coordinate existing state and local regulatory programs, addressing the development pressures we know about today, and planning for the emerging issues and development pressures of tomorrow. And because Long Island Sound is a shared waterbody, the Blue Plan planning process has been closely coordinated with the State of New York.

Many of the ways in which humans use Long Island Sound can compete with and sometimes conflict with one another. For example, fixed fishing gear located in a shipping channel would create problems for marine transportation within that channel. Also, some uses can adversely impact sensitive species and important habitats, in part because no one knows that those species or habitats are there.

On the other hand, some human uses of the Sound are totally compatible with each other and/or with resource areas. For example, seaweed farming in the winter won't necessarily conflict with recreational boating activities in the summer, and SCUBA divers can dive in areas with an

abundance and variety of marine life on the seafloor without harming those ecosystems. An example of multiple uses and ecological resources using the same spaces can be found in Figure 1-2.

As a marine “*spatial*” plan, the Long Island Sound Blue Plan identifies the “*spaces*” in the Sound that are currently used by humans (e.g., commercial and recreational boating and fishing areas, ferry transportation routes, electric and gas pipeline locations, aquaculture farms) and the “*spaces*” that are ecologically important (e.g., shellfish beds, cold-water corals, areas where seals rest on the rocks), and protects those spaces by establishing policies that avoid and reduce conflicts and impacts among human uses of the Sound, and between human uses and the Sound’s natural resources.



Figure 1-2. Different types of human uses, like commercial and recreational boating, and coastal wildlife will often use the same spaces in Long Island Sound. Photo Credit: Middlesex Community College – Center for New Media Productions

1.2 Origins of Marine Spatial Planning in Long Island Sound

❖ Bi-State Marine Spatial Planning Group

The concept of “Marine Spatial Planning” had already caught on in the northeast, mostly in response to offshore wind development proposals knocking at the door. Efforts at the federal level to develop a [Northeast Ocean Plan](#) had been underway (Northeast Ocean Planning, 2019), with the plan adopted in 2016 to guide federal agency decisions in the region, and state ocean

plans had been adopted in [Massachusetts](#) in 2009 (Massachusetts Office of CZM, 2019) and in [Rhode Island](#) (RI CRMC, 2019) in 2010.

In conjunction with these efforts, a Connecticut/New York Bi-State Marine Spatial Planning Working Group was formed in 2012 to set the stage for establishing a marine spatial plan for Long Island Sound. The Bi-State Working Group was formed following a workshop convened by the Sea Grant programs in Connecticut and New York in 2010, and follow-up discussions about marine spatial planning, recognizing that, even in the absence of offshore energy proposals looming on the horizon, Long Island Sound is an intensely utilized, ecologically important waterbody that needed and deserved its own marine spatial plan.

As an “unofficial,” voluntary effort, the Working Group was made up of participants from state and federal agencies (e.g., the Connecticut Department of Energy and Environmental Protection, the New York Department of State, the New York Department of Environmental Conservation, the United States Environmental Protection Agency, the National Oceanic and Atmospheric Administration); regional ocean governance entities (e.g., the Northeast Regional Ocean Council and the Northeast Regional Planning Body); trade organizations such as the Connecticut Marine Trades Association; and other user interests including the Coastal Conservation Association, conservation organizations such as The Nature Conservancy and the Connecticut Fund for the Environment, and the Connecticut and New York Sea Grant programs.

The Working Group developed a report on the purposes and potential guiding principles for marine spatial planning in the Sound and identified the types of data and information necessary for such a planning effort, as well as the potential options for shaping and implementing a marine spatial planning process in Long Island Sound.

The Bi-State Working Group did much of the heavy lifting in providing the background work necessary to support Connecticut’s legislative effort to establish the Blue Plan legislation, and fostered cooperation and coordination of the States of Connecticut and New York in addressing marine spatial planning for the Sound. Their seminal [Options for Developing Marine Spatial Planning in Long Island Sound: Sound Marine Planning Interim Framework Report](#) provides much of the justification for the Long Island Sound Blue Plan effort (Connecticut-New York Bi-State MSP Working Group, 2016).

❖ **Legislative Support for the Long Island Sound Blue Plan**

After several years of the background work and marine spatial planning research in Connecticut and New York, conducted in large part by the Bi-State Marine Spatial Planning Working Group, [Public Act 15-66](#), An Act Concerning a Long Island Sound Blue Plan and Resource and Use Inventory was signed by Governor Dannel P. Malloy on June 19, 2015 and went into effect on July 1, 2015. The legislation received unanimous bipartisan support in the Connecticut General Assembly.

Governor Malloy sponsored the Blue Plan legislation, recognizing that Long Island Sound is critical for Connecticut's economy and the millions of people who use and enjoy its resources,

yet Connecticut did not have any existing authority to plan for the Sound’s future use and protection on an overall basis. The Blue Plan legislation enhanced and expanded the work of the Connecticut/New York Bi-State Working Group, authorizing the Connecticut Department of Energy and Environmental Protection to develop a comprehensive, coordinated regional plan and strategy to ensure that future uses of the Sound are balanced with resource protection, compatible with existing traditional uses, and minimize conflicts among uses.

Preparing a Blue Plan for Long Island Sound is about protecting what we cherish and helping sustain a critical, publicly owned natural resource that, in turn, sustains us all. With a Blue Plan, Connecticut can assure new uses of the Sound are compatible with traditional values and resources. We will be able to better balance new uses, while protecting such things as commercial and recreational boating and fishing, the maritime beauty and environmental values that make the Sound such a desirable place.

Nathan Frohling, Director of Coastal and Marine Initiatives, The Nature Conservancy, Blue Plan Advisory Committee Member, and Chair of the Blue Plan Stakeholder Engagement Subcommittee

1.3 The Blue Plan Act

❖ Highlights of the Long Island Sound Blue Plan

The Blue Plan legislation, codified in [Connecticut General Statutes \(CGS\) § 25-157t](#), sets forth the process that Connecticut used to develop the Long Island Sound Blue Plan, establishing the state’s goals, siting priorities, and standards for ensuring effective stewardship of Long Island Sound’s public trust waters. The Blue Plan promotes science-based management practices that take into account the existing natural, social, cultural, historic, and economic characteristics of Long Island Sound. Significant benefits of the Blue Plan are the identification of appropriate locations and performance standards for activities, uses, and facilities that are regulated by specific state and local regulatory programs identified in the statute, and the establishment of responsible measures and policies that will guide the siting of those uses in ways that are consistent with the Plan.

For Plan development and implementation purposes, the PDT identified two areas based on statutory language, one considered an “area of interest” and the other a “policy implementation area.” The “area of interest,” is more inclusive and comprehensive, allowing the planning team to consider nearshore areas at the mean high water line and, in some cases, upland areas materially connected in some way to offshore areas. The policy implementation area, now referred to as the “policy area,” is the area located “seaward of the bathymetric contour of minus ten feet NAVD to the state’s waterward boundaries with the states of New York and Rhode

Island” [CGS §25-157t(c)]. As defined by statute the policy area also extended into the rivers that flow into the Sound up to the first motor vehicle bridge or railroad bridge, but the policy area as refined and adopted in this Blue Plan document eliminates certain narrow channels and harbor areas that extend too far landward into coastal areas from the policy area. Please see Section 3.3 for maps and more details on how these areas were established.

The first step in the Blue Plan development process was the compilation of the [Long Island Sound Resource and Use Inventory](#) (Inventory), overseen by the Inventory and Science Subcommittee, chaired by Sylvain De Guise of the University of Connecticut and Director of Connecticut Sea Grant (LIS Inventory and Science Subcommittee, 2019). Relevant state agencies, academic institutions, and stakeholders were convened and tasked with compilation of the Inventory which is based on the best available information and data on the Sound's plants, animals, habitats, and ecologically significant areas in nearshore and offshore waters and their "substrates" (surfaces where marine organisms grow). The Inventory also identifies the human uses of Long Island Sound's waters and substrates, including but not limited to boating and fishing, waterfowl hunting, shellfishing, aquaculture, shipping corridors, and energy facilities.

The Inventory serves as the basis for developing the maps, policies, and standards contained in the Blue Plan to guide future uses of the Sound's waters and submerged lands. The overall goals of the Inventory and Plan identified in the Blue Plan statute are to identify and protect special, sensitive, or unique estuarine and marine life and habitats including, but not limited to, scenic and visual resources, while also preserving and protecting traditional riparian and water-dependent uses and activities.

The Blue Plan legislation also established the Blue Plan Advisory Committee (BPAC), comprised of representatives from various state agencies and relevant stakeholder groups. The BPAC assisted the Commissioner of DEEP with the drafting of the Long Island Sound Blue Plan, but its function doesn't end once the Plan is approved. In fact, within six months of the Plan's approval by the Connecticut General Assembly, the BPAC must advise the Commissioner of DEEP on the operation, implementation, and updating of the Blue Plan and the Inventory, as applicable. The BPAC must provide for the review and update of the Plan and the Inventory *at least* once every five years, and identify emerging issues and recommend any necessary or desirable alterations or improvements to the Plan and/or the Inventory. The legislation also requires the BPAC to hold at least one public hearing each year to receive comments and submissions from the public on the Plan and Inventory.

Recognizing that Long Island Sound is a shared waterbody, the Blue Plan legislation requires that development and implementation of the Plan must be coordinated with the State of New York, and with local, regional, and federal planning entities and agencies including the Connecticut/New York Bi-State Marine Spatial Planning Working Group, the Long Island Sound Study, and the Northeast Regional Planning Body established by the National Ocean Policy.

The Plan must also be consistent with the Connecticut's State Plan of Conservation and Development and the goals and policies contained in the Connecticut Coastal Management Act.

The legislation also ensures that the Blue Plan will remain "fluid," adapting as necessary to our ever-evolving knowledge and understanding of the Sound's marine environment, recognizing current issues like climate change impacts while anticipating and addressing future emerging issues. In meeting this goal, the legislation provides for the ongoing acquisition and application of up-to-date resource and use data, all "within available resources."

Finally, the Blue Plan legislation requires that the Plan be developed by a transparent and inclusive process that includes widespread public and stakeholder participation and encourages public input in decision-making.

1.4 Vision and Goals of the Blue Plan

Before the planning process began, the BPAC established a draft Vision and Goals statement to help guide the effort. While the vision and goals are comprehensive, the overarching goal can be boiled down into the Long Island Sound Blue Plan's motto: *Sustainable Ecosystems - Compatible Uses* (Figure 1-3).



Figure 1-3. The Blue Plan logo and motto.

❖ **Vision:** "Long Island Sound: a place where human uses and thriving marine life are compatible."

We envision a Long Island Sound where new and existing traditional uses are mutually compatible with the habitats and natural features needed for marine life to thrive, assuring the wellbeing and prosperity of current and future generations.

❖ **Goal 1: Healthy Long Island Sound Ecosystem**

Science-based planning and practices that consider both the environment and human uses will help us understand and protect Long Island Sound ecosystems and the services they provide.

Objectives: The Blue Plan shall⁴

1. Reflect the value of biodiversity and ecosystem health in regard to the interdependence of ecosystems;
2. Identify and protect special, sensitive or unique estuarine and marine life and habitats, including, but not limited to, scenic and visual resources; and
3. Adapt to evolving knowledge and understanding of the marine environment, including adaptation to climate change and rise in sea level.

❖ **Goal 2: Effective Decision-Making**

An inclusive, transparent, stakeholder-endorsed and science-based Blue Plan decision-making process that is consistent with other plans and legal requirements will lead to decisions supporting the long-term vision for compatibility of human uses and thriving marine life.

Objectives: The Blue Plan shall

1. Establish the state's goals, siting priorities, and standards for ensuring effective stewardship of the waters of Long Island Sound held in trust for the benefit of the public;
2. Be consistent with the Long Island Sound Resource and Use Inventory, with provision for the ongoing acquisition and application of up-to-date resource and use data, including seafloor mapping;
3. Be coordinated, to the maximum extent feasible, with local, regional and federal planning entities and agencies, including, but not limited to, the Long Island Sound Study, the National Ocean Policy's Northeast Regional Planning Body, and the Connecticut-New York Bi-State Marine Spatial Planning Working Group;
4. Be coordinated, developed, and implemented, to the maximum extent feasible, with the state of New York;
5. Be developed through a transparent and inclusive process that seeks widespread participation of the public and stakeholders and encourages public participation in decision-making;
6. Identify appropriate locations and performance standards for activities, uses and facilities regulated under existing state permit programs, including, but not limited to, measures to guide siting of uses in a manner compatible with said Long Island Sound Blue Plan;

⁴ The Objectives listed here are taken directly from wording in the Blue Plan Statute, CGS §25-157t(b). The specifics which better define each objective are built into the various components of the Blue Plan that follow below. “The Blue Plan shall” in the heading is wording that applies to each objective and is intended to make the connection to the statute clearer.

7. Be consistent with the state plan of conservation and development and the goals and policies described in section 22a-92 of the general statutes; and
8. Reflect the importance of planning for Long Island Sound as an estuary that crosses state boundaries, including the identification of potential measures that encourage such planning.

❖ **Goal 3: Compatibility among Past, Current, and Future Ocean Uses**

Science-based planning and practices that consider both human uses and the environment will sustain traditional and facilitate compatible new water-dependent uses to enhance quality of life and compatible economic development including maintaining the ecosystem services they depend upon.

Objectives: The Blue Plan shall

1. Promote science-based management practices that take into account the existing natural, social, cultural, historic and economic characteristics of planning areas within Long Island Sound;
2. Preserve and protect traditional riparian and water-dependent uses and activities;
3. Promote maximum public accessibility to Long Island Sound's waters for traditional public trust uses, such as recreational and commercial boating and fishing, except when necessary to protect coastal resources, preserve public health, safety and welfare, or when it is in the interest of national security;
4. Reflect the importance of the waters of Long Island Sound to the citizens of this state who derive livelihoods and recreational benefits from boating and fishing;
5. Analyze the implications of existing and potential uses and users of Long Island Sound with a focus on avoiding potential use conflicts;
6. Foster sustainable uses that capitalize on economic opportunity without significant detriment to the ecology or natural beauty of Long Island Sound;
7. Support the infrastructure necessary to sustain the economy and quality of life for the citizens of this state.

❖ **Guiding Principles for Plan Development:**

Meaningful public participation. The plan shall ultimately reflect the knowledge, perspectives, and needs of all stakeholders whose lives are touched by Long Island Sound.

Sound science. The plan shall use accurate, relevant data and information, from traditional and empirical knowledge to cutting-edge science and innovative mapping technologies to support planning and management of Long Island Sound resources and uses.

Transparent process. The plan development and implementation process shall be open and transparent, utilizing multiple means to communicate with and seek input from all interested parties and ensuring adequate and informed representation of all stakeholders.

Government coordination and collaboration. The plan shall ensure collaborative and coordinated planning among agencies and stakeholders based on a common vision, shared information sources, and transparent decision-making processes.

Adaptive management. The planning and implementation process will be updated as traditional uses are better understood or new uses emerge and as environmental, social and economic conditions change.

1.5 Process for Developing the Blue Plan

1.5a. Organizational Structure

A 15-member multi-stakeholder [Blue Plan Advisory Committee](#) (BPAC) was established by statute to assist the Commissioner of the Department of Energy and Environmental Protection in developing the Inventory and the Blue Plan (CT DEEP, 2019). BPAC members are designees of state agencies identified by the legislation, and representatives from water-dependent industries, the gas and electric distribution industry, non-governmental organizations, local governments, and recreation and aquaculture interests appointed by Governor Dannel Malloy and the legislative leadership. The BPAC in place during development of the draft Plan (January 2016 through January 2019) consisted of:

- **Robert Klee**, Commissioner, Connecticut Department of Energy and Environmental Protection, Chairman⁵
- **Sylvain De Guise**, Connecticut Sea Grant; UConn marine sciences faculty member appointed by Governor Malloy
- **Catherine Finneran**, Eversource; gas and electric distribution industry representative appointed by Governor Malloy
- **Nathan Frohling**, The Nature Conservancy; conservation organization representative appointed by Governor Malloy

⁵ Succeeded by Katie Dykes in January 2019.

- **David Carey**, Department of Agriculture Bureau of Aquaculture; shellfish industry/commercial or recreational aquaculture representative appointed by Governor Malloy
- **Christine Nelson**, Town of Old Saybrook Town Planner; coastal municipality representative appointed by Governor Malloy
- **Evan Matthews**, Connecticut Port Authority; Connecticut Department of Transportation Commissioner Redeker's Designee⁶
- **Jason Bowsza**, Connecticut Department of Agriculture, Commissioner Reviczky's Designee
- **Eric Lindquist**, Connecticut Office of Policy and Management, Secretary Barnes' Designee
- **Melanie Bachman**, Connecticut Siting Council
- **Leah Schmalz**, Connecticut Fund for the Environment/Save the Sound; conservation organization representative appointed by State Senate President Pro Tempore Martin Looney
- **William Gardella**, General Manager and Dockmaster, Rex Marine Center, Norwalk; commercial boating representative appointed by State Senate Majority Leader Bob Duff
- **Bruce Beebe**, Beebe Dock and Mooring Systems, Madison; marine trades representative appointed by State Senate Minority Leader Len Fasano
- **Mike Theiler**, commercial finfish industry representative appointed by Speaker of the House Brendan Sharkey
- **Alicia Mozian**, Town of Westport Conservation Director; coastal municipality representative appointed by House Majority Leader Joe Aresimowicz
- **Sidney J. Holbrook**, recreational fishing/hunting community representative appointed by House Minority Leader Themis Klarides

⁶ Subsequent to the passage of the Blue Plan legislation, most maritime responsibilities of the Department of Transportation were statutorily transferred to the newly created Connecticut Port Authority. Accordingly, the Commissioner of Transportation delegated his agency's seat on the BPAC to the Port Authority.



Figure 1-4. Blue Plan Advisory Committee Meetings were held quarterly at different locations on the Connecticut coast. This meeting was held in Old Saybrook at the Vicki G. Duffy Pavilion. Photo Credit: Middlesex Community College – Center for New Media Productions

During development of the Inventory and Blue Plan, the BPAC held [quarterly meetings](#) open to the public, and organized itself into six topic-related Subcommittees and Work Teams that conducted Inventory and Blue Plan work (CT DEEP, 2019) (Figure 1-4, 1-5).

Subcommittees coordinated their activities through constant and effective communications with other Subcommittees and with each Work Team. To assist in coordinating communication, DEEP staff and several Blue Plan Advisory Committee representatives were members of the Plan Development Team and of every Subcommittee and Work Team.

Subcommittees served as the lead coordinating and managing entities, having responsibility for monitoring progress toward work plan deliverables and timelines through regular check-ins with individual Work Teams.

The Work Teams generated ideas and work products based on the work plans developed by the Subcommittees. Each Work Team was available to provide assistance and support to each Subcommittee as necessary (e.g., the Information and Mapping Work Team provided support and assistance to each of the three Subcommittees).

Subcommittee and Work Team membership was primarily composed of Blue Plan Advisory Committee members, however individuals from outside the Advisory Committee also made important contributions.




Figure 1-5. Blue Plan Advisory Committee, Subcommittees, and Work Teams Organization

Blue Plan Advisory Committee: a 15-member body representing various stakeholders and user groups, appointed by statute, the Governor, and the legislative leadership, to assist the Commissioner of Energy and Environmental Protection in the development of the Inventory and the Long Island Sound Blue Plan.

Advisory Committee Coordination and Support: overall administrative assistance and support are provided by DEEP Land and Water Resource Division staff and entails scheduling and advertising Advisory Committee meetings and public hearings, drafting of meeting agendas and minutes, publishing public notices, providing content for and maintenance of the Blue Plan website and the Blue Plan listserv, and Inventory and Blue Plan document development and

coordination. Additional support came from BPAC members and through grants; there was no state funding appropriated to develop the Inventory and Blue Plan.

Plan Development Team (PDT): oversaw planning-related matters and established the procedures necessary to complete projects, processes, and tasks.

Vision and Goals Ad Hoc Team: subset of the PDT that drafted an initial Vision and Goals document based on the goals identified in the Blue Plan statute; all members of the Advisory Committee reviewed and provided input on the draft, and ultimately approved the final draft of the Vision and Goals statement.

Subcommittees:

- **Inventory and Science Subcommittee:** convened by the University of Connecticut in accordance with the Blue Plan legislation to complete an inventory, based on the best available information and data, of the Sound's plants, animals, habitats, and ecologically significant areas in nearshore and offshore waters and their "substrates" (surfaces where marine organisms grow), as well as the human uses of Long Island Sound's waters and substrates, including boating and fishing, waterfowl hunting, shellfishing, aquaculture, shipping corridors, and energy facilities and interests such as electric power lines, gas pipelines, and telecommunications crossings. This subcommittee also identified data gaps and research needs.
- **Stakeholder Engagement Subcommittee:** oversaw development of various methods and procedures to meet the Blue Plan legislation's requirement that the Inventory and Plan be developed by a transparent and inclusive process that includes widespread public and stakeholder participation and encourages public input in decision-making. This subcommittee developed a [Stakeholder Engagement Program](#) which frames the processes by which all interested parties (e.g., the general public, stakeholders, experts, and New York counterparts) were engaged in Blue Plan development (Blue Plan Stakeholder Engagement Subcommittee, 2017). The Program provides different strategies for specific stakeholder engagement that were undertaken as the Blue Plan process unfolded, all within available resources. Furthermore, having the specific members of the subcommittee involved gave the outreach process not only insight but also a heightened level of credibility with some use communities during initial contact.
- **Policy Subcommittee:** developed and coordinated the policies and standards contained in the Long Island Sound Blue Plan.

Work Teams:

- **Ecological Characterization:** conducted the Ecological Characterization and Assessment for incorporation into the Blue Plan. The Work Team included Advisory Committee members, DEEP staff, scientists, ecological experts, and consultants all

participating in describing the state of ecological knowledge of Long Island Sound and meeting the legislative requirements that the Inventory and Blue Plan reflect the value of biodiversity and ecosystem health in the Sound and identify special, sensitive or unique estuarine and marine life and habitats.

- **Ecological Experts Group:** assisted the Ecological Characterization Work Team and the consultants in identifying Ecologically Significant Areas (ESAs). Membership included marine ecologists, researchers, and other ecological experts who were selected based on their particular area of expertise to ensure sufficient representation of the range of ecological topics to be addressed in identifying ESAs (Figure 1-6).




Figure 1-6. Work teams focused on various aspects and goals of the Blue Plan. The Ecological Experts Group, shown above, was focused on identifying Ecological Significant Areas (ESAs) in Long Island Sound. Photo Credit: Emily Hall

- **Data and Mapping:** compiled and reviewed existing data on Long Island Sound’s natural resources and human uses and developed “map templates” to provide an overview of that data as well as descriptive information as to what the data means and how it was developed, all of which was included in the Inventory. The data and map templates were then reviewed by the Blue Plan Advisory Committee and scientific and human-use

experts to provide input on whether the data was relevant, accurate, and representative of the state of the Sound and which data would be included in the final Blue Plan document.

- **Human Use Characterization:** designated Significant Human Use Areas for activities identified in the Blue Plan legislation (e.g., recreational and commercial boating and fishing) and engaged user groups to review human use data and help analyze the implications of existing and potential uses and users of Long Island Sound to avoid potential use conflicts.

1.5b. Elements of Blue Plan Development

❖ Stakeholder and Public Outreach

A major component of Blue Plan development has been proactive outreach to the Long Island Sound (LIS) user community and the public of Connecticut and New York. This outreach has occurred throughout the process and is a central component of any Marine Spatial Plan. The Blue Plan Statute calls for “a transparent and inclusive process that seeks widespread participation of the public and stakeholders and encourages public participation in decision making.” In addition to filling this mandate, the Plan Development Team (PDT) has focused on relationship-building throughout this process, with the hope that sector involvement with the Blue Plan will continue long after the current PDT moves on. Furthermore, the Blue Plan would not be as comprehensive, detailed, or factually precise as it is without the involvement of many passionate LIS community members who have contributed their knowledge and time to the formation of this document.

Consistent with the statute, the overarching goal of Blue Plan outreach has been to provide a transparent process in which stakeholder input is pivotal to the formation and outcomes of the Plan. Building on this, specific outreach efforts and methods evolved over time. Early outreach associated with the Bi-State Marine Spatial Planning Working Group was intended to educate the public on the value a marine spatial plan would have for Long Island Sound. When the focus of plan development turned to forming the Inventory, outreach shifted to specific human use sectors, and brought relevant draft data products before these communities in webinars and meetings to review dataset validity for inclusion in spatial planning efforts. This sector-based approach was maintained in draft policy evaluation, with a focus on walking each constituency through the policy document and hypothetical examples of how CT DEEP permitting review may proceed with a complete Blue Plan in place. Public information meetings and more formal public hearings were held at distinct phases in development to reach audiences that did not fall into particular sectors, and to offer formal opportunities to file comment. Table 1-1 shows the number and type of meetings hosted in the Blue Plan development process.

All these outreach opportunities provided invaluable insight to the PDT about the various concerns of the LIS user community. Public input has produced many improvements throughout

the Plan document. Some were a change of a single key term, and others were an overhaul of an entire Inventory chapter. Several community members, in addition to those appointed to the Blue Plan Advisory Committee, have become key partners in connecting the PDT with their constituencies. This has allowed for candid conversation about Plan elements and capacities, and how to best represent sector interests.

To connect with various audiences, the PDT utilized a suite of tools and methods. First and foremost, the Stakeholder Engagement Subcommittee, described above, provided invaluable guidance on means and individuals to connect with user groups. CT DEEP maintains a [web page](#) hosting Blue Plan documents and development materials, as well as a listserv with over 400 members. In addition to the listserv, contact lists were developed for each use sector and were used to notify participants of relevant meeting events through phone and email. In many cases, partner organizations' listservs and mailers were used to amplify Blue Plan listserv messages, forwarding these to their subscribed readerships. In some cases, sector-relevant publications and other media were used to advertise meetings and webinars. Moving into the final public comment phase, the PDT sought to reach larger audiences using new tools such as an [interview video series](#), which profiled sector specific stakeholders about why they find the Blue Plan important, and regional public forums to present the complete draft plan (Figure 1-7).



Figure 1-7. To reach larger audiences and generate awareness about the Blue Plan, Middlesex Community College assisted the PDT in taping an interview series to showcase the various human uses and ecological resources across Long Island Sound. Photo Credit: Christian Fox

Outreach events were held at times most convenient to the target audience: professional entities, such as the Coast Guard, were met with during working hours, while recreational groups, such as the boating community, were convened in the evening. When possible, the PDT presented at existing constituency meetings, often at the request of the host organization (including the Southern New England Fishman’s and Lobstermen’s Association, and Connecticut and New York based scuba clubs) (Figure 1-8).

Since the Blue Plan, like Long Island Sound, ultimately belongs to the people of Connecticut, outreach efforts were always made to proactively demystify the planning process and invite participants to be involved in forming the document. This was a new paradigm for many groups, who frequently only can react to a completed permit or rule change, rather than help inform the policies and supporting information as they come together. The PDT has made every effort to be inclusive of all views and knowledge contributed during the process, incorporating suggested changes and advice in all sections of the document. The document represents the shared vision for LIS, containing what was heard from participants. However, it is important that those who use the Sound continue to be active in the curation of the Blue Plan and ensure that it remains an evolving collaborative tool to enhance all that we value in our urban sea.



Figure 1-8. Stakeholder outreach took many forms, such as this Blue Plan Overview meeting with the Connecticut Harbor Management Association. Blue Plan Advisory Committee member Nathan Frohling is presenting to the group. Photo Credit: Emily Hall

Table 1-1 Outreach events of the Blue Plan process. Select meeting materials area available online at the [Blue Plan webinar and mapbooks web page](#). (CT DEEP, 2018).

Blue Plan Outreach Events				
<i>Date</i>	Meeting Type	Number of Participants	Venue Location	Audience
<i>Nov. 17, 2016</i>	Blue Plan Introduction, featuring Ocean Frontiers Screening	> 200	Norwalk	Public
<i>April 4, 2017</i>	Blue Plan Introduction, featuring Ocean Frontiers Screening	200	Groton	Public
<i>Nov. 4, 2017</i>	Data Vetting	11	Essex	Connecticut Marine Trades Association
<i>Nov. 5, 2017</i>	Data Vetting	25	Quaker Hill	Scuba: SECONN Dive Club
<i>Nov. 16, 2017</i>	Data Vetting	6	Webinar	Scuba
<i>Nov. 21, 2017</i>	Data Vetting	4	Webinar	Scuba
<i>Nov. 21, 2017</i>	Data Vetting	9	Webinar	Recreational Fishing and Waterfowl Hunting
<i>Nov. 30, 2017</i>	Data Vetting	18	Webinar	Recreational Boating
<i>Dec. 1, 2017</i>	Data Vetting	10	East Haven	US Coast Guard
<i>Dec. 5, 2017</i>	Data Vetting	8	Webinar	Other Non-Consumptive Recreation Groups
<i>Dec. 13, 2017</i>	Public meeting	10	Greenwich	Public
<i>Dec. 14, 2017</i>	Data Vetting	10	Niantic	Connecticut Charter and Party Boat Association
<i>Dec. 18, 2017</i>	Data Vetting	9	Webinar	Marine Transportation, Navigation, and Infrastructure

<i>Dec. 18, 2017</i>	Data Vetting	20	Webinar	Energy and Telecommunications
<i>Dec. 19, 2017</i>	Public meeting	30	Groton	Public
<i>Jan. 24, 2018</i>	Data Vetting	10	New London	US Navy
<i>Feb. 1, 2018</i>	BP Introduction	15	Webinar	Non-data groups
<i>Feb. 8, 2018</i>	Data Vetting	2	Webinar	Naval Undersea Warfare Center
<i>Feb. 12, 2018</i>	Participatory Mapping	3	Old Lyme	Recreational Anglers
<i>Feb. 22, 2018</i>	Blue Plan Introduction, featuring Ocean Frontiers Screening	15	Old Saybrook	Public
<i>Mar. 1, 2018</i>	Panel Discussion	20	Oyster Bay, NY	Friends of The Bay
<i>Mar. 5, 2018</i>	Data Vetting	10	Hartford	Native American Heritage Advisory Council at State Historical Preservation Organization
<i>Mar. 14, 2018</i>	BP Introduction	30	Westchester, NY	Scuba Sports Club of Westchester NY
<i>April 3, 2018</i>	Participatory Mapping	5	Old Lyme	Recreational Anglers
<i>April 4, 2018</i>	BP Introduction	15	New Haven	Connecticut Harbor Management Association
<i>April 4, 2018</i>	Working Webinar	18	Webinar	Ecological Experts Group
<i>April 6, 2018</i>	BP Introduction	10	Hartford	Hartford Hunting and Fishing Show
<i>April 17, 2018</i>	BP Introduction	3	Mystic	Bureau of Ocean Energy Management
<i>May 8, 2018</i>	Public Hearing	15	DEEP Marine HQ	First Public Hearing
<i>May 31, 2018</i>	BP Introduction	17	Port Jefferson, NY	First Public Meeting in NY
<i>June 5, 2018</i>	Working Webinar	17	Webinar	Ecological Experts Group

<i>June, 2018</i>	BP Update	60	N/A	Aquaculture Industry: DA/BA mandatory meeting
<i>June 18, 2018</i>	Participatory Mapping	6	Old Lyme	Sail Racing Mapping
<i>July 25, 2018</i>	All-day Workshop 1	18	Old Lyme	Ecological Experts Group
<i>July 27, 2018</i>	Panel Discussion	50	Rockland, ME	Practical Seaweed Farmer Conference
<i>Aug. 28, 2018</i>	Participatory Mapping	3	New Haven	Recreational Anglers
<i>Sept. 20, 2018</i>	All-day Workshop 2	19	Old Lyme	Ecological Experts Group
<i>Sept. 24, 2018</i>	BP Introduction	12	Stonington	Southern New England Fisherman's and Lobsterman's Association
<i>Oct. 2, 2018</i>	Policy Discussion	6	Groton	CT Commercial Fishers
<i>Oct. 4, 2018</i>	Policy Discussion	6	Hartford	Connecticut Siting Council and Energy Sector
<i>Oct. 9, 2018</i>	Policy Discussion	15	Rocky Hill	Connecticut Conservation Advisory Council
<i>Oct. 18, 2018</i>	All-day Workshop 3	18	Old Lyme	Ecological Experts Group
<i>Oct. 22, 2018</i>	Policy Discussion	2	Hartford	CT State Historical Preservation Organization
<i>Oct. 30, 2018</i>	Public Meeting	20	Old Lyme	Public Meeting to Discuss Policy
<i>Nov. 1, 2018</i>	Policy Discussion	6	Webinar	Scuba
<i>Nov. 6, 2018</i>	Participatory Mapping	4	Norwalk	Anglers Mapping
<i>Nov. 8, 2018</i>	Public Hearing	8	Stamford	Second Public Hearing
<i>Nov. 26, 2018</i>	Policy Discussion	0	Port Jefferson, NY	Second Public Meeting in NY
<i>Nov. 27, 2018</i>	Policy Discussion	13	Webinar	Rec. Boating community
<i>Nov. 28, 2018</i>	Policy Discussion	6	Webinar	Marine Transportation and Infrastructure

<i>Nov. 30, 2018</i>	All-day Workshop 4	18	Old Lyme	Ecological Experts Group
<i>Dec. 4, 2018</i>	Policy Discussion	10	Webinar	Marine Trades
<i>Dec. 5, 2018</i>	ESA review/feedback Webinar 1	34	Webinar	Ecological Experts Group
<i>Dec. 6, 2018</i>	Policy Discussion	8	Webinar	Energy Sector
<i>Dec. 11, 2018</i>	ESA review/feedback webinar 2	25	Webinar	Ecological Experts Group
<i>Dec. 11, 2018</i>	ESA Presentation	24	Groton	Public ESA Meeting
<i>Dec. 12, 2018</i>	ESA Presentation	12	Stony Brook, NY	Public ESA Meeting
<i>Dec. 18, 2018</i>	ESA Presentation	11	Bridgeport	Public ESA Meeting
<i>Jan. 31, 2019</i>	Summary work and review webinar	19	Webinar	Ecological Experts Group
<i>Jan. 31, 2019</i>	Public Hearing	6	Clinton	Third Public Hearing
<i>Feb. 16, 2019</i>	BP Overview Presentation	50	Groton	New England Wreck Dive Symposium (NEWDS); SCUBA sector
<i>Feb. 19, 2019</i>	BPAC Meeting	20	Hartford	Special pre-deadline check-in meeting
<i>Feb. 28, 2019</i>	Blue Plan Update	15	Old Lyme	Commercial Fisheries
<i>March 15, 2019</i>	LIS Research Conference	74	Port Jefferson, NY	Presentation on BP; focus on special areas identification
<i>March 20, 2019</i>	Press Conference	15	Madison	Led by Commissioner Dykes; Joe Gresko spoke
<i>March 21, 2019</i>	Legislative Press Conference	20	Hartford	State Senator Tony Hwang, State Representative Jonathan Steinberg, State Senator Christine Cohen, State Representative Mike Demicco, and State Representative Geraldo Reyes spoke, in addition to BPAC Members and Representatives. Press were in attendance.

<i>March 22, 2019</i>	Fairfield Press Conference	8	Fairfield	Led by Tony Hwang
<i>April 8, 2019</i>	Blue Plan Presentation	10	Darien	Darien Coastal Advisory Commission
<i>April 12, 2019</i>	Blue Plan Overview	12	Old Lyme	DEEP Marine Fisheries
<i>April 16, 2019</i>	Presentation on BP	15	Waterford	Thames River Basin Partnership
<i>April 23, 2019</i>	Stakeholder Engagement Subcommittee Call	10	Online	Stakeholder Engagement Subcommittee
<i>April 24, 2019</i>	Public Meeting	70+	Branford	Thimble Island Brewing Co.
<i>April 25, 2019</i>	Policy and Implementation Discussion	10	Essex	Connecticut Marine Trades Association
<i>April 25, 2019</i>	Anglers Meeting	20	Westport	Westport Striped Bass Club
<i>April 25, 2019</i>	Blue Plan Overview	55	Stonington,	Stonington Garden Club
<i>April 30, 2019</i>	Anglers Meeting	0	Old Lyme	Eastern Long Island Sound Anglers; no attendees showed despite significant outreach
<i>May 1, 2019</i>	Film Premiere	25	Middletown	Public; Middlesex Community College and Hartford students
<i>May 3, 2019</i>	Blue Plan Overview	12	Groton	Fisheries Management class; UConn undergrads
<i>May 9, 2019</i>	Public Meeting	38	Darien	Darien Library
<i>May 14, 2019</i>	Blue Plan Update	5	Webinar	For conservation groups; plan overview
<i>May 14, 2019</i>	Public Meeting	20	Groton	UConn Avery Point
<i>May 15, 2019</i>	Blue Plan Update	4	Webinar	Energy and Telecommunications Groups

<i>May 21, 2019</i>	Blue Plan Update	24	Webinar	Marine Transport, Navigation, and Infrastructure Groups
<i>May 22, 2019</i>	Blue Plan Overview	15	Hartford	Connecticut Council on Environmental Quality
<i>May 22, 2019</i>	Blue Plan and ESA Overview	30	Webinar	Ecological Experts Group and Scientists
<i>May 23, 2019</i>	Public Meeting	30	Old Saybrook	Saybrook Point Pavilion
<i>May 29, 2019</i>	Blue Plan Overview	10	Webinar	“Green bag” with TNC-NY
<i>May 29, 2019</i>	Public Meeting	15	Westbrook	Westbrook Town Hall
<i>May 30, 2019</i>	Blue Plan Update	13	Webinar	Marine General Interests
<i>June 4, 2019</i>	Blue Plan Update	13	Webinar	Recreational Boating Community
<i>June 5, 2019</i>	Public Meeting	25	Milford	Milford City Hall
<i>June 6, 2019</i>	Policy Implementation and Discussion	15	Essex	Connecticut Marine Trades Association.
<i>June 6, 2019</i>	Blue Plan Overview	1	Webinar	Federal Entities
<i>June 12, 2019</i>	Policy and Implementation Discussion	8	New Haven	Connecticut Harbor Management Association
<i>June 17, 2019</i>	BP Discussion	6	Old Saybrook	Old Saybrook Harbor Management Commission
<i>June 18, 2019</i>	BP Discussion	2	Webinar	Darien Advisory Commission on Coastal Waters
<i>June 20, 2019</i>	Public Meeting	8	Fishers Island, NY	Fishers Island Community
<i>June 28, 2019</i>	Online Blue Plan Introduction	5.5K views, 25 Shares, and 26 Comments	Webinar	Facebook Livestream presenting Blue Plan and other LIS Program activities on TNC Global Facebook Page

<i>July 9, 2019</i>	BP Discussion	10	Old Lyme	Old Lyme Management Commission
<i>July 11, 2019</i>	BP Informational Interview	1	Online	Meet with CT Examiner to inform story on BP
<i>July 17, 2019</i>	Stakeholder Engagement Subcommittee Call	10	Webinar	Stakeholder Engagement Subcommittee

❖ Data Gathering and Analysis

The data gathering effort sought out and considered information from a variety of sources. While the most common source of information was geospatial in nature (e.g., maps and similar), other non-spatial sources (e.g., non-map based) were acknowledged as important and were collected as time and resources allowed. Sources of data included Connecticut and New York state-agencies, web-based regional ocean planning repositories that hosted and shared related data, assorted research and academic institutions, and non-governmental organizations. Examples included but were not limited to:

- [Northeast Ocean Data Portal](#)
- [Mid-Atlantic Region Coastal Ocean Data Portal](#)
- [NOAA Marine Cadastre National Viewer](#)
- [New York Geographic Information Gateway](#)
- [Connecticut Aquaculture Mapping Atlas](#)
- [Mystic Aquarium](#)
- [Riverhead Foundation](#)
- [CT Department of Energy & Environmental Protection](#)
- [CT Department of Agriculture/Bureau of Aquaculture](#)
- [NY Department of Environmental Conservation](#)

The information presented from these and other relevant sources were initially reviewed by the Data and Mapping Work Team for consolidation. Since the sources provided a wide array of information relative to coastal and ocean topics, these were initially screened to focus on data that were:

- readily available geospatial data (map products);

- within, near, or overlapping with the general Blue Plan area as defined in statute; and
- reasonably applicable to ecological and human uses.

This initial collection of data was subjected to a readiness assessment that first organized the information by sectors—Natural Resources and Human Uses—each with various sub-sectors reflecting groups of similar themes. The Work Team then assessed information on their accuracy, relevancy, and representativeness to support the Blue Plan goals. These efforts addressed *what* the map product was about, *who* was the source or point of contact, *how* the map product should be used, and *when* the data was produced.

The result was a first-draft of data meeting a basic set of standards suitable for review. Experts and stakeholders selected from a large pool of potentially interested parties, with input from the Blue Plan Advisory Committee as well as the various work groups, were engaged to provide guidance on moving forward. Through a series of webinars and meetings based on the sectors and subsectors, these experts provided feedback and recommendations on the utility and applicability of the data to the Blue Plan, identified key elements regarding the context and importance of the sectors to the ecology and uses of Long Island Sound, and helped identify gaps and information that might help fill them.

These efforts yielded the Resource and Use Inventory, a synthesis document that presented vetted, objective information through a series of maps, narratives, and historical/socio-economic context to “tell a story” about a given sector. The Inventory represented more than the handful of illustrative maps, but rather the sum of the information collected. A more robust description of the Inventory process can be found in Section 3.2.

The data collected and presented in the Inventory served as the basis for two substantive analysis efforts. Both centered on using the data presented in the Inventory, (augmented with new data or newer versions of existing data not available during the Inventory process) to describe and delineate Ecologically Significant Areas (ESAs) and Significant Human Use Areas (SHUAs) within Long Island Sound. The identification of ESAs, called out specifically within the Blue Plan statute, was guided by an Ecological Experts Group convened as a subset of scientists and resource experts involved with or recommended by the group that helped vet the data for the Inventory. The PDT also felt strongly that a corresponding effort to identify areas of human uses, while not explicitly specified within the statutory language, was critical to the planning effort. Accordingly, the PDT, in concert with input from human use stakeholder groups and sector experts undertook an effort to identify SHUAs. The specifics of both analyses are described in detail in Section 3.4, but generally included:

- Refinement of the Inventory to focus on data that could best support specific policies and standards developed by the Policy Subcommittee Team;
- Addition of newer versions of existing data or brand new data as needed;

- Modification/Re-configuration of source data (e.g., combination of similar data from various sources, establishing thresholds, etc.) to support the delineation of significant areas; and
- Iterative review both internally and publicly with external expert and stakeholder groups.

The data and information gathered through the Inventory process and refined and finalized into map products that define the ESAs and SHUAs are critical components of the Blue Plan effort and were shared with the public to help support the implementation of the Plan. The Inventory along with associated public record reports and transcripts are currently available through the [Blue Plan website](#) (CT DEEP, 2019). The spatial data used to develop the ESAs and SHUAs and documentation describing them was made available in March 2019 on a the [Blue Plan Map Viewer](#) developed and hosted by UCONN’s [Center for Land Use Education and Research](#) (CLEAR) (UConn, 2019).



Figure 1-9. The Blue Plan Map Viewer displays all the ESAs and SHUAs in an easy to use format, where different human uses, and ecological resources can be overlain to understand a specific region in Long Island Sound. Kevin O’Brien, member of the Blue Plan PDT demonstrating the Blue Plan Viewer to reporters and the interested public. Photo Credit: Middlesex Community College – Center for New Media Productions

❖ Policy and Plan Development

As noted in the [Vision and Goals Statement](#), the main pillars of the Blue Plan are to protect ecological resources, protect traditional human uses, and reduce future conflict. In an effort to reach these goals, the PDT and the Policy Subcommittee, which is comprised of BPAC

members, policy experts, and external stakeholders, looked to other state and regional ocean planning efforts. These plans include the:

- [Northeast Regional Ocean Plan](#)
- [Mid-Atlantic Ocean Plan](#)
- [Rhode Island Special Area Management Plan](#)
- [Massachusetts Ocean Management Plan](#)
- [Washington Marine Spatial Plan](#)

The PDT and Policy Subcommittee analyzed these plans to help develop Blue Plan policies, designate significant use and ecological areas, and proceed with Plan implementation. Using the background knowledge gained from these plans and understanding Long Island Sound specific interests, the PDT and Policy Subcommittee has designed a policy framework that will 1) protect the character of the Sound, 2) protect designated areas of significant ecological or human use value, and 3) guide decision-making through a series of “lenses”. These policy “lenses” are meant to assist the applicant or agency when determining the suitability, location, and timing of a proposed project, and if that project calls for additional information and data collection.

As part of this policy framework, the PDT, with the assistance of ecological and human use experts, were required to designate and write policies to protect Ecologically Significant Areas (ESAs), and chose to pursue a parallel effort in identifying and protecting Significant Human Use Areas (SHUAs).

Overall, the Blue Plan provides new tools, data, and policy standards to better inform regulators and the regulated community, as well as long-term planning efforts in Long Island Sound. These include:

- 1) *Site Selection data and tools.* The Blue Plan provides tools on where the SHUAs or ESAs are that a proposed project may encounter. Information on identifying significant ecological or human use information can be found in Chapter 3: The Blue Plan in Long Island Sound, Appendices 2 and 3 describing the methodology and data behind the significant areas, and the [Blue Plan Viewer](#), which is an online portal where users can access all the designated areas. The Ecological Characterization Summary is a separate document which provides further background and information related to the selection of the Ecologically Significant Areas. This may be additionally helpful to project applicants, scientists and the public at large.
- 2) *Vision and Goals.* Based on the Blue Plan’s Vision and Goal Statement described above, the PDT, BPAC, and stakeholders crafted a series of policies and standards which illuminate the “vision” for the future of Long Island Sound and how new projects can both avoid adverse impacts to natural resources and conflict with existing human uses.

These policies can be found in Chapter 4: Blue Plan Policies and Standards, Sound-Wide Policies.

- 3) *Siting Priorities and Standards*. Based on the Blue Plan’s Vision and Goal Statement described above, the PDT, BPAC, and stakeholders crafted a series of policies and standards which illuminate the “vision” for the future of Long Island Sound and how new projects can both avoid adverse impacts to natural resources and conflict with existing human uses. These policies can be found in Chapter 4: Blue Plan Policies and Standards, Sound-Wide Policies.

To understand the Blue Plan in a larger context, the Blue Plan also provides an overview of the:

- Existing management structure of Long Island Sound, and how the Blue Plan fits into that. This information can be found in Chapter 2: Management Framework.
- Blue Plan implementation process and how spatial data and information, policies, and standards can be used. This information can be found in Chapter 5: Implementation and Adaptive Management.
- Adaptive management process, and how the Blue Plan goals, policies, and data can be updated and changed over time to fit with a better understanding of Long Island Sound. This information can be found in Chapter 5: Implementation and Adaptive Management.
- Future considerations that the Blue Plan may want to address, such as climate change and new types of development or technology being considered in the Sound. This information can be found in Chapter 6: Topics for Future Consideration.

Chapter 2 Management Framework

2.1 Introduction

Like the Long Island Sound (LIS) ecosystem itself, the Blue Plan as a management mechanism will not exist in isolation. Several issues related to LIS spatial planning, such as water quality and habitat restoration, have already been addressed in some form by a number of federal, regional, state, and local agencies and institutions. In both planning and regulatory realms, many existing LIS-related agencies and organizations referenced in this chapter continue to contribute to understanding and managing the Sound's resources and uses, and the Blue Plan is intended to coordinate with these efforts.

The aspects of the LIS management framework most significant to Blue Plan implementation are the existing regulatory programs required to consider Blue Plan policies as factors in making permitting decisions. These programs have been specifically designated by Connecticut General Statutes (CGS) § 25-157t(h) and are described in Section 2.5 of this chapter in Table 2-1. As discussed further in Chapter 4, the Blue Plan policies will support these existing regulatory programs by providing up-front guidance and information on LIS resources and uses, and by directing the decision-making processes to help achieve the goals of the Blue Plan.

2.2 The Public Trust Doctrine

Perhaps the most fundamental, legal and management principle underlying the Blue Plan is the public trust doctrine, through which the waters and submerged lands of Long Island Sound are owned by the states of Connecticut and New York in trust for the public. The Sound belongs to the people - not just in terms of our environmental and cultural heritage, but in a specific legal sense as well. Under the common law public trust doctrine, a body of law dating back to Roman times, coastal states as sovereigns hold the submerged lands and waters waterward of the mean high-water line, in trust for the public. In Connecticut, a line of state Supreme Court cases dating back to the earliest days of the republic confirms that private ownership ends at the mean high-water line, and that the state holds title to the lands waterward of mean high water, subject to the private rights of littoral or riparian access and incorporating public rights of use. For further background on the public trust doctrine, please consult the one-volume study [*Putting the Public Trust Doctrine to Work*](#), a June 1997 report of the National Public Trust Study conducted by the Coastal States Organization, with contributions by CT DEEP staff (Coastal States Organization, 1997).

The public trust area comprises submerged lands and waters waterward of the mean high-water line in tidal, coastal, or navigable waters of the state of Connecticut, out to the water boundaries

with New York and Rhode Island. As such, it generally coincides with the area “of planning, management and coordination authority under the Long Island Sound Blue Plan” as delineated by CGS § 25-257t (b)(2)(D). The landward boundary, the mean high water line (often referred to as “high water mark” in court decisions),⁷ is technically defined as the average of high tides over a 19-year tidal epoch, and can often be ascertained on the shore by prominent wrack line, debris line, or water mark (Tidal Datums, 2018). The public trust area is also sometimes referred to as tidelands, and is defined as [public beach](#) by the Connecticut Coastal Management Act, CGS § 22a-93(6).

In addition to state ownership, an essential element of the public trust doctrine is that the state’s submerged lands and waters are in trust for use by the general public (Figure 2-1). Subject to applicable regulations and permits, the general public may freely use these lands and waters, whether they are beach, rocky shore, or open water, for traditional public trust uses such as fishing, shellfishing, boating, sunbathing, or simply walking along the beach.⁸ The Blue Plan statute references these common law rights of the public, setting a goal to “promote maximum public accessibility to Long Island Sound’s waters for traditional public trust uses, such as recreational and commercial boating and fishing,” in CGS § 25-257t(b)(2)(D).

The status of Long Island Sound as state public trust waters has important implications for marine spatial planning, in that Connecticut and New York may exercise sovereign and proprietary authority as owners, as well as regulatory authority as governments, over activities within the Sound. In other words, states can manage their own property more freely and with fewer legal constraints than they can regulate private property on land. The public trust doctrine offers an additional basis for the management and stewardship of Long Island Sound, one that cannot readily be thwarted by private rights or overruled or pre-empted by federal agencies. The Blue Plan can therefore be seen as an implementation of Connecticut’s sovereign and public trust responsibilities, as well as a statutorily created mechanism to plan for and manage the Sound in the broader public interest. With the creation of the Blue Plan based on the underlying public trust doctrine, Connecticut will have an explicit legal basis for comprehensive, adaptive, and proactive management of the Sound.

⁷ The public owns up to “high water mark,” *Simons v. French*, 25 Conn. 346 (1856). Title of riparian proprietor terminates at ordinary high water mark, *Mather v. Chapman*, 40 Conn. 382 (1873). Private ownership of submerged lands is possible, only when basins are dredged from upland, or from inland, non-navigable waters. *Michalczo v. Woodmont*, 175 Conn. 535 (1978).

⁸ “Public rights include fishing, boating, hunting, bathing, taking shellfish, gathering seaweed, cutting sedge, and of passing and repassing. . .” *Orange v. Resnick*, 94 Conn. 573 (1920). “It is settled in Connecticut that the public has the right to boat, hunt, and fish on the navigable waters of the state.” *State v. Brennan*, 3 Conn. Cir. 413 (1965). The public has the right to fish and shellfish over submerged private lands, *Peck v. Lockwood*, 5 Day 22 (1811). The public has the right to pass and repass in navigable rivers, *Adams v. Pease* 2 Conn. 481 (1818). The public may gather seaweed between ordinary high water and low water, *Chapman v. Kimball* 9 Day 38 (1831).



Figure 2-1. Many different individuals using Long Island Sound as a public trust resource. Photo Credit: Mary-beth Hart

2.3 Connecticut Long Island Sound Advisory Entities

Over the years, the Connecticut General Assembly has occasionally made special provisions for ad hoc organizations to advise governmental decision makers regarding Long Island Sound issues. The authorities creating these entities are codified in [Chapter 483 of the General Statutes](#), sections 25-138 through 25-153. Except for the Blue Plan Advisory Committee, none of these entities are currently active, but their activities and statutory foundation provide context for the Blue Plan and mark milestones along the progression of LIS management from ad hoc and reactive to planned and proactive.

a. *Bi-State LIS Committee, CGS § 25-138 through § 25-142*

This body was created in 1973 as the Bi-State LIS Marine Resources Committee, consisting of legislative appointees and state officials, tasked with making recommendations and standardizing laws related to Long Island Sound, upon enactment of similar legislation by the State of New York. The Committee's recommendations were to be submitted in an annual report to the governors and legislatures of both states.

In reaction to the proposed Broadwater floating liquefied natural gas (LNG) facility, Public Act (PA) 05-137 dropped “Marine Resources” from the Committee’s title and amended the Committee’s charge to include “proposed industrialization and private use of public trust resources of Long Island Sound.” Although, New York State adopted corresponding legislation in 2011, the Bi-State LIS Committee was not convened and has never met in this form. The Bi-State LIS Marine Resources Committee was known to have had periodic meetings at times, but any reports or records of its activities are not readily available. Nonetheless, CGS § 25-140 contains useful language about public trust resources that is consistent with and serves as a precursor to Blue Plan policies.

b. LIS Advisory Councils, Assembly, and Foundation, CGS § 25-154 through § 25-156

In 1989, legislation created three regional LIS Advisory Councils whose members were to be appointed by coastal municipalities and legislative leaders. Each Council then designated some of its members to comprise an umbrella Long Island Sound Assembly (LISA), which compiled and submitted annual reports to the legislature “concerning the use and preservation of Long Island Sound.” The LISA reports were widely circulated and reported on for a time, but the last Assembly Report was submitted in 2012. The Reports are no longer available online but may be found in hard copy in some libraries. During its heyday the LIS Assembly enjoyed staff support supplied by the Long Island Sound Foundation, a state-chartered foundation established by CGS § 25-156. The Foundation did receive some appropriations and other revenue, which it employed staffing the Assembly, convening periodic LIS Research Symposia, assisting with an initial version of DEEP’s Connecticut Coastal Access Guide, conducting a Sound-themed calendar contest for children, and other outreach efforts. The Foundation is no longer active.

c. LIS Utility Crossing Provisions

In the early 2000’s, public concern in Connecticut over potential adverse impacts from cross-Sound cable and pipeline projects prompted both executive and legislative action in response. In 2002 Governor John Rowland issued [Executive Order 26](#) (Executive Office of Governor Rowland, 2002) creating a Task Force of state officials headed by the [Institute of Sustainable Energy](#) (Eastern Connecticut State University, 2018), while the legislature responded with CGS § 25-157a, creating a larger joint Task Force, adding stakeholder and state agency representatives to the members and duties established under the Executive Order, and calling for a “comprehensive environmental assessment and plan” regarding utility crossings of LIS. Although it dealt in part with energy supply and reliability issues, the [Task Force](#) report can be considered a precursor to the Blue Plan in that it was also mandated to compile an inventory and maps of LIS natural resources and to recommend methods to minimize the potential environmental impacts of cross-Sound electric cables and natural gas pipelines (Task Force on Long Island Sound, 2003). Indeed, the Blue Plan statute at CGS § 25-157t(b)(1)(F) required that the Inventory include and update the data in the Task Force report. Moreover, CGS § 25-157b also

required that state permit applications for any electric power line, gas pipeline, or telecommunications crossing of LIS be evaluated in light of the Task Force report and be consistent with its recommendations. As such, CGS § 25-157b can be considered to be incorporated within the broader Blue Plan mandate.

Finally, another part of the 2002 legislative response to cable and pipeline issues was the adoption of two moratoria on utility crossings of the Sound. Under CGS § 25-157, DEEP and the Siting Council were prohibited from acting on any applications for certain electric cables, gas pipelines, or telecommunications cables until June 5, 2005. CGS § 25-157c required the Siting Council to request that the Federal Energy Regulatory Commission (FERC) not approve any LIS crossings until after completion of the CGS § 25-157a Task Force Report, and that FERC consider the Report's recommendations in any subsequent decisions. The history of how these provisions came about is complex and multifaceted, but their relevance to the Blue Plan lies in their demonstration of legislative interest in applying Sound-wide data and policies to utility crossing proposals.⁹

d. Bi-State LIS Commission, CGS § 25-157n

In 2009, the legislature created a new bi-state body to “consider major environmental, ecological and energy issues involving Long Island Sound and the lower Hudson River Valley.” The Bi-State Long Island Sound Commission was to include the Governors of both states and seven legislative appointees from each state and was understood to be a reaction to the proposed Broadwater LNG facility, as well as to a proposed cement plant along the Hudson that raised concern in western Connecticut. The Commission was to seek bi-state consensus on strategies and policies to address the environmental, ecological, and energy issues, and to recommend administrative and legislative action accordingly. However, unlike the Long Island Sound Bi-State Committee of CGS § 25-138, the Bi-State Long Island Sound Commission was never adopted as New York legislation, and thus has never been established.

2.4 Connecticut State Plans

In developing and implementing the Blue Plan, DEEP and other state agencies will need to work within the context of existing Connecticut state plans that it and other agencies have been required by law to undertake. Several official planning efforts represent one-time initiatives, but others are ongoing and may directly affect and be affected by Blue Plan goals, data, and policies.

⁹ A related study was undertaken in 2004 by the Connecticut Academy of Science and Engineering, on behalf of the CT Energy Advisory Board (the functions of which have been incorporated into DEEP). Titled [*Long Island Sound Symposium: A Study of Benthic Habitats*](#), the report was commissioned largely to investigate impacts of cable and pipeline crossings, and its findings have contributed to the Blue Plan Inventory (Connecticut Academy of Science and Engineering, 2004). See also the discussion in Chapter 26.3 of the Inventory.

The most relevant continuing state plans are listed below:

a. *Conservation and Development Policies: The Plan for Connecticut*

Commonly referred to as the State C&D Plan, the [State Plan of Conservation and Development](#) is perhaps the most high-profile Connecticut state plan, and in many respects represents a land-side model for the Blue Plan (Office of Policy and Management, 2005-2010). In accordance with CGS §16a-27 through 16a-30, the Office of Policy and Management (OPM) oversees the C&D Plan and prepares revisions on a recurring 5-year cycle, which are in turn submitted to the legislature for approval and adoption. Once adopted, the State C&D Plan is then implemented by state agencies whenever they undertake certain actions specified by CGS §16a-31, such as the acquisition or development of property, or the issuance of grants more than \$200,000, which must be consistent with the Plan's policies. In addition, state agency funding for "growth-related projects" are encouraged to be directed to Priority Funding Areas, which are designated on a Locational Guide Map depicting categories of conservation and development areas. Like the Blue Plan, the State C&D Plan must be updated by the responsible state agency (OPM) and approved by the legislature every five years.

Further, under CGS §16a-31(e) OPM must render an advisory opinion on whether any state agency plan required by state or federal law is consistent with the C&D Plan, and will do so for the Blue Plan, which is itself required by CGS § 25-157t(b)(Q) to be consistent with the State C&D Plan. Since OPM is a statutory member of the Blue Plan Advisory Committee, coordination between the two plans will be facilitated. Finally, recent statutory amendments require future revisions to the C&D Plan to consider risks associated with coastal flooding and erosion and sea level rise, as well as greenhouse gas reduction goals, which may affect state investments regarding renewable energy and coastal development.

b. *Statewide Comprehensive Outdoor Recreation Plan (SCORP)*

The [Statewide Comprehensive Outdoor Recreation Plan](#) (SCORP) is a planning document that identifies outdoor recreation issues of statewide significance and evaluates the supply of and the demand for outdoor recreation resources and facilities in Connecticut (CT DEEP, 2017-2022). The SCORP provides unified guidance to state and municipal officials as they develop and expand outdoor recreation opportunities for their respective constituents.

In addition to its value as a planning document, the completion of a SCORP also satisfies a requirement of the federally administered Land and Water Conservation Fund (LWCF), which then makes Connecticut eligible to receive its annual apportionment from the LWCF State and Municipal Assistance Program. Apportionments from the LWCF can be used by the state and its municipalities to acquire new land for outdoor recreation and conservation, and to construct new outdoor recreational facilities. As with previous

editions, the 2017-2022 SCORP identified needs for improved coastal access and coastal recreational facilities.

c. Wildlife Action Plan

In 2015, DEEP revised and updated [Connecticut's Wildlife Action Plan](#) (formerly Comprehensive Wildlife Conservation Strategy), creating a blueprint for the conservation of the state's wildlife as part of a national framework for proactively conserving fish and wildlife, including their habitats, for the next 10 years (CT DEEP, 2015).

As part of this effort, Connecticut's List of Species of Greatest Conservation Need also was revised. This effort involved adding new information on climate change and its impacts to wildlife conservation, updating resource mapping, refining conservation threats, and incorporating information gained through the implementation of the first Wildlife Action Plan. The revision also includes the identification of new or revised conservation actions to help advance wildlife conservation over the next decade. As a result, information from the Wildlife Action Plan was included within the Inventory and will inform and guide future updates of the Blue Plan.

d. Energy Plans

As an energy as well as an environmental agency, DEEP is responsible for several plans and policies dealing with energy and climate change issues. The foremost of these is probably the State's Comprehensive Energy Strategy, required by CGS §16a-3d(a), and modified by Public Act 18-82 to become a Comprehensive Climate and Energy Strategy by 2020. First adopted in 2012, the Comprehensive Energy Strategy provides an assessment and strategy for all residential, commercial, and industrial energy issues, including energy efficiency, industry, electricity, natural gas, and transportation. It was most recently updated in 2017 to advance the State's goal to create a cheaper, cleaner, more reliable energy future for Connecticut's residents and businesses. In addition, CGS § 16a-3a requires that DEEP prepare an [Integrated Resource Plan](#) every two years (CT DEEP, 2014). This Plan includes both an assessment of the state's future electric needs and a plan to meet those needs and is "integrated" in that it looks at both demand side resources (conservation, energy efficiency, etc.), as well as the more traditional supply side resources (generation/power plants, transmission lines, etc.) in making its recommendations on how best to meet future electric energy needs. As the scope of these plans evolves and expands, they may relate to Blue Plan policies on energy facility siting and other issues. In particular, demands for more renewable energy sources are likely to result in a need for connections to offshore wind facilities, even if such facilities are located outside of Long Island Sound.

2.5 State Regulatory Programs and Authorities

The heart of the Blue Plan’s management framework resides within the state regulatory programs (and one local program), which are charged with implementing the plan pursuant to CGS § 25-157t(h). These regulatory programs are described in the following Table 2-1.

Table 2-1 Overview of the Connecticut State and Local Regulatory Programs implementing the Blue Plan

Regulatory Programs Implementing the Blue Plan			
Statutory Title	Statutory Citation	Overview of Regulatory Program	Implementing Agency
<i>Certificate for Environmental Compatibility and Need</i>	CGS § 16-50k	<p>The Connecticut Siting Council is a state agency that regulates the siting of a number of infrastructure facilities, including electric power facilities and transmission lines, hazardous waste facilities, and telecommunications towers and other technology (Connecticut Siting Council, 2019). The Siting Council membership is made of up 9 members for energy and telecommunications decisions and 13 members for hazardous waste decisions (Connecticut Siting Council, 2019).</p> <p>The Council’s regulatory approval is termed a Certificate of Environmental Compatibility and Need under CGS § 16-50k, and the Council in exercising its regulatory responsibilities is charged with:</p> <ol style="list-style-type: none"> 1) balancing the need for adequate and reliable public utility services at the lowest reasonable cost to consumers with the need to protect the environment and ecology of the state and to minimize damage to scenic, historic, and recreational values; 2) providing environmental standards for the location, design, construction, and operation of public utility facilities that are at least as stringent as federal environmental standards and that are sufficient to assure the welfare and protection of the people of Connecticut; 3) encouraging research to develop new and improved methods of generating, storing, and transmitting electricity and fuel and of transmitting and receiving television and telecommunications signals with minimal damage to the environment; 4) promoting the sharing of telecommunications towers in order to avoid their unnecessary proliferation; and 5) requiring annual forecasts of the demand for electricity together with the planning for facilities needed to supply the predicted demand. 	Connecticut Siting Council

<p>Permit for Aquaculture Operations</p>	<p>CGS § 22-11h</p>	<p>The Connecticut Department of Agriculture, Bureau of Aquaculture (DA/BA) is the lead state agency for aquaculture development in Connecticut, pursuant to several statutes listed in this table. The responsibilities of the DA/BA include leasing submerged State lands to shellfish producers, classifying shellfishing waters, monitoring water quality, identifying sources of pollution and seeking corrective actions, and the licensing of all commercial shellfish operations and research or educational activities. With respect to aquaculture, the DA/BA Director acts as a liaison among local, State, and federal permitting officials, and is the official State Aquaculture Coordinator. The Bureau has exclusive State authority for granting or denying aquaculture permits pursuant to CGS § 22-11h, except for matters concerning discharges from marine aquaculture operations, water diversions, and placement of floating or submerged aquaculture structures in coastal waters that require other coastal permits. Aquaculture-related water discharges and in-water structures are regulated cooperatively at the State and federal levels with the Connecticut DEEP and the U.S. Army Corps of Engineers (USACE) New England District. For further information, please consult:</p> <p>A Guide to Marine Aquaculture Permitting in Connecticut or DEEP Fact sheet on aquaculture permitting process</p>	<p>Department of Agriculture, Bureau of Aquaculture</p>
<p>Licensing of Aquaculture Producers</p>	<p>CGS § 22-11j</p>	<p>This section includes specific provisions for licensing of seaweed producers. A license for seaweed production may be issued for any area within the state’s coastal waters for a renewable five-year term and an annual license fee of \$25/acre, which may be waived if the seaweed farm is located in a leased shellfish bed. In order to prevent non-aquaculture interests from licensing areas for other purposes, a seaweed licensee must make a good-faith effort to cultivate and harvest seaweed from the license area, and the grant of a license may not interfere with an established right of fishing or shellfishing.</p> <p>Note that any in-water structures used in seaweed production, including longlines, buoys, and work platforms, also require appropriate authorization under the DEEP coastal permitting program at CGS § 22a-359 to 22a-363f, inclusive.</p>	<p>Department of Agriculture, Bureau of Aquaculture</p>
<p>Emergency authorization for regulated activity. Temporary authorization for regulated activity</p>	<p>CGS § 22a-6k</p>	<p>The Commissioner of DEEP may issue an emergency or temporary authorization for an activity regulated under one of several specified DEEP programs. Emergency authorizations may be issued when (1) such authorization is necessary to prevent, abate or mitigate an imminent threat to human health or the environment; and (2) such authorization is not inconsistent with the federal Water Pollution Control Act (WPCA), the federal Rivers and Harbors Act, the federal Clean Air Act or the federal Resource Conservation and Recovery Act (RCRA). However, the only Long Island Sound-related program subject to emergency authorization under this section would be CGS § 22a-430, regarding discharges to the waters of the state.</p> <p>However, pursuant to CGS § 22a-6k(b), the commissioner may issue a temporary authorization for any activity for which the commissioner has authority to issue a general permit, including coastal general permits under CGS § 22a-361, provided the commissioner finds that (1) such activity will not continue for more than ninety days; (2) such activity does not pose a significant threat to human health or the environment; (3) such authorization is necessary to protect human health or the environment or is otherwise necessary to protect the public interest; and (4) such authorization is not inconsistent with the federal WPCA, Rivers and Harbors Act, Clean Air Act or RCRA and is not renewed more than once.</p>	<p>Department of Energy and Environmental Protection</p>

<p><i>Regulation of dredging, erection of structures, and placement of fill in tidal, coastal, or navigable waters. Sunken or grounded vessels.</i></p>	<p>CGS § 22a-359</p>	<p>Blue Plan policies are likely to be most frequently applied through DEEP’s coastal permitting program, which regulates virtually all activities within the tidal, coastal or navigable waters of Connecticut under the Structures, Dredging and Fill Statutes (CGS §§ 22a-359 to 22a-363f, inclusive) and in tidal wetlands under the Tidal Wetlands Act (CGS §§ 22a-28 to 22a-35, inclusive).</p> <p>The major objectives of the coastal permit program are to avoid or minimize navigational conflicts, encroachments into the state’s public trust area, and adverse impacts on coastal resources and uses, consistent with the policies of the Connecticut Coastal Management Act (CGS §§ 22a-90 to 22a-112, inclusive), pursuant to CGS § 22a-98.</p> <p>Overview of Coastal Permit Program</p> <p>This section outlines DEEP’s responsibility for the regulation of dredging, structures, and the placement of fill in the tidal, coastal, or navigable waters waterward of the coastal jurisdiction line, and lists some of the factors for consideration in making regulatory decisions, including:</p> <ul style="list-style-type: none"> • the preservation of natural habitats and living marine resources • shoreline erosion and coastal flooding • water quality and pollution control • the use and development of all adjoining lands • coastal and inland navigation • use of the state’s public trust land and water • the rights and interests of all persons concerned with the proposed activity <p>The area of the shore subject to Connecticut’s permit authority includes everything waterward of the Coastal Jurisdiction Line (CJL) (or within the bounds of tidal wetlands) out to the state boundary. The CJL is an elevation in the North American Vertical Datum of 1988 (NAVD88) and is based on a specific predicted tide. The mean high-water line (MHW) is the line on the shore indicating the average shoreward extent of all high tides. The MHW line also denotes the seaward limit of private property ownership in Connecticut. Navigable waters include tidal rivers upstream to the limit of the first dam or obstruction.</p>	<p>Department of Energy and Environmental Protection</p>
---	--------------------------------------	--	--

<p><i>Permit for dredging, structures, placement of fill, obstruction or encroachment, or mooring area or facility. Regulations. General permits. Removal of sand, gravel or other material. Fees. Prohibited docks or structures</i></p>	<p>CGS § 22a-361</p>	<p>This section sets forth the permitting requirements and procedures for regulated activities, such as dredging, the placement of structures, fill, encroachments, or mooring areas or facilities, within DEEP’s coastal permitting jurisdiction. Three types of authorizations are issued for activities conducted within tidal, coastal and navigable waters, depending on the nature of the work proposed. Each involves a different review process, and the following two are contained in this section, as explained below.</p> <p><u>Individual Permits</u> Certain activities require an "individual" permit specific to the proposed work. These activities typically include new construction and other work for which a detailed review of potential environmental impacts is needed. The review process for an individual permit provides an opportunity for public comment and potentially a hearing.</p> <p><u>General Permits</u> General permits are issued to authorize certain minor activities. Because the environmental impacts of those activities are understood, detailed permit reviews are generally not required. General permit approvals, often referred to as a “registration”, are typically issued within 90 days if a complete application is received. The following structures and activities may be eligible for authorization through a general permit:</p> <ul style="list-style-type: none"> • Small residential docks having no navigational or environmental impacts • Boat moorings • Osprey nesting platforms and perch poles • Residential flood hazard mitigation • Buoys and markers for navigation and certain recreational activities • Swim floats • Pump-out facilities at marinas • Coastal remedial activities 	<p>Department of Energy and Environmental Protection</p>
<p><i>Activities eligible for certificate of permission. Exemptions. Issuance of certificate. Failure of commissioner to respond.</i></p>	<p>CGS § 22a-363d</p>	<p>This section provides for emergency authorization for activities subject to DEEP’s Coastal Regulatory Program. Under the statutory provisions, an emergency situation is one which may result in immediate, unforeseen and unacceptable hazards to life, health or welfare or significant loss of property. In order for a regulated activity to be eligible, the damage and the proposed corrective action must be reported within fifteen days of the causative event. Corrective actions may include the repair or reconstruction of structures, fill, obstructions or encroachments damaged or destroyed by an act of nature or casualty loss necessary to avoid economic damage to ongoing commercial activities. Emergency authorizations can be issued quickly and will contain conditions appropriate for the activity but must be followed-up with a full CGS § 22a-361 permit application.</p>	<p>Department of Energy and Environmental Protection</p>

<p><i>Permit for new discharge. Regulations. Renewal. Special category permits or approvals. Limited delegation. General permits.</i></p>	<p>CGS § 22a-430</p>	<p>This section comprises part of DEEP’s Wastewater Discharge Permit Program, which regulates discharges to waters of the state, including all surface waters, ground waters and Publicly Owned Treatment Works (POTW) (i.e., sewage treatment plants) pursuant to CGS §§ 22a-416 through 22a-438 and Sections 22a-430-1 through 22a-430-7 of the Regulations of Connecticut State Agencies. DEEP uses both individual and general permits to regulate discharge activities. Individual permits may be required for discharges of Industrial Wastewater and Municipal Wastewater, for instance, and there are a number of specific categories of general permits which can be found on the General Permits Factsheet.</p> <p>DEEP issues discharge permits in three major categories. While the process for each is similar, specific application requirements may vary.</p> <ul style="list-style-type: none"> • The Surface Water Discharge Permit Program, also known as the National Pollutant Discharge Elimination System (NPDES) under the federal Clean Water Act, is authorized by this section, and regulates discharges into both coastal and inland surface waters (either directly or through municipal storm sewer drainage systems, or through other drainage systems such as wetlands or swales). • The Ground Water Discharge Permit Program regulates discharges to ground water from any source, including but not limited to large septic systems, agricultural waste management systems, and all waste landfills. • The Pre-treatment Permit Program regulates discharges to a sewage treatment plant through municipal sanitary sewer drainage systems, or through combined storm and sanitary sewer systems. All wastewaters (excluding domestic sewage) that are hauled directly to a POTW will require either a pre-treatment permit or will be regulated under the sewage treatment plant's permit. Domestic sewage hauled directly to a POTW is regulated by the CT Department of Public Health. <p>In making a decision on a permit application, DEEP must determine that the proposed discharges will not cause pollution to the waters of the state. In doing this, staff review the potential for: 1) any adverse effects on existing and designated uses of the waters of the state as defined in Connecticut's Water Quality Standards and Criteria; 2) any interference with or adverse effects upon the operation of a POTW; and 3) any systems and methodologies proposed to counteract such adverse effects and to minimize the discharge of pollutants.</p>	<p>Department of Energy and Environmental Protection</p>
<p><i>Crossings of Long Island Sound. Evaluation of application’s consistency with comprehensive environmental assessment plan.</i></p>	<p>CGS § 25-157b</p>	<p>As discussed in 2.3c above, this statutory provision was enacted in 2002 to follow up on the Task Force report on utility crossings of Long Island Sound. It requires that any state agency (including but not limited to DEEP and the Siting Council) that considers an application for an electric power line, gas pipeline, or telecommunications crossing of the Sound to evaluate such application for potential to impair the public trust in the Sound and for consistency with the environmental and other recommendations of the Task Force report.</p>	<p>Department of Energy and Environmental Protection, Connecticut Siting Council, other agencies</p>

<p><i>Leasing of shellfish grounds. Fee. Utility lines and public use structures. Shellfish removal or relocation costs. Annual host payments for Long Island Sound crossings. Designation of shellfish areas to regional agricultural science and technology education centers.</i></p>	<p>CGS § 26-194</p>	<p>This section contains the authority for the Department of Agriculture’s Shellfish Leasing Program and establishes procedures and regulations for leasing. This program permits shellfish farmers to obtain underwater lands in Long Island Sound for the purpose of planting, cultivating, and harvesting shellfish crops. All applications to lease grounds must be approved by the Commissioner of Agriculture.</p> <p>The Department of Agriculture, Bureau of Aquaculture leases shellfish grounds through competitive bids, with a statutory minimum bid of \$4.00/acre (CT DOA, 2019). A lease is granted for a 3-10 year term with renewal option, provided the lessee has paid rental fees. Leases will be granted by DA/BA to the highest responsible bidder. There is a 50-acre minimum and 200-acre maximum per bid, and it is the policy of the Department of Agriculture that lease be square or rectangular in shape.</p> <p>Also contained in this section are particular provisions that address conflicting uses within shellfish beds. For instance, provisions in CGS § 26-194(a) require lessees to actually cultivate shellfish and prohibit lessees from entering agreements not to cultivate and harvest shellfish; i.e., cable and pipeline companies cannot buy up leases to preclude any claims for damage to shellfish by any “utility line or public use structure” per CGS subsection 26-194(d). Instead, subsection (d) provides that owners of “a utility line or public use structure” that impacts a leased area must pay for removal or relocation of any shellfish, and are liable for any damages caused by the installation, construction or presence of such line or structure. Similar provisions apply to local shellfisheries in general and Branford shellfisheries in particular under CGS §§ 26-240 and 26-266, respectively.</p> <p>In addition, the provisions of CGS § 26-194(c), which establishes a limited form of submerged lands leasing as a “host payment fee” for cables and pipelines. Any “facility” needing approval from the Siting Council under CGS §16-50k or from FERC and that crosses “any grounds of Long Island Sound within the jurisdiction of the state,” including leased or granted shellfish areas, must pay the Department of Agriculture an annual host payment fee of \$0.40 per linear foot.</p>	<p>Department of Agriculture, Bureau of Aquaculture</p>
<p><i>Local shellfish commissions.</i></p>	<p>CGS § 26-257a</p>	<p>Connecticut's municipal Shellfish Commissions are responsible for managing shellfish resources, shellfisheries and aquaculture in town waters which lie landward of the State Jurisdiction Line (N.B: This line establishes state vs. local aquaculture leasing jurisdiction and is <u>not</u> the same as the Coastal Jurisdiction Line under CGS § 22a-359(c)). Each commission is required to develop a comprehensive management plan that includes a process for leasing commercial shellfish grounds and providing local review of applications for placement of aquaculture structures in town waters.</p> <p>Although these local decision makers do not have legal authority to directly permit aquaculture structures, the Commissions play a role in the review process for potential social and use conflicts, as well as potential effects on protected habitats and/or species caused by aquaculture activity. If projects are located in municipal waters, the local Shellfish Commission is consulted.</p>	<p>Municipal Shellfish Commissions</p>

<p><i>Section 401 Water Pollution Control Act Water Quality Certification</i></p>	<p>Section 401 of the Federal Clean Water Act (33 U.S.C. 1314)</p>	<p>Under Section 401 of the federal Clean Water Act, any federally-regulated discharge into the waters of the state must be consistent with the Connecticut Water Quality Standards and Classifications (WQS). The WQS set an overall policy for management of Connecticut's surface and ground waters in accordance with the directives provided by CGS § 22a-426 and Section 303 of the Federal Clean Water Act. The WQS provide guidance and policy about water quality in the state and DEEP's goals for maintaining or improving that quality, based on a system of classification for the state's waters (coastal and Marine waters are classified SA or SB). The WQS also establish designated uses of surface and ground water; indicate the general types of discharges allowed; ensure the segregation of drinking water supplies from waters used for waste assimilation; provide the standards to protect aquatic life and human use; provide a framework for the establishment of priorities for pollution abatement, dispensation of State funding, remediation goals; and provide guidance for location decisions for business and industry as well as other economic developments.</p> <p>At the state level, the WQS are implemented through the DEEP coastal permits under CGS § 22a-361 and water discharge permits under CGS §22a-430, which incorporate the 401 Water Quality Certificate. For federal permits such as those from the U.S. Army Corps of Engineers for discharge of dredged material or for the placement of fill material in tidal waters, DEEP issues a separate state 401 Water Quality Certificate. Future versions of the State Water Quality Standards may wish to incorporate or cross-reference Blue Plan policies.</p>	<p>Department of Energy and Environmental Protection</p>
---	--	--	--

Other state regulatory programs that have authority in Long Island Sound, but are not required to use the Blue Plan include CT DEEP's Boating Division. The DEEP Boating Division exercises a number of regulatory authorities within the waters of the state, including Long Island Sound as well as inland lakes and rivers. These authorities include permits required for placements of buoys and markers, navigational aids, and waterski courses. While Coast Guard marine event permits are generally necessary for aquatic exhibitions on Long Island Sound, a [DEEP Boating permit](#) is required for all marine parades, regattas, races, tournaments, exhibitions, or other activities held on non-tidal state waters requiring exclusive use of a specified portion of a waterbody, including access through state boat launches (CT DEEP, 2019). DEEP officials are also responsible for [registration of boats and for dealing with abandoned vessels](#) (CT DEEP, 2019). Further information on boating regulation, and Connecticut boating information in general, can be found in the annual DEEP [Boaters Guide](#) (CT DEEP, 2019).

2.6 Local Government Regulatory Programs

Coastal local governments are often on the front lines of appreciating and responding to in-water issues, which has been amply reflected in previous controversies over the Broadwater LNG facility, cables and pipelines, and dredging projects. For this reason, the Blue Plan Advisory Committee included two representatives from Connecticut coastal towns. In addition to comprising communities of residents concerned with the Sound and its shores, shoreline municipalities are given certain authority over coastal upland and inshore activities. As with all

Connecticut municipalities, there are a number of local equivalents corresponding to state plans, such as the municipal plan of conservation and development and [municipal harbor management plans](#), as well as land use regulatory authority through planning and zoning, up to the limit of their regulatory jurisdiction at the mean high water line. In addition, as discussed above, coastal municipal land use authorities are already required by statute to follow and implement the substantive policies of the Connecticut Coastal Management Act. Further, municipal harbor management commissions, authorized under the harbor management statutes of [CGS §§ 22a-113k through 22a-113t](#), play an active role in managing and monitoring local developments that affect navigation and maritime uses, although they do not have direct regulatory authority. In municipalities with approved harbor management plans, the [State-appointed harbor masters](#) supervise the allocation of moorings, respond to abandoned vessels, and carry out their other duties in accordance with the plan (CT DEEP, 2019).

In the years since the Coastal Management Act and Harbor Management Act were enacted, localities bordering Long Island Sound have developed substantial institutional capacity, as well as legal authority, to manage inshore coastal issues such as waterfront development. For this reason, the Blue Plan policy area, as described in Section 3.3, was designed in part to focus spatial planning attention on the offshore spaces of the Sound, so as not to interfere with or duplicate existing municipal plans, programs and authorities. As a result, while local coastal and harbor management will inform and be informed by the Blue Plan, the only municipal authority directly affected by the Blue Plan are those associated with shellfish management, as described in Table 2-1.

Municipal harbor management commissions, authorized under the harbor management statutes of CGS §§ 22a-113k through 22a-113t, play a particularly prominent role in managing and monitoring navigation and maritime uses. State-approved harbor management plans provide recommendations for the use, development, and preservation of a harbor, with particular attention to moorings and navigation. Upon adoption of a state-approved plan, both state and local regulatory actions must be consistent with the plan's recommendations, although the harbor management commission does not have direct regulatory authority [CGS §22a-113n(b)]. In addition, a municipal harbor master must implement the provisions of the plan when issuing mooring permits and carrying out other duties, pursuant to CGS §§ 15-1 and 22a-113r. A list of harbor management commissions and plans can be found online at the [CT DEEP website](#).

There is some overlap between the Blue Plan policy area and the outer boundaries of some harbor management planning areas. However, since both harbor management and Blue Plan policies are required to be consistent with Coastal Management Act policies, there should be no conflict between the policies, and coordinated permit reviews will continue under existing regulatory procedures.

2.7 Federal Authorities in Long Island Sound

Long Island Sound is unusual, if not unique among waterbodies subject to marine spatial planning, in that it is comprised entirely of state public trust waters. The Territorial Sea baseline, from which the three-mile limit is measured, runs outside the entrance to the Sound, meaning that there are no federal waters within the Blue Plan policy area. Of course, state waters are subject to federal regulatory authority, so that in-water activities subject to state regulation may also require federal agency permits, most commonly from the U.S. Army Corps of Engineers. Federal agencies also frequently undertake their own projects within the Sound, such as the Corps of Engineers' navigational dredging and flood control structures or the Coast Guard's designation of safety and security zones. As states, New York and Connecticut cannot regulate or affect the actions of federal agencies in Long Island Sound, except through two provisions of federal law: the 401 water quality certifications, described in Table 2-1, and the [Federal Consistency](#) process of the federal Coastal Zone Management Act (NOAA, 2019).

a. Overview of Federal Consistency

Section 307 of the "Coastal Zone Management Act of 1972" (CZMA), called the "federal consistency" provision, gives states a strong voice in federal agency decision-making, which they otherwise would not have, for activities that may affect a state's coastal uses or resources. Generally, federal consistency requires that federal actions, within and outside the coastal zone, which have reasonably foreseeable effects on any coastal use (land or water) or natural resource of the coastal zone be consistent with the enforceable policies of a state's federally approved coastal management program. Federal actions include federal agency activities, federal license or permit activities, and federal financial assistance activities. Federal agency activities must be consistent to the maximum extent practicable with the enforceable policies of a state coastal management program, and license and permit and financial assistance activities must be fully consistent.

Both New York and Connecticut have federally approved coastal management programs, and most of the Blue Plan area of interest and all of the Blue Plan policy area are within the states' coastal zones (CT DEEP, 2019). In Connecticut, the coastal zone also includes coastal lands up to a defined coastal boundary. In addition, there are interstate consistency provisions that allow the states to review certain federal actions across the Sound, not just in their own state waters. Connecticut, has NOAA-approved Geographic Location Descriptions (GLDs) that include New York waters of Long Island Sound, adjacent Rhode Island waters in Little Narraganset Bay and the lower Pawcatuck River, certain areas in federal waters off Long Island, and some inland areas into Massachusetts. Connecticut can review certain federal agency activities, licenses, and permits listed within the GLD for consistency with state enforceable coastal management policies. New York State has corresponding authority to review certain federal actions in Connecticut

waters. While some of the GLDs are outside of the Blue Plan policy area, Blue Plan enforceable policies would apply to federal actions proposed in the GLDs if the federal action would have reasonably foreseeable effects on uses or resources of Long Island Sound.¹⁰

Also, while Connecticut can review federal actions in New York waters, Connecticut cannot require that an applicant applying for federal authorization in the New York coastal zone obtain Connecticut permits, licenses, leasing, or pay fees that may be required by Connecticut law for Connecticut waters, nor can New York impose its own requirements on applicants in Connecticut waters.

To understand which federal agency actions and permits would be subject to its coastal management policies, Connecticut has developed a list of [federal activities that are subject to consistency review](#) (CT DEEP, 2010). The list was initially established as part of the state's Coastal Management Plan in 1980. The list was updated in 2006 and 2010, and presently includes activities that might be undertaken in state waters as well as activities that might occur outside of state waters that would have a reasonably foreseeable effect on state coastal resources and uses.

For federal consistency purposes, within the Blue Plan policy area, Connecticut's enforceable policies with which proposed federal actions must be consistent are essentially those of the Connecticut Coastal Management Act (CMA) at CGS § 22a-92, and are listed in the [Reference Guide to Coastal Policies and Definitions](#) and the [Coastal Management Manual](#) (CT DEEP, 1999) (CT DEEP, 2000).¹¹ The Manual includes individual downloadable and printable fact sheets with descriptive information for all coastal resources and uses identified in the CMA. It is important to note that for federally regulated activities that also require a DEEP permit, the federal consistency review is not a separate process but is integrated into the DEEP process.

Once the Blue Plan is adopted by the Connecticut legislature, the Blue Plan statute at CGS § 25-157t(h)(2) requires DEEP to seek "incorporation" of its policies into the state's coastal management program. DEEP will submit the enforceable policies listed in Appendix 1 to the process specified in NOAA's most current regulations, 15 CFR Part 923, Subpart H. Upon approval by NOAA, those policies may be applied through the federal consistency process.

¹⁰ The Geographic Location Description (GLD) is a NOAA-approved designation of areas outside a state's waters in which reasonably foreseeable effects to the state's coastal resources and uses may result from listed federal actions. Connecticut's GLD descriptions and maps may be found at the [CT NOAA Federal Consistency Letter](#) (NOAA, 2006), [Connecticut's Proposed Federal Consistency List](#) (CT DEEP, 2010), [Marine Cadastre National Viewer](#) (Marine Cadastre, 2019). New York's approved GLD from NOAA can be found at the [NY NOAA Federal Consistency Letter](#) (NOAA, 2006) and [New York's Listed Federal Actions](#) (NOAA, 2019).

¹¹ Additional enforceable policies from Connecticut's coastal regulatory programs may also apply.

2.8 Interstate, Regional, and Federal Partnerships

Aside from state and federal agencies themselves, there are a number of bi-state, federal-state, and regional partnership organizations that can interact with and support implementation of the Blue Plan.

a. Connecticut-New York Bi-State Marine Spatial Planning Working Group

The origins of the Blue Plan can be traced in part to an informal, unofficial working group that began meeting regularly in August of 2012 with the goal of creating the enabling conditions for marine spatial planning in Long Island Sound. Initially referred to as the Sound Spatial Planning Work Group, it is referenced in the Blue Plan statute as the “Connecticut-New York Bi-State Marine Spatial Planning Working Group,” reflecting the importance of stakeholders from both states in this effort. The Working Group was formed following workshops and discussions about marine spatial planning for Long Island Sound along with recognition of the 2010 National Ocean Policy and associated planning efforts unfolding for the Northeast and Mid-Atlantic regions. There was informal consensus that, as an intensely utilized, ecologically important water body, Long Island Sound needed and deserved its own marine spatial plan. This perspective was reinforced by the understanding that Long Island Sound, although a multi-state waterbody, is a sub-region without direct and specific attention from the regional planning efforts since it is geographically sub-divided between the Northeast and Mid-Atlantic Ocean planning regions.

Perhaps the most significant result of the Working Group’s efforts is the distillation of a broad consensus on the purpose and potential guiding principles that may be appropriate for a marine spatial plan (MSP) in LIS, the types of data and information that may be important, and the options that may make the most sense in structuring and implementing a LIS MSP process. This consensus is reflected in a report titled *Options for Developing Marine Spatial Planning in Long Island Sound: Sound Marine Planning Interim Framework*, which provided much of the background for the development of the Blue Plan legislation and the work of the Blue Plan Advisory Committee and subcommittees. The Framework and a number of additional background documents produced by the Working Group can be found at [Blue Plan related links](#) (CT DEEP, 2019).

b. Joint Programs

i. *Long Island Sound Study*

A significant partner for the Blue Plan will be the [Long Island Sound Study \(LISS\)](#), a cooperative program led by the US Environmental Protection Agency (EPA) that contributes significant regional efforts in water quality monitoring, coastal habitat restoration, and public education (LISS, 2019). In 1985, in response to growing concerns over the ecological health of this heavily-used bi-state estuary, EPA, New York, and Connecticut formed the Long Island Sound Study (LISS), a partnership consisting of federal and state agencies, user groups, concerned organizations, and individuals dedicated to restoring and protecting the Sound. The Long Island Sound Study Management Conference, a partnership of federal, state, interstate, and local agencies, universities, environmental groups, industry and the public, was convened in March 1988 following the Congressional designation of Long Island Sound as an Estuary of National Significance at the requests of Connecticut and New York. To guide its activities, the LISS developed its first Comprehensive Conservation and Management Plan (CCMP) in 1994 to protect and restore Long Island Sound. The LISS partners have since made significant strides in implementing the plan, giving priority to reducing nutrient (nitrogen) loads, habitat restoration, public involvement and education, and water quality monitoring. In the 20 years of implementing the CCMP, federal, state, and local partners have worked together to reduce by 40 million pounds the annual discharge of nitrogen, restore nearly 1,625 acres of habitat, reopen 317 miles of fish passage, and involve hundreds of thousands of people in education and volunteer projects to help bring Long Island Sound back to health and abundance. The most recent 2015 revision of the CCMP outlines objectives under the four themes of clean waters and healthy watersheds, thriving habitats and abundant wildlife, sustainable and resilient communities, and sound science and inclusive management. Significantly, the 2015 CCMP also calls for the development of marine spatial planning as part of the Sound Science theme, presaging the initiation of the Blue Plan.

The LISS also administers grant programs to further the goals of the CCMP and has provided important funding to assist in the development of the Blue Plan. Since it provides a spatial planning component that has not been a part of the CCMP, the Blue Plan can be expected to provide guidance and coordinated implementation efforts along with the LISS Management Conference, not least because most of the agencies, stakeholders, and partners that have worked on the Blue Plan have also been actively engaged with the LISS.

ii. *Long Island Sound National Estuarine Research Reserve*

NOAA's National Estuarine Research Reserve (NERR) System is a network of 29 coastal areas designated to protect and study estuarine systems authorized by the federal Coastal Zone Management Act as a formal partnership between NOAA and coastal states. NOAA provides funding, guidance, and technical assistance. Each reserve is managed by a lead state agency or university, with input from local partners. The reserves cover 1.3 million acres of estuaries and focus on Research, Stewardship, Training, and Education. At present, while NERRs exist in such close proximity as Narragansett Bay and the Hudson River, Connecticut is one of only two salt-water coastal states without one. However, DEEP has worked for a number of years to pursue the establishment of a Long Island Sound NERR and is currently going through the formal selection and nomination process. On December 21, 2018, Governor Dannel Malloy signed the nomination package that was sent to NOAA for formal review.

The process to nominate a [CT NERR](#) has identified a preferred site, which includes the following state-owned properties (CT DEEP, 2019) : Lord Cove Wildlife Management Area; Great Island Wildlife Management Area; Bluff Point State Park and Coastal Reserve and Natural Area Preserve; Haley Farm State Park; and the public trust portions of waterbodies defined by:

1. Long Island Sound ranging approximately west to east from the mouth of the Connecticut River to Mason's Island and north to south waterward of the mean high water shoreline to just shy of the Connecticut state boundary in Long Island Sound;
2. the area waterward of the mean high shoreline of the lower Thames River from approximately the Gold Star Bridge south to the area described in 1. above;
3. the area waterward of the mean high shoreline of the lower Connecticut River from approximately Lord Cove south to the area described in 1. Above.

As proposed, therefore, the CT NERR would include open water areas within both the area of interest and the policy area of the Blue Plan. It is important to note that while potential NERR and Blue Plan areas may overlap, the presence of a NERR will not negatively impact or restrict existing uses or resources. If a NERR were established it would be extremely useful in providing research and educational opportunities to inform future updates to the Inventory, and to help guide the future adaptation and application of Blue Plan policies. In the future, a CT NERR is likely to be an important partner in updating the Blue

Plan and Inventory and in addressing data gaps, research, and education needs.

iii. Regional Ocean Planning and Partnerships

Prior to 2018, the federal government supported a number of ocean planning initiatives at the national and multi-state regional level. Established by an [executive order in 2010](#), the National Ocean Policy designated nine Regional Planning Bodies (RPBs) to develop ocean management policies in accordance with a series of national goals, with RPB membership including federal, tribal, state, and Fishery Management Council representatives (Federal Register, 2010). Under the National Ocean Policy, Long Island Sound was bisected by the border between the Northeast and the Mid-Atlantic Regional Planning Bodies.

Coordination with both RPBs played an important role in development of the Blue Plan, particularly in the case of the New England region's Northeast Regional Planning Body. However, since 2018 the status of ocean planning at the national and regional levels has become decidedly uncertain; the executive order establishing the National Ocean Policy was revoked by the subsequent federal administration, and the [RPBs were abolished](#) (Federal Register, 2018).

The composition of the Northeast RPB reflected the geography of the planning area, which includes state and federal marine waters of the New England states (e.g., from Long Island Sound, north around Cape Cod and including the United States and state waters of the Gulf of Maine). DEEP staff were Connecticut's representatives and were able to integrate knowledge and experience from the regional effort to develop the Blue Plan. The Northeast RPB, established in 2012, was guided by three overarching goals: 1) healthy ocean and coastal ecosystems, 2) effective decision-making, and 3) compatibility among past, current, and future ocean uses. Its [Regional Ocean Plan](#) was completed in 2016 and approved by the National Ocean Council (Northeast Ocean Planning, 2019).

Several Northeast RPB projects, such as the marine recreational use study, marine life characterization, and baseline economic assessment, include LIS in the scope of data collection and resource characterization and have resulted in valuable products that have contributed to the Inventory. These projects and other data have been compiled in the Northeast Ocean Data Portal, which is a very useful compilation of resource, habitat, and human use data for the entire Northeast region, including Long Island Sound, and is frequently referenced in the Inventory. Going forward, the Data Portal and Northeast Regional Ocean Plan will be maintained by the [Northeast Regional Ocean Council](#) (particularly their ocean planning committee), which is a partnership made up of federal, state, and regional organizations addressing coastal and ocean issues that benefit from

regional coordination (NROC, 2019).

Similar to the Northeast, regional ocean planning in the Mid-Atlantic is led by the [Mid-Atlantic Regional Planning Body](#) (MARCO, 2019). Established in 2013, the Mid-Atlantic RPB focused on offshore waters, leaving bays and estuaries for later. Its [Regional Ocean Action Plan](#), also approved in 2016, is shaped by two goals: 1) Promote ocean ecosystem health, functionality, and integrity through conservation, protection, enhancement, and restoration; and 2) Plan and provide for existing and emerging ocean uses in a sustainable manner that minimizes conflicts, improves effectiveness and regulatory predictability, and supports economic growth (MARCO, 2016). As in the Northeast, the [Mid-Atlantic Regional Council on the Oceans](#) (MARCO), a regional ocean partnership, is a key partner in Mid-Atlantic regional ocean planning, and is maintaining the regional data portal.

While regional ocean planning has by necessity worked at too broad a scale to address many of the management considerations relevant to the Sound, the Blue Plan has greatly benefited from the available data, information, and stakeholder engagement at the regional scale. The two regional ocean partnerships remain, and Blue Plan implementation and updates will continue to refer to the regional data portals.

iv. *Long Island Sound Dredged Material Management Plan*

The dredging of navigational channels and appropriate disposal of dredged sediments have been prominent and contentious issues in Long Island Sound for many years. The management of dredging operations and in-water disposal sites can affect other resources and uses and will need to be considered in implementing the Blue Plan. A number of federal and state agencies take part in managing dredging issues in the Sound, including CT DEEP, the Connecticut Port Authority, NY Department of State (DOS) and Department of Environmental Conservation (DEC), US EPA, NOAA and the US Army Corps of Engineers.

To help address these challenges, the federal and state agencies, led by the Corps, developed a Long Island Sound Dredged Material Management Plan (LIS DMMP). A DMMP is a comprehensive planning process and decision-making tool to address the management of dredged material for a specific harbor or navigation project, group of related projects, or geographic area, and the LIS DMMP was completed on January 11, 2016. The [USACE Long Island Sound Dredge Material Management Plan](#) identifies a wide range of alternatives to open-water disposal and recommends standards and procedures for determining which alternatives to pursue for different dredging projects (USACE, 2016). The DMMP is implemented in part through a standing, interagency Steering

Committee and a Regional Dredging Team for Long Island Sound. These groups are comprised of federal and state agency representatives who will work together to identify, develop, and promote the use of practicable alternatives to open-water disposal of dredged material, such as using sand for beach nourishment. They also review individual dredging projects and offer recommendations to the Corps regarding how the dredged material from such projects should be handled. To ensure progress towards reducing or eliminating open-water disposal in Long Island Sound, an interagency Long Island Sound Regional Dredging Team (LIS RDT) was established in 2006. The LIS RDT reviews proposed dredging projects to ensure that a thorough effort has been conducted to identify practicable alternatives to open-water disposal. The LIS RDT encourages the use of alternatives to open-water disposal, such as beneficial use and upland alternatives. Further information on dredged material management in Long Island Sound, including designation of disposal sites, can be found on the [Dredged Material Management of Long Island Sound](#) page of the EPA website (EPA, 2019).

v. *NEIWPCC*

The New England Interstate Water Pollution Control Commission (NEIWPCC) was established by Congress in 1947 to assist its seven-member states (the New England states plus New York) to preserve, protect, and advance the quality of their water resources. [NEIWPCC](#) focuses on water quality research and monitoring, outreach and education, and training and support (NEIWPCC, 2019). One NEIWPCC research project of particular interest to the Blue Plan is the [Nutrient Bioextraction Initiative](#), in collaboration with DEC and the Long Island Regional Planning Council with funding from the Long Island Sound Study (LISS, 2019).

The Nutrient Bioextraction Initiative seeks to improve water quality in NY and CT marine waters by removing excess nitrogen through the cultivation and harvest of seaweed and shellfish. The Initiative will provide information to help facilitate public and private seaweed and shellfish farming and harvest operations in coastal waters, including Long Island Sound. One product of this project will be a GIS-based tool to identify potential seaweed and shellfish aquaculture sites for bioextraction, an effort which can readily draw upon Blue Plan geospatial data and policies.

vi. *Interstate Environmental Commission*

The [Interstate Environmental Commission](#), comprised of representatives from New Jersey, New York and Connecticut, is a tristate agency that conducts water quality sampling, monitoring and coordination, among other programs. Its jurisdiction includes the western part of Long Island Sound up to a line between

New Haven, CT and Port Jefferson, NY (Interstate Environmental Commission, 2019).

c. The Blue Plan and New York

The Blue Plan statute calls for the Plan to be “coordinated, developed and implemented, to the maximum extent feasible, with the state of New York.” Apart from public outreach and stakeholder events, coordination with New York State in practical terms depends upon close cooperation with the two New York State agencies with primary responsibility for managing the New York waters of the Sound—the NY DOS and DEC. Both agencies have been fully advised of Blue Plan development and designated representatives to the Blue Plan Advisory Committee at the beginning of the process. The NY DEC representative remained involved throughout the Blue Plan development process.

The Department of State, through the Office of Planning and Development, administers New York’s federally approved [coastal management program](#) (NY DOS, 2019). While the New York coastal management program implements a set of statewide enforceable coastal policies, there is also a specific regional [LIS Coastal Management Program](#) with 13 enforceable coastal policies. As discussed in section 2.7a, DOS also applies interstate consistency authority through the CZMA to review federal agencies activities in Connecticut state waters. In addition, DOS operates the [New York Geographic Information Gateway](#) data portal, whose Long Island Sound pages contain useful data that has contributed to the Inventory (NY DOS, 2019).

New York’s [Department of Environmental Conservation](#), in conjunction with DOS’s CZMA federal consistency review authority, plays a more regulatory role in Long Island Sound by issuing permits in accordance with state laws for protection of natural resources and water quality in New York’s coastal area (NY DEC, 2019). DOS works cooperatively with DEC on a range of issues, especially concerning water quality, fisheries and wildlife issues, coastal erosion, and adaptation and resilience to climate change. Additionally, New York’s local governments have home rule powers of zoning, comprehensive planning, and adopting local waterfront revitalization plans (including harbor management plans for adjacent coastal waters).

A significant example of New York interagency cooperation in the area of marine spatial planning is reflected in New York State’s [New York Ocean Action Plan: 2015-2025](#) (NY DOS, 2017-2027). The Ocean Action Plan, developed by DOS and DEC, discusses the need for integrated planning and management of New York’s offshore marine resources, focusing on the State’s ocean waters stretching from New York City to the end of Long Island, including ecological connections to offshore waters out to the edge of the continental shelf. The Blue Plan could prove useful to the New York agencies when they are able to address spatial planning in the state’s Long Island Sound waters.

Finally, in addition to DOS and DEC, [New York's Office of General Services](#) administers leases for the use of the state's public trust submerged lands, including the lands underlying the New York Waters of Long Island Sound (NY Office of General Services, 2019). Structures, including fill, pipelines or cables located in, on, or above state-owned lands under water are regulated under the Public Lands Law and may require authorization from the state in the form of a license or easement, in addition to any permits that may be required from DOS. 9 CRR-NY-G II Parts 270-271. Issuance of submerged lands authorization must be consistent with coastal management policies as well as require payment of fees in accordance with the regulations.

Chapter 3 The Blue Plan in Long Island Sound

3.1 Introduction

Long Island Sound (LIS), the “Urban Sea,” supports diverse natural features and human activities. Covering over 1,300 square miles, the estuary exists at the cusp where northern and southern marine species overlap and provides key habitat for the life stages of many migratory fish, birds, mammals, and invertebrates (Long Island Sound Study, 2019). The world record clearnose skate and striped bass were both caught in Long Island Sound since 2010 (CT DEEP, 2018), and recently humpback whales have made incidental appearances in the Western Sound (Shay, 2015). The US Coast Guard issues more Marine Event permits annually for LIS than any other waterbody in the country (Radelat, 2014), and the annual ecosystem services¹² provided by the Sound have been valued between \$17 billion to over \$36 billion, and up to \$1.3 trillion over 100 years (Earth Economics, 2015).

The following sections of this chapter illustrate the unique conditions that exist in Long Island Sound, and how the Blue Plan addresses, characterizes, and protects each. This is not only conservation of ecological resources, as there are myriad unique human activities that also depend on access to an intact Long Island Sound. Some of the most recognized shellfish in the country is farmed in LIS, and the “Marine Highway” running lengthwise through the Sound allows for the transport of millions of dollars of product in an efficient and ecological means (US Department of Transportation Maritime Administration, 2011). Working waterfronts support commercial fishing, commerce, tourism, and national security with regional and global ties. Marinas and yacht clubs connect nearly 100,000 recreational boaters to the Sound in Connecticut alone (Nickerson, 2016), and over 300,000 recreational anglers register with the State to fish the Sound (NOAA Office of Science and Technology, 2019). This chapter examines how ecological and human use characterizations were developed, how and why criteria and thresholds were incorporated, and how these integrate with Blue Plan policies. Since it is intended that the whole of the Blue Plan will be useful to not just Connecticut planning authorities and project proponents but also Sound user groups, educators, the interested public, and planning bodies in New York State, the descriptions here are overview, with more complete methodologies available in the appendices.

¹² Ecosystem services as further defined by the International Union for the Conservation of Nature (IUCN) as the, “benefits people derive from ecosystems.” These benefits can include but are not limited to pollination of crops, water purification, and prevention of soil erosion (IUCN, 2019).

3.2 Overview of Inventory Process

Long Island Sound hosts diverse uses including recreation, aquaculture, commercial and recreational fishing and boating, marine trades, energy and transportation, as well as habitats for fish, shellfish, birds, marine mammals, and plants. Human use sectors generally depend on and are closely related to natural resources. For example, one can assume that people generally fish where there are fish, and loss of fish would impact fishing activities. Protecting Long Island Sound's coastal resources, traditional uses, and community character while simultaneously considering changing environmental conditions and proposals for new activities presents a complex set of challenges. Comprehensive, coordinated, and proactive planning is needed to improve the Sound's ability to support thriving habitats, abundant wildlife, and sustainable and resilient communities.

Sound and informed decision making requires a strong base of objective, science-based and verifiable information on where different natural resources and human activities take place. This was accomplished through the development of the [Long Island Sound Resource and Use Inventory](#), under the guidance of the Inventory and Science subcommittee, as dictated by Public Act 15-66, the Blue Plan legislation. The legislation required that “such resource and use inventory shall be comprised of the best available information and data regarding the natural resources within Long Island Sound and the uses of Long Island Sound,” an exercise that had to be performed “within existing resources,” i.e., without new state financial support.

The Inventory and Science subcommittee organized and grouped sectors identified in the Blue Plan legislation, and mobilized sector-relevant members of the Blue Plan Advisory Committee and staff members to gather and review relevant information. Following an initial review of those datasets for technical quality, sector-specific experts and stakeholders were engaged in a review of associated map products for accuracy, representativeness, and relevance. Experts also helped identify significant data gaps, along with the existence of datasets not yet identified by the Blue Plan team that would help address such data gaps. In some cases, stakeholders and experts were directly engaged to summarize and integrate information and knowledge not previously available, or to complement existing information. The result of this effort is a series of objective and extensively stakeholder/expert reviewed/endorsed geospatial information summarized to the extent possible through a series of maps, along with an associated narrative, to “tell a story” about a given sector. The Inventory is based on the best available information, but it is certainly not perfect, and data gaps are identified in each chapter. Further details, information, and data can be found in the Inventory. The Inventory formed the basis for the identification of significant areas in Long Island Sound, and thus policy development to protect those areas (Figure 3-1).



Figure 3-1. The Long Island Sound Resource and Use Inventory formed a basis for the development of the Blue Plan, by compiling strong base of objective, science-based and verifiable information on where different natural resources and human activities take place. Photo Credit: Emily Hall

3.3 Long Island Sound Areas Subject to the Blue Plan

The Blue Plan statute, CGS § 25-157t(c), identifies the following areas:

For the purposes of this section, the submerged lands and waters subject to the commissioner's planning, management and coordination authority under the Long Island Sound Blue Plan shall include Long Island Sound and its bays and inlets from the mean high-water line, as defined by the most recent data of the National Oceanic and Atmospheric Administration, to the state's waterward boundaries with the states of New York and Rhode Island. Any siting policies, identification of locations, or performance standards for

activities, uses and facilities under the Long Island Sound Blue Plan shall apply in a spatial planning area located seaward of the bathymetric contour of minus ten feet North American Vertical Datum to the state's waterward boundaries with the states of New York and Rhode Island provided such planning area shall not extend into any river that flows into the sound beyond the first motor vehicle bridge or railroad bridge that crosses such river or area along such river that is authorized by the Commissioner of Economic and Community Development, pursuant to section 32-70 of the general statutes, to be an enterprise zone that shall be known as a defense plant zone. Such spatial planning area shall be designated on a map to be prepared by the advisory committee established pursuant to subsection (a) of this section.

❖ Area of Interest

When considering how to apply the wide array of human use and ecological data contained in the Long Island Sound Resource and Use Inventory (and further expanded upon in subsequent stages of the Blue Plan effort), the PDT found it necessary to look beyond the boundaries defined within the Blue Plan statutory language above. For example, there are upland areas that are (1) potentially relevant to activities that may occur within the policy area (such as the location of energy facilities that could impact cable or pipeline landings) and (2) represent significant ecological connectivity between the upland and the Sound (such as tidal wetlands). As a result, the PDT developed the Blue Plan “Area of Interest,” which illustrate the geographic extent of the human use and ecological resource data used in the Blue Plan. ***It is important to note that the concept of an Area of Interest in the context of the Blue Plan is simply used as a convenience to establish the extent of the data sources used. It does not in any way affect the area where Blue Plan policies and performance standards apply, or the policies and performance standards themselves.***

In establishing the Area of Interest, the PDT included not only the waters of Long Island Sound defined in CGS § 25-157t(c) but also the upland areas in both Connecticut and New York that are defined by their respective coastal town boundaries.

To develop the “Long Island Sound” Area of Interest, the PDT used CT DEEP geospatial mapping data representing the boundaries of Connecticut, New York, and Rhode Island land and waters¹³ as a proxy for representing the land/water interface (shoreline). The approximate boundary limit for crossing all rivers, streams, inlets, bays, harbors, etc., was established by using the first upstream obstruction from Long Island Sound (e.g., roadway, railway, bridge, etc.) as depicted in publicly accessible aerial photography and manually added to the shoreline. All shorelines upstream of these obstructions were removed.

The PDT defined the westernmost limit by using the bridge at Throg’s Neck, which connects the mainland to Long Island in New York (Figure 3-2). In the best professional judgment of the

¹³ Political Boundaries - From the Northeastern United States State Boundary layer, published by CT DEEP. Source map scale is 1:24,000

Team, this represented a reasonable and defensible boundary for use within the context of the Blue Plan.




Figure 3-2. The western boundary for considering Long Island Sound (shown in purple) uses the Throg's Neck bridge in New York to separate Long Island Sound from the East River. NOAA Nautical chart data represents the basemap.

On the opposite side of the Sound, the Connecticut state line south of the Route 1 bridge across the Pawcatuck River serves as the easternmost boundary between Connecticut and Rhode Island in the Pawcatuck River, through Little Narragansett Bay, and around Sandy Point, NY (Figure 3-3).




Figure 3-3. The easternmost border, showing the Connecticut state line through the Pawcatuck River, Little Narragansett Bay, and Sandy Point.

To complete the eastern boundary area and represent relevant New York waters, the PDT used the EPA Long Island Sound Study National Estuary Program Ecoregion Boundary (Figure 3-4).

The PDT again felt this federally recognized entity working in a bi-state capacity with Connecticut and New York provided a reasonable and defensible approach. The Ecoregion Boundary, which extends from Orient Point, New York to include Plum, Great Gull, Little Gull, and Fishers Islands, was joined to the Connecticut state line data at a point roughly halfway between Fishers Island, New York and Napatree Point, Rhode Island. The complete extent of Long Island Sound in consideration for Blue Plan development can be found in Figure 3-5.




Figure 3-4. The complete eastern Long Island Sound boundary using both the EPA Long Island Sound Study Ecoregion area as well as the state lines between Connecticut, New York and Rhode Island.




Figure 3-5. The complete extent of Long Island Sound for consideration within the Blue Plan.

To develop the Coastal Upland AOI, the PDT referred back to CT DEEP geospatial mapping data representing the boundaries of Connecticut and New York, and simply extracted those towns which were adjacent to the AOI for Long Island Sound. (These town boundaries are inclusive of, but do not explicitly delineate, many local villages, boroughs, districts, and other similar subsets.)

Figure 3-6 illustrates the complete Blue Plan Areas of Interest for Coastal Uplands and Long Island Sound.




Figure 3-6. Areas of Interest for Long Island Sound and Coastal Uplands.

NOTE: The state-level data sources used were either based directly on Digital Line Graph (DLG) files produced by the U.S. Geological Survey (USGS) or created by State governmental agencies that digitized and attributed town boundaries typically published on 1:24,000-scale USGS topographic quadrangle maps. Therefore, it must be noted that these boundaries, while suitable for planning purposes, do not depict official state delineations established by the respective state and municipal governments, and may contain boundary line errors.

❖ Policy Area

The Blue Plan Policy Area within Long Island Sound uses a statutorily defined bathymetric depth contour as the landward boundary delimiter. Unfortunately, the most definitive and well-maintained sources of bathymetric data, NOAA Nautical Charts, do not show values that reflect the North American Vertical Datum of 1988 (NAVD88) as set in statute. Charting depths use a different datum (effectively the “floor” or “0” value), typically Mean Lower Low Water (MLLW), and not a geodetic datum such as NAVD88. There is, however, an online tool called

[VDatum](#) provided by the NOAA National Ocean Service that can convert depth values between datums (NOAA, 2018) which makes it possible to convert the -10ft NAVD88 value to MLLW and thus use nautical charting data to help identify the boundary.

General Approach:

First, the relationship between the datums of MLLW and NAVD88 were established at multiple locations across the Connecticut coast. These relationships also accounted for unit changes between source information from the Nautical Charts in meters to the statutory requirements in feet. Table 3-1 illustrates these relationships.

Table 3-1. Establishing equivalent relationships between vertical datums and units

	<i>NAVD88 (ft)</i>	<i>MLLW (ft)</i>	<i>MLLW (m)</i>
<i>Bridgeport</i>	<i>-10</i>	<i>-6.1</i>	<i>-1.9</i>
<i>New Haven</i>	<i>-10</i>	<i>-6.4</i>	<i>-2</i>
<i>CT River mouth</i>	<i>-10</i>	<i>-7.8</i>	<i>-2.4</i>
<i>New London</i>	<i>-10</i>	<i>-8.2</i>	<i>-2.5</i>

Using these results, the PDT compared these values to the depth contours available from the geospatial data provided by NOAA Electronic Nautical Charts. Since no depth contours provided an exact match, a value of -3.6m MLLW was selected since it was the closest option to the statutory language while also ensuring that no locations violated the statutory language by being shallower than -10 ft NAVD88. Table 3-2 compares the result of this choice.

Table 3-2. Comparison of equivalent datum values and the relationship between statutory and the Policy Line depths.

	NAVD88 (ft)	MLLW (ft)	MLLW (m)	Best option NOAA depth contour (m MLLW *)	Best option NOAA depth contour (ft NAVD88)
Bridgeport	-10	-6.1	-1.9	-3.6	-15.6
New Haven	-10	-6.4	-2	-3.6	-15.4
CT River mouth	-10	-7.8	-2.4	-3.6	-14.0
New London	-10	-8.2	-2.5	-3.6	-13.7

* the depth contour value from the Nautical Charts that is closest in value to the statutory limit.

Note that the proposed demarcation of the policy area of -3.6 m MLLW (“Best option NOAA depth contour - ft NAVD88”) exceeds (i.e., is deeper than) the -10ft NAVD88 boundary by at least 3.7 ft (or slightly over 1 (one) meter.) **Put another way, the effective Policy Area boundary has been established more conservatively than the statute calls for.** In doing so, the PDT has defined an area that is consistent with the intent of CGS § 25-157t(c) by using the best information available and locating a defensible boundary as close to the intended depth without encroaching landward.

Policy Area Revisions:

In response to comments received on the draft version of the plan, the PDT removed all navigation channels delineated from NOAA ENC data outside of (i.e., shallower than) the policy area as well as portions of the harbors of Bridgeport, New Haven, and Stonington and the Connecticut and Thames Rivers landward/north of reasonable and identifiable landmarks (either jetties, breakwaters, points on land, or a combination thereof.) The goal in removing these areas is that, although they meet the *letter* of the statute, they may not be the most consistent with the *intent* of the statute and/or cause undue confusion.

As a result and in summary:

- The Policy Area only applies to the State of Connecticut;
- The Policy Area as called for in CGS § 25-157(t)(c), exists seaward of (i.e., **no shallower than**) -10ft NAVD88, and **this area (not areas defined by the actual physical location of a line of -10ft NAVD88) will be the defining boundary of where Blue Plan policies will or will not apply.** No area landward of the -10ft NAVD88 line will be subject to the

Blue Plan policies, and no one can “dredge themselves in” by deepening an isolated basin or channel to below -10ft NAVD88.

- Regulated activities covered under the programs specified by CGS §25-157(t)(h) within areas **that are outside or otherwise excluded from the Policy Area, even though they may in fact be deeper than the -10ft NAVD88 threshold, are not required** to implement policies that are called for by the Plan.
- There will be no need to ground-truth the exact location of -10ft NAVD88 to determine whether Plan policies may apply. Further, the Policy Area will be available as a boundary reference and justification for users to access digitally and integrate spatially within plans, proposals or other efforts.

Figure 3-7 shows the Blue Plan Policy Area as an overlay on top of the Areas of Interest for Long Island Sound and the adjacent Coastal Uplands.




Figure 3-7. The Blue Plan Policy Area (in blue) shown in conjunction with the Blue Plan Areas of Interest for Long Island Sound (purple) and coastal uplands (green).

The following examples highlight several locations along the Connecticut coastline to show in greater detail areas that are included and excluded from the Blue Plan Policy Area (Figures 3-8 to 3-12). The color coding defines:

- **Blue** colors as areas **included** in the Policy Area;
- **Dark Blue** colors as channel areas that extend into the Blue Policy Area and are thus **included**;
- **Light Pink** colors as shallow areas that are **excluded** from the Policy Area;
- **Pink** colors as areas that are deeper than the Policy Area depth value, but surrounded by shallow areas and are thus **excluded** from the Policy Area,
- **Dark Red** colors as harbor or channel areas that are **excluded** from the Policy Area.




Figure 3-8. Bridgeport Harbor




Figure 3-9. New Haven Harbor




Figure 3-10. Lower Connecticut River Area




Figure 3-11. Lower Thames River Area




Figure 3-12. Mystic River and Stonington Harbor Area

3.4 Designation of Ecologically Significant Areas and Significant Human Use Areas

Human activities and natural resources occur throughout Long Island Sound. The Blue Plan recognizes that the Sound is unique as a whole, and that maintaining a productive estuary is best for the species and people that depend on it. Certain places in the Sound, however, do stand out as having attributes that set them apart from similar areas, and should receive special recognition and protections. Without an effort to recognize those “significant places,” there would be no way for a planning process to identify areas of intense, unique, and special use or with characteristics of particular importance for natural resources. In other words, if every location is deemed equally “important,” there would be no way to recognize real “priority” areas that deserve special attention.

The Inventory is focused on objective geospatial information on which to base a forward looking marine spatial Blue Plan. However, judgement and interpretation of the data from the Inventory was necessary to facilitate the identification of the most important areas for categories of natural resources and human uses, to help prioritize areas in the Blue Plan. This was accomplished through the designation of “Ecologically Significant Areas” (ESAs) and “Significant Human Use Areas” (SHUAs), on which many Blue Plan policies are based. Below are the broad definition of what an ESA and SHUA constitutes, based on CGS § 25-257t:

- **Ecologically Significant Area:** areas of resources within Long Island Sound waters, or substrates that are identified as special, sensitive, or unique, including estuarine and marine life, and their habitats
- **Significant Human Use Area:** areas of uses that have a significant role in the social, cultural, historic, economic, and quality of life of Long Island Communities

Protecting the integrity of ecological features and human uses in Long Island Sound is a primary goal of the Blue Plan. The identification of these critical elements and their spatial locations is a necessary step for enabling the Blue Plan and its policies to meet the protection goal. Using state-of-the-art approaches to understand what constitutes ESAs and SHUAs and where they are located allows the Blue Plan policies to better inform all parties when considering new uses of the Sound.

Most SHUAs are unique concentrations of a particular type of activity or activities, locations that support a large number of participants in that use. These areas support the livelihoods and/or recreation of many individuals, but most currently have no special protections prohibiting the degradation of their unique qualities. Many of these areas were not well understood before the Blue Plan process, and through the development of SHUAs some human use communities received recognition for the first time. SHUAs have been identified with the dual goals of protecting access for those that use and value the area now and to reduce conflict with new activities in the future.

Similarly, ESAs are locations of unique environmental conditions or species concentrations. The process for describing and delineating these was notably different from the SHUA process (both discussed below), but the resulting criteria are functionally the same: areas that are important, more than anywhere else in the Sound, to particular species or communities and need to be recognized as such. As with the SHUAs, innovative, specific work went into identifying what should be included as an ESA. This work included determining, of all of the vibrancy in the Sound, what places are truly unique and truly worth establishing specific siting and performance standards for. Protecting these unique ecological areas does not conflict with their wise use, but rather supports a diversity of human uses. Without eelgrass there would be many fewer sportfish and without complex seafloor there would be no lobster. A good understanding of the most important places to pay attention to helps preserve the Sound and its resources, while enabling sustainable economic growth (Figure 3-13 and Figure 3-14).



Figure 3-13. SHUAs showcase various types of human uses in the Sound, as well as cultural and historical resources like the Peck Ledge Lighthouse in Long Island Sound. Photo Credit: Christian Fox



Figure 3-14. ESAs encompass both ecologically valuable habitats and species. Species like the boring sponge, *Cliona celata*, shown above can be found on the Hard Bottom Habitats ESA. Photo Credit: Long Island Sound Resource Center

Below are some important overall facets to bear in mind regarding ESAs and SHUAs:

- ❖ **Note on “Significant:”** In general, significant is relative to the larger goal of sustaining the features and functions of the Long Island Sound ecosystem and sphere of existing human uses over time. Nevertheless, the ESAs and SHUAs do not attempt to measure, calculate, or specify what level of damage or adverse alteration would represent an unacceptable diminishment or undermining of human use or ecological value whether from a single impact or cumulatively over time. The ESAs and SHUAs do point, however, to the elements that are considered important or *significant* for sustaining the LIS ecosystem and key human uses. These areas, by generally representing the highest levels, qualities or other traits of LIS marine life and key use components, point to places where adverse alteration is arguably more likely to result in tangible, identifiable or measurable impacts, even if the full ramifications to the overall systems are not immediately known.
- ❖ **ESAs and SHUAs are spatial:** These areas are spatial in nature, they represent the locations where we use the Sound, and the locations of ecological significance. This means the ESAs and SHUAs are represented on maps – distinguishing one geographic area from another.

Depicting *locations* is different than general descriptions, illustrations, or other representations of marine life and ecological features.

- ❖ ***ESAs and SHUAs are depicted on maps but are defined by Criteria:*** Rather than relying solely on locations to reflect what should constitute an ESA or SHUA, written criteria were developed to define them as objectively as possible. These criteria were based on assessing other similar criteria established for marine spatial plans in the Northeast (e.g. Northeast Regional Ocean Plan, Massachusetts Ocean Plan, Rhode Island Ocean Special Area Management Plan) along with considering the characteristics of LIS. They provide an ongoing basis and definition of what is meant by an ESA or SHUA. This means that there is a stable reference point so that differences in the extent and feasibility of data and/or changes in data over time, can be accounted for. The criteria prevail over a given ESA or SHUA map recognizing both the potential shortcomings of data and associated maps and the dynamic nature of the Sound.
- ❖ ***The ESAs and SHUAs are connected to Blue Plan Policy:*** In addition to providing substantial ecological and human use information and insights about LIS “in one place,” these areas are directly connected to Blue Plan Policy (See Chapter 4: Blue Plan Policies and Standards for more specifics). In some cases, there are not any siting or performance standards beyond the general policies of the Blue Plan; in other cases, there are siting and performance standards associated with the specific ESAs and SHUA layers/criteria in addition to the general policy.
- ❖ ***The ESAs and SHUAs are relevant to both the Area of Interest and Policy area:*** It was decided by the PDT and EEG, to designate ESAs and SHUAs in both the Area of Interest and the Policy area. The decision to represent these places involved a desire to present a more holistic view of the Sound. For example, these places can provide connection to biological and ecological processes in the deeper water environment. Coastal wetlands and submerged aquatic vegetation are prime examples. Similarly, activities in the Policy area may affect human uses outside of it; in-water structures may present a visual impediment to scenic resources as viewed from access points along the shore.
- ❖ ***ESAs are required by Statute and unprecedented for Long Island Sound:*** Although the identification of ESAs is of practical importance to the functioning of the Blue Plan, they have also been called for in the enabling Blue Plan statute, PA 15-66; their identification fulfills a statutory requirement. It is unprecedented that a comprehensive and spatial depiction of ecologically significant areas in Long Island Sound serve in helping carry out official policy for the management of new uses in Long Island Sound. While there was no similar specific provision for SHUAs in Public Act 15-66, the PDT felt strongly that the human uses in Long Island Sound required a similar level of attention. As a result, the SHUA treatment was implemented as a value-added process.

- ❖ ***ESAs and SHUAs represent priorities, not a general description of the LIS ecosystem and sphere of human uses:*** An in-depth assessment was made of the LIS ecosystem and the assorted sets of human uses to find the ESAs and SHUAs. These areas, by definition, represent priorities or places that are significantly notable and/or important. As such, it is important to note that ESAs and SHUAs do not by themselves represent a full description of the LIS ecosystem or human uses. Such a goal would entail much greater description and coverage of the full extent of LIS marine life ecological factors, both biotic and abiotic, and the way in which the Sound is used, which for this effort was not practical.

- ❖ ***Overall LIS ecosystem and sphere of uses remains important:*** It is very important to be clear that as the ESAs and SHUAs call attention to priority areas, the overall LIS ecological integrity and the ways in which people use the Sound remains important. Recognizing an area as an ESA or SHUA does NOT mean non-ESA or non-SHUA areas are unimportant. It is the full collection of interacting elements, features, and uses of LIS that allow it to be as ecologically and economically vital as it is. It is also this “full collection” that allow the many specific characteristics of the Sound to be recognized and appreciated. Blue Plan policy decisions will not only take into account the ESAs and SHUAs but will continue to address the need to protect LIS overall.

- ❖ ***The ESAs and SHUAs represent what we know but there is much more to learn:*** Fortunately, the Blue Plan process has discovered, assembled, utilized, and integrated a remarkable extent of data and information about marine life, their ecosystem, and the myriad ways we use and rely on LIS. Many of the maps stem from current and complete information. Other maps depict high quality information but only where observations have been taken. Additionally, the Sound is a dynamic system and climate change is accelerating the rate of change. Data that we have at this time will not necessarily represent change that is inevitable.

ESAs and SHUAs represent an ambitious and thorough scientific effort to characterize the significant ecological and human use areas of the Sound and the results are credible on the basis of the information that we have now. However, there remains much we do not know and there is little doubt that other areas exist that we have not identified because we do not yet have the data and/or methods to reveal them. A significant example is the over 30 years of fish trawl data collected by the CT DEEP which provides profound insights into LIS fish and invertebrates. The sampling locations, while present throughout most of the Sound, do not cover all key areas, especially in the far eastern and western parts, because of bottom structure that is incompatible with the trawl techniques. What we have from the trawl survey is robust but not complete for the Sound and this needs to be recognized. As such, the ESAs and SHUAs identified through this current Blue Plan effort represent, in essence, the “minimum” areas. This consideration is another factor in remembering that “all of LIS remains important” when decisions are made regarding proposed new uses and the local, site specific information that may remain key for specific, individual projects.

Solidly anchored in the objective geospatial information of the Inventory, and through well-defined and transparent processes, ESAs and SHUAs were carefully defined by criteria used to generate a series of maps with extensive input from topical experts and stakeholders. These new integrative and interpretive maps were further publicly reviewed and are made available through a user friendly website, called the [Blue Plan Map Viewer](#). The Viewer is for use by managers, users, and project proponents in a “point and click” manner that allows the integration of ESAs and SHUAs across sectors for use in identifying overall intensity of “use” for a given area, along with the identity of natural resources or human uses in different locations. The identification and easy visualization of the ESAs and SHUAs, and link to associated policies, represent the backbone of a forward-looking plan that will help protect natural resources and human uses, while facilitating the siting of future uses in a manner that will minimize conflicts and maximize compatibility, to meet the goals of the Blue Plan.

3.4a. Designation of Ecologically Significant Areas

a. Introduction

This section includes a summary of the approach, rationale, and methodology used for identifying Ecologically Significant Areas (ESAs) along with a representative sampling of the ESA results. The full set of results is contained in Appendix 2: ESA Supplemental Information and Maps which includes a discussion of each of the 14 ESA Criteria with a full set of corresponding maps. These 14 ESA Criteria fall under two overarching pillars: (1): Areas with rare, sensitive, or vulnerable species, communities or habitats and (2): Areas of high natural productivity, biological persistence, diversity and abundance, including areas important for supporting or exhibiting such features. Each of the criteria represent a layer of an ESA. The two sample results represent an ESA from each of Criteria Pillars.

Appendix 2 is important for providing the full story of what the ESAs are and how they were developed. Appendix 2 also has key tables and other materials that track the process and results, e.g., ESA Layer Construction tables that provide the technical details needed to reproduce the results. Finally, the “Ecological Characterization Summary” is an additional stand-alone document providing the broader picture of what the ESAs were drawn from. It can be used with ESAs to gain a more complete ecological picture of places in the Sound.

b. Approach, Rationale, and Methodology

i. Approach and Rationale

The underlying thesis in identifying the ESAs is that the ESAs are more than notable areas in and of themselves. They also serve to represent places important for sustaining the ecological integrity of the Sound as a whole. In short, the ESAs are intended to be places that represent both what is best in the Sound biologically and what is important for its function ecologically. The approach taken charts a course that takes both into account, uses the latest data and current state of knowledge, and produces practical results within a small budget. Within this frame it remains important to qualify the results. Because the extent of data is limited as is the ability to represent the multiple complexities of an ecosystem, the ESAs are only a proxy for the LIS ecosystem. It is also important to reiterate that the ESAs pertain to geographic or spatial considerations of the LIS ecosystem. As such, the ESAs are not intended to address other important ecological factors such as water quality.

There can be many interpretations or opinions on what constitutes something that is “ecologically significant.” The answer for the LIS Blue Plan starts with the LIS ESA Criteria, which, as noted above, serve as the basis for defining and finding all of the ESAs. Within each of these criteria, the ESAs typically represent the areas where these features exist (e.g., areas of coastal wetland) or the top 20% of the range and distribution of the feature (e.g., top 20% of seafloor complexity). A summary of the 14 ESA Criteria follows:

Criteria Pillar 1: Areas with rare, sensitive, or vulnerable species, communities or habitats including:

1. Hard bottom and complex sea floor
2. Areas of submerged aquatic vegetation
3. Endangered, threatened, species of concern or candidate species listed under state or federal Endangered Species Act, and their habitats
4. Areas of cold water corals
5. Coastal wetlands

Criteria Pillar 2: Areas of high natural productivity, biological persistence, diversity, and abundance, including areas important for supporting or exhibiting such features relative to:

6. Cetaceans (marine mammals)
7. Pinnipeds (seals)
8. Sea turtles and other reptiles

9. Birds
10. Fish
11. Mobile invertebrates (e.g., American lobster)
12. Sessile-mollusk-dominated communities (e.g., blue mussels)
13. Managed shellfish beds
14. Soft-bottom benthic communities

In addition to being based on criteria used for other marine spatial plans in the Northeast, these criteria, taken together, are meant to capture two major ecological considerations both of which are deemed essential for sustaining the features and function of the LIS ecosystem. The two ecological considerations are:

- One, *representation* of the major and multiple marine life expressions in LIS, particularly its species, natural communities and habitats – and to capture the best of this broad spectrum. The idea is to be representative across the range of taxa and habitats. The approach includes attention to those species, communities, and habitats that are sensitive, vulnerable and/or rare.
- Two, capturing the habitats, communities, or places that embody or provide key *ecological processes and roles* that serve or support the healthy functioning of the LIS ecosystem.

There are additional ecological considerations built into these criteria: capturing multiple ecological factors in single measures such as persistence and abundance, and using biological measures to account for non-biological (abiotic) processes and/or chemical measures:

Multiple Ecological Factors

By identifying areas of high natural productivity, biological persistence, diversity, and abundance, each of which is a single measure, we are identifying the places where marine life is, in layman's terms, "doing the best." Sometimes ecological factors can be identified in association with why these areas emerge with the highest numbers (e.g., high water quality, strong food sources, suitable habitat structure). In many cases, it is not clear what the factors are. What is clear is that there is some combination of ecological factors at work, whether known or not. The idea is, by identifying the best or highest of these measures we are also capturing areas where other ecological factors are at play that matter to the ecosystem as a whole.

Abiotic Processes

A full examination and understanding of the LIS ecosystem includes the large role of abiotic processes such as hydrological circulation, tides, storms, and chemical measures such as temperature, salinity, water quality and more. The approach taken in identifying the ESAs was to emphasize the known elements of the living system with a general assumption that the abiotic elements are integrated into the expression of the living system. Future efforts to better delineate significant ecological areas may find benefit in focusing more on the geospatial implications of abiotic processes and chemical measures.

Approach for addressing limited data and information

This is an important subject of the ESAs and addressed in more detail in Appendix 2. In general, two points are noted here: 1) the use of criteria definitions points clearly to what is being sought and intended by a given ESA layer whether the data is sufficient for fully representing the criteria or not; and 2) the ESA results are clear and upfront about noting where data is lacking and how the ESA results are correspondingly incomplete.

ii. Methodology: Procedural Process

The following describes the ESA identification process procedurally. It is a short summary of who did what to produce the ESAs. Please see Appendix 2 for a more complete history.

Blue Plan Ecological Characterization Work Team (ECWT)

The ECWT was formed at the beginning of the Blue Plan process to give direction and provide work support for the ecological aspects of the Blue Plan formation process. This bi-state group was the core team for overseeing the ecological elements of the Inventory.

Formation and Engagement of Ecological “Interested Parties”

Early on a robust effort was made to identify scientists and experts in marine ecology to provide and review data and help assure a scientifically rigorous ESA process. Over 100 “Ecological Interested Parties” were approached, multiple webinars held and at least 60 participants engaged to complete this phase. Please see Chapter 1 of the Inventory for more detail.

Blue Plan Resource & Use Inventory:

The major work product on the way to identification of the ESAs was completion of the Long Island Sound Resource and Use Inventory which contains the wealth of ecological data sets, information and guidance that would provide the foundation for the ESAs work.

Ecological Characterization:

The Ecological Characterization (EC) process was used in preparation for and as an active part of the effort to identify the ESAs. In short it represents the scientific and data development work that transpired after completion of the Inventory. The EC process made the data usable for analysis which often meant making new maps. It also produced data synthesis and data products so ecological significance could be discerned. Key results of the EC process are contained in the “Ecological Characterization Summary (ECS)” noted in the Introduction. A short description of the ECS is included in Appendix 2.

Ecological Consultants

Two ecological consultants were hired to support the Inventory, the EC, and the ESA processes. They played very significant roles in providing technical expertise and large work output throughout the process. The first contract was with EPI Consulting, LLC (Nick Napoli principal) and the second contract was with E & C Enviroscope, LLC (Emily Shumchenia, principal).

Formation of the Ecological Experts Group (EEG)

A major step for identifying the ESA was forming the “Ecological Experts Group (EEG)” from the larger “Ecological Interested Parties.” This body of marine ecologists, researchers and other experts provided the scientific horsepower, credibility and raw work hours alongside the consultant and Blue Plan leadership to carry out the process. The following is the EEG roster:

<i>Chris Elphick</i>	University of Connecticut
<i>Christian Conroy</i>	University of Connecticut
<i>Emily Shumchenia</i>	E&C Enviroscope, LLC, Lead Consultant
<i>Giancarlo Cicchetti</i>	U.S. Environmental Protection Agency
<i>Kevin O'Brien</i>	Connecticut Department of Energy and Environmental Protection
<i>Maxine Montello</i>	Riverhead Foundation for Marine Research and Preservation
<i>Melissa Albino-Hegeman</i>	New York State Department of Environmental Conservation
<i>Nathan Frohling</i>	The Nature Conservancy, Blue Plan Advisory Committee, Project Lead
<i>Nick Napoli</i>	EPI Consulting, LLC, Consultant

<i>Penny Howell</i>	Connecticut Department of Energy and Environmental Protection, retired
<i>Peter Auster</i>	Mystic Aquarium/University of Connecticut
<i>Tessa L. Getchis</i>	Connecticut Sea Grant/University of Connecticut

The ESA Process:

In summary, the EEG, Consultant and ECWT 1) developed the methods for identifying the ESAs, 2) secured additional data and information, 3) developed and finalized the ESA Criteria, 4) generated outputs of maps, data products, data synthesis, and recognized ecological models and 5) compiled the final draft ESA maps.

Review by Scientists and the Public

During the ESA process there were multiple communications with scientists and experts outside the EEG that assisted in moving the ESA process forward. At the end, formal presentations of the draft ESAs were made to the larger body of Ecological “Interested Parties” and the public. Additional ESA refinements were made as a result, leading to the final draft ESAs.

iii. Methodology: Technical Process

The following is an overview of the technical process used to develop the ESAs. Presentation and explanation of each of the ESA layers and how they were prepared including associated data are provided in Appendix 2. The section below shows final result samples.

Start with the Statute

The Blue Plan legislation (PA 15-66) calls for the Long Island Sound Resource and Use Inventory to be comprised of information and data regarding “all plants, animals, habitats, and ecologically significant areas.” These very basic categories were translated into multiple sub-categories which formed the basis for how the Inventory was prepared and organized.

ESA Criteria

The next major step was forming the ESA Criteria discussed above. These would be connected to and generally encompass the natural resource categories of the Inventory but not be a literal translation of them – in keeping with the scientific rationale and basis for the ESA Criteria as discussed above. There would also be

additional factors and characteristics brought into the ESA Criteria not captured by the natural resource categories (e.g., areas of highest abundance). Appendix 2 includes a section showing the connection between the natural resource categories and the ESA Criteria.

Framework for Translating Data and Criteria into ESA

With draft ESA Criteria in hand, the EEG, ECWT and E & C Enviroscope identified a framework for how ESAs would be synthesized and presented, even before all datasets were assembled. Three principal elements emerged:

1. **Definitive areas:** Developing presence/absence layers for each ESA criterion where the criterion lends itself to this binary approach. For example, if the ESA is something that wherever it shows up, it is considered an ESA, then the general task is to map where it is present.
2. **Continuous Variables/Thresholds:** In many cases the ESA criterion involved working with a range from low to high or small to large, such as species abundance. After significant deliberations and review of multiple ESA criteria where this applied, it was decided by the EEG that in general, the top 20% would be considered “ecologically significant.”
3. **Expert Input/Participatory Mapping (PM; aka Participatory GIS):** Expert input from scientists and experts was used as a tool for identifying specific areas of ESA through PM when data was limited but direct knowledge of relevant geospatial areas was sufficiently robust. Although there was relatively little PM contributing to the ESAs because the existing data was sufficient in representing the existing extent of knowledge (even if limited), there were valuable PM additions relative to birds, pinnipeds, cetaceans and sessile-mollusk-dominated communities. These were made after receiving input from experts as part of the broader scientist and public review process held in December 2018.

Places with Multiple ESAs

The approach acknowledges that a place can be ecologically significant for more than one reason; sometimes those reasons are directly driven by the local ecology or where there may be a link or connection between the ESA layers (e.g., hard bottom and complex seafloor with cold water corals). Other times the reasons are indirect, or where there is no link, or the link is less clear (cold water corals with cetaceans). There are many places with more than one ESA. With this in mind it is important to recognize that the ESAs occur in different locations vertically in addition to horizontally. There is also consideration for variability in time or season. The bird ESA is formed considering spring and fall seasons and represents the air and water surface stratum. Water column-based fish are the

middle stratum and consider season. There are several seafloor- or benthic-based ESA such as hard bottom. The approach recognizes that there may be different planning and management considerations for different components of ecological significance. For example, siting and performance standards for hard bottom and complex seafloor may be very different than for birds.

Technical Steps

There are 12 technical steps that have been outlined to generally describe how the ESAs were identified and depicted on maps. This information is contained in Appendix 2. Additional ESA Layer Construction Tables are also provided in Appendix 2 that provide highly technical and specific information sufficient to enable the ESA to be reproduced.

c. Sample Results

Introduction

A representative sampling of overall ESAs results is shown below to provide an understanding of the full picture of ESAs while keeping the volume of information within reason. Please see Appendix 2 for the full set of ESA layers and associated results, including all the ESA-related maps and ESA Layer Construction Tables. The stand-alone “Ecological Characterization Summary” is also an important part of the full documentation of ESAs.

The results presented below include a table of all the ESA Criteria with associated descriptions and supporting data sources (Table 3-3). The sample ESA results are for two ESA criterion: “Hard bottom and complex seafloor” and “Fish.” Each criterion is prefaced with a summary of the overarching Criteria Pillar it falls under. For each ESA criterion, a short narrative of its ecological significance is presented. This is followed by descriptions of the principal, underlying data and associated maps used to form the ESA layer¹⁴. These maps are the building blocks that are combined to 1) show how the underlying layers overlap and 2) create a presence/absence layer that depicts the final map for the given ESA criterion. Next, a synthesis of all the 14 ESA criteria is presented that shows the overlay and density of all the ESA together. Finally, one example is presented of the ESA Layer Construction Tables to illustrate the full set of tables prepared for each and every criterion.

¹⁴ “ESA layers” refers to the maps of ESA that are used to depict the ESA criteria. ESA criteria are the written descriptions of the ESA and because they point to the “ideal” ESA, they are often more comprehensive and/or specific than the maps (and underlying data) are able to provide.

Table 3-3 ESA criteria, supporting datasets, and descriptions. Mapped data layers can be found in Appendix 2 and in the [Blue Plan Map Viewer](#). Some ESA sub-criteria do not have associated datasets, but descriptions have been included so that these areas may be recognized in policy and designated if spatial information is provided in the future.

ESA Criteria, Supporting Data, and Descriptions		
ESA Criteria	Supporting Datasets	Description
Areas with rare, sensitive, or vulnerable, species, communities, or habitats		
Hard bottom and complex sea floor	<ul style="list-style-type: none"> • Long Island Sound Ecological Assessment (LISEA) hard bottom (pts) • USGS Surficial sediment map, gravel areas (polys) • Long Island Sound Mapping and Research Collaborative (LISMaRC) Phase II SEABOSS hard bottom observations (pts) • Terrain Ruggedness Index (top quintile) • Wrecks and obstructions (pts) 	<p>Areas of hard bottom are characterized by exposed bedrock or concentrations of boulder, cobble, pebble, gravel, or other similar hard substrate distinguished from surrounding sediments and provide a substrate for sensitive sessile suspension-feeding communities and associated biodiversity. Complex seafloor is a morphologically rugged seafloor characterized by high variability in neighboring bathymetry around a central point. Biogenic reefs and man-made structures, such as artificial reefs, wrecks, or other functionally equivalent structures, may provide additional suitable substrate for the development of hard bottom biological communities. Areas of hard bottom and complex seafloor are areas characterized singly or by any combination of hard seafloor, complex seafloor, artificial reefs, biogenic reefs, or wrecks and obstructions.</p>
Areas of submerged aquatic vegetation	Seagrass surveys from 2002, 2006, 2009, 2012, 2017 (polys)	Areas where submerged aquatic vegetation, e.g., eelgrass (<i>Zostera marina</i>), etc., are present or have been found to be present in the past.

<p>Endangered, threatened, species of concern, or candidate species listed under state or federal Endangered Species Act, and their habitats</p>	<ul style="list-style-type: none"> • Atlantic sturgeon gear restriction areas (polys) • Atlantic sturgeon and shortnose sturgeon high and medium use areas (polys) • Atlantic sturgeon migratory corridor (polys) • Predicted summer occurrence of roseate tern (raster) • Connecticut Natural Diversity Database approximate locations of endangered, threatened, species of concern (polys) • Connecticut Critical Habitats (estuarine, polys) • New York rare plants and rare animals (polys) • New York Significant Natural Communities (polys) • New York Significant Coastal Fish and Wildlife Habitats (polys) • US Endangered Species Act Critical Habitat for Atlantic sturgeon (polys) 	<p>The species listed by federal or state statutes (e.g., the US Endangered Species Act, the CT Endangered Species Act, the NY Endangered Species Act) as endangered, threatened, species of concern, or candidates for listing, and their associated habitats, recognizing that detailed spatial data depicting the distribution and abundance for these marine species in Long Island Sound are potentially unavailable.</p>
<p>Areas of cold water corals</p>	<p>LISMaRC Phase I and Phase II cold water coral observations near Stratford Shoals and eastern LIS (polys)</p>	<p>Areas where cold water corals have been observed or where habitat suitability or other scientific models predict they occur.</p>

Coastal wetlands ¹⁵	National Wetlands Inventory, clipped to Long Island Sound Study boundary (polys)	According to Connecticut General Statute (CGS) § 22a-29: “Those areas which border on or lie beneath tidal waters, such as, but not limited to banks, bogs, salt marshes, swamps, meadows, flats, or other low lands subject to tidal action, including those areas now or formerly connected to tidal waters, and whose surface is at or below an elevation of one foot above local extreme high water; and upon which may grow or be capable of growing some, but not necessarily all, of [a list of specific plant species found in CGS § 22a-29(2)].
ESA Criteria	Supporting Datasets	Description
Areas of high natural productivity (HNP), biological persistence, diversity, and abundance, including areas important for supporting or exhibiting such features, relative to the following characteristics or species. ¹⁶		
Cetaceans (marine mammals)	<ul style="list-style-type: none"> • Cetacean density models for the US Atlantic Coast, Duke University Marine Geospatial Ecology Lab, for species with predictions in LIS (raster) • Expert participatory mapping (polys; P. Comins, Connecticut Audubon Society, 1/4/19) 	Areas where cetaceans occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support cetaceans (e.g. particular feeding areas, nursery grounds).

¹⁵ Long Island Sound Blue Plan policies do not apply to areas landward of the Policy Area, and therefore, while considered Ecologically Significant Areas, Coastal Wetlands and any associated existing statutes or policies relevant to Coastal Wetlands are not within the scope of the Long Island Sound Blue Plan.

¹⁶ Areas where natural productivity, biological persistence, diversity, and abundance are high, as well as migratory sanctuaries, stopovers and corridors, nesting areas, feeding areas, and nursery grounds for cetaceans, pinnipeds, sea turtles, marine birds, fish, mobile invertebrates, sessile-mollusk-dominated communities, managed shellfish beds, and soft-bottom benthic communities.

Pinnipeds (seals)	<ul style="list-style-type: none"> • NOAA Environmental Sensitivity Index seal concentration areas (polys) • Expert participatory mapping included in the Blue Plan Inventory (polys) 	Areas where pinnipeds occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support pinnipeds (e.g., particular haul-out locations, feeding areas).
Sea turtles and other reptiles	<ul style="list-style-type: none"> • Northern diamondback terrapin probability of occurrence (polys) • Locations of 2018 coastal CT sea turtle strikes (pts) • Live sea turtle stranding's, rescues, and in-water observations, Riverhead Foundation for Marine Research and Preservation (pts) • Live sea turtle strandings and rescues, Mystic Aquarium (pts) 	Areas where sea turtles and other reptiles occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support sea turtles and other reptiles (e.g., particular feeding areas, nesting grounds, hibernation areas).
Birds	<ul style="list-style-type: none"> • Seabird occurrence models, University of Connecticut (raster) • Expert participatory mapping (polys; P. Comins, Connecticut Audubon Society, 1/4/19) 	Areas where birds are abundant or diverse including feeding areas; areas of high bird productivity including nesting areas.
Fish	<ul style="list-style-type: none"> • Persistently productive places for fish (polys; LISEA high weighted persistence) • Areas of high fish abundance and concentration (polys; CT DEEP Marine Fisheries Long Island Sound Trawl Survey, 1995-2004 and 2005-2014, spring and fall data for species caught in >5 tows) 	Areas of high weighted fish persistence and high fish abundance and concentration.
Mobile invertebrates	<ul style="list-style-type: none"> • Areas of high mobile invertebrate biomass and concentration (polys; CT DEEP Marine Fisheries Long Island Sound Trawl Survey, 1995-2004 and 2005-2014, spring and fall data for crabs, lobster, squid, and horseshoe crab) • Horseshoe crab offshore hotspots (polys) • Horseshoe crab predicted high and medium use areas (polys) • Horseshoe crab predicted spawning beaches (polys) • American lobster projected thermal refuge (polys) 	Areas of high mobile invertebrate (e.g., lobster, other crustaceans, squid) abundance and concentration.

Sessile-mollusk-dominated communities	LISMaRC Phase I and Phase II observations of Slipper shell (<i>Crepidula fornicata</i>) aggregations and blue mussel (<i>Mytilus edulis</i>) aggregations near Stratford Shoals and eastern LIS (polys)	Areas where wild, natural sessile-mollusk-dominated communities occur.
Managed shellfish beds	<ul style="list-style-type: none"> • Oyster seed beds (CT Natural Shellfish Beds) (polys) • CT Recreational Shellfish Beds (polys) • CT State-managed Shellfish Beds (polys) • CT Town-managed Shellfish Beds (polys) 	Locations of commercial and recreational shellfishing harvest areas, including shellfish restoration activities and areas closed to shellfishing.
Soft-bottom benthic communities	<i>Adequate data not available</i>	Areas of soft-bottom seafloor communities where natural productivity, biological persistence, diversity, and/or abundance of marine flora and fauna are high, as well as areas of soft-bottom seafloor communities known to support important life history or important ecological functions of mobile species (e.g., migratory stopovers and corridors, feeding areas, and nursery grounds).
Zooplankton	<i>Adequate data not available</i>	Not an ESA criterion at this time, but noted for ecological relevance to productivity.

Criteria Pillar 1: Areas with rare, sensitive, or vulnerable species, communities, or habitats

Summary:

The first set of criteria considered by the EEG encompass the concepts of “special,” “sensitive,” and “unique” that were articulated in the statute definition. In naming this set of criteria the EEG attempted to avoid using words that could be considered to be value-laden. The criteria in this category correspond to similar components of ecological importance identified by other ocean planning and management efforts. For example, these criteria match the components “Areas of vulnerable marine resources” and “Areas of rare marine resources” that were described by the Northeast and Mid-Atlantic regional ocean plans. Some of the criteria in this category match directly to the twelve “Special,

Sensitive, or Unique (SSU) Resources” described in the Massachusetts Ocean Plan, such as the MA hard or complex seafloor and eelgrass SSUs.

The ecological components in this category play critical roles in the Long Island ecosystem but are rare or particularly vulnerable to disturbance and/or environmental change. Many already confer special protection via local, state, and federal regulations.

ESA Results Example one: Hard bottom and complex seafloor (Criterion 1)

Definition: See “Description” in the Table above. This ESA falls under Criteria Pillar 1

Significance of Hard bottom and complex seafloor

Areas of hard bottom and complex seafloor are known to attract a variety of mobile organisms like fish and seabirds and serve as attachment sites for sessile creatures such as corals, anemones, sponges, and tube-building worms, which in turn create additional structure and complexity that attracts and shelters marine organisms. Species diversity tends to be higher in areas of complex seafloor when compared to adjacent homogeneous seafloor, and this relationship also influences ecosystem functioning and increases ecosystem efficiency (Zeppilli, Pusceddu, Trincardi, & Danovaro, 2016). The hard bottom and complex seafloor criterion is a proxy for all of these characteristics and components. Multiple datasets were required to characterize hard and complex seafloor.

Hard bottom component

The EEG described “hard bottom” as any substrate coarser than “very coarse sand” on the Wentworth grain size scale, which is equivalent to particles greater than 2 mm in size, and includes granules, pebbles, and cobbles (collectively called “gravel”), as well as boulders. Outcrops of bedrock are also considered hard bottom. Any locations where hard bottom occurred were considered ecologically significant and contributed to the summary map of hard and complex seafloor ESA. The following data sources and associated maps each contributed to depicting the extent of known hard bottom in LIS. They were combined into one map (Figure 3-15) to create the hard bottom portion of the overall Hard bottom and complex seafloor ESA criterion.

The Nature Conservancy’s Long Island Sound Ecological Assessment (LISEA) known occurrences of hard bottom

The LISEA known occurrences of hard bottom map integrates data several sources (below). The resulting layer is a point dataset depicting the locations of hard bottom. The maps and data can be accessed via [The Nature Conservancy’s Conservation Gateway](#) (The Nature Conservancy, 2017).

- USGS usSEABED database - scientific measurements of seafloor type and grain size
- USGS East Coast Sediment Texture Database - scientific measurements of seafloor type and grain size

Complex seafloor component

The EEG identified areas of complex seafloor using the Terrain Ruggedness Index (TRI) (Riley, DeGloria, & Elliot, 1999). The TRI metric reflects the difference between the depth at each point on the seafloor and the depth of the points surrounding it. Complex seafloor has greater differences between focal points and their surroundings (which equals higher TRI), whereas featureless seafloor has smaller differences between focal points and their surroundings (which equals lower TRI). The data required to calculate TRI are full-coverage bathymetry, or depth, data. A composite bathymetry dataset with a horizontal resolution of 8 meters was created for Long Island Sound by mosaicking the most recent federal and local datasets from the NOAA National Ocean Service. Data sources include high-resolution multibeam survey data wherever available (ranging in resolution from 0.5m to 8m), and the NOAA Coastal Relief Model data (83m resolution) where high-resolution data were not available. The mosaic resolution of 8m was chosen to optimize the detail conveyed by the highest resolution datasets in the final bathymetry map. TRI was calculated at the scale of a single pixel (8m) and so the resulting TRI map has a resolution of 8m. In order to identify ESA for complex seafloor, the EEG classified the data into quintiles and extracted the top quintile (top 20%) as ecologically significant (Figure 3-16).




Figure 3-16 The top quintile of the Terrain Ruggedness Index (TRI) calculated at 8-meter resolution for Long Island Sound.

Wrecks and obstructions component

The EEG included wrecks and obstructions in the map of hard bottom and complex seafloor. Wrecks tend to serve as artificial reefs, and obstructions can include boulders or other hard bottom not delineated in geologic maps. The NOAA Automated Wreck and Obstruction Information System was clipped to the Blue Plan AOI for inclusion in this criterion map. Any locations where wrecks and obstructions occurred were considered ecologically significant (Figure 3-17). These also have a 160 meter buffer to be visible.




Figure 3-17 Locations of wreck and obstructions in Long Island Sound from the NOAA Automated Wreck and Obstruction Information System.

Integration of components

Each of the datasets described above (hard bottom, complex seafloor, wrecks and obstructions) were mapped together to represent the full extent of hard bottom and complex seafloor. Figure 3-18 shows the number of overlaps in those datasets. Figure 3-19 shows all of the datasets dissolved together to show a single presence/absence layer of Ecologically Significant Areas for hard and complex seafloor.




Figure 3-18 Overlaps among each of the input datasets representing the hard bottom and complex seafloor criterion.




Figure 3-19 This is the final ESA map for the hard bottom and complex seafloor criterion.

Updates and potential future work

Additional seafloor observations from the Long Island Sound Seafloor Mapping Initiative and similar projects will improve the identification of both hard bottom and complex seafloor in this criterion. Additional high-resolution multibeam bathymetry surveys by these projects and/or federal agencies will also improve the identification of complex seafloor.

Criteria Pillar 2: Areas of high natural productivity, biological persistence, diversity, and abundance, including areas important for supporting or exhibiting such features, relative to the following characteristics or species (see footnote 12 above for complete title)

Summary:

The second set of criteria considered by the EEG expand on the concept of “productive” places articulated in the statute. From an ecological perspective, productivity refers to the processes of reproduction and growth. If organisms throughout the ecosystem grow and reproduce to their potential, the ecosystem is considered balanced and efficient. This balance is important for the provisioning of ecosystem services on which humans depend. Productivity as a set of processes is difficult to measure, so ecologists often use abundance, and other metrics like diversity and persistence, to understand productivity. Furthermore, the places where behaviors that allow organisms to be productive, such as feeding areas, nesting areas, nursery grounds, and migratory routes were considered important to include in this category. The EEG decided to take a taxa-based approach to gather data on these topics because the data were usually collected and presented by species group or at the taxa level. The criteria within this category are similar to the components of ecological importance identified by the Northeast and Mid-Atlantic regional ocean planning efforts “Areas of high productivity,” “Areas of high diversity,” and “Areas of high abundance.” The Massachusetts Ocean Plan also took a taxa-based approach for several of its SSUs, including important fish resources and colonial waterbirds important nesting habitat, among others.

The broad taxonomic categories used to organize these data can potentially mask or obscure relevant spatial patterns in individual species or groups of species within a taxon. Species within a taxonomic group have diverse behaviors, life history traits, and habitat requirements, and so it could be necessary, once at the project-scale, to drill into underlying datasets to better understand how Ecologically Significant Areas for individual species could be captured by the taxonomic group’s ESA, or not.

ESA Results Example two: Fish (Criterion 10)

Definition: “Areas of high weighted fish persistence and high fish abundance and concentration” This ESA criterion falls under Criteria Pillar 2.

Significance of Fish:

The fish criterion includes pelagic (using water column habitats) and demersal (using seafloor habitats) vertebrate fish species. Fish are key components of the Long Island Sound ecosystem, and are critical to both human and animal food webs. In addition to fishing pressure, fish community composition in Long Island Sound is influenced by climate and environmental change. Since 1998, the fish community has transitioned to a single community adapted to higher temperatures, from a state where distinct winter-spring and summer-autumn communities existed prior to 1998 (Howell & Auster, 2012). There are likely other species-specific and functional-group-specific trends that are also relevant to management and decision-making that should be considered on a case-by-case basis. In an effort to characterize Ecologically Significant Areas for fish in a simplified, but not oversimplified way, the EEG considered metrics of persistence and abundance for species using water column habitats (i.e., diadromous and pelagic species), and seafloor habitats (i.e., demersal species). Both types of metrics use data derived from the [CT DEEP Marine Fisheries Long Island Sound Trawl Survey](#) (LISTS), which occurs in spring and fall of each year since 1984. The LISTS divides the Sound into about three hundred 1x2 nautical-mile grid cells and uses a stratified-random survey design. The survey design relies on the stratum assigned to each 1x2 nautical mile area and weights the number of samples per stratum by the amount of stratum-specific area available for sampling. Strata are 12 combinations of three bottom types and four depth intervals. Although LISTS data are representative of the entire Sound at the stratum level, there are some areas that cannot be effectively sampled by bottom trawl (e.g., The Race, shoals, reefs and trenches). Since strata are not uniformly distributed throughout the sound and sites are not equally available to the sample gear, not all grid cells have been sampled equally over time (Figure 3-20). Biomass has been recorded since 1992. All of the data for this criterion are reported using the 1x2 nautical mile site grid, even though LISTS methodology does not require a tow be conducted within the confines of a grid cell provided it is conducted in the correct stratum.




Figure 3-20 Grid cells sampled by the Connecticut DEEP Marine Fisheries Long Island Sound Trawl Survey (1984-2009). Map credit: The Nature Conservancy, Long Island Sound Ecological Assessment. TNC considered grid cells that did not have survey points in at least two of three periods (1984-1992, 1993-2001, 2002-2009) to be insufficiently sampled for their weighted persistence analyses.

Persistently productive places for fish

The Long Island Sound Ecological Assessment (LISEA) identified persistently productive areas for fish using 26 years of LISTS data (1984-2009). These places have the highest number of species that have persisted there for the longest period (i.e., throughout each period of the LISTS, or 3 periods totaling 26 years at the time of the assessment) and each of these species have been detected at a frequency higher than expected, from just under 1 standard deviation to over 2 standard deviations above the mean. These persistently productive places for each species were aggregated into persistently productive places for fish functional groups: diadromous, pelagic, and demersal species. The maps and data showing persistently productive places for each functional group can be accessed via [The Nature Conservancy's Conservation Gateway](#) (The Nature Conservancy, 2017). From these maps, the following criteria were applied to identify Ecologically Significant Areas:

Diadromous species

- Grid cells of Diadromous species in the highest weighted persistence category
- Grid cells where both Pelagic and Diadromous species are in the second highest weighted persistence category overlap

Pelagic species

- Grid cells of Pelagic species in the highest weighted persistence category
- Grid cells where both Pelagic and Diadromous species are in the second highest weighted persistence category overlap

Demersal species

- Grid cells in the highest LISEA weighted persistence category for each of the Demersal species functional groups (Elasmobranchs, Gadids, Pleuronectids, Structure-oriented, Other)
- Grid cells where 3 or more of the 5 Demersal species functional groups are in the second highest LISEA weighted persistence category overlap

Areas of high fish abundance and concentration

CT DEEP Marine Fisheries provided LISTIS data to the EEG to identify areas of high fish abundance and concentration. The data included the natural log of the mean abundance per grid cell for each species for spring and fall in the following date ranges: 1995-2004 and 2005-2014. Only species caught in more than 5 tows in any of the seasons in each date range were included. Species were assigned to either water column (which included diadromous and pelagic) or demersal (which included demersal and epibenthic) functional groups and group total mean abundance was calculated for each season in each date range. The 2 decades of data were each used to find high fish abundance (instead of just one combined period) for several reasons. The EEG believed the most recent decade is particularly important to see, especially given the dynamics in fish distribution. Combining the two decades would have diluted that clarity and there were other statistical challenges as well. DEEP Marine Fisheries believed that 1995-2004 decade was important to use, in part so a larger portion of the broader abundance record could be captured. All parties agreed that using the first decade (before 1995) would be less relevant because of the significant shift in fish distribution that occurred in 1997. This resulted in 8 individual abundance layers. Layers were classified by quintiles and the top quintile of each layer was considered an ecologically significant area of high fish abundance and concentration.

Integration of Areas:

The datasets described above were mapped together to represent the extent of Ecologically Significant Areas for fish. In general, diadromous and pelagic fish were combined under “water column fish species” and “demersal fish species” remained its own category. Areas delineated from ten individual layers were overlaid for this ESA criterion (Table 3-4). Because of the particular detail available in the datasets for this criterion, and the importance of seasonality and long-term trends in the fish communities of Long Island Sound, Ecologically Significant Areas for fish have been visualized using the 10 layers grouped by persistence, decade, functional group (water column or demersal), and season (Figures 3-21 to 3-30). Figure 3-31 shows the number of overlaps in each of the 10 fish components. Figure 3-32 shows all of the datasets dissolved

together to show a single presence/absence layer of ESA for fish. Figure 3-32 also represents the final Ecologically Significant Area for the Fish criterion.

Table 3-4 The ten individual data layers that contributed to the fish criterion.

<i>Data Layer Description for Fish Criterion</i>
Demersal fish species high weighted persistence (LISEA) 1984-2009
Water column fish species high weighted persistence (LISEA) 1984-2009
Top quintile of demersal species fall abundance, 1995-2004
Top quintile of demersal species spring abundance, 1995-2004
Top quintile of demersal species fall abundance, 2005-2014
Top quintile of demersal species spring abundance, 2005-2014
Top quintile of water column species fall abundance, 1995-2004
Top quintile of water column species spring abundance, 1995-2004
Top quintile of water column species fall abundance, 2005-2014
Top quintile of water column species spring abundance, 2005-2014




Figure 3-21 A map showing one component of Ecologically significant areas for fish: areas of high weighted persistence for demersal fish subgroups based on TNC's LISEA.




Figure 3-22 A map showing one component of Ecologically Significant Areas for fish: areas of high weighted persistence for water column (pelagic and diadromous) fish subgroups based on TNC's LISEA.




Figure 3-23 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in fall from LISTs 1995-2004.




Figure 3-24 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in spring from LISTS 1995-2004.




Figure 3-25 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in fall from LISTS 2005-2014.




Figure 3-26 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in spring from LISTS 2005-2014.




Figure 3-27 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in fall from LISTS 1995-2004.




Figure 3-28 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish abundance in spring from LISTS 1995-2004.




Figure 3-29 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in fall from LISTS 2005-2014.




Figure 3-30 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in spring from LISTs 2005-2014.




Figure 3-31 Overlaps among each of the 10 input datasets representing Ecologically Significant Areas for fish species.




Figure 3-32 This is the final map of Ecologically Significant Areas for the fish criterion.

Updates and potential future work

The CT DEEP Marine Fisheries LISTS dataset is a robust, long-term dataset that provides many different opportunities for summarization. Future work could take the form of developing updated persistence products with additional data collected since the LISEA report’s analysis that included data up to 2009. Similarly, the abundance products could be updated to include the most recent survey years since 2014. In both types of analyses, additional steps could be taken to highlight the differences in fish communities before and after the observed regime shift of the mid-1990s.

Synthesis of Multiple ESA Criteria

The complete set of results (2 of which are presented above) describes 14 individual ESA criteria and corresponding ESA layers or maps. While each individual layer is useful on its own, it can also be informative to visualize the multiple criteria together, to better understand the distribution of ESA and where they might overlap, if at all. Again, it is important to remember that the current suite of maps represents the best available knowledge about the location of ESA, and just because a map doesn’t show ESA for a particular criterion, it does not mean that ESA does not exist there. Therefore, composite maps for ESA should be viewed as “The minimum number of ESA.”

The EEG did not apply a ranking or prioritization scheme to the individual layers. Therefore, the map legends are simple to interpret: a value of 5 corresponds to a minimum of 5 ESA present in a location.

Three synthesis maps were developed: one for each Criteria Pillar and a third for all ESA criteria together (Figures 3-33 to 3-35).




Figure 3-33 Overlaps among the five criteria that contribute to the ESAs with rare, sensitive, or vulnerable species, communities or habitats (Pillar I).




Figure 3-34 Overlaps among the 9 criteria that contribute to the ESAs of high natural productivity, biological persistence, diversity, and abundance (Pillar 2).




Figure 3-35 Overlaps among all 14 criteria that represent the full set of ESAs in Long Island Sound.

ESA Layer Construction Tables: Example

The following is one example of the 14 tables prepared for each of the ESA Criteria. These table record the technical information and methods used for producing the ESA layers (the full set of tables are in Appendix 2). The example selected below is for the hard bottom and complex seafloor criterion (Table 3-5).

Table 3-5 Sample data construction table of hard bottom and complex seafloor, similar data construction tables can be found in Appendix 2 and 3 for both ESA and SHUA datasets.

Sample Data Construction Table	
	Areas of Hard Bottom and Complex Seafloor
ESA criterion Description	<p>Areas of hard bottom are characterized by exposed bedrock or concentrations of boulder, cobble, pebble, gravel, or other similar hard substrate distinguished from surrounding sediments and provide a substrate for sensitive sessile suspension-feeding communities and associated biodiversity. Complex seafloor is a morphologically rugged seafloor characterized by high variability in neighboring bathymetry around a central point. Biogenic reefs and man-made structures, such as artificial reefs, wrecks, or other functionally equivalent structures, may provide additional suitable substrate for the development of hard bottom biological communities. Areas of hard bottom and complex seafloor are areas characterized singly or by any combination of hard seafloor, complex seafloor, artificial reefs, biogenic reefs, or wrecks and obstructions.</p>
Data Source	<p><u>Hard bottom:</u> The Nature Conservancy’s Long Island Sound Ecological Assessment (LISEA; 2015) known occurrences of hard bottom from usSEABED, USGS East Coast Sediment Texture Database, and NOAA Nautical Chart ENC data. Points are described as “bedrock”, “boulders”, “rock” or “rocky”; the USGS Long Island Sound Surficial Sediment map; Long Island Sound Mapping and Research Collaborative Phase II SEABOSS hard bottom observations described as gravel and coarser (unpublished data courtesy of C. Conroy christian.conroy@uconn.edu)</p> <p><u>Complex seafloor:</u> TopoBathy – LIS 8m composite Terrain Ruggedness Index (TRI).</p> <p><u>Wrecks and obstructions:</u> NOAA’s Automated Wreck and Obstruction Information System (AWOIS). AWOIS is a catalog of reported wrecks and obstructions that are considered navigational hazards in coastal U.S. waters. These data are not a comprehensive inventory of wrecks. Data were downloaded from the Northeast Ocean Data Portal.</p>
Data Extent	The Long Island Sound Blue Plan planning area.

<p>Data Adjustment and Pre-processing</p>	<p><u>Hard bottom:</u> Data were clipped to the Long Island Sound Blue Plan planning area.</p> <p><u>Complex seafloor:</u> Data were clipped to the Long Island Sound Blue Plan planning area.</p> <p><u>Wrecks and obstructions:</u> Data were clipped to the Long Island Sound Blue Plan planning area.</p>
<p>Data Analysis</p>	<p><u>Hard bottom:</u> LISEA hard bottom points were buffered with a 160-meter radius. The buffer distance was chosen so that individuals points were visible at the ~1:800,000 scale. Areas classified as “gravel, bedrock” were extracted from the USGS sediment map. The gravel/bedrock zones and buffered hardbottom points were merged and gridded to an 8-meter grid (same resolution as the TRI dataset).</p> <p><u>Complex seafloor:</u> Complex seafloor was calculated using bathymetry data by applying the TRI algorithm developed by Riley (1999) to measure the variability in seafloor relief. The resulting unitless output ranges from 0 to 100 and has a resolution of 8-meters.</p> <p><u>Wrecks and obstructions:</u> Wrecks and obstructions points were buffered with a 160-meter radius. The buffer distance was chosen so that individuals points were visible at the ~1:800,000 scale. The buffered wrecks/obstructions points were then gridded to an 8-meter grid (same resolution as the TRI dataset).</p>
<p>Data Classification</p>	<p><u>Hard bottom:</u> LISEA hard bottom data were classified using the Wentworth (1922) grain-size scale that defines hard bottom (“bedrock or concentrations of boulder, cobble, or other similar hard bottom”) as sediment with a grain size of 64 mm or larger. LISMaRC hard bottom data included any points classified as “gravel”, or “cobble”, or “rock”. Areas classified as “gravel, bedrock” were extracted from the USGS sediment map.</p> <p><u>Complex seafloor:</u> Complex seafloor was classified from descriptive statistics calculated on the TRI dataset. Seafloor complexity values were divided into fifths (quintiles), and areas in the top quintile were classified as complex. This threshold was chosen based on a comparison between the USGS classification of gravel and bedrock areas and the complex dataset, and a comparison between the observed locations of cold water corals and the complex dataset. Complexity values in the top quintile were coincident with some gravel and bedrock areas (although much of the complex seafloor in LIS is not gravel and bedrock). In addition, every positive cold water coral observation overlapped with complexity values in the top quintile.</p> <p><u>Wrecks and obstructions:</u> N/A</p>
<p>Selection of ESA</p>	<p>All 8x8-meter grid cells classified as 1) hard bottom, or 2) complex seafloor, or 3) wrecks and obstructions were selected for inclusion as Ecologically Significant Areas.</p>

3.4b. Designation of Significant Human Use Areas

a. Introduction

As a corollary to the statutorily mandated Ecologically Significant Areas (ESAs), the Plan Development Team (PDT) decided to identify Significant Human Use Areas (SHUA) for policy considerations. The identification of such areas is generally a component of any marine spatial plan, and in a waterbody as intensely trafficked as Long Island Sound, regulatory and planning consideration must be given to both traditional uses and ecological aspects. In the context of the current regulatory processes traditional users may only hear of a proposed project through word-of-mouth, the media, or Public Hearing notifications, at which time the project proponent has invested considerable time and resources into preparing an application, often unaware of other users in the area. This format can lead to inefficiencies and unnecessary conflicts. By proactively identifying significant use areas and corresponding policy standards that new project proponents will need to adhere to, the Blue Plan avoids this conflict by “laying all cards on the table” for applicants and existing users alike to see.

b. Approach, Rationale, and Methodology

The first step in identifying SHUAs was to determine what activities or locations needed to be recognized as such. While the majority of these are in-water activities such as fishing and boating, the PDT felt it was necessary to include some landside features such as working waterfront infrastructure, parks, and historic artifact discovery locations. New in-water projects may impact these upland sites either directly (for example, horizontal drilling and grid link associated with a cable) or by simple proximity (scenic view degradation) so developers should be aware of all uses they may impact. Through the Inventory data vetting process the PDT connected with use communities in the Sound and determined what types of activities and areas are of particular concern to each constituency. Initially the PDT identified over 50 specific use criteria (i.e., Connecticut State Managed aquaculture beds, boat launches, recreational fishing areas, etc.) across 12 broadly defined activity types (i.e., Aquaculture, Boating, Fishing, etc.), and conducted a rapid assessment of datasets to support these. The assessment process was designed to identify and organize the most appropriate representations of human use data, and to develop descriptions for them.

It is these descriptive criteria that matter the most to the Blue Plan policy. Maps are the backbone of any spatial-planning exercise as they are incredibly useful visual tools for communicating place-based information. But they can only be based on existing data, which may change or become out-of-date. A written definition of each use can exist without any spatial data and can more easily shift to match future conditions. These descriptions were further improved as the Siting and Performance Standards were written

for each area; forming specific policies to protect each area allowed the PDT to see what criteria descriptions would be useful to permitting agencies and other readers. The PDT determined it was desirable to create overarching criteria “pillars” to pull similar uses together. The four criteria pillars in Table 3-5 were defined to group SHUAs together in a way that integrates information between sectors so that they may be more easily interpreted and visualized, both digitally and in hardcopy. These categories are:

- Areas with features of historical, cultural, educational, or research significance;
- Areas of substantial recreational and/or “quality of life” value;
- Areas important for navigation, transportation, infrastructure, and economic activity; and
- Areas important to fishing and aquaculture.

The assessment process also identified several data gaps, and filling these became a major facet of Plan development in 2018. In some cases, the needed information does not exist, or exists in a format beyond the scope of this project to collect and process. For example, New York does not manage the shellfish industry in the same way as Connecticut. While the New York Department of Environmental Conservation (DEC) was able to provide information on the dollar value of shellfish harvest, spatial information for where that effort is concentrated was not available. As a result, it appears that Connecticut waters are dominated by aquaculture, while New York waters see only a few tiny operations; in reality, shellfish harvest is a prominent business in both states. Addressing this discrepancy will be a key point to address in the ongoing Plan update process.

Where possible and practical, datasets were created to fill gaps. This was accomplished through several methods including digitizing areas of interest from published sources, such as aerial photos or boating guides, and Participatory Mapping (PM). PM, or Participatory GIS, is a widely accepted means of collecting spatial information based on community knowledge, often used in Marine Spatial Planning (NOAA, 2014). During the Inventory review process the recreational fishing community, the recreational sail racing community, and the recreational diving community all noted that the existing information available did not contain many of the sites important to sustaining their sports. Because a few members from each of these communities had become closely involved in the planning process the PDT was able to work with them and create a PM program. This required three crucial elements: trust, on the behalf of the participants, that the resulting Blue Plan would include and protect the areas they were sharing; a dialog in which the PDT listened and learned what factors led each particular area to be special to the use community; and a managing of expectations that mapped areas need to

be the locations that are crucial to sustaining each activity. This last point is a fine one and relies on the judgement of the expert participants creating the map. For example, recreational anglers hold that that Sound is “one big nursery” and each wreck and hole will yield fish. However, if each of these areas is noted as important eventually the map of the Sound fills to the point that “everywhere is important, so nowhere is important.” Participants understood this concept and mapped only the areas that are heavily used by many community members rather than their particular “secret spots” they would want to see protected.

In some cases, thresholds were applied to datasets in order to refine the SHUA areas. For example, recreational boating occurs virtually everywhere in the Sound, and this was reflected in the supporting dataset. However, to create a meaningful SHUA a threshold was established to highlight the most prevalent areas of recreational boating. In this situation the PDT decided to use densities of boats per area that are higher than average density to represent the SHUA (Figure 3-36). A similar approach was also applied to vessel Automated Information System (AIS) transponder data to determine corridors of substantial vessel traffic.




Figure 3-36 Methodology for delineating the Recreational Boating SHUA. The image on the left shows all areas of identified recreational boating density in the Blue Plan AOI as of a 2012 survey. The image on the right reflects a threshold based on retaining the areas where boating density is in the top two quintiles.

Some datasets that were part of the initial collections were eliminated. For example, a historic buildings dataset was excluded in favor of a historic district dataset that included over 90% of the buildings; using both was redundant and the districts provided a sufficient level of representation. In other cases, data representing similar topical areas from different sources were modified or combined. As in the case of shipwrecks, the location of shipwrecks originally spanned three sets of national and state-based information; these were refined and combined into one singular shipwreck SHUA. Others had records removed where they were better reflected by other sources and reduced over

counting that would negatively affect subsequent analyses. For example, certain Coastal Access Sites were removed from that layer as they were already captured in other layers such as Boat Launches or Public Open Space. And many data layers contained records that exceeded the Blue Plan AOI, some which were omitted from our assessments. Thus, it is important to note that when considering the data reflected in the SHUAs, the intent was to provide a set of maps that should be considered in aggregate. They are specifically designed to work collectively and may not in some cases depict all the material contained within their original sources.

To help better understand and represent the overall area of impact for each of these categories, the PDT applied a clustering analysis for each of the four use groups, (plus a group of all human uses) based on the count (frequency) of human use data layers occurring in a given area. This would synthesize the numerous individual layers and present them as clusters – areas where concentrations of uses can be statistically defined by the levels frequency counts. This was done using a spatial statistics process (optimized Getis-Ord G_i^* Hot-Spot Analysis) within Geographic Information System (GIS) software (Esri, 2018). This looks at the frequencies of activities in given areas and returns statistically determined clusters based on like-frequency counts. This results in maps that show:

- a) Areas where many activities are strongly concentrated (hot spots; reds)
- b) Areas where few activities are strongly concentrated (cool spots; blues)
- c) Areas that are neutral (tan)

In addition to the original four groups of uses, the same clustering process was repeated by re-organizing the criteria into new groups that reflect existing uses that may be susceptible to impacts by future activities occurring either on the bottom substrate, in the water column, or at/above the surface of Long Island Sound. An example of the cluster map process can be seen in Figures 3-37 to 3-38, which depict how the map products for all Human Use criteria are concentrated.




Figure 3-37 All human use data. Note the grid does not cover all possible uses but centers on the offshore and immediate coastal areas.




Figure 3-38 Results of clustering analysis for all human uses based on activity frequency. Reds represent areas of high-frequency clustering; Blue areas represent clusters of low frequencies. Yellow/tan areas reflect areas that display neither high nor low clustering.

Regarding the ESA methods of Section 3.4a, above, readers may note that differences exist between the SHUA and the ESA methodology for identifying both the individual map products as well as in clustering. This is due to several factors, including how relevant data were identified, the nature of the data themselves, the total number of data layers, and the goals of the clustering process. The ESA “rollup” maps are intended to show where the minimum number of siting and performance standards for those criteria may be found, while the SHUA cluster maps are intended to show areas of relatively higher and lower use. More complete methods may be found in Appendix 3: SHUA Supplemental Information and Maps.

c. Sample Results

Ultimately, each SHUA was formed from the best available data synthesized to be meaningful to planning efforts and useful to a broad array of readers. Table 3-6, below, shows a complete list of the final resulting SHUA, their representative data layers at this time, and the criteria that describe each for policy application. Note that while the supporting data may change with time as newer and more complete studies become available, the description of each criteria is intended to last and guide management of the Sound with respect to each SHUA.

Table 3-6 SHUA criteria, supporting datasets, and descriptions. Mapped data layers can be found in Appendix 3 and in the [LIS Blue Plan Map Viewer](#). Some SHUA sub-criteria do not have associated datasets, but descriptions have been included so that these areas may be recognized in policy and designated if spatial information is provided in the future.

<i>SHUA Criteria, Supporting Data, and Description</i>		
SHUA Criteria	Supporting Datasets	Description
Areas with features of historical, cultural, education, or research significance		
Areas associated with lighthouses and other historic areas	<ul style="list-style-type: none"> • CT & NY Historic Districts (poly) • LIS Lighthouses (pts) 	Lighthouses, waterfront historic districts, or in-water structures of historical significance, excluding wrecks, and areas of Long Island Sound immediately adjacent to such resources.
Shipwrecks	<ul style="list-style-type: none"> • LIS Shipwrecks (pts) 	Wrecks of historical or cultural significance.

Visual and Scenic Resources	<ul style="list-style-type: none"> CT & NY Open Space and Parklands (poly) 	Views of Long Island Sound’s scenic resources from publicly accessible coastal land. These resources include but are not limited to natural resources or landscapes viewed by the general public, in part for the use, observation, enjoyment, and appreciation of natural or cultural visual qualities.
Areas of historical or cultural significance, submerged archaeological sites, and submerged areas of archeological sensitivity	<ul style="list-style-type: none"> CT SHPO & OSA Upland Sites (pts) CT SHPO & OSA Underwater Sites (pts) CT OSA Potential Holocene Underwater Sites (polys) 	Submerged or coastal locations of archaeological sensitivity and/or significance.
Areas of Tribal Significance	<i>No available data</i>	Submerged or coastal locations recognized by Tribes as having historical or cultural significance.
Discrete Areas for Research, Education, and Monitoring	<ul style="list-style-type: none"> LIS Water Quality Sampling Sites (pts) LISICOS Sites (pts) 	Areas actively and consistently used for research activities, including but not limited to long-term monitoring sites, and Sound-dependent experiential educational programming.
SHUA Criteria	Supporting Datasets	Description
Areas of substantial recreational and/or “quality of life” value		
Sailing or Rowing Races	<ul style="list-style-type: none"> LIS Sailing Areas (poly) LIS Sailing Routes (lines) 	Areas consistently used by organized clubs and associations. Including but not limited to racing and training areas, and long-distance sailing race routes.
Marine Events	<i>Data available in USCG weekly Notice to Mariners and 33 CFR 100.100 table.¹⁷</i>	Recurring marine events including those described in 33 CFR 100.100 Table.


¹⁷ (USCG, 2019)

High Activity Recreational Boating Areas	<ul style="list-style-type: none"> LIS Boating Density (Top 2/5 Quantity Classes) 	Approximate areas where the density of recreational boating is substantially higher than the overall mean for LIS.
Mooring Fields and Anchorage Areas	<ul style="list-style-type: none"> LIS Observed Boat Clusters (poly) NOAA ENC Anchorages (poly) 	Formally designated or traditional mooring fields and anchorages, as designated or managed by NOAA, municipal Harbor Management, or other organizations.
Marinas, Yacht Clubs, and Boat Launches	<ul style="list-style-type: none"> CT & NY Marinas and Yacht Clubs (pts) LIS Boat Launches (pts) 	Locations of marinas, yacht clubs, and boat launches that are within the Blue Plan Area of Interest.
Waterfowl Hunting Areas	<ul style="list-style-type: none"> CT Waterfowl Hunting (poly) 	Areas in Long Island Sound important for waterfowl hunting, including sea duck habitat.
Dive Sites	<ul style="list-style-type: none"> LIS Dive Sites (pts) MARCOS LIS Dive Areas (poly) NEODP Dive Areas (poly) 	Locations in Long Island Sound important for SCUBA activities.
Coastal Public Use Areas	<ul style="list-style-type: none"> CT Coastal Access Sites (pts) NEODP Individual Ocean Uses (pts) CT & NY Open Space Parkland (poly) NEODP Water Trails (lines) CT Waterfowl Concentration Areas (poly) CT & NY NWI Beaches (lines) 	Areas important for public access and use of Long Island Sound for recreational activities including but not limited to swimming, paddling, and wildlife watching.
SHUA Criteria	Supporting Datasets	Description
Areas important for navigation, transportation, infrastructure, and economic activity		
Working Waterfronts, Ports, and Marine Commercial Areas	<ul style="list-style-type: none"> LIS Working Waterfronts (pts) Offshore Terminals (pts) 	Commercial facilities that are water dependent, or service water-dependent uses on Long Island Sound, including but not limited to onshore and offshore terminals and port facilities.
Designated Navigational Channels, Fairways, and Basins	<ul style="list-style-type: none"> LIS ENC Fairways & Navigational Channels (poly) Squid Dredge Footprint (poly) 	Designated and maintained navigational channels as they appear on the NOAA-published charts and USACE management plans. Also includes authorized privately


		maintained navigational channels, fairways, and basins, excluding facilities for individual residential use.
Designated Anchorage Areas	<ul style="list-style-type: none"> LIS ENC Anchorages (poly) 	Anchorage areas as they appear on the NOAA charts, and are generally used by commercial vessels.
Security Zones and other Designated Areas	<ul style="list-style-type: none"> LIS ENC Restricted Areas (poly) 	Security zones and other operational zones, as designated by the Coast Guard or other appropriate authority.
Areas of Lightering Activity	<ul style="list-style-type: none"> LIS ENC Lightering Zones (poly) 	Areas designated by the Coast Guard for ship-to-ship transfer (lightering), and other areas regularly used for such transfers.
Vessel Traffic Areas	<ul style="list-style-type: none"> 2016 AIS All Vessel Transit Counts 	Areas of high traffic use by vessels with AIS transponders including but not limited to ferries and commercial ships. High traffic use is defined by areas that exceed the mean value of transit counts.
Dredged Material Disposal Areas (Active and Historic)	<ul style="list-style-type: none"> LIS Disposal Sites (poly) 	Material disposal sites as they appear on the NOAA charts, in the LIS DMMP, or designated by EPA. Includes areas currently and historically used. Also includes confined aquatic disposal (CAD) cells.
Cables, Pipelines, and Cable/Pipeline Areas	<ul style="list-style-type: none"> LIS Submarine Cables (lines) LIS Cable and Pipeline Areas (poly) 	Submerged cable and pipeline infrastructure areas, including but not limited to those indicated on NOAA navigational charts.
Coastal Energy Generating and Transmission Facilities	<ul style="list-style-type: none"> LIS Coastal Energy Facilities (pts) 	Coastal energy generating and transmission facilities and associated infrastructure, including areas of Long Island Sound adjacent thereto.
SHUA Criteria	Supporting Datasets	Description
Areas important to fishing and aquaculture		
Recreational Fishing	<ul style="list-style-type: none"> LIS Popular Places to Fish (poly) 	Areas significant for recreational fishing, as identified by DEEP Fisheries and the recreational fishing community of Long Island Sound.

Commercial Fishing	<ul style="list-style-type: none"> • 2000-2010 NOAA Vessel Trip Report Landings 	Areas of substantial value to the commercial fishing community in Long Island Sound.
Charter and Party Boat Fishing	<i>No available data</i> ¹⁸	Areas of substantial value to the charter and party boat industry in Long Island Sound.
Recreational Shellfish Areas	<ul style="list-style-type: none"> • CT Recreational Shellfish Beds 	Town and/or state managed recreational shellfishing areas.
Commercial Aquaculture Locations	<ul style="list-style-type: none"> • CTDABA Aquaculture Operations • CTDABA Seaweed Licenses • CTDABA Aquaculture Gear areas • CTDABA Town/State Shellfish Lease beds • NYDEC Aquaculture Sites 	Shellfish leases, seaweed leases, gear areas, designated natural beds, and any other type of authorized aquaculture venture in CT and NY as applicable.


While a complete map book showing the current known extent of each SHUA described above may be found in Appendix 3, the examples in Figure 3-39 a-d illustrate the diversity of activities considered in the Plan.




¹⁸ While specific data is not available for this group, the Recreational Fisheries LIS Popular Place to Fish polygon includes Charter Fishing input, and these two groups target the same fish with the same gear. Areas important to Rec Fishers may therefore also be also important to Charter and Party Boat Fishing.



b.



c.



d.

Figure 3-39 Example SHUA maps from each overarching pillar: a) Shipwrecks; b) Sail Racing Routes; c) Cable/Pipeline Areas; and d) Recreational Fishing activity.

The clustering analysis does not impact the Siting and Performance standards associated with each SHUA individually, nor does it impose any further policies for hot or cold spots. The PDT envisions that these cluster maps would help inform interested parties to better understand where activities are concentrated or not. Based on potential future interests it may be important to try and avoid areas where many uses are already occurring, or it may be beneficial to try and co-locate new activities where existing similar activities already take place. Therefore, these maps should not be construed to simply convey any measure of “importance” (i.e., hot spots are not intended to reflect areas that are inherently more important or valuable than cold or neutral spots), but simply reflect the number of uses in a given location. Unlike the ESA overlay maps, this clustering analysis does not give an indication of minimum performance standards that will need to be met by an applicant.

In the end, the SHUA process should serve to reinforce and better understand what everyone who ventures out on the Sound knows inherently to be true: that Long Island Sound is a busy, dynamic waterbody supporting a captivating array of human activity; that traditional uses such as lobstering and sailing coexist with the emerging industry of seaweed aquaculture; and that shipwrecks are a surprising boon and support numerous interests, including SCUBA diving, archaeology, and angling. Yet it is the resulting SHUAs that provide a mechanism to define these areas and give legal standing to support the intrinsic value of their continued existence in a changing world. The SHUAs and the process that designates them are not perfect, but they are also not static, and future iterations of the Blue Plan are opportunities to improve this, like every other, component.

Chapter 4 Blue Plan Policies and Standards

4.1 Introduction

Blue Plan policies and standards are established to identify areas and standards that avoid conflicts and impacts and encourage sustainable and compatible development. In general, proposed uses and activities subject to the Long Island Sound Blue Plan are not prohibited outright. Rather, project proponents are encouraged to develop their applications to avoid, minimize, and mitigate conflicts and impacts on Long Island Sound’s natural resources and traditional human uses.

This chapter overviews the policy types that are applicable to projects proposed within Connecticut waters and waterward of the Blue Plan policy line in Long Island Sound: Sound-wide Policies (Part I), and policies that are specific to Significant Ecological Resources and Significant Human Uses (Part II). There is also a description of the various “lenses” through which each policy is encouraged to be considered (Part III).

The Blue Plan provides greater clarity and resources for the existing regulatory processes listed below that already apply to certain in-water activities in Long Island Sound. The [Inventory](#) and policies herein are intended to provide insight into use and development opportunities and constraints, from a spatial perspective (LIS Inventory and Science Subcommittee, 2019). Policies may also be utilized for guidance in pre-application discussions between the Commissioner of Energy and Environmental Protection and applicants.

Policies of the Long Island Sound Blue Plan will be enforceable pursuant to Section 25-157t(h) of the Connecticut General Statutes (CGS) and shall be considered as a factor in the review of applications under the following regulatory programs (more information on these programs can be found in Chapter 2: Blue Plan Management Framework):

- [16-50K](#), Certificate of environmental compatibility and public need
- [22-11h](#), Permits for aquaculture operations
- [22-11i](#), Licensing of aquaculture producers
- [22-11j](#), Planting and cultivating seaweed. Prohibition on interference with right of fishing or shellfishing
- [22a-6k](#), Emergency authorization for regulated activity. Temporary authorization for regulated activity
- [22a-359](#), Regulation of dredging, erection of structures, and placement of fill in tidal, coastal, or navigable waters. Sunken or grounded vessels.

- [22a-361](#), Permit for dredging, structures, placement of fill, obstruction or encroachment, or mooring area or facility. General permits. Removal of sand, gravel or other material.
- [22a-363b](#), Certificate of Permission
- [22a-363d](#), Emergency Authorization
- [22a-430](#), Permit for New Discharge
- [25-157b](#), Crossings of Long Island Sound. Evaluation of application's consistency with comprehensive environmental assessment plan.
- [26-194](#), Leasing of shellfish grounds. Fee. Utility lines and public use structures. Shellfish removal or relocation costs. Annual host payments for Long Island Sound crossings. Designation of shellfish areas to regional agricultural science and technology education centers.
- [26-257a](#), Local shellfish commissions
- [Section 401 Federal Water Pollution Control Act](#) Water Quality Certifications

If an applicant proposes a new use within the policy area in Long Island Sound that is subject to the above regulatory programs the applicant shall consider all the appropriate policies and protection standards of this chapter and shall comply with applicable enforceable policies and standards. Any existing activities already authorized under the listed statutes will not be affected by the Blue Plan policies. Further, any activity that is not regulated under the listed statutes, such as ordinary fishing and boating activities that do not involve construction activities, will not be affected by the Blue Plan policies, save to be recognized and protected by them, as traditional uses of the Sound. All proposed activities will, of course, remain subject to all existing authorities including municipal harbor master and harbor management commission review. Additionally, the Blue Plan will not change the existing opportunities for public comment, hearings, and appeals under the above regulatory programs.

In addition, the CZMA federal consistency process described in Chapter 2 provides another avenue by which Blue Plan policies can be applied. After NOAA approves the incorporation of the Blue Plan into Connecticut's coastal management program under Section 306 of the CZMA, DEEP may apply the Blue Plan enforceable policies listed in Appendix 1 to federal actions pursuant to NOAA's federal consistency regulations (15 CFR part 930). Pursuant to the applicable subpart of NOAA's CZMA federal consistency regulations, federal actions occurring within Connecticut waters will be subject to the Appendix 1 enforceable policies, including those federal actions that are not subject to the listed state authorities, such as federal agency actions or projects (e.g. gas pipelines) that are exclusively regulated at the federal level. In addition, the enforceable Blue Plan policies listed in Appendix 1 will also apply to specific listed federal actions occurring within Connecticut's NOAA-approved GLDs through NOAA's CZMA

interstate federal consistency process if the federal actions in the GLDs will have reasonable foreseeable effects on the uses or resources of Long Island Sound.¹⁹

4.2 Part I: Sound-Wide Policies

Sound-wide policies are the highest-level policies contained in the Long Island Sound Blue Plan, as they are intended to apply everywhere within the Policy Area. This section includes a list of broad policies and criteria for the applicable regulatory programs, incorporating the statutory policy criteria of CGS § 25-157t(b)(2) as integrated through the [Vision & Goals Statement](#). These policies and criteria are supplemental to and consistent with existing statutory policies and criteria for those programs.

Goal 1: Healthy Long Island Sound Ecosystem

Science-based planning and practices that consider both the environment and human uses will help us understand and protect Long Island Sound ecosystems and the services they provide, now (a.) and in the future (b.):

Policies:

- a. Any activity proposed within the Blue Plan policy area shall avoid, minimize, and mitigate²⁰ adverse impacts to natural resources in general, including ecosystem services and water quality, and Ecologically Significant Areas in particular, pursuant to CGS §25-157t(h).
- b. Any activity proposed within the Blue Plan policy area shall consider the future effects of climate change, including but not limited to water quality impacts, changes in species composition, and sea level rise, in accordance with scenarios established pursuant to CGS §25-68o as amended by PA 18-82; and pursuant to CGS §25-157t(h).

¹⁹ The Geographic Location Description (GLD) is a NOAA-approved designation of areas outside a state's waters in which reasonably foreseeable effects to the state's coastal resources and uses may result from listed federal actions. Connecticut's GLD descriptions and maps may be found at the [CT NOAA Federal Consistency Letter](#) (NOAA, 2006), [Connecticut's Proposed Federal Consistency List](#) (CT DEEP, 2010), [Marine Cadastre National Viewer](#) (Marine Cadastre, 2019). New York's approved GLD from NOAA can be found at the [NY NOAA Federal Consistency Letter](#) (NOAA, 2006) and [New York's Listed Federal Actions](#) (NOAA, 2019).

²⁰ When applied to policies in this chapter, use of the term "avoid" shall include the minimization of unavoidable adverse impacts and the mitigation of remaining minimized impacts.

Goal 2: Effective Decision-Making

An inclusive, transparent, stakeholder-endorsed and science-based Blue Plan decision-making process that is consistent with other plans and legal requirements will lead to decisions supporting the long-term vision for compatibility of human uses and thriving marine life.

Policies:

- a. The Blue Plan “shall establish the state’s goals, siting priorities and standards for ensuring effective stewardship of the waters of Long Island Sound held in trust for the benefit of the public.” (CGS § 25-157t(b)).
- b. The Inventory, Blue Plan, and policies, including the maps, data, and descriptions therein, are meant to provide guidance and direction to project proponents/applicants, regulators, and the general public on how the state is to interpret and implement its existing authority including permit and decision- making responsibilities pursuant to CGS § 25-157t(h).
- c. Any proposed regulated activities shall provide site-specific information necessary to evaluate consistency of the activities with existing regulatory criteria, as may be further informed by Blue Plan policies. Blue Plan policies do not approve or prohibit any specific regulated activity, nor do they pre-determine the outcome of any individual regulatory process.

Goal 3: Compatibility among Past, Current, and Future Ocean Uses

Science-based planning and practices that consider both human uses and the environment will sustain traditional and facilitate compatible new water-dependent uses to enhance quality of life and compatible economic development, including maintaining the ecosystem services they depend upon.

Policies:

- a. The Blue Plan recognizes that Long Island Sound belongs to the people of Connecticut and New York, and its waters and submerged lands are held in Public Trust²¹ by those States for the people. Management of the Sound shall use spatial planning for the benefit of the general public, and the pursuit of traditional public trust uses including but not limited to aquaculture, fishing, recreation, and navigation.

The surface and air, water column, and benthos and substrate of the Blue Plan policy area shall be left as open and unrestricted as possible. New uses of the policy area shall neither unreasonably impair multiple use areas nor unreasonably restrict public access, except

²¹ A more extensive summary of Public Trust can be found in Section 2.2.

where necessary for resource protection, public health and safety, national security, or short-term construction activities.

Permanent physical or visual obstructions or encroachments shall not be allowed unless necessary for water-dependent uses, resource protection or enhancement, public health and safety, or national security, or providing a substantial public benefit. For the purposes of this policy “public benefit” means a material positive impact to the well-being of the Long Island Sound ecosystem, economy or the general public, as opposed to any particular benefits to individual firms or economic actors. Public benefit shall include facilities in the national interest defined by CGS § 22a-93(14), and facilities in support of the State’s [Comprehensive Energy Strategy](#), required by CGS § 16a-3d(a), and modified by PA 18-82 to become a Comprehensive Climate and Energy Strategy by 2020 (CT DEEP, 2018), and the [State Plan of Conservation and Development](#), CGS §16a-27 through 16a-30 (Office of Policy and Management, 2005-2010).

- i. Any activity proposed within the Blue Plan policy area shall avoid, minimize, and mitigate conflicts with traditional public trust uses, including Significant Human Use Areas, pursuant to CGS § 25-157t(h).
- ii. Structures regulated pursuant to the programs listed in CGS Section 23-157t(h) shall be minimized to the extent practicable in physical scope and visual profile.
- iii. New non-water-dependent uses, including industrial, commercial, or residential uses, shall not be placed within the Blue Plan policy area unless:
 - a. There are no significant adverse impacts to natural resources, including ecosystem services and water quality, and to existing human uses; and
 - b. There is a substantial public benefit that outweighs occupation of public trust lands and waters and any unmitigated adverse impacts; and
 - c. There is no feasible²² and less environmentally damaging land-based alternative to the proposed use.
- iv. Artificially created or enhanced habitats, such as artificial reefs, islands constructed of dredged material, or barges used for seabird nesting shall not be authorized unless:
 - a. significant adverse impacts to existing resources are avoided, minimized, and mitigated, and

²² Feasible uses the same definition as CGS § 22a-38(17).

- b. resource and use benefits outweigh remaining adverse impacts, and
 - c. the primary purpose provides a public benefit.
 - v. New permanent cross-Sound transportation infrastructure (e.g., bridges and tunnels) shall be avoided except in cases of significant public benefit where adverse impacts, including visual, have been minimized and mitigated to the maximum extent practicable.
 - vi. Structures intended for flood and storm protection (e.g., tidal barriers and flood walls) shall be avoided except in cases of significant public benefit and where adverse impacts, including but not limited to changes to the Sound's tidal processes and water quality, have been minimized and mitigated to the maximum extent practicable.
- b. A prominent and characteristic visual feature of Long Island Sound is the unobstructed views from shore to shore; in Connecticut, across to Long Island and Fishers Island, and to the smaller islands and lighthouses which serve as visual points of reference for the public. Within this landscape, visual attributes associated with traditional water-dependent uses, such as vessels, moorings, or buoys, are also common visual points of reference. Accordingly, no new proposed regulated activity may be allowed within the Blue Plan policy area that creates a significant permanent effect on landscape-scale vistas from public viewing points of state or regional significance, such as state parks or prominent viewing areas. Municipal authorities are encouraged to implement Connecticut Coastal Management Act policies to identify and protect coastal and inshore visual resources that are visible at the local or neighborhood level.²³
- i. Artificial illumination shall be kept to the minimum necessary for the functioning of a water-dependent use, except for temporary exhibitions such as fireworks displays and as legally required for public health and safety.
 - ii. Applicants for visible in-water or on-water activities are required to provide a visual impact analysis, including day and night digital simulations of different development scenarios, in cases where the regulatory agency administering the programs listed in CGS § 25-157t(h) determines such analyses are necessary to review the potential visual impact of a regulated activity.

²³ Refer to the [Visual Impact Factsheet](#) in the Connecticut Coastal Management Manual (CT DEEP, 2000).

4.3 Part II: ESA and SHUA Policies

The Blue Plan identifies a series of Ecologically Significant Areas (ESAs) and Significant Human Use Areas (SHUAs) in Long Island Sound. This section is comprised of policies that aim to protect the value of ESAs and SHUAs. This section is thus separated into two parts where more specific siting and performance standards are written based on each ecological or human use category.

General Policies Applicable to All ESAs and SHUAs:

1. New activities within the Blue Plan policy area shall, to the extent practicable, maintain the capability of the Sound's natural resources to support current and new multiple uses and the natural environment of the Sound.
2. In general, new activities in the Blue Plan policy area of Long Island Sound shall, to the extent practicable, maintain, preserve, or enhance the values of an ESA and/or SHUA. A proposed activity may be located within or affect an ESA and/or SHUA provided that it has been demonstrated, through site-specific data and analysis submitted pursuant to the applicable regulatory program under CGS § 25-157t(h) that:
 - a. The project will cause no significant adverse impacts to the ESA and/or SHUA pursuant to the Ecologically Significant Areas siting and performance standards in Part IIa and the Significant Human Use Areas siting and performance standards in Part IIb, or
 - b. There is no feasible, less damaging alternative and all reasonable mitigation measures and techniques have been provided to minimize adverse impact, and the public benefits of the project outweigh the harm to the ESA and/or SHUA resource, use, or value.
3. Each SHUA and ESA sub-criterion will have a map or a group of maps associated with it that will designate the best available information on the current extent of that resource or use. These maps are not enforceable standards, because the best known current extent will likely change over time with new information. The maps are meant to assist state and local governments, applicants, stakeholders, and the public by showing current SHUA and ESA locations. The ESA and SHUA policies and protection standards are applicable pursuant to the most up-to-date extent of the ESA and SHUA, even if this extent may not yet be represented in the current maps.
 - a. Some ESAs and SHUAs are located outside the policy area, i.e., landward of the policy area up to the coastal boundary as defined by CGS §22a-94(b).

Policies associated with such ESAs and SHUAs may only be applied to regulated activities within the policy area.

4.3a Part IIa: Siting and Performance Standards for ESAs

This section (Table 4-1) describes the siting and performance standards applicable to each ESA criteria, based on the location of potential impact either on or in the Air and Surface (AS), Water Column (WC), and Benthos & Substrate (BS) in the Blue Plan policy area. The General ESA and SHUA policies also apply to all the following siting and performance standards.

Table 4-1 Performance standards for locating new proposed activities within an ESA, in compliance with policies 2a-b noted above.

ESA Siting and Performance Standards			
Significant Ecological Resource Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
<i>1. Areas with rare, sensitive, or vulnerable species, communities, or habitats</i>			
1.1. Hard bottom and complex sea floor	No specific standards applicable. General policies apply.	No alteration, including changes in sedimentation or turbidity that would significantly adversely impact ecological characteristics and function.	No alteration that would significantly adversely impact ecological characteristics and function.
1.2. Areas of submerged aquatic vegetation	No structures or activities that would substantially shade or otherwise adversely impact growth.	No alteration, including physical impacts or changes in sedimentation or turbidity that would significantly adversely impact vegetation.	No bottom disturbance to existing vegetation. Protection and enhancement activities are encouraged pursuant to CGS § 22a-92(c)(2)(A).

1.3. Endangered, threatened, species of concern, and candidate species listed under state and federal Endangered Species Act and their habitats	No specific standards applicable. General policies apply. Comply with applicable state and federal policies to avoid adverse impacts to designated species and habitats.		
1.4. Areas of cold water corals	No specific standards applicable. General policies apply.	No alteration, including changes in sedimentation, turbidity, or acidity that would significantly adversely impact corals.	No bottom disturbance to existing corals.
1.5. Coastal Wetlands	Blue Plan policies will not directly apply to coastal wetlands since these resources by definition are found in the intertidal zone outside the policy area. Therefore please refer to the Connecticut Tidal Wetlands Act [CGS § 22a-28 as referenced by CGS §§ 22a-92(a)(2), 22a-92(b)(2)(E), 22a-92(c)(1)(B), and 22a-92(b)(1)(B)] and the Connecticut Coastal Management Act [CGS §§ 22a-93(15)(H) and 22a-93(15) (G)] for appropriate policies and standards.		
Significant Ecological Resource Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
2. <i>Areas of high natural productivity (HNP), biological persistence, diversity, and abundance, including areas important for supporting or exhibiting such features, relative to these characteristics or species.</i> ²⁴			
2.1. Cetaceans	No specific standards applicable. General policies apply. Comply with Marine Mammal Protection Act and other applicable federal law.		
2.2. Pinnipeds	No activities that would significantly or permanently impair use of an area by these species. Comply with Marine Mammal Protection Act and other applicable federal law.		
2.3. Sea Turtles and other Reptiles	No specific standards applicable. General policies apply. Comply with Endangered Species Act and other applicable federal law.		

²⁴ Areas where natural productivity, biological persistence, diversity, and abundance are high, as well as migratory sanctuaries, stopovers and corridors, nesting areas, feeding areas, and nursery grounds for cetaceans, pinnipeds, sea turtles, marine birds, fish, mobile invertebrates, sessile-mollusk-dominated communities, managed shellfish beds, and soft-bottom benthic communities.

2.4. Birds	No activities that would significantly adversely impact diversity or abundance of species, including but not limited to interference with migratory patterns or foraging, in these areas. Comply with Migratory Bird Treaty Act and other applicable federal law	
2.5. Fish	No activities that would significantly adversely impact diversity, persistence, or abundance of species in these areas. Comply with Endangered Species Act and other applicable federal law.	
2.6. Mobile Invertebrates	No specific standards applicable. General policies apply.	
2.7. Sessile-mollusk dominated communities	No specific standards applicable. General policies apply.	No activities that would significantly adversely impact diversity, persistence, or abundance of species in these areas.
2.8. Managed Shellfish Beds	No specific standards applicable. General policies apply.	No activities that would significantly adversely impact ecosystem services of managed shellfish beds, except for those activities related to such shellfish management.
2.9. Soft-bottom benthic communities	No specific standards applicable. General policies apply.	

4.3b Part IIb: Siting and Performance Standards for SHUAs

This section (Table 4-2) describes the siting and performance standards applicable to each SHUA criteria, based on the location of potential impact either on or in the Air and Surface (AS), Water Column (WC), and Benthos & Substrate (BS) in the Blue Plan policy area. The General ESA and SHUA policies also apply to all the following siting and performance standards.

Table 4-2 Performance standards for locating new proposed activities within a SHUA, in compliance with policies 2a-b above.

SHUA Siting and Performance Standards			
Significant Human Use Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
3. Areas with features of historical, cultural, or educational significance ²⁵			
3.1. Areas associated with lighthouses and other historic buildings	No activity that would significantly restrict physical or visual access to the site.	No specific standards applicable. General policies apply.	
3.2. Shipwrecks	No permanent fixed or floating structures that significantly affect the shipwreck site or access to it. Site marker buoys may be allowed.	No permanent fixed or floating structures that significantly affect the shipwreck site or access to it.	No significant bottom disturbance, including deposition or shifting of sediments.
3.3. Areas of historical or cultural significance, submerged archaeological sites, and submerged areas of archeological sensitivity	No permanent fixed or floating structures that adversely affect submerged historical or cultural resources. Site marker buoys may be allowed.	No permanent fixed or floating structures that adversely affect submerged historical or cultural resources.	No bottom disturbance that would adversely affect submerged historical or coastal resources.
3.4. Discrete areas important for research, education, and monitoring	No activity that would significantly adversely affect the use of the area for such purposes.		

²⁵ For SHUA’s 3.1-3.3, CT’s State Historic Preservation Office (SHPO) requests applicants send them 1) information on where the ground disturbance will be, 2) the site ID, is included in data layer, the for upland and underwater archeological sites, 3) [Project Review Cover Form](#) (PRCF), and 4) to contact the Office of State Archaeology if in a potential submerged Holocene site. Applicants are required to file a PRCF with SHPO regardless of the Blue Plan.

Significant Human Use Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
4. Areas of substantial recreational and/or “quality of life” value			
4.1. Sailing and Rowing Races	No fixed or floating structures that would unreasonably interfere with racing activity during the season.	No activity that would unreasonably interfere with racing activity during the season.	
4.2. Marine Events	General policies apply. Consult with event organizers to avoid or minimize conflict.		
4.3. High Activity Recreational Boating Areas	No fixed or floating structures that would significantly interfere with vessel traffic or impair safety.	No activity that would significantly interfere with vessel traffic or impair safety.	
4.4. Mooring and Anchorage Areas	No fixed or floating structures that would significantly interfere with vessels or vessel traffic.	No activity that would significantly interfere with vessels or vessel traffic.	No activity that would significantly interfere with vessels or the placement of mooring tackle.
4.5. Marinas, Boat Launches, and Yacht Clubs	No fixed or floating structures that would unreasonably interfere with authorized facilities and associated boating activities, including access to and maintenance of navigational channels and marina infrastructure.	No activity that would unreasonably interfere with authorized facilities and associated boating activities, including access to and maintenance of navigational channels and marina infrastructure.	

4.6. Waterfowl Hunting	No fixed or floating structures that would unreasonably interfere with seasonal hunting activity or waterfowl habitat.	No specific standards applicable. General policies apply.	
4.7. Dive Sites	No permanent fixed or floating structures that adversely affect submerged historical or cultural resources, or unreasonably restrict divers. Site marker buoys may be allowed.	No in-water activities or structures that unreasonably interfere with diver access.	No bottom disturbance that would unreasonably adversely affect submerged historical or cultural resources, including deposition or shifting of sediments.
4.8. Coastal Public Use Areas	No structures or activities that would significantly interfere with coastal public use activities.		
Significant Human Use Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
5. Areas important for navigation, transportation, military, infrastructure, and economic activities			
5.1. Working Waterfronts	No activities, or permanent fixed or floating structures that would significantly interfere with maritime and water-dependent activities, including access to navigational channels and infrastructure.	No activities, or permanent fixed structures that would significantly interfere with maritime and water-dependent activities, including navigational channels and infrastructure.	No on-bottom structures or disturbance that would significantly interfere with operations, including access to and maintenance of navigational channels and infrastructure.

5.2. Designated Navigation Channels	No permanent fixed or floating structures that significantly interfere with navigation or channel maintenance.	No permanent structures that would significantly interfere with navigation or channel maintenance.	No permanent bottom or sub-bottom structures that significantly interfere with navigation or channel maintenance. Potentially appropriate to co-locate cables, pipelines, and other uses that may require bottom disturbance during installation, given the need for periodic dredging.
5.3. Commercial anchorage areas, security zones, and other designated areas	Activities shall be consistent with the existing Federal regulations for that designated area.		
5.4. Areas of Lightering Activity	Activity shall comply with applicable Coast Guard and other regulations. No potentially conflicting activity during lightering operations.	No specific standards applicable. General policies apply.	
5.5. Vessel Traffic Areas	No activity or permanent fixed or floating structures that significantly interfere with vessel traffic and navigation, including maneuvering.	No activity or permanent structure that would significantly interfere with navigation.	No specific standards applicable. General policies apply.
5.6. Dredged Material Disposal Areas: Active	No activity or permanent structures that interfere with disposal operations.		No excavation. No bottom disturbance, except as incidental to disposal operations, scientific activities, or remediation activities.

5.7. Dredged Material Disposal Areas: Historic/Closed	No specific standards applicable. General policies apply.			No excavation. No bottom disturbance, except for scientific or remediation activities.
5.8. Cables, pipelines, and cable/pipeline areas	No specific standards applicable. General policies apply.			No activities that would significantly disturb existing cables and pipelines, except that new facilities may be co-located within corridors, as appropriate to avoid impact to adjacent areas.
5.9. Coastal Energy Generating and Transmission Facilities	No activities that would interfere with facility operation or access.			No on-bottom structures or disturbance that would interfere with operations, including access to the facility by cables or pipelines.
Significant Human Use Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)	
6. <i>Areas important to fishing and aquaculture</i>				
6.1. Recreational Fishing	Significant displacement of recreational fishing and related activity by other activity, or permanent structures shall be avoided to the maximum extent practicable.			
6.2. Commercial Fishing	Significant displacement of commercial fishing and related activity by other activity or permanent structures shall be avoided to the maximum extent practicable. Consultation with sector is required commensurate with intensity of commercial fishing activity potentially being impacted.			
6.3. Charter & Party Boat Fishing	Significant displacement of charter and party boat fishing and related activity by other activity, or permanent structures shall be avoided to the maximum extent practicable.			
6.4. Recreational Shellfish	No permanent structures or activity that unreasonably restricts access to designated shellfish beds or recreational shellfishing activity.			

4.4 Part III: Lenses for Consideration

This section describes a series of six “lenses” which are meant to be taken under consideration when applying the various policies and standards presented above. The lenses are meant to assist the applicant or agency when determining the suitability, location, and timing of a proposed project, and if that project calls for additional information and data collection. Lenses may also have additional resources associated with them that are meant to assist the user in considering the lens.

1. *Other Applicable Laws*

Review and consider any other legal authorities that are not listed in Section 4.1 that may apply to a specific area or activity. Examples may include the Endangered Species Act, Marine Mammal Protection Act, Federal Energy Regulatory Commission, Connecticut or New York State Fisheries Regulations. Please refer to Chapter 2: Blue Plan Management Framework for additional information.

2. *Degree of Conflict*

Review and consider the degree of conflict a proposed project may have with various natural resources, including ecosystem services, and human uses present in Long Island Sound. Please see Appendix 4: Conflict and Compatibility Matrices for a series of conflict and compatibility matrices that outline whether two uses or a use and resource are synergistic, compatible, conditionally compatible, or in conflict.

3. *Reliability of Data*

Review and consider the reliability of certain data sets or map products when siting a proposed project. For instance, navigational channels will likely remain constant, while recreational boating and fishing areas may change by season or year. Utilizing data that is more fluid may require additional surveying or outreach. Additionally, the data presented is the best currently available data, as some datasets may be older or have gaps in data collection. Please see Appendices 2 and 3 and the [Inventory](#) for more information on the data utilized in this Plan and any current gaps (LIS Inventory and Science Subcommittee, 2019).

4. *Duration, Permanence, and Seasonality of Resource or Use*

Review and consider the duration, permanence, and seasonality of the resource or use that may be impacted, and the duration and permanence of the new use proposed. For

example, duck hunting and sailboat races occur seasonally while uses like ferry trips occur throughout the year.

5. *Social, Community, and Generational Equity*

Long Island Sound is a public trust resource and must be shared between different stakeholders, diverse communities, and multiple generations. Review and consider how a new use may impact the greater population of Long Island Sound users, now and in the future. Applicants should also consider how their proposed project will differentially impact various users. Please view the [CT DEEP Environmental Justice](#) policies for more information (CT DEEP, 2009).

6. *Climate Change Resilience and Mitigation*

Climate change is already evident on a global scale, and locally in Long Island Sound, including such impacts as increasing air and water temperatures, rising sea levels, extreme storm events, changes in species composition and habitat utilization, and ocean acidification. Further effects of climate change are anticipated in the future, and could be exacerbated by 1) natural changes from coastal processes, and 2) changes in human development patterns. In an effort to adapt to evolving knowledge and understanding of the marine environment, including adaptation to climate change and sea level rise, it is vital for future activities and projects within the Blue Plan policy area to consider a changing climate in their design by enhancing the resiliency of the proposal and, where possible, mitigating any contributions to a changing climate. Please see the [CT DEEP Climate Change](#) policies and reports for more information (CT DEEP, 2019).

Chapter 5 Implementation and Adaptive Management

5.1 Introduction

The Long Island Sound Blue Plan and Resource and Use Inventory enhance the existing regulatory and decision-making processes of local, state, and federal entities for the waters of the Sound. In its implementation, the Blue Plan encourages appropriate, responsible development of Long Island Sound's waters while protecting traditional uses and natural resources.

Although the main function of the Blue Plan and Inventory is to provide resources for and support better regulatory decisions, the spatial data, information, and standards presented in these documents are useful to inform various planning and other initiatives. Below is a summary on how to access these various resources and information.

- i. Data and information that was collected to inform the Blue Plan can be found in the [Long Island Sound Resource and Use Inventory](#).
- ii. Significant area maps (ESA's or SHUA's) can be found and utilized from the hard-copy appendices at the end of the Blue Plan document, and via an online [Blue Plan Map Viewer](#) coordinated with UConn CLEAR via the CT ECO platform.
- iii. The information to understand how spatial data will be used in the regulatory process can be found in Chapter 4: Blue Plan Policies and Standards, and a Blue Plan users' guide currently in development.

As the Blue Plan is implemented and utilized over time, it is also important that the Plan adapts and improves. CT DEEP, with the assistance of the BPAC, will monitor progress in Blue Plan implementation, revise sections of the Plan that could be improved, and adapt the Plan and Inventory to changing environmental and social conditions, including the availability of new datasets.

This following section will overview 1) the entities that will implement the Blue Plan 2) the role and function of the BPAC, Subcommittees and Work Teams in continuing Blue Plan Implementation over time, 3) how the Blue Plan will be monitored, assessed, and reported on, and 4) how the Blue Plan will be adapted and improved over time with new information and data.

5.2 Agencies Implementing the Blue Plan

The Blue Plan is implemented through a list of existing regulatory programs pursuant to CGS § 25-157t(h), and more detail can be found in Chapter 2: Blue Plan Management Framework, and

Chapter 4: Blue Plan Policies and Standards. The regulatory programs described in those chapters are administered by:

- Connecticut DEEP;
- Connecticut Department of Agriculture: Bureau of Aquiculture;
- Connecticut Siting Council; and
- Local shellfish commissions.

These agencies will implement the Blue Plan by considering Plan policies as a factor in the review of their regulatory programs identified in CGS §25-157t(h). As is the case now, each of those agencies will make the final decisions on their own permitting programs with all the existing rights of appeal available. There will be no new permitting or application process associated with the Blue Plan. From the CT DEEP perspective, there will likely be updates to the existing permitting forms to include Blue Plan references. The Blue Plan policy area, outlined and mapped in Section 3.3 Long Island Areas Subject to the Blue Plan, will be the determining factor on where the Blue Plan applies and where it does not. There will be no site-specific determination or interpretation needed of the policy area which is already definitively mapped.

Additionally, once the Blue Plan becomes effective, the Commissioner of the Connecticut Department of Energy and Environmental Protection will seek to incorporate the appropriate Blue Plan policies as part of its federally approved coastal management program pursuant to CGS § 25-157t(h). Upon approval by NOAA, those policies may be applied through the federal consistency process. At that point, pursuant to the applicable subpart of NOAA's regulations (15 CFR part 930) certain federal actions in Long Island Sound need to be consistent with the plan's enforceable policies listed in Appendix 1.

Also upon approval of the Blue Plan, a users' guide will be available to assist applicants and interested parties in using the Blue Plan to assess and site potential projects in Long Island Sound. Additionally, some of the above-mentioned regulatory programs have other forms of supportive guidance available for applicants including [A Guide to Marine Aquaculture Permitting in Connecticut](#) and the [Connecticut Coastal Management Manual](#) (UConn Sea Grant, 2008) (CT DEEP, 2009).

5.3 Role and Function of Blue Plan Advisory Committee

The BPAC, no later than six months after Blue Plan approval, must advise the Commissioner of DEEP on the operation, implementation, and updating of the Inventory and Plan as applicable. Also, upon the adoption of the Blue Plan, the Commissioner of DEEP and the BPAC will decide if any Subcommittees and Work Teams are needed to fulfill the continuing mission of the Plan.

The BPAC will meet on a quarterly basis to review the implementation of the Plan, identifying emerging issues and recommending any necessary or desirable alterations or improvements to

the Plan. The BPAC shall, within available resources, hold not less than one public hearing each year to receive comments and submissions from the public on the Inventory and the Blue Plan.

According to CGS § 25-157t(h), “The Commissioner of Energy and Environmental Protection shall, within available resources, develop and implement a public outreach and information program to provide information to the public regarding the Long Island Sound Blue Plan.” Stakeholders and members of the public are encouraged find continuing updates on the Blue Plan and Inventory, including new or revised data, via the Blue Plan [webpage](#), and [Listserv](#) (CT DEEP, 2019).

Stakeholders and the public will continue to be notified of new proposals in Long Island Sound according to the existing procedures of the agency coordinating the review. Anyone wishing to view public notices from CT DEEP can do so on the [Public Notices](#) page of CT DEEP’s website (CT DEEP, 2019). Within available resources, all relevant agencies may consider additional forms of outreach and notification for proposals in the Blue Plan policy area.

Stakeholders and members of the public are also encouraged to continue to provide feedback and comments on Blue Plan implementation. Interested parties may submit comments directly to CT DEEP via email at deep.blueplanlis@ct.gov, or mail to:

Long Island Sound Blue Plan
Connecticut Department of Energy and Environmental Protection
Land and Water Resources Division
79 Elm Street
Hartford, CT 06106

CT DEEP, along with the BPAC, will receive, track, and monitor comments from the public. CT DEEP, within available resources, will respond to comments, and appropriate revisions will be made by the next mandated Blue Plan update.

5.4 Monitoring Blue Plan Implementation

Within available resources, CT DEEP will track the initial applications that are proposed within the Blue Plan policy area and are thus required to use the Blue Plan. CT DEEP will monitor any strengths and weaknesses of the Blue Plan as applied to these initial proposals. Within available resources, CT DEEP will also monitor any changing trends in the Blue Plan AOI and policy area, including changing distributions of natural resources and human uses. CT DEEP will also track if and when new data to inform the Blue Plan becomes available.

CT DEEP will report on the progress and performance of the Blue Plan and Resource and Use Inventory to the BPAC, and to the Connecticut legislature.

5.5 Adapting the Blue Plan

According to the Rhode Island Ocean Special Area Management Plan (Ocean SAMP), “Adaptive Management” is

...a systematic process for continually improving management policies and practices by learning from the outcomes of previously employed policies and practices. Adaptive management requires careful implementation, monitoring, evaluation of results, and adjustment of objectives and practices. Adaptive management usually allows more reliable interpretation of results, and leads to more rapid learning and better management. (RI CRMC, 2019)

Incorporating adaptive management principles into the Blue Plan helps ensure that the document does not become static or outdated in reference to a dynamic Long Island Sound. To that end, the Blue Plan statute commands regular periodic revisions of the Plan.

Pursuant to CGS §25-157t(h):

...the Commissioner of Energy and Environmental Protection shall provide for the review and update of such inventory and plan at least once every five years and any revision to such inventory and plan shall become effective upon approval by the General Assembly, in accordance with subsection (g) of this section.

The Blue Plan may also undergo changes prior to the mandated five-year review and update if the BPAC finds it appropriate to do so. The Commissioner also has the authority and discretion to include new and updated data and maps into the Inventory and Blue Plan, at any time.

Although DEEP has the mandate to fulfill this adaptive management provision, duty also falls to the people of Connecticut and Long Island Sound stakeholders out-of-state to bring forth changes that they believe must be made to the Blue Plan documents, and information to support those changes. As is noted earlier in this document, it is important that those who best know the Sound be active participants in the evolving management and stewardship of its uses and resources.

Chapter 6 Topics for Future Consideration

6.1 Introduction

Long Island Sound will change over time, both in terms of its environmental and human use factors. These everyday changes will likely be augmented considering the effects of a changing climate and new technology or development that could lead to economic opportunities in the Sound.

This chapter considers some of these future changes and challenges by highlighting climate change and its surrounding factors, potential future legislative proposals, and areas for future analysis. Knowing that the Sound will change over time, it is vital that the Blue Plan consider changes and new projects in its future implementation

6.2 Climate Change Considerations

According to the Intergovernmental Panel on Climate Change (IPCC), it is nearly certain that human generated fossil fuel emissions have caused and will continue to cause long-term changes in the Earth's climate.

On a global scale, average temperatures are understood to have increased 1.8°F (1.0°C) since pre-industrial levels, due to human activities that have released greenhouse gases (GHG) into the atmosphere. It is likely that average temperatures will increase another 0.9°F (0.5°C) between 2030 and 2052 (IPCC, 2018). Additionally, the six warmest years on record have occurred since 2010, with 2016 currently the warmest year on record (NOAA, 2018).

With the increase in GHG emissions and warming temperatures, there are compounding effects that have already and will continue to greatly impact our planet. These effects of climate change include sea level rise, ocean acidification, precipitation increase, ocean temperature rise, shift in wind patterns, and stronger storms (NASA, 2019).

In Connecticut specifically, the state has experienced an increase of 2-3°F (1.12 – 1.68°C) in the last century (EPA, 2016). The water temperature of Long Island Sound has also risen at a rate of about 1.8°F (1°C) per century (LISS, 2019). Correlating with local and global temperature increase, sea level is likewise projected to rise 1ft 8 inches (0.5 meters) in Long Island Sound by 2050 (ODonnell, 2018).

Furthermore, Long Island Sound is under threat of ocean acidification. Ocean acidification occurs when marine waters become more acidic due to the absorption of CO₂, leading to harmful effects on shellfish and other shell-building organisms. Because shellfish aquaculture is such a

valuable industry in Long Island Sound, over \$30 million in farm-gate²⁶ sales, Connecticut is highly economically sensitive to ocean acidification (LISS, 2019)(Figure 6-1). It is projected that waters in the Sound could become unsuitable to shellfish by 2071-2099 due to ocean acidification (NRDC, 2015).²⁷



Figure 6-1. The shellfish industry is extremely valuable in Connecticut and in Long Island Sound, and under the threat of climate change and ocean acidification. Above is a boat from Copps Island Oysters preparing to put oyster shell on farmed shellfish sites. Photo Credit: Middlesex Community College – Center for New Media Productions

These impacts associated with climate change in Long Island Sound could have tremendous implications for the resources and use of the Sound, as well as how the Blue Plan is implemented. For instance, shifting temperatures and seasons could change what species inhabit the Sound. Also, with changing seasons, public users of Long Island Sound may boat, fish, or kayak on the Sound later in the fall or earlier in the spring than they do now. Additionally, with the threat of ocean acidification, entire aquaculture industries may have to change or shift their practices in the future.

The Blue Plan should therefore track these changes and ensure that the data and information regarding climate change in the Plan is up-to-date, or at least notes recent observed shifts. As the Blue Plan tracks climate change, it can provide the most accurate resources and information to regulatory decision makers and planners.

²⁶ Sales directly from the producer.

²⁷ New England shellfish stakeholders and representative are starting to analyze and combat ocean acidification through [The Shellfish Growers Climate Coalition](#) (The Nature Conservancy, 2019).

6.3 Legislative Considerations

The following is a compilation of potential legislative ideas, generated through public comments and discussion, that the Connecticut Legislature may wish to consider to assist the implementation and adaptation of the Blue Plan over time. Of course, it is not an exhaustive or exclusive list.

Funding for Blue Plan Implementation and Revision

Under the statute (§ 25-157t(h)), DEEP has a continuing obligation to update, revise, and implement the Blue Plan within available resources. The legislature should ensure that sufficient additional resources are available to fulfill this responsibility.

Improved Energy Regulatory Framework

While extensive renewable energy development may be less likely to appear in Long Island Sound in the immediate future, future technologies in wind, tidal and solar generation may become more feasible, and may not be easily addressed by the current regulatory statutes. The legislature may wish to consider new or revised permitting processes to that may more effectively implement Blue Plan policies for large-scale renewable energy facilities, particularly in conjunction with New York State authorities.

Submerged Land Leasing

New York and many other coastal states operate programs under which submerged public trust lands are leased for private use. In Connecticut, shellfish beds and submerged lands under lighthouses are leased (CGS § 22a-27w); and host payment fees are paid by utility crossings of Long Island Sound under CGS § 26-194(c). Other proposals for a broader submerged lands leasing program have been raised in Connecticut over the years, and the legislature may wish to consider such a program as an additional means to fund the implementation of Blue Plan policies for the management of public trust lands, as well as a potential source of revenue for Long Island Sound related programs.

6.4 Other Areas for Future Consideration

If the Blue Plan is going to be used for decades to come, it is going to need to adapt with the changing conditions of Long Island Sound. Below are several topics for future consideration including recognizing emerging industries, potentially designating priority use areas, standardizing the notification process of Blue Plan related projects, and improving data and mapping efforts through establishing priority research areas.

Emerging Industries

New technology and new opportunities will likely lead to expanding and new uses of the Sound over time. It is important that the Blue Plan consider the potential for new industries entering the Sound, when fostering informed decision making. For instance, in addition to the ongoing rise of a budding farmed seaweed industry, other potential new human uses may include:

- Renewable Energy Infrastructure
- Bio-extraction projects using shellfish or seaweed
- Artificial islands for habitat creation or dredged material disposal
- Artificial Reefs or Eternal Reefs²⁸
- Transportation Infrastructure and new forms of maritime transportation (e.g., high-speed ferries, small-scale freight services)

These and other potential new uses might bring different effects on the Sound's natural resources and human uses, so it is important that the Blue Plan recognize how each of these new uses may fit into Connecticut's vision for Long Island Sound.



Figure 6-2. Although offshore wind energy turbines are unlikely to occur in Long Island Sound, new facilities and infrastructure could enter Long Island Sound. The Block Island Wind farm shows the potential for new renewable energy infrastructure through the Northeast. Photo Credit: Emily Hall

²⁸ Eternal reefs are alternative [at sea burial sites](#).

Priority Use Areas

A topic for future consideration and analysis may be to develop “priority use areas” to encourage similar types of uses to cluster within an area or region. Rhode Island and Massachusetts both designated areas preferred for wind energy development within their respective ocean plans. If priority use areas are considered necessary and appropriate in future iterations of the Blue Plan, a process should be developed by which to designate those areas, including allowing areas to be nominated by stakeholders and the public. A few examples of what these priority use areas could include are:

- Specific Pipeline and Cable Corridors
- Potential Tidal Energy Areas

Notification of New Projects in Blue Plan Policy Area

A future consideration may be to create a consistent method to notify the public or certain stakeholder groups of new projects that are being proposed in the Blue Plan policy area, coordinating efforts for all the regulatory programs identified in CGS §25-157t(h).

Priority Future Research Areas

A number of data gaps were identified in the Inventory (each chapter contains a section on Data Gaps and Availability of Data to Address Gaps), as well as the Appendix 2 and 3 of the Blue Plan (each ESA criterion contains a section on Updates and Potential Future Work). In the future, the Blue Plan Advisory Committee may wish to establish a thorough set of priorities for potential research to fill those data gaps, in cooperation with UConn. For this iteration of the Blue Plan, a few areas are highlighted below where it is clear that data could be expanded or developed further.

- Consideration of temporal windows across ESA criteria (e.g., data products representing monthly, seasonal, annual, decadal patterns)
- Benthic Habitat Mapping across Long Island Sound
- Marine Mammal and Sea Turtle Observational Data in Long Island Sound
- Commercial and Charter Boat Important Fishing Areas in Long Island Sound
- Areas of Particular Tribal Interest and Importance

References

- Blue Plan Stakeholder Engagement Subcommittee. (2017). *Stakeholder Engagement Program*. Blue Plan Advisory Committee.
- Coastal States Organization. (1997). *Putting the Public Trust Doctrine to Work*.
- Connecticut Academy of Science and Engineering. (2004). *Long Island Sound Symposium: A Study of Benthic Habitats*. Connecticut Energy Advisory Board.
- Connecticut Siting Council. (2019). *Connecticut Siting Council Membership*. Retrieved from Connecticut Siting Council: <https://www.ct.gov/csc/cwp/view.asp?a=951&Q=248146&cscPNavCtr=%7C&cscNav=%7C30878%7C%20-%2031235>
- Connecticut Siting Council. (2019). *Welcome to the Connecticut Siting Council*. Retrieved from Connecticut Siting Council: <https://www.ct.gov/csc/site/default.asp>
- Connecticut-New York Bi-State MSP Working Group. (2016). *Options for Developing Marine Spatial Planning in Long Island Sound: Sound Marine Planning Interim Framework Report*.
- Conservation Biology Institute. (2016). *Northern Diamondback Terrapin*. Retrieved from Northeast Conservation Planning Atlas: <https://nalcc.databasin.org/datasets/49fdf62f7a5d4c6097f8d6417c54db1c>
- CT Aquaculture Mapping Atlas. (2018). *CT Aquaculture Mapping Atlas*. Retrieved from CT Eco: <https://cteco.uconn.edu/viewer/index.html?viewer=aquaculture>
- CT Citing Council. (2008). *Broadwater Final Environmental Impact Statement*. Retrieved from Connecticut Siting Council: <https://www.ct.gov/csc/cwp/view.asp?A=3&Q=404634>
- CT DEEP. (1999). *Reference Guide to Coastal Policies and Definitions*. https://www.ct.gov/deep/lib/deep/Permits_and_Licenses/Common_Forms/coastal_guide.pdf.
- CT DEEP. (2000). *Connecticut Coastal Management Manual*. https://www.ct.gov/deep/lib/deep/long_island_sound/coastal_management_manual/manual_08.pdf.
- CT DEEP. (2000). *Connecticut Coastal Management Manual*. Retrieved from CT DEEP: https://www.ct.gov/deep/lib/deep/long_island_sound/coastal_management_manual/manual_section_2_08.pdf
- CT DEEP. (2009). *Connecticut Coastal Management Manual*. Retrieved from CT Department of Energy and Environmental Protection: https://www.ct.gov/deep/cwp/view.asp?a=2705&q=323814&deepNav_GID=1622
- CT DEEP. (2009). *Environmental Justice*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2688&q=322378&deepNav_GID=1511
- CT DEEP. (2010). *Connecticut's Proposed Federal Consistency List*. https://www.ct.gov/deep/lib/deep/long_island_sound/federal_consistency_list_2010.pdf.
- CT DEEP. (2010, July 16). *Connecticut's Proposed Federal Consistency List*. Retrieved from CT DEEP : https://www.ct.gov/deep/lib/deep/long_island_sound/federal_consistency_list_2010.pdf
- CT DEEP. (2014). *Integrated Resource Plan*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=4405&q=486946&deepNav_GID=2121
- CT DEEP. (2015). *Connecticut's Wildlife Action Plan*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2723&q=325886&deepNav_GID=1719
- CT DEEP. (2017-2022). *Connecticut Statewide Comprehensive Outdoor Recreation Plan (SCORP)*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2707&q=323864&deepNav_GID=1642
- CT DEEP. (2018). *Comprehensive Energy Strategy*. https://www.ct.gov/deep/lib/deep/energy/ces/2018_comprehensive_energy_strategy.pdf.
- CT DEEP. (2018). *Connecticut Saltwater State Record Fish*. Retrieved from CT DEEP: <https://www.ct.gov/deep/cwp/view.asp?a=2696&q=322742>
- CT DEEP. (2018). *Long Island Sound Blue Plan Webinars and Map Books*. Retrieved from Connecticut Department of Energy and Environmental Protection: https://www.ct.gov/deep/cwp/view.asp?a=2705&q=593814&deepNav_GID=1635
- CT DEEP. (2019). *A National Estuarine Research Reserve (NERR) for Long Island Sound*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2705&q=575062&deepNav_GID=1635
- CT DEEP. (2019). *Blue Plan Related Links*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2705&q=574470&deepNav_GID=1635%22
- CT DEEP. (2019). *Boater's Guide*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2686&q=322292&deepNav_GID=1620
- CT DEEP. (2019). *Boating Permits*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2686&q=396032&deepNav_GID=1620
- CT DEEP. (2019). *Boating Registration/Abandoned Boats*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2686&Q=322288&deepNav_GID=1620
- CT DEEP. (2019). *Coastal Consistency*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2705&q=441852&deepNav_GID=1622

- CT DEEP. (2019). *CT Climate Change*. Retrieved from CT DEEP:
https://www.ct.gov/deep/cwp/view.asp?a=4423&q=521742&deepNav_GID=2121
- CT DEEP. (2019). *GIS Data*. Retrieved from CT DEEP:
https://www.ct.gov/deep/cwp/view.asp?a=2698&q=322898&deepNav_GID=1707
- CT DEEP. (2019). *Long Island Sound Blue Plan*. Retrieved from CT DEEP :
https://www.ct.gov/deep/cwp/view.asp?a=2705&q=574290&deepNav_GID=1635
- CT DEEP. (2019). *Long Island Sound Blue Plan Advisory Committee*. Retrieved from CT DEEP:
https://www.ct.gov/deep/cwp/view.asp?a=2705&Q=574830&deepNav_GID=1635
- CT DEEP. (2019). *Long Island Sound Trawl Survey*. Retrieved from CT DEEP:
https://www.ct.gov/deep/cwp/view.asp?a=2696&q=322660&deepNav_GID=1647
- CT DEEP. (2019). *Natural Diversity Data Base (NDDDB) Maps*. Retrieved from CT DEEP:
https://www.ct.gov/deep/cwp/view.asp?a=2702&q=323464&depNav_GID=1628
- CT DEEP. (2019). *Northern Diamondback Terrapin*. Retrieved from CT DEEP:
https://www.ct.gov/deep/cwp/view.asp?a=2723&q=326000&depNav_GID=1655
- CT DEEP. (2019). *Public Notices*. Retrieved from CT DEEP:
https://www.ct.gov/deep/cwp/view.asp?a=2690&q=326582&deepNav_GID=1511
- CT DEEP. (2019). *Roseate Tern*. Retrieved from CT DEEP: <https://www.ct.gov/deep/cwp/view.asp?a=2723&q=326078>
- CT DEEP. (2019). *The Connecticut Harbor Masters Program*. Retrieved from CT DEEP :
https://www.ct.gov/deep/cwp/view.asp?a=2705&Q=594656&deepNav_GID=1635
- CT Department of Economic and Community Development. (2018). *State Historic Preservation Office*. Retrieved from
<https://portal.ct.gov/-/media/DOH/ProjectNotificationForm2018pdf.pdf?la=en>
- CT DOA. (2019). *Shellfish Grounds Leasing Opportunities*. Retrieved from Connecticut Department of Agriculture:
<https://www.ct.gov/doag/cwp/view.asp?a=3768&q=458584>
- Curtice, C., Cleary, J., Shumchenia, E., & Halpin, P. (2018). *Marine-Life Data and Analysis Team (MDAT) Technical Report on the Methods and Development of Marine-Life Data to Support Regional Ocean Planning and Management*.
<http://seamap.env.duke.edu/models/mdat/MDAT-Technical-Report.pdf>.
- Earth Economics. (2015). *The Trillion Dollar Assesst*. Retrieved from Long Island Sound Study:
<https://drive.google.com/file/d/0ByzlUWI76gWVWV1qdXRCbGhMMTg/view?pref=2&pli=1>
- Eastern Connecticut State University. (2018). *Institute for Sustainable Energy*. Retrieved from Eastern Connecticut State University: <http://www.easternct.edu/sustainenergy/>
- EPA. (2016). *What climate change means for Connecticut*. <https://19january2017snapshot.epa.gov/sites/production/files/2016-09/documents/climate-change-ct.pdf>.
- EPA. (2019). *Dredged Material Management in Long Island Sound*. Retrieved from Environmental Protection Agency :
<https://www.epa.gov/ocean-dumping/dredged-material-management-long-island-sound>
- Esri. (2018). *How Hot Spot Analysis (Getis-Ord Gi*) works*. Retrieved from ArcGIS Desktop:
<http://desktop.arcgis.com/en/arcmap/10.3/tools/spatial-statistics-toolbox/h-how-hot-spot-analysis-getis-ord-gi-spatial-stati.htm>
- Esri. (2018). *How Hot Spot Analysis (Getis-Ord Gi*) works*. Retrieved from Esri:
<http://desktop.arcgis.com/en/arcmap/10.3/tools/spatial-statistics-toolbox/h-how-hot-spot-analysis-getis-ord-gi-spatial-stati.htm>
- Executive Office of Governor Rowland. (2002, April 12). *State of Connecticut By His Excellency John G. Rowland Governor Executive Order No. 26*. Retrieved from The Executive Office of Governor John G. Rowland:
<https://www.ct.gov/GovernorRowland/cwp/view.asp?A=1328&Q=255968>
- Federal Register. (2010). *Stewardship of the Ocean, Our Coasts, and the Great Lakes*. <https://www.gpo.gov/fdsys/pkg/FR-2010-07-22/pdf/2010-18169.pdf> .
- Federal Register. (2018). *Ocean Policy to Advance the Economic, Security, and Environmental Interests of the United States*.
<https://www.gpo.gov/fdsys/pkg/FR-2018-06-22/pdf/2018-13640.pdf> .
- Fisheries, N. (2019). *Section 7 Mapper*. Retrieved from NOAA Fisheries:
<https://noaa.maps.arcgis.com/apps/webappviewer/index.html?id=1bc332edc5204e03b250ac11f9914a27/>
- Howell, P., & Auster, P. J. (2012). Phase shift in an estuarine finfish community associated with warming temperatures. *Marine and Coastal Fisheries*, 481-495.
- Interstate Environmental Commission. (2019). *Interstate Environmental Commission*. Retrieved from <http://www.iec-ny-njct.org/>
- IPCC. (2018). *Global Warming of 1.5oC*. https://www.ipcc.ch/site/assets/uploads/sites/2/2018/07/SR15_SPM_High_Res.pdf.
- IUCN. (2019). *Ecosystem Services*. Retrieved from Internal Union for the Conservation of Nature:
<https://www.iucn.org/commissions/commission-ecosystem-management/our-work/cems-thematic-groups/ecosystem-services>
- Latimer, J. S., Tedesco, M. A., Yarish, C., Stacey, P. E., & Garza, C. (2014). Biology and Ecology of Long Island Sound. In *Long Island Sound: Prospects of the Urban Sea* (p. 558). New York: Springer.

- LIS Inventory and Science Subcommittee. (2019). *Long Island Sound Resource and Use Inventory*. Retrieved from CT DEEP: https://www.ct.gov/deep/cwp/view.asp?a=2705&q=601262&deepNav_GID=1635
- LIS Steering Committee. (2015). *Seafloor Mapping of Long Island Sound - Final Report: Phase 1 Pilot Project*. Retrieved from Long Island Sound Study: http://longislandsoundstudy.net/wp-content/uploads/2010/02/LISCF_PilotMappingProject_Report_Final_June2015-reduced-file-size.pdf
- LISS. (2017). *Seafloor Mapping*. Retrieved from Long Island Sound Study: <http://longislandsoundstudy.net/research-monitoring/seafloor-mapping/>
- LISS. (2019). *Long Island Sound Study*. Retrieved from Shellfish Harvest: Economic Value (CT & NY): <http://longislandsoundstudy.net/ecosystem-target-indicators/shellfish-harvested/>
- LISS. (2019). *Nutrient Bioextraction in Long Island Sound*. Retrieved from Long Island Sound Study: <http://longislandsoundstudy.net/our-vision-and-plan/clean-waters-and-healthy-watersheds/nutrient-bioextraction-overview/>
- LISS. (2019). *Overview*. Retrieved from Long Island Sound Comprehensive Conservation and Management Plan: <http://longislandsoundstudy.net/our-vision-and-plan/>
- LISS. (2019). *What you should know*. Retrieved from <http://lissclimatechange.net/what-you-should-know/>: <http://lissclimatechange.net/what-you-should-know/>
- Long Island Sound Study. (2019). *About the Sound*. Retrieved from Long Island Sound Study: <http://longislandsoundstudy.net/about-the-sound>
- Long Island Sound Study. (2019). *Long Island Sound-By the Numbers*. Retrieved from Long Island Sound Study: <http://longislandsoundstudy.net/about-the-sound/by-the-numbers/>
- Long Island Sound Study. (2019). *Status & Trends: LISS Environmental Indicators*. Retrieved from Long Island Sound Study: <http://longislandsoundstudy.net/indicator/population-within-50-mile-radius-of-long-island-sound/>
- MARCO. (2016). *Mid-Atlantic Ocean Action Plan*. <https://www.boem.gov/Mid-Atlantic-Regional-Ocean-Action-Plan/>.
- MARCO. (2019). *Mid-Atlantic Regional Council on the Ocean*. Retrieved from <http://midatlanticocean.org/>
- Marine Cadastre. (2019). *Marine Cadastre*. Retrieved from NOAA: <https://marinecadastre.gov/nationalviewer/>
- Massachusetts Office of CZM. (2019). *Massachusetts Ocean Management Plan*. Retrieved from Massachusetts Office of Coastal Zone Management: <https://www.mass.gov/service-details/massachusetts-ocean-management-plan>
- Mystic Aquarium. (2016). *Animal Rescue Clinic*. Retrieved from Mystic Aquarium: <http://www.mysticaquarium.org/animal-rescue-clinic/>
- NASA. (2019). *How climate is changing*. Retrieved from Global Climate Change: <https://climate.nasa.gov/effects/>
- Neely, A. E., & Zajac, R. N. (2008). Applying marine protected area design models in large estuarine systems. . *Marine Ecology Progress Series 373*, 11-23.
- NEIWPC. (2019). *What We Do*. Retrieved from NEIWPC: <http://neiwpc.org/about-us/what-we-do/>
- Nickerson, K. V. (2016, July 4). *Number of boats in states has dropped steeply*. Retrieved from CT DEEP: <https://www.nhregister.com/connecticut/article/Connecticut-DEEP-Number-of-boats-in-state-has-11327203.php>
- NOAA. (2006, June 20). *CT NOAA Federal Consistency Letter*. Retrieved from <https://coast.noaa.gov/czm/consistency/media/CTinterstateapproval.pdf>
- NOAA. (2006, March 28). *NY NOAA Federal Consistency Letter*. Retrieved from <https://coast.noaa.gov/czm/consistency/media/NYinterstateapproval.pdf>
- NOAA. (2014). *Guidebook to Participatory Mapping of Ocean Uses*. Retrieved from NOAA: <https://coast.noaa.gov/digitalcoast/training/participatory-mapping-guide.html>
- NOAA. (2018). *NOAA: 2017 was 3rd warmest year on record for the globe*. Retrieved from NOAA: <https://www.noaa.gov/news/noaa-2017-was-3rd-warmest-year-on-record-for-globe>
- NOAA. (2018). *Welcome to VDatum!* Retrieved from NOAA: <https://vdatum.noaa.gov/>
- NOAA. (2019). *Federal Consistency*. Retrieved from NOAA Office for Coastal Management: <https://coast.noaa.gov/czm/consistency/>
- NOAA. (2019). *New York's Listed Federal Actions*. Retrieved from <https://coast.noaa.gov/czm/consistency/media/ny.pdf>
- NOAA Fisheries. (2017). *Section 7: Cooperative Interagency Consultation Process*. Retrieved from NOAA Fisheries: <https://www.greateratlantic.fisheries.noaa.gov/protected/section7/>
- NOAA Office of Science and Technology. (2019). *Recreational Fisheries Statistics Queries*. Retrieved from NOAA: <https://www.st.nmfs.noaa.gov/recreational-fisheries/data-and-documentation/queries/index>
- Northeast Ocean Planning. (2019). *Northeast Ocean Plan*. Retrieved from Northeast Ocean Planning: <https://neocanplanning.org/plan/>
- NRDC. (2015). *Connecticut is at high risk for economic harm due to ocean acidification according to new study*. <https://www.nrdc.org/sites/default/files/state-vulnerability-CT.pdf>.
- NROC. (2019). *Northeast Regional Ocean Council*. Retrieved from <https://www.northeastoceancouncil.org/>
- NY DEC. (2019). *Department of Environmental Conservation*. Retrieved from <https://www.dec.ny.gov/>
- NY DEC. (2019). *Environmental Resource Mapper*. Retrieved from NY DEC: <http://www.dec.ny.gov/gis/erm/>

NY DOS. (2017-2027). *New York Ocean Action Plan*. Retrieved from NY DOS: <https://www.dec.ny.gov/lands/84428.html>

NY DOS. (2019). *New York Geographic Information Gateway*. Retrieved from <http://opdgig.dos.ny.gov/#/home>

NY DOS. (2019). *New York State Coastal Management Program*. Retrieved from New York State Department of State: <https://www.dos.ny.gov/opd/programs/WFRevitalization/coastmgmtprog.html>

NY Office of General Services. (2019). *Land Management*. Retrieved from NY Office of General Services: <https://ogs.ny.gov/BU/RE/LM/EGLP.asp>

NY Office of Planning and Development. (2019). *Significant Coastal Fish & Wildlife Habitats*. Retrieved from NY Office of Planning and Development: <https://www.dos.ny.gov/opd/programs/consistency/scfwhabitats.html>

ODonnell, J. (2018). *Sea Level Rise in Connecticut*. <https://circa.uconn.edu/2018/03/27/sea-level-rise-projections-for-the-state-of-connecticut-webinar-recording-available/>.

Office of Policy and Management. (2005-2010). *State Plan of Conservation and Development*. Retrieved from CT Office of Policy and Management: <https://portal.ct.gov/OPM/CPIP/Responsible-Growth/Conservation-and-Development-Policies-Plan/Conservation-and-Development-Policies-Plan>

Ozard, J. W. (1984). *Technical Memorandum: Procedures Used to Identify, Evaluate and Recommend Areas for Designation as "Significant Coastal Fish and Wildlife Habitats"*. https://www.dos.ny.gov/opd/programs/pdfs/1984_SCFWH_technical_memorandum.pdf.

Poppe, L. J., Knebel, H. J., Mlodzinska, Z. J., Hastings, M. E., & Seekins, B. A. (2000). Distribution of Surficial Sediment in Long Island Sound and Adjacent Waters: Texture and Total Organic Carbon. *Journal of Coastal Research*, 567-574.

Radelat, A. (2014, April 24). *Private parties on Long Island Sound tax U.S. Coast Guard*. Retrieved from CT Mirror: <https://ctmirror.org/2014/04/24/private-parties-on-long-island-sound-tax-u-s-coast-guard/>

RI CRMC. (2019). *Ocean SAMP*. Retrieved from <https://seagrant.gso.uri.edu/oceansamp/>

Riley, S. J., DeGloria, S. D., & Elliot, R. (1999). A terrain ruggedness index that quantified topographic heterogeneity. *Intermountain Journal of Sciences*, 23-27.

Riverhead Foundation. (2018). *Overview*. Retrieved from Riverhead Foundation: <http://www.riverheadfoundation.org/rescue/>

Roberts, J., Best, B., Mannocci, L., Fujioka, E., Halpin, P., Palka, D., . . . Lockhart, G. (2016). Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports*, 22615.

Roberts, J., Mannocci, L., & Halpin, P. (2016-2017). *Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area (Opt. Year 1) Document version 1.4 Report Prepared for the Naval Facilities Engineering Command*. Durham, NC: Atlantic by the Duke University Geospatial Ecology Lab.

Shay, J. (2015, September 26). *More Whales Spotted in Long Island Sound*. Retrieved from Connecticut Post: <https://www.ctpost.com/news/article/More-whales-spotted-in-Long-Island-Sound-6521791.php>

Task Force on Long Island Sound. (2003). *Comprehensive Assessment and Report Part II: Environmental Resources and Energy Infrastructure in Long Island Sound*. Eastern Connecticut State University.

The Nature Conservancy. (2017). *Long Island Sound Ecological Assessment*. Retrieved from Conservation Gateway: The Nature Conservancy: <https://www.conservationgateway.org/ConservationByGeography/NorthAmerica/UnitedStates/edc/reportsdata/marine/namera/lis/Pages/default.aspx>

The Nature Conservancy. (2019). *The Shellfish Growers Climate Coalition*. Retrieved from The Nature Conservancy: <https://www.nature.org/en-us/about-us/where-we-work/united-states/rhode-island/stories-in-rhode-island/announcing-the-shellfish-growers-climate-coalition/>

Tidal Datums. (2018). Retrieved from NOAA Tides and Currents: https://tidesandcurrents.noaa.gov/datum_options.html

UConn. (2019). *Center for Land Use Education and Research*. Retrieved from University of Connecticut: <https://clear.uconn.edu/>

UConn Clear. (2019). *Blue Plan Map Viewer*. Retrieved from CT Eco: <http://cteco.uconn.edu/projects/blueplan/index.htm>

UConn Sea Grant. (2008). *A Guide to Marine Aquaculture Permitting in Connecticut*. Retrieved from UConn Sea Grant: <https://seagrant.uconn.edu/2008/01/01/a-guide-to-marine-aquaculture-permitting-in-connecticut/>

US Department of Transportation Maritime Administration. (2011, April). *America's Marine Highway Report to Congress*. Retrieved from Marine Administration: <https://www.maritime.dot.gov/sites/marad.dot.gov/files/docs/intermodal-systems/marine-highways/3051/maradamhreporttocongress.pdf>

US Geological Survey. (2000). *Georeferenced Sea-Floor Mapping and Bottom Photography in Long Island Sound*. <https://pubs.usgs.gov/of/2000/of00-304/htmldocs/toc.htm>.

USACE. (2016). *Long Island Sound Dredged Material Management Plan*. Retrieved from US Army Corps of Engineers: <https://www.nae.usace.army.mil/Missions/Projects-Topics/Long-Island-Sound-DMMP/>

USCG. (2019). *Local Notice to Mariners*. Retrieved from Navigation Center: <https://www.navcen.uscg.gov/?pageName=lnmMain>

WSP. (2017). *Long Island Sound Crossing Feasibility Study: Final Report*. New York: New York Department of Transportation.

Zeppilli, D., Pusceddu, A., Trincardi, F., & Danovaro, R. (2016). Seafloor heterogeneity influences the biodiversity-ecosystem functioning relationships in the deep sea. *Scientific Reports*, 26352.

Appendix 1: Blue Plan Policies for Federal Consistency Consideration

Appendix Tables

Table 1a-1 Performance standards for locating regulated activities within an ESA, in accordance with policies 2, a-b. For federal consistency consideration..... IX
Table 1a-2 Performance standards for locating new regulated activities within a SHUA, in compliance with policies 2, a-b. For federal consistency consideration..... XI

This appendix contains those enforceable policies and standards of the Blue Plan that shall be applicable for federal consistency purposes under section 307 of the federal Coastal Zone Management Act (16 U.S.C. § 1456 and 15 C.F.R. part 930). These policies are a subset of the policies outlined in Chapter 4: Blue Plan Policy Recommendations, revised for federal agency use in the CZMA consistency process. While only the policies listed herein are enforceable, federal agencies may wish to consult Chapter 4 as a source of supplemental information regarding Blue Plan policy guidance and goals.

The policies and standards are organized in two parts, Sound-wide Policies (Part I), and policies that are specific to Significant Ecological Resources and Significant Human Use Areas (Part II).

Pursuant to the applicable subpart of NOAA’s CZMA federal consistency regulations, federal actions occurring within Connecticut waters will be subject to the Appendix 1 enforceable policies, including those federal actions that are not subject to the CGS § 25-157t(h) state authorities, such as federal agency actions or projects such as gas pipelines that are exclusively regulated at the federal level. In addition, the enforceable policies herein will also apply to specific listed federal actions occurring within Connecticut’s NOAA-approved GLDs through NOAA’s CZMA interstate federal consistency process if the federal actions in the GLDs will have reasonable foreseeable effects on the uses or resources of Long Island Sound.²⁹

²⁹ The Geographic Location Description (GLD) is a NOAA-approved designation of areas outside a state’s waters in which reasonably foreseeable effects to the state’s coastal resources and uses may result from listed federal actions. Connecticut’s GLD descriptions and maps may be found at the [CT NOAA Federal Consistency Letter](#) (NOAA, 2006), [Connecticut’s Proposed Federal Consistency List](#) (CT DEEP, 2010), [Marine Cadastre National Viewer](#) (Marine Cadastre, 2019). New York’s approved GLD from NOAA can be found at the [NY NOAA Federal Consistency Letter](#) (NOAA, 2006) and [New York’s Listed Federal Actions](#) (NOAA, 2019).

Part I: Sound Wide Policies

Sound-wide policies are the highest-level policies contained in the Long Island Sound Blue Plan, as they are intended to apply everywhere within the policy area.

1. Any activity proposed within the Blue Plan policy area shall avoid, minimize, and mitigate³⁰ adverse impacts to natural resources in general, including ecosystem services and water quality, and Ecologically Significant Areas in particular, pursuant to CGS § 25-157t(h).
2. Any activity proposed within the Blue Plan policy area shall consider the future effects of climate change, including but not limited to water quality impacts, changes in species composition, and sea level rise, in accordance with scenarios established pursuant to CGS § 25-68o as amended by PA 18-82; and pursuant to CGS § 25-157t(h).
3. The Blue Plan recognizes that Long Island Sound belongs to the people of Connecticut and New York, and its waters and submerged lands are held in Public Trust³¹ by those States for the people. Management of the Sound shall use spatial planning for the benefit of the general public, and the pursuit of traditional public trust uses including but not limited to aquaculture, fishing, recreation, and navigation.

The surface and air, water column, and benthos and substrate of the Blue Plan policy area shall be left as open and unrestricted as possible. New uses of the policy area shall neither unreasonably impair multiple use areas nor unreasonably restrict public access, except where necessary for resource protection, public health and safety, national security, or short-term construction activities.

Permanent physical or visual obstructions or encroachments shall not be allowed unless necessary for water-dependent uses, resource protection or enhancement, public health and safety, or national security, or providing a substantial public benefit. For the purposes of this policy “public benefit” means a material positive impact to the well-being of the Long Island Sound ecosystem, economy or the general public, as opposed to any particular benefits to individual firms or economic actors. Public benefit shall include but not be limited to, facilities in the national interest defined by CGS § 22a-93(14)

- a. Any activity proposed within the Blue Plan policy area shall avoid, minimize, and mitigate conflicts with traditional public trust uses, including Significant Human Use Areas, pursuant to CGS § 25-157t(h).

³⁰ When applied to policies in this chapter, use of the term “avoid” shall include the minimization of unavoidable adverse impacts and the mitigation of remaining minimized impacts.

³¹ A more extensive summary of Public Trust can be found in Section 2.2.

- b. Structures proposed or regulated by federal agencies shall be minimized to the extent practicable in physical scope and visual profile.
 - c. New non-water-dependent uses, including industrial, commercial, or residential uses, shall not be placed within the Blue Plan policy area unless:
 - i. There are no significant adverse impacts to natural resources, including ecosystem services and water quality, and to existing human uses; and
 - ii. There is a substantial public benefit that outweighs occupation of public trust lands and waters and any unmitigated adverse impacts; and
 - iii. There is no feasible³² and less environmentally damaging land-based alternative to the proposed use.
 - d. Artificially created or enhanced habitats, such as artificial reefs, islands constructed of dredged material, or barges used for seabird nesting shall not be authorized unless:
 - i. significant adverse impacts to existing resources are avoided, minimized, and mitigated, and
 - ii. resource and use benefits outweigh remaining adverse impacts, and
 - iii. the primary purpose provides a public benefit.
 - e. New permanent cross-Sound transportation infrastructure (e.g., bridges and tunnels) shall be avoided except in cases of significant public benefit where adverse impacts, including visual, have been minimized and mitigated to the maximum extent practicable.
 - f. Structures intended for flood and storm protection (e.g., tidal barriers and flood walls) shall be avoided except in cases of significant public benefit and where adverse impacts, including but not limited to changes to the Sound's tidal processes and water quality, have been minimized and mitigated to the maximum extent practicable.
4. No new activity may be allowed within the Blue Plan policy area that creates a significant permanent effect on landscape-scale vistas from public viewing points of state or regional significance, such as state parks or prominent viewing areas.

³² Feasible uses the same definition as CGS § 22a-38(17).

- a. Artificial illumination shall be kept to the minimum necessary for the functioning of a water-dependent use, except for temporary exhibitions such as fireworks displays and as legally required for public health and safety.
- b. Federal permit applicants or federal agencies proposing for visible in-water or on-water activities are required to provide a visual impact analysis, including day and night digital simulations of different development scenarios, in cases where the applicable regulatory agency determines such analyses are necessary to review the potential visual impact of a regulated activity.

Part II: ESA and SHUA Policies

The Blue Plan identifies a series of Ecologically Significant Areas (ESAs) and Significant Human Use Areas (SHUAs) in Long Island Sound. This section is comprised of policies that aim to protect the value of ESAs and SHUAs. This section is thus separated into two parts where more specific siting and performance standards are written based on ecological or human use category.

General Policies Applicable to All ESAs and SHUAs:

1. New activities within the Blue Plan policy area shall, to the extent practicable, maintain the capability of the Sound's natural resources to support current and new multiple uses and the natural environment of the Sound.
2. In general, new activities in the Blue Plan policy area of Long Island Sound shall, to the extent practicable, maintain, preserve, or enhance the values of an ESA and/or SHUA. A proposed activity may be located within or affect an ESA and/or SHUA provided that it has been demonstrated, through site-specific data and analysis submitted pursuant to the applicable federal regulatory program that:
 - a. The project will cause no significant adverse impacts to the ESA and/or SHUA pursuant to the Ecologically Significant Areas siting and performance standards in Part IIa and the Significant Human Use Areas siting and performance standards in Part IIb, or
 - b. There is no feasible, less damaging alternative and all reasonable mitigation measures and techniques have been provided to minimize adverse impact, and the public benefits of the project outweigh the harm to the ESA and/or SHUA resource, use, or value.

Part IIa: Siting and Performance Standards for ESAs

This section (Table 1a-1) describes the siting and performance standards applicable to each ESA criteria, based on the location of potential impact either on or in the Air and Surface (AS), Water Column (WC), and Benthos & Substrate (BS) in the Blue Plan policy area. The General ESA and SHUA policies also apply to all the following siting and performance standards.

Table 1a-1 Performance standards for locating regulated activities within an ESA, in accordance with policies 2, a-b. For federal consistency consideration.

Significant Ecological Resource Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
<i>1. Areas with rare, sensitive, or vulnerable species, communities, or habitats</i>			
1.1. Hard bottom and complex sea floor	No specific standards applicable. General policies apply.	No alteration, including changes in sedimentation or turbidity that would significantly adversely impact ecological characteristics and function.	No alteration that would significantly adversely impact ecological characteristics and function.
1.2. Areas of submerged aquatic vegetation	No structures or activities that would substantially shade or otherwise adversely impact growth.	No alteration, including physical impacts or changes in sedimentation or turbidity that would significantly adversely impact vegetation.	No bottom disturbance to existing vegetation.
1.3. Endangered, threatened, species of concern, and candidate species listed under state and federal Endangered Species Act and their habitats	No specific standards applicable. General policies apply. Comply with applicable state and federal policies to avoid adverse impacts to designated species and habitats.		
1.4. Areas of cold water corals	No specific standards applicable. General policies apply.	No alteration, including changes in sedimentation, turbidity, or acidity that would significantly adversely impact corals.	No bottom disturbance to existing corals.
1.5. Coastal Wetlands	Blue Plan policies will not directly apply to coastal wetlands since these resources by definition are found in the intertidal zone outside the policy area. Therefore please refer to the Connecticut Tidal Wetlands Act [CGS § 22a-28 as referenced by CGS §§ 22a-92(a)(2), 22a-92(b)(2)(E), 22a-92(c)(1)(B), and 22a-92(b)(1)(B)] and the Connecticut Coastal Management Act [CGS §§ 22a-93(15)(H) and 22a-93(15)(G)] for appropriate policies and standards.		

Significant Ecological Resource Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
2. <i>Areas of high natural productivity (HNP), biological persistence, diversity, and abundance, including areas important for supporting or exhibiting such features, relative to these characteristics or species:</i> ³³			
2.1. Cetaceans	No specific standards applicable. General policies apply. Comply with Marine Mammal Protection Act and other applicable federal law.		
2.2. Pinnipeds	No activities that would significantly or permanently impair use of an area by these species. Comply with Marine Mammal Protection Act and other applicable federal law.		
2.3. Sea Turtles and other Reptiles	No specific standards applicable. General policies apply. Comply with Endangered Species Act and other applicable federal law.		
2.4. Birds	No activities that would significantly adversely impact diversity or abundance of species, including but not limited to interference with migratory patterns or foraging, in these areas. Comply with Migratory Bird Treaty Act and other applicable federal law.		
2.5. Fish	No activities that would significantly adversely impact diversity, persistence, or abundance of species in these areas. Comply with Endangered Species Act and other applicable federal law.		
2.6. Mobile Invertebrates	No specific standards applicable. General policies apply.		
2.7. Sessile-mollusk dominated communities	No specific standards applicable. General policies apply.	No activities that would significantly adversely impact diversity, persistence, or abundance of species in these areas.	
2.8. Managed Shellfish Beds	No specific standards applicable. General policies apply.	No activities that would significantly adversely impact ecosystem services of managed shellfish beds, except for those activities related to such shellfish management.	
2.9. Soft-bottom benthic communities	No specific standards applicable. General policies apply.		

³³ Areas where natural productivity, biological persistence, diversity, and abundance are high, as well as migratory sanctuaries, stopovers and corridors, nesting areas, feeding areas, and nursery grounds for cetaceans, pinnipeds, sea turtles, marine birds, fish, mobile invertebrates, sessile-mollusk-dominated communities, managed shellfish beds, and soft-bottom benthic communities.

Part IIb: Siting and Performance Standards for SHUAs

This section (Table 1a-2) describes the siting and performance standards applicable to each SHUA criteria, based on the location of potential impact either on or in the Air and Surface (AS), Water Column (WC), and Benthos & Substrate (BS) in the Blue Plan policy area. The General ESA and SHUA policies also apply to all the following siting and performance standards.

Table 1a-2 Performance standards for locating new regulated activities within a SHUA, in compliance with policies 2, a-b. For federal consistency consideration.

Significant Human Use Criteria	Air and Surface (AS)	Water Column (WC)	Benthos & Substrate (BS)
3. Areas with features of historical, cultural, or educational significance			
3.1. Areas associated with lighthouses and other offshore historic buildings	No activity that would significantly restrict physical or visual access to the site.	No specific standards applicable. General policies apply.	
3.2. Shipwrecks	No permanent fixed or floating structures that significantly affect the shipwreck site or access to it. Site marker buoys may be allowed.	No permanent fixed or floating structures that significantly affect the shipwreck site or access to it.	No significant bottom disturbance, including deposition or shifting of sediments.
3.3. Areas of archaeological significance, submerged archaeological sites, and submerged areas of sensitivity	No permanent fixed or floating structures that adversely affect submerged historical or cultural resources. Site marker buoys may be allowed.	No permanent fixed or floating structures that adversely affect submerged historical or cultural resources.	No bottom disturbance.
3.4. Discrete areas important for research, education, and monitoring	No activity that would significantly adversely affect the use of the area for such purposes.		
Significant Human Use Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
4. Areas of substantial recreational and/or “quality of life” value			
4.1. Sailing and Rowing Races	No fixed or floating structures that would unreasonably interfere with racing	No activity that would unreasonably interfere with racing activity during the season.	

	activity during the season.		
4.2. Marine Events	General policies apply.		
4.3. High Activity Recreational Boating Areas	No fixed or floating structures that would significantly interfere with vessel traffic or impair safety.	No activity that would significantly interfere with vessel traffic or impair safety.	
4.4. Mooring and Anchorage Areas	No fixed or floating structures that would significantly interfere with vessels or vessel traffic.	No activity that would significantly interfere with vessels or vessel traffic.	No activity that would significantly interfere with vessels or the placement of mooring tackle.
4.5. Marinas, Boat Launches, and Yacht Clubs	No fixed or floating structures that would unreasonably interfere with authorized facilities and associated boating activities, including access to and maintenance of navigational channels and marina infrastructure.	No activity that would unreasonably interfere with authorized facilities and associated boating activities, including access to and maintenance of navigational channels and marina infrastructure.	
4.6. Waterfowl Hunting	No fixed or floating structures that would unreasonably interfere with seasonal hunting activity or waterfowl habitat.	No specific standards applicable. General policies apply.	
4.7. Dive Sites	No permanent fixed or floating structures that adversely affect submerged historical or cultural resources, or unreasonably restrict divers. Site marker buoys may be allowed.	No in-water activities or structures that unreasonably interfere with diver access.	No bottom disturbance that would unreasonably adversely affect submerged historical or cultural resources, including deposition or shifting of sediments.
4.8. Coastal Public Use Areas	No structures or activities that would significantly interfere with coastal public use activities.		
Significant Human Use Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
5. Areas important for navigation, transportation, military, infrastructure, and economic activities			

5.1. Working Waterfronts	No activities, or permanent fixed or floating structures that would significantly interfere with maritime and water-dependent activities, including access to navigational channels and infrastructure.	No activities, or permanent fixed structures that would significantly interfere with maritime and water-dependent activities, including navigational channels and infrastructure.	No on-bottom structures or disturbance that would significantly interfere with operations, including access to and maintenance of navigational channels and infrastructure.
5.2. Designated Navigation Channels	No permanent fixed or floating structures that significantly interfere with navigation or channel maintenance.	No permanent structures that would significantly interfere with navigation or channel maintenance.	No permanent bottom or sub-bottom structures that significantly interfere with navigation or channel maintenance.
5.3. Commercial anchorage areas, security zones, and other designated areas	Activities shall be consistent with the existing Federal regulations for that designated area.		
5.4. Areas of Lightering Activity	Activity shall comply with applicable Coast Guard and other regulations. No potentially conflicting activity during lightering operations.	No specific standards applicable. General policies apply.	
5.5. Vessel Traffic Areas	No activity or permanent fixed or floating structures that significantly interfere with vessel traffic and navigation, including maneuvering.	No activity or permanent structure that would significantly interfere with navigation.	No specific standards applicable. General policies apply.
5.6. Dredged Material Disposal Areas: Active	No activity or permanent structures that interfere with disposal operations.		No excavation. No bottom disturbance, except as incidental to disposal operations, scientific activities, or remediation activities.
5.7. Dredged Material Disposal Areas: Historic/Closed	No activity or permanent structures that interfere with disposal operations.		No excavation. No bottom disturbance, except as incidental to disposal operations,

		scientific activities, or remediation activities.	
5.8. Cables, pipelines, and cable/pipeline areas	No specific standards applicable. General policies apply.	No activities that would significantly disturb existing cables and pipelines, except that new facilities may be co-located within corridors, as appropriate to avoid impact to adjacent areas.	
5.9. Coastal Energy Generating and Transmission Facilities	No activities that would interfere with facility operation or access.	No on-bottom structures or disturbance that would interfere with operations, including access to the facility by cables or pipelines.	
Significant Human Use Criteria	Air and Surface (AS)	Water Column (WC)	Benthos and Substrate (BS)
<i>6. Areas important to fishing and aquaculture</i>			
6.1. Recreational Fishing	Significant displacement of recreational fishing and related activity by other activity, or permanent structures shall be avoided to the maximum extent practicable.		
6.2. Commercial Fishing	Significant displacement of commercial fishing and related activity by other activity or permanent structures shall be avoided to the maximum extent practicable. Consultation with sector is required commensurate with intensity of commercial fishing activity potentially being impacted.		
6.3. Charter & Party Boat Fishing	Significant displacement of charter and party boat fishing and related activity by other activity, or permanent structures shall be avoided to the maximum extent practicable.		
6.4. Recreational Shellfish	No permanent structures or activity that unreasonably restricts access to designated shellfish beds or recreational shellfishing activity.		
6.5. Commercial Aquaculture	No permanent structures or activity that interferes with commercial aquaculture activity.		

Appendix 2. Ecologically Significant Areas: Supplemental Information and Maps

Appendix 1: Table of Contents

Figures and Tables	V
Introduction	X
ESA Approach, Rationale, and Methodology	X
Methodology: Procedural Process	X
Blue Plan Ecological Characterization Work Team (ECWT)	X
Diagram of the ESA Process	X
Ecological Characterization	XII
The Ecological Experts Group (EEG)	XII
Endorsement	XIII
Review by Scientists and the Public	XIII
Methodology: Technical Process	XIII
ESA Criteria	XIII
Framework for Translating Data and Criteria into ESAs	XV
Technical Steps	XVI
ESA Results	XIX
Introduction	XIX
Map Viewer	XIX
ESA Criteria Table	XX
Criteria Pillar 1: Areas with Rare, Sensitive, or Vulnerable Species, Communities, or Habitats	XXV
Criterion 1: Hard bottom and Complex Seafloor	XXVI
Criterion 2: Areas of submerged aquatic vegetation	V
Criterion 3: Endangered, threatened, species of concern, or candidate species listed under state or Federal Endangered Species Act and their habitats	IX
Criterion 4: Cold water corals	XXIII
Criterion 5: Coastal wetlands	XXVI
Criteria Pillar 2: Areas of High Natural Productivity, Biological Persistence, Diversity and Abundance, including Areas important for Supporting or Exhibiting such Features, relative to the following Characteristics or Species	XXVIII
Criterion 6: Cetaceans	XXVIII
Criterion 7: Pinnipeds	XXXIII

Criterion 8: Sea turtles and other reptiles	XXXV
Criterion 9: Birds	XL
Criterion 10: Fish.....	XLVI
Criterion 11: Mobile invertebrates.....	LXVIII
Criterion 12: Sessile-mollusk-dominated communities	XCI
Criterion 13: Managed shellfish beds	XCVII
Criterion 14: Soft-bottom benthic communities	CII
Synthesis	CIV
ESA Data Layer Construction Tables	CVIII
ESA Metadata Index	CXXVII

Appendix Figures

Figure 2a-1 Ecologically Significant Area designation process.	XXII
Figure 2a-2 Framework for Spatially Identifying ESAs.	XXVII
Figure 2a-3 The extent of hard bottom in Long Island Sound mapped from the Long Island Sound Ecological Assessment (LISEA), USGS Long Island Sound surficial sediment map, and Long Island Sound Mapping and Research Collaborative SEABOSS surveys.	XXXIX
Figure 2a-4 The top quintile of the Terrain Ruggedness Index (TRI) calculated at 8-meter resolution for Long Island Sound.	XL
Figure 2a-5 Locations of wrecks and obstructions in LIS from the NOAA Automated Wreck and Obstruction Information System.	XLI
Figure 2a-6 Overlaps among each of the input datasets representing the hard bottom and complex seafloor criterion.	XLII
Figure 2a-7 Final ESA map for Hard Bottom and Complex Seafloor.	XLIII
Figure 2a-8 Final ESA map for Submerged Aquatic Vegetation. Note: The Long Island Sound boundary is removed in this map to more clearly depict submerged aquatic vegetation features. Figure 2a-9 shows the eastern Sound in detail to better discern submerged aquatic vegetation features.....	XLVI
Figure 2a-9 Zoomed-in map showing the extent of the ESA for submerged aquatic vegetation. Note: The Long Island Sound boundary is removed in this map to more clearly depict submerged aquatic vegetation features.	XLVII
Figure 2a-10 Data layers relevant to Atlantic and shortnose sturgeon ESA including Atlantic sturgeon gear restriction areas, high and medium use sturgeon areas, and Atlantic sturgeon migratory corridor from CT DEEP Marine Fisheries.	LII
Figure 2a-11 Predicted summer occurrence of roseate tern in LIS.	LIII
Figure 2a-12 Approximate locations of endangered, threatened, and special concern species and significant natural communities in Long Island Sound, as reflected in the Connecticut Natural Diversity Database (CT NDDDB). Note: The Long Island Sound boundary is removed in this map to more clearly depict features.	LIV
Figure 2a-13 Connecticut Critical Habitats in estuarine environments within Long Island Sound. Polygons are located on the north shore of the Sound. Note: The Long Island Sound boundary is removed in this map to more clearly depict features.	LV
Figure 2a-14 Approximate locations of rare plants and animals in New York waters of LIS from the New York Department of Environmental Conservation. Note: The Long Island Sound boundary is removed in this map to more clearly depict features.	LVI

Figure 2a-15 Locations of New York Significant Natural Communities, on the Long Island shore of the Sound. Note: The Long Island Sound boundary is removed in this map to more clearly depict features. LVII

Figure 2a-16 Locations of New York Significant Coastal Fishing and Wildlife Habitats. Note: The Long Island Sound boundary is removed in this map to more clearly depict features. LVIII

Figure 2a-17 Approximate location of Critical Habitats delineated for Atlantic sturgeon under the US Endangered Species Act (US ESA). The river segments affected by this regulation have been buffered to increase visibility on this map and in the Ecologically Significant Areas analysis. Note: The Long Island Sound boundary is removed in this map to more clearly depict features. LIX

Figure 2a-18 Overlaps among each of the input components/datasets representing Criterion 3: Ecologically Significant Areas for Endangered, threatened, species of concern, or candidate species listed under state or Federal Endangered Species Act and their habitats. LX

Figure 2a-19 Final ESA map for the Endangered, threatened, species of concern, or candidate species listed under state or federal Endangered Species Act and their habitats. LXI

Figure 2a-20 Final ESA map of cold water corals. LXIV

Figure 2a-21 Final ESA map of coastal wetlands. Note: The Long Island Sound boundary is removed in this map to more clearly depict coastal wetland features. LXVI

Figure 2a-22 Area where greater than 5 individual cetaceans (of any species) are predicted to occur annually in LIS, extracted from the Duke Marine Geospatial Ecology Lab’s cetacean density models for the US Atlantic Coast. LXIX

Figure 2a-23 Area identified through expert participatory mapping depicting recent sightings of humpback whales in western LIS. LXX

Figure 2a-24 Final ESA map of cetaceans. LXXI

Figure 2a-25 Final ESA map for Pinnipeds. Note: The Long Island Sound boundary is removed in this map to more clearly depict areas where pinnipeds occur in higher concentrations. LXXXIII

Figure 2a-26 Areas where Northern diamondback terrapin probability of occurrence is greater than 0.3118. Note: The Long Island Sound boundary is removed in this map to more clearly depict these areas. LXXV

Figure 2a-27 Locations of 2018 coastal Connecticut sea turtle strikes and live sea turtle strandings and rescues from the Riverhead Foundation and Mystic Aquarium. LXXXVI

Figure 2a-28 Final ESA map of Sea Turtles and other Reptiles. Note: The Long Island Sound boundary is removed in this map to more clearly depict these areas. LXXXVIII

Figure 2a-29 Top quintile maps for both summer and winter predicted species richness for birds, from University of Connecticut preliminary models. The summer areas (yellow) are partially transparent to better show where summer areas overlap with winter areas. LXXXII

Figure 2a-30 Areas important to bird staging, nesting, foraging, roosting, and wintering identified through expert participatory mapping. The summer staging, nesting and foraging areas (yellow) are partially transparent to better show where these areas overlap with roosting, foraging, and wintering areas. The Race appears green because it is where roseate and common terns forage in summer, and is also an important wintering area for razorbills (Patrick Comins, personal communication, 1/3/19). LXXXIII

Figure 2a-31 Final ESA map for Birds. LXXXIV

Figure 2a-32 Grid cells sampled by the Connecticut DEEP Marine Fisheries Long Island Sound Trawl Survey (1984-2009). Map credit: The Nature Conservancy, Long Island Sound Ecological Assessment. TNC considered grid cells that did not have survey points in at least two of three periods (1984-1992, 1993-2001, 2002-2009) to be insufficiently sampled for their weighted persistence analyses. LXXXVI

Figure 2a-33 A map showing one component of Ecologically significant areas for fish: areas of high weighted persistence for demersal fish subgroups based on TNC's LISEA.....	XCV
Figure 2a-34 A map showing one component of Ecologically Significant Areas for fish: areas of high weighted persistence for water column (pelagic and diadromous) fish subgroups based on TNC's LISEA.	XCVI
Figure 2a-35 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in fall from LISTS 1995-2004.....	XCVII
Figure 2a-36 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in spring from LISTS 1995-2004.....	XCVIII
Figure 2a-37 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in fall from LISTS 2005-2014.....	XCIX
Figure 2a-38 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in spring from LISTS 2005-2014.....	C
Figure 2a-39 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in fall from LISTS 1995-2004.	CI
Figure 2a-40 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish abundance in spring from LISTS 1995-2004.....	CII
Figure 2a-41 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in fall from LISTS 2005-2014.	CIII
Figure 2a-42 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in spring from LISTS 2005-2014.	CIV
Figure 2a-43 Overlaps among each of the 10 input datasets representing Ecologically Significant Areas for fish species.	CV
Figure 2a-44 Final ESA map of Fish.....	CVI
Figure 2a-45 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of decapod species biomass in spring from LISTS 1995-2004.	CX
Figure 2a-46 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of decapod species biomass in fall from LISTS 1995-2004.	CXI
Figure 2a-47 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of decapod species biomass in spring from LISTS 2005-2014.	CXII
Figure 2a-48 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of decapod species biomass in spring from LISTS 2005-2014.	CXIII
Figure 2a-49 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of horseshoe crab abundance in spring from LISTS 1995-2004.	CXIV
Figure 2a-50 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of horseshoe crab abundance in fall from LISTS 1995-2004.	CXV
Figure 2a-51 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of horseshoe crab abundance in spring from LISTS 2005-2014.	CXVI

Figure 2a-52 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of horseshoe crab abundance in fall from LISTS 2005-2014.	CXVII
Figure 2a-53 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of American lobster abundance in spring from LISTS 1995-2004.	CXVIII
Figure 2a-54 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of American lobster abundance in fall from LISTS 1995-2004.	CXIX
Figure 2a-55 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of American lobster abundance in spring from LISTS 2005-2014.	CXX
Figure 2a-56 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of American lobster abundance in fall from LISTS 2005-2014.	CXXI
Figure 2a-57 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of long-finned squid abundance in spring from LISTS 1995-2004.	CXXII
Figure 2a-58 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of long-finned squid abundance in fall from LISTS 1995-2004.	CXXIII
Figure 2a-59 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of long-finned squid abundance in spring from LISTS 2005-2014.	CXXIV
Figure 2a-60 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of long-finned squid abundance in fall from LISTS 2005-2014.	CXXV
Figure 2a-61 Horseshoe crab predicted spawning beaches. Note: The Long Island Sound boundary is removed in this map to more clearly depict features.	CXXVI
Figure 2a-62 Projected thermal refuge for American Lobster.	CXXVII
Figure 2a-63 Overlaps in datasets contributing to the mobile invertebrate ESA.	CXXVIII
Figure 2a-64 Final ESA map of mobile invertebrates.	CXXIX
Figure 2a-66 Observations of slipper shell aggregations near Stratford Shoals and in eastern LIS.	CXXXII
Figure 2a-67 Observations of blue mussel aggregations near Stratford Shoals and in eastern LIS.	CXXXIII
Figure 2a-68 Aggregations of slipper shells and blue mussels delineated by expert participatory mapping.	CXXXIV
Figure 2a-69 Final ESA map of Sessile-mollusk-dominated communities.	CXXXV
Figure 2a-70 Connecticut oyster seed beds.	CXXXVII
Figure 2a-71 Connecticut recreational shellfish beds.	CXXXVIII
Figure 2a-72 Connecticut state-managed shellfish beds.	CXXXIX
Figure 2a-73 Connecticut town-managed shellfish beds.	CXL
Figure 2a-74 Final ESA map of Managed shellfish beds.	CXLI
Figure 2a-75 Overlaps among the five criteria that contribute to ESAs with rare, sensitive, or vulnerable species, communities or habitats.	CXLIV
Figure 2a-76 Overlaps among the 9 criteria that contribute to the ESAs of high natural productivity, biological persistence, diversity, and abundance.	CXLV
Figure 2a-77 Overlaps among all 14 criteria that represent the full set of ESAs in LIS.	CXLVI

Appendix Tables

Table 2a-1 ESA criteria supporting datasets, and descriptions. Mapped data layers can be found in Appendix 2 and in a LIS Blue Plan mapping portal. Some ESA sub-criteria do not have associated datasets, but descriptions have been included so that these areas may be recognized in policy and designated if spatial information is provided in the future.	XXXI
Table 2a-2 Connecticut Endangered Species Act-listed species occurring within Long Island Sound, where SC means Species of Special Concern, T means Threatened Species, and E means Endangered Species.....	XLIX
Table 2a-3 Species for which predicted presence/absence maps were available and included in the Birds criterion.	LXXX
Table 2a-4 Species and functional groups considered in the LISEA persistence analysis.	LXXXVII
Table 2a-5 Fish species present in greater than 5 tows in any of the seasons and date ranges for the Long Island Sound Trawl Survey between 1995 and 2014.....	XCI
Table 2a-6 The ten individual data layers that contributed to the fish criterion.	XCIV
Table 2a-7 Mobile invertebrate species present in greater than 5 tows in any of the seasons and date ranges for the Long Island Sound Trawl Survey between 1995 and 2014.	CVIII
Table 2a-8 The 16 individual data layers derived from the LISTS data for describing areas of high mobile invertebrate biomass and concentration.	CIX
Table 2a-9 Data construction table for Hard Bottom and Complex Seafloor.	CXLVII
Table 2a-10 Data construction table for areas of submerged aquatic vegetation.	CXLIX
Table 2a-11 Data construction table for E, T, and SC species.....	CL
Table 2a-12 Data construction table for cold water corals.	CLI
Table 2a-13 Data construction table for coastal wetlands.	CLII
Table 2a-14 Data construction table for cetaceans.	CLIII
Table 2a-15 Data construction table for pinnipeds.	CLV
Table 2a-16 Data construction table for Sea turtles and other reptiles.	CLV
Table 2a-17 Data construction table for birds.....	CLVII
Table 2a-18 Data construction table for fish.....	CLVIII
Table 2a-19 Data construction table for mobile invertebrates.	CLX
Table 2a-20 Data construction table for sessile-mollusk-dominated communities.	CLXIII
Table 2a-21 Data construction table for managed shellfish beds.	CLXIV
Table 2a-22 Data construction for soft-bottom benthic communities.....	CLXV
Table 2a-23 ESA Metadata Index.....	CLXVI

1. Introduction

This appendix is primarily serving to present the full set of ESA results including data and maps for all 14 criteria. It also includes the complete set of ESA Layer Construction Tables. The Appendix starts with filling in some of the details of the “ESA Approach, Rationale and Methodology” section 3.4a of the Blue Plan document. For this portion, it is meant to be used as a companion to section 3.4a.

2. ESA Approach, Rationale and Methodology

The following additional notes are added to Section 3.4a: Designation of Ecologically Significant Areas:

a. Methodology: Procedural Process

i. Blue Plan Ecological Characterization Work Team (ECWT):

As part of beginning development of the Blue Plan in 2016 by the Blue Plan Advisory Committee and CT DEEP, the ECWT was formed to give direction and provide output for all ecological aspects of the Blue Plan formation process. This was a bi-state group that generally met by conference call on a monthly basis. Its members included Sylvain De Guise, William Gardella, Mary-beth Hart, Leah Schmalz, Karen Chytalo, Melissa Albino-Hegeman, Victoria O’Neill, Brian Thompson, David Blatt, Sheryll Jones, Kevin O’Brien, Ian Yue and Emily Hall. Nathan Frohling served as the team lead. It provided the structure for how to move forward and eventually be able to identify ESAs. It was the core team for overseeing and contributing to preparation of the ecological elements of Inventory.

ii. Diagram of the ESA Process:

The following diagram (Figure 2a-1) graphically depicts the basic ESA process that was followed:




Figure 2a-1 Ecologically Significant Area designation process.

iii. *Ecological Characterization:*

The Ecological Characterization (EC) process was used in preparation for and as an active part of the effort to identify the ESAs. A by-product of the EC effort was a stand-alone document called the Ecological Characterization Summary (ECS). Although this does not capture the history of the full process of EC, it does capture key parts of the broader set of information used to identify ESAs that the ESAs alone may leave out.

The Ecological Characterization Summary catalogs and present a more complete picture of the map products used for developing the ESAs. Map products noted and shown in the EC stem from using data references in the Inventory. The EC work also includes map product development work – that is, additional map products developed by utilizing the data referenced in the Inventory to generate particular results or insights not yet portrayed or available. For example, Terrain Ruggedness Index (TRI) is a model/process that was used with existing data sources in the Inventory to create a critical component of “Seafloor Complexity.” Seafloor Complexity is one of the factors that make up ESA, however, such a map product or data layer had to be produced, it did not exist in the Inventory even though the data used by the model is referred to in the Inventory. Also, because the ESA are intended to represent the most significant areas, typically the top 20%, to only show the 20% areas does not allow the underlying 80% to be seen. The EC helps show the broader story, the 100%. Being able to see this full picture may be important in many contexts including use and implementation of Blue Plan policy.

iv. *The Ecological Experts Group (EEG):*

A major activity critical to the success of identifying ESA was the formation of the “Ecological Experts Group (EEG)” which was completed in March 2018. This body of marine ecologists, researchers and other ecological experts provided the scientific horsepower along with the Consultant and Blue Plan leadership to form and carryout the ESA process. This group was formed from the Ecological “Interested Parties”. The EEG members were invited by the CT DEEP Commissioner and contributed considerable voluntary time. The EEG participated in 2 webinars and 4 day-long workshops in addition to numerous one on one contacts as of December 2018. The members were selected based on their area of expertise to assure there was sufficient coverage of the range of ecological topics to be addressed. They were also selected to assure a high level of credibility to the process. The EEG continues to serve in process of review and revision of the identified ESA.

v. *Endorsement:*

The EEG in their November 30th, 2018 day-long workshop expressed unanimous support for the ESA that had been developed at that point in time including the definitions of ESA Criteria. It was recognized that this endorsement was to be followed up with a few agreed on updates, particularly for the fish results. Although the EEG was deeply immersed in identifying the ESA, achieving consensus of the EEG on the draft ESA results was not easy but was achieved. Endorsement by the EEG has been informally recognized within the Blue Plan process as the most critical “party” to assure the validity of the ESA.

vi. *Review by Scientists and the Public:*

During 2018 there were multiple communications with scientists and experts outside the EEG that assisted in moving the ESA process forward. At the end of 2018 a series of formal presentations of the draft ESA were made to the larger body of Ecological “Interested Parties” and the public. Specifically, two webinars to over 50 scientists were held. Additional data sources were reported by the scientists (that have since been integrated), constructive input offered, and general support expressed for the draft ESA. Three public meetings were held with attendance totaling approximately 60 people, one at the UConn Avery Point Campus, one at Stony Brook University School of Marine and Atmospheric Sciences and one at Bridgeport City Hall, CT. In addition to many questions and comments, general support was expressed.

b. Methodology: Technical Process

i. *ESA Criteria:*

The following shows the connection between the natural resource categories of the Inventory and the ESA Criteria:

Plants

- Seaweed/Algae: Considered, did not emerge as an ESA
- Submerged Aquatic Vegetation (SAV): included as an ESA
- Phytoplankton: Considered, did not emerge as an ESA see Zooplankton below

Animals

- Birds: included as an ESA
- Fish: included as an ESA
- Marine mammals & Sea Turtles: both included as an ESA
- Zooplankton: Considered, did not emerge as an ESA. Data and information for both Phyto and Zooplankton were reviewed and discussed. Both forms of plankton are critical to the ecology of LIS, are at the base of the food chain and a fundamental expression of “productivity” which is a pillar ESA Criteria. The challenge was identifying meaningful criteria and a clear, defensible rationale for selecting areas as ecologically significant - one area over another. In this case, “most” or “highest” is not necessarily an appropriate metric for ecological integrity or even balance (i.e. water quality considerations). Plankton may be an important and more viable category for the next iteration of ESA
- Marine Invertebrates & Benthic Fauna: included as an ESA within different ESA Criteria

Environmental Characteristics

- Water Chemistry/Quality: Considered, did not emerge as an ESA as discussed above.
- Meteorology: Considered, did not emerge as an ESA as discussed above.
- Physical Oceanography: Considered, did not emerge as an ESA as discussed above.

Habitats Physical

- Geology/Sediments/Topography: included as an ESA within different ESA Criteria
- Bathymetry: included as an ESA within different ESA Criteria

Habitats Biological

- Species Persistence Areas: included as an ESA, especially for fish

Habitats Ecological

- Seafloor Complexity: included as an ESA
- Ecological Marine Units: Considered, but not needed to convey as an ESA
- Habitat Classes/Units: included as an ESA within different ESA Criteria
- Benthic: included as an ESA within different ESA Criteria
- Water Column: included as an ESA within different ESA Criteria (e.g. fish)

ii. *Framework for Translating Data and Criteria into ESA:*

With draft ESA Criteria in hand, the EEG, ECWT and E & C Enviroscope identified a framework for how ESAs would be synthesized and presented, even before all datasets were assembled. Other state and regional ocean plans were studied including and beyond New England regarding such a framework (e.g. The Draft Summary of Marine Life Data and Approaches to define Ecologically Important Areas and Measure Ocean Health produced by the Northeast Regional Ocean Plan (2014) was used). The following is a diagram (Figure 2a-2) used to communicate about the Framework:

Options for spatially defining ESA




Figure 2a-2 Framework for Spatially Identifying ESAs.

iii. *Technical Steps:*

There are 12 technical steps that have been outlined to generally describe how the ESAs were identified and depicted on maps:

1. Identify datasets; most were identified in the Blue Plan Inventory; there was a need to address data gaps in the Inventory, notably for birds and sea turtles. See “ESA Results” below.
2. Obtain the datasets; many are publicly available and downloadable, but some are held by private entities (e.g., Mystic Aquarium, Riverhead Foundation) or not easily downloaded online (e.g., CT DEEP Marine Fisheries data) but were obtained and used for the ESA.
3. Map the full extent of each dataset in a Geographic Information System: ArcGIS 10.5. Almost all datasets were already provided in geospatial format, but some were tabular and needed to be plotted on a map (e.g., lobster projected thermal refuge)
4. Some datasets required analysis (e.g., buffering of point observations to create “areas”, calculation of metrics like total abundance, complexity, or richness) and synthesis (e.g., modeling predicted bird occurrences using environmental variables). Simple analyses like buffering were done using ArcGIS; more complex analyses and map algebra were done using R (coding language) in R Studio (a software/program used to implement it). Resulting outputs were either polygon or raster datasets.
5. Re-project each dataset to a common geographic coordinate system so each dataset or layer can be seen, analyzed, and depicted interchangeably.
6. Convert each dataset into a common raster grid with 8-meter pixel size. This means the finest resolution of data was at or larger than an 8-meter square (point data was buffered to be visible) and datasets with lower resolution were converted into the 8-meter system so all maps could be linked and interchangeable with both the overall geographic coordinate system and the internal data pixel size.
7. Clip each dataset to Long Island Sound’s boundary (essentially the shoreline).
8. Iterative EEG review and discussion of each individual ESA criterion definition and the associated dataset(s) to determine: if the available data sufficiently represent the ecological components described by the ESA criteria, if the data could be logically subset to identify ESAs, if the resulting map matched their expectations given their individual experience and expertise. The EEG weighed in at each step to provide review and suggest addition or different datasets. Examples: additional high resolution bathymetry data for Fisher’s Island Sound were added after the seafloor complexity map was drafted to improve depictions of seafloor complexity; locations of oyster seed beds (“natural beds”) were added to the managed shellfish criterion; additional years and seasons were added to the fish criterion after consultation with the EEG and CT DEEP Marine Fisheries.

9. For each criterion (or sub-criteria), identify preliminary subsets for what represents “ecologically significant”. For several datasets, the full distribution (i.e., anywhere the ecological component occurred) was deemed ecologically significant; for example, submerged aquatic vegetation, coastal wetlands or cold water corals. In cases where the dataset showed various levels of abundance or numbers of species present, the EEG opted to select the top quintile of the data distribution as “ecologically significant”.
10. Within each criterion, overlay all of the relevant contributing data to display a single coverage of an ESA. For example, buffered points of hard bottom observations, buffered points of wrecks and obstructions, hard bottom polygons (broader hard bottom areas than point observations), and the top 20% of complex seafloor grid cells (the most complex) are all overlaid to represent the ESA coverage for the hard bottom and complex seafloor criterion. The draft ESA map for hard bottom and complex seafloor shows all of these datasets merged together and represents areas where the ESA criterion for hard bottom and complex seafloor are present or absent. A user can click on an area where it is present and determine if that location contains a hard bottom observation, a wreck or obstruction, a hard bottom polygon, and/or a highly complex seafloor grid cell.
11. Once each of the ESA criterion layers have been completed, the ESAs have been identified. The single or multiple sources used to make the given ESA criterion (and associated map layer) are all turned into presence/absence – that is, a place either has the ESA or not for that criterion. These are the final ESA maps for each criterion. The next step is for purposes of seeing how it all adds up. To see which and how many ESAs may exist in any given 8-meter square, the ESA layers are stacked up, overlaid or “rolled-up” together. A roll-up map was made for the ESAs within each of the two ESA Criteria “pillars” (2-maps) and for all ESAs together (1-map). These represent the “minimum number of ESA’s” as noted above given the limitations of data. A user can click on an area and determine which combination of ESA criteria overlap in any given place.
12. Where possible, code was written in R using R Studio to accelerate steps 5-7 and 9-11 so that draft products could be quickly updated with additional data, different thresholds, or different summary/roll-up methods. Geotiffs were exported from R and imported into ArcGIS 10.5. All of the visualization of ESA maps was done using ArcGIS 10.5.

2. ESA Results

a. **Introduction**

The full set of ESA results follows. These include the table of all the ESA Criteria with associated descriptions and list of supporting data sources (Table 2a-1). The 14 individual ESA criteria and associated ESA layers are then presented, prefaced by a summary of the relevant overarching Criteria Pillar. For each ESA criterion, a short narrative of its ecological significance is included followed by descriptions of the principal, underlying data and associated maps used to form the ESA layer.³⁴ These maps are the building blocks that are combined to 1) show how the underlying layers overlap and 2) create a presence/absence layer that depicts the final map for the given ESA criterion. Next, a synthesis of all the 14 ESA criteria is presented that shows the overlay and density of all the ESAs when seen together. Finally, the full set of ESA Layer Construction Tables is presented.

It is again noted that the Ecological Characterization Summary is an important part of the full ESA documentation. As a stand-alone document, it is not included in this Appendix.

i. Map Viewer:

Please note that the ESA maps are available to view and navigate through the [Blue Plan Map Viewer](#). The viewer allows the user to zoom in for details, to unpack the layers to see which ESAs are present in a particular area, or to view which layers overlap within a single ESA criterion.

³⁴ “ESA layers” refers to the maps of ESA that are used to depict the ESA criteria. ESA criteria are the written descriptions of the ESA and because they point to the “ideal” ESA, they are often more comprehensive and/or specific than the maps (and underlying data) are able to provide.

ii. ESA Criteria Table

Table 2a-1 ESA criteria supporting datasets, and descriptions. Mapped data layers can be found in Appendix 2 and in a LIS Blue Plan mapping portal. Some ESA sub-criteria do not have associated datasets, but descriptions have been included so that these areas may be recognized in policy and designated if spatial information is provided in the future.

ESA Criteria	Supporting Datasets	Description
Areas with rare, sensitive, or vulnerable, species, communities, or habitats		
Hard bottom and complex sea floor	<ul style="list-style-type: none"> • Long Island Sound Ecological Assessment (LISEA) hard bottom (pts) • USGS Surficial sediment map, gravel areas (polys) • Long Island Sound Mapping and Research Collaborative (LISMaRC) Phase II SEABOSS hard bottom observations (pts) • Terrain Ruggedness Index (top quintile) • Wrecks and obstructions (pts) 	<p>Areas of hard bottom are characterized by exposed bedrock or concentrations of boulder, cobble, pebble, gravel, or other similar hard substrate distinguished from surrounding sediments and provide a substrate for sensitive sessile suspension-feeding communities and associated biodiversity. Complex seafloor is a morphologically rugged seafloor characterized by high variability in neighboring bathymetry around a central point. Biogenic reefs and man-made structures, such as artificial reefs, wrecks, or other functionally equivalent structures, may provide additional suitable substrate for the development of hard bottom biological communities. Areas of hard bottom and complex seafloor are areas characterized singly or by any combination of hard seafloor, complex seafloor, artificial reefs, biogenic reefs, or wrecks and obstructions.</p>
Areas of submerged aquatic vegetation	Seagrass surveys from 2002, 2006, 2009, 2012, 2017 (polys)	Areas where submerged aquatic vegetation, e.g., eelgrass (<i>Zostera marina</i>), etc., are present or have been found to be present in the past.

<p>Endangered, threatened, species of concern, or candidate species listed under state or federal ESA, and their habitats</p>	<ul style="list-style-type: none"> • Atlantic sturgeon gear restriction areas (polys) • Atlantic sturgeon and shortnose sturgeon high and medium use areas (polys) • Atlantic sturgeon migratory corridor (polys) • Predicted summer occurrence of roseate tern (raster) • Connecticut Natural Diversity Database approximate locations of endangered, threatened, species of concern (polys) • Connecticut Critical Habitats (estuarine, polys) • New York rare plants and rare animals (polys) • New York Significant Natural Communities (polys) • New York Significant Coastal Fish and Wildlife Habitats (polys) • US Endangered Species Act Critical Habitat for Atlantic sturgeon (polys) 	<p>The species listed by federal or state statutes (e.g., the US Endangered Species Act, the CT Endangered Species Act, the NY Endangered Species Act) as endangered, threatened, species of concern, or candidates for listing, and their associated habitats, recognizing that detailed spatial data depicting the distribution and abundance for these marine species in Long Island Sound are potentially unavailable.</p>
<p>Areas of cold water corals</p>	<p>LISMaRC Phase I and Phase II cold water coral observations near Stratford Shoals and eastern LIS (polys)</p>	<p>Areas where cold-water corals have been observed or where habitat suitability or other scientific models predict they occur.</p>

Coastal wetlands ³⁵	National Wetlands Inventory, clipped to Long Island Sound Study boundary (polys)	According to Connecticut General Statute (CGS) 22a-29: “Those areas which border on or lie beneath tidal waters, such as, but not limited to banks, bogs, salt marshes, swamps, meadows, flats, or other low lands subject to tidal action, including those areas now or formerly connected to tidal waters, and whose surface is at or below an elevation of one foot above local extreme high water; and upon which may grow or be capable of growing some, but not necessarily all, of [a list of specific plant species found in CGS section 22a-29(2)].”
ESA Criteria	Supporting Datasets	Description
Areas of high natural productivity (HNP), biological persistence, diversity, and abundance, including areas important for supporting or exhibiting such features, relative to the following characteristics or species. ³⁶		
Cetaceans (marine mammals)	<ul style="list-style-type: none"> Cetacean density models for the US Atlantic Coast, Duke University Marine Geospatial Ecology Lab, for species with predictions in LIS (raster) 	Areas where cetaceans occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support cetaceans (e.g. particular feeding areas, nursery grounds).

³⁵ Although Coastal Wetlands are within the Long Island Sound Blue Plan “Area of Interest”, Blue Plan policies do not apply to areas landward of the 10-foot contour. Therefore, while considered Ecologically Significant Areas, Coastal Wetlands and any associated existing statuses or policies relevant to Coastal Wetlands are not within the scope of Long Island Sound Blue Plan policies and performance standards.

³⁶ Areas where natural productivity, biological persistence, diversity, and abundance are high, as well as migratory sanctuaries, stopovers and corridors, nesting areas, feeding areas, and nursery grounds for cetaceans, pinnipeds, sea turtles, marine birds, fish, mobile invertebrates, sessile-mollusk-dominated communities, managed shellfish beds, and soft-bottom benthic communities.

	<ul style="list-style-type: none"> • Expert participatory mapping (polys; P. Comins, Connecticut Audubon Society, 1/4/19) 	
Pinnipeds (seals)	<ul style="list-style-type: none"> • NOAA Environmental Sensitivity Index seal concentration areas (polys) • Expert participatory mapping included in the Blue Plan Inventory (polys) 	Areas where pinnipeds occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support pinnipeds (e.g. particular haul-out locations, feeding areas).
Sea turtles and other reptiles	<ul style="list-style-type: none"> • Northern diamondback terrapin probability of occurrence (polys) • Locations of 2018 coastal CT sea turtle strikes (pts) • Live sea turtle stranding's, rescues, and in-water observations, Riverhead Foundation for Marine Research and Preservation (pts) • Live sea turtle strandings and rescues, Mystic Aquarium (pts) 	Areas where sea turtles and other reptiles occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support sea turtles and other reptiles (e.g. particular feeding areas, nesting grounds, hibernation areas).
Birds	<ul style="list-style-type: none"> • Seabird occurrence models, University of Connecticut (raster) • Expert participatory mapping (polys; P. Comins, Connecticut Audubon Society, 1/4/19) 	Areas where birds are abundant or diverse including feeding areas; areas of high bird productivity including nesting areas.

Fish	<ul style="list-style-type: none"> • Persistently productive places for fish (polys; LISEA high weighted persistence) • Areas of high fish abundance and concentration (polys; CT DEEP Marine Fisheries Long Island Sound Trawl Survey, 1995-2004 and 2005-2014, spring and fall data for species caught in >5 tows) 	Areas of high weighted fish persistence and high fish abundance and concentration.
Mobile invertebrates	<ul style="list-style-type: none"> • Areas of high mobile invertebrate biomass and concentration (polys; CT DEEP Marine Fisheries Long Island Sound Trawl Survey, 1995-2004 and 2005-2014, spring and fall data for crabs, lobster, squid, and horseshoe crab) • Horseshoe crab predicted spawning beaches (polys) • American lobster projected thermal refuge (polys) 	Areas of high mobile invertebrate (e.g., lobster, other crustaceans, squid) abundance and concentration.
Sessile-mollusk-dominated communities	LISMaRC Phase I and Phase II observations of Slipper shell (<i>Crepidula fornicata</i>) aggregations and blue mussel (<i>Mytilus edulis</i>) aggregations near Stratford Shoals and eastern LIS (polys)	Areas where wild, natural sessile-mollusk-dominated communities occur.

Managed shellfish beds	<ul style="list-style-type: none"> • Oyster seed beds (CT Natural Shellfish Beds) (polys) • CT Recreational Shellfish Beds (polys) • CT State-managed Shellfish Beds (polys) • CT Town-managed Shellfish Beds (polys) 	Locations of commercial and recreational shellfishing harvest areas, including shellfish restoration activities and areas closed to shellfishing.
Soft-bottom benthic communities	<i>Adequate data not available</i>	Areas of soft-bottom seafloor communities where natural productivity, biological persistence, diversity, and/or abundance of marine flora and fauna are high, as well as areas of soft-bottom seafloor communities known to support important life history or important ecological functions of mobile species (e.g., migratory stopovers and corridors, feeding areas, and nursery grounds).
Zooplankton	<i>Adequate data not available</i>	Not an ESA criterion at this time, but noted for ecological relevance to productivity.

b. Criteria Pillar 1: Areas with rare, sensitive, or vulnerable species, communities, or habitats

The first set of criteria considered by the EEG encompass the concepts of “special”, “sensitive”, and “unique” that were articulated in the statute definition. In naming this set of criteria the EEG attempted to avoid using words that could be considered to be value-laden. The criteria in this category correspond to similar components of ecological importance identified by other ocean planning and management efforts. For example, these criteria match the components “Areas of vulnerable marine resources” and “Areas of rare marine resources” that were described by the Northeast and Mid-

Atlantic regional ocean plans. Some of the criteria in this category match directly to the twelve “Special, Sensitive, or Unique (SSU) Resources” described in the Massachusetts Ocean Plan, such as the MA hard or complex seafloor and eelgrass SSUs.

The ecological components in this category play critical roles in the Long Island ecosystem but are rare or particularly vulnerable to disturbance and/or environmental change. Many already confer special protection via local, state, and federal regulations.

i. Criterion 1: Hard bottom and complex seafloor

Definition: Areas of hard bottom are characterized by exposed bedrock or concentrations of boulder, cobble, pebble, gravel, or other similar hard substrate distinguished from surrounding sediments and provide a substrate for sensitive sessile suspension-feeding communities and associated biodiversity. Complex seafloor is a morphologically rugged seafloor characterized by high variability in neighboring bathymetry around a central point. Biogenic reefs and man-made structures, such as artificial reefs, wrecks, or other functionally equivalent structures, may provide additional suitable substrate for the development of hard bottom biological communities. Areas of hard bottom and complex seafloor are areas characterized singly or by any combination of hard seafloor, complex seafloor, artificial reefs, biogenic reefs, or wrecks and obstructions.

Significance of Hard bottom and complex seafloor

Areas of hard bottom and complex seafloor are known to attract a variety of mobile organisms like fish and seabirds and serve as attachment sites for sessile creatures such as corals, anemones, sponges, and tube-building worms, which in-turn create additional structure and complexity that attracts and shelters marine organisms. Species diversity tends to be higher in areas of complex seafloor when compared to adjacent homogeneous seafloor, and this relationship also influences ecosystem functioning and increases ecosystem efficiency (Zeppilli, Pusceddu, Trincardi, & Danovaro, 2016). The hard bottom and complex seafloor criterion is a proxy for all of these characteristics and components. Multiple datasets were required to characterize hard and complex seafloor.

Hard bottom component

The EEG described “hard bottom” as any substrate coarser than “very coarse sand” on the Wentworth grain size scale, which is equivalent to particles greater than 2 mm in size, and includes granules, pebbles, and cobbles (collectively called “gravel”), as well as boulders. Outcrops of bedrock are also considered hard bottom. Any locations where hard bottom occurred were considered ecologically significant and contributed to the summary map of hard and complex seafloor ESA. The following data sources and associated maps each contributed to depicting the extent of known hard bottom in LIS. They were combined into one map (Figure 2a-3) to create the hard bottom portion of the overall Hard bottom and complex seafloor ESA criterion.

The Nature Conservancy’s Long Island Sound Ecological Assessment (LISEA) known occurrences of hard bottom

The LISEA known occurrences of hard bottom map integrates data several sources (below). The resulting layer is a point dataset depicting the locations of hard bottom. The maps and data can be accessed via [The Nature Conservancy’s Conservation Gateway](#) (The Nature Conservancy, 2017).

- USGS usSEABED database - scientific measurements of seafloor type and grain size
- USGS East Coast Sediment Texture Database - scientific measurements of seafloor type and grain size
- NOAA Electronic Nautical Chart data - notations on charts of bottom type

USGS Long Island Sound Surficial Sediment map

This map represents sediment types in Long Island Sound by polygons, interpreted by USGS scientists from bottom samples, bottom photography, and side scan sonar data. The map and data were published in an academic journal (Poppe, Knebel, Mlodzinska, Hastings, & Seekins, 2000) and in a [USGS open file report](#) (US Geological Survey, 2000).

Long Island Sound Mapping and Research Collaborative (LISMaRC) Phase II SEABOSS hard bottom observations

LISMaRC, as part of the [Long Island Sound Habitat Mapping Initiative](#), characterized seafloor type in eastern Long Island Sound in 2017 (LISS, 2017). Locations described as gravel and coarser seafloor types were included in the criterion map. These unpublished data were provided by Dr. Christian Conroy, University of Connecticut.

Figure 2a-3 integrates the datasets for hard bottom and shows the extent of hard bottom that contributes to the Hard bottom and complex seafloor ESA Criterion. The points have a 160 meter buffer so they are visible.




Figure 2a-3 The extent of hard bottom in Long Island Sound mapped from the Long Island Sound Ecological Assessment (LISEA), USGS Long Island Sound surficial sediment map, and Long Island Sound Mapping and Research Collaborative SEABOSS surveys.

Complex seafloor component

The EEG identified areas of complex seafloor using the Terrain Ruggedness Index (TRI) (Riley, DeGloria, & Elliot, 1999). The TRI metric reflects the difference between the depth at each point on the seafloor and the depth of the points surrounding it. Complex seafloor has greater differences between focal points and their surroundings (which equals higher TRI), whereas featureless seafloor has smaller differences between focal points and their surroundings (which equals lower TRI). The data required to calculate TRI are full-coverage bathymetry, or depth, data. A composite

bathymetry dataset with a horizontal resolution of 8 meters was created for Long Island Sound by mosaicking the most recent federal and local datasets from the NOAA National Ocean Service. Data sources including high-resolution multibeam survey data wherever available (ranging in resolution from 0.5m to 8m), and the NOAA Coastal Relief Model data (83m resolution) where high-resolution data were not available. The mosaic resolution of 8m was chosen to optimize the detail conveyed by the highest resolution datasets in the final bathymetry map. TRI was calculated at the scale of a single pixel (8m) and so the resulting TRI map has a resolution of 8m. In order to identify ESA for complex seafloor, the EEG classified the data into quintiles and extracted the top quintile (top 20%) as ecologically significant (Figure 2a-4).




Figure 2a-4 The top quintile of the Terrain Ruggedness Index (TRI) calculated at 8-meter resolution for Long Island Sound.

Wrecks and obstructions component

The EEG included wrecks and obstructions in the map of hard bottom and complex seafloor. Wrecks tend to serve as artificial reefs, and obstructions can include boulders or other hard bottom not delineated in geologic maps. The NOAA Automated Wreck and Obstruction Information System was clipped to Long Island Sound for inclusion in this criterion map. Any locations where wrecks and obstructions occurred were considered ecologically significant (Figure 2a-5). These also have a 160 meter buffer to be visible.




Figure 2a-5 Locations of wrecks and obstructions in LIS from the NOAA Automated Wreck and Obstruction Information System.

Integration of components

Each of the datasets described above (hard bottom, complex seafloor, wrecks and obstructions) were mapped together to represent the full extent of hard bottom and complex seafloor. Figure 2a-6 shows the number of overlaps in those datasets. Figure 2a-7 also shows all of the datasets dissolved together to show a single presence/absence layer of Ecologically Significant Areas for hard and complex seafloor. Figure 2a-7 shows the final ESA hard bottom and complex seafloor map.





Figure 2a-6 Overlaps among each of the input datasets representing the hard bottom and complex seafloor criterion.

Ecologically Significant Area Map: Hard Bottom & Complex Seafloor



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-7 Final ESA map for Hard Bottom and Complex Seafloor.

Updates and potential future work

Additional seafloor observations from the Long Island Sound Seafloor Mapping Initiative and similar projects will improve the identification of both hard bottom and complex seafloor in this criterion. Additional high-resolution multibeam bathymetry surveys by these projects and/or federal agencies will also improve the identification of complex seafloor.

ii. **Criterion 2: Areas of submerged aquatic vegetation**

Definition: Areas where submerged aquatic vegetation, e.g., eelgrass (Zostera marina), etc., are present or have been found to be present.

Significance of submerged aquatic vegetation (SAV):

Submerged aquatic vegetation refers to rooted, vascular plants that occur in the shallow waters of Long Island Sound. Species such as eelgrass can form large, dense meadows that serve as important nursery habitat for fish and shellfish species. Connecticut Public Act 02-50, Section 4 states that the Commissioner of Environmental Protection shall adopt regulations, in accordance with chapter 54 of the general statutes, to protect and restore eelgrass, including the protection of existing eelgrass beds from degradation, the development of a restoration plan to restore eelgrass and the periodic monitoring of the effectiveness of such measures to protect and restore eelgrass.

Delineation of SAV Areas:


Although eelgrass has historically been found throughout Long Island Sound, its current distribution is limited to the eastern Sound (Latimer, Tedesco, Yarish, Stacey, & Garza, 2014). The EEG discussed whether or not to include historical eelgrass data in the delineation of ESA as a way to acknowledge that eelgrass can often be restored or regrow naturally into areas of historical distribution when water quality and other environmental conditions improve. However, the decision to include multiple years of eelgrass survey results ultimately reflected the need to offset the high variability in the results of each survey that result from the high natural spatial/temporal variability in eelgrass meadow extent itself and the high variability inherent in the survey methods (Dr. Jamie Vaudrey, personal communication, December 11, 2018). A multi-year composite map more accurately portrays recent eelgrass distribution.

The US Fish and Wildlife Service National Wetland Inventory mapped eelgrass in Long Island Sound in 2002, 2006, 2009, 2012, and 2017. Each of these datasets can be downloaded from the [CT DEEP GIS website](#) (CT DEEP, 2019).

Integration of datasets:

Each of the five years of eelgrass survey datasets described above were mapped together to represent the recent extent of submerged aquatic vegetation. Figure 2a-8 shows all of the datasets dissolved together to show a single presence/absence layer of an ESA for submerged aquatic vegetation, which is spatially limited to eastern Long Island Sound (Figure 2a-9).

Ecologically Significant Area Map: Submerged Aquatic Vegetation



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-8 Final ESA map for Submerged Aquatic Vegetation. Note: The Long Island Sound boundary is removed in this map to more clearly depict submerged aquatic vegetation features. Figure 2a-9 shows the eastern Sound in detail to better discern submerged aquatic vegetation features.




Figure 2a-9 Zoomed-in map showing the extent of the ESA for submerged aquatic vegetation. Note: The Long Island Sound boundary is removed in this map to more clearly depict submerged aquatic vegetation features.

Updates and potential future work

As discussed above, the natural spatial and temporal variability in eelgrass meadows necessitates frequent updates of these data to accurately reflect current conditions. Additionally, eelgrass habitat suitability models that combine physical and biological environmental conditions with observations of eelgrass to predict eelgrass occurrence, could be used as an input for this criterion that would identify areas that could potentially be ecologically important for eelgrass.

iii. **Criterion 3: Endangered, threatened, species of concern, or candidate species listed under state or Federal Endangered Species Act and their habitats**

Definition: The species listed by federal or state statutes (e.g., the US Endangered Species Act, the CT Endangered Species Act, the NY Endangered Species Act) as endangered, threatened, species of concern, or candidates for listing, and their associated habitats, recognizing that detailed spatial data depicting the distribution and abundance for these marine species in Long Island Sound are potentially unavailable.

Significance of Criterion 3:

The marine life represented by this criterion, by their special status of being endangered, threatened, etc., are significant because of that status. That significance is already recognized officially. This criterion is also a clear representation of the meaning of Criteria Pillar 1.

Components/data sources for Criterion 3:

This criterion relates to species that are protected by existing state and/or Federal regulations and laws, as well as species being considered by the Secretary of Commerce for listing as an endangered or threatened species, but not yet the subject of a proposed rule (i.e., candidate species). The EEG indicated that the data required to fully characterize this criterion would consist minimally of species occurrence data, but also could include abundance data and/or habitat maps for each individual endangered, threatened, species of concern, and candidate species found to occur in Long Island Sound. However, for most of these species, this level of data and information is currently unavailable. Species listed under the Connecticut Endangered Species Act were used as the basis for this criterion because the New York Endangered Species Act is relevant to both Long Island Sound and the New York Bight ecosystem, which is fundamentally different from Long Island Sound. The listed species that are expected to occur within Long Island Sound are shown in Table 2a-2. Federal species of concern and candidate species are also included in Table 2a-2. The following data sources and associated maps serve as components of the ESA for Criterion 3.

Table 2a-2 Connecticut Endangered Species Act-listed species occurring within Long Island Sound, where SC means Species of Special Concern, T means Threatened Species, and E means Endangered Species.

Common name	Scientific name	CT Status	NY Status	Federal Status
Mammals				
Harbor porpoise	<i>Phocoena phocoena spp. phocoena</i>	SC	SC	
Birds - Loons, Shorebirds, Terns, and others				
Common loon	<i>Gavia immer</i>	SC	SC	
Common tern	<i>Sterna hirundo</i>	SC	T	
Least tern	<i>Sternula antillarum</i>	T	T	
Piping plover	<i>Charadrius melodus</i>	T	T	T
Roseate tern	<i>Sterna dougalii</i>	E	E	E
Upland sandpiper	<i>Bartramia longicauda</i>	E	T	
American oystercatcher	<i>Haematopus palliatus</i>	T		
Eskimow curlew	<i>Numenius borealis</i>	SC		
Fish				
Atlantic bluefin Tuna	<i>Thunnus thynnus</i>			SC
Atlantic halibut	<i>Hippoglossus</i>			SC
Atlantic sturgeon	<i>Acipenser oxyrinchus</i>	E	E	E
Atlantic wolffish	<i>Anarhichas lupas</i>			SC

Blueback herring	<i>Alosa aestivalis</i>	SC		
Cusk	<i>Brosme</i>			SC; Candidate Species
Dusky shark	<i>Carcharhinus obscurus</i>			SC
Porbeagle shark	<i>Lamna nasus</i>			Candidate
Rainbow smelt	<i>Osmerus mordax</i>			SC
River herring (Alewife and Blueback herring)	<i>Alosa pseudoharengus and Alosa aestivalis</i>			SC
Sand tiger shark	<i>Carcharius taurus</i>	SC		SC
Shortnose sturgeon	<i>Acipenser brevirostrum</i>	E	E	E
Reptiles - sea turtles and brackish turtles				
Atlantic green sea turtle	<i>Chelonia mydas</i>	T	T	T
Atlantic ridley	<i>Lepidochelys kempii</i>	E	E	E
Leatherback sea turtle	<i>Dermochelys coriacea</i>	E	E	E
Loggerhead sea turtle	<i>Caretta</i>	T	T	E
Northern diamondback terrapin	<i>Malaclemys terrapin</i>	SC		

For three of the five endangered species, Atlantic sturgeon, shortnose sturgeon, and roseate tern, datasets at the individual species level were available for inclusion in the maps for this criterion. Several of the other threatened or special concern species are characterized spatially in other ESA criteria (e.g., harbor porpoise, diamondback terrapin). However, for this criterion, state endangered species spatial databases were used to characterize Ecologically

Significant Areas for these non-endangered species. One limitation of the state spatial databases is that they are focused on the coast and coastal habitats even though many of the endangered, threatened, and species of concern have open-water distributions. Individual layers for the endangered sturgeon species and roseate tern partly address this limitation.

Atlantic sturgeon and shortnose sturgeon

CT DEEP Marine Fisheries provided several datasets relevant to these two sturgeon species. First, they provided a layer that delineates the sturgeon migratory corridor in the Sound. Second, they provided the boundaries of areas where certain fishing gears (e.g., otter trawl, beam trawl, sink or anchored gillnet) are restricted to protect Atlantic sturgeon. Lastly, areas of high and medium sturgeon use were identified from the CT DEEP Marine Fisheries Long Island Sound Trawl Survey (LISTS). The sturgeon migratory corridor, the gear restriction areas, and the medium and high use areas were all considered ecologically significant (Figure 2a-10). For more detail on LISTS and its methods, see the Fish criterion.




Figure 2a-10 Data layers relevant to Atlantic and shortnose sturgeon ESA including Atlantic sturgeon gear restriction areas, high and medium use sturgeon areas, and Atlantic sturgeon migratory corridor from CT DEEP Marine Fisheries.

Roseate tern

A summer (May - September) predicted occurrence map for roseate tern was provided by the University of Connecticut. All areas where roseate tern was predicted to be present were considered ecologically significant (Figure 2a-11). For more detail on this layer, see the Birds criterion.




Figure 2a-11 Predicted summer occurrence of roseate tern in LIS.

Connecticut Natural Diversity Database

The [Connecticut Natural Diversity Database](#) maintains maps that represent approximate locations of endangered, threatened and special concern species and significant natural communities in Connecticut, compiled from CT DEEP staff, scientists, conservation groups, and landowners (Figure 2a-12) (CT DEEP, 2019). The data are updated approximately every 6-months and are meant to serve as a pre-screening tool to identify potential impacts to state-listed species. The Connecticut Natural Diversity Database was updated in December 2018, and are available for download on the [CT DEEP GIS website](#) (CT DEEP, 2019).




Figure 2a-12 Approximate locations of endangered, threatened, and special concern species and significant natural communities in Long Island Sound, as reflected in the Connecticut Natural Diversity Database (CT NDDB). Note: The Long Island Sound boundary is removed in this map to more clearly depict features.

Connecticut Critical Habitats

Connecticut Critical Habitats provides the identification and distribution of a subset of important wildlife habitats identified in the Connecticut Comprehensive Wildlife Conservation Strategy. Critical Habitats in estuarine environments were extracted from the full dataset for mapping in the Long Island Sound (Figure 2a-13). The full dataset is available for download on the [CT DEEP GIS website](#) (CT DEEP, 2019).




Figure 2a-13 Connecticut Critical Habitats in estuarine environments within Long Island Sound. Polygons are located on the north shore of the Sound. Note: The Long Island Sound boundary is removed in this map to more clearly depict features.

New York Rare Plants and Rare Animals

The New York Natural Heritage Program actively surveys rare animal species, including those listed as threatened, endangered, and of species concern by the state (Figure 2a-14). The data can be accessed via the New York State Department of Environmental Conservation [Environmental Resource Mapper](#) (NY DEC, 2019).




Figure 2a-14 Approximate locations of rare plants and animals in New York waters of LIS from the New York Department of Environmental Conservation. Note: The Long Island Sound boundary is removed in this map to more clearly depict features.

New York Significant Natural Communities

The New York Natural Heritage Program maintains a database of locations of rare or high-quality wetlands, forests, grasslands, ponds, streams, and other types of habitats, ecosystems, and ecological areas (Figure 2a-15). Because some significant natural communities contain rare plants and/or rare animals, there is some overlap between this layer and the New York Rare Plants and Rare Animals layer. The data can be accessed via the New York State Department of Environmental Conservation [Environmental Resource Mapper](#) (NY DEC, 2019).




Figure 2a-15 Locations of New York Significant Natural Communities, on the Long Island shore of the Sound. Note: The Long Island Sound boundary is removed in this map to more clearly depict features.

New York Significant Coastal Fish and Wildlife Habitats

[New York State Significant Coastal Fish and Wildlife Habitats](#) (NY Office of Planning and Development, 2019) have been designated and mapped by the New York Department of State, after recommendation by the New York Department of Environmental Conservation, which applied a [rating system](#) (Ozard, 1984) to identify and rate the habitats (Figure 2a-16). Generally, the habitats must: be essential to the survival of a large portion of a particular fish or wildlife population; support populations of species which are endangered, threatened or of special concern; support populations having significant commercial, recreational, or educational value; or exemplify a habitat type which is not commonly found in the State or in a coastal region.




Figure 2a-16 Locations of New York Significant Coastal Fishing and Wildlife Habitats. Note: The Long Island Sound boundary is removed in this map to more clearly depict features.

US Endangered Species Act Critical Habitats

One of the six federally endangered species known to occur in Long Island Sound (Table 2a-2) has Critical Habitat spatially defined under the US Endangered Species Act by the [NOAA Greater Atlantic Region Fisheries Office \(GARFO\) Protected Resources Division](#) (NOAA Fisheries, 2017). Atlantic sturgeon Critical Habitat is defined for Connecticut River and Housatonic River segments (Figure 2a-17). The other endangered species known to occur in Long Island Sound do not have Critical Habitats defined under the US Endangered Species Act. The NOAA GARFO Protected Resources Division developed and maintains the [ESA Section 7 Mapper](#), which allows users to identify any Critical Habitats and protected species present in a project action area (Fisheries, 2019).




Figure 2a-17 Approximate location of Critical Habitats delineated for Atlantic sturgeon under the US Endangered Species Act (US ESA). The river segments affected by this regulation have been buffered to increase visibility on this map and in the Ecologically Significant Areas analysis. Note: The Long Island Sound boundary is removed in this map to more clearly depict features.

Integration of components/data sets

Each of the datasets described above were mapped together to represent the extent of endangered, threatened, species of concern, or candidate species listed under state or Federal Endangered Species Act and their habitats. Figure 2a-18 shows the number of overlaps in those datasets. Figure 2a-19 shows all of the datasets dissolved together to show a single presence/absence layer of ESA for endangered, threatened, species of concern, or candidate species listed under state or Federal Endangered Species Act and their habitats.





Figure 2a-18 Overlaps among each of the input components/datasets representing Criterion 3: Ecologically Significant Areas for Endangered, threatened, species of concern, or candidate species listed under state or Federal Endangered Species Act and their habitats.

Ecologically Significant Area Map: Endangered, Threatened, and Species of Concern



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-19 Final ESA map for the Endangered, threatened, species of concern, or candidate species listed under state or federal Endangered Species Act and their habitats.

Updates and potential future work

Additional species-specific layers depicting the occurrence of endangered, threatened, species of concern, and candidate species will improve this criterion. Specifically, characterizations of protected species in open water, versus in coastal habitats, are particularly needed.

iv. **Criterion 4: Cold water corals**

Definition: Areas where cold-water corals have been observed or where habitat suitability or other scientific models predict they occur.

Significance of Cold water corals


Cold water corals are colonial animals similar to tropical reef corals, but many species don't require sunlight for survival. Because they catch food from the surrounding water, they are usually found in areas with higher current speeds, including on ledges and mounds. There are stony cold water corals and soft cold water corals. A common species of stony cold water coral in New England, the northern star coral (*Astrangia poculata*), can house symbiotic zooxanthellae, as tropical corals do, and can survive in a variety of water depths. In general, cold water corals are slow-growing and fragile, meaning they are vulnerable to physical disturbance. Invertebrates and fish are attracted to cold water coral aggregations for food and shelter. Additionally, Cold water corals are a visibly unique expression of a healthy, thriving marine ecosystem; they are a direct example of the ecological character of the Sound the Blue Plan is seeking to sustain.

Data sources for Cold water corals

There have been no comprehensive surveys of cold water coral distribution and abundance in Long Island Sound. However, the Long Island Sound Mapping and Research Collaborative (LISMaRC), through the Long Island Sound Seafloor Mapping Initiative, have mapped the occurrence of *Astrangia poculata* at discrete sampling locations near Stratford Shoals and eastern Long Island Sound. These observations create an incomplete picture of where ESA for cold water corals exist. First, while each survey area is shown on the map at its true size, cold water corals likely only exist in a fraction of each survey area. In other words, cold water corals only needed to be found to occur once within the entire survey area for that survey area to be included as ecologically significant. Second, it is important to reiterate that simply because the ESA maps do not indicate presence of cold water corals in other areas of the Sound, they do not reflect their absence - they merely indicate the lack of survey effort in those parts of the Sound. Only survey areas

where cold water corals have been observed (anywhere within the survey area) are considered ecologically significant (Figure 2a-20).

Ecologically Significant Area Map: Cold Water Corals



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-20 Final ESA map of cold water corals.

Updates and potential future work

It is plausible to assume that with additional analysis, a habitat suitability model for cold water corals in Long Island Sound could be developed. The benefit of using a habitat suitability model is that an existing and limited set of observations could be used to predict habitat suitability across the entire Long Island Sound, rather than rely on a piece-meal sampling approach that may never sample every Long Island Sound habitat. This type of model would use combinations of physical and biological features of the marine environment, along with known locations of cold water corals, to predict where cold water corals might occur throughout the entire Sound. The EEG's definition for this criterion explicitly included the results of habitat suitability models as adequate inputs for characterizing this criterion.

v. **Criterion 5: Coastal wetlands**

Definition: According to Connecticut General Statute (CGS) 22a-29: "Those areas which border on or lie beneath tidal waters, such as, but not limited to banks, bogs, salt marshes, swamps, meadows, flats, or other low lands subject to tidal action, including those areas now or formerly connected to tidal waters, and whose surface is at or below an elevation of one foot above local extreme high water; and upon which may grow or be capable of growing some, but not necessarily all, of [a list of specific plant species found in CGS section 22a-29(2)]."


Significance of Coastal wetlands

Coastal Wetlands serve multiple ecological purposes and have been identified as one of the most important natural communities of LIS. They serve as nursery grounds and nesting habitat for many species, and also provide ecosystem services such as wave attenuation and nutrient cycling. Since coastal wetlands tend to occur in environments landward of the 10-foot contour, Blue Plan policies, which apply seaward of the 10-foot contour, are not expected to apply to coastal wetland habitats. However, as discussed in section 3.4a, the EEG included these coastal habitats in the ESA framework because of their importance as supporting habitats for the Long Island Sound ecosystem.

Data Sources for Coastal wetlands

The EEG used National Wetlands Inventory data, clipped to the Long Island Sound Study boundary, to depict coastal wetlands for this criterion. Figure 2a-21 shows a single presence/absence layer of ESA for coastal wetlands.

Ecologically Significant Area Map: Coastal Wetlands



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-21 Final ESA map of coastal wetlands. Note: The Long Island Sound boundary is removed in this map to more clearly depict coastal wetland features.

Updates and potential future work

Like any other coastal biological feature, coastal wetland extent is naturally variable and highly susceptible to human development and disturbance. For these reasons, data from the most recent coastal wetland surveys should continue to be integrated into this criterion.

c. Criteria Pillar 2: Areas of high natural productivity, biological persistence, diversity, and abundance, including areas important for supporting or exhibiting such features, relative to the following characteristics or species (see footnote 28 above for complete title)

The second set of criteria considered by the EEG expand on the concept of “productive” places articulated in the statute. From an ecological perspective, productivity refers to the processes of reproduction and growth. If organisms throughout the ecosystem grow and reproduce to their potential, the ecosystem is considered balanced and efficient. This balance is important for the provisioning of ecosystem services on which humans depend. Productivity as a set of processes is difficult to measure, so ecologists often use abundance, and other metrics like diversity and persistence, to understand productivity. Furthermore, the places where behaviors that allow organisms to be productive, such as feeding areas, nesting areas, nursery grounds, and migratory routes were considered important to include in this category. The EEG decided to take a taxa-based approach to gather data on these topics because the data were usually collected and presented by species group or at the taxa level. The criteria within this category are similar to the components of ecological importance identified by the Northeast and Mid-Atlantic regional ocean planning efforts “Areas of high productivity”, “Areas of high diversity”, and “Areas of high abundance”. The Massachusetts Ocean Plan also took a taxa-based approach for several of its SSUs, including important fish resources and colonial waterbirds important nesting habitat, among others.

The broad taxonomic categories used to organize these data can potentially mask or obscure relevant spatial patterns in individual species or groups of species within a taxon. Species within a taxonomic group have diverse behaviors, life history traits, and habitat requirements, and so it could be necessary, once at the project-scale, to drill into underlying datasets to better understand how Ecologically Significant Areas for individual species could be captured by the taxonomic group’s ESA, or not.

i. Criterion 6: Cetaceans

Definition: Areas where cetaceans occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support cetaceans (e.g. particular feeding areas, nursery grounds).

Significance of Cetaceans

Cetaceans include whales, dolphins, and porpoises. Porpoises, specifically the harbor porpoise, are the most common cetacean inhabitant of Long Island Sound (Dr. Robert Kenney, personal communication, December 5, 2018). The harbor porpoise is a species of Special Concern in the state of Connecticut. Some whale species, such as humpback whales, have been more commonly observed in recent years in western Long Island Sound. However, since large whales have not historically been observed in the Sound, they are not listed as endangered species in Connecticut. Many large whales retain protection by the federal Endangered Species Act wherever they occur in US waters. All cetacean species are also protected by the US Marine Mammal Protection Act. Cetaceans are susceptible to human activities, particularly boat strikes and entanglement.

Data Sources for Cetaceans

Duke University Cetacean Models

To map cetacean occurrence in the Sound, the EEG used the same datasets being used for regional ocean planning in the Northeast and Mid-Atlantic - Duke University Marine Geospatial Ecology Lab cetacean density models (Curtice, Cleary, Shumchenia, & Halpin, 2018) (Roberts, et al., 2016) (Roberts, Mannocci, & Halpin, 2016-2017). These data were accessed via the [Northeast Ocean Data Portal](#) (NROC, 2019). Predicted density maps were available for eleven cetacean species or species guilds with coverage in Long Island Sound. Several of those maps were annual averages whereas others were monthly predictions. For the species with monthly predicted densities, the twelve months were averaged to create an annual summary layer for each species. The eleven annual summary layers were added up to reflect the predicted total annual average density of cetaceans in the Sound. The EEG selected the area in the eastern Sound where 5 or more individuals of any species were predicted to occur on an annual basis as ecologically significant (Figure 2a-22). In this area, densities of harbor porpoise were predicted to be the highest of any other species; very low densities were predicted in this area for the remaining cetacean species.




Figure 2a-22 Area where greater than 5 individual cetaceans (of any species) are predicted to occur annually in LIS, extracted from the Duke Marine Geospatial Ecology Lab's cetacean density models for the US Atlantic Coast.

Expert Participatory Mapping

After reviewing the draft area selected by the EEG that was derived from the Duke University Cetacean Models, experts recommended that the ESA for cetaceans be amended to include an area where humpback whales had been recently observed in western Long Island Sound. On January 3, 2019, Patrick Comins, Executive Director of the Connecticut Audubon Society, delineated this area off of New Rochelle, NY, for inclusion as an ESA (Figure 2a-23).





Figure 2a-23 Area identified through expert participatory mapping depicting recent sightings of humpback whales in western LIS.

Integration of information sources

Each of the datasets described above were mapped together to areas where cetaceans occur in higher concentrations and/or particular significant areas. Figure 2a-24 shows both datasets together on the same map of the ESA for cetaceans.

Ecologically Significant Area Map: Cetaceans (e.g., whales, dolphins, porpoises)



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-24 Final ESA map of cetaceans.

Updates and potential future work

The occurrence of some large whale species in the western Sound has increased very recently. For this reason, and due to shifting environmental conditions that may be driving these new patterns, additional data collected by citizens, conservation organizations, and whale-watching groups should be considered as supporting information for this criterion.

ii. **Criterion 7: Pinnipeds**

Definition: Areas where pinnipeds occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support pinnipeds (e.g. particular haul-out locations, feeding areas).


Significance of Pinnipeds

Pinniped species found on Long Island (including outside LIS) include Harbor, Grey, Harp, Hooded, and Ringed seals. Although no seal species have protected status under the Connecticut Endangered Species Act, they are protected federally by the US Marine Mammal Protection Act. Like cetaceans, seals are susceptible to boat strikes and entanglement.

Data sources for Pinnipeds

As a result of the science webinars and outreach that supported the [Inventory](#), a data layer representing important areas for seals, including haul-out sites, was developed. The NOAA Environmental Sensitivity Index (ESI) map of seal haul-out sites was used as a starting point. Using participatory mapping, experts identified and/or augmented areas on the ESI map to create a more up-to-date and accurate map of Ecologically Significant Areas for pinnipeds. The resulting map was included in the Blue Plan Inventory and used by the EEG to map the ESA for pinnipeds (Figure 2a-25). Additional expert input to delineate pinniped concentration areas near Hungry Point on Fishers Island was obtained during the Blue Plan draft review process and is also represented in Figure 2a-25.

Ecologically Significant Area Map: Pinnipeds (e.g., seals)



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-25 Final ESA map for Pinnipeds. Note: The Long Island Sound boundary is removed in this map to more clearly depict areas where pinnipeds occur in higher concentrations.

Updates and potential future work

When compared with the locations of haul-out sites, relatively little is known about the spatial patterns of seals' use of the waters of Long Island Sound for activities like feeding, migrating, etc. Therefore, future work could focus on improving spatial representations of these activities. In addition, the population of seals has increased in the Sound in recent years, and so frequent updates may be required to continue to accurately depict the ESA for seals.

iii. **Criterion 8: Sea turtles and other reptiles**

Definition: Areas where sea turtles and other reptiles occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support sea turtles and other reptiles (e.g. particular feeding areas, nesting grounds, hibernation areas).

Significance of Sea turtles and other reptiles

The criterion “Sea turtles and other reptiles” includes sea turtle species common in the Sound such as Loggerhead, Kemp’s Ridley, and Green, as well as a different species of turtle, the [Northern diamondback terrapin](#) (CT DEEP, 2019). Diamondback terrapins are not sea turtles but are more similar to terrestrial and aquatic turtle species. They are a species of Special Concern in Connecticut. Diamondback terrapins live in coastal habitats where fresh and salt water meet, and often hibernate in muddy habitats like coastal marshes and wetlands. This behavior makes diamondback terrapins particularly susceptible to coastal construction and dredging activities via habitat disturbance and direct mortality. Sea turtles are extremely vulnerable to boat strikes as they swim and drift slowly at the water surface. Loggerhead (threatened), Green (threatened), and Leatherback (endangered) sea turtles are protected by the Connecticut Endangered Species Act as well as the US Endangered Species Act. Leatherback sea turtles are not common in the Sound. In recent years, there have been several documented boat strikes of Green and Loggerhead sea turtles that resulted in severe injury or mortality.

Data sources for Sea turtles and other reptiles

Northern diamondback terrapin probability of occurrence

During the 2018 science review webinars on Ecologically Significant Areas, experts sharing information with the EEG regarding available diamondback terrapin spatial data, which had been lacking in the draft ESA maps. Even though diamondback terrapin habitat is not expected to overlap with the Blue Plan policy area, the data are included as ecologically significant. The available data was compiled by the Conserve Wildlife Foundation of New Jersey and is available via the [North Atlantic Landscape Conservation Cooperative website](#) (Conservation Biology Institute,

2016) and the USGS. The point layer represents documented occurrences of the northern diamondback terrapin between 2000-2012 from Massachusetts to Virginia, provided by the Diamondback Terrapin Working Group. The map depicts the predicted probability of occurrence on a 0 - 1 scale, with 0.7722 being the highest possible value. A threshold of 0.3188 was generated by the modeling program (Maxent) and is considered a relatively conservative threshold that has been used as an indicator for suitable habitat in other studies. The EEG selected occurrences above the 0.3188 threshold to include as the ESA (Figure 2a-26).




Figure 2a-26 Areas where Northern diamondback terrapin probability of occurrence is greater than 0.3118. Note: The Long Island Sound boundary is removed in this map to more clearly depict these areas.

Sea turtle live strandings and recent mortality events

The EEG investigated several sea turtle datasets described in the Blue Plan Inventory for use in identifying the ESA. The EEG recommended the use of recent verified live strandings, rescues, and in-water observations to reflect places where sea turtles were actively using Sound habitats. The records of these point locations were obtained from [Mystic Aquarium](#) (Mystic Aquarium, 2016) (for the CT coast) and the [Riverhead Foundation for Marine Research and Preservation](#) (Riverhead Foundation, 2018) (for the Long Island coast). These datasets may be available from each entity upon request. In addition, the point locations of three 2018 boat-strike mortality events in the Stratford area were included in the ESA map (Figure 2a-27).





Figure 2a-27 Locations of 2018 coastal Connecticut sea turtle strikes and live sea turtle strandings and rescues from the Riverhead Foundation and Mystic Aquarium

Integration of data sets

Each of the datasets described above were mapped together to represent the extent of Ecologically Significant Areas for sea turtles and other reptiles. Figure 2a-28 shows all of the datasets dissolved together to show a single presence/absence layer of ESA for sea turtles and other reptiles.

Ecologically Significant Area Map: Sea Turtles and other reptiles



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-28 Final ESA map of Sea Turtles and other Reptiles. Note: The Long Island Sound boundary is removed in this map to more clearly depict these areas.

Updates and potential future work

Changing environmental conditions may be influencing sea turtle use of the Sound, and updates should be made frequently enough to capture significant changes in occurrence.

iv. **Criterion 9: Birds**

Definition: Areas where birds are abundant or diverse including feeding areas; areas of high bird productivity including nesting areas.

Significance of Birds

This criterion focuses on seabird species that are expected to use the open-water habitats of Long Island Sound (i.e., within the Blue Plan policy boundary). Many of these seabird species use the Sound for feeding, nesting, and/or as a migratory stopover, and therefore use both open-water and coastal habitats. Other more strictly-coastal bird species (including some endangered, threatened, and species of concern) use the Sound, but these habitats may be outside of the Blue Plan policy area. Because of the range of behaviors and habitats in this species group, it will likely be necessary to examine data at the species-level to best understand any potential conflicts between birds and human activities.

The roseate tern is endangered in the state of Connecticut and the entire US. The third largest roseate tern colony in North America exists in Connecticut at Falkner Island, where approximately 175 to 200 pairs of terns breed every year (CT DEEP, 2019). Roseate terns' nesting habitats are vulnerable to human activities that cause physical disturbances in coastal areas, like recreation or development. Human activities have greatly reduced available nesting habitat for roseate terns. See the section on Endangered, Threatened, Species of Concern, and Candidate Species for a list of protected coastal birds and seabirds.

Data and Information Sources for Birds

Seabird occurrence models

At the time of EEG formation, there were no Sound-wide maps of seabird occurrence. However, the Blue Plan Inventory described the eBird Database, which contains thousands of records of seabird observations in multiple seasons in Long Island Sound. Valerie Steen, a University of Connecticut (UConn) postdoctoral fellow working with

EEG member Chris Elphick, used the eBird Database and several environmental datasets from the Blue Plan Inventory (e.g., bathymetry, eelgrass) to create maps of predicted seabird occurrence in Long Island Sound. Separate models were constructed for 7 species' summer (May - September) occurrence and 23 species' winter (October - April) occurrence (Table 2a-3). Five species had both summer and winter occurrence maps. A simple evaluation of the models' performance indicated that although the patterns depicted in the output maps were better than relying on anecdotal information, they could be improved if more data were available (both seabird observations and environmental/habitat covariates). Unpublished presence/absence maps were generated for each species and incorporated by the EEG for this criterion.

Table 2a-3 Species for which predicted presence/absence maps were available and included in the Birds criterion.

Summer	Winter
<ul style="list-style-type: none"> ● Common tern ● Double-crested cormorant ● Great black-backed gull ● Herring gull ● Laughing gull ● Ring-billed gull ● Roseate tern 	<ul style="list-style-type: none"> ● American black duck ● Black scoter ● Bonaparte's gull ● Brant ● Bufflehead ● Common eider ● Common goldeneye ● Common loon ● Double-crested cormorant ● Great black-backed gull ● Great cormorant ● Greater scaup ● Herring gull ● Horned grebe ● Laughing gull ● Lesser scaup ● Long-tailed duck ● Northern gannet ● Red breasted merganser ● Red throated loon

	<ul style="list-style-type: none">● Ring-billed gull● Surf scoter● White-winged scoter
--	--

Presence/absence maps for the 7 summer species were overlaid and summed to create a summer species richness map. The presence/absence maps for the 23 winter species were also overlaid and summed to create a winter species richness map. Each richness map was classified into quintiles and the top quintile of each was considered part of the ESA (Figure 2a-29).

Participatory mapping

After reviewing the draft areas selected by the EEG that were derived from the UConn models, experts recommended that ESA for birds be amended to include additional areas, including, for example, staging, nesting, and foraging areas in summer, and roosting, foraging, and wintering areas in winter. On January 3, 2019, Patrick Comins, Executive Director of the Connecticut Audubon Society, delineated these areas (Figure 2a-30).




Figure 2a-29 Top quintile maps for both summer and winter predicted species richness for birds, from University of Connecticut preliminary models. The summer areas (yellow) are partially transparent to better show where summer areas overlap with winter areas.





Figure 2a-30 Areas important to bird staging, nesting, foraging, roosting, and wintering identified through expert participatory mapping. The summer staging, nesting and foraging areas (yellow) are partially transparent to better show where these areas overlap with roosting, foraging, and wintering areas. The Race appears green because it is where roseate and common terns forage in summer, and is also an important wintering area for razorbills (Patrick Comins, personal communication, 1/3/19).

Integration of data and information

The datasets described above were mapped together to represent the extent of Ecologically Significant Areas for birds. Figure 2a-31 shows all of the datasets dissolved together as a single presence/absence layer of ESA for birds.

Ecologically Significant Area Map: Birds



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-31 Final ESA map for Birds.

Updates and potential future work

The data that inform this criterion could be improved by additional vetting or evaluation of the model outputs; increasing the quantity of data (both observations and numbers of environmental/habitat variables) used by the models to improve predictions; and additional or repeated participatory mapping by experts to highlight areas that may be changing with regard to bird aggregations or overall bird occurrence.

v. **Criterion 10: Fish**

Definition: Areas of high weighted fish persistence and high fish abundance and concentration.

Significance of Fish:

The fish criterion includes pelagic and demersal vertebrate fish species. Fish are key components of the Long Island Sound ecosystem, and are critical to both human and animal food webs. In addition to fishing pressure, fish community composition in Long Island Sound is influenced by climate and environmental change. Since 1998, the fish community has transitioned to a single community adapted to higher temperatures, from a state where distinct winter-spring and summer-autumn communities existed prior to 1998 (Howell & Auster, 2012). There are likely other species-specific and functional-group-specific trends that are also relevant to management and decision-making that should be considered on a case-by-case basis. In an effort to characterize Ecologically Significant Areas for fish in a simplified, but not oversimplified way, the EEG considered metrics of persistence and abundance for species using water column habitats (i.e., diadromous and pelagic species), and seafloor habitats (i.e., demersal species). Both types of metrics use data derived from the [CT DEEP Marine Fisheries Long Island Sound Trawl Survey \(LISTS\)](#), which occurs in spring and fall of each year since 1984 (CT DEEP, 2019). The LISTS divides the Sound into about three hundred 1x2 nautical-mile grid cells and uses a stratified-random survey design. The survey design relies on the stratum assigned to each 1x2 nautical mile area and weights the number of samples per stratum by the amount of stratum-specific area available for sampling. Strata are 12 combinations of three bottom types and four depth intervals. Although LISTS data are representative of the entire Sound at the stratum level, there are some areas that cannot be effectively sampled by bottom trawl (e.g., The Race, shoals, reefs and trenches). Since strata are not uniformly distributed throughout the sound and sites are not equally available to the sample gear, not all grid cells have been sampled equally over time (Figure 2a-32). Biomass has been recorded since 1992. All of the data for this criterion are reported using the 1x2 nautical mile site grid, even though LISTS methodology does not require a tow be conducted within the confines of a grid cell provided it is conducted in the correct stratum.




Figure 2a-32 Grid cells sampled by the Connecticut DEEP Marine Fisheries Long Island Sound Trawl Survey (1984-2009). Map credit: The Nature Conservancy, Long Island Sound Ecological Assessment. TNC considered grid cells that did not have survey points in at least two of three periods (1984-1992, 1993-2001, 2002-2009) to be insufficiently sampled for their weighted persistence analyses.

Data sources and Methodologies for Fish

Persistently productive places for fish

The Long Island Sound Ecological Assessment (LISEA) identified persistently productive areas for fish using 26 years of LISTS data (1984-2009). These places have the highest number of species that have persisted there for the longest period (i.e., throughout each period of the LISTS, or 3 periods totaling 26 years at the time of the assessment) and each of these species have been detected at a frequency higher than expected, from just under 1 standard deviation to over 2

standard deviations above the mean. These persistently productive places for each species were aggregated into persistently productive places for fish functional groups: diadromous, pelagic, and demersal species (Table 2a-4). The maps and data showing persistently productive places for each functional group can be accessed via [The Nature Conservancy's Conservation Gateway](#) (The Nature Conservancy, 2017). From these maps, the following criteria were applied to identify Ecologically Significant Areas:

Diadromous species

- Grid cells of Diadromous species in the highest weighted persistence category
- Grid cells where both Pelagic and Diadromous species are in the second highest weighted persistence category overlap

Pelagic species

- Grid cells of Pelagic species in the highest weighted persistence category
- Grid cells where both Pelagic and Diadromous species are in the second highest weighted persistence category overlap

Demersal species

- Grid cells in the highest LISEA weighted persistence category for each of the Demersal species functional groups (Elasmobranchs, Gadids, Pleuronectids, Structure-oriented, Other)
- Grid cells where 3 or more of the 5 Demersal species functional groups are in the second highest LISEA weighted persistence category overlap

Table 2a-4 Species and functional groups considered in the LISEA persistence analysis.

Functional group	Species	Subgroup
Demersal	Barndoor skate <i>Dipturus laevis</i>	Elasmobranch
Demersal	Clearnose skate <i>Raja eglanteria</i>	Elasmobranch
Demersal	Little skate <i>Leucoraja erinacea</i>	Elasmobranch
Demersal	Roughtail stingray <i>Dasyatis centroura</i>	Elasmobranch
Demersal	Smooth dogfish <i>Mustelus canis</i>	Elasmobranch
Demersal	Spiny dogfish <i>Squalus acanthius</i>	Elasmobranch

Functional group	Species	Subgroup
Demersal	Winter skate <i>Leucoraja ocellata</i>	Elasmobranch
Demersal	Atlantic cod <i>Gadus morhua</i>	Gadids
Demersal	Fourbeard rockling <i>Enchelyopus cimbrius</i>	Gadids
Demersal	Haddock <i>Melanogrammus aeglefinus</i>	Gadids
Demersal	Pollock <i>Pollachius virens</i>	Gadids
Demersal	Red hake <i>Urophycis chuss</i>	Gadids
Demersal	Silver hake <i>Merluccius bilinearis</i>	Gadids
Demersal	Spotted hake <i>Urophycis regia</i>	Gadids
Demersal	Fourspot flounder <i>Paralichthys oblongus</i>	Pleuronectids
Demersal	Hogchoker <i>Trinectes maculatus</i>	Pleuronectids
Demersal	Smallmouth flounder <i>Etropus microstomus</i>	Pleuronectids
Demersal	Summer flounder <i>Paralichthys dentatus</i>	Pleuronectids
Demersal	Windowpane flounder <i>Scophthalmus aquosus</i>	Pleuronectids
Demersal	Winter flounder <i>Pseudopleuronectes american</i>	Pleuronectids
Demersal	Yellowtail flounder <i>Pleuronectes ferrugineus</i>	Pleuronectids
Demersal	Black sea bass <i>Centropristes striata</i>	structure oriented
Demersal	Cunner <i>Tautogolabrus adspersus</i>	structure oriented
Demersal	Oyster toadfish <i>Opsanus tau</i>	structure oriented
Demersal	Rock Gunnel <i>Pholis gunnellus</i>	structure oriented
Demersal	Scup <i>Stenotomus chrysops</i>	structure oriented
Demersal	Tautog <i>Tautoga onitis</i>	structure oriented
Demersal	American sand lance <i>Ammodytes americanus</i>	Other: misc.
Demersal	Atlantic silverside <i>Menidia</i>	Other: misc.
Demersal	Atlantic croaker <i>Micropogonias undulatus</i>	Other: misc.
Demersal	Bigeye <i>Priacanthus arenatus</i>	Other: misc.
Demersal	Spot <i>Leiostomus xanthurus</i>	Other: misc.
Demersal	Striped searobin <i>Prionotus evolans</i>	Other: misc.
Demersal	Conger eel <i>Conger oceanicus</i>	Other: misc.
Demersal	Dwarf goatfish <i>Upeneus parvus</i>	Other: misc.
Demersal	Fawn cusk-eel <i>Lepophidium profundorum</i>	Other: misc.

Functional group	Species	Subgroup
Demersal	Feather blenny <i>Hypsoblennius hentz</i>	Other: misc.
Demersal	Goosefish/monkfish <i>Lophius americanus</i>	Other: misc.
Demersal	Grubby <i>Myoxocephalus aeneus</i>	Other: misc.
Demersal	Lined seahorse <i>Hippocampus erectus</i>	Other: misc.
Demersal	Longhorn sculpin <i>Myoxocephalus octodecemspin</i>	Other: misc.
Demersal	Lumpfish <i>Cyclopterus lumpus</i>	Other: misc.
Demersal	Naked goby <i>Gobiosoma bosci</i>	Other: misc.
Demersal	Northern kingfish <i>Menticirrhus saxatilis</i>	Other: misc.
Demersal	Northern Pipefish <i>Syngnathus fuscus</i>	Other: misc.
Demersal	Northern Puffer <i>Sphoeroides maculatus</i>	Other: misc.
Demersal	Northern Searobin <i>Prionotus carolinus</i>	Other: misc.
Demersal	Northern Sennet <i>Sphyaena borealis</i>	Other: misc.
Demersal	Northern Stargazer <i>Astroscopus guttatus</i>	Other: misc.
Demersal	Ocean Pout <i>Macrozoarces americanus</i>	Other: misc.
Demersal	Planehead Filefish <i>Monacanthus hispidus</i>	Other: misc.
Demersal	Red Cornetfish <i>Fistularia petimba</i>	Other: misc.
Demersal	Red Goatfish <i>Mullus auratus</i>	Other: misc.
Demersal	Sea Raven <i>Hemitripterus americanus</i>	Other: misc.
Demersal	Seasnail <i>Liparis atlanticus</i>	Other: misc.
Demersal	Short Bigeye <i>Pristigenys alta</i>	Other: misc.
Demersal	Striped Burrfish <i>Chilomycterus schoepfi</i>	Other: misc.
Demersal	Striped Cusk-Eel <i>Ophidion marginatum</i>	Other: misc.
Demersal	Weakfish <i>Cynoscion regalis</i>	Other: misc.
Diadromous	Alewife <i>Alosa pseudoharengus</i>	
Diadromous	American eel <i>Anguilla rostrata</i>	
Diadromous	American shad <i>Alosa sapidissima</i>	
Diadromous	Atlantic salmon <i>Salmo salar</i>	
Diadromous	Atlantic sturgeon <i>Acipenser oxyrinchus</i>	
Diadromous	Atlantic tomcod <i>Microgadus tomcod</i>	
Diadromous	Blueback herring <i>Alosa aestivalis</i>	

Functional group	Species	Subgroup
Diadromous	Gizzard shad <i>Dorosoma cepedianum</i>	
Diadromous	Hickory shad <i>Alosa mediocris</i>	
Diadromous	Rainbow smelt <i>Osmerus mordax</i>	
Diadromous	Sea lamprey <i>Petromyzon marinus</i>	
Diadromous	Striped bass <i>Morone saxatilis</i>	
Diadromous	White perch <i>Morone americana</i>	
Pelagic	Atlantic bonito <i>Sarda</i>	
Pelagic	Atlantic herring <i>Clupea harengus</i>	
Pelagic	Atlantic mackerel <i>Scomber scombrus</i>	
Pelagic	Atlantic menhaden <i>Brevoortia tyrannus</i>	
Pelagic	Banded rudderfish <i>Seriola zonata</i>	
Pelagic	Bay anchovy <i>Anchoa mitchilli</i>	
Pelagic	Bigeye scad <i>Selar crumenophthalmus</i>	
Pelagic	Blue runner <i>Caranx crysos</i>	
Pelagic	Bluefish <i>Peprilus triacanthus</i>	
Pelagic	Crevalle jack <i>Caranx hippos</i>	
Pelagic	Gray triggerfish <i>Balistes capriscus</i>	
Pelagic	Lookdown <i>Selene vomer</i>	
Pelagic	Mackerel scad <i>Decapterus macarellus</i>	
Pelagic	Moonfish <i>Selene setapinnis</i>	
Pelagic	Rough scad <i>Trachurus lathami</i>	
Pelagic	Round herring <i>Etrumeus teres</i>	
Pelagic	Round scad <i>Decapterus punctatus</i>	
Pelagic	Sandbar shark <i>Carcharhinus plumbeus</i>	
Pelagic	Sharksucker <i>Echeneis naucrates</i>	
Pelagic	Spanish mackerel <i>Scomberomorus maculatus</i>	
Pelagic	Striped anchovy <i>Anchoa hepsetus</i>	
Pelagic	Yellow jack <i>Caranx bartholomaei</i>	

Areas of high fish abundance and concentration

CT DEEP Marine Fisheries provided LISTS data to the EEG to identify areas of high fish abundance and concentration. The data included the natural log of the mean abundance per grid cell for each species for spring and fall in the following date ranges: 1995-2004 and 2005-2014. Only species caught in more than 5 tows in any of the seasons in each date range were included. Species were assigned to either water column (which included diadromous and pelagic) or demersal (which included demersal and epibenthic) (Table 2a-5) functional groups and group total mean abundance was calculated for each season in each date range. The two decades of data were each used to find high fish abundance (instead of just one combined period) for several reasons. The EEG believed the most recent decade is particularly important to see, especially given the dynamics in fish distribution. Combining the two decades would have diluted that clarity and there were other statistical challenges as well. DEEP Marine Fisheries believed that 1995-2004 decade was important to use, in part so a larger portion of the broader abundance record could be captured. All parties agreed that using the first decade (before 1995) would be less relevant because of the significant shift in fish distribution that occurred in 1997. This resulted in 8 individual abundance layers. Layers were classified by quintiles and the top quintile of each layer was considered an ecologically significant area of high fish abundance and concentration.

Table 2a-5 Fish species present in greater than 5 tows in any of the seasons and date ranges for the Long Island Sound Trawl Survey between 1995 and 2014.

Water column		Seafloor	
Common name	Scientific name	Common name	Scientific name
Alewife	<i>Alosa pseudoharengus</i>	Atlantic sturgeon	<i>Acipenser oxyrinchus</i>
American shad	<i>Alosa sapidissima</i>	Tautog	<i>Tautoga onitis</i>
Atlantic silverside	<i>Menidia</i>	Black sea bass	<i>Centropristis striata</i>
Atlantic herring	<i>Clupea harengus</i>	Clearnose skate	<i>Raja eglanteria</i>
Bay anchovy	<i>Anchoa mitchilli</i>	Atlantic cod	<i>Gadus morhua</i>

Blueback herring	<i>Alosa aestivalis</i>	Conger eel	<i>Conger oceanicus</i>
Bigeye scad	<i>Selar crumenophthalmus</i>	Cunner	<i>Tautogolabrus adspersus</i>
Bluefish	<i>Pomatomus saltatrix</i>	Fourspot flounder	<i>Paralichthys oblongus</i>
Blue runner	<i>Caranx crysos</i>	Glasseye snapper	<i>Priacanthus cruentatus</i>
Butterfish	<i>Peprilus triacanthus</i>	Goosefish	<i>Lophius americanus</i>
Crevalle jack	<i>Caranx hippos</i>	Grubby	<i>Myoxocephalus aeneus</i>
Planehead filefish	<i>Monacanthus hispidus</i>	Haddock	<i>Melanogrammus aeglefinus</i>
Hickory shad	<i>Alosa mediocris</i>	Hogchoker	<i>Trinectes maculatus</i>
Atlantic menhaden	<i>Brevoortia tyrannus</i>	Inshore lizardfish	<i>Synodus foetens</i>
Atlantic mackerel	<i>Scomber scombrus</i>	Little skate	<i>Leucoraja erinacea</i>
Moonfish	<i>Selene setapinnis</i>	Northern kingfish	<i>Menticirrhus saxatilis</i>
Northern sennet	<i>Sphyraena borealis</i>	Northern red shrimp	<i>Pandalus montagui</i>
Pollock	<i>Pollachius virens</i>	Ocean pout	<i>Macrozoarces americanus</i>
Round scad	<i>Decapterus punctatus</i>	Scup	<i>Stenotomus chrysops</i>
Rough scad	<i>Trachurus lathami</i>	Northern pipefish	<i>Syngnathus fuscus</i>
Short bigeye	<i>Pristigenys alta</i>	Fourbeard rockling	<i>Enchelyopus cimbrius</i>
Spiny dogfish	<i>Squalus acanthias</i>	Red hake	<i>Urophycis chuss</i>
Striped anchovy	<i>Anchoa hepsetus</i>	Rock gunnel	<i>Pholis gunnellus</i>
Striped bass	<i>Morone saxatilis</i>	American sand lance	<i>Ammodytes americanus</i>
Yellow jack	<i>Caranx bartholomaei</i>	Striped cusk-eel	<i>Ophidion marginatum</i>
		Longhorn sculpin	<i>Myoxocephalus octodecemspinosus</i>
		Summer flounder	<i>Paralichthys dentatus</i>

	Smooth dogfish	<i>Mustelus canis</i>
	Smallmouth flounder	<i>Etropus microstomus</i>
	Spotted hake	<i>Urophycis regia</i>
	Spot	<i>Leiostomus xanthurus</i>
	Sea raven	<i>Hemitripteris americanus</i>
	Striped searobin	<i>Prionotus evolans</i>
	Oyster toadfish	<i>Opsanus tau</i>
	Atlantic tomcod	<i>Microgadus tomcod</i>
	Winter flounder	<i>Pseudopleuronectes americanus</i>
	Silver hake	<i>Merluccius bilinearis</i>
	White perch	<i>Morone americana</i>
	Weakfish	<i>Cynoscion regalis</i>
	Windowpane flounder	<i>Scophthalmus aquosus</i>
	Winter skate	<i>Leucoraja ocellata</i>

Integration of Data and Methodologies

The datasets described above were mapped together to represent the extent of Ecologically Significant Areas for fish. In general, diadromous and pelagic fish were combined under “water column fish species” and “demersal fish species” remained its own category. Areas delineated from ten individual layers were overlaid for this ESA criterion (Table 5). Because of the particular detail available in the datasets for this criterion, and the importance of seasonality and long-term trends in the fish communities of Long Island Sound, Ecologically Significant Areas for fish have been visualized using each of the 10 layers separately (see Table 2a-6; Figures 33 to 42). Figure 43 shows the number of overlaps in each of the 10 fish components. Figure 44 shows all of the datasets dissolved together to show a single

presence/absence layer of ESA for fish. Figure 44 also represents the final Ecologically Significant Area for the Fish criterion.

Table 2a-6 The ten individual data layers that contributed to the fish criterion.

Data layer description	Maps
Demersal fish species high weighted persistence (LISEA), 1984-2009	2a-33
Water column fish species high weighted persistence (LISEA), 1984-2009	2a-34
Top quintile of demersal species fall abundance, 1995-2004	2a-35
Top quintile of demersal species spring abundance, 1995-2004	2a-36
Top quintile of demersal species fall abundance, 2005-2014	2a-37
Top quintile of demersal species spring abundance, 2005-2014	2a-38
Top quintile of water column species fall abundance, 1995-2004	2a-39
Top quintile of water column species spring abundance, 1995-2004	2a-40
Top quintile of water column species fall abundance, 2005-2014	2a-41
Top quintile of water column species spring abundance, 2005-2014	2a-42




Figure 2a-33 A map showing one component of Ecologically significant areas for fish: areas of high weighted persistence for demersal fish subgroups based on TNC's LISEA




Figure 2a-34 A map showing one component of Ecologically Significant Areas for fish: areas of high weighted persistence for water column (pelagic and diadromous) fish subgroups based on TNC's LISEA.




Figure 2a-35 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in fall from LISTS 1995-2004.




Figure 2a-36 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in spring from LISTS 1995-2004.




Figure 2a-37 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in fall from LISTS 2005-2014.




Figure 2a-38 A map showing one component of Ecologically Significant Areas for fish: the top quintile of demersal fish species abundance in spring from LISTs 2005-2014.




Figure 2a-39 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in fall from LISTs 1995-2004.




Figure 2a-40 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish abundance in spring from LISTS 1995-2004.




Figure 2a-41 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in fall from LISTS 2005-2014.




Figure 2a-42 A map showing one component of Ecologically Significant Areas for fish: the top quintile of water column fish species abundance in spring from LISTS 2005-2014.





Figure 2a-43 Overlaps among each of the 10 input datasets representing Ecologically Significant Areas for fish species.

Ecologically Significant Area Map: Fish



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-44 Final ESA map of Fish

Updates and potential future work

The CT DEEP Marine Fisheries LISTS dataset is a robust, long-term dataset that provides many different opportunities for summarization. Future work could take the form of developing updated persistence products with additional data collected since the LISEA report's analysis that included data up to 2009. Similarly, the abundance products could be updated to include the most recent survey years since 2014. In both types of analyses, additional steps could be taken to highlight the differences in fish communities before and after the observed regime shift of the mid-1990s.

vi. **Criterion 11: Mobile invertebrates**

Definition: Areas of high mobile invertebrate (e.g., lobster, other crustaceans, squid) abundance and concentration.

Significance of Mobile invertebrates

Mobile invertebrates include large benthic crustaceans like lobster and crabs, as well as pelagic invertebrates such as squid. Mobile invertebrates are key components of the Long Island Sound ecosystem as scavengers and detritivores, and are critical to both human and animal food webs. In addition to fishing pressure, mobile invertebrate species in Long Island Sound are influenced by climate and environmental change. American lobster populations in particular have been severely impacted by warming waters. Horseshoe crab populations, on the other hand, have been influenced by the pharmaceutical industry and by human disturbance to nesting beaches.

Data Sources and Components of Mobile invertebrates

To identify Ecologically Significant Areas for mobile invertebrates, the EEG used the CT DEEP Marine Fisheries Long Island Sound Trawl Survey (LISTS) data and the results of existing analyses using this database, for multiple species. Mobile invertebrate species are routinely caught in the LISTS which occurs in spring and fall of each year since 1984. The LISTS divides the Sound into about three hundred 1x2 nautical-mile grid cells and uses a stratified-random survey design. The survey design relies on the stratum assigned to each 1x2 nautical mile area and weights the number of samples per stratum by the amount of stratum-specific area available for sampling. Strata are 12 combinations of three bottom types and four depth intervals. Although LISTS data are representative of the entire Sound at the stratum level, there are some areas that cannot be effectively sampled by the Surveybottom trawl (e.g., The Race, shoals, reefs and trenches). Since strata are not uniformly distributed throughout the sound and sites are not equally available to the sampling gear, not all grid cells have been sampled equally over time (Figure 2a-32). Biomass has been recorded since

1992. All of the data for this criterion are reported using the 1x2 nautical mile site grid, even though LISTS methodology does not require a tow be conducted within the confines of a grid cell provided it is conducted in the correct stratum.

Areas of high mobile invertebrate biomass and concentration

CT DEEP Marine Fisheries provided LISTS data to the EEG to identify areas of high mobile invertebrate abundance and concentration. Marine Fisheries recommended that the biomass of five decapod species (Blue crab, flat claw hermit crab, lady crab, rock crab, and spider crab) be mapped and considered together as a group due to similarities in their biology, habitat preferences, and catchability in the trawl survey (Table 2a-7). Other focal mobile invertebrate species that Marine Fisheries recommended for inclusion in this component were horseshoe crab, American lobster, and long-finned squid (Table 2a-7). For the decapod species group, The data included the natural log of the mean biomass per grid cell for each species for spring and fall in the following date ranges: 1995-2004 and 2005-2014 (biomass was used since these species are weighed but not counted in LISTS). For horseshoe crab, American lobster, and long-finned squid, the data included the natural log of the mean count per grid cell for each species for spring and fall in the following date ranges: 1995-2004 and 2004-2015. For decapods, group total mean biomass was calculated for each season in each date range. For the other three species, total mean abundance (counts) were calculated for each species in each season in each date range. This resulted in 4 biomass layers for decapods and 12 additional abundance layers for the other three species.

Layers were classified by quintiles and the top quintile of each layer were combined and considered an ecologically significant area of high mobile invertebrate biomass and concentration (Table 2a-8). Ecologically significant areas for decapods, horseshoe crab, American lobster, and long-finned squid in fall and spring and each decade were mapped individually (See Table 2a-8; Figures 45-60).

Table 2a-7 Mobile invertebrate species present in greater than 5 tows in any of the seasons and date ranges for the Long Island Sound Trawl Survey between 1995 and 2014.

Species Group	Common name	Scientific name
Decapods	Blue crab	<i>Callinectes sapidus</i>
Decapods	Flat claw hermit crab	<i>Pagurus pollicaris</i>
Decapods	Lady crab	<i>Ovalipes ocellatus</i>

Decapods	Rock crab	<i>Cancer irroratus</i>
Decapods	Spider crab	<i>Libinia emarginata</i>
N/A	Horseshoe crab	<i>Limulus polyphemus</i>
N/A	American lobster	<i>Homarus americanus</i>
N/A	Long-finned squid	<i>Loligo pealeii</i>

Table 2a-8 The 16 individual data layers derived from the LISTS data for describing areas of high mobile invertebrate biomass and concentration.

Data layer description	Maps
Top quintile of decapod species spring biomass, 1995-2004	2a-45
Top quintile of decapod species fall biomass, 1995-2004	2a-46
Top quintile of decapod species spring biomass, 2005-2014	2a-47
Top quintile of decapod species fall biomass, 2005-2014	2a-48
Top quintile of horseshoe crab spring abundance, 1995-2004	2a-49
Top quintile of horseshoe crab fall abundance, 1995-2004	2a-50
Top quintile of horseshoe crab spring abundance, 2005-2014	2a-51
Top quintile of horseshoe crab fall abundance, 2005-2014	2a-52
Top quintile of American lobster spring abundance, 1995-2004	2a-53
Top quintile of American lobster fall abundance, 1995-2004	2a-54
Top quintile of American lobster spring abundance, 2005-2014	2a-55
Top quintile of American lobster fall abundance, 2005-2014	2a-56
Top quintile of long-finned squid spring abundance, 1995-2004	2a-57
Top quintile of long-finned squid fall abundance, 1995-2004	2a-58

Top quintile of long-finned squid spring abundance, 2005-2014	2a-59
Top quintile of long-finned squid fall abundance, 2005-2014	2a-60




Figure 2a-45 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of decapod species biomass in spring from LISTS 1995-2004.




Figure 2a-46 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of decapod species biomass in fall from LISTS 1995-2004.




Figure 2a-47 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of decapod species biomass in spring from LISTS 2005-2014.




Figure 2a-48 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of decapod species biomass in spring from LISTS 2005-2014.




Figure 2a-49 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of horseshoe crab abundance in spring from LISTs 1995-2004.




Figure 2a-50 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of horseshoe crab abundance in fall from LISTS 1995-2004.




Figure 2a-51 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of horseshoe crab abundance in spring from LISTS 2005-2014.




Figure 2a-52 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of horseshoe crab abundance in fall from LISTS 2005-2014.




Figure 2a-53 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of American lobster abundance in spring from LISTS 1995-2004.




Figure 2a-54 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of American lobster abundance in fall from LISTS 1995-2004.




Figure 2a-55 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of American lobster abundance in spring from LISTS 2005-2014.




Figure 2a-56 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of American lobster abundance in fall from LISTS 2005-2014.




Figure 2a-57 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of long-finned squid abundance in spring from LISTS 1995-2004.




Figure 2a-58 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of long-finned squid abundance in fall from LISTs 1995-2004.




Figure 2a-59 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of long-finned squid abundance in spring from LISTS 2005-2014.




Figure 2a-60 A map showing one component of Ecologically Significant Areas for mobile invertebrates: the top quintile of long-finned squid abundance in fall from LISTS 2005-2014.

Horseshoe crab predicted spawning beaches

Provided by CT DEEP Marine Fisheries, this layer represents predicted horseshoe crab spawning use classifications for Connecticut beaches. These data were included in Connecticut’s 2015 Wildlife Action Plan Key Habitats and Communities. High and medium use beaches were considered ecologically significant (Figure 2a-61).




Figure 2a-61 Horseshoe crab predicted spawning beaches. Note: The Long Island Sound boundary is removed in this map to more clearly depict features.

American lobster projected thermal refuge

Provided by CT DEEP Marine Fisheries, this layer represents those LISTs grid cells where projected future temperatures remain within American lobsters’ tolerance (between 12-20°C) from July to September for at least 32% of the time. This threshold was chosen because between 2002-2012 temperatures remained between 12-20°C from July to September for ~32% of the time and allowed for some American lobster survival. Development of the thermal refuge layer (Figure 2a-62) required use of a projected temperature layer that corresponded to the LISTs grid, developed by the Stevens Institute.




Figure 2a-62 Projected thermal refuge for American Lobster.

Integration of Data and Components

The datasets described above were mapped together to represent the extent of Ecologically Significant Areas for mobile invertebrates. Figure 2a-63 shows the number of overlaps in those datasets. Figure 2a-64 shows those datasets dissolved together to show a single presence/absence layer of ESA for mobile invertebrates.





Figure 2a-63 Overlaps in datasets contributing to the mobile invertebrate ESA.

**Ecologically Significant Area Map:
Mobile Invertebrates (e.g., lobsters, crabs, squid, etc.)**



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-64 Final ESA map of mobile invertebrates.

Updates and potential future work

The CT DEEP Marine Fisheries LISTS dataset is a robust, long-term dataset that provides many different opportunities for summarization. Future work could take the form of developing updated biomass products with additional data collected since 2014.

vii. **Criterion 12: Sessile-mollusk-dominated communities**

Definition: Areas where wild, natural sessile-mollusk-dominated communities occur.

Significance of Sessile-mollusk-dominated communities

Sessile-mollusk-dominated communities are assemblages of non-mobile gastropods (e.g., slipper shells) and bivalves (e.g., blue mussels, clams) that are not harvested by humans. These communities are anchored by the mollusks, where dead and living shell material can sometimes form reef-like features that forms habitat for encrusting species (e.g., sponges, tube worms) and mobile species (e.g., juvenile fish). Furthermore, as filter-feeders, these communities filter particles and organic matter from the water column and deposit it into the sediment, contributing to the cycling of nutrients in the Sound. Aggregations of sessile mollusks can take years or decades to establish and so are vulnerable to disturbances including physical removal, burial, or smothering.

Components and data sources for Sessile-mollusk-dominated communities

Long Island Sound Mapping and Research Collaborative (LISMaRC) Phase I and II SEABOSS observations

There have been no comprehensive surveys of sessile-mollusk-dominated communities in Long Island Sound. However, the Long Island Sound Mapping and Research Collaborative (LISMaRC), through the Long Island Sound Seafloor Mapping Initiative, have mapped the occurrence of several sessile mollusk species at discrete sampling locations near Stratford Shoals and eastern Long Island Sound. The species observations used in maps for this criterion include the common slipper shell (*Crepidula fornicata*) and blue mussels (*Mytilus edulis*). In 2012 and 2013, the percent cover of slipper shells and blue mussels was documented in the Stratford Shoals area. Survey areas with >50% cover of slipper shells and blue mussels were considered ecologically significant. In 2017, the presence and absence of slipper shells and blue mussels was documented in eastern Long Island Sound. Survey areas with slipper shells or blue mussels present were considered ecologically significant. The combined observations of slipper shells are shown in Figure 2a-66 and the combined observations of blue mussels are shown in Figure 2a-67.

These observations create an incomplete picture of where ESA for sessile-mollusk-dominated communities exist. First, while each survey area is shown on the map at its true size, sessile-mollusk-dominated communities likely only exist in a fraction of each survey area. In other words, these communities only needed to be found to occur once within the entire survey area for that survey area to be included as ecologically significant. Second, it is important to reiterate that simply because the ESA maps do not indicate presence of sessile-mollusk-dominated communities in other areas of the Sound, they do not reflect their absence - they merely indicate the lack of survey effort in those parts of the Sound. Only survey areas where sessile-mollusk-dominated communities have been observed (anywhere within the survey area) are considered ecologically significant.

Expert participatory mapping

After reviewing the draft areas selected by the EEG that were derived from the LISMaRC data, experts recommended that ESA for sessile-mollusk-dominated communities be amended to include additional areas. On January 3, 2019, Patrick Comins, Executive Director of the Connecticut Audubon Society, delineated additional areas for slipper shell aggregations and blue mussel aggregations for inclusion as ESA (Figure 2a-68).




Figure 2a-65 Observations of slipper shell aggregations near Stratford Shoals and in eastern LIS.




Figure 2a-66 Observations of blue mussel aggregations near Stratford Shoals and in eastern LIS.





Figure 2a-67 Aggregations of slipper shells and blue mussels delineated by expert participatory mapping.

Integration of components and data sources

The datasets described above were mapped together to represent the extent of Ecologically Significant Areas for sessile-mollusk-dominated communities. Figure 2a-69 shows those datasets dissolved together to show a single presence/absence layer of ESA for sessile-mollusk-dominated communities.

**Ecologically Significant Area Map:
Sessile/Mollusk Communities (e.g., mussels, clams,
etc.)**



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-68 Final ESA map of Sessile-mollusk-dominated communities.

Updates and potential future work

Additional observations of sessile-mollusk-dominated communities would improve the maps for this criterion. As with other criteria, and if enough input data are available, a habitat suitability model could be developed for sessile-mollusk-dominated communities that generates products with full-coverage of the Sound. The benefit of using a habitat suitability model is that an existing and limited set of observations could be used to predict habitat suitability across the entire Long Island Sound, rather than rely on a piece-meal sampling approach that may never sample every Long Island Sound habitat.

viii. **Criterion 13: Managed shellfish beds**

Definition: Locations of commercial and recreational shellfishing harvest areas, including shellfish restoration activities and areas closed to shellfishing.

Significance of Managed shellfish beds

In Connecticut, shellfish are defined as oysters, clams, mussels and scallops; either shucked or in the shell, fresh or frozen, whole or in part. Scallops are excluded from this definition when the final product is the shucked adductor muscle only. Lobsters, crabs, snails and finfish are not included in this definition. Managed shellfish beds is the only ESA criteria with a clear dependence on a human use or activity. Therefore, managed shellfish beds are also described in the Significant Human Use Areas analysis (see section 3.4b). However, as ecological features, managed shellfish beds provide many if not all of the same ecosystem services as unmanaged shellfish beds (see Sessile-mollusk-dominated communities), such as providing substrate and habitat for a variety of other species, water column filtration, and nutrient cycling.

Data sources for Managed shellfish beds

Several datasets from the Connecticut Bureau of Aquaculture were used to map Ecologically Significant Areas for managed shellfish beds. Since the state of New York does not map and maintain data on shellfish resources in the same way as the state of Connecticut, only Connecticut maps were used. All of the Connecticut datasets are available via the [Connecticut Aquaculture Mapping Atlas](#) (CT Aquaculture Mapping Atlas, 2018). Any area mapped as a managed shellfish bed was considered ecologically significant.

Oyster seed beds (Connecticut Natural Shellfish Beds Dataset)

Natural beds get their name from the fact that shellfish, especially oysters, naturally inhabited the area (Figure 2a-70). Natural beds have specific regulations concerning their use including licensing and harvesting methods. They are predominately oyster seed beds that cannot be mechanically harvested. A complete description and listing of regulations are available from the Bureau of Aquaculture.




Figure 2a-69 Connecticut oyster seed beds.

Connecticut Recreational Shellfish Beds Dataset

Recreational beds are areas that are used for recreational shellfish harvest, and further delineated by shellfish growing area classifications of “Approved” and “Conditionally Approved”. (Figure 2a-71) In certain areas there may be overlap

between town natural beds, undesignated town beds and recreational beds. The sources for the recreational beds layer came from maps and information provided by local shellfish commissions.




Figure 2a-70 Connecticut recreational shellfish beds.

Connecticut State-managed Shellfish Beds Dataset

In 1881 a line was established, referred to as the Commissioners line that divides the waters of the state into a northern and southern section. All beds south of this line are State beds and most beds north of this line are town beds. All the Beds under state jurisdiction were mapped using longitude/latitude data from Bureau of Aquaculture access database. These coordinates were taken from converted sextant angles. This data is subject to change and the Bureau of Aquaculture may have more recent information for some areas. State-managed shellfish beds are shown in Figure 2a-72.




Figure 2a-71 Connecticut state-managed shellfish beds.

Connecticut Town-managed Shellfish Beds Dataset

Town beds are under town jurisdiction and may be leased, licensed or otherwise managed through the local shellfish commission. Towns may require additional local permits to work in waters under local jurisdiction. The beds north of the line in Milford, West Haven, and New Haven are exceptions to this as they are under state jurisdiction. The sources of data for the town managed beds layer were quite varied. The sources included longitude/latitude data and maps from Bureau of Aquaculture, maps and longitude/latitude provided by local shellfish commissions and longitude/latitude data and maps obtained from Tallmadge Brothers. Additionally, a few towns provided maps of their beds in an electronic format such as CAD or shapefile. This data is subject to change and the Bureau of Aquaculture may have more recent information for some areas. Town-managed beds are shown in Figure 2a-73.





Figure 2a-72 Connecticut town-managed shellfish beds.

Integration of data sources

The datasets described above were mapped together to represent the extent of Ecologically Significant Areas for managed shellfish beds. Figure 2a-74 shows all datasets dissolved together to show a single presence/absence layer of ESA for managed shellfish beds.

Ecologically Significant Area Map: Managed Shellfish Beds



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-73 Final ESA map of Managed shellfish beds.

Updates and potential future work

This criterion should be updated when the Connecticut Bureau of Aquaculture publishes updated maps.

ix. **Criterion 14: Soft-bottom benthic communities**

Definition: Areas of soft-bottom seafloor communities where natural productivity, biological persistence, diversity, and/or abundance of marine flora and fauna are high, as well as areas of soft-bottom seafloor communities known to support important life history or important ecological functions of mobile species (e.g., migratory stopovers and corridors, feeding areas, and nursery grounds).

Significance of Soft-bottom benthic communities

Soft-bottom benthic communities are the biological assemblages that are associated with sandy and muddy seafloor types. Because soft-bottom habitats comprise so much (perhaps the majority) of the seafloor habitats of Long Island Sound, understanding the composition of the benthic communities and the types of ecosystem services they provide, is critical.

Data sources and conceptual challenges

Several data sources relevant to soft-bottom benthic communities were identified in the Blue Plan Inventory. However, none of them were comprehensive in their spatial coverage, nor were they compatible temporally or thematically such that a comprehensive map could be developed. Furthermore, the EEG discussed what would constitute an ecologically significant area for soft-bottom benthic communities, considering their ubiquity in the environment (e.g., are vulnerable soft-bottom benthic communities ecologically significant, and/or are resilient soft-bottom benthic communities ecologically significant?).

These data and conceptual limitations could not be resolved by the EEG in the time available for draft ESA maps to be completed. The EEG continues to explore ways to leverage the available data and represent ESA for soft-bottom benthic communities spatially.

Updates and potential future work

The EEG identified several recent or ongoing efforts that could contribute data, methods, or other information in the future to support the development of ESA for soft-bottom benthic communities. These included the data being collected by the Long Island Sound Seafloor Mapping Project; specifically, the “integrated habitat map” of the

Stratford Shoals area in the Phase I report (LIS Steering Committee, 2015). The EEG recognized that a significant increase in habitat mapping effort would need to occur to generate and integrated habitat map for the entire sound. Another resource discussed by the EEG was a paper describing a method to identify areas within regions of Long Island Sound where at least 20% of each sediment texture type (used as a proxy for habitats) was represented (Neely & Zajac, 2008). It is unclear how exactly this method would be used to identify ESA, but the EEG recognized it as an objective and quantitative way to partition habitat/seafloor data toward establishing places that may be ecologically significant. Future work could include adjusting the criteria used by the method, updating the input datasets, or other modifications.


c. Synthesis

The complete set of ESA results presented above describes 14 individual ESA criteria and corresponding ESA layers or maps (with the exception of criterion 14). While each individual layer is useful on its own, it can also be informative to visualize the multiple criteria together, to better understand the distribution of ESA and where they might overlap, if at all. Again, it is important to remember that the current suite of maps represents the best available knowledge about the location of ESA, and just because a map doesn't show ESA for a particular criterion, it does not mean that ESA does not exist there. Therefore, composite maps for ESA should be viewed as "The minimum number of ESA".

The EEG did not apply a ranking or prioritization scheme to the individual layers. Therefore, the map legends are simple to interpret: a value of 5 corresponds to a minimum of 5 ESA present in a location and a minimum of 5 siting and performance standard to consider.

Three synthesis maps were developed: one for each Criteria Pillar and a third for all ESA criteria together (Figures 2a-75 to 2a-77)

**Ecologically Significant Area Map:
Overlap areas with rare, sensitive, or vulnerable
species, communities or habitats (Pillar 1)**




September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-74 Overlaps among the five criteria that contribute to ESAs with rare, sensitive, or vulnerable species, communities or habitats.

**Ecologically Significant Area Map:
Overlap Areas of high natural productivity, biological
persistence, diversity and abundance (Pillar 2)**




September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-75 Overlaps among the 9 criteria that contribute to the ESAs of high natural productivity, biological persistence, diversity, and abundance.

Ecologically Significant Area Map: All ESA Overlaps (Pillar 1 & Pillar 2)



September, 2019: FINAL

CT Dept. of Energy & Environmental Protection



Figure 2a-76 Overlaps among all 14 criteria that represent the full set of ESAs in LIS

3. ESA Layer Construction Tables:

Criteria Pillar 1: Areas with Rare, Sensitive, or Vulnerable Species, Communities, or Habitats
Criterion 1: Hard bottom and complex seafloor

Table 2a-9 Data construction table for Hard Bottom and Complex Seafloor.

	Areas of Hard Bottom and Complex Seafloor
ESA Criterion Description	Areas of hard bottom are characterized by exposed bedrock or concentrations of boulder, cobble, pebble, gravel, or other similar hard substrate distinguished from surrounding sediments and provide a substrate for sensitive sessile suspension-feeding communities and associated biodiversity. Complex seafloor is a morphologically rugged seafloor characterized by high variability in neighboring bathymetry around a central point. Biogenic reefs and man-made structures, such as artificial reefs, wrecks, or other functionally equivalent structures, may provide additional suitable substrate for the development of hard bottom biological communities. Areas of hard bottom and complex seafloor are areas characterized singly or by any combination of hard seafloor, complex seafloor, artificial reefs, biogenic reefs, or wrecks and obstructions.
Data Source	<u>Hard bottom:</u> The Nature Conservancy’s Long Island Sound Ecological Assessment (LISEA; 2015) known occurrences of hard bottom from usSEABED, USGS East Coast Sediment Texture Database, and NOAA Nautical Chart ENC data. Points are described as “bedrock”, “boulders”, “rock” or “rocky”; the USGS Long Island Sound Surficial Sediment map; Long Island Sound Mapping and Research Collaborative Phase II SEABOSS hard bottom observations described as gravel and coarser (unpublished data courtesy of C. Conroy christian.conroy@uconn.edu) <u>Complex seafloor:</u> TopoBathy – LIS 8m composite Terrain Ruggedness Index (TRI). <u>Wrecks and obstructions:</u> NOAA’s Automated Wreck and Obstruction Information System (AWOIS). AWOIS is a catalog of reported wrecks and obstructions that are considered navigational hazards in coastal U.S. waters. These data are not a comprehensive inventory of wrecks. Data were downloaded from the Northeast Ocean Data Portal.
Data Extent	Long Island Sound
Data Adjustment and Pre-processing	<u>Hard bottom:</u> Data were clipped to Long Island Sound. <u>Complex seafloor:</u> Data were clipped to Long Island Sound. <u>Wrecks and obstructions:</u> Data were clipped to Long Island Sound

Data Analysis	<p><u>Hard bottom:</u> LISEA hard bottom points were buffered with a 160-meter radius. The buffer distance was chosen so that individuals points were visible at the ~1:800,000 scale. Areas classified as “gravel, bedrock” were extracted from the USGS sediment map. The gravel/bedrock zones and buffered hardbottom points were merged and gridded to an 8-meter grid (same resolution as the TRI dataset).</p> <p><u>Complex seafloor:</u> Complex seafloor was calculated using bathymetry data by applying the TRI algorithm developed by Riley (1999) to measure the variability in seafloor relief. The resulting unitless output ranges from 0 to 100 and has a resolution of 8-meters.</p> <p><u>Wrecks and obstructions:</u> Wrecks and obstructions points were buffered with a 160-meter radius. The buffer distance was chosen so that individuals points were visible at the ~1:800,000 scale. The buffered wrecks/obstructions points were then gridded to an 8-meter grid (same resolution as the TRI dataset).</p>
Data Classification	<p><u>Hard bottom:</u> LISEA hard bottom data were classified using the Wentworth (1922) grain-size scale that defines hard bottom (“bedrock or concentrations of boulder, cobble, or other similar hard bottom”) as sediment with a grain size of 64 mm or larger. LISMaRC hard bottom data included any points classified as “gravel”, or “cobble”, or “rock”. Areas classified as “gravel, bedrock” were extracted from the USGS sediment map.</p> <p><u>Complex seafloor:</u> Complex seafloor was classified from descriptive statistics calculated on the TRI dataset. Seafloor complexity values were divided into fifths (quintiles), and areas in the top quintile were classified as complex. This threshold was chosen based on a comparison between the USGS classification of gravel and bedrock areas and the complex dataset, and a comparison between the observed locations of cold water corals and the complex dataset. Complexity values in the top quintile were coincident with some gravel and bedrock areas (although much of the complex seafloor in LIS is not gravel and bedrock). In addition, every positive cold water coral observation overlapped with complexity values in the top quintile.</p> <p><u>Wrecks and obstructions:</u> N/A</p>
Selection of ESA	<p>All 8x8-meter grid cells classified as 1) hard bottom, or 2) complex seafloor, or 3) wrecks and obstructions were selected for inclusion as Ecologically Significant Areas.</p>

Criterion 2: Areas of submerged aquatic vegetation

Table 2a-10 Data construction table for areas of submerged aquatic vegetation.

	Areas of submerged aquatic vegetation
ESA Criterion Description	Areas where submerged aquatic vegetation, e.g., eelgrass (<i>Zostera marina</i>), etc., are present or have been found to be present.
Data Source	<p>Tier 1 2017 mapping of <i>Zostera marina</i> in Long Island Sound and change analysis, Bradley and Paton 2018. http://longislandsoundstudy.net/wp-content/uploads/2018/08/LIS_2017_report2_wAppendix.pdf</p> <p>Tiner et al. 2013, 2012 Eelgrass Survey for Eastern Long Island Sound, Connecticut and New York. USFWS National Wetlands Inventory Program</p> <p>Tiner et al. 2010, 2009 Eelgrass Survey for Eastern Long Island Sound, Connecticut and New York. USFWS National Wetlands Inventory Program</p> <p>Tiner 2006, Delineations of 2006 eelgrass beds, eastern Connecticut to Rhode Island border, USFWS National Wetlands Inventory Program</p> <p>Tiner 2002, Interpretation and identification of Eelgrass beds located in the Long Island Sound Eastern Connecticut shoreline, Fishers Island NYS and the Northshore of Long Island NYS, USFWS National Wetlands Inventory Program</p>
Data Extent	Coastal eastern Long Island Sound, approximately from Westerly RI to Guilford CT on the north shore of LIS to the North Fork of Long Island.
Data Adjustment and Pre-processing	None.
Data Analysis	Features from all 5 datasets containing eelgrass were converted to an 8-meter grid.
Data Classification	None.
Selection of ESA	All 8x8-meter grid cells containing eelgrass from any of the 5 surveys were selected as Ecologically Significant Areas.

Criterion 3: E, T, SC species

Table 2a-11 Data construction table for E, T, and SC species.

	Endangered, threatened, species of concern, and candidate species listed under state or federal Endangered Species Act, and their habitats
ESA Criterion Description	The species listed by federal or state statutes (e.g., the US Endangered Species Act, the CT Endangered Species Act, the NY Endangered Species Act) as endangered, threatened, species of concern, and candidates for listing, and their associated habitats, recognizing that detailed spatial data depicting the distribution and abundance for these marine species in Long Island Sound are potentially unavailable.
Data Source	<p><u>Federal:</u> Federal Endangered Species Act designated Critical Habitat (NOAA GARFO)</p> <p><u>Connecticut:</u> Connecticut Natural Diversity Database (CT DEEP); Connecticut Estuarine Critical Habitats (CT DEEP); Roseate tern predicted occurrence (May – September), Steen and Elphick 2018; Atlantic Sturgeon high use areas, migratory corridors, gear restriction areas (CT DEEP)</p> <p><u>New York:</u> New York Rare Animals and Rare Plants (NY DEC); New York Significant Natural Communities (NY DEC); New York Significant Coastal Fish and Wildlife Habitats (NY DEC/DOS)</p>
Data Extent	<ul style="list-style-type: none"> ● Critical Habitat for New York Bight Distinct Population Segment of Atlantic Sturgeon: Connecticut River, Housatonic River, Hudson River, and Delaware River ● Connecticut Natural Diversity Database (CT DEEP) – state of CT ● Connecticut Estuarine Critical Habitats (CT DEEP) – state of CT ● Roseate tern predicted occurrence (May – September), Steen and Elphick 2018 – Long Island Sound ● Atlantic sturgeon and shortnose sturgeon high and medium use areas, migratory corridors, gear restriction areas (CT DEEP) – Long Island Sound ● New York Rare Animals and Rare Plants (NY DEC) – state of NY ● New York Significant Natural Communities (NY DEC) – state of NY ● New York Significant Coastal Fish and Wildlife Habitats (NY DEC/DOS) – state of NY

Data Adjustment and Pre-processing	<p><u>Critical Habitat for New York Bight Distinct Population Segment of Atlantic Sturgeon</u> River lengths (polylines) were buffered with an 800 m buffer</p> <p><u>All layers</u> All layers were clipped to Long Island Sound.</p>
Data Analysis	All features were converted to an 8-meter grid.
Data Classification	None.
Selection of ESA	All 8x8-meter grid cells containing features were selected as Ecologically Significant Areas.

Criterion 4: Cold water corals

Table 2a-12 Data construction table for cold water corals.

	Areas of cold water corals
ESA Criterion Description	Areas where cold-water corals have been observed or where habitat suitability or other scientific models predict they occur.
Data Source	Long Island Sound Mapping and Research Collaborative Phase I and Phase II seafloor mapping; geospatial data provided by Conroy and Auster, University of Connecticut. Formal citation for Phase I data: Long Island Sound Cable Fund Steering Committee, eds. (2015). "Seafloor Mapping of Long Island Sound – Final Report: Phase 1 Pilot Project." (Unpublished project report). U. S. Environmental Protection Agency Long Island Sound Study, Stamford, CT
Data Extent	Multiple discrete sampling locations (polygons) near Stratford Shoal and eastern Long Island Sound
Data Adjustment and Pre-processing	Sampling locations (polygons) where <i>Astrangia poculata</i> (a species of cold water coral) was found to be present were extracted from the full dataset.
Data Analysis	All features were converted to an 8-meter grid.

Data Classification	None.
Selection of ESA	All 8x8-meter grid cells containing features where <i>Astrangia poculata</i> were found to be present were selected as Ecologically Significant Areas.

Criterion 5: Coastal wetlands

Table 2a-13 Data construction table for coastal wetlands.

	Coastal wetlands
ESA Criterion Description	According to Connecticut General Statute (CGS) 22a-29: “Those areas which border on or lie beneath tidal waters, such as, but not limited to banks, bogs, salt marshes, swamps, meadows, flats, or other low lands subject to tidal action, including those areas now or formerly connected to tidal waters, and whose surface is at or below an elevation of one foot above local extreme high water; and upon which may grow or be capable of growing some, but not necessarily all, of [a list of specific plant species found in CGS section 22a-29(2)].”
Data Source	Tidal and nontidal wetlands of Connecticut and New York from the National Wetlands Inventory (NWI) 2010, provided by the Long Island Sound Study.
Data Extent	Coastal Connecticut and Long Island.
Data Adjustment and Pre-processing	None.
Data Analysis	All features were converted to an 8-meter grid.
Data Classification	None.
Selection of ESA	All 8x8-meter grid cells containing tidal and nontidal wetlands were selected as Ecologically Significant Areas.

Criteria Pillar 2: Areas of High Natural Productivity, etc.

Criterion 6: Cetaceans

Table 2a-14 Data construction table for cetaceans.

	Cetaceans
ESA Criterion Description	Areas where cetaceans occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support cetaceans (e.g. particular feeding areas, nursery grounds).
Data Source	<p><u>Predicted cetacean density</u> Modeled average density of cetacean species (predicted animals per 100 square kilometers) by the Duke University Marine Geospatial Ecology Lab and Marine-life Data and Analysis Team. Roberts J.J., B.D. Best, L. Mannocci, E. Fujioka, P.N. Halpin, D.L. Palka, L.P. Garrison, K.D. Mullin, T.V.N. Cole, C.B. Khan, W.M. McLellan, D.A. Pabst, and G.G. Lockhart. 2016. Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. Scientific Reports 6: 22615. doi: 10.1038/srep22615. Roberts J.J., L. Mannocci, and P.N. Halpin. 2017. Final Project Report: Marine Species Density Data Gap Assessments and Update for the AFTT Study Area, 2016-2017 (Opt. Year 1). Document version 1.4. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC. Curtice C., J. Cleary, E. Shumchenia, and P.N. Halpin. 2018. Marine-life Data and Analysis Team (MDAT) Technical Report on the Methods and Development of Marine-life Data to Support Regional Ocean Planning and Management. Prepared on behalf of the Marine-life Data and Analysis Team (MDAT). Accessed at: http://seamap.env.duke.edu/models/MDAT/MDAT-Technical-Report.pdf. Marine-life Data Analysis Team (MDAT; Patrick Halpin, Earvin Balderama, Jesse Cleary, Corrie Curtice, Michael Fogarty, Brian Kinlan, Charles Perretti, Jason Roberts, Emily Shumchenia, Arliss Winship). Marine life summary data products for Northeast ocean planning. Version 2.0. Northeast Ocean Data. http://northeastoceandata.org. Accessed 09/04/2018.</p> <p><u>Expert participatory mapping</u> January 3, 2019 - Patrick Comins, Executive Director, Connecticut Audubon Society.</p>
Data Extent	US Atlantic Coast.

<p>Data Adjustment and Pre-processing</p>	<p><u>Predicted cetacean density</u> Data products for species or guilds with model results in Long Island Sound were extracted from the MDAT data download package. The following 11 models predicted cetacean abundance in Long Island Sound: Cuvier’s beaked whale, Fin whale, Humpback whale, Harbor porpoise, Mesoplodont beaked whales, Minke whale, North Atlantic right whale, Pilot whale, Sei whale, and Sperm whale, Unidentified beaked whales. For the seven species with monthly predictions (Fin whale, Humpback whale, Harbor porpoise, Minke whale, North Atlantic right whale, Sei whale, Sperm whale) the 12 monthly layers were averaged to develop an annual mean predicted abundance layer. The remaining four species products already represented annual predictions. Each of the 11 annual layers were clipped to Long Island Sound..</p> <p><u>Expert participatory mapping</u> None.</p>
<p>Data Analysis</p>	<p><u>Predicted cetacean density</u> All 11 annual mean layers were summed to create a layer that represented the average annual total predicted abundance of 11 cetacean species in Long Island Sound, with 10km grid size. Contours for the 10km gridded total predicted abundance layer were generated using the contour tool in the Spatial Analyst toolbox in ArcGIS 10.5. Contours were generated at an abundance increment of 1.0.</p> <p><u>Expert participatory mapping</u> None.</p>
<p>Data Classification</p>	<p><u>Predicted cetacean density</u> The contours representing 5 or more predicted animals were merged and converted to a polygon feature. The polygon feature representing the average annual predicted abundance of 5 or more animals was converted to an 8-meter grid.</p> <p><u>Expert participatory mapping</u> None.</p>
<p>Selection of ESA</p>	<p><u>Predicted cetacean density</u> All 8x8-meter grid cells representing the average annual predicted abundance of 5 or more animals were selected as Ecologically Significant Areas.</p> <p><u>Expert participatory mapping</u> All 8x8-meter grid cells representing an area off New Rochelle, NY where humpback whales have been recently observed, as identified by Patrick Comins, were selected as Ecologically Significant Areas.</p>

Criterion 7: Pinnipeds

Table 2a-15 Data construction table for pinnipeds.

	Pinnipeds
ESA Criterion Description	Areas where pinnipeds occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support pinnipeds (e.g. particular haul-out locations, feeding areas).
Data Source	Seal concentration areas (Environmental Sensitivity Index data plus expert input) representing 2015-2017 conditions
Data Extent	Long Island Sound planning area
Data Adjustment and Pre-processing	None.
Data Analysis	Polygon features representing seal concentration areas were converted to an 8-meter grid.
Data Classification	None.
Selection of ESA	All 8x8-meter grid cells representing seal concentration areas were selected as Ecologically Significant Areas.

Criterion 8: Sea turtles and other reptiles

Table 2a-16 Data construction table for Sea turtles and other reptiles.

	Sea turtles and other reptiles
ESA Criterion Description	Areas where sea turtles and other reptiles occur in higher concentrations and/or particular significant areas as noted in the general description (above) that support sea turtles and other reptiles (e.g. particular feeding areas, nesting grounds, hibernation areas).

Data Source	<p>Strandings and in-water observations of sea turtles, Riverhead Foundation Strandings and in-water observations of sea turtles, Mystic Aquarium Point locations of 2018 coastal Connecticut sea turtle mortality events at Silver Sands State Park, Long Beach, and Sheffield Island.</p> <p>Diamondback terrapin probability of occurrence, Conservation Wildlife Foundation of New Jersey (Egger, Davenport, Leu, Maslo).</p>
Data Extent	Long Island Sound and NY bight
Data Adjustment and Pre-processing	<p>Strandings data from both Riverhead Foundation and Mystic Aquarium were filtered to retain only live strandings or in-water observations of live animals. All point locations of live strandings, in-water observations, and 2018 coastal Connecticut mortality events were buffered with an 800-meter radius. The buffers were clipped to Long Island Sound.. The diamondback terrapin probability of occurrence model outputs were clipped to Long Island Sound..</p>
Data Analysis	800-meter buffers representing sea turtle live strandings, in-water observations, 2018 coastal Connecticut mortality events, and diamondback terrapin occurrence were converted to an 8-meter grid.
Data Classification	<p>Sea turtle live strandings, in-water observations, and 2018 coastal Connecticut mortality events - none.</p> <p>Diamondback terrapin probability of occurrence - A threshold of 0.3188 was generated by the modeling program (Maxent) and is considered a relatively conservative threshold that has been used as an indicator for suitable habitat in other studies.</p>
Selection of ESA	<p>All 8x8-meter grid cells representing sea turtle live strandings, in-water observations, and 2018 coastal Connecticut mortality events were selected as Ecologically Significant Areas.</p> <p>All 8x8-meter grid cells representing diamondback terrapin probability of occurrence greater than 0.3188 were selected as Ecologically Significant Areas.</p>

Criterion 9: Birds

Table 2a-17 Data construction table for birds.

	Birds
ESA Criterion Description	Areas where birds are abundant or diverse including feeding areas; areas of high bird productivity including nesting areas.
Data Source	eBird models in Long Island Sound (eBird data since 2010), Steen and Elphick 2018 Summer bird species: Common tern, Double-crested cormorant, Great black-backed gull, Herring gull, Laughing gull, Ring-billed gull, Roseate tern Winter bird species: American black duck, Black scoter, Bonaparte’s gull, Brant, Bufflehead, Common eider, Common goldeneye, Common loon, Double-crested cormorant, Great black-backed gull, Great cormorant, Greater scaup, Herring gull, Horned grebe, Laughing gull, Lesser scaup, Long-tailed duck, Northern gannet, Red breasted merganser, Red throated loon, Ring-billed gull, Surf scoter, White-winged scoter <u>Expert participatory mapping</u> January 3, 2019 - Patrick Comins, Executive Director, Connecticut Audubon Society.
Data Extent	Long Island Sound
Data Adjustment and Pre-processing	None.
Data Analysis	Presence/absence layers for all 7 summer species were overlaid and summed to create a single summer species richness layer. Presence/absence layers for all 23 winter species were overlaid and summed to create a single winter species richness layer. Summer and winter richness layers were converted to an 8-meter grid. <u>Expert participatory mapping</u> Areas delineated were converted to an 8-meter grid.
Data Classification	The summer and winter richness layers were each classified by quintiles.
Selection of ESA	All 8x8-meter grid cells in the top quintiles of summer and winter richness were selected as Ecologically Significant Areas.

	<p>The top quintiles of summer and winter richness were overlaid to create a single layer that represented Ecologically Significant Areas for birds.</p> <p><u>Expert participatory mapping</u> All 8x8-meter grid cells that were delineated were selected as Ecologically Significant Areas.</p>
--	--

Criterion 10: Fish

Table 2a-18 Data construction table for fish.

	Fish
ESA Criterion Description	Areas of high weighted fish persistence and high fish abundance and concentration.
Data Source	<p><u>CT DEEP LISTS data:</u> Mean spring and fall individual species abundance, by site and season, 1995-2004 and 2005-2014, CT DEEP Long Island Sound Trawl Survey (LISTS), for species caught in more than 5 tows (full species list in this appendix).</p> <p><u>LISEA data:</u> Demersal, diadromous, and pelagic weighted persistence layers from the Long Island Sound Ecological Assessment (LISEA) Demersal species (59 spp.) includes the following subgroups: Elasmobranchs (7 spp.), Gadids (7 spp.), Pleuronectids (7 spp.), Structure-oriented (6 spp.), Other (32 spp.) Diadromous species (13 spp.) Pelagic species (23 spp.) (see Anderson and Frohling 2005 for a full listing of species.)</p>
Data Extent	Long Island Sound
Data Adjustment and Pre-processing	<p><u>CT DEEP LISTS data:</u> CT DEEP LISTS data were grouped by demersal or pelagic (or “water column”) functional groups (full species list in this appendix). There were some species in LISEA that were not caught in >5 tows in the LISTS data.</p> <p><u>LISEA data:</u> None.</p>

<p>Data Analysis</p>	<p><u>CT DEEP LISTS data:</u> All CT DEEP LISTS individual species abundance layers were converted to an 8-meter grid. For each season (spring; fall) and time period (1995-2004; 2005-2014) demersal and water column species were overlaid and summed to create total mean abundance layers for each functional group. This resulted in 8 individual layers.</p> <p><u>LISEA data:</u> All LISEA weighted persistence layers were converted to an 8-meter grid.</p>
<p>Data Classification</p>	<p><u>CT DEEP LISTS data:</u> Each of the 8 individual layers (demersal and water column; spring and fall; 1995-2014 and 2005-2014) were each classified into quintiles.</p> <p><u>LISEA data:</u> The LISEA weighted persistence layers were already classified so that “high” weighted persistence corresponded to species that had been detected at levels 1 or 2 standard deviations above the mean for the time series in all 3 of the examined time periods within a 26-year span (1984-2009).</p>
<p>Selection of ESA</p>	<p>The following layers were overlaid to create a single layer representing Ecologically Significant Areas for fish.</p> <p><u>CT DEEP LISTS data:</u></p> <ol style="list-style-type: none"> 1. All 8x8-meter grid cells in the top quintile of fall demersal species abundance 1995-2004 were selected as Ecologically Significant Areas. 2. All 8x8-meter grid cells in the top quintile of spring demersal species abundance 1995-2004 were selected as Ecologically Significant Areas. 3. All 8x8-meter grid cells in the top quintile of fall demersal species abundance 2005-2014 were selected as Ecologically Significant Areas. 4. All 8x8-meter grid cells in the top quintile of spring demersal species abundance 2005-2014 were selected as Ecologically Significant Areas. 5. All 8x8-meter grid cells in the top quintile of fall water column species abundance 1995-2004 were selected as Ecologically Significant Areas. 6. All 8x8-meter grid cells in the top quintile of spring water column species abundance 1995-2004 were selected as Ecologically Significant Areas. 7. All 8x8-meter grid cells in the top quintile of fall water column species abundance 2005-2014 were selected as Ecologically Significant Areas. 8. All 8x8-meter grid cells in the top quintile of spring water column species abundance 2005-2014 were selected as Ecologically Significant Areas. <p><u>LISEA data:</u></p>

	<p>9. All 8x8-meter grid cells in the highest LISEA weighted persistence category for each Pelagic and Diadromous species were selected as Ecologically Significant Areas.</p> <p>10. All 8x8-meter grid cells where both Pelagic and Diadromous species in the second highest LISEA weighted persistence category overlap were selected as Ecologically Significant Areas.</p> <p>11. All 8x8-meter grid cells in the highest LISEA weighted persistence category for each Demersal species functional group (Elasmobranchs, Gadids, Pleuronectids, Structure-oriented, Other) were selected as Ecologically Significant Areas.</p> <p>12. All 8x8-meter grid cells where 3 or more of the 5 Demersal species functional groups in the second highest LISEA weighted persistence category overlap were selected as Ecologically Significant Areas.</p>
--	---

Criterion 11: Mobile invertebrates

Table 2a-19 Data construction table for mobile invertebrates.

	Mobile invertebrates
ESA Criterion Description	Areas of high mobile invertebrate (e.g., lobster, other crustaceans, squid) abundance and concentration
Data Source	<p><u>CT DEEP LISTS data:</u> Mean spring and fall individual species decapod (blue crab, flat claw hermit crab, lady crab, rock crab, spider crab) biomass and counts for horseshoe crab, American lobster, and long-finned squid, by site and season for 1995-2004 and 2005-2014, CT DEEP Long Island Sound Trawl Survey (LISTS).</p> <p><u>CT DEEP Horseshoe crab data:</u> CT spawning beaches Development of the predictive model and classification scheme was completed by Alicia Landi through University of Connecticut Masters thesis (2011) under a State Wildlife Grant for CT DEEP.</p> <p><u>American lobster thermal refuge:</u> American lobster habitat based on IPCC intermediate projection of bottom water temperatures (12-20°C) under a doubling of CO₂ over 20 years by the Stevens Institute of Technology</p>
Data Extent	Long Island Sound

<p>Data Adjustment and Pre-processing</p>	<p><u>CT DEEP LISTS data:</u> None.</p> <p><u>CT DEEP Horseshoe crab data:</u> None.</p> <p><u>American lobster thermal refuge:</u> Data from the Stevens Institute were presented as the predicted number of days per month (2002-2012, and future) at various water temperature thresholds. The predicted number of future days with bottom temperatures between 12-20°C during July and September for the period representing conditions under a doubling of CO₂ with respect to 2012 levels was extracted for further analysis. Bottom water temperatures between 12-20°C are considered optimal for American lobster reproduction and survival.</p>
<p>Data Analysis</p>	<p><u>CT DEEP LISTS data:</u> The CT DEEP LISTS individual species biomass layers were converted to an 8-meter grid. Individual species biomass layers were overlaid and summed to create total mean biomass layers for mobile invertebrates in each season (spring and fall) and time period (1995-2004 and 2005-2014), resulting in 4 total layers.</p> <p><u>CT DEEP Horseshoe crab data:</u> The CT DEEP Horseshoe crab data layers were each converted to an 8-meter grid.</p> <p><u>American lobster thermal refuge:</u> The average proportion of days with bottom temperatures between 12-20°C from July to September from 2002-2012 for all Long Island Sound Trawl Survey grid cells was calculated to be 31%. The predicted proportion (%) of future days with bottom temperatures between 12-20°C from July-September was calculated for each Long Island Sound Trawl Survey grid cell. This layer was converted to an 8-meter grid.</p>
<p>Data Classification</p>	<p><u>CT DEEP LISTS data:</u> Each of the 16 total mean biomass or abundance (counts) layers were classified into quintiles.</p> <p><u>CT DEEP Horseshoe crab data:</u> Offshore hotspots – no classification Presence in open water – already classified into “High” (above median) and “Medium” (below median) CT spawning beaches – already classified into “High use” and “Medium use”</p> <p><u>American lobster thermal refuge:</u> None.</p>

Selection of ESA	<p>The following layers were each selected to represent a component of Ecologically Significant Areas for mobile invertebrates. Layers representing # below were overlaid to create a single layer representing Ecologically Significant Areas for mobile invertebrates.</p> <p><u>CT DEEP LISTS data:</u></p> <ol style="list-style-type: none"> 1. All 8x8-meter grid cells representing the top quintile of decapod biomass in fall 1995-2004 were selected as Ecologically Significant Areas. 2. All 8x8-meter grid cells representing the top quintile of decapod biomass in spring 1995-2004 were selected as Ecologically Significant Areas. 3. All 8x8-meter grid cells representing the top quintile of decapod biomass in fall 2005-2014 were selected as Ecologically Significant Areas. 4. All 8x8-meter grid cells representing the top quintile of decapod biomass in spring 2005-2014 were selected as Ecologically Significant Areas. 5. All 8x8-meter grid cells representing the top quintile of horseshoe crab abundance in fall 1995-2004 were selected as Ecologically Significant Areas. 6. All 8x8-meter grid cells representing the top quintile of horseshoe crab abundance in spring 1995-2004 were selected as Ecologically Significant Areas. 7. All 8x8-meter grid cells representing the top quintile of horseshoe crab abundance in fall 2005-2014 were selected as Ecologically Significant Areas. 8. All 8x8-meter grid cells representing the top quintile of horseshoe crab abundance in spring 2005-2014 were selected as Ecologically Significant Areas. 9. All 8x8-meter grid cells representing the top quintile of American lobster abundance in fall 1995-2004 were selected as Ecologically Significant Areas. 10. All 8x8-meter grid cells representing the top quintile of American lobster abundance in spring 1995-2004 were selected as Ecologically Significant Areas. 11. All 8x8-meter grid cells representing the top quintile of American lobster abundance in fall 2005-2014 were selected as Ecologically Significant Areas. 12. All 8x8-meter grid cells representing the top quintile of American lobster abundance in spring 2005-2014 were selected as Ecologically Significant Areas. 13. All 8x8-meter grid cells representing the top quintile of long-finned squid abundance in fall 1995-2004 were selected as Ecologically Significant Areas. 14. All 8x8-meter grid cells representing the top quintile of long-finned squid abundance in spring 1995-2004 were selected as Ecologically Significant Areas. 15. All 8x8-meter grid cells representing the top quintile of long-finned squid abundance in fall 2005-2014 were selected as Ecologically Significant Areas. 16. All 8x8-meter grid cells representing the top quintile of long-finned squid abundance in spring 2005-2014 were selected as Ecologically Significant Areas.
-------------------------	--

	<p><u>CT DEEP Horseshoe crab data:</u> 17. All 8x8-meter grid cells representing horseshoe crab “High use” and “Medium use” CT spawning beaches were selected as Ecologically Significant Areas.</p> <p><u>American lobster thermal refuge:</u> 18. All 8x8-meter grid cells higher than the 2002-2012 average proportion (i.e., > 31%) of days with bottom temperatures between 12-20°C during July-September were selected as Ecologically Significant Areas.</p>
--	--

Criterion 12: Sessile-mollusk-dominated communities

Table 2a-20 Data construction table for sessile-mollusk-dominated communities.

	Sessile-mollusk-dominated communities
ESA Criterion Description	Areas where wild, natural sessile-mollusk-dominated communities occur.
Data Source	<p>2012 and 2013 sessile mollusk percent cover from: Long Island Sound Mapping and Research Collaborative Phase I seafloor mapping; geospatial data provided by Conroy and Auster, University of Connecticut. Formal citation for Phase I data: Long Island Sound Cable Fund Steering Committee, eds. (2015). “Seafloor Mapping of Long Island Sound – Final Report: Phase 1 Pilot Project.” (Unpublished project report). U. S. Environmental Protection Agency Long Island Sound Study, Stamford, CT</p> <p>2017 sessile mollusk presence, from: Long Island Sound Mapping and Research Collaborative Phase II seafloor mapping; unpublished geospatial data provided by Conroy and Auster, University of Connecticut.</p>
Data Extent	Multiple discrete sampling locations (points) near Stratford Shoals (Phase I sampling) and multiple discrete sampling locations (polygons) in eastern LIS (Phase II sampling)
Data Adjustment and Pre-processing	<p><u>2012 and 2013 sessile mollusk percent cover near Stratford Shoals</u> Sampling locations (points) where <i>Crepidula fornicata</i> (a species of gastropod mollusk) or <i>Mytilus edulis</i> (a species of bivalve mollusk) were found to have $\geq 50\%$ cover in 2012 or 2013 were extracted from the full dataset. The extracted points were buffered with a 375-meter radius to match the footprint and scale of the Phase II sampling data.</p> <p><u>2017 sessile mollusk presence in eastern LIS</u> Sampling locations (polygons) where <i>Crepidula</i> or <i>Mytilus</i> were found to be present.</p>

Data Analysis	<p><u>2012 and 2013 sessile mollusk percent cover near Stratford Shoals</u> 375-meter buffers were converted to an 8-meter grid.</p> <p><u>2017 sessile mollusk presence in eastern LIS</u> Polygons were converted to an 8-meter grid.</p>
Data Classification	<p><u>2012 and 2013 sessile mollusk percent cover near Stratford Shoals</u> The grid cells were classified by whether values were less than, equal to, or greater than 50 (percent cover).</p> <p><u>2017 sessile mollusk presence in eastern LIS</u> All grid cells where <i>Crepidula</i> or <i>Mytilus</i> were found to be present were retained.</p>
Selection of ESA	<p><u>2012 and 2013 sessile mollusk percent cover near Stratford Shoals</u> All 8x8-meter grid cells representing values $\geq 50\%$ cover of <i>Crepidula fornicata</i> or <i>Mytilus edulis</i> were selected as Ecologically Significant Areas.</p> <p><u>2017 sessile mollusk presence in eastern LIS</u> All 8x8-meter grid cells where <i>Crepidula fornicata</i> or <i>Mytilus edulis</i> were found to be present were selected as Ecologically Significant Areas.</p>

Criterion 13: Managed shellfish beds

Table 2a-21 Data construction table for managed shellfish beds.

	Managed shellfish beds
ESA Sub-criterion Description	Locations of commercial and recreational shellfishing harvest areas, including shellfish restoration activities and areas closed to shellfishing.
Data Source	Oyster seed beds (Connecticut Natural Shellfish Beds Dataset), Connecticut Recreational Shellfish Beds Dataset, Connecticut State-managed Shellfish Beds Dataset, Connecticut Town-managed Shellfish Beds Dataset, from the Connecticut Department of Agriculture Bureau of Aquaculture and Connecticut Department of Energy and Environmental Protection
Data Extent	Connecticut state waters of Long Island Sound

Data Adjustment and Pre-processing	None.
Data Analysis	All features were converted to an 8-meter grid.
Data Classification	None.
Selection of ESA	All 8x8-meter grid cells characterized as natural shellfish beds, recreational shellfish beds, state-managed shellfish beds, and town-managed shellfish beds were selected as Ecologically Significant Areas. All layers were overlaid to develop a single layer that represents commercial and recreational shellfish harvest Ecologically Significant Areas.

Criterion 14: Soft-bottom benthic communities

Table 2a-22 Data construction for soft-bottom benthic communities.

	Soft-bottom benthic communities
ESA Criterion Description	Areas of soft-bottom seafloor communities where natural productivity, biological persistence, diversity, and/or abundance of marine flora and fauna are high, as well as areas of soft-bottom seafloor communities known to support important life history or important ecological functions of mobile species (e.g., migratory stopovers and corridors, feeding areas, and nursery grounds).
Data Source	
Data Extent	
Data Adjustment and Pre-processing	
Data Analysis	

Data Classification	
Selection of ESA	

4. ESA Metadata Index

This document describes the location of the geospatial metadata files for the layers that contribute to the 14 ESA Criteria. Many of these files are also available via the ESA Data Layer List associated with the Blue Plan Map Viewer (<http://cteco.uconn.edu/projects/blueplan/layersESA.htm>).

Table 2a-23 ESA Metadata Index

ESA Criteria	Metadata Source (URL if available)
Hard Bottom and Complex Sea Floor	Criterion 1 Hard bottom and complex seafloor
<ul style="list-style-type: none"> • Long Island Sound Ecological Assessment (LISEA) hard bottom 	The Nature Conservancy
<ul style="list-style-type: none"> • USGS Surficial sediment map, gravel areas 	USGS Distribution of surficial sediments in Long Island Sound
<ul style="list-style-type: none"> • Long Island Sound Mapping and Research Collaborative (LISMaRC) Phase II SEABOSS hard bottom observations 	Long Island Sound Mapping and Research Collaborative (LISMaRC) Phase II SEABOSS hard bottom observations in seafloor imagery. DEEP Blue Plan Team has metadata write-up by Chris Conroy
<ul style="list-style-type: none"> • Terrain Ruggedness Index 	Long Island Sound 8m composite Terrain Ruggedness Index. DEEP Blue Plan Team has metadata write-up by Emily Shumchenia
<ul style="list-style-type: none"> • Wrecks and obstructions 	Northeast Ocean Data Portal
Submerged Aquatic Vegetation	Criterion 2 Areas of Submerged Aquatic Vegetation
<ul style="list-style-type: none"> • Seagrass surveys from 2002, 2006, 2009, 2012, 2017 	Connecticut Department of Energy & Environmental Protection
Endangered, Threatened, Species of Concern	Criterion 3 Endangered, Threatened, and Species of Concern
<ul style="list-style-type: none"> • Atlantic sturgeon gear restriction areas 	CT DEEP Marine Fisheries

<ul style="list-style-type: none"> Atlantic sturgeon and shortnose sturgeon high and medium use areas 	CT DEEP Marine Fisheries
<ul style="list-style-type: none"> Atlantic sturgeon migratory corridor 	CT DEEP Marine Fisheries
<ul style="list-style-type: none"> Predicted summer occurrence of roseate tern 	University of Connecticut, Steen & Elphick. DEEP Blue Plan Team has metadata write-up by Steen & Elphick
<ul style="list-style-type: none"> Connecticut Natural Diversity Database approximate locations of endangered, threatened, species of concern 	Connecticut Department of Energy & Environmental Protection
<ul style="list-style-type: none"> Connecticut Critical Habitats 	Connecticut Department of Energy & Environmental Protection
<ul style="list-style-type: none"> New York rare plants and rare animals 	New York Department of Environmental Conservation
<ul style="list-style-type: none"> New York Significant Natural Communities 	New York Department of Environmental Conservation
<ul style="list-style-type: none"> New York Significant Coastal Fish and Wildlife Habitats 	New York Department of State
<ul style="list-style-type: none"> US Endangered Species Act Critical Habitat for Atlantic sturgeon 	NOAA GARFO
Cold Water Corals	Criterion 4 Cold Water Corals
<ul style="list-style-type: none"> LISMaRC Phase I and Phase II cold water coral observations near Stratford Shoals and eastern LIS 	University of Connecticut DEEP Blue Plan Team has metadata write-up by Chris Conroy
Coastal Wetlands	Criterion 5 Coastal Wetlands
<ul style="list-style-type: none"> National Wetlands Inventory, clipped to Long Island Sound Study boundary 	USFWS NWI
Cetaceans	Criterion 6 Cetaceans
<ul style="list-style-type: none"> Cetacean density models 	Marine life Data & Analysis Team (MDAT)
<ul style="list-style-type: none"> Expert participatory mapping 	Cetaceans – participatory mapping
Pinnipeds	Criterion 7 Pinnipeds

<ul style="list-style-type: none"> Seal concentration areas 	NOAA Environmental Sensitivity Index
<ul style="list-style-type: none"> Expert participatory mapping 	Pinnipeds – participatory mapping DEEP Blue Plan Team has metadata write-up by Emily Shumchenia
Sea Turtles and Other Reptiles	Criterion 8 Sea Turtles and Other Reptiles
<ul style="list-style-type: none"> Live sea turtle strandings, rescues, and in-water observations 	Riverhead Foundation
<ul style="list-style-type: none"> Live sea turtle strandings and rescues 	Mystic Aquarium
<ul style="list-style-type: none"> Point locations of 2018 coastal CT mortality events at Silver Sands State Park, Long Beach, and Sheffield Island 	2018 coastal CT sea turtle mortality events DEEP Blue Plan Team has metadata write-up by Emily Shumchenia
<ul style="list-style-type: none"> Diamondback terrapin probability of occurrence 	Conservation Wildlife Foundation of New Jersey
Birds	Criterion 9 Birds
<ul style="list-style-type: none"> Seabird occurrence models 	University of Connecticut, Steen & Elphick DEEP Blue Plan Team has metadata write-up by Steen & Elphick
<ul style="list-style-type: none"> Expert participatory mapping 	Birds – participatory mapping DEEP Blue Plan Team has metadata write-up by Emily Shumchenia
Fish	Criterion 10 Fish
<ul style="list-style-type: none"> Persistently productive places for fish, Long Island Sound Ecological Assessment high weighted persistence) 	The Nature Conservancy
<ul style="list-style-type: none"> Areas of high fish abundance and concentration 	CT DEEP Marine Fisheries Long Island Sound Trawl Survey
Mobile Invertebrates	Criterion 11 Mobile Invertebrates
<ul style="list-style-type: none"> Areas of high mobile invertebrate biomass and concentration 	CT DEEP Marine Fisheries Long Island Sound Trawl Survey
<ul style="list-style-type: none"> Horseshoe crab predicted spawning beaches 	CT DEEP Marine Fisheries
<ul style="list-style-type: none"> American lobster projected thermal refuge 	DEEP Blue Plan Team has metadata write-up by Emily Shumchenia

Sessile-mollusk-dominated Communities	Criterion 12 Sessile-mollusk-dominated Communities
<ul style="list-style-type: none"> LISMaRC Phase I and Phase II observations of Slipper shell (<i>Crepidula fornicata</i>) aggregations and blue mussel (<i>Mytilus edulis</i>) aggregations near Stratford Shoals and eastern LIS 	<p>University of Connecticut</p> <p>DEEP Blue Plan Team has metadata write-up by Chris Conroy</p>
<ul style="list-style-type: none"> Expert participatory mapping 	<p>Sessile-mollusk-dominated communities – participatory mapping</p> <p>DEEP Blue Plan Team has metadata write-up by Emily Shumchenia</p>
Managed Shellfish Beds	Criterion 13 Managed Shellfish Beds
<ul style="list-style-type: none"> Oyster seed beds (CT Natural Shellfish Beds) 	<p>Connecticut Department of Agriculture/ Bureau of Agriculture and Connecticut Department of Environmental Protection</p>
<ul style="list-style-type: none"> CT Recreational Shellfish Beds 	<p>Connecticut Department of Agriculture/ Bureau of Agriculture and Connecticut Department of Environmental Protection</p>
<ul style="list-style-type: none"> CT State-managed Shellfish Beds 	<p>Connecticut Department of Agriculture/ Bureau of Agriculture and Connecticut Department of Environmental Protection</p>
<ul style="list-style-type: none"> CT Town-managed Shellfish Beds 	<p>Connecticut Department of Agriculture/ Bureau of Agriculture and Connecticut Department of Environmental Protection</p>

Appendix 3. Significant Human Use Areas: Supplemental Information and Maps

Appendix 2: Table of Contents

Figures and Tables	CXXXI
Introduction	CXXXIV
Scope and Process	CXXXV
Goal 1: To include a mix of data that accurately depicts significant human uses in Long Island Sound	CXXXV
Initial Historic, Cultural, & Educational Interests	CXL
Initial Recreational & Quality of Life Interests	CXLI
Initial Navigation, Transportation, Military, Infrastructure, & Commercial	CXLIII
Initial Fishing & Shellfishing Interests	CXLIII
Final SHUA Data Included.....	CXLVII
Goal 2: To render SHUA data in formats easy to understand and interpret	CXLVIII
Hardcopy Maps.....	CXLVIII
Hot Spot Clustering Analysis	CXLVIII
Blue Plan Web Viewer	CXLIX
General SHUA Data Caveats	CL
SHUA Maps and Data Construction Tables	CL

Appendix Figures

Figure 3a-1 Final SHUA map for local, state, and national historic districts under the Areas associated with lighthouses and other historic areas criteria.....	CXC
Figure 3a-2 Final SHUA map for LIS lighthouses under the Areas associated with lighthouses and other historic areas criteria.	CXCIII
Figure 3a-3 Final SHUA map for shipwrecks.	CXCVI
Figure 3a-4 Final SHUA map for open space and public lands, under the Visual and scenic resource criteria.	CXCIX
Figure 3a-5 Final SHUA map for archaeological sites (upland), under the submerged and coastal archaeological areas criteria.	CCIII
Figure 3a-6 Final SHUA map of archaeological areas (LIS), under the submerged and coastal archaeological areas.	CCV
Figure 3a-7 Final SHUA map of potential submerged Holocene sites, under the submerged and coastal archaeological areas criteria.	CCVII
Figure 3a-8 Final SHUA map of water quality sampling sites, under the discrete areas for research, education, and monitoring criteria.	CCX
Figure 3a-9 Final SHUA map of LIS Coastal Observation sites (LISICOS), under the discrete areas for research, education, and monitoring criteria.	CCXIII
Figure 3a-10 Final SHUA map of Sailing Race areas, under the sailing or rowing races criteria.	CCXVI

Figure 3a-11 Final SHUA map of sailing race routes, under the sailing or rowing races criteria.	CCXVII
Figure 3a-12 Final SHUA map for High density recreational boating.	CCXIX
Figure 3a-13 Final SHUA map of mooring fields, also known as boat clusters, under the mooring fields and anchorage area criteria.	CCXXI
Figure 3a-14 Final SHUA map of anchorage areas, under the mooring fields and anchorage areas criteria.	CCXXIV
Figure 3a-15 Final SHUA map of marinas, yacht clubs, etc., under the marinas, yacht clubs, and boat launches criteria.	CCXXVI
Figure 3a-16 Final SHUA map of boat launches, under the marinas, yacht clubs, and boat launches criteria.	CCXXVIII
Figure 3a-17 Final map of potential waterfowl hunting areas, under the Waterfowl Hunting SHUA criteria.	CCXXX
Figure 3a-18 Final SHUA map of dive locations, under the dive sites criteria.	CCXXXIII
Figure 3a-21 Final SHUA map of coastal access sites, under the coastal public use areas criteria.	CCXXXVI
Figure 3a-22 Final SHUA map of individual ocean uses, under the coastal public use areas criteria.	CCXXXVIII
Figure 3a-23 Final SHUA map of open space and public lands, under the coastal public use areas criteria.	CCXL
Figure 3a-24 Final SHUA map of water trails, under the coastal public use areas criteria.	CCXLIV
Figure 3a-25 Final SHUA map of public access beaches, under the coastal public use areas criteria.	CCXLVI
Figure 3a-26 Final SHUA map of migratory waterfowl concentration areas, under the waterfowl hunting criteria.	CCXLIX
Figure 3a-27 Final SHUA map of working waterfronts, under the working waterfronts, ports, and marine commercial areas criteria.	CCLI
Figure 3a-28 Final SHUA map of Fairways and Navigation channels, under the designated navigational channels, fairways, and basins.	CCLIV
Figure 3a-29 Final SHUA map of business and commercial dredging areas, from the Sediment Quality Information Database, under the designated navigational channels, fairways, and basins criteria.	CCLVII
Figure 3a-30 Final SHUA map of designated anchorage areas.	CCLIX
Figure 3a-31 Final SHUA map of restricted areas.	CCLXII
Figure 3a-32 Final SHUA map of Lightering Zones.	CCLXV
Figure 3a-33 Final map of vessel transit lanes.	CCLXVIII
Figure 3a-34 Final SHUA map of open water disposal sites.	CCLXXI
Figure 3a-35 Final SHUA map of underwater cables, under the cables, pipelines, and cable/pipeline areas.	CCLXXIV
Figure 3a-36 Final SHUA map of cable and pipeline areas, under the cables, pipelines, and cable/pipeline areas criteria.	CCLXXVI
Figure 3a-37 Final SHUA map of coastal energy facilities, under the coastal energy generating facilities and transmission facilities.	CCLXXIX
Figure 3a-38 Final SHUA map of recreational fishing activity.	CCLXXXI
Figure 3a-39 Final SHUA map of LIS commercial fishing activity.	CCLXXXIV
Figure 3a-40 Final SHUA map of recreational shellfish beds.	CCLXXXVII
Figure 3a-41 Final SHUA map of aquaculture operations, under the commercial aquaculture locations criteria.	CCXC
Figure 3a-42 Final SHUA map of CT Seaweed licenses, under the commercial aquaculture locations.	CCXCI
Figure 3a-43 Final SHUA map of aquaculture gear areas, under the commercial aquaculture locations criteria.	CCXCII
Figure 3a-44 Final SHUA map of state managed shellfish beds (CT), under the commercial aquaculture locations criteria.	CCXCIII
Figure 3a-45 Final SHUA map of town managed shellfish beds (CT), under the commercial aquaculture locations criteria.	CCXCIV
Figure 3a-46 Final SHUA map of aquaculture sites (NY), under the commercial aquaculture locations criteria.	CCXCVIII
Figure 3a-47 Final concentrations of all Significant Human Uses in Long Island Sound.	CCC
Figure 3a-48 Final concentrations of Significant Historical, Cultural, and Educational Uses in LIS.	CCCIII

Figure 3a-49 Final concentrations of all Recreational Uses in LIS.	CCCVI
Figure 3a-50 Final concentration of all Navigation, Transportation, and Commerce activities in LIS.	CCCIX
Figure 3a-51 Final concentrations of fish and shellfish uses in LIS.	CCCXII
Figure 3a-52 Final concentrations of surface uses and activities in LIS.	CCCXV
Figure 3a-53 Final concentrations of water column uses and activities in LIS.	CCCXVIII
Figure 3a-54 Final concentrations of bottom-land uses and activities of LIS.	CCCXXI

Appendix Tables

Table 3a-1 SHUA Criteria and descriptions.	CLXXV
Table 3a-2 Initial data layers under consideration for areas of Historical, Cultural, and Archaeological significance.	CLXXIX
Table 3a-3 Initial data layers under consideration for areas of Recreational and Quality of Life significance.	CLXXX
Table 3a-4 Initial data layers under consideration for areas of Navigational, Transportation, and Commerce significance.	CLXXXII
Table 3a-5 Initial data layers under consideration for areas of fishing and aquaculture significance.	CLXXXII
Table 3a-6 Final list of human use data layers to be used in the SHUA process.	CLXXXVI
Table 3a-7 Thresholds applied to various SHUA criteria.	CLXXXVII
Table 3a-8 Data construction table for local, state, and national historic districts.	CXCI
Table 3a-9 Data construction table for LIS Lighthouses.	CXCIV
Table 3a-10 Data construction table for Shipwrecks.	CXCVII
Table 3a-11 Data construction table for Parklands and Open Space.	CC
Table 3a-12 Data construction table for Archeological areas (upland).	CCIV
Table 3a-13 Data construction table for archaeological sites (LIS).	CCVI
Table 3a-14 Data construction table for potential Holocene underwater sites.	CCVIII
Table 3a-15 Data construction table for Long Island Sound Water quality sampling sites.	CCXI
Table 3a-16 Data construction table for LIS Integrated Coastal Observation System (LISICOS) sites.	CCXIV
Table 3a-17 Data construction table for Sailing Race Areas and Routes.	CCXVIII
Table 3a-18 Data construction table for High Recreational Boating Areas.	CCXX
Table 3a-19 Data construction table for Mooring Fields.	CCXXII
Table 3a-20 Data construction table for Anchorage Areas.	CCXXV
Table 3a-21 Data construction table for Marinas and Yacht Clubs.	CCXXVII
Table 3a-22 Data construction table for Boat Launches.	CCXXIX
Table 3a-23 Data construction table for waterfowl hunting areas.	CCXXXI
Table 3a-24 Data construction table for dive locations, under the dive sites criteria.	CCXXXIV
Table 3a-25 Data construction table for Coastal Access Sites.	CCXXXVII
Table 3a-26 Data construction table for Individual Ocean Uses.	CCXXXIX
Table 3a-27 Data construction table for Open Space and Public Lands.	CCXLI
Table 3a-28 Data construction table for Water Trails.	CCXLV

Table 3a-29 Data construction table for Public Access Beaches.....	CCXLVII
Table 3a-30 Data construction table for Waterfowl Concentration Areas.....	CCL
Table 3a-31 Data construction table for working water fronts.....	CCLII
Table 3a-32 Data construction table for fairways and navigational channels.....	CCLV
Table 3a-33 Data construction table for dredged areas from the Sediment Quality Information database.....	CCLVIII
Table 3a-34 Data construction table of LIS Anchorages.....	CCLX
Table 3a-35 Data construction table for LIS safety and security zones.....	CCLXIII
Table 3a-36 Data construction table for lightering areas.....	CCLXVI
Table 3a-37 Data construction map for LIS Vessel Traffic areas.....	CCLXIX
Table 3a-38 Data construction table for LIS disposal sites.....	CCLXXII
Table 3a-39 Data construction table for underwater or submarine cables.....	CCLXXV
Table 3a-40 Data construction table for LIS cable and pipeline areas.....	CCLXXVII
Table 3a-41 Data construction table for coastal energy facilities.....	CCLXXX
Table 3a-42 Data construction table for recreational fishing.....	CCLXXXII
Table 3a-43 Data construction table for commercial fishing.....	CCLXXXV
Table 3a-44 Data construction table for recreational shellfish areas.....	CCLXXXVIII
Table 3a-45 Data construction table for all Connecticut commercial aquaculture locations.....	CCXCV
Table 3a-46 Data construction table for NY Aquaculture sites.....	CCXCIX
Table 3a-47 Data construction table of final concentrations of all SHUAs in LIS.....	CCCI
Table 3a-48 Data construction table for Hot Spot Map of Historical, Cultural, and Educational Uses.....	CCCIV
Table 3a-49 Data Construction Table for "Hot Spot" Map of Recreational Uses.....	CCCVII
Table 3a-50 Data Construction Table for "Hot Spot" of Navigation, Transportation, etc. SHUA.....	CCCX
Table 3a-51 Data Construction Table for "Hot Spot" of Fishing and Shellfish SHUAs.....	CCCXIII
Table 3a-52 Data Construction Table for "Hot Spot" Map of all Surface Use SHUAs.....	CCCXVI
Table 3a-53 Data Construction Table for "Hot Spot" Map of all Water Column SHUAs.....	CCCXIX
Table 3a-54 Data Construction Table for "Hot Spot" Map of all benthic and substrate (sea-floor) SHUAs.....	CCCXXII

1. Introduction

As described in the Blue Plan text, the creation of the Significant Human Use (SHUA) areas followed as a corollary to the statutorily mandated Ecologically Significant Areas (CGS § 25-157t(b)) due to the nature of Long Island Sound itself – the richness in ecological resources and services is matched by the importance and relevance of the many ways the Sound is used to benefit the economy, support recreation, and foster culture and knowledge.

The effort to develop SHUA was designed and coordinated by the Blue Plan's *Plan Development Team* (PDT), made up of staff representation from:

- Connecticut Department of Energy & Environmental Protection (DEEP)
- The Nature Conservancy (TNC)
- Connecticut Sea Grant (SG)

During the course of the development process the PDT sought and received a variety of input from the Blue Plan Advisory Committee and various stakeholder groups who provided feedback on the map products as well as additional sources of data to include.

2. Scope and Process

The PDT set two primary goals for the SHUA effort:

- Goal 1: To include a mix of data that accurately depicts significant human uses in Long Island Sound;
- Goal 2: To render it in formats easy to understand and interpret;

a. Goal 1: To include a mix of data that accurately depicts significant human uses in Long Island Sound

Using the Long Island Sound Resource and Use Inventory (v 1.3) and the concurrent efforts of the Policy Development Team as initial sources of data and a framework to work within, the PDT began by identifying potential sources of human-use data and aggregating these into thematic bins. These included both in-water activities that directly related to the Blue Plan Areas of Interest and policy areas (e.g., boating densities, fishing areas, and large Sound-wide infrastructure such as cables and pipelines) as well as shore-based activities and resources (e.g., public open space, archaeological sites, or locations of water-dependent working waterfronts.) The inclusion of upland areas may at first seem counter-intuitive to an effort designed to address marine spatial planning; however, the implications of activities in the water-based policy area may have significant effect on shore-centric areas, such as the potential to land a cable on/or near a cultural resource.

During the spring and summer of 2018, the PDT developed a suite of nearly 80 different potential data layers that could reasonably be used to describe various aspects of human uses for four criteria groups developed by the Policy Team. The table below organizes these via the criteria and sub-criteria constructs the Policy team developed. (Table 3a-1).

Table 3a-1 SHUA Criteria and descriptions.

Criteria	Description
Areas with features of historical, cultural, educational, or research significance	
Areas associated with lighthouses and other historic areas	Lighthouses, waterfront historic districts, or in-water structures of historical significance, excluding wrecks, and areas of Long Island Sound immediately adjacent to such resources.
Shipwrecks	Wrecks of historical or cultural significance.
Visual and Scenic Resources	Views of Long Island Sound’s scenic resources from publicly accessible coastal land. These resources include but are not limited to natural resources or landscapes viewed by the general public, in part for the use, observation, enjoyment and appreciation of natural or cultural visual qualities.
Submerged and Coastal Archaeological Areas	Submerged or coastal locations of archaeological sensitivity and/or significance.
Areas of Tribal Significance	Submerged or coastal locations recognized by Tribes as having historical or cultural significance.
Discrete Areas for Research, Education, and Monitoring	Areas actively and consistently used for research activities, including but not limited to long term monitoring sites, and Sound-dependent experiential educational programming.
Criteria	Description
Areas of substantial recreational and/or “quality of life” value	

Sailing or Rowing Races	Areas consistently used by organized clubs and associations. Including but not limited to racing and training areas, and long-distance sailing race routes.
Marine Events	Recurring marine events including those described in 33 CFR 100.100 Table.
High Activity Recreational Boating Areas	Approximate areas where the density of recreational boating is substantially higher than the overall mean for LIS.
Mooring Fields and Anchorage Areas	Formally designated or traditional mooring fields and anchorages, as designated or managed by NOAA, municipal Harbor Management, or other organizations.
Marinas, Yacht Clubs, and Boat Launches	Locations of marinas, yacht clubs, and boat launches that are within the Blue Plan Area of Interest.
Waterfowl Hunting	Areas in Long Island Sound important for waterfowl hunting, including sea duck habitat.
Dive Sites	Locations in Long Island Sound important for SCUBA activities.
Coastal Public Use Areas	Areas important for public access and use of Long Island Sound for recreational activities including but not limited to swimming, paddling, and wildlife watching.
Criteria	Description
Areas important for navigation, transportation, infrastructure, and economic activity	

Working Waterfronts, Ports, and Marine Commercial Areas	Commercial facilities that are water dependent, or service water dependent uses on Long Island Sound, including but not limited to onshore and offshore terminals and port facilities.
Designated Navigational Channels, Fairways, and Basins	Designated and maintained navigational channels as they appear on the NOAA-published charts and USACE management plans. Also includes authorized privately maintained navigational channels, fairways, and basins, excluding facilities for individual residential use.
Designated Anchorage Areas	Anchorage areas as they appear on the NOAA charts, and are generally used by commercial vessels.
Security Zones and other Designated Areas	Security zones and other operational zones, as designated by the Coast Guard or other appropriate authority.
Areas of Lightering Activity	Areas designated by the Coast Guard for ship-to-ship transfer (lightering), and other areas regularly used for such transfers.
Vessel Traffic Areas	Areas of high traffic use by vessels with AIS transponders including but not limited to ferries and commercial ships. High traffic use is defined by areas that exceed the mean value of transit counts.
Dredged Material Disposal Areas (Active and Historic)	Material disposal sites as they appear on the NOAA charts, in the LIS DMMP, or designated by EPA. Includes areas currently and historically used. Also includes confined aquatic disposal (CAD) cells.
Cables, Pipelines, and Cable/Pipeline Areas	Submerged cable and pipeline infrastructure areas, including but not limited to those indicated on NOAA navigational charts.
Coastal Energy Generating and Transmission Facilities	Coastal energy generating and transmission facilities and associated infrastructure, including areas of Long Island Sound adjacent thereto.

Criteria	Description
Areas important to Fishing and Aquaculture	
Recreational Fishing	Areas significant for recreational fishing, as identified by DEEP Fisheries and the recreational fishing community of Long Island Sound.
Commercial Fishing	Areas of substantial value to the commercial fishing community in Long Island Sound.
Charter and Party Boat Fishing	Areas of substantial value to the charter and party boat industry in Long Island Sound.
Recreational Shellfish Areas	Town and/or state managed recreational shellfishing areas.
Commercial Aquaculture Locations	Shellfish leases, seaweed leases, gear areas, designated natural beds, and any other type of authorized aquaculture venture in CT and NY as applicable.

Below is generalized list of the initial set of map products that were assigned to each major criteria category (Table 3a-2 to Table 3a-5)

Table 3a-2 Initial data layers under consideration for areas of Historical, Cultural, and Archaeological significance.

Name	Source
Christmas Bird Count Circles	Audubon
Research, Monitoring, Educational Institutions	various
Shellfish Sampling Stations	CT Dept Of Agriculture/Bureau of Aquaculture
LIS Trawl Survey Towpaths	CT Dept of Energy & Environmental Protection
LIS WQ Cruise Sampling Stations	CT Dept of Energy & Environmental Protection
Potential Holocene shoreline - 11000BP	CT Office of State Archaeology
Potential Holocene shoreline - 8000BP	CT Office of State Archaeology
Potential Holocene underwater sites	CT Office of State Archaeology
CT Local Historic Districts - LIS	CT State Historic Preservation Office
CT Local Historic Districts - Upland	CT State Historic Preservation Office
CT National Register Historic Districts - LIS	CT State Historic Preservation Office
CT National Register Historic Districts - Upland	CT State Historic Preservation Office
CT State Register Historic Districts - Upland	CT State Historic Preservation Office
CT Historic Feature Points - LIS	CT State Historic Preservation Office
CT Historic Feature Points - Upland	CT State Historic Preservation Office
CT Non-AWOIS Wrecks	CT Office of State Archaeology
CT Archaeological sites - LIS	CT Office of State Archaeology
CT Archaeological sites - Upland	CT Office of State Archaeology
CT Underwater Archaeological Survey Areas	CT Office of State Archaeology
CT State Property	CT Dept of Energy & Environmental Protection

Name	Source
LIS Cable Fund Mapping Priority Areas	CT Dept of Energy & Environmental Protection
AWOIS Obstructions	National Oceanic and Atmospheric Administration - Automated Wreck Info
AWOIS Wrecks	National Oceanic and Atmospheric Administration - Automated Wreck Info
ENC Obstructions (Harbor scale)	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
ENC Wrecks (Harbor scale)	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
Artificial Reefs	Northeast Ocean Data Portal
NY State Parks	NY Dept of Environmental Conservation
NY Shellfish Sampling Stations	NY Dept of Environmental Conservation
NY National Register District - upland	NY State Historic Preservation Office
LIS Coastal Observation sites	University of Connecticut
NUWC Test Range	Northeast Ocean Data Portal

Table 3a-3 Initial data layers under consideration for areas of Recreational and Quality of Life significance.

Name	Source
Christmas Bird Count Circles	Audubon
Areas Open for Hunting	CT Dept of Energy & Environmental Protection
Coastal Access Sites	CT Dept of Energy & Environmental Protection
Migratory Waterfowl Concentration Areas	CT Dept of Energy & Environmental Protection
Dive Locations	Northeast Ocean Data Portal
Marinas, Yacht Clubs, etc.	CT Dept of Energy & Environmental Protection / LIS Cruising Guide
Marine Events	digitized by Blue Plan staff/volunteers

Name	Source
Mooring Fields	digitized by Blue Plan staff/volunteers
Sailing Areas	digitized by Blue Plan staff/volunteers
Sailing Routes	digitized by Blue Plan staff/volunteers
Transient Anchorages	digitized by Blue Plan staff/volunteers
Yacht Clubs	CT Dept of Energy & Environmental Protection / LIS Cruising Guide
Underwater Recreation Sites	Mid-Atlantic Regional Coastal Association Portal
Boat Launches	Northeast Ocean Data Portal
Distance Sailing Races	Northeast Ocean Data Portal
Shore based Ocean Uses	Northeast Ocean Data Portal
Wildlife/Sightseeing Ocean Uses	Northeast Ocean Data Portal
Kayaking Ocean Uses	Northeast Ocean Data Portal
SCUBA Areas	Northeast Ocean Data Portal
Recreational Boating Activities	Northeast Ocean Data Portal
Recreational Boating Routes	Northeast Ocean Data Portal
Recreational Boating Densities	Northeast Ocean Data Portal
Water Trails	Northeast Ocean Data Portal
AWOIS Wrecks	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
ENC Anchorages	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
ENC Wrecks (Harbor scale)	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
Vessel Density - Pleasure Craft/Sailing	Northeast Ocean Data Portal

Table 3a-4 Initial data layers under consideration for areas of Navigational, Transportation, and Commerce significance.

Name	Source
Working Waterfronts	digitized by Blue Plan staff/volunteers
2013 AIS Cargo vessel density	Northeast Ocean Data Portal
2013 AIS Tanker vessel density	Northeast Ocean Data Portal
Cable And Pipeline Areas	Northeast Ocean Data Portal
Ocean Disposal Sites	Northeast Ocean Data Portal
Submarine Cables	Northeast Ocean Data Portal
ENC Anchorages	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
ENC Fairways and Navigation Channels	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
ENC Lightering Zones	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
ENC Restricted Areas	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
Coastal Energy Facilities	National Oceanic and Atmospheric Administration - Marine Cadastre
Danger Zones & Restricted Areas	National Oceanic and Atmospheric Administration - Marine Cadastre
NUWC Test Range	Northeast Ocean Data Portal

Table 3a-5 Initial data layers under consideration for areas of fishing and aquaculture significance.

Name	Source
CT Aquaculture Gear Area	CT Dept Of Agriculture/Bureau of Aquaculture
CT Aquaculture Operations	CT Dept Of Agriculture/Bureau of Aquaculture
CT Recreational Shellfish Beds	CT Dept Of Agriculture/Bureau of Aquaculture
CT Seaweed Licenses	CT Dept Of Agriculture/Bureau of Aquaculture

Name	Source
CT Shellfish Beds-State	CT Dept Of Agriculture/Bureau of Aquaculture
CT Shellfish Beds-Town	CT Dept Of Agriculture/Bureau of Aquaculture
CT Shellfish Bed Classification	CT Dept Of Agriculture/Bureau of Aquaculture
CT Shellfish Sampling Stations	CT Dept Of Agriculture/Bureau of Aquaculture
CT Recreational Fishing Areas	CT Dept of Energy & Environmental Protection
AWOIS Obstructions	National Oceanic and Atmospheric Administration - Automated Wreck Info
AWOIS Wrecks	National Oceanic and Atmospheric Administration - Automated Wreck Info
ENC Obstructions (Harbor)	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
ENC Wrecks (Harbor)	National Oceanic and Atmospheric Administration - Elec. Nautical Charts
VTR Commercial Fishing Landings - Gillnet	NY Geographic Information Gateway
VTR Commercial Fishing Landings - Otter Trawl	NY Geographic Information Gateway
VTR Commercial Fishing Landings - Pots	NY Geographic Information Gateway
VTR Commercial Fishing Landings - Seine	NY Geographic Information Gateway
NY Aquaculture Sites (TMAU)	NY Dept of Environmental Conservation
NY Shellfish Sampling Stations	NY Dept of Environmental Conservation

Once the initial identification and organization of human use map products was complete PDT performed a series of basic processing steps including clipping or selecting element to intersect the LIS Blue Plan Area of Interest, and ensuring all layers conformed to common coordinate and projection system (UTM Zone 18N; NAD83). Additionally, data that spanned both upland and in-water areas (e.g., several historic register and Archeological site layers contained locations that were both on land and in the Sound) were separated into “upland” and “LIS” versions.

The PDT also performed a review of the data for accuracy and completeness and identified several gaps to address. Areas of notable gaps included:

- Activities in New York waters within the sector of aquaculture, where there was significant corresponding data for Connecticut;
- Activities in New York waters within the sector of recreational fishing, where there was significant corresponding data for Connecticut;
- Sound-wide areas dedicated to sailing races;
- Sound-wide Dive areas/locations;
- Sound-wide areas important to commercial fishing interests;
- Connecticut and New York upland areas of public open space beyond examples of state parks and other state-owned property;
- Connecticut and New York working waterfronts.

To fill these gaps the PDT:

- Developed a series of participatory mapping exercises with stakeholders from the recreational fishing, diving, and sailing sectors to help augment voids in their respective mapping data. Through a series of outreach meetings and webinars, the existing data layers were displayed in web-enabled online maps. Users could then add or edit areas based on their expertise and knowledge. The edits occurred both communally (e.g., at meetings or other events) or by individual access to the online maps. The results provided by the members of their respective user communities were integrated into or included with the existing data to more completely represent these uses.
- Contacted the commercial fishing sector. Although they were generally unwilling to provide detailed information on areas or locations significant for their interests in LIS due the proprietary nature of the industry, they did however provide comments and suggestions concerning how best to present the limited data available for the industry. By their recommendations, data from the four types of fishing gear categories (otter trawls, pots, seine, and gillnet) were combined and their landing totals (in pounds) summed to create a singular layer that reflects commercial fishing landings in general rather than by gear type.
- Sought out additional sources of Open Space property data available from DEEP - but were not included in the Resource and Use Inventory - to provide a more complete picture of public open space. These included the CT Protected Open Space Mapping (POSM) data, and a set of CT Municipal Open Space properties that pre-dated POSM. From the POSM inventory, locations flagged as Federal property and Municipal properties whose names contained keywords such as “park”, “town green”, “field” or similar were extracted and added. From the Municipal Open Space inventory, properties flagged as “municipal – open to the public without fee” were extracted and added.

- Worked with volunteers and other DEEP staff to use digital aerial photography, planning reports, and professional experience and knowledge to digitize the locations of working waterfronts.

After the initial compilation of data, QA/QC, and gap filling where possible/practical, the PDT reviewed and analyzed the resulting list of initial layers to assess the overall levels of completeness and representativeness.

Due to the intervening time between when the Resource and Use Inventory was completed and the SHUA development process was fully underway, several datasets provided by source organizations were updated. As a result, the initial versions for commercial boating densities were replaced with more currently available versions.

Some datasets that were part of the initial collections were eliminated; for example, a historic buildings dataset provided by the CT State Historic Preservation Office (CTSHPO) was excluded in favor of a historic district dataset (also provided by CTSHPO) that included over 90% of the buildings. Conversations from CTSHPO confirmed that using both was redundant and the districts data provided a sufficient level of representation.

In other cases, data representing similar topical areas from different sources were modified. Some were combined, as in the case of dive sites and shipwrecks. The location of these originally spanned multiple sources; these were refined and combined into a singular shipwreck map product and a singular dive site map product. Others had records removed where they were better reflected by other sources. For example, certain Coastal Access Sites were removed from that layer as they were already captured in other layers such as Boat Launches or Public Open Space. And many data layers contained records that extended beyond the Blue Plan Area of Interest and were removed.

As a result of input from the formal public comment period from March 20 to June 21, 2019, several data sets were updated. While no map products were removed, several received updates – largely adding elements that were missed and editing locations to reflect a better representation. *Those map products updated by input from the public comment period are reflected in the list below with an asterisk (“*”).*

The tables below indicate the map products that best reflect the significant human use interest within and around Long Island Sound.

The final list (Table 3a-6) of human use map products used in the SHUA process includes:

Table 3a-6 Final list of human use data layers to be used in the SHUA process.

Historic, Cultural, & Educational Interests:	Recreational / Quality of Life Interests:	Navigation, Transportation, Military, Infrastructure, & Commerce Interests:	Fishing/Shellfishing Interests:
LIS Lighthouses	LIS Sailing Routes	CT & NY Coastal Energy Facilities	CT Recreational Shellfish Beds
CT and NY Historic Districts	LIS Sailing Areas *	CT & NY Working Waterfronts	LIS Recreational Fishing Areas *
LIS Wrecks	LIS Mooring Fields *	LIS Anchorages	LIS Commercial Fishing
CT & NY Open Space & Public Lands	LIS Anchorages	LIS Fairways & Navigation Channels	CT Aquaculture Operations
CT Archaeological Sites – upland *	LIS Recreational Boating Density	CT & NY Commercial Dredging Areas	CT Seaweed Licenses
CT Archaeological Sites – LIS *	CT & NY Marinas, Yacht Clubs *	LIS Restricted Areas	NY Aquaculture Sites
LIS Coastal Observing System sites	CT & NY Boat Launches	LIS Lightering Zones	CT Aquaculture Gear Areas
LIS Water Quality Sampling *	CT Waterfowl Hunting Areas	LIS Vessel Transit Count Density	CT Natural Shellfish Beds
LIS Potential Holocene underwater sites	LIS Dive Locations *	LIS Ocean Disposal Sites	CT Shellfish Beds-Towns
	CT Coastal Access Sites	LIS Underwater Cables	CT Shellfish Beds-State
	CT & NY Individual Ocean Uses *	LIS Cable & Pipeline Areas *	
	CT & NY Public Access Beaches		
	LIS Water Trails *		
	CT & NY Open Space & Public Lands		
	CT Migratory Waterfowl Concentration Areas		

Several datasets (such as those representing boating densities and commercial fishing landings) provided coverage of all or nearly all of LIS and also provided data that could support parsing it into areas where the focus or intensity of use could be further explored. The PDT felt that these layers could be analyzed to glean where more substantial areas may occur and thus better reflect “significant” use areas as opposed to all of LIS being deemed significant. After experimentation and informed by similar efforts of the Ecologically Significant Areas approach, the PDT applied the following thresholds in Table 3a-7.

Table 3a-7 Thresholds applied to various SHUA criteria.

LIS Recreational Boating Density	Retain only areas defined by the top 2 out of 5 equal quantity classes.
LIS Vessel Transit Count Density	Retain only areas where the AIS count values were above mean value of 85.
LIS Restricted Areas	Retain only areas flagged as safety / security zones in Code of Federal Regulations, plus Plum Island.
LIS Commercial Fishing	Retain only areas defined by the top 2 out of 5 equal quantity classes.

b. Goal 2: To render SHUA data in formats easy to understand and interpret;

Having finalized the data layers to represent SHUAs, the PDT focused on three distinct ways to present and share the individual layers, a synthesis of groups of layers, and a combination of both.

Hardcopy Maps:

Each SHUA layer was rendered in a standardized format to show it along with the Blue Plan Area of Interest and the Blue Plan Policy area. These were converted into PDFs to provide an easily accessible way to see the data. They are part of the hardcopy and electronic versions of the Blue Plan as part of the Appendices.

Hot Spot Clustering Analysis:

When trying to view multiple SHUA layers at once (e.g., to try and visualize all Fishing and Shellfishing data at once, overlaps between layers can obscure features and become confusing. To address this, the PDT applied a clustering analysis for each of the four criteria groups, (plus a group of all human uses) based on the count (frequency) of human use data layers occurring in a given area. This synthesized the numerous individual layers and presented them as clusters – areas where concentrations of uses can be statistically defined by the levels of frequency counts. The analyses used a spatial statistics process (optimized Getis-Ord Gi* Hot-Spot Analysis) within Geographic Information System (GIS) software (Esri, 2018). In summary, the method involved:

- 1) Breaking the LIS Area of Interest into grids – one for each of the four criteria groups, plus a fifth group of all human uses. Based on several options and best professional judgment to balance individual units that covered both the Sound and the immediate near-shore areas, a 1km x 1km grid size was used.

- 2) For each of the four criteria group grids:
 - a) Overlay the grid onto the map products from each data group.
 - b) Add column fields to the grid layer – each field reflects each map product.
 - c) For each map product in the criteria group, log the grid cells it intersects by entering a ‘1’ in the selected records for the appropriate map products field.
 - d) Derive a cumulative frequency value for each grid cell (row) by adding the number of ‘1s’ from each map product (field).
- 3) Apply the Getis-Ord G_i^* spatial statistics process to create statistically determined clusters based on like-frequency counts. This results in maps for each criteria group that show:
 - a) Areas where many high frequency grid cells are concentrated (hot spots)
 - b) Areas where many of low frequency grid cells are concentrated (cool spots)
 - c) Areas that are neutral
- 4) Combine the grids from step 2 into a fifth representing the total of all human uses. Calculate frequencies for each grid cell for all map product fields.
- 5) Repeat step 3 to determine clustering for all human uses.

In addition to the original four criteria groups of uses, the same clustering process was repeated by re-organizing the map products into new groups that reflect existing uses that may be susceptible to impacts by future activities occurring either on the bottom substrate, in the water column, or at/above the surface of Long Island Sound.

As above, the clustering maps were also output using a standardized format into easily accessible PDFs that were included in the hardcopy and electronic versions of the Blue Plan as part of the Appendices.

Web Viewer:

Although PDF maps are nearly universally accessible, they are limited in what they can show and do as a result of their static nature and the size of the map itself. Being able to interact with individual data layers or combinations of layers based on specific reasons provides a far more useful approach. To address this issue, the PDT partnered with the University of Connecticut’s Center for Landuse Education and Research (CLEAR) to develop an online web-based viewer to enable stakeholders to view and work with the Significant Human Use Area data (as well as the corresponding Ecologically Significant Areas.) [The Blue Plan Viewer](#), provides users the ability to (UConn Clear, 2019):

- Pan and zoom around a map with supplemental layers (e.g., aerial photos, road networks, town boundaries, water bodies, etc.)
- Selectively turn on and off various Blue Plan data layers;
- Perform an identification to return information about Blue Plan data layers;
- Create basic map layouts and share them via hardcopy and electronically.

General SHUA Data Caveats:


As with any effort that involves the aggregation and manipulation of data from a variety of sources to create new products, it's important to keep in mind some key points.

- There was no on-site/field based ground-truthing employed. QA/QC reviews came mainly from sector-based stakeholder input, the results of the Resource and Inventory assessments, general public comment, and best professional knowledge judgment of the PDT. While the data are considered valid overall, exact boundaries and locations should best be taken conservatively.
- Participatory Mapping results relied exclusively on the expertise of sector-based stakeholders with assistance and review from the PDT. While these results are also considered valid, as noted above, exact boundaries and locations should best be taken conservatively.
- When used for Blue Plan purposes, original source material was often clipped to the Blue Plan Area of Interest or only selected if uses occurred within it. As a result, it is possible there are other locations for particular uses that occur within the vicinity but outside this area; as such they are not reflected here.
- In general human use information was more readily available for Connecticut. Data provided by various New York state agencies and representatives from certain stakeholder groups with knowledge of human use activities in New York waters were included, but due to limited resources the Blue Plan was unable to fully tap into these beyond what was provided and originally identified as part of the Resource and Use Inventory. There is likely additional data from other organizations within New York (e.g., county, town, and village governments, non-profits, etc.) that should be pursued as part of subsequent update processes.


3. Significant Human Use Maps and Data Construction Tables

In the following pages are the SHUA maps organized by criteria, and their corresponding data construction tables. These tables illustrate the data sources, extent, adjustment and processing,

Significant Human Use Area Map: Historic Districts



- CT Local Districts (LIS)
- CT National Register (upland)
- CT State Boundary
- CT Local Districts (upland)
- CT State Districts (upland)
- Policy Area
- CT National Register (LIS)
- NY National Register (upland)
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-1 Final SHUA map for local, state, and national historic districts under the Areas associated with lighthouses and other historic areas criteria.


Local, State, and National Historic Districts

Table 3a-8 Data construction table for local, state, and national historic districts.


SHUA Criteria	Areas with features of historical, cultural, educational, or research significance
SHUA Sub-criterion	Areas associated with lighthouses and other historic areas
SHUA Sub-criterion Description	Waterfront historic districts, or in-water structures of historical significance (excluding wrecks), and areas of Long Island Sound immediately adjacent to such resources.
Data Source(s)	<p>GIS Data layers from:</p> <ul style="list-style-type: none"> • Local Historic Districts (CT State Historic Preservation Office) • National Register Districts (CT State Historic Preservation Office) • State Register Districts (CT State Historic Preservation Office) <p>GIS Data layer from:</p> <ul style="list-style-type: none"> • National Register Districts (NY State Historic Preservation Office)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>All GIS data were first clipped to the data extent. Any districts defining areas in the waters of Long Island Sound were extracted into new layers so that upland and offshore districts can be identified. All layers were appended into a master layer, retaining the attribute schemes from their original sources. An additional attribute field “BP_Source” was added and populated to identify the source layer of the individual records. Where possible, common field information (name, lat/long, location descriptions, etc.) were compiled into a single field for ease of use.</p> <p>Data layer stored in UTM Zone 18N, NAD83.</p>
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment, but the “BP_Source” attribute can be used to classify them based on their original data sources.
Date Created	October, 2018

Basic Data Description	A synthesis of several sources of historic districts at the local, state, and national levels for coastal areas in CT and NY.
Additional Information	CT State Historic Preservation Office, NY State Historic Preservation Office (dataset originators) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Lighthouses



- ▲ Lighthouses
- CT State Boundary
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-2 Final SHUA map for LIS lighthouses under the Areas associated with lighthouses and other historic areas criteria.


Long Island Sound Lighthouses

Table 3a-9 Data construction table for LIS Lighthouses.

SHUA Criteria	Areas with features of historical, cultural, educational, or research significance
SHUA Sub-criterion	Areas associated with lighthouses and other historic areas
SHUA Sub-criterion Description	Lighthouses and areas of Long Island Sound immediately adjacent thereto.
Data Source(s)	<p>GIS data layer:</p> <ul style="list-style-type: none"> National Register of Historic Places (CT State Historic Preservation Office) <p>Websites:</p> <ul style="list-style-type: none"> http://www.birdsandbeacons.com/Lighthouses/LI_Lighthouses.htm http://lighthousefriends.com (Connecticut and New York)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>National Registry GIS data were clipped to the data extent. Existing lighthouses were then selected and exported into a separate layer retaining the same attribute scheme. Using the inventories from the websites, other LIS lighthouses were hand digitized into the new layer approximating their locations using photo imagery and NOAA Nautical Charts as references. Lighthouse names were entered into the “Name” field and the website URL was entered in the “Source” field.</p> <p>Data layer stored in UTM Zone 18N, NAD83.</p> <p>When used for Blue Plan purposes, original source material was clipped to the Blue Plan Planning boundary or only selected if uses occurred within it. As a result, it is possible that there are other locations for particular uses that occur outside the planning area, but are not reflected here.</p>

Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes.
Date Created	October, 2018
Basic Data Description	The location of lighthouses in Long Island Sound.
Additional Information	Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Wrecks



- Wrecks
- CT State Boundary
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-3 Final SHUA map for shipwrecks.


Long Island Sound Shipwrecks

Table 3a-10 Data construction table for Shipwrecks.

SHUA Criteria	Areas with features of historical, cultural, educational, or research significance
SHUA Sub-criterion	Shipwrecks
SHUA Sub-criterion Description	Wrecks of historical or cultural significance.
Data Source(s)	<p>GIS data layers:</p> <ul style="list-style-type: none"> • Historic Feature Points (CT State Historic Preservation Office) • Wrecks (CT State Historic Preservation Office) • Wrecks and Obstructions: NOAA Electronic Nautical Chart (ENC) –Approach scale (https://nauticalcharts.noaa.gov/data/gis-data-and-services.html) • Wrecks and Obstructions: NOAA Electronic Nautical Chart (ENC) –Harbour scale (https://nauticalcharts.noaa.gov/data/gis-data-and-services.html) • Wrecks and Obstructions: NOAA Automated Wreck and Obstruction Information System (https://nauticalcharts.noaa.gov/data/wrecks-and-obstructions.html)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Source data were clipped to the Long Island Sound Blue Plan planning area. For sources that differentiated wrecks from obstructions, obstructions were excluded. NOAA data (ENC and AWOIS) and CT State Historic Preservation Office data (Historic Features) were kept in their entirety. CT State Historic Preservation Office data (wrecks) contained information from NOAA ENC and AWOIS sources – these were removed based on attribute and spatial analysis to eliminate duplicate records. Individual data layers were appended together to form a new composite data layer. The field “BP_Source” was added and populated to identify the source layer for each record. Where possible, common field information (name, lat/long, location descriptions, etc.) were compiled into a single field for ease of use.

	Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment, but the “BP_Source” attribute can be used to classify them based on their original data sources.
Date Created	October, 2018
Basic Data Description	A synthesis of several sources of wreck information for Long Island Sound.
Additional Information	<p>CT State Historic Preservation Office (dataset originator) NOAA Electronic Nautical Chart (ENC) Direct to GIS (dataset originator) NOAA Automated Wreck and Obstruction Information System-AWOIS (dataset originator)</p> <p>Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm</p>

Significant Human Use Area Map: Open Space and Public Land



- CT State Boundary
- Open Space and Public Land
- CT Public Municipal Open Space
- Policy Area
- CT DEEP Property
- NY State Parks
- Area of Interest
- CT Protected Open Space

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-4 Final SHUA map for open space and public lands, under the Visual and scenic resource criteria.

Connecticut and New York Parklands and Open Space


Table 3a-11 Data construction table for Parklands and Open Space.

SHUA Criteria	Areas with features of historical, cultural, educational, or research significance
SHUA Sub-criterion	Long Island Sound Visual and Scenic Resources
SHUA Sub-criterion Description	Views of Long Island Sound’s scenic resources from publicly accessible coastal land.
Data Source(s)	<p>GIS data layers:</p> <ul style="list-style-type: none"> • CT Protected Open Space Mapping (CTPOSM) Inventories (CT Dept. of Energy & Environmental Protection) • CT DEEP Property (CT Dept. of Energy & Environmental Protection) • CT Municipal Open Space (CT Dept. of Energy & Environmental Protection) <p>(via https://www.ct.gov/deep/cwp/view.asp?a=2698&q=322898&deepNav_GID=1707)</p> <ul style="list-style-type: none"> • NY State Parks (NYS Office of Parks, Recreation and Historic Preservation)
Data Extent	The Long Island Sound Blue Plan Area of Interest.


<p>Data Adjustment and Pre-processing</p>	<p>All data were first clipped to the data extent.</p> <p>CTPOSM data were first filtered to identify Open Space Types of Municipal, Municipal with Buildings, or Federal. All Federal properties were retained. Municipal properties were further filtered to retain only those parcels where an entry in the “Offic_Name” field indicated or seemed to indicate it could support public access, natural area preservation/conservation, or general recreation. This could include, but not be limited to parks, recreation areas, town greens, preserves, beaches, open space, etc. No formal or definitive cross-referencing or validations were performed to conclusively verify these.</p> <p>CT DEEP Municipal Open Space data were filtered to focus on parcels classified within the “DESCRIP” field as “municipal, open to the public without fee.” There were further filtered to remove parcels such as cemeteries, churches, or other similar areas that based on best professional judgment, may not best support the intent of providing a location to view the scenery and vistas of Long Island Sound. No formal or definitive cross-referencing or validations were performed to conclusively verify these.</p> <p>New York State Parklands were included in their entirety within the Data extent. No filtering or removals were performed.</p> <p>CTDEEP Property were included in their entirety within the Data extent. No filtering or removals were performed.</p> <p>The final property layers were appended into a master layer, retaining the attribute schemes from their original sources. An additional attribute field “BP_Source” was added and populated to identify the source layer of the individual records. Where possible, common field information (name, lat/long, location descriptions, etc.) were compiled into a single field for ease of use.</p> <p>Data layer stored in UTM Zone 18N, NAD83.</p>
<p>Data Analysis</p>	<p>No additional analysis was performed.</p>
<p>Data Classification</p>	<p>The data are not classified by any attributes to support the SHUA assessment, but the “BP_Source” attribute can be used to classify them based on their original data sources.</p>
<p>Date Created</p>	<p>October, 2018</p>
<p>Basic Data Description</p>	<p>A synthesis of several sources of open space and publicly accessible properties in CT and NY that can serve as vantage points for visual vistas of Long Island Sound.</p>

Additional Information	CT Dept. of Energy & Environmental Protection (dataset originator) NY State Office of Parks, Recreation and Historic Preservation (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm
-------------------------------	---

Significant Human Use Area Map: Upland Archaeological Sites



- Upland Archaeological Sites
- CT State Boundary
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-5 Final SHUA map for archaeological sites (upland), under the submerged and coastal archaeological areas criteria.





Connecticut Archaeologically Sensitive Areas (coastal)

Table 3a-12 Data construction table for Archeological areas (upland).

SHUA Criteria	Areas with features of historical, cultural, educational, or research significance
SHUA Sub-criterion	Submerged and coastal archaeological areas
SHUA Sub-criterion Description	Submerged or Coastal locations of archaeological sensitivity and/or significance.
Data Source(s)	GIS Datalayer: <ul style="list-style-type: none"> OSA Site Inventory (CT Office of State Archaeology / State Historic Preservation Office)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	GIS data were provided for the entire state and were clipped to the Data Extent. Resulting sites were buffered by 100ft per the recommendation of the CT State Historic Preservation Office. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment. NOTE: Information provided in the attribute field "SITENO" should be used in referencing any site with CT State Historic Preservation Office.
Date Created	July 2019
Basic Data Description	Upland (land-based) archaeological sites from the CT Office of State Archaeology.
Additional Information	CT Office of State Archaeology/State Historic Preservation Office (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Underwater Archaeological Sites



-  Underwater Archaeological Sites
-  CT State Boundary
-  Policy Area
-  Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-6 Final SHUA map of archaeological areas (LIS), under the submerged and coastal archaeological areas.

Connecticut Archaeologically Sensitive Areas (submerged)


Table 3a-13 Data construction table for archaeological sites (LIS).

SHUA Criteria	Areas with features of historical, cultural, educational, or research significance
SHUA Sub-criterion	Submerged and coastal archaeological areas
SHUA Sub-criterion Description	Submerged locations of archaeological sensitivity and/or significance.
Data Source(s)	GIS Datalayer: <ul style="list-style-type: none"> OSA Site Inventory (CT Office of State Archaeology / State Historic Preservation Office)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	GIS data were clipped to the Data Extent. Resulting sites were buffered by 100ft per the recommendation of the CT State Historic Preservation Office Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment. NOTE: Information provided in the attribute field "SITENO" should be used in referencing any site with CT State Historic Preservation Office.
Date Created	October 2018
Basic Data Description	Inventory of sub-tidal archaeological sites from the CT Office of State Archaeology.
Additional Information	CT Office of State Archaeology/State Historic Preservation Office (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Potential Submerged Holocene Sites



- CT State Boundary
- Orange shape Potential Submerged Holocene Sites
- Blue shape Policy Area
- Grey shape Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-7 Final SHUA map of potential submerged Holocene sites, under the submerged and coastal archaeological areas criteria.


Potential Holocene Underwater Sites

Table 3a-14 Data construction table for potential Holocene underwater sites.


SHUA Criteria	Areas with features of historical, cultural, educational, or research significance
SHUA Sub-criterion	Submerged and Coastal Archaeological Areas
SHUA Sub-criterion Description	Submerged locations of archaeological sensitivity and/or significance.
Data Source(s)	<p>Taken from maps and analysis contained in the following:</p> <ul style="list-style-type: none"> • “ARCHAEOLOGICAL AND HISTORICAL RESOURCE STUDY ADRIAEN’S LANDING PROJECT. HARTFORD, CONNECTICUT.” Prepared for the Connecticut Office of Policy and Management By Archaeological and Historical Services, Inc. 2006 • Map provided by Brian Jones, CT Office of State Archaeology, depicting areas lacking Holocene Deposition on approximate 9000 rcBP landsurfaces.
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>The Holocene deposition map was georeferenced onto imagery of the study area. The 11 potential sites were approximated by hand-digitizing them from the source map into a GIS layer. Field attributes were added to identify the site name and sources used.</p> <p>Data layer stored in UTM Zone 18N, NAD83</p>
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes.
Date Created	October, 2018

Data Description	Depicts the potential location of land-based settlement ca. 9000 rcBP prior to those shoreline areas being submerged as Long Island Sound filled in.
Additional Information	Brian Jones, CT Office of State Archaeology (data source originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Water Quality Sampling Sites



- CT State Boundary
- Policy Area
- Area of Interest
- Water Quality Sampling Sites
 - CT Shellfish Sampling
 - CT LIS Water Quality Sampling
- NY Shellfish Sampling
- UWS Sampling



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-8 Final SHUA map of water quality sampling sites, under the discrete areas for research, education, and monitoring criteria.


Long Island Sound Water Quality Sampling Sites

Table 3a-15 Data construction table for Long Island Sound Water quality sampling sites.

SHUA Criteria	Areas with features of historical, cultural, educational, or research significance
SHUA Sub-criterion	Discrete Areas for Research, Education, and Monitoring
SHUA Sub-criterion Description	Areas actively and consistently used for research activities, including but not limited to long term monitoring sites, and Sound-dependent experiential educational programming.
Data Source(s)	<p>GIS Data layers:</p> <ul style="list-style-type: none"> • Shellfish Sampling Stations (CT Dept. of Agriculture/Bureau of Aquaculture via CT Aquaculture Atlas) • LIS Water Quality Sampling Sites (CT Dept. of Energy & Environmental Protection) • Shellfish Sampling Stations (NY Dept. of Environmental Conservation) • Unified Water Study (UWS) Sampling Sites (CT Fund for the Environment/Save the Sound)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>Data were first clipped to the Data Extent.</p> <p>Data from the LIS Water Quality Sampling sites were filtered to remove instance of LISICOS sites which are addressed in a separate layer. Resulting data was appended into a new layer with the CT and NY Shellfish sampling stations. An additional attribute field “BP_Source” was added and populated to identify the source layer of the individual records. Where possible, common field information (name, lat/long, location descriptions, etc.) were compiled into a single field for ease of use. UWS survey sites provided by CFE/STS were appended to the original set as a result of public comments received.</p> <p>Data layer stored in UTM Zone 18N, NAD83.</p>
Data Analysis	No additional analysis was performed.

Data Classification	The data are not classified by any attributes to support the SHUA assessment, but the “BP_Source” attribute can be used to classify them based on their original data sources.
Date Created	October 2018, updated August 2019.
Basic Data Description	Locations that generally represent significant and long-standing locations of water quality monitoring in Long Island Sound.
Additional Information	<p>CT Dept. of Agriculture/Bureau of Aquaculture (dataset originator)</p> <p>CT Dept. of Energy & Environmental Protection (dataset originator)</p> <p>NY Dept. of Environmental Conservation (dataset originator)</p> <p>CT Fund for the Environment/Save the Sound (dataset provider)</p> <p>Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm</p>

Significant Human Use Area Map: Coastal Observation Sites



- Coastal Observation Sites
- CT State Boundary
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-9 Final SHUA map of LIS Coastal Observation sites (LISICOS), under the discrete areas for research, education, and monitoring criteria.


Long Island Sound Integrated Coastal Observation System (LISICOS) Sites

Table 3a-16 Data construction table for LIS Integrated Coastal Observation System (LISICOS) sites

SHUA Criteria	Areas with features of historical, cultural, educational, or research significance
SHUA Sub-criterion	Discrete Areas for Research, Education, and Monitoring
SHUA Sub-criterion Description	Areas actively and consistently used for research activities, including but not limited to long term monitoring sites, and Sound-dependent experiential educational programming.
Data Source(s)	GIS Datalayer: <ul style="list-style-type: none"> Long Island Sound Coastal Environmental Observation Sites (CT Dept. of Energy & Environmental Protection) Long Island Sound Coastal Observation System (LISICOS) Website: <ul style="list-style-type: none"> http://lisicos.uconn.edu/index.php
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Records from “SOURCE” field values for LISICOS extracted into a new layer. Results cross-referenced to LISICOS observation pages to remove sites classified as discontinued. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed. When used for Blue Plan purposes, original source material was clipped to the Blue Plan Planning boundary or only selected if uses occurred within it. As a result, it is possible that there are other locations for particular uses that occur outside the planning area, but are not reflected here.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018

Basic Data Description	Representation of operating locations of buoys supporting the Long Island Sound Integrated Coastal Observation System (LISICOS), a subsystem of the Northeast Regional Association of Coastal and Ocean Observation Systems (NERACOOS).
Additional Information	CT Dept. of Energy & Environmental Protection (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Sailing Race Areas




- CT State Boundary
- Sailing Race Areas
- Policy Area
- Area of Interest

0 5 10 20 Miles

Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-10 Final SHUA map of Sailing Race areas, under the sailing or rowing races criteria.

Significant Human Use Area Map: Sailing Race Routes



- Sailing Race Routes
- CT State Boundary
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)




Figure 3a-11 Final SHUA map of sailing race routes, under the sailing or rowing races criteria.

Sailing Race Areas and Routes

Table 3a-17 Data construction table for Sailing Race Areas and Routes

SHUA Criteria	Areas of substantial recreational and/or quality of life value.
SHUA Sub-criterion	Sailing or Rowing Races
SHUA Sub-criterion Description	Areas consistently used by organized clubs and associations. Including but not limited to racing and training areas, and long-distance sailing race routes.
Data Source(s)	Participatory Mapping efforts with racing stakeholder groups and Town of Darien Advisory Commission on Coastal Waters.
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Blue Plan staff engaged local racing stakeholders to discover and map various sailing race routes (lines) and areas (polygons) within the data extent. Attribute field(s) were added to capture (where appropriate) the race name, type, organization, and frequency of events.) Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	August, 2019.
General Web Service Data Description	Areas consistently used by organized clubs and associations for sailing races. Including but not limited to racing and training areas. Areas consistently used by organized clubs and associations for sailing races.
Additional Information	CT Dept. of energy & Environmental Protection Blue Plan Team, Town of Darien Advisory Commission on Coastal Waters (dataset originators) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: High Density Recreational Boating Areas



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-12 Final SHUA map for High density recreational boating.

High Activity Recreational Boating Areas

Table 3a-18 Data construction table for High Recreational Boating Areas.

SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	High Activity Recreational Boating Areas
SHUA Sub-criterion Description	Approximate areas where the density of recreational boating is substantially higher than the overall mean for LIS.
Data Source(s)	GIS Data layer: • 2012 Northeast Ocean Regional Recreational Boater Survey – Boating Density data (via Northeast Ocean Data Portal: https://www.northeastoceandata.org/data-explorer/)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent and converted from raster to polygon layer. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	As the data documentation from the survey notes that the values for each grid cell reflect a measure of how much greater than average the boating density is, negative values (where density was lower than average) were removed. The remaining values were classified into five equal quantity classes. The top two classes (e.g., where the cell values exceeded 1.29) were used to depict areas where recreational boating might best be considered “High Activity”.
Date Created	October 2018
General Web Service Data Description	Approximate areas where the density of recreational boating is substantially higher than the overall mean for LIS.
Additional Information	Northeast Ocean Data Portal (dataset provider) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Mooring Fields



- CT State Boundary
- Mooring Fields
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-13 Final SHUA map of mooring fields, also known as boat clusters, under the mooring fields and anchorage area criteria.


Mooring Fields

Table 3a-19 Data construction table for Mooring Fields.


SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	Mooring Fields and Anchorage Areas
SHUA Sub-criterion Description	Formally designated or traditional mooring fields as designated or managed by NOAA, municipal Harbor Management, or other organizations.
Data Source(s)	<p>GIS Data:</p> <ul style="list-style-type: none"> • 2016 NAIP Summer 4band, 1m Orthophotography (via CT Environmental Conditions Online: https://cteco.uconn.edu) • NOAA Chart Viewer (via https://nauticalcharts.noaa.gov/rnconline/rnconline.html) • Town of Darien Advisory Commission on Coastal Waters <p>CAD data provided by John Lust for Thimble Islands, Branford CT</p>
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>Polygons in this layer were created from the 2016 NAIP aerial imagery available online by the Blue Plan team. Polygons were drawn over areas that display a cluster of more than 5 boats that are obviously at anchor or attached to moorings. This mandated being able to see either an anchor line or mooring ball in association with the majority of boats, a qualification that is intended to exclude areas where boats are simply clustered for an activity such as fishing. Rather, boats at anchor or on moorings are assumed to spend more time stopped in, and originate from, these locations, either for the entire boating season or as transients during a multi-day trip.</p> <p>Data for mooring areas provided by the Town of Darien Advisory Commission on Coastal Waters and by John Lust for Thimble Islands, Branford CT were also added to the inventory.</p> <p>Data layer stored in UTM Zone 18N, NAD83.</p>
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	August, 2019

General Web Service Data Description	Formally designated or traditional mooring fields as designated or managed by NOAA, municipal Harbor Management, or other organizations.
Additional Information	CT Dept. of Environmental Protection Blue Plan Team, Town of Darien Advisory Commission on Coastal Waters and John Lust (dataset originators) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Anchorage Areas



- CT State Boundary
- Anchorage Areas
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-14 Final SHUA map of anchorage areas, under the mooring fields and anchorage areas criteria.

Anchorage Areas

Table 3a-20 Data construction table for Anchorage Areas.

SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	Designated Anchorage Areas
SHUA Sub-criterion Description	Anchorage areas as they appear on the NOAA charts, and are generally used by commercial vessels.
Data Source(s)	GIS Data layer: <ul style="list-style-type: none"> Anchorage Areas: NOAA Electronic Nautical Charts (ENC) Direct to GIS – Approach data (via https://nauticalcharts.noaa.gov/data/gis-data-and-services.html)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent. Where no values appeared in “OBNAM” filed, values of “unnamed/unknown” were added. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October 2018
General Web Service Data Description	Anchorage areas as they appear on the NOAA charts.
Additional Information	NOAA Electronic Nautical Charts (ENC) Direct to GIS (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Marinas, Yacht Clubs, Etc.



Marinas, Yacht Clubs, Etc.

- Marina
- Yacht Club
- Public Pier

- Boat Yard
- Ship Yard
- Boat sales

- CT State Boundary
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-15 Final SHUA map of marinas, yacht clubs, etc., under the marinas, yacht clubs, and boat launches criteria.

Marinas & Yacht Clubs


Table 3a-21 Data construction table for Marinas and Yacht Clubs

SHUA Criteria	Areas of substantial recreational and/or quality of life value.
SHUA Sub-criterion	LIS Marinas, Yacht Clubs, and Boat Launches
SHUA Sub-criterion Description	Locations of marinas and yacht clubs that are within the Blue Plan planning area.
Data Source(s)	GIS data layers: <ul style="list-style-type: none"> Connecticut Marina Facilities (CT Dept. of Energy & Environmental Protection Boating Division) New York facilities extracted from 2017 LIS Cruising Guide
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	CT Marina Facilities data were clipped to the data extent. These data were merged in to a new layer along with the cruising guide data for New York to create one unified layer of known marinas and yacht clubs. Data layers stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018.
General Web Service Data Description	Locations of marinas and yacht clubs.
Additional Information	CT Dept. of Energy & Environmental Protection Boating Division & 2017 LIS Cruising Guide (dataset originators) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Boat Launches



- Boat Launches
- CT State Boundary
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-16 Final SHUA map of boat launches, under the marinas, yacht clubs, and boat launches criteria.

LIS Boat Launches


Table 3a-22 Data construction table for Boat Launches.

SHUA Criteria	Areas of substantial recreational and/or quality of life value.
SHUA Sub-criterion	LIS Marinas, Yacht Clubs, and Boat Launches
SHUA Sub-criterion Description	Locations of boat launches that are within the Blue Plan planning area.
Data Source(s)	GIS data layer: Boat Launches (via Northeast Ocean Data Portal: https://www.northeastoceandata.org/data-explorer/)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Boat launch data from the Northeast Ocean Data portal was clipped to the data extent. Data layers stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018.
General Web Service Data Description	Boat launches are state, municipal, local, or privately owned sites that provide boating access to coastal waters, lakes, ponds, and rivers.
Additional Information	Northeast Ocean Data Portal (data provider) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Potential Waterfowl Hunting Areas



- CT State Boundary
- Potential Waterfowl Hunting Areas
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-17 Final map of potential waterfowl hunting areas, under the Waterfowl Hunting SHUA criteria.

Potential Waterfowl Hunting Areas

Table 3a-23 Data construction table for waterfowl hunting areas.


SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	Waterfowl Hunting
SHUA Sub-criterion Description	Areas in Long Island Sound important for waterfowl hunting, including sea duck habitat.
Data Source(s)	GIS Data layer: <ul style="list-style-type: none"> • CT Dept. of Energy & Environmental Protection - Areas Open For Hunting • CT Dept. of Energy & Environmental Protection - Migratory Waterfowl Concentration Areas
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data from each source were clipped to the Data Extent. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	Data from the Areas Open for Hunting layer were selected to include those areas designated as open to waterfowl hunting. As these areas are generally reflective of upland marshes, areas from the Migratory Waterfowl Concentration layer (which typically includes both coastal marshland and offshore areas) that were adjacent to waterfowl hunting areas were also selected. The selected records were merged together into a new layer with the attribute field “BP_Source” used to identify areas from the original source material
Data Classification	The data are not classified by any attributes to support the SHUA assessment, but the “BP_Source” attribute can be used to classify them based on their original data sources.
Date Created	December, 2018
General Web Service Data Description	Areas in Long Island Sound important for waterfowl hunting, including sea duck habitat.

**Additional
Information**


CT Dept. of Energy & Environmental Protection (dataset originators)

Blue Plan Viewer Link: <http://cteco.uconn.edu/projects/blueplan/index.htm>

Significant Human Use Area Map: Dive Areas



- CT State Boundary
- Dive Areas
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-18 Final SHUA map of dive locations, under the dive sites criteria.


Dive Locations

Table 3a-24 Data construction table for dive locations, under the dive sites criteria.

SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	Dive Sites
SHUA Sub-criterion Description	Locations in Long Island Sound important for SCUBA activities.
Data Source(s)	<p>GIS Data layer:</p> <ul style="list-style-type: none"> • 2015 Northeast Coastal and Ocean Recreational Use Characterization Study - SCUBA Activities (via Northeast Ocean Data Portal: https://www.northeastoceandata.org/data-explorer/) • Locations of dive sites in LIS provided through a participatory mapping exercise with stakeholders from the LIS diving community <p>Mid Atlantic Coastal and Ocean Recreation Study - Underwater-based Activities (via Mid-Atlantic Regional Coastal and Ocean (MARCO) data portal: https://portal.midatlanticocean.org/)</p>
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>Underwater-based activity data from the NEDOP & MARCO data portals were clipped to the data extent. An online web mapping viewer was created to log point locations provided by stakeholders from the LIS diving community.</p> <p>Data layers stored in UTM Zone 18N, NAD83.</p>
Data Analysis	<p>Based on the list of use types found in the “SiteChar” attribute field and the overall location and extent of the values listed as “unspecified”, locations with the “unspecified” classification in the NEODP data were removed from consideration. The dive sites identified from participatory mapping were given a 1 KM buffer to be consistent with the areas identified within the NEODP and MARCO data sets.</p> <p>The three layers were then merged into one unified layer. Where appropriate, names were consolidated into the “Name” field, and uses/characteristics were consolidated into the “Use” field. Blank values in these two fields (e.g., where there was no corresponding information) were assigned values of “Unspecified”.</p>
Data Classification	N/A

Date Created	August, 2019
General Web Service Data Description	The Recreational Diving Area layer depicts areas important for SCUBA and snorkeling provided by (1) The Northeast Coastal and Marine Recreational Use Characterization Study, (2) The Mid Atlantic Coastal and Ocean Recreation Study, and (3) a Blue Plan participatory mapping exercise with the LIS diving community.
Additional Information	Northeast Ocean Data Portal, Blue Plan participatory mapping, and Mid-Atlantic Regional Coastal and Ocean data portal (dataset originators) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: CT Coastal Access Sites



- CT Coastal Access Sites
- CT State Boundary
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-19 Final SHUA map of coastal access sites, under the coastal public use areas criteria.

Coastal Access Sites

Table 3a-25 Data construction table for Coastal Access Sites.

SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	Coastal Public Use Areas
SHUA Sub-criterion Description	Areas important for public access and use of Long Island Sound for recreational activities including but not limited to swimming, paddling, and wildlife watching.
Data Source(s)	GIS Data layer: <ul style="list-style-type: none"> Connecticut Coastal Access Sites (CT Dept. of Energy & Environmental Protection)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	The data layer was clipped to the data extent. Data layer was stored in UTM Zone 18N, NAD83.
Data Analysis	The data provide a comprehensive listing of locations along the Connecticut coast providing public access, but there are locations already reflected in other data sets such as “CT & NY Open Space and Parklands” and “Boat Launches”. Therefore, coastal access sites with the same name and in the same general location were removed, leaving the records from the other layers to identify these locations. This prevented the inclusion of multiple instances of the same sites across different layers.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018
General Web Service Data Description	Areas important for public access and use of Long Island Sound for recreational activities including but not limited to swimming, paddling, and wildlife watching.
Additional Information	CT Dept. of Energy & Environmental Protection (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Individual Ocean Uses



- Individual Ocean Uses
- CT State Boundary
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-20 Final SHUA map of individual ocean uses, under the coastal public use areas criteria.

Individual Ocean Uses


Table 3a-26 Data construction table for Individual Ocean Uses.

SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	Coastal Public Use Areas
SHUA Sub-criterion Description	Areas important for public access and use of Long Island Sound for recreational activities including but not limited to swimming, paddling, and wildlife watching.
Data Source(s)	GIS Data layer: 2015 Northeast Coastal and Ocean Recreational Use Characterization Study – Individual Use Survey components (via Northeast Ocean Data Portal: https://www.northeastoceandata.org/data-explorer/)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Individual Ocean Use activity data from the NEDOP data portal was clipped to the data extent. Data layers stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018
General Web Service Data Description	The Individual Ocean Uses layer depicts activity areas mapped by participants in the Northeast Coastal and Marine Recreational Use Characterization Study. This layer shows the component of the study which focused on individual coastal and ocean recreational uses such as beach going, surfing, board and paddle sports, wildlife viewing, sightseeing, and other activities.
Additional Information	Northeast Ocean Data Portal (dataset provider) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Open Space and Public Land



- CT State Boundary
- Open Space and Public Land
- CT Public Municipal Open Space
- Policy Area
- CT DEEP Property
- NY State Parks
- Area of Interest
- CT Protected Open Space



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-21 Final SHUA map of open space and public lands, under the coastal public use areas criteria.

Open Space and Public Lands


Table 3a-27 Data construction table for Open Space and Public Lands.

SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	Coastal Public Use Areas
SHUA Sub-criterion Description	Views of Long Island Sound’s scenic resources from publicly accessible coastal land.
Data Source(s)	<p>GIS data layers:</p> <ul style="list-style-type: none"> • CT Protected Open Space Mapping (CTPOSM) Inventories (CT Dept. of Energy & Environmental Protection) • CT DEEP Property (CT Dept. of Energy & Environmental Protection) • CT Municipal Open Space (CT Dept. of Energy & Environmental Protection) <p>NY State Parks (NY State Office of Parks, Recreation and Historic Preservation)</p>
Data Extent	The Long Island Sound Blue Plan Area of Interest.


<p>Data Adjustment and Pre-processing</p>	<p>All data were first clipped to the data extent. CTPOSM data were first filtered to identify Open Space Types of Municipal, Municipal with Buildings, or Federal. All Federal properties were retained. Municipal properties were further filtered to retain only those parcels where an entry in the “Offic_Name” field indicated or seemed to indicate it could support public access, natural area preservation/conservation, or general recreation. This could include, but not be limited to parks, recreation areas, town greens, preserves, beaches, open space, etc. No formal or definitive cross-referencing or validations were performed to conclusively verify these.</p> <p>CT DEEP Municipal Open Space data were filtered to focus on parcels classified within the “DESCRIP” field as “municipal, open to the public without fee.” There were further filtered to remove parcels such as cemeteries, churches, or other similar areas that based on best professional judgment, may not best support the intent of providing a location to view the scenery and vistas of Long Island Sound. No formal or definitive cross-referencing or validations were performed to conclusively verify these.</p> <p>New York State Parklands were included in their entirety within the Data extent. No filtering or removals were performed.</p> <p>CTDEEP Property were included in their entirety within the Data extent. No filtering or removals were performed. The final property layers were appended into a master layer, retaining the attribute schemes from their original sources. An additional attribute field “BP_Source” was added and populated to identify the source layer of the individual records. Where possible, common field information (name, lat/long, location descriptions, etc.) were compiled into a single field for ease of use.</p> <p>Data layer stored in UTM Zone 18N, NAD83.</p>
<p>Data Analysis</p>	<p>No additional analysis was performed.</p>
<p>Data Classification</p>	<p>The data are not classified by any attributes to support the SHUA assessment, but the “BP_Source” attribute can be used to classify them based on their original data sources.</p>
<p>Date Created</p>	<p>October, 2018</p>
<p>Basic Data Description</p>	<p>A synthesis of several sources of open space and publicly accessible properties that can serve as vantage points for visual vistas of Long Island Sound.</p>

Additional Information	CT Dept. of Energy & Environmental Protection & NY State Office of Parks, Recreation and Historic Preservation (dataset originators) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm
-------------------------------	--

Significant Human Use Area Map: Water Trails



- Water Trails
- CT State Boundary
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-22 Final SHUA map of water trails, under the coastal public use areas criteria.

Water Trails

Table 3a-28 Data construction table for Water Trails.

SHUA Criteria	Areas of substantial recreational and/or quality of life value.
SHUA Sub-criterion	Coastal Public Use Areas
SHUA Sub-criterion Description	Areas important for public access and use of Long Island Sound for recreational activities including but not limited to swimming, paddling, and wildlife watching.
Data Source(s)	GIS data layer: <ul style="list-style-type: none"> Water Trails (via Northeast Ocean Data portal: https://www.northeastoceandata.org/data-explorer/) Additional information provided by Town of Darien Advisory Commission on Coastal Waters/
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Water Trails data from the Northeast Ocean Data portal was clipped to the data extent. Data layers stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	August, 2019.
General Web Service Data Description	A water trail is an officially designated water route, or blueway, that is maintained by an agency or association. Water trails are typically used recreationally by paddlers in non-motorized boats such as kayaks or canoes.
Additional Information	Northeast Ocean Data Portal (data provider) Town of Darien Advisory Commission on Coastal Waters (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Public Access Beaches



- CT State Boundary
- Public Access Beaches
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-23 Final SHUA map of public access beaches, under the coastal public use areas criteria.


Public Access Beaches

Table 3a-29 Data construction table for Public Access Beaches.

SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	Coastal Public Use Areas
SHUA Sub-criterion Description	Areas important for public access and use of Long Island Sound for recreational activities including but not limited to swimming, paddling, and wildlife watching.
Data Source(s)	<p>GIS Data layer:</p> <ul style="list-style-type: none"> Connecticut & New York Beaches: EPA Beaches Environmental Assessment and Coastal Health (BEACH) Reach Address Database - Beaches NHDPlus Indexed Dataset (via https://www.epa.gov/beaches) <p>Spreadsheet: Connecticut & New York Beaches: EPA BEACON 2.0 Database (via https://www.epa.gov/waterdata/beacon-20-beach-advisory-and-closing-online-notification)</p>
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	The GIS data layers were clipped to the data extent. Data layer was stored in UTM Zone 18N, NAD83.
Data Analysis	The GIS data provided limited usable attribute information to describe beaches overall and more critically identify public from private beaches. Spreadsheet data for public beaches that reflected this information were downloaded separately for Connecticut and New York from the EPA BEACON 2.0 database and joined to the GIS layers based on a common identifier code. The data for Connecticut and New York were then merged together to form a unified layer for the data extent.
Data Classification	The data are not classified by any attributes to support the SHUA assessment, but reflect only those beaches in Connecticut and the north shore of Long Island that are classified as “public” from EPA BEACON 2.0.
Date Created	December, 2018

General Web Service Data Description	Areas identified as publicly accessible beaches.
Additional Information	US Environmental Protection Agency (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: CT Migratory Waterfowl Concentration Areas



- CT State Boundary
- CT Migratory Waterfowl Concentration Areas
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-24 Final SHUA map of migratory waterfowl concentration areas, under the waterfowl hunting criteria.

Waterfowl Concentration Areas

Table 3a-30 Data construction table for Waterfowl Concentration Areas.

SHUA Criteria	Areas of substantial recreational and/or “quality of life” value
SHUA Sub-criterion	Coastal Public Use Areas
SHUA Sub-criterion Description	Areas important for public access and use of Long Island Sound for recreational activities including but not limited to swimming, paddling, and wildlife watching.
Data Source(s)	GIS Data layer: <ul style="list-style-type: none"> • CTDEEP Migratory Waterfowl Concentration Areas
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data layer was clipped to the Data Extent. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018
General Web Service Data Description	Areas where migratory waterfowl are known to have previously concentrated or are currently concentrated.
Additional Information	CT Dept. Of Energy & Environmental Protection (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Working Waterfronts



- Working Waterfronts
- CT State Boundary
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-25 Final SHUA map of working waterfronts, under the working waterfronts, ports, and marine commercial areas criteria.


Connecticut and New York Working Waterfronts

Table 3a-31 Data construction table for working water fronts.


SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criteria	Working Waterfronts, Ports, and Marine Commercial Areas
SHUA Sub-criterion Description	Commercial facilities that are water dependent, or service water dependent uses on Long Island Sound, including but not limited to onshore and offshore terminals and port facilities.
Data Source(s)	<ul style="list-style-type: none"> • Visual inventory/inspection of Aerial Imagery • CT Deep Water Port Strategy Study (CT Office of Policy & Management) • Maptech Embassy Cruising Guide: LIS • Federal Energy Regulatory Commission • US Army Corps - LIS Dredged Material Management Plan • Participatory Mapping from CT Dept. of Energy & Environmental Protection Land and Water Resource Staff
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>Commercial facilities that are water dependent, or service water dependent uses on Long Island Sound, including but not limited to onshore and offshore terminals and port facilities.</p> <p>A point based layer serving as an initial inventory was created from working waterfront facilities requiring dredging identified in the USACE DMMP. This initial dataset was enhanced with points placed on the centroid of parcels identified in OPM’s Deep Water Port Strategy Study. Working waterfront points were also added from Google orthophotography and the Embassy Cruising Guide for LIS.</p> <p>Finally, regulatory staff from the CT Dept. of Energy & Environmental Protection Land and Water Resources familiar with water-dependent coastal waterfronts and facilities reviewed the initial inventory and added locations based on local knowledge/best-professional judgment.</p> <p>Data layer stored in UTM Zone 18N, NAD83.</p>

Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018.
Basic Data Description	<p>Commercial facilities that are water dependent, or service water dependent uses on Long Island Sound, including but not limited to onshore and offshore terminals and port facilities.</p> <p>When used for Blue Plan purposes, original source material was clipped to the Blue Plan Planning boundary or only selected if uses occurred within it. As a result, it is possible that there are other locations for particular uses that occur outside the planning area, but are not reflected here.</p>
Additional Information	<p>CT Dept. of Energy & environmental Protection (dataset originator)</p> <p>Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm</p>

Significant Human Use Area Map: Fairways and Navigation Channels



- CT State Boundary
- Fairways and Navigation Channels
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-26 Final SHUA map of Fairways and Navigation channels, under the designated navigational channels, fairways, and basins.

Long Island Sound Fairways and Navigation Channels

Table 3a-32 Data construction table for fairways and navigational channels.


SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criterion	Designated Navigational Channels, Fairways, and Basins
SHUA Sub-criterion Description	Designated and maintained navigational channels as they appear on the NOAA-published charts and USACE management plans. Also includes authorized privately maintained navigational channels, fairways, and basins, excluding facilities for individual residential use.
Data Source(s)	GIS Data layer: <ul style="list-style-type: none"> Fairway Areas: NOAA Electronic Nautical Chart (ENC) Direct to GIS Approach data (via https://nauticalcharts.noaa.gov/data/gis-data-and-services.html)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent. Areas with no values in the OBJNAM field were flagged as “unnamed/unknown.” Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018
General Data Description	Designated and maintained navigational channels as they appear on the NOAA-published charts.

**Additional
Information**


NOAA Electronic Nautical Chart (ENC) Direct to GIS (dataset originator)

Blue Plan Viewer Link: <http://cteco.uconn.edu/projects/blueplan/index.htm>

Significant Human Use Area Map: Business and Commercial Dredging Areas



- CT State Boundary
- Business and Commercial Dredging Areas
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-27 Final SHUA map of business and commercial dredging areas, from the Sediment Quality Information Database, under the designated navigational channels, fairways, and basins criteria.

Sediment Quality Information Database - Dredged Areas


Table 3a-33 Data construction table for dredged areas from the Sediment Quality Information database.

SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criterion	Designated Navigational Channels, Fairways, and Basins
SHUA Sub-criterion Description	Designated and maintained navigational channels as they appear on the NOAA-published charts and USACE management plans. Also includes authorized privately maintained navigational channels, fairways, and basins, excluding facilities for individual residential use.
Data Source(s)	GIS Data layer: <ul style="list-style-type: none"> • Dredged footprint areas taken from CT DEEP Sediment Quality Information Database (SQUID)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data represent areas permitted by CTDEEP for dredging or dredged material disposal in Connecticut waters for projects authorized from the late 1980s to 2001. Areas already contained in NOAA ENC datasets as well as areas known or reasonably known to reflect projects from private homeowners were excluded. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018
General Data Description	An approximate inventory of privately maintained navigational channels, fairways, and basins, excluding facilities for individual residential use.
Additional Information	CT Dept. of Energy & Environmental Protection (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Anchorage Areas



- CT State Boundary
- Anchorage Areas
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-28 Final SHUA map of designated anchorage areas.


Long Island Sound Anchorages

Table 3a-34 Data construction table of LIS Anchorages.


SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criterion	Designated Anchorage Areas
SHUA Sub-criterion Description	Anchorage areas as they appear on the NOAA charts, and are generally used by commercial vessels.
Data Source(s)	GIS Data layer: <ul style="list-style-type: none"> Anchorage Areas: NOAA Electronic Nautical Charts (ENC) Direct to GIS – Approach data (via https://nauticalcharts.noaa.gov/data/gis-data-and-services.html)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent. Where no values appeared in “OBNAM” filed, values of “unnamed/unknown” were added. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October 2018
General Data Description	Anchorage areas as they appear on the NOAA charts.

Additional Information	NOAA Electronic Nautical Charts (ENC) Direct to GIS (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm
-------------------------------	--

Significant Human Use Area Map: Restricted Areas



- CT State Boundary
- Policy Area
- Area of Interest
- Restricted Areas
- Plum Island: closed to the public.
- Security zone: 33 CFR 165.154 (Navigation)
- Security zone: 33 CFR 165.169 (Navigation)



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-29 Final SHUA map of restricted areas.

Long Island Sound Safety/Security Zones

Table 3a-35 Data construction table for LIS safety and security zones.


SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criterion	Security Zones and other Designated Areas
SHUA Sub-criterion Description	Security zones and other operational zones, as designated by the Coast Guard or other appropriate authority.
Data Source(s)	GIS Data layer: <ul style="list-style-type: none"> • Restricted Areas: NOAA Electronic Nautical Charts (ENC) Direct to GIS – Approach data (via https://nauticalcharts.noaa.gov/data/gis-data-and-services.html)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	Upon review by the Blue Plan Planning Team, areas designated solely as Regulated Navigation areas per 40 CFR 140 were removed. Areas classified as Security Zones per 33 CFR 165.154 & 33 CFR 165.169 and the restricted access area of Plum Island were retained.
Data Classification	The data are not classified by any attributes to support the SHUA assessment, but the “INFORM” and “CATREA” attributes can be used to classify them based on the specific security zone designation.
Date Created	October 2018
General Data Description	Security zones and other operational zones, as designated by the Coast Guard or other appropriate authority.

**Additional
Information**


NOAA Electronic Nautical Charts (ENC) Direct to GIS (dataset originator)

Blue Plan Viewer Link: <http://cteco.uconn.edu/projects/blueplan/index.htm>

Significant Human Use Area Map: Lightering Zones



- CT State Boundary
- Lightering Zones
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-30 Final SHUA map of Lightering Zones.




Long Island Sound Lightering Areas

Table 3a-36 Data construction table for lightering areas.

SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-Criterion	Areas of Lightering Activity
SHUA Sub-criterion Description	Areas designated by the Coast Guard for ship-to-ship transfer (lightering), and other areas regularly used for such transfers.
Data Source(s)	<p>GIS Data layer:</p> <ul style="list-style-type: none"> Anchorage Areas: NOAA Electronic Nautical Charts (ENC) Direct to GIS – Approach data (via https://nauticalcharts.noaa.gov/data/gis-data-and-services.html) <p>US Coast Guard LIS Policy Letter 3/1999 – Lightering Zones</p>
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>Data were clipped to the Data Extent.</p> <p>Anchorage areas from the NOAA ENC data corresponding to those identified in the US Coast Guard policy letter were extracted.</p> <p>Data layer stored in UTM Zone 18N, NAD83.</p>
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October 2018.

General Data Description	Areas designated by the Coast Guard for ship-to-ship transfer (lightering), and other areas regularly used for such transfers.
Additional Information	NOAA Electronic Nautical Charts (ENC) Direct to GIS (dataset originator) US Coast Guard (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Vessel Transit Lanes



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-31 Final map of vessel transit lanes.


LIS Vessel Traffic Areas

Table 3a-37 Data construction map for LIS Vessel Traffic areas.


SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criteria	Vessel Traffic Areas
SHUA Sub-criterion Description	Areas of high traffic use by vessels with AIS transponders including but not limited to ferries and commercial ships. High traffic use is defined by areas that exceed the mean value of transit counts.
Data Source(s)	GIS data layer: <ul style="list-style-type: none"> 2016 Automated Information System (AIS) All Vessel Transit Counts (Northeast Ocean Data Portal https://www.northeastoceandata.org/data-explorer/)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Raster data were clipped to the Data Extent and converted to shapefile. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	Since the Vessel Transit data covered nearly the entirety of Long Island Sound, the Blue Plan Planning Team explored several different options to establish thresholds that approximated several well-known high-transit routes such as ferry crossings. Values that exceeded the mean transit count of 85 seemed to best differentiate these areas from the rest and captured several other notable lanes (e.g., Ferry transits) through the Sound.
Data Classification	Data values above the mean transit count (85) can be symbolized into 3 quantile classes to visualize relative route intensity
Date Created	October 2018

General Data Description	Areas of high traffic use by vessels with AIS transponders including but not limited to ferries and commercial ships.
Additional Information	Northeast Ocean Data Portal (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Disposal Sites



- | | |
|---------------------|----------------|
| — CT State Boundary | Disposal Sites |
| ■ Policy Area | ■ Active |
| ■ Area of Interest | ■ Inactive |



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-32 Final SHUA map of open water disposal sites.


Long Island Sound Disposal Sites

Table 3a-38 Data construction table for LIS disposal sites.

SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criterion	Dredged Material Disposal Areas (Active and Historic)
SHUA Sub-criterion Description	Dredged material disposal sites as they appear on the NOAA charts, in the LIS DMMP, or designated by EPA. Includes areas currently and historically used. Also includes confined aquatic disposal (CAD) cells.
Data Source(s)	<p>GIS Data layer:</p> <ul style="list-style-type: none"> Ocean Disposal Sites 2016 (via Northeast Ocean Data Portal: https://www.northeastoceandata.org/data-explorer/) <p>Report:</p> <ul style="list-style-type: none"> Supplemental Environmental Impact Statement for the Designation of Dredged Material Disposal Site(s) in Eastern Long Island Sound, Connecticut and New York (Final). Prepared for: United States Environmental Protection Agency. Prepared by: Louis Berger and University of Connecticut November 2016 (via https://www.epa.gov/ocean-dumping/final-supplemental-environmental-impact-statement-eastern-long-island-sound)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>Data were clipped to the Data Extent. Coordinates for the revised Eastern Long Island Disposal site were taken from the report and used to create a new disposal site feature. Relevant descriptive and source material fields were attributed accordingly and statuses were updated to reflect current active/inactive states.</p> <p>Data layer stored in UTM Zone 18N, NAD83.</p>
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment, although they can be displayed as Active/Inactive by using the “STATUS” attribute field.
Date Created	October 2018

General Data Description	Dredged material disposal sites as they appear on the NOAA charts, in the Long Island Sound Dredged Material Management Plan (DMMP), or designated by EPA. Includes areas currently and historically used. Also includes confined aquatic disposal (CAD) cells.
Additional Information	<p>Northeast Ocean Data Portal (dataset provider) EPA FEIS for Eastern Long Island Sound (dataset provider)</p> <p>Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm</p>

Significant Human Use Area Map: Underwater Cables



- | | |
|-------------------|---------------------|
| Underwater Cables | — CT State Boundary |
| — power line | Policy Area |
| — telephone | Area of Interest |

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-33 Final SHUA map of underwater cables, under the cables, pipelines, and cable/pipeline areas.

Long Island Sound Submarine Cables

Table 3a-39 Data construction table for underwater or submarine cables.

SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criterion	Cables, Pipelines, and Cable/Pipeline Areas
SHUA Sub-criterion Description	Submerged cables, including but not limited to those indicated on NOAA navigational charts.
Data Source(s)	GIS Data layer (identifies specific cables): <ul style="list-style-type: none"> Submarine Cables (Northeast Ocean Data Portal: https://www.northeastoceandata.org/data-explorer/)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018
General Data Description	Approximate location of Submerged cables in Long Island Sound.
Additional Information	Northeast Ocean Data Portal (dataset provider) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Cable and Pipeline Areas



- CT State Boundary
- Cable and Pipeline Areas
- Policy Area
- Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-34 Final SHUA map of cable and pipeline areas, under the cables, pipelines, and cable/pipeline areas criteria.


Long Island Sound Cable and Pipeline Areas

Table 3a-40 Data construction table for LIS cable and pipeline areas.


SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criterion	Cables, Pipelines, and Cable/Pipeline Areas
SHUA Sub-criterion Description	Submerged cable and pipeline infrastructure areas, including but not limited to those indicated on NOAA navigational charts.
Data Source(s)	GIS Data layer: <ul style="list-style-type: none"> • Cable and Pipeline Areas (via Northeast Ocean Data Portal: https://www.northeastoceandata.org/data-explorer/) • CAD data provided by John Lust for Thimble Islands, Branford CT
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Northeast Ocean Data Portal data were clipped to the Data Extent. Areas were edited to accommodate the locations of additional cable and/or pipeline data provided via CAD files for the Thimble Island area of Branford. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018. Updated August 2019.

General Data Description	Submerged cable and pipeline infrastructure areas.
Additional Information	Northeast Ocean Data Portal (data provider) Thimble Island CAD data from John Lust (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Coastal Energy Facilities



- | | | |
|---------------------------|-----------|---------------------|
| Coastal Energy Facilities | ● Nuclear | — CT State Boundary |
| ● Biomass | ● Oil | ■ Policy Area |
| ● Coal | ● Solar | ■ Area of Interest |
| ● Gas | | |



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)


Figure 3a-35 Final SHUA map of coastal energy facilities, under the coastal energy generating facilities and transmission facilities.




Coastal Energy Generating and Transmission Facilities

Table 3a-41 Data construction table for coastal energy facilities.

SHUA Criteria	Areas important for navigation, transportation, infrastructure, and economic activity
SHUA Sub-criterion	Coastal Energy Generating and Transmission Facilities
SHUA Sub-criterion Description	Coastal energy generating and transmission facilities and associated infrastructure, including areas of Long Island Sound adjacent thereto.
Data Source(s)	GIS data layer: <ul style="list-style-type: none"> Coastal Energy Facilities (https://marinecadastre.gov/nationalviewer/)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October 2018.
General Data Description	Coastal energy generating and transmission facilities and associated infrastructure, including areas of Long Island Sound adjacent thereto.
Additional Information	NOAA Marine Cadastre (dataset provider) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Recreational Fishing Areas



- CT State Boundary
-  Recreational Fishing Areas
-  Policy Area
-  Area of Interest

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-36 Final SHUA map of recreational fishing activity.




LIS Recreational Fishing

Table 3a-42 Data construction table for recreational fishing.

SHUA Criteria	Areas important to Fishing and Aquaculture
SHUA Sub-criterion	Recreational Fishing
SHUA Sub-criterion Description	Areas significant for recreational fishing, as identified by DEEP Fisheries and the recreational fishing community of Long Island Sound
Data Source(s)	<p>GIS Data layer:</p> <ul style="list-style-type: none"> • Popular places to fish (CT Dept. of Energy & Environmental Protection) <p>Data provided through participatory mapping exercises with LIS recreational fishing community.</p>
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	<p>GIS data layer was clipped to the Data Extent.</p> <p>An online web mapping viewer was created to log locations provided by stakeholders from the LIS recreational fishing community.</p>
Data Analysis	The online web mapping viewer was used during several public meetings to log places and basic information on LIS diving locations. CTDEEP Popular Places to Fish were displayed as starting point overlaid on NOAA Nautical charts for reference. New areas were added based on stakeholder input. All areas should be considered approximate. Data from the mapping exercises were projected in UTM Zone 18N NAD83.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	December, 2018.

General Data Description	Locations of recreational fishing activity were compiled iteratively over time by CT DEEP Marine Fisheries Division Staff and through Blue Plan participatory mapping efforts that engaged the LIS angling community. No assurance of catching fish is implied.
Additional Information	CT Dept. of Energy & Environmental Protection (dataset originator) Blue Plan Participatory Mapping (dataset updates and edits) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Commercial Fishing Areas



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-37 Final SHUA map of LIS commercial fishing activity.


Commercial Fishing

Table 3a-43 Data construction table for commercial fishing.


SHUA Criteria	Areas important to Fishing and Aquaculture
SHUA Sub-criterion	Commercial Fishing
SHUA Sub-criterion Description	Areas of substantial value to the commercial fishing community in Long Island Sound.
Data Source(s)	GIS data layers: <ul style="list-style-type: none"> • 2000-2010 NOAA Vessel Trip Report (VTR) Landings – Gillnet/Seine/Otter Trawl/Pot • (via NY Geographic Information Gateway: http://opdgig.dos.ny.gov/arcgis/rest/services/NYOPDIG/HumanUseData/MapServer/10f)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	Conversations with the commercial fishing industry suggested that despite the coarse geographic coverage, combining data from all four landing source layers (gillnets, seine, otter trawls, and pots) would be more reflective of the overall commercial fishing picture for Long Island Sound. The four data layers were merged, then dissolved based on unique grid cells with values for total landing pounds summed accordingly. An attribute field of “Gear Type” was added to log the types of gear used in each grid cell.
Data Classification	After conferring with commercial fishing stakeholders, applying a five-binned quantile classification scheme and taking the top two bins was recommended as a threshold to identify the areas with the highest overall landing pounds during 2000-2010.
Date Created	October, 2018

Basic Data Description:	Commercial fishing landing data from 2000-2010 as provided by the National Marine Fisheries Service.
Additional Information	Michael Fogarty, NOAA NMFS, Northeast Fisheries Science Center (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: CT Recreational Shellfish Beds



- CT State Boundary
- CT Recreational Shellfish Beds
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-38 Final SHUA map of recreational shellfish beds.


Recreational Shellfish Areas

Table 3a-44 Data construction table for recreational shellfish areas.


SHUA Criteria	Areas important to Fishing and Aquaculture
SHUA Sub-criterion	Recreational Shellfish Areas
SHUA Sub-criterion Description	Town and/or state managed recreational shellfishing areas in Connecticut.
Data Source(s)	GIS data layer - Connecticut Department of Agriculture Bureau of Aquaculture (DABA): <ul style="list-style-type: none"> • Recreational Shellfish Beds (via https://services7.arcgis.com/9fAJJI91yoj2y4Yi/ArcGIS/rest/services/ConnecticutShellfishOnline2018Draft/FeatureServer)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018.
Basic Data Description	In Connecticut, shellfish are defined as oysters, clams, mussels and scallops; either shucked or in the shell, fresh or frozen, whole or in part. Undesignated Beds under town or state jurisdiction which are not currently designated as “Natural Bed” or leased, licensed or otherwise managed for commercial activity may be managed as “Recreational Beds” by the municipality, where water quality classification permits. These beds may or may not sustain natural shellfish populations.

Additional Information	Kristin Derosia-Banick, Connecticut Department of Agriculture Bureau of Aquaculture Shellfish Program (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm
-------------------------------	--

Significant Human Use Area Map: CT Aquaculture Operations




- CT Aquaculture Operations
- CT State Boundary
- Policy Area
- Area of Interest




Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-39 Final SHUA map of aquaculture operations, under the commercial aquaculture locations criteria.

Significant Human Use Area Map: CT Seaweed Licenses




- CT State Boundary
- CT Seaweed Licenses
- Policy Area
- Area of Interest







Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-40 Final SHUA map of CT Seaweed licenses, under the commercial aquaculture locations.

Significant Human Use Area Map: CT Aquaculture Gear Areas



-  CT Aquaculture Gear Areas
-  CT State Boundary
-  Policy Area
-  Area of Interest


0 5 10 20 Miles




Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-41 Final SHUA map of aquaculture gear areas, under the commercial aquaculture locations criteria.

Significant Human Use Area Map: CT State Shellfish Lease Beds




- CT State Boundary
- CT State Shellfish Lease Beds
- Policy Area
- Area of Interest




Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-42 Final SHUA map of state managed shellfish beds (CT), under the commercial aquaculture locations criteria.

Significant Human Use Area Map: CT Town Shellfish Beds



- CT State Boundary
- CT Town Shellfish Beds
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-43 Final SHUA map of town managed shellfish beds (CT), under the commercial aquaculture locations criteria.

Connecticut Aquaculture Layers

Table 3a-45 Data construction table for all Connecticut commercial aquaculture locations.

SHUA Criteria	Areas important to Fishing and Aquaculture
SHUA Sub-criterion	Commercial Aquaculture Locations
SHUA Sub-criterion Description	Shellfish leases, seaweed leases, gear areas, designated natural beds, and any other type of authorized aquaculture venture in CT and NY as applicable.
Data Source(s)	GIS Data layers - Connecticut Department of Agriculture Bureau of Aquaculture (DA/BA): <ul style="list-style-type: none"> • Aquaculture Operations (CT Dept. of Agriculture / Bureau of Aquaculture) • Seaweed Licenses (CT Dept. of Agriculture / Bureau of Aquaculture) • Aquaculture Gear areas (CT Dept. of Agriculture / Bureau of Aquaculture) • Town/State Shellfish Lease beds (CT Dept. of Agriculture / Bureau of Aquaculture) • Natural Area Beds (CT Dept. of Agriculture / Bureau of Aquaculture) (via https://services7.arcgis.com/9fAJJI91yoj2y4Yi/ArcGIS/rest/services/ConnecticutShellfishOnline2018Draft/FeatureServer)
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Data were clipped to the Data Extent. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018

**Basic Data
Description**

CT Natural Shellfish Beds:

In Connecticut, shellfish are defined as oysters, clams, mussels and scallops; either shucked or in the shell, fresh or frozen, whole or in part. Natural beds get their name from the fact that shellfish, especially oysters, naturally inhabited the area. Natural beds have specific regulations concerning their use. Use of the natural beds requires a Relay/Transplant License I or II and/or Seed Oyster Harvesting License. These beds cannot be leased or subdivided; they are to remain open to any properly licensed shellfisherman.

CT Aquaculture Operations:

The approximate locations of "Certificate for Aquaculture Operation" permitted facilities/gear via the State of Connecticut Application for Joint Programmatic General Permit (PGP) for Aquaculture Department of the Army General Permit. Permitted projects have undergone review by the State of Connecticut Department of Agriculture Bureau of Aquaculture, the U.S. Army Corps of Engineers New England District, and the Connecticut Department of Energy and Environmental Protection.

CT Seaweed Licenses:

Areas where the Department of Agriculture Bureau of Aquaculture issues non-transferable licenses for the planting and cultivating of seaweed.

CT Aquaculture Gear Areas:

The approximate geographical location of "Certificate for Aquaculture Operation" permitted gear via the State of Connecticut Application for Joint Programmatic General Permit (PGP) for Aquaculture Department of the Army General Permit. Permitted projects have undergone review by the State of Connecticut Department of Agriculture Bureau of Aquaculture, the U.S. Army Corps of Engineers New England District, and the Connecticut Department of Energy and Environmental Protection.

CT State Shellfish Lease Beds:


In Connecticut, shellfish are defined as oysters, clams, mussels and scallops; either shucked or in the shell, fresh or frozen, whole or in part. In 1881 a line was established that divides the waters of the state into a northern and southern section. All beds south of this line are State beds.

CT Town Shellfish Lease Beds:


In Connecticut, shellfish are defined as oysters, clams, mussels and scallops; either shucked or in the shell, fresh or frozen, whole or in part. In 1881 the Commissioners line was established that divides the waters of the state into a northern and southern section. Most beds north of this line are town beds except for beds north of the line in Milford, West Haven, and New Haven. Town beds are under town jurisdiction and may be leased, licensed or otherwise managed through the local shellfish commission.

Additional Information	Kristin Derosia-Banick, Connecticut Department of Agriculture Bureau of Aquaculture Shellfish Program (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm
-------------------------------	--

Significant Human Use Area Map: NY Aquaculture Sites



- CT State Boundary
- NY Aquaculture Sites
- Policy Area
- Area of Interest



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-44 Final SHUA map of aquaculture sites (NY), under the commercial aquaculture locations criteria.




NY Aquaculture Sites

Table 3a-46 Data construction table for NY Aquaculture sites.

SHUA Criteria	Areas important to Fishing and Aquaculture
SHUA Sub-criterion	Commercial Aquaculture Locations
SHUA Sub-criterion Description	Shellfish leases, seaweed leases, gear areas, designated natural beds, and any other type of authorized aquaculture venture in CT and NY as applicable.
Data Source(s)	Information provided from NY Dept of Environmental Conservation on locations for seven Temporary Marine Area Use Assignments (TMAUAs) for aquaculture activities.
Data Extent	The Long Island Sound Blue Plan Area of Interest.
Data Adjustment and Pre-processing	Using information on the center coordinate and total acreage, areas reflecting the aquaculture TMAUAs were generated. Attributes for the assigned NYDEC permit number were also included for reference. Data layer stored in UTM Zone 18N, NAD83.
Data Analysis	No additional analysis was performed.
Data Classification	The data are not classified by any attributes to support the SHUA assessment.
Date Created	October, 2018
Data Description	Information provided from NY Dept. of Environmental Conservation on locations for seven Temporary Marine Area Use Assignments (TMAUAs) for aquaculture activities.
Additional Information	NY Dept. of Environmental Conservation, Marine Resources Division (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

2. Data “Roll-Up” Maps Organized by Concentrations of All Uses, Major Criteria, and Impact Area

Significant Human Use Area Map: Concentrations of All Human Uses



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-45 Final concentrations of all Significant Human Uses in Long Island Sound.


“Hot Spot” Map of all SHUAs

Table 3a-47 Data construction table of final concentrations of all SHUAs in LIS.

SHUA Criteria	Areas important for Recreational Quality of Life, Fishing/Shellfishing, Navigation, Transportation, etc., and Historic, Cultural, and Educational uses.
SHUA Sub-criterion Description	A way to synthesize the location data for multiple layers representing all human use and present them as clusters – areas where concentrations of uses can be statistically defined and described by the number of human use data layers in a given location.
Data Source(s)	<p>GIS Data layers:</p> <ul style="list-style-type: none"> • LIS Lighthouses, CT and NY Historic Districts, LIS Wrecks, CT & NY Open Space & Public Lands, CT Archaeological Sites - upland, CT Archaeological Sites - LIS, LIS Coastal Observing System sites, LIS Water Quality Sampling, and LIS Potential Holocene underwater sites; CT Recreational Shellfish Beds; LIS Recreational Fishing Areas; LIS Commercial Fishing; CT Aquaculture Operations; CT Seaweed Licenses; NY Aquaculture Sites; CT Aquaculture Gear Areas; CT Natural Shellfish Beds; CT Shellfish Beds-Towns; CT Shellfish Beds-State; CT & NY Coastal Energy Facilities; CT & NY Working Waterfronts; LIS Anchorages; LIS Fairways & Navigation Channels; CT & NY Commercial Dredging Areas; LIS Restricted Areas; LIS Lightering Zones; LIS Vessel Transit Count Density; LIS Ocean Disposal Sites; LIS Underwater Cables; LIS Cable & Pipeline Areas; LIS Sailing Routes; LIS Sailing Areas; LIS Mooring Fields; LIS Anchorages; LIS Recreational Boating Density; CT & NY Marinas, Yacht Clubs; CT & NY Boat Launches; CT Waterfowl hunting areas; LIS Dive Areas; CT Coastal Access Sites; CT & NY Individual Ocean Uses; CT & NY Public Access Beaches; LIS Water Trails; CT & NY Open Space & Public Lands; CT Migratory Waterfowl Concentration Areas.
Data Extent	The Long Island Sound Blue Plan Area of Interest covering Long Island Sound.
Data Adjustment and Pre-processing	<ol style="list-style-type: none"> 1) Break the Data Extent into a grid. Based several options and best professional judgment to balance individual units that covered both the Sound and the immediate near-shore areas, a 1km x 1km grid size was used. 2) For all of the human use data: <ol style="list-style-type: none"> a) Overlay the grid onto the map products. b) Add column fields to the grid layer – each field reflecting each map product.

	<ul style="list-style-type: none"> c) For each map product, log the grid cells it intersects by entering a ‘1’ in the selected records for the appropriate map products field. d) Derive a cumulative frequency value for each grid cell (row) by adding the number of ‘1s’ from each map product (field).
Data Analysis	<p>The process applied the Optimized Getis-Ord G_i^* spatial statistics process to create statistically determined clusters based on like-frequency counts. The Hot Spot Analysis tool calculates the Getis-Ord G_i^* statistic for each feature in a dataset. The resultant z-scores and p-values tell you where features with either high or low values cluster spatially. This tool works by looking at each feature within the context of neighboring features. A feature with a high value is interesting but may not be a statistically significant hot spot. To be a statistically significant hot spot, a feature will have a high value and be surrounded by other features with high values as well. The local sum for a feature and its neighbors is compared proportionally to the sum of all features; when the local sum is very different from the expected local sum, and when that difference is too large to be the result of random chance, a statistically significant z-score results. Applying the False Discovery Rate (FDR) correction, statistical significance is adjusted to account for multiple testing and spatial dependency.</p>
Data Classification	<p>The tool creates a standardized classification scheme that identifies:</p> <ul style="list-style-type: none"> a) Areas where lots of high frequency grid cells are concentrated (hot spots) b) Areas where lots of low frequency grid cells are concentrated (cool spots) c) Areas that are neutral
Date Created	August 2019
General Data Viewer Description	Locations where concentrations can be statistically defined and described by the number of human use data layers in a given location.
Additional Information	<p>CT Dept. of Energy & Environmental Protection (dataset originator)</p> <p>Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm</p>

Significant Human Use Area Map: Concentrations of Historic, Cultural, & Educational Uses



- | | | |
|---------------------|--|-----------------------------|
| — CT State Boundary | Concentrations of Historic, Cultural, & Educational Uses | Not Significant |
| □ Policy Area | ■ Cold Spot - 99% Confidence | ■ Hot Spot - 90% Confidence |
| ■ Area of Interest | ■ Cold Spot - 95% Confidence | ■ Hot Spot - 95% Confidence |
| | ■ Cold Spot - 90% Confidence | ■ Hot Spot - 99% Confidence |

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-46 Final concentrations of Significant Historical, Cultural, and Educational Uses in LIS.



“Hot Spot” Map of all Historical, Cultural, and Educational Uses

Table 3a-48 Data construction table for Hot Spot Map of Historical, Cultural, and Educational Uses

SHUA Criteria	Areas important for Historic Cultural and Educational Uses
SHUA Sub-criterion Description	A way to synthesize the location data for multiple layers representing Historic Cultural and Educational Uses and present them as clusters – areas where concentrations of uses can be statistically defined and described by the number of Historic Cultural and Educational data layers in a given location.
Data Source(s)	<p>GIS Data layers:</p> <ul style="list-style-type: none"> • LIS Lighthouses, CT and NY Historic Districts, LIS Wrecks, CT & NY Open Space & Public Lands, CT Archaeological Sites - upland, CT Archaeological Sites - LIS, LIS Coastal Observing System sites, LIS Water Quality Sampling, and LIS Potential Holocene underwater sites
Data Extent	The Long Island Sound Blue Plan Area of Interest covering Long Island Sound.
Data Adjustment and Pre-processing	<ol style="list-style-type: none"> 1) Break the Data Extent into a grid. Based several options and best professional judgment to balance individual units that covered both the Sound and the immediate near-shore areas, a 1km x 1km grid size was used. 2) For the Historic Cultural and Educational Uses group: <ol style="list-style-type: none"> a) Overlay the grid onto the map products. b) Add column fields to the grid layer – each field reflecting each map product. c) For each map product, log the grid cells it intersects by entering a ‘1’ in the selected records for the appropriate map products field. d) Derive a cumulative frequency value for each grid cell (row) by adding the number of ‘1s’ from each map product (field).

Data Analysis	<p>The process applied the Optimized Getis-Ord G_i^* spatial statistics process to create statistically determined clusters based on like-frequency counts. The Hot Spot Analysis tool calculates the Getis-Ord G_i^* statistic for each feature in a dataset. The resultant z-scores and p-values tell you where features with either high or low values cluster spatially. This tool works by looking at each feature within the context of neighboring features. A feature with a high value is interesting but may not be a statistically significant hot spot. To be a statistically significant hot spot, a feature will have a high value and be surrounded by other features with high values as well. The local sum for a feature and its neighbors is compared proportionally to the sum of all features; when the local sum is very different from the expected local sum, and when that difference is too large to be the result of random chance, a statistically significant z-score results. Applying the False Discovery Rate (FDR) correction, statistical significance is adjusted to account for multiple testing and spatial dependency.</p>
Data Classification	<p>The tool creates a standardized classification scheme that identifies:</p> <ul style="list-style-type: none"> a) Areas where lots of high frequency grid cells are concentrated (hot spots) b) Areas where lots of low frequency grid cells are concentrated (cool spots) c) Areas that are neutral
Date Created	August 2019
General Data Description	Locations where concentrations can be statistically defined and described by the number of Historic Cultural and Educational use data layers in a given location.
Additional Information	<p>CT Dept. of Energy & Environmental Protection (dataset originator)</p> <p>Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm</p>

Significant Human Use Area Map: Concentrations of Recreational Uses



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-47 Final concentrations of all Recreational Uses in LIS.




“Hot Spot” Map of all Recreational Uses

Table 3a-49 Data Construction Table for “Hot Spot” Map of Recreational Uses

SHUA Criteria	Areas important for Recreational Quality of Life uses
SHUA Sub-criterion Description	A way to synthesize the location data for multiple layers representing Recreational Quality of Life Uses and present them as clusters – areas where concentrations of uses can be statistically defined and described by the number of Recreational Quality of Life data layers in a given location.
Data Source(s)	<p>GIS Data layers:</p> <ul style="list-style-type: none"> • LIS Sailing Routes; LIS Sailing Areas; LIS Mooring Fields; LIS Anchorages; LIS Recreational Boating Density; CT & NY Marinas, Yacht Clubs; CT & NY Boat Launches; CT Waterfowl hunting areas; LIS Dive Areas; CT Coastal Access Sites; CT & NY Individual Ocean Uses; CT & NY Public Access Beaches; LIS Water Trails; CT & NY Open Space & Public Lands; CT Migratory Waterfowl Concentration Areas.
Data Extent	The Long Island Sound Blue Plan Area of Interest covering Long Island Sound.
Data Adjustment and Pre-processing	<ol style="list-style-type: none"> 1) Break the Data Extent into a grid. Based several options and best professional judgment to balance individual units that covered both the Sound and the immediate near-shore areas, a 1km x 1km grid size was used. 2) For the Recreational Quality of Life Uses group: <ol style="list-style-type: none"> a) Overlay the grid onto the map products. b) Add column fields to the grid layer – each field reflecting each map product. c) For each map product, log the grid cells it intersects by entering a ‘1’ in the selected records for the appropriate map products field. d) Derive a cumulative frequency value for each grid cell (row) by adding the number of ‘1s’ from each map product (field).

Data Analysis	The process applied the Optimized Getis-Ord G_i^* spatial statistics process to create statistically determined clusters based on like-frequency counts. The Hot Spot Analysis tool calculates the Getis-Ord G_i^* statistic for each feature in a dataset. The resultant z-scores and p-values tell you where features with either high or low values cluster spatially. This tool works by looking at each feature within the context of neighboring features. A feature with a high value is interesting but may not be a statistically significant hot spot. To be a statistically significant hot spot, a feature will have a high value and be surrounded by other features with high values as well. The local sum for a feature and its neighbors is compared proportionally to the sum of all features; when the local sum is very different from the expected local sum, and when that difference is too large to be the result of random chance, a statistically significant z-score results. Applying the False Discovery Rate (FDR) correction, statistical significance is adjusted to account for multiple testing and spatial dependency.
Data Classification	The tool creates a standardized classification scheme that identifies: <ul style="list-style-type: none"> a) Areas where lots of high frequency grid cells are concentrated (hot spots) b) Areas where lots of low frequency grid cells are concentrated (cool spots) c) Areas that are neutral
Date Created	August 2019
General Data Viewer Description	Locations where concentrations can be statistically defined and described by the number of Recreational use data layers in a given location.
Additional Information	CT Dept. of Energy & Environmental Protection (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

**Significant Human Use Area Map:
Concentrations of Navigation, Transportation, etc., Uses**



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-48 Final concentration of all Navigation, Transportation, and Commerce activities in LIS.




“Hot Spot” Map of all Navigation, Transportation, etc.

Table 3a-50 Data Construction Table for “Hot Spot” of Navigation, Transportation, etc. SHUA

SHUA Criteria	Areas important for Navigation, Transportation, Industry and Commerce uses
SHUA Sub-criterion Description	A way to synthesize the location data for multiple layers representing Navigation, Transportation, Industry and Commerce Uses and present them as clusters – areas where concentrations of uses can be statistically defined and described by the number of Navigation, Transportation, Industry and Commerce data layers in a given location.
Data Source(s)	<p>GIS Data layers:</p> <ul style="list-style-type: none"> • CT & NY Coastal Energy Facilities; CT & NY Working Waterfronts; LIS Anchorages; LIS Fairways & Navigation Channels; CT & NY Commercial Dredging Areas; LIS Restricted Areas; LIS Lightering Zones; LIS Vessel Transit Count Density; LIS Ocean Disposal Sites; LIS Underwater Cables; LIS Cable & Pipeline Areas.
Data Extent	The Long Island Sound Blue Plan Area of Interest covering Long Island Sound.
Data Adjustment and Pre-processing	<ol style="list-style-type: none"> 1) Break the Data Extent into a grid. Based several options and best professional judgment to balance individual units that covered both the Sound and the immediate near-shore areas, a 1km x 1km grid size was used. 2) For the Navigation, Transportation, Industry and Commerce Uses group: <ol style="list-style-type: none"> a) Overlay the grid onto the map products. b) Add column fields to the grid layer – each field reflecting each map product. c) For each map product, log the grid cells it intersects by entering a ‘1’ in the selected records for the appropriate map products field. d) Derive a cumulative frequency value for each grid cell (row) by adding the number of ‘1s’ from each map product (field).

Data Analysis	The process applied the Optimized Getis-Ord G_i^* spatial statistics process to create statistically determined clusters based on like-frequency counts. The Hot Spot Analysis tool calculates the Getis-Ord G_i^* statistic for each feature in a dataset. The resultant z-scores and p-values tell you where features with either high or low values cluster spatially. This tool works by looking at each feature within the context of neighboring features. A feature with a high value is interesting but may not be a statistically significant hot spot. To be a statistically significant hot spot, a feature will have a high value and be surrounded by other features with high values as well. The local sum for a feature and its neighbors is compared proportionally to the sum of all features; when the local sum is very different from the expected local sum, and when that difference is too large to be the result of random chance, a statistically significant z-score results. Applying the False Discovery Rate (FDR) correction, statistical significance is adjusted to account for multiple testing and spatial dependency.
Data Classification	The tool creates a standardized classification scheme that identifies: <ul style="list-style-type: none"> a) Areas where lots of high frequency grid cells are concentrated (hot spots) b) Areas where lots of low frequency grid cells are concentrated (cool spots) c) Areas that are neutral
Date Created	August 2019
General Data Viewer Description	Locations where concentrations can be statistically defined and described by the number of Navigation, Transportation, Industry and Commerce use data layers in a given location.
Additional Information	CT Dept. of Energy & Environmental Protection (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Concentrations of Fishing & Shellfishing Uses



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-49 Final concentrations of fish and shellfish uses in LIS.



“Hot Spot” Map of all Fishing and Shellfish

Table 3a-51 Data Construction Table for “Hot Spot” of Fishing and Shellfish SHUAs

SHUA Criteria	Areas important for Fishing/Shellfishing uses
SHUA Sub-criterion Description	A way to synthesize the location data for multiple layers representing Fishing/Shellfishing Uses and present them as clusters – areas where concentrations of uses can be statistically defined and described by the number of Fishing/Shellfishing data layers in a given location.
Data Source(s)	<p>GIS Data layers:</p> <ul style="list-style-type: none"> • CT Recreational Shellfish Beds; LIS Recreational Fishing Areas; LIS Commercial Fishing; CT Aquaculture Operations; CT Seaweed Licenses; NY Aquaculture Sites; CT Aquaculture Gear Areas; CT Natural Shellfish Beds; CT Shellfish Beds-Towns; CT Shellfish Beds-State
Data Extent	The Long Island Sound Blue Plan Area of Interest covering Long Island Sound.
Data Adjustment and Pre-processing	<ol style="list-style-type: none"> 1) Break the Data Extent into a grid. Based several options and best professional judgment to balance individual units that covered both the Sound and the immediate near-shore areas, a 1km x 1km grid size was used. 2) For the Fishing/Shellfishing Uses group: <ol style="list-style-type: none"> a) Overlay the grid onto the map products. b) Add column fields to the grid layer – each field reflecting each map product. c) For each map product, log the grid cells it intersects by entering a ‘1’ in the selected records for the appropriate map products field. d) Derive a cumulative frequency value for each grid cell (row) by adding the number of ‘1s’ from each map product (field).

Data Analysis	<p>The process applied the Optimized Getis-Ord G_i^* spatial statistics process to create statistically determined clusters based on like-frequency counts. The Hot Spot Analysis tool calculates the Getis-Ord G_i^* statistic for each feature in a dataset. The resultant z-scores and p-values tell you where features with either high or low values cluster spatially. This tool works by looking at each feature within the context of neighboring features. A feature with a high value is interesting but may not be a statistically significant hot spot. To be a statistically significant hot spot, a feature will have a high value and be surrounded by other features with high values as well. The local sum for a feature and its neighbors is compared proportionally to the sum of all features; when the local sum is very different from the expected local sum, and when that difference is too large to be the result of random chance, a statistically significant z-score results. Applying the False Discovery Rate (FDR) correction, statistical significance is adjusted to account for multiple testing and spatial dependency.</p>
Data Classification	<p>The tool creates a standardized classification scheme that identifies:</p> <ul style="list-style-type: none"> a) Areas where lots of high frequency grid cells are concentrated (hot spots) b) Areas where lots of low frequency grid cells are concentrated (cool spots) c) Areas that are neutral
Date Created	August 2019
General Data Viewer Description	Locations where concentrations can be statistically defined and described by the number of Fishing/Shellfishing use data layers in a given location.
Additional Information	<p>CT Dept. of Energy & Environmental Protection (dataset originator)</p> <p>Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm</p>

Significant Human Use Area Map: Concentrations of Surface Uses



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-50 Final concentrations of surface uses and activities in LIS.



“Hot Spot” Map of all Surface Uses

Table 3a-52 Data Construction Table for “Hot Spot” Map of all Surface Use SHUAs

<p>Description</p>	<p>A way to synthesize the location data for multiple layers representing human uses relevant to the surface of Long Island Sound and present them as clusters – areas where concentrations of uses can be statistically defined and described by the number of surface use data layers in a given location.</p>
<p>Data Source(s)</p>	<p>GIS Data layers:</p> <ul style="list-style-type: none"> • Lighthouses; Historic Districts; Wrecks; Open Space / Public Lands; Archaeological sites (upland); LIS Coastal Observation Sites; Water Quality Sampling; Sailing Race Routes; Sailing Race Areas; Mooring Fields; Anchorage Areas; Recreational Boater Density; Marinas and Yacht Clubs; Boat Launches; Potential Waterfowl Hunting Areas; Dive Areas; Coastal Access Sites; Individual Ocean Uses; Public Access Beaches; Water Trails; Migratory Waterfowl Concentration Areas; Working waterfronts; Fairways and Navigation Channels; Business & Commercial Dredging; Coastal Energy Facilities; Restricted Areas; Lightering Zones; Vessel Transit Lanes; LIS Recreational Fishing Activity; LIS Commercial Fishing Activity; CT Aquaculture Operations; CT Aquaculture Gear Areas; CT Seaweed Licenses; NY Aquaculture Sites; CT Shellfish beds: (Natural, Recreational, Town, State).
<p>Data Extent</p>	<p>The Long Island Sound Blue Plan Area of Interest covering Long Island Sound.</p>
<p>Data Adjustment and Pre-processing</p>	<ol style="list-style-type: none"> 1) Break the Data Extent into a grid. Based several options and best professional judgment to balance individual units that covered both the Sound and the immediate near-shore areas, a 1km x 1km grid size was used. 2) For the Surface Uses: <ol style="list-style-type: none"> a) Overlay the grid onto the map products. b) Add column fields to the grid layer – each field reflecting each map product. c) For each map product in the criteria group, log the grid cells it intersects by entering either ‘HCE’ ‘RQOL’, ‘NTMIC’, ‘FISH’ or a combination thereof in the selected records for the appropriate map products field.

	d) Derive a cumulative frequency value for each grid cell (row) by totaling the number of entries from each map product (field).
Data Analysis	The process applied the Optimized Getis-Ord G_i^* spatial statistics process to create statistically determined clusters based on like-frequency counts. The Hot Spot Analysis tool calculates the Getis-Ord G_i^* statistic for each feature in a dataset. The resultant z-scores and p-values tell you where features with either high or low values cluster spatially. This tool works by looking at each feature within the context of neighboring features. A feature with a high value is interesting but may not be a statistically significant hot spot. To be a statistically significant hot spot, a feature will have a high value and be surrounded by other features with high values as well. The local sum for a feature and its neighbors is compared proportionally to the sum of all features; when the local sum is very different from the expected local sum, and when that difference is too large to be the result of random chance, a statistically significant z-score results. Applying the False Discovery Rate (FDR) correction, statistical significance is adjusted to account for multiple testing and spatial dependency.
Data Classification	The tool creates a standardized classification scheme that identifies: <ul style="list-style-type: none"> a) Areas where lots of high frequency grid cells are concentrated (hot spots) b) Areas where lots of low frequency grid cells are concentrated (cool spots) c) Areas that are neutral
Date Created	August 2019
General Data Viewer Description	Locations where concentrations can be statistically defined and described by the number of human uses relevant to the surface of Long Island Sound in a given location.
Additional Information	CT Dept. of Energy & Environmental Protection (dataset originator) Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm

Significant Human Use Area Map: Concentrations of Water Column Uses



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-51 Final concentrations of water column uses and activities in LIS.


“Hot Spot” Map of all Water Column Uses

Table 3a-53 Data Construction Table for “Hot Spot” Map of all Water Column SHUAs

Description	A way to synthesize the location data for multiple layers representing human uses relevant to the Long Island Sound water column and present them as clusters – areas where concentrations of uses can be statistically defined and described by the number of water-column relevant data layers in a given location.
Data Source(s)	<p>GIS Data layers:</p> <ul style="list-style-type: none"> • LIS Coastal Observation Sites; Water Quality Sampling; Dive Areas; CT Aquaculture Operations, CT Aquaculture Gear Areas; CT Seaweed Licenses.
Data Extent	The Long Island Sound Blue Plan Area of Interest covering Long Island Sound.
Data Adjustment and Pre-processing	<ol style="list-style-type: none"> 1) Break the Data Extent into a grid. Based several options and best professional judgment to balance individual units that covered both the Sound and the immediate near-shore areas, a 1km x 1km grid size was used. 2) For the Water Column Uses: <ol style="list-style-type: none"> a) Overlay the grid onto the map products. b) Add column fields to the grid layer – each field reflecting each map product. c) For each map product in the criteria group, log the grid cells it intersects by entering either ‘HCE’ ‘RQOL’, ‘NTMIC’, ‘FISH’ or a combination thereof in the selected records for the appropriate map products field. d) Derive a cumulative frequency value for each grid cell (row) by totaling the number of entries from each map product (field).
Data Analysis	The process applied the Optimized Getis-Ord G_i^* spatial statistics process to create statistically determined clusters based on like-frequency counts. The Hot Spot Analysis tool calculates the Getis-Ord G_i^* statistic for each feature in a dataset. The resultant z-scores and p-values tell you where features with either high or low values cluster spatially. This tool works by looking at each feature within the context of neighboring features. A feature with a high value is interesting but may not be a statistically significant hot spot. To be a statistically significant hot spot, a feature will have a high value and be surrounded by other features with high values as well. The local sum for a feature and its neighbors

	<p>is compared proportionally to the sum of all features; when the local sum is very different from the expected local sum, and when that difference is too large to be the result of random chance, a statistically significant z-score results. Applying the False Discovery Rate (FDR) correction, statistical significance is adjusted to account for multiple testing and spatial dependency.</p>
Data Classification	<p>The tool creates a standardized classification scheme that identifies:</p> <ul style="list-style-type: none"> a) Areas where lots of high frequency grid cells are concentrated (hot spots) b) Areas where lots of low frequency grid cells are concentrated (cool spots) c) Areas that are neutral
Date Created	August 2019
General Data Viewer Description	Locations where concentrations can be statistically defined and described by the number of Long Island Sound water column relevant data layers in a given location.
Additional Information	<p>CT Dept. of Energy & Environmental Protection (dataset originator)</p> <p>Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm</p>

Significant Human Use Area Map: Concentrations of Sea-floor Uses



- | | | |
|---------------------|---------------------------------|-----------------------------|
| — CT State Boundary | Concentrations of Seafloor Uses | Not Significant |
| □ Policy Area | ■ Cold Spot - 99% Confidence | ■ Hot Spot - 90% Confidence |
| ■ Area of Interest | ■ Cold Spot - 95% Confidence | ■ Hot Spot - 95% Confidence |
| | ■ Cold Spot - 90% Confidence | ■ Hot Spot - 99% Confidence |

0 5 10 20 Miles



Map created by Connecticut Department of Energy & Environmental Protection: September, 2019 (FINAL)

Figure 3a-52 Final concentrations of bottom-land uses and activities of LIS.

“Hot Spot” Map of all Benthos and Substrate Uses

Table 3a-54 Data Construction Table for “Hot Spot” Map of all benthic and substrate (sea-floor) SHUAs

<p>Description</p>	<p>A way to synthesize the location data for multiple layers representing uses relevant to the LIS sea-bottom and present them as clusters – areas where concentrations of uses can be statistically defined and described by the number of relevant bottom use data layers in a given location.</p>
<p>Data Source(s)</p>	<p>GIS Data layers:</p> <ul style="list-style-type: none"> • GIS Data layers: CT Shellfish Beds (Recreational); CT Shellfish Beds (State Managed); CT Shellfish Beds (Town Managed); CT Shellfish Beds (Natural); CT Aquaculture Operations; Wrecks; CT Aquaculture Gear Areas; NY Aquaculture Sites; Archaeological sites (LIS); Potential submerged Holocene sites; Dive Areas; Working Waterfronts; Coastal Energy Facilities; Fairways and Navigation Channels; Underwater Cables; Open Water Disposal Sites; Business & Commercial Dredging Areas; Cable And Pipeline Areas.
<p>Data Extent</p>	<p>The Long Island Sound Blue Plan Area of Interest covering Long Island Sound.</p>
<p>Data Adjustment and Pre-processing</p>	<ol style="list-style-type: none"> 1) Break the Data Extent into a grid. Based several options and best professional judgment to balance individual units that covered both the Sound and the immediate near-shore areas, a 1km x 1km grid size was used. 2) For the LIS Bottom Uses: <ol style="list-style-type: none"> a) Overlay the grid onto the map products. b) Add column fields to the grid layer – each field reflecting each map product. c) For each map product in the criteria group, log the grid cells it intersects by entering either ‘HCE’ ‘RQOL’, ‘NTMIC’, ‘FISH’ or a combination thereof in the selected records for the appropriate map products field. d) Derive a cumulative frequency value for each grid cell (row) by totaling the number of entries from each map product (field).

Data Analysis	<p>The process applied the Optimized Getis-Ord G_i^* spatial statistics process to create statistically determined clusters based on like-frequency counts. The Hot Spot Analysis tool calculates the Getis-Ord G_i^* statistic for each feature in a dataset. The resultant z-scores and p-values tell you where features with either high or low values cluster spatially. This tool works by looking at each feature within the context of neighboring features. A feature with a high value is interesting but may not be a statistically significant hot spot. To be a statistically significant hot spot, a feature will have a high value and be surrounded by other features with high values as well. The local sum for a feature and its neighbors is compared proportionally to the sum of all features; when the local sum is very different from the expected local sum, and when that difference is too large to be the result of random chance, a statistically significant z-score results. Applying the False Discovery Rate (FDR) correction, statistical significance is adjusted to account for multiple testing and spatial dependency.</p>
Data Classification	<p>The tool creates a standardized classification scheme that identifies:</p> <ul style="list-style-type: none"> a) Areas where lots of high frequency grid cells are concentrated (hot spots) b) Areas where lots of low frequency grid cells are concentrated (cool spots) c) Areas that are neutral
Date Created	August 2019
General Data Viewer Description	Locations where concentrations can be statistically defined and described by the number of relevant Long Island Sound sea-bottom use data layers in a given location.
Additional Information	<p>CT Dept. of Energy & Environmental Protection (dataset originator)</p> <p>Blue Plan Viewer Link: http://cteco.uconn.edu/projects/blueplan/index.htm</p>

Appendix 4. Conflict and Compatibility Matrices

Within this appendix are a series of conflict and compatibility matrices considering the natural resources and human uses of Long Island Sound. They are meant to assist the user in identifying where their proposal or project will likely have conflict and where it will likely be compatible.

Impact on Ecologically Significant Resources based on Water Column Compatibility Matrix: Draft		Significant Ecological Resources										
		Areas with unique or fragile physical features, or important natural habitats					Areas of High Natural Productivity					
		Hard bottom/sea floor complexity (bottom structure)	Eel Grass Beds	Sensitive, Rare, Special, Unique	Coastal Wetland	ESA Critical Habitats	Migratory Bird Sanctuaries/ Stopovers	Areas of high biological persistence, high diversity, and high abundance	Natural high primary productivity	Migratory Corridors	Important Fish Habitat	Nursery Areas and/or Feeding Grounds
Region of Impact	Air and Surface	Green	Yellow	Yellow	Yellow	Yellow	Red	Yellow	Yellow	Yellow	Yellow	Yellow
	Water Column	Green	Yellow	Yellow	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow
	Sub-bottom and Bottom Space	Red	Red	Yellow	Yellow	Yellow	Green	Yellow	Yellow	Yellow	Yellow	Yellow

Level of Impact			
 = Adverse	 = Conditionally Adverse	 = No Impact	 = Positive Impact

Figure 4a-1 Conflict/Compatibility Matrix associated with Ecologically Significant Areas (ESAs) and region of impact.

Impact on Significant Human Uses based on Water Column Compatibility Matrix: Draft		Significant Human Uses																
		Areas with features of historical, cultural, or educational significance					Areas of Substantial Recreational and/or "quality of life value"											
		Areas associated with lighthouses and other historic buildings	Shipwrecks	Visual and Scenic Resources	Submerged Archaeological Areas and Sensitivity	Discrete Areas for Research, Education, and Monitoring	Sailing and Rowing Races	Marine Events	High Activity Recreational Boating	Mooring Fields and Anchorage Areas	Marinas, Yacht Clubs, and Boat Launches	Waterfowl Hunting	Dive Sites	Coastal Access Sites	Beaches and Swimming Areas	High Use Kayak and Paddle Board Areas	State Parks	Wildlife Watching and other Sightseeing
Region of Impact	Air and Surface	Yellow	Green	Yellow	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow
	Water Column	Yellow	Yellow	Yellow	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Yellow	Yellow	Yellow	Green	Yellow	Yellow	Yellow
	Sub-bottom and Bottom Space	Green	Red	Green	Red	Yellow	Green	Green	Green	Yellow	Green	Yellow	Green	Green	Green	Green	Green	Green

Impact on Significant Human Uses based on Water Column Compatibility Matrix: Draft		Significant Human Uses																
		Areas important for navigation, military, infrastructure, and economic activity												Areas important to fishing and aquaculture				
		Ports and Working Waterfronts	Designated Navigational Channels	Commercial Anchorage Areas	Security Zones	Aids to Navigation	Areas of Lightering Activity	Ferry and Shipping Routes	Dredged Material Disposal Areas	Existing Cables and Pipelines	Existing Offshore Terminals	Existing On-shore Terminals with Nearshore Moorings	Coastal Power Plants	Recreational Fishing	Commercial Fishing	Charter and Party Boat Fishing	Recreational Shellfish Areas	Active Commercial Aquaculture Locations
Region of Impact	Air and Surface	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow
	Water Column	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Green	Green	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow
	Sub-bottom and Bottom Space	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Red	Red	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Red	Yellow

Level of Impact

= Adverse
 = Conditionally Adverse
 = No Impact
 = Positive Impact

Figure 4a-2 Conflict/Compatibility Matrix associated with Significant Human Use Areas (SHUAs) and region of impact.

Blue Plan Human Use Compatibility Matrix: Draft		Shipping	Ferries	Towing	Dredging Footprint	Navigational Dredging	National Security/Public Safety	Cruises	Recreational Boating	SCUBA	Wildlife Watching	Waterfowl Hunting	Tribal	Coastal Community Values	Historical	Visual	Commercial	Recreational	Water Column Aquaculture	Bottom Culture Aquaculture	Oil/Gas/Nuclear	Renewables	Electric	Sand/Gravel	Ports/ Harbors	Dredged Disposal	Bridge/ Tunnels	Research	
Marine Transportation/ Navigation	Shipping																												
	Ferries																												
	Towing																												
	Dredging Footprint																												
	Navigational Dredging																												
Recreation/ Tourism	National Security/ Public Safety																												
	Cruises																												
	Rec Boating																												
	SCUBA																												
	Wildlife Watching																												
Marine/Coastal Resources	Waterfowl Hunting																												
	Tribal																												
	Coastal Community Values																												
	Historical																												
	Visual																												
Fish/Shellfish	Commercial																												
	Recreational																												
	Water Column Aquaculture																												
	Bottom Culture Aquaculture																												
	Oil/Gas/Nuclear																												
Energy/Minerals	Renewables																												
	Electric																												
	Sand/Gravel																												
	Ports/ Harbors																												
Marine/Coastal Infrastructure	Dredged Disposal																												
	Bridges/ Tunnels																												

KEY

- = Synergistic
- = Compatible
- = Conditionally Compatible
- = Incompatible/Conflict

*This compatibility matrix is a draft, and should not be understood as a final product.

Figure 4a-3 Conflict/Compatibility Matrix: Human Uses vs Human Uses




Figure 4a-4 Conflict/Compatibility Matrix: Human Uses vs. Natural Resources

Appendix 5: Comment Log with Responses

Long Island Sound Blue Plan Draft Version 1.1 dated March 2019

Comments Received and Responses as part of preparation of Final Completed Plan Version 1.2 dated September 2019

The public review draft of the Long Island Sound Blue Plan (Version 1.1 dated March 2019) was made available on the Blue Plan website (www.ct.gov/deep/lisblueplan) on March 1, 2019. The statutorily required 90-day public comment period opened on March 20, 2019 and ran through June 21, 2019. Thirty-seven written comments were submitted, in addition to many other comments received before the official public notice period opened. Prior to the official comment period, the Blue Plan Development Team held three public hearings as required by statute, but also hosted almost 100 meetings and webinars, and responded to countless individual inquiries by email, phone, and in person. During the 90-day public comment period, six regional public meetings were also hosted in Connecticut and one public meeting was held on Fishers Island, New York, in addition to several webinars and public presentations. Please see Section 1.5b of the Blue Plan for more information on outreach efforts.

The primary issue raised during the official public comment period focused on the rationale for establishing the policy boundary line (CGS § 25-157t(c) requires that the Blue Plan apply in a spatial area located seaward of the bathymetric contour of minus ten feet North American Vertical Datum). Other comments reflected uncertainty about the extent of the area within which Blue Plan policies would apply, concerns about policy language and potential additional regulatory burdens, and confusion between the “policy area” and “planning area.”

The Long Island Sound Blue Plan document has been modified after a statutorily required 90-day post-comment revision period, in response to the substantive issues raised during the comment period. The key revisions address the methodology for establishing the policy area boundary and the extent of the policy area, clarifying the difference between the area within which Blue Plan policies will apply and the “area of interest” from which information and data were collected, and clarifications to policy language and wording to ensure more specificity in making policies enforceable under the federal coastal management authorities while balancing the regulated community’s desire for flexibility.

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
1	6/21/2019	Jane	Adams	Waterford, CT	Waterford Harbor Management Commission	Waterford Harbor Management Commission Blue Plan Comments	<p>The Blue Plan will enhance, supplement, and clarify existing regulatory programs. No existing statutory policies are removed, amended, or replaced. For example, CGS § 22a-359(a) requires the DEEP to make regulatory decisions for Structures, Dredging, and Fill permits with “due regard” for several factors including indigenous aquatic life, fish and wildlife, the improvement of coastal and inland navigation for all vessels, and recreational use of public water and management of coastal resources. The Blue Plan contains policies that offer additional information and clarification to assist in interpreting several of those factors within the context of reviewing the application <i>under the existing regulatory framework</i>. More details will be fleshed-out in a Blue Plan users’ guide.</p> <p>Chapter Two of the Blue Plan describes how policies and standards will be incorporated into the state’s federally approved coastal management program.</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							Harbor management is not affected by the Blue Plan, as harbor management commissions are not listed in the statute as one of the programs that must consider Blue Plan policies when rendering decisions. Harbor Management Commissions' review authorities will not be affected, and conflicts are not anticipated. The policies contained in the Blue Plan and those contained in approved Harbor Management Plans must all be considered as factors in the review of new projects; there is no hierarchy in decisions. Information contained in the Inventory and the Blue Plan can also be used to enhance decisions rendered by Harbor Management Commissions.
2	4/2/2019	Howard	Benedict			Howard Benedict Blue Plan Comments	Support of the Blue Plan is noted.
3	4/17/2019	Maureen	Boylan			Maureen Boylan Blue Plan Comments	Municipal representatives on the Blue Plan Advisory Committee were appointed by the Governor and the House Majority Leader in accordance with CGS § 25-157t(a)(12).
4	5/3/2019 6/21/2019	Kathleen	Burns	Essex, CT	Connecticut Marine Trades Association	CMTA Blue Plan Comments 5/3/19 CMTA Blue Plan Comments 6/21/19	DEEP Response to CMTA 5/3/19 Comments 5/10/19 DEEP Response to CMTA 6/21/19 Comments 7/18/19

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
5	5/16/2019	Beatrice	Camporine			Beatrice Camporine Blue Plan Comments	Comment is noted.
6	6/13/2019	John	Casey	Branford, CT	Linda and Scott Landis	John Casey/Linda and Scott Landis Blue Plan Comments	<p>The Blue Plan is not meant to be read from beginning to end, but is a reference document and, as such, necessarily contains some repetitive material in order to decrease the need for readers to have to page back and forth. Also, each section is meant to be self-standing to some degree. All the policies are concisely presented in Chapter Four. These policies must be considered by the regulatory programs listed in the statute. A users' guide will also be developed to assist applicants and consultants in determining applicable policies for their projects.</p> <p>The Executive Summary has been removed from the Blue Plan and is now a stand-alone document. The Executive Summary has been replaced in the Blue Plan document with the overview document "Blue Plan Essentials."</p> <p>Information provided that more clearly represents areas of mooring fields and cable and pipeline areas in the Thimble</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>Island area has been included. Further, the symbology on the recreational boating layer will be changed to better illuminate the data in the Thimble Island areas, which, in concert with other data on recreational fishing, already well-represents the uses of vessel traffic and boating recreation. In general, additional relevant data layers can and will be added to the Blue Plan, Inventory, and the Blue Plan Map Viewer as they become available.</p> <p>Language in the Plan has been revised to clarify that the Blue Plan Advisory Committee will hold annual public hearings.</p>
7	2/22/2019	Allison David	Castellan Kaiser	Washington, DC	National Oceanic and Atmospheric Administration Office for Coastal Management	NOAA OCM Blue Plan Comments 2/22/19 NOAA OCM Blue Plan Comments 2/26/19	All recommended revisions have been incorporated. Enforceable policies are specified in Appendix 1: Blue Plan Policies for Federal Consistency Consideration
8	6/21/2019	Bill	Cavers	Darien, CT	Darien Advisory Commission on Coastal Waters	Darien Advisory Commission on Coastal Waters Blue Plan Comments 6/21/19 Darien ACCW Blue Plan Comments	<p>Comments regarding seal outhaul areas are noted.</p> <p>SHUA maps were amended to include mooring fields.</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
						6/22/19 Scott Cove and Tokeneke Beach Cove	<p>Some sailing and training areas were also included in amended SHUA maps, but only those that meet the SHUA definition. Other areas identified but less formally used for racing or training were not included in that SHUA, but those areas are already captured by the recreational boating SHUA.</p> <p>The water trails were added. Other open space and public land sites can be included in the future once digital data becomes available.</p> <p>Sites identified in the Unified Water Study were added for Darien waters and throughout Long Island Sound in the Water Quality Monitoring data layer.</p>
9	3/20/2019	Sarah	Donovan	Easton, CT		Sarah Donovan Blue Plan Comments	Support of the Blue Plan is noted.
10	6/21/2019	Jeff	Dziedzic	Groton, CT		Jeff Dziedzic Blue Plan Comments	The Blue Plan statute, CGS § 25-157t(c) , specifies that the Blue Plan policies will be applied in an area seaward of the bathymetric contour of minus ten feet North American Vertical Datum. The legislature chose not to use the offshore waters definition contained in the Connecticut Coastal

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>Management Act which would not be appropriate for Blue Plan purposes.</p> <p>The Blue Plan is neither a new regulatory program nor a new series of regulation. The policies will enhance, supplement, and clarify existing regulatory programs. For example, CGS § 22a-359(a) requires the DEEP to make regulatory decisions for Structures, Dredging, and Fill permits with “due regard” for several factors including indigenous aquatic life, fish and wildlife, the improvement of coastal and inland navigation for all vessels, and recreational use of public water and management of coastal resources. The Blue Plan contains policies that offer additional information and clarification to assist in interpreting several of those factors within the context of reviewing the application under the existing regulatory framework. More details will be fleshed-out in a Blue Plan users’ guide.</p> <p>The Blue Plan will provide additional protections for dredged material disposal areas, as active and historic/closed sites are specifically</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>identified as Significant Human Use Areas important for navigation, transportation, military, infrastructure, and economic activities.</p> <p>The Blue Plan does not usurp local jurisdiction. The Blue Plan policy line has been established by the Blue Plan Advisory Committee as authorized in the Blue Plan statute, and the rationale for establishing the boundary is detailed in Chapter Three.</p>
11	6/18/2019	Carl	Fortuna	Old Saybrook, CT	First Selectman	Carl Fortuna Blue Plan Comments	Comment regarding support for revised policy area boundary is noted.
12	6/18/2019	Bill	Gash	Stonington, CT	Connecticut Maritime Coalition	CT Maritime Coalition Blue Plan Comments	Comment regarding incorporation of a revised Blue Plan policy boundary line into the final Blue Plan is noted.
13	5/31/2019 6/4/2019	Tessa	Getchis	Groton, CT	Connecticut Sea Grant and UConn Extension	Tessa Getchis Blue Plan Comments	The Blue Plan is not meant to be read from beginning to end, but is a reference document and, as such, necessarily contains some repetitive material in order to decrease the need for readers to have to page back and forth. Also, each section is meant to be self-standing to some degree. All the policies are concisely presented in Chapter Four. These policies must be considered by the regulatory programs listed in the statute. A users' guide will also be developed to assist applicants

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>and consultants in determining applicable policies for their projects.</p> <p>The Executive Summary has been removed from the Blue Plan and is now a stand-alone document. The Executive Summary has been replaced in the Blue Plan document with the overview document “Blue Plan Essentials.”</p> <p>The Blue Plan will enhance, supplement, and clarify existing regulatory programs. No existing statutory policies are removed, amended, or replaced. For example, CGS § 22a-359(a) requires the DEEP to make regulatory decisions for Structures, Dredging, and Fill permits with “due regard” for several factors including indigenous aquatic life, fish and wildlife, the improvement of coastal and inland navigation for all vessels, and recreational use of public water and management of coastal resources. The Blue Plan contains policies that offer additional information and clarification to assist in interpreting several of those factors within the context of reviewing the application under the existing</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>regulatory framework. More details will be fleshed-out in a Blue Plan users' guide.</p> <p>To eliminate confusion about “offshore waters” having the same meaning as defined in the Connecticut Coastal Management Act, references to “offshore waters” have been eliminated from the Blue Plan text. Further, the policy boundary discussion throughout the Plan has been revised to differentiate the area within which the policies apply (“policy area”) from the planning area from which data and information was collected (“area of interest”). These terms are also defined in the “Terminology” section.</p> <p>Technical terms, including water-dependent uses, have been defined in the “Terminology” section of the Plan.</p> <p>The term “new regulated activities” in Tables 4-1 and 4-2 has been changed to “new proposed activities.”</p> <p>The Policy and Plan Development section in Chapter One has been expanded to flesh-out the Blue Plan in a larger context.</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>The list of relevant existing regulatory programs that must consider Blue Plan policies is specifically defined by the Blue Plan statute and was therefore not expanded to include any additional programs.</p> <p>Aquaculture farms have been added to the list of examples of human uses in Section 1.1.</p> <p>All of the policies contained in Chapter Four are new policies. It is reiterated throughout the Blue Plan that policies, even Sound-wide policies, are applicable only within the policy area.</p> <p>“Structures” referred to in the Blue Plan are those defined by the regulatory programs which must apply Blue Plan policies. The views and vistas policy has been revised to acknowledge that visual attributes associated with traditional water-dependent uses, such as vessels, moorings, or buoys are visual points of reference for the public along with smaller island and lighthouses.</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>Public benefit language has been revised and is included under Goal Three in Chapter Four.</p> <p>Living shorelines primarily function as nearshore structures and are therefore unlikely to be proposed within the Blue Plan policy area.</p> <p>The “significance” of impacts is determined in the context of each specific regulatory program, just as it has been in the absence of the Blue Plan. Activities such as placing lobster pot buoys and other commercial fishing gear are not regulated under the programs that must consider Blue Plan policies.</p>
14	4/25/2019	Benjamin	Goetsch	Branford, CT		Benjamin Goetsch Blue Plan Comments	<p>The purpose of the Blue Plan is to reduce conflicts from future uses of Long Island Sound in an effort to protect important ecological resources and existing human uses. While possible new uses include transmission cables from Rhode Island wind farms, finfish aquaculture, or tidal energy facilities, the purpose of Blue Plan policies is to reduce potential significant adverse impacts, regardless of the type of use that is proposed.</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							The Blue Plan policies must be considered as a factor by specific agencies in their administration of existing regulatory program defined by statute. Further, the enforceable policies of the Blue Plan will be incorporated into the state's federally approved coastal management program for use in Connecticut's Federal Consistency reviews of projects proposed or regulated by federal agencies in New York waters.
15	6/18/2019	Peter Susan	Hearn Merrow	Hartford, CT	Connecticut Council on Environmental Quality	CT CEQ Blue Plan Comments	Support of the Blue Plan is noted.
16	6/20/2019	Linda	Kowalski	Bloomfield, CT	Connecticut Nursery and Landscape Association Dustyn Nelson	CT Nursery and Landscape Association Blue Plan Comments	Blue Plan policies will only apply within the policy area in Long Island Sound, and not to any activities on land.
17	6/21/2019	Eric	Lindquist	Hartford, CT	Connecticut Office of Policy and Management	CT OPM Blue Plan Comments	A users' guide will be developed to assist applicants and consultants in determining applicable policies for their projects. The guide will provide information regarding each applicable regulatory program's decision-making processes, and will reference other available guides (e.g., aquaculture permitting guidance document, guide to coastal management policies).

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							The Blue Plan is designed to avoid and prevent conflicts, and hypothetical conflict resolution won't be understood until the specified regulatory programs have experience applying Blue Plan policies. Decisions on measuring interference or weighing public benefit remain within the purview of those regulatory programs, even in the absence of the Blue Plan. The Plan is meant to be a factor for consideration and does not prescribe regulatory outcomes. The Blue Plan will not resolve current or past conflicts, but is meant to prevent future conflicts.
18	5/9/2019 5/10/2019	Kevin Thomas Tom	Marks Ross Bell	Darien, CT		Tom Bell, Thomas Ross, and Kevin Marks Blue Plan Comments	See response to Bill Cavers/ Darien Advisory Commission on Coastal Waters for additions to SHUA maps. Planning Report Number 8: Coastal Districts and Associations was added to the Inventory.
19	7/29/2018	Shirley	McCarthy	New Haven, CT		Shirley McCarthy Blue Plan Comments	Comments regarding public health benefits of outdoor recreational activities are noted.
20	4/15/2019	Hillary	Mendillo			Hillary Mendillo Blue Plan Comments	Comments about sea turtles are noted. Other comments regarding balloons are not within the purview of the Blue Plan.
21	5/20/2019 6/10/2019	Anne	Mooney	Long Island/NY		Anne Mooney Blue Plan Comments	The Blue Plan must be coordinated, developed, and implemented to the

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							maximum extent feasible with the state of New York. Several outreach meetings had been held in New York during development of the Plan, and a series of topical webinars was also scheduled during the public comment period for interested parties unable to attend meetings in person. Information about those webinars was distributed via the Blue Plan listserv.
22	4/29/2019	N/A	N/A	Branford, CT		Branford Public Meeting Attendee Blue Plan Comments	The Blue Plan will address future conflicts with existing resources and uses and was not intended to address existing conflicts.
23	6/21/2019	Keith	Neilson	Mystic, CT	Docko, Inc.	Keith Neilson Blue Plan Comments	The Blue Plan statute states that “the submerged lands and waters subject to the commissioner's planning, management and coordination authority under the Long Island Sound Blue Plan shall include Long Island Sound and its bays and inlets from the mean high water line, as defined by the most recent data of the National Oceanic and Atmospheric Administration, to the state's waterward boundaries with the states of New York and Rhode Island. Any siting policies, identification of locations, or performance standards for activities, uses and facilities under the Long Island Sound Blue Plan shall apply in a spatial planning area located

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>seaward of the bathymetric contour of minus ten feet North American Vertical Datum to the state's waterward boundaries with the states of New York and Rhode Island provided such planning area shall not extend into any river that flows into the sound beyond the first motor vehicle bridge or railroad bridge that crosses such river or area along such river that is authorized by the Commissioner of Economic and Community Development, pursuant to section 32-70 of the general statutes, to be an enterprise zone that shall be known as a defense plant zone. Such spatial planning area shall be designated on a map to be prepared by the advisory committee established pursuant to subsection (a) of this section.” Fishers Island Sound is identified in the Blue Plan because it is located in Long Island Sound up to the Rhode Island and New York boundary line, and the 10ft NAVD depth is identified by statute. The legislature chose not to use the offshore waters definition contained in the Connecticut Coastal Management Act which would not be appropriate for Blue Plan purposes.</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>The policy area has been revised to eliminate nearshore areas in harbors (please see DEEP responses to Kathleen Burns/CMTA comments for more information).</p> <p>The language in the performance measures has been moderated with wording such as “significantly,” “adversely,” and “unreasonably.” These terms are currently defined in the context of the specific regulatory programs that have been statutorily identified to consider Blue Plan policies.</p>
24		John	Pinto	Norwalk, CT	Connecticut Harbor Management Association	CT Harbor Management Association Blue Plan Comments	<p>Section 2.6 of the Blue Plan includes a discussion of local harbor management authority. Harbor management is not affected by the Blue Plan, as harbor management commissions are not listed in the statute as one of the programs that must consider Blue Plan policies when rendering decisions. Harbor Management Commissions’ review authorities will not be affected, and conflicts are not anticipated. The policies contained in the Blue Plan and those contained in approved Harbor Management Plans must all be considered as factors in the review of new projects; there is no hierarchy in</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>decisions. Information contained in the Inventory and the Blue Plan can also be used to enhance Harbor Management Commissions' decision-making processes.</p> <p>Additional relevant data layers or updates to other data sets can and will be added to the Blue Plan, Inventory, and the Blue Plan Map Viewer as they become available.</p> <p>The Blue Plan statute states that “the submerged lands and waters subject to the commissioner's planning, management and coordination authority under the Long Island Sound Blue Plan shall include Long Island Sound and its bays and inlets from the mean high water line, as defined by the most recent data of the National Oceanic and Atmospheric Administration, to the state's waterward boundaries with the states of New York and Rhode Island. Any siting policies, identification of locations, or performance standards for activities, uses and facilities under the Long Island Sound Blue Plan shall apply in a spatial planning area located seaward of the bathymetric contour of minus ten feet North American Vertical</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>Datum to the state's waterward boundaries with the states of New York and Rhode Island provided such planning area shall not extend into any river that flows into the sound beyond the first motor vehicle bridge or railroad bridge that crosses such river.... Such spatial planning area shall be designated on a map to be prepared by the advisory committee established pursuant to subsection (a) of this section.” Thus, the 10ft NAVD depth is identified by statute. The legislature chose not to use the offshore waters definition contained in the Connecticut Coastal Management Act which would not be appropriate for Blue Plan purposes.</p> <p>The policy area has been revised to eliminate nearshore areas in harbors (please see DEEP responses to Kathleen Burns/CMTA comments for more information).</p> <p>Several Blue Plan policies will be used for Federal Consistency Review purposes, but the Blue Plan cannot be solely incorporated into the state’s coastal management program because the legislation requires that other</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>regulatory programs (i.e., Connecticut Siting Council, Connecticut Department of Agriculture/Aquaculture Bureau, local shellfish commissions) must consider Blue Plan policies in the context of their decision-making.</p> <p>The legislation requires that the Blue Plan be coordinated to the maximum extent feasible with New York. Connecticut cannot adopt a policy to unilaterally demand that New York cooperate with the state’s approach to dredged material management and vice versa. These issues require a forum outside of the Blue Plan. However, continued review and implementation of the Blue Plan will honor the legislative intent to coordinate and communicate with New York.</p>
25	6/20/2019	Susan	Pronovost	Waterbury, CT	Connecticut Greenhouse Growers Association	CT Greenhouse Growers Association Blue Plan Comments	Blue Plan policies will only apply within the policy area in Long Island Sound, and not to any activities on land.
26	9/14/2018 6/21/2019	Keisha Matthew	Santiago-Martinez Maraglio		New York Department of State	New York DOS Blue Plan Comments 9/14/18 New York DOS Blue Plan Comments 6/21/19	Comments on New York DOS regulatory authority, DOS support for the Long Island Sound National Estuarine Research Reserve, cross-Sound infrastructure, and DOS participation and involvement in developing the Blue Plan are noted.

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>The Geographic Location Description will not expand to the 10 ft contour in New York waters. See footnote number 1 in Chapter Four for more information. The policy area has been revised to eliminate nearshore areas in harbors (please see DEEP responses to Kathleen Burns/CMTA comments for more information). The policy boundary discussion throughout the Plan has been revised to differentiate the area within which the policies apply (“policy area”) from the planning area from which data and information was collected (“area of interest”). These terms are also defined in the “Terminology” section.</p> <p>A link to New York’s coastal management program has been added to Chapter Two.</p> <p>The Dredged Material Management Plan and dredged material disposal areas exist, and the Blue Plan cannot change the legal authorities already in place. The Blue Plan acknowledges the presence of dredged material disposal sites as it does with other human uses and ecological resources. Connecticut</p>

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							<p>acknowledges the goal of reducing or eliminating open water disposal of dredged material; the Blue Plan by design acknowledges the present location of disposal sites and the appropriate management of dredged material management in supporting the maritime economy. However, we disagree that the appropriate use of open water disposal sites violates the public trust doctrine, as dredged material disposal areas do not exclude or interfere with non-conflicting activities like fishing or navigation.</p> <p>Vessel traffic and recreational boating layers address areas of navigation beyond designated fairways and anchorage areas.</p>
27	4/25/2019	Joseph	Schnierlein	Norwalk, CT		Joseph Schnierlein Blue Plan Comments	Submitted data has been noted.
28	6/20/2019	Robert	Scully	Hartford, CT	CT Department of Public Health	CT Department of Public Health Blue Plan Comments	Comments on decentralized sewage systems are noted.

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
29	6/9/2019	Gary	Silberberg	Greenwich, CT		Gary Silberberg Blue Plan Comments	<p>Comments on tidal energy and protection of water-dependent uses are noted.</p> <p>Comments on harbors of refuge, water pollution, MARPOL enforcement, and funding recommendations for dredging projects are noted but not within the purview of the Blue Plan.</p>
30	5/28/2019	Wayne	Sullivan	Old Greenwich, CT	Rocky Point Club	Wayne Sullivan Blue Plan Comments	The SHUA maps were not updated to reflect these comments, but the most heavily used areas for training in Greenwich and elsewhere in the Sound can be included in the future as digital data becomes available. The recreational boating SHUA might also cover the areas mentioned in the comments.
31	5/20/2019	Lindsay	Suter	North Branford, CT		Lindsay Suter Blue Plan Comments	The error identified is tied to the background data/base map. However, Lake Saltonstall is outside of the Blue Plan policy area, so the error will not have a direct effect on the Blue Plan itself.
32	5/13/2019	James	Taradine	Shelton, CT		James Taradine Blue Plan Comments	The purpose of the Blue Plan is to reduce conflicts between new human uses of Long Island Sound and the Sound's important ecological resources and existing significant human uses. The maps associated with the Plan identify locations of uses and resources

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
							that were not previously available in such a comprehensive manner. The Blue Plan map viewer now provides layers of data showing where important ecological resources and significant human uses are located throughout Long Island Sound, which makes it easier to identify areas that should be protected.
33	5/23/2019	Tim	Visel	Ivoryton, CT		Tim Visel Blue Plan Comments	<p>Comments on eelgrass are noted.</p> <p>The Blue Plan is mandated to be updated at least every 5 years. As new and relevant data becomes available, all ESA and SHUA maps can be updated sooner, most likely on an annual basis.</p> <p>The effects of climate change are identified in Section 6.2 as a topic for future consideration.</p>
34	3/5/2019	Dennis	Walsh			Dennis Walsh Blue Plan Comments	Comments on pollution associated with lawn chemicals are noted, but not within the purview of the Blue Plan.
35	4/1/2019	Margaret	Wirtenberg	Weston, CT		Margaret Wirtenberg Blue Plan Comments	<p>Support of the Blue Plan is noted.</p> <p>Comments on pollution associated with stormwater/MS4s and septic systems are noted, but not within the purview of the Blue Plan.</p>
36	3/28/2019	Edward Doris	Zelinsky Zelinsky	Branford, CT		Edward and Doris Zelinsky, Susan Kirby,	Comments on the public trust doctrine are noted. Comments about an

No.	Date	First Name	Last Name	Municipality	Organization (if applicable)	Link to Comment Received	Response
		Susan Joe	Kirby Murray			and Joe Murray Blue Plan Comments	individual dock application in Branford are not within the purview of the Blue Plan.
37	5/23/2019	Barr	Zyla			Barr Zyla Blue Plan Comments	Comments are noted.