

**Connecticut Department of Public Health HIV Surveillance Program
HIV Infection Cases by Diagnosis Year and Risk, Connecticut, 2009 - 2018**

	Total	Transmission category													
		MSM		PWID		MSM and IDU		Heterosexual contact		Perinatal		Presumed Heterosexual contact		Unknown	
		N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total
Diagnosis Year	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	
2009	343	141	41.1	42	12.2	4	1.2	98	28.6	2	0.6	22	6.4	34	9.9
2010	393	154	39.2	47	12.0	5	1.3	127	32.3	0	0	25	6.4	35	8.9
2011	354	172	48.6	24	6.8	6	1.7	91	25.7	1	0.3	16	4.5	44	12.4
2012	295	138	46.8	32	10.8	6	2.0	83	28.1	0	0	11	3.7	25	8.5
2013	325	167	51.4	29	8.9	4	1.2	91	28.0	2	0.6	5	1.5	27	8.3
2014	294	136	46.3	23	7.8	5	1.7	90	30.6	0	0	15	5.1	25	8.5
2015	279	136	48.7	11	3.9	9	3.2	89	31.9	0	0	10	3.6	24	8.6
2016	267	146	54.7	14	5.2	7	2.6	64	24.0	2	0.7	7	2.6	27	10.1
2017	280	138	49.3	24	8.6	5	1.8	85	30.4	0	0	5	1.8	23	8.2
2018	258	134	51.9	13	5.0	6	2.3	66	25.6	0	0	11	4.3	28	10.9
Total	3,088	1,462	47.3	259	8.4	57	1.8	884	28.6	7	0.2	127	4.1	292	9.5

The term HIV Infection is used to refer to three categories of diagnoses collectively:
1 - persons with a diagnosis of HIV infection (not AIDS)
2 - a diagnosis of HIV infection and a later diagnosis of AIDS
3 - concurrent diagnoses of HIV and AIDS.
Source: HIV Surveillance Registry for cases reported through December 2019