

**Connecticut Department of Public Health HIV Surveillance Program  
HIV Infection Cases by Diagnosis Year and Age Group, Connecticut, 2009 - 2018**

	Total	Diagnosis Age											
		<20		20-29		30-39		40-49		50-59		60+	
	N	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total	N	% of Total
<b>Diagnosis Year</b>													
<b>2009</b>	343	12	3.5	71	20.7	93	27.1	108	31.5	49	14.3	10	2.9
<b>2010</b>	393	16	4.1	90	22.9	84	21.4	120	30.5	54	13.7	29	7.4
<b>2011</b>	354	12	3.4	117	33.1	71	20.1	85	24.0	45	12.7	24	6.8
<b>2012</b>	295	9	3.1	86	29.2	75	25.4	64	21.7	43	14.6	18	6.1
<b>2013</b>	325	19	5.8	90	27.7	58	17.8	79	24.3	55	16.9	24	7.4
<b>2014</b>	294	12	4.1	82	27.9	64	21.8	58	19.7	54	18.4	24	8.2
<b>2015</b>	279	14	5.0	85	30.5	62	22.2	51	18.3	45	16.1	22	7.9
<b>2016</b>	267	9	3.4	92	34.5	59	22.1	46	17.2	35	13.1	26	9.7
<b>2017</b>	280	14	5.0	85	30.4	59	21.1	58	20.7	43	15.4	21	7.5
<b>2018</b>	258	13	5.0	73	28.3	55	21.3	58	22.5	38	14.7	21	8.1
<b>Total</b>	3,088	130	4.2	871	28.2	680	22.0	727	23.5	461	14.9	219	7.1

The term HIV Infection is used to refer to three categories of diagnoses collectively:

- 1 - persons with a diagnosis of HIV infection (not AIDS)
- 2 - a diagnosis of HIV infection and a later diagnosis of AIDS
- 3 - concurrent diagnoses of HIV and AIDS.

Source: HIV Surveillance Registry for cases reported through December 2019