

Prevalence of Tobacco Use Among Connecticut Middle School Students, 2015											
Demographic Characteristics	Current Tobacco Use*		Current Cigarette Smoking		Current Other Tobacco Use [§]		Current Cigar Smoking		Current E-Cigarette Use		
	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	%	95% Confidence Interval	
Overall	3.0	(2.0-4.0)	0.8	(0.4-1.2)	1.6	(0.9-2.3)	—	—	1.4	(0.7-2.0)	
Sex											
Male	2.7	(1.6-3.8)	—	—	1.7	(0.7-2.6)	—	—	1.2	(0.6-2.4)	
Female	3.2	(2.1-4.4)	1.0	(0.4-1.5)	1.5	(0.7-2.2)	—	—	1.6	(0.8-2.4)	
Grade											
6	—**	—	—	—	—	—	—	—	—	—	
7	2.6	(1.2-4.1)	—	—	1.7	(0.7-2.8)	—	—	—	—	
8	5.5	(3.3-7.7)	—	—	2.5	(1.1-3.9)	—	—	3.0	(1.3-4.7)	
Race/Ethnicity											
Non-Hispanic White	2.0	(1.0-3.0)	—	—	—	—	—	—	1.3	(0.5-2.1)	
Non-Hispanic Black	—	—	—	—	—	—	—	—	—	—	
Hispanic	5.2	(3.5-6.8)	1.8	(0.7-2.9)	3.0	(1.4-4.6)	—	—	2.0	(0.8-3.2)	
NH-Other	—	—	—	—	—	—	—	—	—	—	

Data Source: 2015 Connecticut Youth Tobacco Survey

Note: Current use is defined as using a product on 1 or more of the past 30 days.

*including cigarettes, cigars, chewing tobacco, snuff, dip, pipes (other than water pipes), bidis, kreteks (clove cigarettes), hookahs (water pipes), and e-cigarettes

§including chewing tobacco, snuff, dip, pipes (other than water pipes), bidis, kreteks, and hookahs

**These estimates are suppressed because the data are statistically unreliable (i.e., the relative standard error was >30% or the sample size was <35). These data are below detectable levels or are non-reportable due to the possibility of misinterpretation.