

**Table CDI-1**  
**CONNECTICUT RESIDENT HOSPITALIZATIONS, 2004**  
**Number and Rate<sup>4</sup> of Hospital Discharges, Median and Total Length of Stay and Charge**  
**for Selected Chronic Disease Indicators**

Diagnostic Group (ICD-9)	CDI Indicat <sup>1</sup>	Hospital Discharges									
		No. of Disch	Rate			Adj Rate 95% CI		Length of Stay		Charge	
			Crude	Age-Adj	se	Lower	Upper	Median	Total	Median	Total
<b>Principal Diagnosis</b>											
<i>All Discharges</i> <sup>3</sup>		402,249	11,481.0	11,123.5	17.76	11,088.7	11,158.3	3.0	1,978,651	10,509	7,252,614,251
<i>Excluding newborn &amp; pregnancy</i> <sup>5</sup>		316,282	9,027.3	8,366.0	15.06	8,336.4	8,395.5	3.0	1,704,371	12,897	6,624,494,352
Diabetes (250)	78	4,606	131.5	124.1	1.85	120.5	127.7	4.0	27,922	11,116	90,919,956
Circulatory (390-459)		62,084	1,772.0	1,570.2	6.39	1,557.7	1,582.7	3.0	311,774	16,982	1,681,705,159
CHD (402, 410-4, 429.2)		19,710	562.6	504.7	3.63	497.6	511.9	3.0	85,283	24,524	637,121,320
Acute Myocardial Infarction (410)	49	7,708	220.0	192.7	2.22	188.3	197.0	4.0	42,836	26,409	286,379,257
Congestive Heart Failure (428)	50	9,866	281.6	239.7	2.45	234.9	244.5	4.0	55,266	13,835	216,308,803
Stroke (430-4, 436-8)	53	7,457	212.8	187.8	2.21	183.5	192.2	4.0	41,620	14,725	181,303,452
COPD (490-496)		9,024	257.6	245.1	2.61	239.9	250.2	3.0	39,280	9,150	117,552,307
Bronchitis (491)		4,244	121.1	109.3	1.70	106.0	112.7	4.0	22,049	11,267	65,425,356
Emphysema (492)		75	2.1	2.0	0.23	1.5	2.4	4.0	425	16,111	1,674,614
Asthma (493)	86	4,369	124.7	125.1	1.91	121.4	128.9	3.0	15,103	7,116	44,671,805
Other COPD (490,494-6)		336	9.6	8.6	0.48	7.7	9.5	3.0	1,703	10,233	5,780,532
<b>Any Diagnosis</b>											
Diabetes (250)	78	62,707	1,789.8	1,632.1	6.59	1,619.2	1,645.1	4.0	341,117	13,878	1,306,532,103
Diabetes with LE Amputation <sup>2</sup>	72	1,070	30.5	27.8	0.86	26.1	29.5	9.0	13,505	28,617	46,124,850
COPD (490-496)		63,436	1,810.6	1,673.5	6.73	1,660.3	1,686.6	4.0	367,771	13,210	1,329,392,868
Asthma (493)	86	26,073	744.2	725.0	4.53	716.1	733.9	3.0	121,978	10,805	425,039,832

1. Indicators for Chronic Disease Surveillance. MMWR no. RR-11. Sept. 10, 2004.
2. Any diagnosis 250 with a procedure code 84.1 and not having 895-897. Denominator for rate is total population, not estimated persons with diabetes.  
By contrast, Healthy People 2010 objective 5-10 does not exclude ICD-9-CM 895-897 and uses an estimate of the number of people with diabetes as the denominator.
3. *Includes* newborn, birth and pregnancy-related hospitalizations.
4. Rates are expressed as discharges per 100,000 population, based on *Estimates for the July 1, 2000-July 1, 2004 United States resident population from the Vintage 2004 postcensal series by year, county, single-year of age, bridged race, Hispanic origin, and sex*, prepared by the National Center for Health Statistics under a collaborative arrangement with the US Census Bureau. September 8, 2005. <http://www.cdc.gov/nchs/major/popbridge.htm>.  
Rates were age adjusted to the U.S. 2000 standard population and based on a state population of 3,503,604.
5. This row in part appears in table H1AA of the separate Hospitalization Report.

**Table CDI-2**  
**CONNECTICUT RESIDENT HOSPITALIZATIONS, 2004**  
**Number and Rate<sup>4</sup> of Hospital Discharges**  
**by Sex for Selected Chronic Disease Indicators**

Diagnostic Group (ICD-9)	CDI Indicat <sup>1</sup>	Male						Female						
		No. of Disch	Rate Crude	Rate Age-Adj	se	Adj Rate 95% CI		No. of Disch	Rate Crude	Rate Age-Adj	se	Adj Rate 95% CI		
<b>Principal Diagnosis</b>														
<i>All Discharges</i> <sup>3</sup>		167,144	9,830.9	10,058.1	24.76	10,009.6	10,106.7	235,105	13,036.6	12,321.9	26.11	12,270.7	12,373.1	
Diabetes (250)	78	2,385	140.3	139.8	2.89	134.2	145.5	2,221	123.2	111.6	2.41	106.9	116.4	
Circulatory (390-459)		32,550	1,914.5	1,956.5	10.94	1,935.0	1,977.9	29,534	1,637.7	1,261.2	7.57	1,246.4	1,276.0	
CHD (402, 410-4, 429.2)		12,045	708.5	711.2	6.54	698.4	724.0	7,665	425.0	335.0	3.92	327.3	342.6	
Acute Myocardial Infarction (410)	49	4,476	263.3	264.7	3.99	256.9	272.6	3,232	179.2	133.7	2.43	129.0	138.5	
Congestive Heart Failure (428)	50	4,627	272.1	284.1	4.20	275.9	292.4	5,239	290.5	207.2	2.97	201.4	213.0	
Stroke (430-4, 436-8)	53	3,513	206.6	214.7	3.65	207.5	221.8	3,944	218.7	167.2	2.75	161.8	172.6	
COPD (490-496)		3,724	219.0	227.5	3.75	220.1	234.8	5,300	293.9	261.2	3.67	254.0	268.4	
Bronchitis (491)		1,790	105.3	110.7	2.64	105.5	115.8	2,454	136.1	109.6	2.26	105.1	114.0	
Emphysema (492)		43	2.5	2.5	0.38	1.7	3.3	32	1.8	1.5	0.28	1.0	2.1	
Asthma (493)	86	1,755	103.2	106.0	2.54	101.0	110.9	2,614	144.9	141.1	2.81	135.6	146.6	
Other COPD (490,494-6)		136	8.0	8.3	0.72	6.9	9.7	200	11.1	9.1	0.66	7.8	10.4	
<b>Any Diagnosis</b>														
Diabetes (250)	78	29,385	1,728.3	1,759.6	10.36	1,739.3	1,779.8	33,322	1,847.7	1,544.6	8.65	1,527.6	1,561.5	
Diabetes with LE Amputation <sup>2</sup>	72	712	41.9	42.1	1.59	39.0	45.2	358	19.9	16.7	0.90	14.9	18.4	
COPD (490-496)		26,481	1,557.5	1,615.2	9.99	1,595.6	1,634.7	36,955	2,049.2	1,772.4	9.46	1,753.8	1,790.9	
Asthma (493)	86	8,269	486.4	491.6	5.44	480.9	502.3	17,804	987.2	942.3	7.18	928.2	956.4	

1. Indicators for Chronic Disease Surveillance. MMWR no. RR-11. Sept. 10, 2004.

2. Any diagnosis 250 with a procedure code 84.1 and not having 895-897. Denominator for rate is total population, not estimated persons with diabetes.

3. *Includes* newborn, birth and pregnancy-related hospitalizations.

4. Rates are expressed as discharges per 100,000 population, based on *Estimates for the July 1, 2000-July 1, 2004 United States resident population from the Vintage 2004 postcensal series by year, county, single-year of age, bridged race, Hispanic origin, and sex*, prepared by the National Center for Health Statistics under a collaborative arrangement with the US Census Bureau. September 8, 2005. <http://www.cdc.gov/nchs/major/popbridge.htm>. Rates were age adjusted to the U.S. 2000 standard population and based on a state population of 3,503,604.

**Table CDI-3**  
**CONNECTICUT RESIDENT HOSPITALIZATIONS, 2004**  
**Number and Rate<sup>4</sup> of Hospital Discharges**  
**by Race-Ethnicity for Selected Chronic Disease Indicators**

Diagnostic Group (ICD-9)	CDI Indicat <sup>1</sup>	White non-Hispanic						Black non-Hispanic						Hispanic						
		No. of Disch	Rate		se	Adj Rate 95% CI		No. of Disch	Rate		se	Adj Rate 95% CI		No. of Disch	Rate		se	Adj Rate 95% CI		
<b>Principal Diagnosis</b>																				
<i>All Discharges</i> <sup>3</sup>		302,069	11,283	10,313.4	19	10,275	10,352	42,851	12,841	14,369.8	72	14,228	14,511	36,536	9,826	11,514.5	72	11,374	11,655	
Diabetes (250)	78	2,860	107	92.8	2	89	96	1,075	322	385.9	12	362	410	552	148	231.2	11	209	253	
Circulatory (390-459)		52,246	1,952	1,490.0	7	1,477	1,503	5,060	1,516	2,057.5	30	1,999	2,116	2,678	720	1,507.9	32	1,445	1,571	
CHD (402, 410-4, 429.2)		16,851	629	490.6	4	483	498	1,052	315	419.2	13	393	445	872	235	486.7	18	452	522	
Acute Myocardial Infarctn (410)	49	6,716	251	189.4	2	185	194	379	114	153.4	8	137	169	349	94	193.1	11	171	215	
Congestive Heart Failure (428)	50	8,176	305	217.6	2	213	222	984	295	412.9	14	386	440	501	135	327.3	16	296	358	
Stroke (430-4, 436-8)	53	6,255	234	176.6	2	172	181	713	214	300.1	12	277	323	267	72	147.4	10	128	167	
COPD (490-496)		6,394	239	201.8	3	197	207	1,269	380	423.5	12	399	448	1,146	308	421.9	15	393	451	
Bronchitis (491)		3,851	144	111.9	2	108	115	217	65	97.4	7	84	111	128	34	86.1	8	70	102	
Emphysema (492)		66	2	2.1	0	2	3	9	3	4.2	1	1	7	0	0	0.0	0	0	0	
Asthma (493)	86	2,206	82	80.0	2	77	83	1,020	306	313.6	10	294	333	989	266	322.5	12	299	346	
Other COPD (490,494-6)		271	10	7.8	0	7	9	23	7	8.4	2	5	12	29	8	13.3	3	8	19	
<b>Any Diagnosis</b>																				
Diabetes (250)	78	46,416	1,734	1,379.7	7	1,367	1,392	8,519	2,553	3,362.3	38	3,289	3,436	5,789	1,557	2,980.6	44	2,895	3,066	
Diabetes with LE Amputatn <sup>2</sup>	72	727	27	21.5	1	20	23	205	61	79.8	6	69	91	110	30	62.1	6	50	75	
COPD (490-496)		50,030	1,869	1,524.2	7	1,510	1,538	6,372	1,909	2,286.7	30	2,228	2,345	5,486	1,475	2,189.2	35	2,121	2,257	
Asthma (493)	86	16,384	612	566.0	5	557	575	4,377	1,312	1,409.3	22	1,366	1,452	4,455	1,198	1,521.3	27	1,469	1,573	

1. Indicators for Chronic Disease Surveillance. MMWR no. RR-11. Sept. 10, 2004.

2. Any diagnosis 250 with a procedure code 84.1 and not having 895-897. Denominator for rate is total population, not estimated persons with diabetes.

3. *Includes* newborn, birth and pregnancy-related hospitalizations.

4. Rates are expressed as discharges per 100,000 population, based on *Estimates for the July 1, 2000-July 1, 2004 United States resident population from the Vintage 2004 postcensal series by year, county, single-year of age, bridged race, Hispanic origin, and sex*, prepared by the National Center for Health Statistics under a collaborative arrangement with the US Census Bureau. September 8, 2005. <http://www.cdc.gov/nchs/major/popbridge.htm>.

Rates were age adjusted to the U.S. 2000 standard population and based on a state population of 3,503,604.

In keeping with confidentiality regulations, numbers and rates are not disclosed for less than six events, but are replaced by 'a'.