

**Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
All Residents, 1990**

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, All Residents, 1990 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, All Residents, 1990 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT Resident DEATHS, 1990
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Female											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance
	All	< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance	
*****Causes of Death*****												
..Asthma (493)	27	13	17	198	348	13.2	11.6	0	21.5	19.9	0	
Chronic liver disease and cirrhosis (571)	114	46	84	660	1,300	48.1	60.3	0	84.4	108.4	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	150	24	58	280	705	20.0	9.9	0	41.8	25.2	0	
..Nephritis-related (580-589)	835	129	342	1,702	3,979	122.5	100.2	0	244.4	209.5	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	163	25	61	283	718	20.2	10.6	0	42.5	27.5	0	
Unintentional injuries (E800-E949)	328	127	171	4,123	5,593	276.6	307.9	0	346.1	384.0	0	
..Motor vehicle accidents (E810-E825)	120	81	100	2,792	3,689	187.8	202.7	0	229.6	245.4	0	
..Falls and fall related injuries (E880-E888)	110	8	17	92	210	6.3	8.2	0	12.3	13.8	0	
..Drowning (E830,E832,E910)	5	4	4	226	266	
..Residential fires (E890-E899)	16	10	11	336	444	22.7	24.5	0	27.8	30.5	0	
Suicide (E950-E959)	60	47	54	1,243	1,750	81.4	71.4	0	106.8	97.5	0	
Homicide and legal intervention (E960-E978)	40	34	38	1,135	1,490	71.8	100.9	0	87.5	121.1	0	
..Homicide (E960-E969)	39	33	37	1,108	1,453	69.9	100.9	0	85.1	121.1	0	
All injury (E800-E999)	433	213	268	6,643	9,025	438.3	483.7	0	551.3	607.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	117	81	97	2,792	3,672	187.8	202.7	0	228.8	245.4	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	82	8	16	92	207	6.3	7.0	0	12.2	12.6	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	36	32	35	1,080	1,418	69.3	79.4	0	84.3	99.5	0	
....Suicide (E955.0-.4)	15	13	15	418	563	28.1	29.1	0	34.9	38.1	0	
....Homicide (E965.0-.4)	19	17	18	603	775	37.5	47.7	0	44.8	58.4	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	21	26	468	705	29.4	32.2	0	41.7	45.0	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	60	43	58	723	1,230	51.0	50.1	0	80.1	80.7	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	19	12	16	300	435	18.9	20.3	0	25.8	27.9	0	

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).