

**Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
All Residents, 1993-1994**

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, All Residents, 1993-1994 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, All Residents, 1993-1994 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female				1991- 1992 No. of deaths	Crude rate	Signif- icance AAMR	1991- 1992 No. of deaths	Crude rate	Signif- icance AAMR	1991- 1992 No. of deaths	Crude rate	Signif- icance AAMR	1991- 1992 No. of deaths	Crude rate	Signif- icance AAMR				
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****								*****1993-1994*****											
	1991	1992	1991	1992	1991	1992	1991	1992	1991	1992	1991	1992					1991	1992	1991	1992	1991	1992	1991	1992				
<b>*****Causes of Death*****</b>																												
All causes	58,179	889.2	450.2	0	443.1	28,505	898.0	579.6	0	580.0	29,674	880.9	345.0	0	334.6													
Infectious diseases and parasitic disease (1-139)	2,193	33.5	23.6	1	18.5	1,348	42.5	33.9	1	26.8	845	25.1	13.9	1	10.7													
..Septicemia (038)	807	12.3	5.3	0	5.5	342	10.8	6.2	0	6.7	465	13.8	4.7	0	4.6													
....Septicemia-related (038)	2,779	42.5	19.5	1	21.4	1,205	38.0	22.6	1	26.6	1,574	46.7	17.3	0	17.4													
...HIV infection (042-044)	1,092	16.7	15.3	1	10.9	846	26.7	24.0	1	17.4	246	7.3	7.0	1	4.7													
All cancer (140-208)	14,142	216.1	123.2	0	126.2	7,152	225.3	146.4	0	152.4	6,990	207.5	107.2	0	108.1													
..Oral cavity or pharynx (140.0-149.9)	231	3.5	2.3	0	2.6	141	4.4	3.3	0	4.0	90	2.7	1.4	0	1.4													
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,653	25.3	12.7	0	13.0	818	25.8	16.1	0	16.2	835	24.8	10.2	0	10.6													
....Colon cancer (153)	1,316	20.1	9.9	0	10.6	639	20.1	12.3	0	13.2	677	20.1	8.2	0	8.7													
....Rectal cancer (154)	310	4.7	2.6	0	2.2	170	5.4	3.6	0	2.8	140	4.2	1.8	0	1.7													
..Pancreatic cancer (157)	783	12.0	6.6	0	6.0	391	12.3	8.3	1	6.5	392	11.6	5.2	0	5.5													
..Lung and other respiratory cancer (160-165)	3,733	57.1	34.5	0	36.4	2,171	68.4	45.5	1	49.8	1,562	46.4	26.3	0	26.6													
....Lung cancer (162.2-.9)	3,605	55.1	33.3	0	35.1	2,080	65.5	43.6	0	47.4	1,525	45.3	25.7	0	26.0													
..Malignant melanoma of skin (172)	178	2.7	1.9	0	1.9	105	3.3	2.5	0	2.5	73	2.2	1.4	0	1.5													
..Female breast cancer (174)	1,202	.-	.-	.-	.-	.-	.-	.-	.-	.-	1,202	35.7	21.0	0	21.8													
..Cervical cancer (180)	76	.-	.-	.-	.-	.-	.-	.-	.-	.-	76	2.3	1.7	0	2.0													
..Endometrial cancer (182)	86	.-	.-	.-	.-	.-	.-	.-	.-	.-	86	2.6	1.2	0	1.2													
..Ovarian cancer (183)	378	.-	.-	.-	.-	.-	.-	.-	.-	.-	378	11.2	6.1	0	6.0													
..Prostate cancer (185)	824	.-	.-	.-	.-	824	26.0	13.3	1	15.8	.-	.-	.-	.-	.-													
..Bladder cancer (188)	334	5.1	2.4	0	2.4	219	6.9	3.8	0	3.9	115	3.4	1.4	0	1.4													
..Brain & other CNS cancer (191-192)	303	4.6	3.3	0	3.6	156	4.9	3.8	0	4.8	147	4.4	2.8	0	2.6													
..Leukemia (204-208)	531	8.1	4.8	0	4.6	273	8.6	5.8	0	5.8	258	7.7	4.1	0	3.8													
Diabetes mellitus (250)	1,201	18.4	9.6	1	8.1	527	16.6	10.7	0	9.4	674	20.0	8.7	1	7.0													
..Diabetes-related (250)	4,910	75.0	36.7	0	34.6	2,226	70.1	42.9	0	41.1	2,684	79.7	32.1	0	29.6													
..Diabetic ketoacidosis (DKA) (250.1)	26	0.4	0.3	0	0	11	0.3	.-	0	15	0.4	0.2	.-	.-	.-													
Alzheimer's diseases (331.0)	508	7.8	2.4	1	1.9	161	5.1	2.4	0	2.2	347	10.3	2.4	1	1.7													
Cardiovascular disease (390-459)	[24,581]	375.7	156.8	0	160.1	11,274	355.1	207.3	0	214.3	13,307	395.0	116.5	0	117.9													
..Diseases of the heart (390-398,402,404-429)	19,516	298.3	126.9	0	130.4	9,251	291.4	172.4	0	178.8	10,265	304.7	90.6	0	92.6													
....Heart disease-related (390-398,402,404-429)	32,818	501.6	221.1	0	221.2	15,599	491.4	291.3	0	296.5	17,219	511.2	166.4	0	163.7													
....Coronary heart disease (CHD) (402,410-414,429.2)	14,122	215.8	91.3	1	95.6	6,852	215.8	128.2	1	135.6	7,270	215.8	61.6	0	64.3													
....Congestive heart failure (CHF) (428.0)	984	15.0	4.7	0	4.5	375	11.8	5.5	0	4.9	609	18.1	4.2	0	4.2													
..Hypertension with or without renal disease (401,403)	285	4.4	1.9	0	1.8	122	3.8	2.3	0	2.1	163	4.8	1.5	0	1.5													
..Hypertension-related (401,403)	3,496	53.4	23.4	0	22.2	1,398	44.0	26.7	0	25.4	2,098	62.3	20.3	0	19.2													
Cerebrovascular disease (430-438)	3,650	55.8	21.1	0	20.3	1,384	43.6	23.6	0	23.1	2,266	67.3	19.1	0	18.2													
Atherosclerosis (440)	384	5.9	1.6	0	2.0	131	4.1	1.9	0	2.2	253	7.5	1.4	0	1.8													
..Atherosclerosis-related (440)	1,798	27.5	8.9	1	10.5	688	21.7	10.7	1	13.0	1,110	33.0	7.5	0	8.6													
Aortic aneurysm (441)	373	5.7	2.7	0	3.0	225	7.1	4.2	0	4.7	148	4.4	1.6	0	1.8													
Pneumonia & influenza (480-487)	2,354	36.0	12.4	0	11.8	1,046	33.0	16.4	0	15.9	1,308	38.8	9.7	0	9.1													

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (&lt;15).

1 - The 1993-1994 AAMR is significantly different (prob&lt;0.05) from the 1991-1992 AAMR.

0 - The 1993-1994 AAMR is not significantly different (prob&gt;0.05) from the 1991-1992 AAMR.

CONNECTICUT Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes						Male						Female					
	*****1993-1994*****			1991-1992			*****1993-1994*****			1991-1992			*****1993-1994*****			1991-1992		
	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance
<b>*****Causes of Death*****</b>																		
Chronic obstructive pulmonary disease (COPD) (490-496)	2,278	34.8	15.5	0	14.7	1,088	34.3	18.7	0	19.6	1,190	35.3	13.6	1	11.7			
..COPD-related (490-496)	5,544	84.7	37.1	1	33.9	2,874	90.5	49.1	0	46.8	2,670	79.3	29.5	1	25.8			
..Asthma (493)	100	1.5	1.1	0	0.8	39	1.2	1.0	0	0.7	61	1.8	1.1	0	0.8			
Chronic liver disease and cirrhosis (571)	591	9.0	6.8	0	6.7	386	12.2	9.8	0	9.5	205	6.1	4.1	0	4.2			
Nephritis, nephrotic syndrome/nephrosis (580-589)	619	9.5	4.1	0	4.4	315	9.9	5.5	0	6.1	304	9.0	3.2	0	3.3			
..Nephritis-related (580-589)	3,079	47.1	22.0	1	24.1	1,651	52.0	30.2	0	32.4	1,428	42.4	16.2	1	18.6			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	729	11.1	4.9	0	5.0	372	11.7	6.6	0	6.8	357	10.6	3.8	0	3.8			
Unintentional injuries (E800-E949)	1,958	29.9	23.9	1	21.3	1,276	40.2	35.5	0	31.7	682	20.2	12.9	0	11.3			
..Motor vehicle accidents (E810-E825)	689	10.5	10.5	0	9.9	472	14.9	15.1	0	14.4	217	6.4	6.0	0	5.5			
..Falls and fall related injuries (E880-E888)	355	5.4	2.3	0	2.3	163	5.1	3.1	0	3.4	192	5.7	1.6	0	1.5			
..Drowning (E830,E832,E910)	67	1.0	1.0	0	1.2	55	1.7	1.6	0	2.1	121	0.4	.1	.1	.1			
..Residential fires (E890-E899)	63	1.0	0.9	0	0.9	37	1.2	1.1	0	1.0	26	0.8	0.7	0	0.9			
Suicide (E950-E959)	616	9.4	8.7	0	9.1	481	15.2	14.2	0	15.4	135	4.0	3.6	0	3.0			
Homicide and legal intervention (E960-E978)	418	6.4	7.4	0	6.2	316	10.0	11.5	0	10.0	102	3.0	3.2	0	2.3			
..Homicide (E960-E969)	415	6.3	7.4	0	6.1	313	9.9	11.4	0	9.9	102	3.0	3.2	0	2.3			
All injury (E800-E999)	3,053	46.7	40.9	0	38.0	2,124	66.9	62.5	0	59.2	929	27.6	20.0	0	17.5			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	672	10.3	10.3	0	9.7	457	14.4	14.7	0	14.0	215	6.4	5.9	0	5.5			
..All falls (E880-E886,E888,E957,E968.1,E987)	267	4.1	2.1	0	2.2	151	4.8	3.1	0	3.2	116	3.4	1.2	0	1.3			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	595	9.1	9.9	0	8.8	507	16.0	17.0	0	16.0	88	2.6	2.8	0	1.8			
....Suicide (E955.0-.4)	285	4.4	4.2	0	4.1	245	7.7	7.4	0	7.6	40	1.2	1.2	0	0.7			
....Homicide (E965.0-.4)	293	4.5	5.4	0	4.5	246	7.7	9.1	0	7.9	47	1.4	1.6	0	0.9			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	540	8.3	7.5	1	6.1	410	12.9	11.8	1	9.4	130	3.9	3.4	0	2.9			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	353	5.4	4.6	0	4.5	269	8.5	7.3	0	7.0	84	2.5	2.0	0	2.3			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	463	7.1	6.5	1	4.5	350	11.0	10.0	1	6.8	113	3.4	3.0	0	2.2			

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.

0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
<b>*****Causes of Death*****</b>															
All causes	58,179	889.2	621.3	0	616.2	28,505	898.0	790.3	0	800.2	29,674	880.9	494.6	0	482.8
Infectious diseases and parasitic disease (1-139)	2,193	33.5	24.6	1	19.8	1,348	42.5	34.2	1	27.7	845	25.1	15.7	1	12.7
..Septicemia (038)	807	12.3	8.0	0	8.2	342	10.8	9.2	0	9.7	465	13.8	7.2	0	7.0
....Septicemia-related (038)	2,779	42.5	28.4	0	30.3	1,205	38.0	32.7	1	37.4	1,574	46.7	25.4	0	25.3
...HIV infection (042-044)	1,092	16.7	13.0	1	9.4	846	26.7	20.6	1	14.9	246	7.3	5.8	1	4.0
All cancer (140-208)	14,142	216.1	162.9	0	166.4	7,152	225.3	200.1	0	207.7	6,990	207.5	139.0	0	139.8
..Oral cavity or pharynx (140.0-149.9)	231	3.5	2.8	0	3.3	141	4.4	4.1	0	4.9	90	2.7	1.8	0	1.9
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,653	25.3	18.0	0	18.2	818	25.8	22.8	0	23.1	835	24.8	14.5	0	14.9
....Colon cancer (153)	1,316	20.1	14.2	0	15.0	639	20.1	17.8	0	18.9	677	20.1	11.7	0	12.3
....Rectal cancer (154)	310	4.7	3.5	0	3.0	170	5.4	4.8	0	3.9	140	4.2	2.5	0	2.4
..Pancreatic cancer (157)	783	12.0	8.9	0	8.3	391	12.3	11.0	1	8.8	392	11.6	7.2	0	7.7
..Lung and other respiratory cancer (160-165)	3,733	57.1	44.7	0	46.9	2,171	68.4	61.2	0	66.4	1,562	46.4	33.4	0	33.4
....Lung cancer (162.2-.9)	3,605	55.1	43.2	0	45.2	2,080	65.5	58.7	0	63.4	1,525	45.3	32.6	0	32.7
..Malignant melanoma of skin (172)	178	2.7	2.2	0	2.3	105	3.3	3.0	0	3.1	73	2.2	1.6	0	1.7
..Female breast cancer (174)	1,202	.-	.-	0	.-	.-	.-	.-	0	1,202	35.7	25.5	0	26.2	
..Cervical cancer (180)	76	.-	.-	0	.-	.-	.-	.-	0	76	2.3	1.8	0	2.1	
..Endometrial cancer (182)	86	.-	.-	0	.-	.-	.-	.-	0	86	2.6	1.7	0	1.7	
..Ovarian cancer (183)	378	.-	.-	0	.-	.-	.-	.-	0	378	11.2	7.7	0	7.7	
..Prostate cancer (185)	824	.-	.-	0	824	26.0	22.1	1	25.8	.-	.-	.-	.-	0	.-
..Bladder cancer (188)	334	5.1	3.5	0	3.7	219	6.9	6.0	0	6.0	115	3.4	2.0	0	2.2
..Brain & other CNS cancer (191-192)	303	4.6	3.9	0	4.2	156	4.9	4.5	0	5.5	147	4.4	3.4	0	3.1
..Leukemia (204-208)	531	8.1	6.2	0	5.9	273	8.6	7.6	0	7.5	258	7.7	5.2	0	4.8
Diabetes mellitus (250)	1,201	18.4	13.2	1	11.2	527	16.6	14.6	0	12.8	674	20.0	12.0	1	10.0
..Diabetes-related (250)	4,910	75.0	52.6	0	50.3	2,226	70.1	61.5	0	59.2	2,684	79.7	46.3	0	43.8
..Diabetic ketoacidosis (DKA) (250.1)	26	0.4	0.3	0	0	11	0.3	.-	0	15	0.4	0.3	.-	.-	.-
Alzheimer's diseases (331.0)	508	7.8	4.5	1	3.6	161	5.1	4.3	0	4.0	347	10.3	4.5	1	3.3
Cardiovascular disease (390-459)	24,581	375.7	243.2	0	248.3	11,274	355.1	310.7	0	322.2	13,307	395.0	192.2	0	194.3
..Diseases of the heart (390-398,402,404-429)	19,516	298.3	194.9	0	199.8	9,251	291.4	255.7	0	265.5	10,265	304.7	149.1	0	151.6
....Heart disease-related (390-398,402,404-429)	32,818	501.6	331.7	0	333.0	15,599	491.4	428.8	0	438.5	17,219	511.2	261.3	0	258.4
....Coronary heart disease (CHD) (402,410-414,429.2)	14,122	215.8	141.0	1	147.2	6,852	215.8	189.9	1	201.2	7,270	215.8	103.8	0	107.4
....Congestive heart failure (CHF) (428.0)	984	15.0	8.6	0	8.2	375	11.8	10.1	0	8.9	609	18.1	7.8	0	7.7
..Hypertension with or without renal disease (401,403)	285	4.4	2.9	0	2.7	122	3.8	3.4	0	3.2	163	4.8	2.4	0	2.3
....Hypertension-related (401,403)	3,496	53.4	35.5	0	34.0	1,398	44.0	38.7	0	36.8	2,098	62.3	32.2	0	30.9
..Cerebrovascular disease (430-438)	3,650	55.8	34.5	0	33.6	1,384	43.6	37.5	0	37.4	2,266	67.3	32.0	0	30.7
..Atherosclerosis (440)	384	5.9	3.2	0	3.8	131	4.1	3.5	0	4.0	253	7.5	2.9	0	3.5
....Atherosclerosis-related (440)	1,798	27.5	16.0	1	19.0	688	21.7	18.5	1	22.6	1,110	33.0	14.2	1	16.4
..Aortic aneurysm (441)	373	5.7	3.9	0	4.6	225	7.1	6.2	0	7.0	148	4.4	2.4	0	2.9
Pneumonia & influenza (480-487)	2,354	36.0	21.2	0	20.9	1,046	33.0	28.1	0	28.2	1,308	38.8	17.2	0	16.8

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (&lt;15).

1 - The 1993-1994 AAMR is significantly different (prob&lt;0.05) from the 1991-1992 AAMR.

0 - The 1993-1994 AAMR is not significantly different (prob&gt;0.05) from the 1991-1992 AAMR.

CONNECTICUT Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes						Male						Female					
	*****1993-1994*****			1991-			*****1993-1994*****			1991-			*****1993-1994*****			1991-		
	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance
<b>*****Causes of Death*****</b>																		
Chronic obstructive pulmonary disease (COPD) (490-496)	2,278	34.8	23.5	0	22.5	1,088	34.3	29.5	0	31.3	1,190	35.3	20.2	1	17.6			
..COPD-related (490-496)	5,544	84.7	56.7	1	51.9	2,874	90.5	77.9	0	74.4	2,670	79.3	44.4	1	38.9			
..Asthma (493)	100	1.5	1.2	0	1.0	39	1.2	1.1	0	0.8	61	1.8	1.3	0	1.1			
Chronic liver disease and cirrhosis (571)	591	9.0	7.6	0	7.5	386	12.2	11.1	0	10.7	205	6.1	4.6	0	4.9			
Nephritis, nephrotic syndrome/nephrosis (580-589)	619	9.5	6.2	0	6.7	315	9.9	8.6	0	9.4	304	9.0	4.9	0	5.1			
..Nephritis-related (580-589)	3,079	47.1	31.8	1	35.1	1,651	52.0	44.8	0	48.4	1,428	42.4	23.7	1	27.0			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	729	11.1	7.3	0	7.5	372	11.7	10.1	0	10.5	357	10.6	5.7	0	5.7			
Unintentional injuries (E800-E949)	1,958	29.9	25.0	1	22.7	1,276	40.2	36.5	0	33.3	682	20.2	14.6	0	13.1			
..Motor vehicle accidents (E810-E825)	689	10.5	10.3	0	9.7	472	14.9	14.8	0	13.9	217	6.4	6.1	0	5.6			
..Falls and fall related injuries (E880-E888)	355	5.4	3.4	0	3.6	163	5.1	4.5	0	5.0	192	5.7	2.7	0	2.6			
..Drowning (E830,E832,E910)	67	1.0	1.0	0	1.2	55	1.7	1.6	0	2.1	121	0.4	.1	0	.1			
..Residential fires (E890-E899)	63	1.0	0.9	0	1.0	37	1.2	1.1	0	1.1	26	0.8	0.7	0	1.0			
Suicide (E950-E959)	616	9.4	8.4	0	8.6	481	15.2	13.8	0	15.0	135	4.0	3.5	0	2.8			
Homicide and legal intervention (E960-E978)	418	6.4	6.8	0	5.6	316	10.0	10.5	0	9.1	102	3.0	3.0	0	2.1			
..Homicide (E960-E969)	415	6.3	6.8	0	5.6	313	9.9	10.4	0	9.1	102	3.0	3.0	0	2.1			
All injury (E800-E999)	3,053	46.7	41.0	0	38.2	2,124	66.9	62.0	0	59.3	929	27.6	21.3	0	18.8			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	672	10.3	10.1	0	9.5	457	14.4	14.3	0	13.5	215	6.4	6.0	0	5.5			
..All falls (E880-E886,E888,E957,E968.1,E987)	267	4.1	2.8	0	3.1	151	4.8	4.2	0	4.5	116	3.4	1.8	0	2.1			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	595	9.1	9.2	0	8.2	507	16.0	16.1	0	15.1	88	2.6	2.5	0	1.6			
....Suicide (E955.0-.4)	285	4.4	4.0	0	3.9	245	7.7	7.2	0	7.5	40	1.2	1.1	0	0.6			
....Homicide (E965.0-.4)	293	4.5	4.9	0	4.1	246	7.7	8.3	0	7.2	47	1.4	1.5	0	0.8			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	540	8.3	6.6	1	5.5	410	12.9	10.2	0	8.3	130	3.9	3.2	0	2.7			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	353	5.4	4.7	0	4.7	269	8.5	7.7	0	7.3	84	2.5	2.1	0	2.4			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	463	7.1	5.5	1	3.9	350	11.0	8.4	1	5.8	113	3.4	2.7	0	2.0			

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.

0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****						
	No. of deaths	Crude rate	Signif-icance	AAMR	No. of deaths	Crude rate	Signif-icance	AAMR	No. of deaths	Crude rate	Signif-icance	AAMR			
<b>*****Causes of Death*****</b>															
All causes	58,179	889.2	845.2	0	839.3	28,505	898.0	1066.4	0	1084.5	29,674	880.9	690.3	0	674.9
Infectious diseases and parasitic disease (1-139)	2,193	33.5	32.1	0	26.1	1,348	42.5	44.1	1	36.3	845	25.1	21.0	1	17.1
..Septicemia (038)	807	12.3	11.7	0	11.7	342	10.8	13.2	0	13.9	465	13.8	10.6	0	10.2
....Septicemia-related (038)	2,779	42.5	40.3	0	42.2	1,205	38.0	46.3	1	52.3	1,574	46.7	36.3	0	35.6
...HIV infection (042-044)	1,092	16.7	16.1	1	11.5	846	26.7	25.5	1	18.5	246	7.3	7.0	1	4.7
All cancer (140-208)	14,142	216.1	204.5	0	208.5	7,152	225.3	257.3	0	266.9	6,990	207.5	173.2	0	174.0
..Oral cavity or pharynx (140.0-149.9)	231	3.5	3.4	0	3.9	141	4.4	4.8	0	5.9	90	2.7	2.2	0	2.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,653	25.3	23.8	0	24.1	818	25.8	30.3	0	30.8	835	24.8	19.6	0	19.9
....Colon cancer (153)	1,316	20.1	19.0	0	19.8	639	20.1	23.9	0	25.2	677	20.1	15.9	0	16.5
....Rectal cancer (154)	310	4.7	4.5	0	3.9	170	5.4	6.0	0	5.1	140	4.2	3.3	0	3.1
..Pancreatic cancer (157)	783	12.0	11.3	0	10.7	391	12.3	13.7	0	11.3	392	11.6	9.3	0	10.1
..Lung and other respiratory cancer (160-165)	3,733	57.1	53.7	0	56.0	2,171	68.4	75.9	0	81.8	1,562	46.4	39.4	0	39.3
....Lung cancer (162.2-.9)	3,605	55.1	51.8	0	53.9	2,080	65.5	72.8	0	78.2	1,525	45.3	38.5	0	38.4
..Malignant melanoma of skin (172)	178	2.7	2.6	0	2.7	105	3.3	3.6	0	3.8	73	2.2	1.9	0	2.0
..Female breast cancer (174)	1,202	.-	.-	0	.-	.-	.-	.-	0	1,202	35.7	31.1	.-	31.7	
..Cervical cancer (180)	76	.-	.-	0	.-	.-	.-	.-	0	76	2.3	2.2	0	2.6	
..Endometrial cancer (182)	86	.-	.-	0	.-	.-	.-	.-	0	86	2.6	2.1	0	2.0	
..Ovarian cancer (183)	378	.-	.-	0	.-	.-	.-	.-	0	378	11.2	9.5	0	9.3	
..Prostate cancer (185)	824	.-	.-	0	.-	824	26.0	32.9	0	37.8	.-	.-	.-	.-	
..Bladder cancer (188)	334	5.1	4.8	0	5.1	219	6.9	8.6	0	8.2	115	3.4	2.7	0	3.2
..Brain & other CNS cancer (191-192)	303	4.6	4.5	0	4.8	156	4.9	5.3	0	6.3	147	4.4	3.9	0	3.6
..Leukemia (204-208)	531	8.1	7.7	0	7.4	273	8.6	9.7	0	9.6	258	7.7	6.4	0	6.0
Diabetes mellitus (250)	1,201	18.4	17.4	1	14.9	527	16.6	19.2	0	16.6	674	20.0	16.0	1	13.5
..Diabetes-related (250)	4,910	75.0	70.5	0	68.2	2,226	70.1	82.3	0	79.6	2,684	79.7	62.6	0	60.3
..Diabetic ketoacidosis (DKA) (250.1)	26	0.4	0.4	0	0	11	0.3	.-	0	15	0.4	0.3	.-	.-	
Alzheimer's diseases (331.0)	508	7.8	7.4	1	5.8	161	5.1	6.9	0	6.5	347	10.3	7.5	1	5.4
Cardiovascular disease (390-459)	24,581	375.7	356.3	0	363.1	11,274	355.1	441.2	1	458.5	13,307	395.0	295.3	0	297.4
..Diseases of the heart (390-398,402,404-429)	19,516	298.3	283.0	0	288.8	9,251	291.4	359.7	0	373.6	10,265	304.7	228.1	0	230.4
....Heart disease-related (390-398,402,404-429)	32,818	501.6	475.4	0	476.3	15,599	491.4	603.6	0	617.7	17,219	511.2	387.9	0	383.0
....Coronary heart disease (CHD) (402,410-414,429.2)	14,122	215.8	204.7	1	212.8	6,852	215.8	265.4	1	281.7	7,270	215.8	160.6	0	164.9
....Congestive heart failure (CHF) (428.0)	984	15.0	14.3	0	13.3	375	11.8	16.5	0	14.5	609	18.1	13.1	0	12.7
..Hypertension with or without renal disease (401,403)	285	4.4	4.1	0	3.9	122	3.8	4.7	0	4.6	163	4.8	3.6	0	3.4
....Hypertension-related (401,403)	3,496	53.4	50.4	0	48.6	1,398	44.0	52.6	0	50.3	2,098	62.3	47.2	0	45.8
..Cerebrovascular disease (430-438)	3,650	55.8	53.0	0	52.1	1,384	43.6	56.3	0	56.9	2,266	67.3	50.1	0	48.6
..Atherosclerosis (440)	384	5.9	5.6	0	6.4	131	4.1	5.8	0	6.5	253	7.5	5.3	0	6.1
....Atherosclerosis-related (440)	1,798	27.5	26.0	1	30.9	688	21.7	29.0	1	35.5	1,110	33.0	23.8	1	27.7
..Aortic aneurysm (441)	373	5.7	5.3	0	6.3	225	7.1	8.3	0	9.5	148	4.4	3.4	0	4.2
Pneumonia & influenza (480-487)	2,354	36.0	34.3	0	34.2	1,046	33.0	45.2	0	46.1	1,308	38.8	28.4	0	28.1

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (&lt;15).

1 - The 1993-1994 AAMR is significantly different (prob&lt;0.05) from the 1991-1992 AAMR.

0 - The 1993-1994 AAMR is not significantly different (prob&gt;0.05) from the 1991-1992 AAMR.

CONNECTICUT Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes						Male						Female					
	*****1993-1994*****			1991-1992			*****1993-1994*****			1991-1992			*****1993-1994*****			1991-1992		
	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance
<b>*****Causes of Death*****</b>																		
Chronic obstructive pulmonary disease (COPD) (490-496)	2,278	34.8	32.5	0	31.4	1,088	34.3	42.4	0	45.3	1,190	35.3	27.5	1	24.2			
..COPD-related (490-496)	5,544	84.7	79.1	1	72.3	2,874	90.5	112.5	0	107.4	2,670	79.3	61.3	1	53.7			
..Asthma (493)	100	1.5	1.5	0	1.3	39	1.2	1.4	0	0.9	61	1.8	1.6	0	1.4			
Chronic liver disease and cirrhosis (571)	591	9.0	8.9	0	8.9	386	12.2	13.0	0	12.6	205	6.1	5.5	0	5.7			
Nephritis, nephrotic syndrome/nephrosis (580-589)	619	9.5	8.9	0	9.6	315	9.9	12.7	0	13.9	304	9.0	7.0	0	7.3			
..Nephritis-related (580-589)	3,079	47.1	44.4	1	48.7	1,651	52.0	64.5	0	69.3	1,428	42.4	33.0	1	37.3			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	729	11.1	10.5	0	10.7	372	11.7	14.9	0	15.5	357	10.6	8.2	0	8.2			
Unintentional injuries (E800-E949)	1,958	29.9	29.1	1	26.2	1,276	40.2	42.6	0	38.2	682	20.2	17.5	0	16.0			
..Motor vehicle accidents (E810-E825)	689	10.5	10.4	0	9.8	472	14.9	15.0	0	14.0	217	6.4	6.1	0	5.8			
..Falls and fall related injuries (E880-E888)	355	5.4	5.2	0	5.4	163	5.1	6.7	0	7.3	192	5.7	4.2	0	4.2			
..Drowning (E830,E832,E910)	67	1.0	1.0	0	1.2	55	1.7	1.7	0	2.2	121	0.4	.	0	.			
..Residential fires (E890-E899)	63	1.0	1.0	0	1.0	37	1.2	1.2	0	1.2	26	0.8	0.7	0	1.0			
Suicide (E950-E959)	616	9.4	9.3	0	9.5	481	15.2	15.4	0	16.7	135	4.0	3.9	0	3.2			
Homicide and legal intervention (E960-E978)	418	6.4	6.4	0	5.4	316	10.0	9.8	0	8.7	102	3.0	3.0	0	2.1			
..Homicide (E960-E969)	415	6.3	6.4	0	5.4	313	9.9	9.7	0	8.6	102	3.0	3.0	0	2.1			
All injury (E800-E999)	3,053	46.7	45.6	0	42.8	2,124	66.9	69.3	0	65.8	929	27.6	24.6	0	22.3			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	672	10.3	10.2	0	9.5	457	14.4	14.5	0	13.5	215	6.4	6.1	0	5.8			
..All falls (E880-E886,E888,E957,E968.1,E987)	267	4.1	3.9	0	4.5	151	4.8	5.9	0	6.3	116	3.4	2.7	0	3.3			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	595	9.1	9.1	0	8.2	507	16.0	16.1	0	15.2	88	2.6	2.6	0	1.7			
....Suicide (E955.0-.4)	285	4.4	4.3	0	4.2	245	7.7	8.0	0	8.2	40	1.2	1.2	0	0.8			
....Homicide (E965.0-.4)	293	4.5	4.5	0	3.8	246	7.7	7.6	0	6.7	47	1.4	1.4	0	0.8			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	540	8.3	7.9	1	6.5	410	12.9	12.3	1	10.0	130	3.9	3.7	0	3.2			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	353	5.4	5.4	0	5.5	269	8.5	8.9	0	8.6	84	2.5	2.4	0	2.8			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	463	7.1	6.7	1	4.6	350	11.0	10.3	1	7.0	113	3.4	3.2	0	2.3			

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.

0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
All causes	58,179	13,849	25,695	269,278	462,393	4625.2	4290.2	1	7078.2	6675.8	1	
Infectious diseases and parasitic disease (1-139)	2,193	1,341	1,544	33,531	47,903	519.5	381.1	1	698.3	517.2	1	
..Septicemia (038)	807	123	277	2,086	4,016	33.7	44.5	0	57.3	70.3	0	
....Septicemia-related (038)	2,779	519	1,062	8,637	16,244	140.9	172.8	0	235.8	282.7	1	
..HIV infection (042-044)	1,092	1,076	1,090	28,050	38,900	428.9	305.0	1	563.5	400.9	1	
All cancer (140-208)	14,142	3,788	8,088	43,087	101,257	697.7	712.3	0	1437.1	1476.7	0	
..Oral cavity or pharynx (140.0-149.9)	231	83	157	953	2,148	15.5	17.2	0	31.0	36.4	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,653	334	784	2,935	8,365	45.9	49.8	0	114.3	116.7	0	
....Colon cancer (153)	1,316	257	599	2,148	6,303	33.5	39.6	0	85.8	93.8	0	
....Rectal cancer (154)	310	75	178	753	1,980	11.9	9.4	0	27.4	21.5	0	
..Pancreatic cancer (157)	783	182	440	1,707	4,692	27.1	20.5	0	64.8	52.6	0	
..Lung and other respiratory cancer (160-165)	3,733	1,042	2,398	9,120	26,220	143.1	161.5	0	359.4	394.9	0	
....Lung cancer (162.2-.9)	3,605	1,006	2,312	8,695	25,170	136.6	153.4	0	345.2	377.5	0	
..Malignant melanoma of skin (172)	178	82	124	1,065	2,085	16.3	20.6	0	29.7	34.6	0	
..Female breast cancer (174)	1,202	446	765	5,460	11,478	..	..	..	..	..	..	
..Cervical cancer (180)	76	50	59	825	1,373	..	..	..	..	..	..	
..Endometrial cancer (182)	86	20	44	125	420	..	..	..	..	..	..	
..Ovarian cancer (183)	378	119	215	1,233	2,848	..	..	..	..	..	..	
..Prostate cancer (185)	824	58	270	400	1,880	..	..	..	..	..	..	
..Bladder cancer (188)	334	39	140	378	1,230	6.2	5.3	0	16.4	15.9	0	
..Brain & other CNS cancer (191-192)	303	135	218	2,356	4,098	40.8	42.5	0	63.7	70.0	0	
..Leukemia (204-208)	531	165	310	3,201	5,518	57.3	55.7	0	87.0	84.4	0	
Diabetes mellitus (250)	1,201	280	592	3,305	7,560	52.1	42.2	0	105.9	85.3	0	
..Diabetes-related (250)	4,910	841	2,214	8,403	23,125	133.2	116.5	0	315.8	282.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	26	13	17	308	458	5.0	..	0	6.9	..	0	
Alzheimer's diseases (331.0)	508	18	72	135	575	2.3	0.8	0	7.6	4.9	0	
Cardiovascular disease (390-459)	24,581	3,338	7,965	38,798	93,246	625.3	611.1	0	1306.7	1303.0	0	
..Diseases of the heart (390-398,402,404-429)	19,516	2,802	6,585	31,788	77,076	513.2	508.6	0	1082.0	1095.6	0	
....Heart disease-related (390-398,402,404-429)	32,818	5,194	11,799	70,057	152,105	1138.8	1058.3	0	2164.9	2079.2	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	14,122	1,952	4,743	18,576	50,864	292.8	304.5	0	698.3	731.7	0	
....Congestive heart failure (CHF) (428.0)	984	42	157	422	1,310	7.2	6.1	0	17.8	16.7	0	
..Hypertension with or without renal disease (401,403)	285	42	103	485	1,178	7.6	6.6	0	16.2	14.3	0	
....Hypertension-related (401,403)	3,496	469	1,266	4,523	12,875	71.4	68.2	0	174.8	165.1	0	
..Cerebrovascular disease (430-438)	3,650	384	919	5,145	11,363	82.4	71.4	0	159.5	140.5	0	
..Atherosclerosis (440)	384	10	50	160	415	2.4	2.5	0	5.2	7.4	0	
....Atherosclerosis-related (440)	1,798	80	350	675	2,610	10.4	11.5	0	32.9	36.8	0	
..Aortic aneurysm (441)	373	37	176	388	1,430	6.3	8.7	0	18.4	20.6	0	
Pneumonia & influenza (480-487)	2,354	214	464	3,991	7,186	64.5	52.1	0	103.6	85.9	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,278	255	856	2,492	7,744	42.0	29.6	0	105.2	87.3	0	
..COPD-related (490-496)	5,544	582	2,048	5,249	17,584	86.2	69.0	0	234.0	203.2	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	100	53	71	1,183	1,788	20.6	10.2	0	28.6	15.4	0	
Chronic liver disease and cirrhosis (571)	591	332	482	4,925	8,970	75.7	74.2	0	128.7	126.3	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	619	97	215	1,354	2,874	21.3	22.0	0	40.0	41.3	0	
..Nephritis-related (580-589)	3,079	553	1,219	8,821	17,341	140.8	129.2	0	245.9	243.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	729	116	257	1,676	3,484	26.5	23.6	0	48.8	45.6	0	
Unintentional injuries (E800-E949)	1,958	1,227	1,420	38,256	51,448	711.0	618.0	1	889.2	775.0	1	
..Motor vehicle accidents (E810-E825)	689	540	609	18,373	24,121	368.4	352.7	0	450.7	430.9	0	
..Falls and fall related injuries (E880-E888)	355	71	110	1,435	2,312	24.7	18.0	0	36.2	28.7	0	
..Drowning (E830,E832,E910)	67	60	62	2,151	2,761	39.9	41.4	0	48.1	50.7	0	
..Residential fires (E890-E899)	63	45	52	1,445	1,927	27.4	33.2	0	34.0	40.0	0	
Suicide (E950-E959)	616	503	557	13,328	18,633	240.4	257.8	0	312.6	331.9	0	
Homicide and legal intervention (E960-E978)	418	401	413	14,783	18,843	302.2	245.0	0	362.1	294.7	0	
..Homicide (E960-E969)	415	398	410	14,700	18,730	301.1	244.1	0	360.6	293.6	0	
All injury (E800-E999)	3,053	2,186	2,448	67,878	91,003	1278.2	1165.8	0	1595.7	1459.3	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	672	526	594	17,831	23,436	357.8	346.9	0	438.1	423.4	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	267	79	114	1,620	2,567	27.4	23.6	0	39.7	35.4	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	595	540	570	17,992	23,532	361.0	317.0	0	441.5	388.2	0	
....Suicide (E955.0-.4)	285	237	262	6,488	8,980	120.5	120.1	0	155.1	153.1	0	
....Homicide (E965.0-.4)	293	287	292	10,885	13,772	227.7	186.9	0	271.2	222.9	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	540	493	515	13,586	18,621	220.4	175.5	1	284.3	227.4	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	353	258	328	4,327	7,322	66.7	68.6	0	105.8	106.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	463	436	450	12,207	16,627	194.2	134.4	1	249.6	172.7	1	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1993-1994**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
\*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
All causes	28,505	8,814	15,581	175,561	295,494	6040.6	5691.7	1	9236.5	8831.0	0	
Infectious diseases and parasitic disease (1-139)	1,348	988	1,108	23,940	34,400	735.6	559.1	1	1001.2	766.0	1	
..Septicemia (038)	342	63	150	860	1,887	26.8	54.3	1	53.4	86.7	1	
....Septicemia-related (038)	1,205	284	565	4,508	8,626	144.1	212.5	1	252.2	350.1	1	
..HIV infection (042-044)	846	832	845	20,945	29,348	640.1	463.5	1	852.1	617.5	1	
All cancer (140-208)	7,152	1,927	4,283	21,374	51,839	707.4	750.6	0	1525.3	1609.9	0	
..Oral cavity or pharynx (140.0-149.9)	141	62	107	755	1,603	25.2	28.8	0	48.5	59.4	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	818	196	456	1,685	4,830	54.6	57.5	0	139.3	137.5	0	
....Colon cancer (153)	639	146	340	1,150	3,480	37.2	46.3	0	99.8	111.2	0	
....Rectal cancer (154)	170	49	113	513	1,308	16.7	11.0	0	38.3	25.4	0	
..Pancreatic cancer (157)	391	117	257	1,108	2,943	35.7	24.1	0	85.4	60.2	1	
..Lung and other respiratory cancer (160-165)	2,171	588	1,395	4,925	14,783	159.5	189.7	0	424.5	486.0	0	
....Lung cancer (162.2-.9)	2,080	562	1,332	4,635	14,050	150.4	176.0	0	403.7	457.4	0	
..Malignant melanoma of skin (172)	105	48	76	565	1,180	18.0	25.3	0	35.0	42.3	0	
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.	
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.	
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.	
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.	
..Prostate cancer (185)	824	58	270	400	1,880	13.1	12.7	0	50.4	61.3	0	
..Bladder cancer (188)	219	27	96	253	855	8.2	5.7	0	23.8	21.4	0	
..Brain & other CNS cancer (191-192)	156	80	118	1,247	2,232	42.1	54.1	0	69.2	91.1	0	
..Leukemia (204-208)	273	88	171	1,769	3,057	62.6	69.0	0	96.7	103.3	0	
Diabetes mellitus (250)	527	153	302	1,878	4,115	60.6	51.3	0	120.8	104.0	0	
..Diabetes-related (250)	2,226	473	1,154	4,773	12,705	154.8	142.1	0	366.4	339.8	0	
..Diabetic ketoacidosis (DKA) (250.1)	11	9	10	243	340	.	.	.	.	.	.	
Alzheimer's diseases (331.0)	161	8	33	40	238	1.4	0.7	0	6.5	5.6	0	
Cardiovascular disease (390-459)	11,274	2,302	5,125	26,544	62,807	869.2	854.7	0	1841.0	1844.0	0	
..Diseases of the heart (390-398,402,404-429)	9,251	1,986	4,348	22,219	53,159	726.5	732.7	0	1558.4	1593.4	0	
....Heart disease-related (390-398,402,404-429)	15,599	3,422	7,380	45,567	98,222	1484.3	1427.3	0	2885.1	2840.4	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,852	1,468	3,265	14,267	37,465	462.1	480.0	0	1088.3	1136.4	0	
....Congestive heart failure (CHF) (428.0)	375	23	84	188	660	6.1	6.2	0	18.2	18.6	0	
....Hypertension with or without renal disease (401,403)	122	31	61	408	863	12.9	8.7	0	25.1	18.6	0	
....Hypertension-related (401,403)	1,398	291	711	2,868	7,778	92.8	93.1	0	224.1	219.1	0	
..Cerebrovascular disease (430-438)	1,384	214	497	3,015	6,453	99.4	81.0	0	190.0	161.0	0	
..Atherosclerosis (440)	131	7	30	103	265	3.2	2.8	0	7.3	8.8	0	
....Atherosclerosis-related (440)	688	51	204	403	1,585	12.8	13.8	0	42.9	48.5	0	
..Aortic aneurysm (441)	225	28	122	315	1,075	10.7	13.7	0	30.0	32.9	0	
Pneumonia & influenza (480-487)	1,046	135	284	2,415	4,427	78.1	74.0	0	130.4	118.9	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,088	123	431	1,208	3,843	42.7	30.7	0	110.6	99.0	0	
..COPD-related (490-496)	2,874	318	1,124	2,920	9,750	99.1	77.2	0	275.2	243.2	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	39	24	31	615	893	22.9	9.6	0	30.6	14.8	0	
Chronic liver disease and cirrhosis (571)	386	232	331	3,290	6,108	103.5	107.3	0	180.8	181.4	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	315	60	125	899	1,827	28.1	29.2	0	52.3	54.3	0	
..Nephritis-related (580-589)	1,651	355	732	5,845	11,112	187.0	161.7	0	324.7	303.9	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	372	72	149	1,084	2,182	34.0	30.9	0	62.7	59.5	0	
Unintentional injuries (E800-E949)	1,276	941	1,046	29,035	38,947	1058.8	938.8	0	1328.4	1177.1	0	
..Motor vehicle accidents (E810-E825)	472	398	434	13,485	17,645	531.3	520.6	0	650.9	634.5	0	
..Falls and fall related injuries (E880-E888)	163	54	75	1,065	1,703	36.4	31.1	0	53.7	48.2	0	
..Drowning (E830,E832,E910)	55	49	50	1,680	2,177	59.8	74.7	0	72.9	91.4	0	
..Residential fires (E890-E899)	37	29	33	869	1,179	31.9	33.1	0	40.3	39.9	0	
Suicide (E950-E959)	481	397	436	10,838	14,990	393.1	432.0	0	508.0	555.8	0	
Homicide and legal intervention (E960-E978)	316	311	315	11,446	14,576	469.6	394.7	0	563.0	475.6	0	
..Homicide (E960-E969)	313	308	312	11,363	14,463	467.3	392.9	0	559.9	473.2	0	
All injury (E800-E999)	2,124	1,695	1,845	52,598	70,263	1964.0	1832.3	0	2454.1	2293.0	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	457	386	421	13,010	17,048	512.9	509.7	0	629.0	620.4	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	151	61	83	1,238	1,953	41.7	38.5	0	61.0	56.8	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	507	458	483	15,320	20,023	614.7	567.2	0	752.5	694.8	0	
....Suicide (E955.0-.4)	245	200	223	5,520	7,638	206.7	218.9	0	266.4	279.4	0	
....Homicide (E965.0-.4)	246	243	245	9,213	11,648	383.8	331.1	0	457.4	394.9	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	410	384	398	10,741	14,641	347.4	273.9	1	447.1	354.3	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	198	249	3,247	5,540	102.4	104.7	0	164.9	162.7	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	350	340	347	9,545	12,968	303.3	208.8	1	389.6	267.1	1	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
All causes	29,674	5,035	10,114	93,717	166,899	3216.6	2894.6	1	4982.5	4587.9	1	
Infectious diseases and parasitic disease (1-139)	845	353	436	9,591	13,503	309.6	208.3	1	405.4	276.7	1	
..Septicemia (038)	465	60	127	1,226	2,129	41.2	35.1	0	62.4	54.9	0	
....Septicemia-related (038)	1,574	235	497	4,129	7,619	139.2	134.9	0	222.5	219.5	0	
....HIV infection (042-044)	246	244	245	7,105	9,553	222.6	150.8	1	282.6	190.7	1	
All cancer (140-208)	6,990	1,861	3,805	21,714	49,419	688.8	674.5	0	1362.0	1358.2	0	
..Oral cavity or pharynx (140.0-149.9)	90	21	50	198	545	6.0	6.2	0	14.4	15.1	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	835	138	328	1,250	3,535	37.7	42.4	0	91.7	98.0	0	
....Colon cancer (153)	677	111	259	998	2,823	30.1	33.2	0	73.2	78.0	0	
....Rectal cancer (154)	140	26	65	240	673	7.2	7.9	0	17.4	18.0	0	
....Pancreatic cancer (157)	392	65	183	600	1,750	19.0	17.1	0	46.0	45.6	0	
..Lung and other respiratory cancer (160-165)	1,562	454	1,003	4,195	11,438	127.8	135.0	0	301.9	313.8	0	
....Lung cancer (162.2-.9)	1,525	444	980	4,060	11,120	123.7	132.2	0	293.6	306.8	0	
..Malignant melanoma of skin (172)	73	34	48	500	905	14.7	16.1	0	25.0	27.3	0	
..Female breast cancer (174)	1,202	446	765	5,460	11,478	165.1	178.1	0	314.4	336.2	0	
..Cervical cancer (180)	76	50	59	825	1,373	24.2	27.6	0	38.2	43.2	0	
..Endometrial cancer (182)	86	20	44	125	420	3.9	3.1	0	11.1	10.7	0	
..Ovarian cancer (183)	378	119	215	1,233	2,848	39.4	36.5	0	79.9	76.7	0	
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.	
..Bladder cancer (188)	115	12	44	125	375	4.4	5.0	0	10.1	11.2	0	
..Brain & other CNS cancer (191-192)	147	55	100	1,109	1,866	40.1	31.3	0	59.1	50.2	0	
..Leukemia (204-208)	258	77	139	1,432	2,462	52.3	42.3	0	78.1	65.9	0	
Diabetes mellitus (250)	674	127	290	1,428	3,445	43.8	33.6	0	91.9	68.1	0	
..Diabetes-related (250)	2,684	368	1,060	3,630	10,420	112.9	92.1	0	269.7	229.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	15	4	7	65	118	1.8	.	.	3.0	.	.	
Alzheimer's diseases (331.0)	347	10	39	95	338	3.2	0.8	0	8.6	4.2	0	
Cardiovascular disease (390-459)	13,307	1,036	2,840	12,254	30,439	391.7	379.3	0	812.8	806.5	0	
..Diseases of the heart (390-398,402,404-429)	10,265	816	2,237	9,569	23,917	309.9	295.6	0	642.6	638.9	0	
....Heart disease-related (390-398,402,404-429)	17,219	1,772	4,419	24,490	53,883	807.9	704.9	0	1497.7	1375.2	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	7,270	484	1,478	4,309	13,399	132.0	138.4	0	339.5	361.7	0	
....Congestive heart failure (CHF) (428.0)	609	19	73	235	650	8.4	6.2	0	17.8	15.2	0	
....Hypertension with or without renal disease (401,403)	163	11	42	78	315	2.4	4.7	0	7.8	10.3	0	
....Hypertension-related (401,403)	2,098	178	555	1,655	5,098	51.4	44.5	0	129.7	115.4	0	
..Cerebrovascular disease (430-438)	2,266	170	422	2,130	4,910	65.5	62.2	0	130.5	121.9	0	
..Atherosclerosis (440)	253	3	20	58	150	1.6	2.2	0	3.3	6.2	0	
....Atherosclerosis-related (440)	1,110	29	146	273	1,025	8.2	9.3	0	24.1	26.9	0	
..Aortic aneurysm (441)	148	9	54	73	355	2.1	3.8	0	7.9	9.5	0	
Pneumonia & influenza (480-487)	1,308	79	180	1,577	2,759	51.3	30.2	0	78.8	53.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,190	132	425	1,284	3,902	41.2	28.6	0	100.5	77.5	0	
..COPD-related (490-496)	2,670	264	924	2,329	7,834	73.5	61.3	0	197.1	168.6	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	61	29	40	568	895	18.2	10.9	0	26.4	16.0	0	
Chronic liver disease and cirrhosis (571)	205	100	151	1,635	2,863	49.4	42.6	0	79.8	74.3	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	304	37	90	455	1,047	14.6	15.0	0	28.5	29.0	0	
..Nephritis-related (580-589)	1,428	198	487	2,976	6,229	95.8	98.0	0	171.4	186.8	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	357	44	108	592	1,302	19.2	16.6	0	35.8	32.6	0	
Unintentional injuries (E800-E949)	682	286	374	9,221	12,501	360.2	291.8	0	448.4	368.9	0	
..Motor vehicle accidents (E810-E825)	217	142	175	4,888	6,476	201.8	180.4	0	246.9	222.7	0	
..Falls and fall related injuries (E880-E888)	192	17	35	370	610	13.2	4.9	0	19.1	9.7	0	
..Drowning (E830,E832,E910)	12	11	12	472	584	.	.	.	.	.	.	
..Residential fires (E890-E899)	26	16	19	576	749	23.1	33.1	0	27.9	40.0	0	
Suicide (E950-E959)	135	106	121	2,490	3,643	86.1	82.2	0	116.4	107.9	0	
Homicide and legal intervention (E960-E978)	102	90	98	3,337	4,267	129.3	90.9	0	155.0	109.3	0	
..Homicide (E960-E969)	102	90	98	3,337	4,267	129.3	90.9	0	155.0	109.3	0	
All injury (E800-E999)	929	491	603	15,281	20,741	582.2	488.1	0	728.7	616.7	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	215	140	173	4,821	6,389	199.3	180.0	0	243.9	221.9	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	116	18	31	382	615	13.2	8.7	0	19.0	14.4	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	88	82	87	2,672	3,510	100.2	60.8	0	123.2	75.6	0	
....Suicide (E955.0-.4)	40	37	39	968	1,343	33.0	20.1	0	43.0	26.4	0	
....Homicide (E965.0-.4)	47	44	47	1,672	2,125	66.3	38.0	0	79.1	45.7	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	130	109	117	2,845	3,980	94.8	77.9	0	123.7	102.1	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	84	60	79	1,080	1,783	32.3	33.8	0	49.6	52.9	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	113	96	103	2,662	3,660	86.7	60.6	0	111.7	79.3	0	

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
All causes	58,179	13,849	25,695	269,278	462,393	4520.0	4208.0	1	7101.2	6739.7	1	
Infectious diseases and parasitic disease (1-139)	2,193	1,341	1,544	33,531	47,903	453.6	331.5	1	610.5	452.6	1	
..Septicemia (038)	807	123	277	2,086	4,016	33.1	43.6	0	58.6	71.1	0	
....Septicemia-related (038)	2,779	519	1,062	8,637	16,244	134.9	166.3	0	236.1	283.0	1	
...HIV infection (042-044)	1,092	1,076	1,090	28,050	38,900	364.7	259.0	1	476.2	338.5	1	
All cancer (140-208)	14,142	3,788	8,088	43,087	101,257	696.2	710.1	0	1519.8	1560.5	0	
..Oral cavity or pharynx (140.0-149.9)	231	83	157	953	2,148	15.5	17.5	0	32.5	38.7	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,653	334	784	2,935	8,365	46.8	49.8	0	124.8	125.7	0	
....Colon cancer (153)	1,316	257	599	2,148	6,303	34.3	39.7	0	94.1	101.3	0	
....Rectal cancer (154)	310	75	178	753	1,980	12.0	9.5	0	29.5	23.0	0	
...Pancreatic cancer (157)	783	182	440	1,707	4,692	27.9	21.0	0	70.8	57.8	0	
...Lung and other respiratory cancer (160-165)	3,733	1,042	2,398	9,120	26,220	146.7	166.4	0	393.3	431.3	0	
....Lung cancer (162.2-.9)	3,605	1,006	2,312	8,695	25,170	140.5	157.8	0	378.5	412.3	0	
..Malignant melanoma of skin (172)	178	82	124	1,065	2,085	15.4	18.9	0	29.6	33.4	0	
..Female breast cancer (174)	1,202	446	765	5,460	11,478	..	..	..	..	..	..	
..Cervical cancer (180)	76	50	59	825	1,373	..	..	..	..	..	..	
..Endometrial cancer (182)	86	20	44	125	420	..	..	..	..	..	..	
..Ovarian cancer (183)	378	119	215	1,233	2,848	..	..	..	..	..	..	
..Prostate cancer (185)	824	58	270	400	1,880	..	..	..	..	..	..	
..Bladder cancer (188)	334	39	140	378	1,230	6.4	5.6	0	18.3	17.9	0	
..Brain & other CNS cancer (191-192)	303	135	218	2,356	4,098	41.5	42.0	0	65.6	71.0	0	
..Leukemia (204-208)	531	165	310	3,201	5,518	56.8	56.6	0	88.2	86.8	0	
Diabetes mellitus (250)	1,201	280	592	3,305	7,560	50.7	41.0	0	110.2	88.7	0	
..Diabetes-related (250)	4,910	841	2,214	8,403	23,125	133.1	115.4	0	341.1	304.6	0	
..Diabetic ketoacidosis (DKA) (250.1)	26	13	17	308	458	4.6	..	0	6.4	..	0	
Alzheimer's diseases (331.0)	508	18	72	135	575	2.4	0.9	0	8.6	5.9	0	
Cardiovascular disease (390-459)	24,581	3,338	7,965	38,798	93,246	621.9	606.7	0	1385.9	1385.2	0	
..Diseases of the heart (390-398,402,404-429)	19,516	2,802	6,585	31,788	77,076	513.4	507.4	0	1152.1	1168.9	0	
....Heart disease-related (390-398,402,404-429)	32,818	5,194	11,799	70,057	152,105	1119.3	1045.7	0	2253.1	2182.4	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	14,122	1,952	4,743	18,576	50,864	297.0	307.9	0	757.7	794.4	0	
....Congestive heart failure (CHF) (428.0)	984	42	157	422	1,310	7.5	6.4	0	20.0	19.0	0	
....Hypertension with or without renal disease (401,403)	285	42	103	485	1,178	7.4	6.4	0	17.0	14.9	0	
....Hypertension-related (401,403)	3,496	469	1,266	4,523	12,875	71.6	68.3	0	189.7	178.8	0	
..Cerebrovascular disease (430-438)	3,650	384	919	5,145	11,363	80.0	69.0	0	165.2	145.5	0	
..Atherosclerosis (440)	384	10	50	160	415	2.1	2.6	0	5.4	8.4	0	
....Atherosclerosis-related (440)	1,798	80	350	675	2,610	10.6	12.1	0	37.3	42.1	0	
..Aortic aneurysm (441)	373	37	176	388	1,430	6.2	8.7	0	20.5	22.7	0	
Pneumonia & influenza (480-487)	2,354	214	464	3,991	7,186	62.4	52.8	0	104.1	89.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,278	255	856	2,492	7,744	42.4	30.0	0	116.2	98.3	0	
..COPD-related (490-496)	5,544	582	2,048	5,249	17,584	87.6	71.1	0	261.0	229.5	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	100	53	71	1,183	1,788	19.4	9.5	0	27.1	14.8	0	
Chronic liver disease and cirrhosis (571)	591	332	482	4,925	8,970	71.3	68.9	0	125.7	122.5	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	619	97	215	1,354	2,874	20.3	20.8	0	41.0	41.9	0	
..Nephritis-related (580-589)	3,079	553	1,219	8,821	17,341	135.2	124.4	0	249.2	250.0	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	729	116	257	1,676	3,484	25.0	22.3	0	49.4	46.5	0	
Unintentional injuries (E800-E949)	1,958	1,227	1,420	38,256	51,448	673.2	588.5	0	831.8	730.7	0	
..Motor vehicle accidents (E810-E825)	689	540	609	18,373	24,121	353.4	336.9	0	426.5	406.1	0	
..Falls and fall related injuries (E880-E888)	355	71	110	1,435	2,312	23.4	16.7	0	34.9	27.9	0	
..Drowning (E830,E832,E910)	67	60	62	2,151	2,761	39.3	41.0	0	46.4	49.3	0	
..Residential fires (E890-E899)	63	45	52	1,445	1,927	28.4	35.2	0	34.7	41.8	0	
Suicide (E950-E959)	616	503	557	13,328	18,633	218.2	233.5	0	282.9	299.1	0	
Homicide and legal intervention (E960-E978)	418	401	413	14,783	18,843	287.4	229.8	0	338.5	271.8	0	
..Homicide (E960-E969)	415	398	410	14,700	18,730	286.4	229.0	0	337.3	270.8	0	
All injury (E800-E999)	3,053	2,186	2,448	67,878	91,003	1199.9	1091.5	0	1480.2	1351.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	672	526	594	17,831	23,436	343.3	331.1	0	414.7	398.6	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	267	79	114	1,620	2,567	25.6	21.8	0	37.7	33.7	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	595	540	570	17,992	23,532	340.7	296.1	0	410.8	357.6	0	
....Suicide (E955.0-.4)	285	237	262	6,488	8,980	111.0	108.8	0	142.0	138.0	0	
....Homicide (E965.0-.4)	293	287	292	10,885	13,772	217.1	177.7	0	254.1	208.2	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	540	493	515	13,586	18,621	190.2	152.8	1	243.4	196.6	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	353	258	328	4,327	7,322	62.2	61.8	0	101.1	98.8	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	463	436	450	12,207	16,627	164.0	115.7	1	208.7	147.2	1	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
All causes	28,505	8,814	15,581	175,561	295,494	5846.6	5534.6	0	9193.6	8851.4	0	
Infectious diseases and parasitic disease (1-139)	1,348	988	1,108	23,940	34,400	633.9	480.7	1	866.7	663.4	1	
..Septicemia (038)	342	63	150	860	1,887	26.0	52.2	1	55.5	86.2	0	
....Septicemia-related (038)	1,205	284	565	4,508	8,626	136.3	201.6	1	251.9	346.8	1	
..HIV infection (042-044)	846	832	845	20,945	29,348	544.2	391.9	1	721.9	520.6	1	
All cancer (140-208)	7,152	1,927	4,283	21,374	51,839	709.5	752.4	0	1630.8	1718.1	0	
..Oral cavity or pharynx (140.0-149.9)	141	62	107	755	1,603	25.0	29.3	0	50.3	62.6	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	818	196	456	1,685	4,830	56.3	58.1	0	153.3	149.3	0	
....Colon cancer (153)	639	146	340	1,150	3,480	38.7	46.8	0	110.9	120.9	0	
....Rectal cancer (154)	170	49	113	513	1,308	17.0	11.1	0	41.3	27.3	0	
..Pancreatic cancer (157)	391	117	257	1,108	2,943	36.4	24.9	0	92.6	66.1	1	
..Lung and other respiratory cancer (160-165)	2,171	588	1,395	4,925	14,783	164.8	196.3	0	469.6	535.5	1	
....Lung cancer (162.2-.9)	2,080	562	1,332	4,635	14,050	156.0	181.7	0	447.6	504.3	0	
..Malignant melanoma of skin (172)	105	48	76	565	1,180	17.4	23.1	0	35.8	40.7	0	
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.	
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.	
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.	
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.	
..Prostate cancer (185)	824	58	270	400	1,880	13.9	14.0	0	58.9	73.2	0	
..Bladder cancer (188)	219	27	96	253	855	8.5	6.1	0	26.6	24.8	0	
..Brain & other CNS cancer (191-192)	156	80	118	1,247	2,232	42.4	52.8	0	71.1	91.6	0	
..Leukemia (204-208)	273	88	171	1,769	3,057	60.2	69.3	0	96.4	105.4	0	
Diabetes mellitus (250)	527	153	302	1,878	4,115	58.8	50.1	0	125.0	108.2	0	
..Diabetes-related (250)	2,226	473	1,154	4,773	12,705	155.1	140.5	0	395.8	366.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	11	9	10	243	340	.	.	.	.	.	.	
Alzheimer's diseases (331.0)	161	8	33	40	238	1.6	0.8	0	7.8	6.8	0	
Cardiovascular disease (390-459)	11,274	2,302	5,125	26,544	62,807	866.9	847.5	0	1956.1	1959.3	0	
..Diseases of the heart (390-398,402,404-429)	9,251	1,986	4,348	22,219	53,159	728.0	728.7	0	1661.5	1696.3	0	
....Heart disease-related (390-398,402,404-429)	15,599	3,422	7,380	45,567	98,222	1454.2	1403.9	0	3003.0	2974.9	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,852	1,468	3,265	14,267	37,465	468.3	483.5	0	1177.2	1227.5	0	
....Congestive heart failure (CHF) (428.0)	375	23	84	188	660	6.4	6.3	0	20.7	20.9	0	
..Hypertension with or without renal disease (401,403)	122	31	61	408	863	12.3	8.2	0	25.5	19.2	0	
....Hypertension-related (401,403)	1,398	291	711	2,868	7,778	93.8	93.1	0	243.1	236.2	0	
..Cerebrovascular disease (430-438)	1,384	214	497	3,015	6,453	97.2	78.0	0	197.4	166.8	0	
..Atherosclerosis (440)	131	7	30	103	265	3.1	2.9	0	7.7	10.1	0	
....Atherosclerosis-related (440)	688	51	204	403	1,585	13.2	14.5	0	49.0	55.9	0	
..Aortic aneurysm (441)	225	28	122	315	1,075	10.4	14.1	0	33.0	36.7	0	
Pneumonia & influenza (480-487)	1,046	135	284	2,415	4,427	75.4	74.8	0	131.4	123.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,088	123	431	1,208	3,843	43.5	31.6	0	123.6	113.1	0	
..COPD-related (490-496)	2,874	318	1,124	2,920	9,750	101.1	80.6	0	308.8	277.9	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	39	24	31	615	893	22.2	8.8	0	29.6	14.2	0	
Chronic liver disease and cirrhosis (571)	386	232	331	3,290	6,108	98.6	100.6	0	178.9	176.5	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	315	60	125	899	1,827	26.4	27.4	0	52.9	54.9	0	
..Nephritis-related (580-589)	1,651	355	732	5,845	11,112	177.9	153.0	0	326.1	309.0	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	372	72	149	1,084	2,182	31.8	29.1	0	63.0	60.5	0	
Unintentional injuries (E800-E949)	1,276	941	1,046	29,035	38,947	992.7	889.3	0	1230.3	1103.7	0	
..Motor vehicle accidents (E810-E825)	472	398	434	13,485	17,645	507.5	496.6	0	613.2	597.0	0	
..Falls and fall related injuries (E880-E888)	163	54	75	1,065	1,703	34.3	28.7	0	51.5	46.5	0	
..Drowning (E830,E832,E910)	55	49	50	1,680	2,177	57.9	73.8	0	69.2	88.6	0	
..Residential fires (E890-E899)	37	29	33	869	1,179	33.2	35.4	0	41.3	42.1	0	
Suicide (E950-E959)	481	397	436	10,838	14,990	356.8	392.4	0	459.2	502.6	0	
Homicide and legal intervention (E960-E978)	316	311	315	11,446	14,576	446.1	370.5	0	525.9	439.3	0	
..Homicide (E960-E969)	313	308	312	11,363	14,463	444.2	368.9	0	523.5	437.3	0	
All injury (E800-E999)	2,124	1,695	1,845	52,598	70,263	1832.6	1712.1	0	2262.6	2120.2	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	457	386	421	13,010	17,048	490.2	485.8	0	593.2	583.0	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	151	61	83	1,238	1,953	38.5	35.6	0	57.4	54.1	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	507	458	483	15,320	20,023	581.6	530.5	0	702.0	641.5	0	
....Suicide (E955.0-.4)	245	200	223	5,520	7,638	191.5	199.2	0	245.6	253.1	0	
....Homicide (E965.0-.4)	246	243	245	9,213	11,648	365.8	314.8	0	428.4	369.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	410	384	398	10,741	14,641	296.7	237.5	0	378.5	304.7	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	198	249	3,247	5,540	96.2	94.8	0	159.0	151.4	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	350	340	347	9,545	12,968	254.3	178.6	1	323.5	225.9	1	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
All causes	29,674	5,035	10,114	93,717	166,899	3199.1	2886.4	1	5081.8	4706.9	1	
Infectious diseases and parasitic disease (1-139)	845	353	436	9,591	13,503	279.2	187.2	1	364.0	249.7	1	
..Septicemia (038)	465	60	127	1,226	2,129	40.7	35.5	0	63.1	57.1	0	
....Septicemia-related (038)	1,574	235	497	4,129	7,619	135.0	132.7	0	223.6	223.7	0	
..HIV infection (042-044)	246	244	245	7,105	9,553	189.8	130.0	1	237.5	162.3	1	
All cancer (140-208)	6,990	1,861	3,805	21,714	49,419	683.8	668.6	0	1425.3	1421.4	0	
..Oral cavity or pharynx (140.0-149.9)	90	21	50	198	545	6.3	6.5	0	15.7	16.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	835	138	328	1,250	3,535	37.9	42.0	0	99.2	104.7	0	
....Colon cancer (153)	677	111	259	998	2,823	30.2	32.9	0	79.2	83.6	0	
....Rectal cancer (154)	140	26	65	240	673	7.3	8.0	0	18.8	19.3	0	
..Pancreatic cancer (157)	392	65	183	600	1,750	20.0	17.3	0	51.0	50.2	0	
..Lung and other respiratory cancer (160-165)	1,562	454	1,003	4,195	11,438	129.8	138.3	0	326.3	339.2	0	
....Lung cancer (162.2-.9)	1,525	444	980	4,060	11,120	126.2	135.4	0	317.9	331.6	0	
..Malignant melanoma of skin (172)	73	34	48	500	905	13.6	14.8	0	24.0	26.5	0	
..Female breast cancer (174)	1,202	446	765	5,460	11,478	160.3	172.3	0	320.3	341.1	0	
..Cervical cancer (180)	76	50	59	825	1,373	22.4	25.5	0	36.1	40.7	0	
..Endometrial cancer (182)	86	20	44	125	420	4.2	3.4	0	12.5	12.4	0	
..Ovarian cancer (183)	378	119	215	1,233	2,848	40.1	36.4	0	84.6	80.9	0	
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.	
..Bladder cancer (188)	115	12	44	125	375	4.5	5.1	0	11.0	12.0	0	
..Brain & other CNS cancer (191-192)	147	55	100	1,109	1,866	41.1	31.7	0	61.2	51.8	0	
..Leukemia (204-208)	258	77	139	1,432	2,462	53.6	43.8	0	81.0	68.7	0	
Diabetes mellitus (250)	674	127	290	1,428	3,445	42.8	32.4	0	96.3	70.8	0	
..Diabetes-related (250)	2,684	368	1,060	3,630	10,420	112.4	91.7	0	291.5	249.1	0	
..Diabetic ketoacidosis (DKA) (250.1)	15	4	7	65	118	1.4	.	.	2.7	.	.	
Alzheimer's diseases (331.0)	347	10	39	95	338	3.1	0.9	0	9.5	5.1	0	
Cardiovascular disease (390-459)	13,307	1,036	2,840	12,254	30,439	387.8	378.3	0	862.7	863.0	0	
..Diseases of the heart (390-398,402,404-429)	10,265	816	2,237	9,569	23,917	309.4	297.7	0	685.6	689.0	0	
....Heart disease-related (390-398,402,404-429)	17,219	1,772	4,419	24,490	53,883	799.5	703.6	0	1564.4	1455.9	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	7,270	484	1,478	4,309	13,399	134.7	142.3	0	374.5	401.5	0	
....Congestive heart failure (CHF) (428.0)	609	19	73	235	650	8.8	6.6	0	19.8	17.4	0	
....Hypertension with or without renal disease (401,403)	163	11	42	78	315	2.6	4.6	0	8.9	10.9	0	
....Hypertension-related (401,403)	2,098	178	555	1,655	5,098	50.8	44.6	0	141.0	126.3	0	
..Cerebrovascular disease (430-438)	2,266	170	422	2,130	4,910	62.9	60.3	0	134.8	126.3	0	
..Atherosclerosis (440)	253	3	20	58	150	1.2	2.3	0	3.3	7.1	0	
....Atherosclerosis-related (440)	1,110	29	146	273	1,025	8.2	9.9	0	27.1	30.4	0	
..Aortic aneurysm (441)	148	9	54	73	355	2.1	3.4	0	9.2	10.0	0	
Pneumonia & influenza (480-487)	1,308	79	180	1,577	2,759	50.0	30.6	0	78.9	56.9	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,190	132	425	1,284	3,902	41.2	28.5	0	109.9	85.9	0	
..COPD-related (490-496)	2,670	264	924	2,329	7,834	74.3	62.1	0	218.7	187.9	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	61	29	40	568	895	16.2	10.1	0	24.2	15.4	0	
Chronic liver disease and cirrhosis (571)	205	100	151	1,635	2,863	45.5	38.6	0	76.2	71.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	304	37	90	455	1,047	14.4	14.3	0	30.0	29.8	0	
..Nephritis-related (580-589)	1,428	198	487	2,976	6,229	93.7	97.2	0	177.0	196.0	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	357	44	108	592	1,302	18.3	15.8	0	36.7	33.5	0	
Unintentional injuries (E800-E949)	682	286	374	9,221	12,501	350.0	281.9	0	431.1	353.5	0	
..Motor vehicle accidents (E810-E825)	217	142	175	4,888	6,476	195.4	172.6	0	236.1	210.5	0	
..Falls and fall related injuries (E880-E888)	192	17	35	370	610	12.7	4.7	0	18.8	10.0	0	
..Drowning (E830,E832,E910)	12	11	12	472	584	.	.	0	.	.	0	
..Residential fires (E890-E899)	26	16	19	576	749	23.8	34.9	0	28.3	41.4	0	
Suicide (E950-E959)	135	106	121	2,490	3,643	77.9	73.1	0	105.8	95.6	0	
Homicide and legal intervention (E960-E978)	102	90	98	3,337	4,267	123.0	84.6	0	144.7	99.7	0	
..Homicide (E960-E969)	102	90	98	3,337	4,267	123.0	84.6	0	144.7	99.7	0	
All injury (E800-E999)	929	491	603	15,281	20,741	556.2	459.0	0	688.8	574.3	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	215	140	173	4,821	6,389	192.7	172.1	0	232.8	209.8	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	116	18	31	382	615	12.8	7.8	0	18.6	13.7	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	88	82	87	2,672	3,510	92.7	55.3	0	112.3	67.8	0	
....Suicide (E955.0-.4)	40	37	39	968	1,343	29.0	17.2	0	37.7	22.5	0	
....Homicide (E965.0-.4)	47	44	47	1,672	2,125	63.0	35.7	0	73.7	42.1	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	130	109	117	2,845	3,980	84.9	68.8	0	110.1	89.8	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	84	60	79	1,080	1,783	29.4	30.0	0	46.4	48.8	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	113	96	103	2,662	3,660	75.0	53.2	0	95.9	69.3	0	

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1993-1994**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
\*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
All causes	58,179	13,849	25,695	269,278	462,393	4735.5	4405.1	1	7471.4	7082.9	1	
Infectious diseases and parasitic disease (1-139)	2,193	1,341	1,544	33,531	47,903	555.9	406.6	1	743.0	549.6	1	
..Septicemia (038)	807	123	277	2,086	4,016	37.1	46.8	0	64.8	76.2	0	
....Septicemia-related (038)	2,779	519	1,062	8,637	16,244	153.0	187.0	0	262.6	313.3	1	
...HIV infection (042-044)	1,092	1,076	1,090	28,050	38,900	459.5	326.4	1	597.2	424.3	1	
All cancer (140-208)	14,142	3,788	8,088	43,087	101,257	794.0	817.6	0	1665.3	1718.7	0	
..Oral cavity or pharynx (140.0-149.9)	231	83	157	953	2,148	18.0	20.8	0	36.1	43.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,653	334	784	2,935	8,365	55.0	58.9	0	136.8	139.4	0	
....Colon cancer (153)	1,316	257	599	2,148	6,303	40.0	46.7	0	102.6	111.9	0	
....Rectal cancer (154)	310	75	178	753	1,980	14.2	11.5	0	32.9	25.9	0	
...Pancreatic cancer (157)	783	182	440	1,707	4,692	32.2	24.4	0	77.4	63.0	0	
...Lung and other respiratory cancer (160-165)	3,733	1,042	2,398	9,120	26,220	171.8	192.9	0	430.1	470.7	0	
....Lung cancer (162.2-.9)	3,605	1,006	2,312	8,695	25,170	164.2	183.5	0	413.4	450.4	0	
..Malignant melanoma of skin (172)	178	82	124	1,065	2,085	19.1	23.4	0	34.5	39.4	0	
..Female breast cancer (174)	1,202	446	765	5,460	11,478	..	..	..	..	..	..	
..Cervical cancer (180)	76	50	59	825	1,373	..	..	..	..	..	..	
..Endometrial cancer (182)	86	20	44	125	420	..	..	..	..	..	..	
..Ovarian cancer (183)	378	119	215	1,233	2,848	..	..	..	..	..	..	
..Prostate cancer (185)	824	58	270	400	1,880	..	..	..	..	..	..	
..Bladder cancer (188)	334	39	140	378	1,230	7.2	6.4	0	19.8	19.2	0	
..Brain & other CNS cancer (191-192)	303	135	218	2,356	4,098	43.0	45.9	0	68.6	77.0	0	
..Leukemia (204-208)	531	165	310	3,201	5,518	57.4	57.5	0	90.2	89.5	0	
Diabetes mellitus (250)	1,201	280	592	3,305	7,560	59.5	48.6	0	122.9	99.5	0	
..Diabetes-related (250)	4,910	841	2,214	8,403	23,125	154.4	135.6	0	374.0	335.1	0	
..Diabetic ketoacidosis (DKA) (250.1)	26	13	17	308	458	5.1	..	0	7.0	..	0	
Alzheimer's diseases (331.0)	508	18	72	135	575	2.4	0.9	0	8.9	6.1	0	
Cardiovascular disease (390-459)	24,581	3,338	7,965	38,798	93,246	709.0	696.7	0	1519.2	1522.5	0	
..Diseases of the heart (390-398,402,404-429)	19,516	2,802	6,585	31,788	77,076	582.6	580.0	0	1258.3	1279.7	0	
....Heart disease-related (390-398,402,404-429)	32,818	5,194	11,799	70,057	152,105	1260.7	1175.7	0	2467.9	2381.6	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	14,122	1,952	4,743	18,576	50,864	346.9	361.1	0	833.4	875.1	0	
....Congestive heart failure (CHF) (428.0)	984	42	157	422	1,310	7.9	6.6	0	21.0	19.8	0	
....Hypertension with or without renal disease (401,403)	285	42	103	485	1,178	8.8	7.6	0	19.1	16.6	0	
....Hypertension-related (401,403)	3,496	469	1,266	4,523	12,875	84.0	80.8	0	208.9	198.0	0	
..Cerebrovascular disease (430-438)	3,650	384	919	5,145	11,363	92.7	81.7	0	184.2	164.9	0	
..Atherosclerosis (440)	384	10	50	160	415	2.7	3.0	0	6.4	9.1	0	
...Atherosclerosis-related (440)	1,798	80	350	675	2,610	12.4	13.8	0	40.7	45.6	0	
..Aortic aneurysm (441)	373	37	176	388	1,430	7.0	9.5	0	22.0	24.3	0	
Pneumonia & influenza (480-487)	2,354	214	464	3,991	7,186	69.8	55.6	0	115.3	95.1	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,278	255	856	2,492	7,744	45.0	32.5	0	121.7	103.7	0	
..COPD-related (490-496)	5,544	582	2,048	5,249	17,584	95.3	77.9	0	276.2	243.3	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	100	53	71	1,183	1,788	20.8	9.9	0	29.1	15.5	0	
Chronic liver disease and cirrhosis (571)	591	332	482	4,925	8,970	89.4	87.3	0	150.3	147.2	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	619	97	215	1,354	2,874	23.6	24.7	0	45.6	47.6	0	
..Nephritis-related (580-589)	3,079	553	1,219	8,821	17,341	153.7	142.9	0	276.3	277.4	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	729	116	257	1,676	3,484	29.1	26.6	0	55.2	52.6	0	
Unintentional injuries (E800-E949)	1,958	1,227	1,420	38,256	51,448	666.2	572.0	1	831.4	717.3	1	
..Motor vehicle accidents (E810-E825)	689	540	609	18,373	24,121	327.0	312.0	0	397.7	378.7	0	
..Falls and fall related injuries (E880-E888)	355	71	110	1,435	2,312	25.6	18.1	0	38.1	30.0	0	
..Drowning (E830,E832,E910)	67	60	62	2,151	2,761	37.6	38.5	0	44.8	46.8	0	
..Residential fires (E890-E899)	63	45	52	1,445	1,927	26.1	31.2	0	32.3	37.6	0	
Suicide (E950-E959)	616	503	557	13,328	18,633	229.9	245.6	0	299.5	316.3	0	
Homicide and legal intervention (E960-E978)	418	401	413	14,783	18,843	263.1	214.6	0	311.1	254.9	0	
..Homicide (E960-E969)	415	398	410	14,700	18,730	261.8	213.8	0	309.4	253.8	0	
All injury (E800-E999)	3,053	2,186	2,448	67,878	91,003	1184.7	1078.5	0	1474.5	1347.1	1	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	672	526	594	17,831	23,436	317.8	307.0	0	386.9	372.1	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	267	79	114	1,620	2,567	28.6	23.8	0	41.9	36.5	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	595	540	570	17,992	23,532	320.7	281.6	0	389.3	342.3	0	
....Suicide (E955.0-.4)	285	237	262	6,488	8,980	113.6	111.6	0	146.4	142.4	0	
....Homicide (E965.0-.4)	293	287	292	10,885	13,772	195.8	161.5	0	229.6	189.8	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	540	493	515	13,586	18,621	224.7	178.7	1	287.8	230.1	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	353	258	328	4,327	7,322	78.4	79.0	0	123.0	121.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	463	436	450	12,207	16,627	199.6	137.1	1	254.0	174.6	1	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1993-1994**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
\*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
All causes	28,505	8,814	15,581	175,561	295,494	6186.3	5837.0	1	9747.2	9354.1	0	
Infectious diseases and parasitic disease (1-139)	1,348	988	1,108	23,940	34,400	802.4	610.1	1	1083.8	829.7	1	
..Septicemia (038)	342	63	150	860	1,887	31.9	59.2	1	64.1	96.3	0	
....Septicemia-related (038)	1,205	284	565	4,508	8,626	161.8	234.2	1	288.2	393.1	1	
..HIV infection (042-044)	846	832	845	20,945	29,348	696.8	506.5	1	917.0	666.6	1	
All cancer (140-208)	7,152	1,927	4,283	21,374	51,839	800.6	853.8	0	1770.8	1872.0	0	
..Oral cavity or pharynx (140.0-149.9)	141	62	107	755	1,603	28.9	34.8	0	56.1	70.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	818	196	456	1,685	4,830	65.1	67.6	0	166.9	164.1	0	
....Colon cancer (153)	639	146	340	1,150	3,480	44.3	54.0	0	119.6	132.2	0	
....Rectal cancer (154)	170	49	113	513	1,308	19.9	13.5	0	45.8	30.8	0	
..Pancreatic cancer (157)	391	117	257	1,108	2,943	42.7	28.8	0	102.1	72.3	1	
..Lung and other respiratory cancer (160-165)	2,171	588	1,395	4,925	14,783	191.3	226.5	0	509.8	581.2	0	
....Lung cancer (162.2-.9)	2,080	562	1,332	4,635	14,050	180.4	210.7	0	484.8	547.8	0	
..Malignant melanoma of skin (172)	105	48	76	565	1,180	21.1	28.9	0	40.8	48.5	0	
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.	
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.	
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.	
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.	
..Prostate cancer (185)	824	58	270	400	1,880	15.4	15.0	0	62.8	76.6	0	
..Bladder cancer (188)	219	27	96	253	855	10.0	6.7	0	29.3	26.0	0	
..Brain & other CNS cancer (191-192)	156	80	118	1,247	2,232	45.9	60.1	0	76.6	102.0	0	
..Leukemia (204-208)	273	88	171	1,769	3,057	62.6	70.6	0	100.6	108.9	0	
Diabetes mellitus (250)	527	153	302	1,878	4,115	69.2	60.0	0	139.9	122.2	0	
..Diabetes-related (250)	2,226	473	1,154	4,773	12,705	181.0	166.5	0	435.3	405.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	11	9	10	243	340	.	.	.	.	.	.	
Alzheimer's diseases (331.0)	161	8	33	40	238	1.6	0.8	0	8.0	7.0	0	
Cardiovascular disease (390-459)	11,274	2,302	5,125	26,544	62,807	995.2	986.9	0	2151.3	2168.4	0	
..Diseases of the heart (390-398,402,404-429)	9,251	1,986	4,348	22,219	53,159	835.6	846.8	0	1824.7	1872.5	0	
....Heart disease-related (390-398,402,404-429)	15,599	3,422	7,380	45,567	98,222	1668.8	1606.2	0	3323.0	3277.7	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,852	1,468	3,265	14,267	37,465	547.2	572.2	0	1296.0	1359.5	0	
....Congestive heart failure (CHF) (428.0)	375	23	84	188	660	7.3	7.3	0	22.6	22.6	0	
..Hypertension with or without renal disease (401,403)	122	31	61	408	863	14.9	9.8	0	29.2	21.4	0	
....Hypertension-related (401,403)	1,398	291	711	2,868	7,778	110.7	109.6	0	269.0	261.0	0	
..Cerebrovascular disease (430-438)	1,384	214	497	3,015	6,453	111.2	93.5	0	219.0	190.3	0	
..Atherosclerosis (440)	131	7	30	103	265	3.7	3.3	0	8.8	10.8	0	
....Atherosclerosis-related (440)	688	51	204	403	1,585	15.2	16.6	0	52.8	60.3	0	
..Aortic aneurysm (441)	225	28	122	315	1,075	11.5	15.0	0	35.4	38.8	0	
Pneumonia & influenza (480-487)	1,046	135	284	2,415	4,427	86.0	78.3	0	147.2	130.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,088	123	431	1,208	3,843	44.7	33.9	0	127.7	118.8	0	
..COPD-related (490-496)	2,874	318	1,124	2,920	9,750	108.3	87.1	0	324.8	292.4	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	39	24	31	615	893	22.1	9.3	0	29.8	14.8	0	
Chronic liver disease and cirrhosis (571)	386	232	331	3,290	6,108	123.3	127.3	0	212.8	212.4	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	315	60	125	899	1,827	31.2	32.9	0	59.4	62.6	0	
..Nephritis-related (580-589)	1,651	355	732	5,845	11,112	206.0	181.0	0	366.7	349.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	372	72	149	1,084	2,182	37.8	34.9	0	71.3	68.8	0	
Unintentional injuries (E800-E949)	1,276	941	1,046	29,035	38,947	1000.6	868.7	0	1251.7	1088.4	1	
..Motor vehicle accidents (E810-E825)	472	398	434	13,485	17,645	473.4	458.7	0	576.2	554.9	0	
..Falls and fall related injuries (E880-E888)	163	54	75	1,065	1,703	38.3	30.9	0	57.1	49.5	0	
..Drowning (E830,E832,E910)	55	49	50	1,680	2,177	57.1	69.6	0	69.0	84.7	0	
..Residential fires (E890-E899)	37	29	33	869	1,179	31.1	31.1	0	39.4	37.5	0	
Suicide (E950-E959)	481	397	436	10,838	14,990	373.6	409.7	0	483.4	527.7	0	
Homicide and legal intervention (E960-E978)	316	311	315	11,446	14,576	406.2	343.2	0	480.5	408.4	0	
..Homicide (E960-E969)	313	308	312	11,363	14,463	403.5	341.5	0	477.1	406.2	0	
All injury (E800-E999)	2,124	1,695	1,845	52,598	70,263	1824.1	1689.9	0	2271.3	2110.2	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	457	386	421	13,010	17,048	457.4	449.4	0	557.6	542.7	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	151	61	83	1,238	1,953	43.6	38.3	0	64.5	57.9	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	507	458	483	15,320	20,023	544.6	501.0	0	662.1	609.6	0	
....Suicide (E955.0-.4)	245	200	223	5,520	7,638	194.2	202.1	0	251.0	258.4	0	
....Homicide (E965.0-.4)	246	243	245	9,213	11,648	328.9	284.4	0	386.0	334.1	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	410	384	398	10,741	14,641	355.1	279.9	1	453.3	359.5	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	198	249	3,247	5,540	120.5	121.2	0	191.8	186.3	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	350	340	347	9,545	12,968	313.1	213.2	1	398.1	270.0	1	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1993-1994**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
\*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
All causes	29,674	5,035	10,114	93,717	166,899	3300.8	2988.8	1	5285.1	4907.7	1	
Infectious diseases and parasitic disease (1-139)	845	353	436	9,591	13,503	316.9	209.3	1	414.1	279.3	1	
..Septicemia (038)	465	60	127	1,226	2,129	42.8	35.1	0	66.7	57.4	0	
....Septicemia-related (038)	1,574	235	497	4,129	7,619	145.7	141.7	0	240.5	238.6	0	
..HIV infection (042-044)	246	244	245	7,105	9,553	228.4	151.4	1	286.6	189.6	1	
All cancer (140-208)	6,990	1,861	3,805	21,714	49,419	788.2	782.4	0	1576.9	1585.1	0	
..Oral cavity or pharynx (140.0-149.9)	90	21	50	198	545	7.4	7.5	0	17.3	18.1	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	835	138	328	1,250	3,535	45.4	50.7	0	109.9	117.3	0	
....Colon cancer (153)	677	111	259	998	2,823	36.0	39.7	0	87.5	93.6	0	
....Rectal cancer (154)	140	26	65	240	673	8.8	9.6	0	21.1	21.5	0	
..Pancreatic cancer (157)	392	65	183	600	1,750	22.2	20.3	0	54.8	54.5	0	
..Lung and other respiratory cancer (160-165)	1,562	454	1,003	4,195	11,438	153.5	161.3	0	360.2	373.1	0	
....Lung cancer (162.2-.9)	1,525	444	980	4,060	11,120	149.1	158.0	0	350.9	364.8	0	
..Malignant melanoma of skin (172)	73	34	48	500	905	17.2	18.0	0	28.8	30.8	0	
..Female breast cancer (174)	1,202	446	765	5,460	11,478	197.5	213.9	0	371.8	397.8	0	
..Cervical cancer (180)	76	50	59	825	1,373	28.9	32.4	0	44.7	50.2	0	
..Endometrial cancer (182)	86	20	44	125	420	4.6	3.6	0	13.2	12.8	0	
..Ovarian cancer (183)	378	119	215	1,233	2,848	46.2	42.6	0	93.5	89.8	0	
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.	
..Bladder cancer (188)	115	12	44	125	375	4.6	6.1	0	11.4	13.5	0	
..Brain & other CNS cancer (191-192)	147	55	100	1,109	1,866	40.7	32.4	0	61.7	53.5	0	
..Leukemia (204-208)	258	77	139	1,432	2,462	52.5	44.4	0	80.8	70.8	0	
Diabetes mellitus (250)	674	127	290	1,428	3,445	50.2	37.7	0	106.9	78.5	0	
..Diabetes-related (250)	2,684	368	1,060	3,630	10,420	129.5	106.3	0	318.1	271.6	0	
..Diabetic ketoacidosis (DKA) (250.1)	15	4	7	65	118	2.0	1.1	0	3.3	.	0	
Alzheimer's diseases (331.0)	347	10	39	95	338	3.2	1.0	0	9.8	5.5	0	
Cardiovascular disease (390-459)	13,307	1,036	2,840	12,254	30,439	435.5	420.8	0	938.2	932.9	0	
..Diseases of the heart (390-398,402,404-429)	10,265	816	2,237	9,569	23,917	341.8	326.7	0	738.5	738.2	0	
....Heart disease-related (390-398,402,404-429)	17,219	1,772	4,419	24,490	53,883	870.2	764.4	0	1679.8	1557.7	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	7,270	484	1,478	4,309	13,399	156.7	161.3	0	409.7	433.8	0	
....Congestive heart failure (CHF) (428.0)	609	19	73	235	650	8.6	6.1	0	19.9	17.3	0	
..Hypertension with or without renal disease (401,403)	163	11	42	78	315	2.9	5.4	0	9.5	12.2	0	
....Hypertension-related (401,403)	2,098	178	555	1,655	5,098	59.0	53.4	0	153.9	140.2	0	
..Cerebrovascular disease (430-438)	2,266	170	422	2,130	4,910	74.4	70.4	0	151.6	141.8	0	
..Atherosclerosis (440)	253	3	20	58	150	1.8	2.6	0	4.2	7.6	0	
....Atherosclerosis-related (440)	1,110	29	146	273	1,025	9.8	11.2	0	30.2	33.1	0	
..Aortic aneurysm (441)	148	9	54	73	355	2.6	4.2	0	10.1	11.3	0	
Pneumonia & influenza (480-487)	1,308	79	180	1,577	2,759	54.3	33.0	0	85.8	60.9	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,190	132	425	1,284	3,902	45.1	31.1	0	116.8	91.1	0	
..COPD-related (490-496)	2,670	264	924	2,329	7,834	82.6	69.3	0	233.6	201.2	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female											
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	61	29	40	568	895	19.3	10.5	0	28.2	16.1	0	
Chronic liver disease and cirrhosis (571)	205	100	151	1,635	2,863	57.2	49.2	0	91.9	85.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	304	37	90	455	1,047	16.2	16.9	0	32.6	33.6	0	
..Nephritis-related (580-589)	1,428	198	487	2,976	6,229	103.0	106.5	0	191.4	211.1	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	357	44	108	592	1,302	20.6	18.6	0	40.1	37.6	0	
Unintentional injuries (E800-E949)	682	286	374	9,221	12,501	330.6	271.9	0	412.0	345.0	0	
..Motor vehicle accidents (E810-E825)	217	142	175	4,888	6,476	178.0	162.0	0	216.9	199.4	0	
..Falls and fall related injuries (E880-E888)	192	17	35	370	610	13.2	5.5	0	19.7	11.1	0	
..Drowning (E830,E832,E910)	12	11	12	472	584	.	.	.	.	.	.	
..Residential fires (E890-E899)	26	16	19	576	749	21.1	31.2	0	25.4	37.6	0	
Suicide (E950-E959)	135	106	121	2,490	3,643	85.7	81.2	0	116.3	106.3	0	
Homicide and legal intervention (E960-E978)	102	90	98	3,337	4,267	115.8	82.8	0	137.1	98.1	0	
..Homicide (E960-E969)	102	90	98	3,337	4,267	115.8	82.8	0	137.1	98.1	0	
All injury (E800-E999)	929	491	603	15,281	20,741	539.3	459.9	0	674.9	580.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	215	140	173	4,821	6,389	175.7	161.5	0	214.1	198.5	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	116	18	31	382	615	13.8	9.2	0	20.1	15.6	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	88	82	87	2,672	3,510	91.6	57.8	0	111.8	71.3	0	
....Suicide (E955.0-.4)	40	37	39	968	1,343	32.3	20.5	0	41.9	26.8	0	
....Homicide (E965.0-.4)	47	44	47	1,672	2,125	58.5	34.9	0	68.8	41.5	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	130	109	117	2,845	3,980	96.3	78.8	0	125.2	102.8	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	84	60	79	1,080	1,783	38.0	38.4	0	57.8	59.9	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	113	96	103	2,662	3,660	88.1	61.9	0	112.7	80.6	0	

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).