

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex All Residents, 1994-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, All Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, All Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
All causes	147,244	900.7	434.5	1	449.5	70,892	893.0	547.6	1	585.3	76,352	908.0	342.1	0	341.9
Infectious diseases and parasitic disease (1-139)	4,872	29.8	19.8	1	18.6	2,877	36.2	27.5	0	26.5	1,995	23.7	12.7	1	11.1
..Septicemia (038)	1,962	12.0	5.0	1	5.7	867	10.9	6.0	0	6.7	1,095	13.0	4.2	0	4.9
....Septicemia-related (038)	7,014	42.9	19.6	1	21.1	3,201	40.3	23.3	1	25.7	3,813	45.3	16.9	0	17.6
..HIV infection (042-044)	1,918	11.7	10.6	0	10.5	1,431	18.0	15.9	0	16.7	487	5.8	5.5	1	4.5
All cancer (140-208)	35,499	217.2	120.2	1	125.7	17,820	224.5	141.0	1	151.0	17,679	210.2	105.5	0	108.4
..Oral cavity or pharynx (140.0-149.9)	494	3.0	1.9	1	2.6	310	3.9	2.9	1	4.0	184	2.2	1.1	0	1.4
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,832	23.4	11.6	1	13.3	1,855	23.4	14.3	1	16.5	1,977	23.5	9.5	1	11.1
....Colon cancer (153)	3,117	19.1	9.3	1	10.9	1,482	18.7	11.2	1	13.4	1,635	19.4	7.8	1	9.2
....Rectal cancer (154)	656	4.0	2.1	0	2.2	347	4.4	2.9	0	2.9	309	3.7	1.6	0	1.7
..Pancreatic cancer (157)	2,000	12.2	6.6	0	6.2	937	11.8	7.7	0	7.5	1,063	12.6	5.6	0	5.2
..Lung and other respiratory cancer (160-165)	9,608	58.8	34.6	0	35.6	5,465	68.8	44.9	1	48.8	4,143	49.3	26.8	0	25.9
....Lung cancer (162.2-.9)	9,301	56.9	33.4	0	34.4	5,240	66.0	42.9	1	46.8	4,061	48.3	26.2	0	25.3
..Malignant melanoma of skin (172)	463	2.8	1.8	0	1.9	269	3.4	2.4	0	2.4	194	2.3	1.2	0	1.5
..Female breast cancer (174)	3,019	3,019	35.9	20.5	0	22.0
..Cervical cancer (180)	209	209	2.5	1.7	0	1.8
..Endometrial cancer (182)	223	223	2.7	1.2	0	1.2
..Ovarian cancer (183)	885	885	10.5	5.7	0	6.2
..Prostate cancer (185)	2,109	2,109	26.6	12.7	1	15.0
..Bladder cancer (188)	885	5.4	2.4	0	2.4	600	7.6	4.0	0	4.0	285	3.4	1.3	0	1.3
..Brain & other CNS cancer (191-192)	745	4.6	3.1	0	3.4	399	5.0	3.8	0	4.3	346	4.1	2.6	0	2.7
..Leukemia (204-208)	1,349	8.3	4.7	0	4.7	728	9.2	6.0	0	5.8	621	7.4	3.7	0	3.9
Diabetes mellitus (250)	3,219	19.7	9.9	1	8.3	1,468	18.5	11.3	1	9.4	1,751	20.8	8.8	1	7.3
..Diabetes-related (250)	12,514	76.5	36.4	0	35.6	5,908	74.4	43.7	0	41.9	6,606	78.6	30.8	0	30.8
..Diabetic ketoacidosis (DKA) (250.1)	63	0.4	0.3	0	0.2	35	0.4	0.4	0	0.2	28	0.3	0.2	0	0.1
Alzheimer's diseases (331.0)	1,261	7.7	2.1	0	2.1	379	4.8	2.0	0	2.4	882	10.5	2.2	0	1.9
Cardiovascular disease (390-459)	61,973	379.1	150.1	1	162.5	28,022	353.0	194.8	1	217.2	33,951	403.8	113.9	1	120.0
..Diseases of the heart (390-398,402,404-429)	48,741	298.2	120.5	1	132.2	22,792	287.1	160.6	1	181.7	25,949	308.6	88.1	1	93.7
....Heart disease-related (390-398,402,404-429)	82,121	502.3	210.0	1	223.5	38,591	486.1	272.3	1	297.4	43,530	517.7	160.8	1	167.3
....Coronary heart disease (CHD) (402,410-414,429.2)	34,962	213.9	86.6	1	96.9	16,972	213.8	120.2	1	136.9	17,990	213.9	59.5	1	65.7
....Congestive heart failure (CHF) (428.0)	2,738	16.7	4.8	1	4.4	958	12.1	5.2	0	5.1	1,780	21.2	4.5	1	3.9
..Hypertension with or without renal disease (401,403)	759	4.6	1.8	0	1.7	284	3.6	2.0	0	2.1	475	5.6	1.7	0	1.4
....Hypertension-related (401,403)	9,951	60.9	25.2	1	23.2	3,979	50.1	28.8	1	26.0	5,972	71.0	21.9	0	20.5
..Cerebrovascular disease (430-438)	9,478	58.0	20.7	0	20.9	3,561	44.9	22.8	0	23.2	5,917	70.4	18.8	0	19.3
..Atherosclerosis (440)	930	5.7	1.6	1	1.9	336	4.2	1.8	0	2.2	594	7.1	1.4	0	1.7
....Atherosclerosis-related (440)	4,060	24.8	7.8	1	10.7	1,587	20.0	9.3	1	12.9	2,473	29.4	6.6	1	9.1
..Aortic aneurysm (441)	1,076	6.6	2.9	0	3.0	630	7.9	4.4	0	4.7	446	5.3	1.7	0	1.7
Pneumonia & influenza (480-487)	5,888	36.0	11.7	0	12.3	2,635	33.2	15.4	0	16.4	3,253	38.7	9.2	0	9.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female						
	*****1994-1998*****					1989- 1993 AAMR	*****1994-1998*****					1989- 1993 AAMR	*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance			No. of deaths	Crude rate	AAMR	Signif- icance			No. of deaths	Crude rate	AAMR	Signif- icance	
*****Causes of Death*****																	
Chronic obstructive pulmonary disease (COPD) (490-496)	6,051	37.0	15.9	1	14.9	2,817	35.5	18.3	0	19.4	3,234	38.5	14.5	1	12.2		
..COPD-related (490-496)	14,108	86.3	36.8	1	34.8	7,062	89.0	46.3	0	48.1	7,046	83.8	30.6	1	26.6		
..Asthma (493)	267	1.6	1.1	0	0.9	87	1.1	0.9	0	0.8	180	2.1	1.3	0	1.0		
Chronic liver disease and cirrhosis (571)	1,513	9.3	6.6	0	7.0	933	11.8	9.2	0	9.9	580	6.9	4.2	0	4.4		
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,744	10.7	4.4	0	4.2	858	10.8	5.6	0	5.6	886	10.5	3.6	0	3.3		
..Nephritis-related (580-589)	7,752	47.4	21.4	1	24.4	4,066	51.2	28.1	1	33.1	3,686	43.8	16.8	1	18.5		
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	2,072	12.7	5.3	1	4.7	1,036	13.0	6.8	0	6.2	1,036	12.3	4.4	1	3.7		
Unintentional injuries (E800-E949)	5,249	32.1	24.9	1	22.4	3,359	42.3	36.2	1	33.6	1,890	22.5	14.1	1	11.8		
..Motor vehicle accidents (E810-E825)	1,691	10.3	10.3	0	11.2	1,116	14.1	14.3	1	16.4	575	6.8	6.4	0	6.1		
..Falls and fall related injuries (E880-E888)	1,002	6.1	2.5	0	2.3	498	6.3	3.5	0	3.2	504	6.0	1.6	0	1.5		
..Drowning (E830,E832,E910)	162	1.0	1.0	0	1.2	133	1.7	1.7	0	2.1	29	0.3	0.3	0	0.3		
..Residential fires (E890-E899)	173	1.1	0.9	0	0.9	95	1.2	1.1	0	1.1	78	0.9	0.8	0	0.7		
Suicide (E950-E959)	1,479	9.0	8.4	0	8.5	1,156	14.6	13.5	0	14.2	323	3.8	3.5	0	3.1		
Homicide and legal intervention (E960-E978)	808	4.9	5.8	0	6.3	622	7.8	9.1	0	9.9	186	2.2	2.4	0	2.6		
..Homicide (E960-E969)	801	4.9	5.8	0	6.2	615	7.7	9.0	0	9.8	186	2.2	2.4	0	2.6		
All injury (E800-E999)	7,680	47.0	39.9	0	38.3	5,234	65.9	60.0	0	59.5	2,446	29.1	20.5	1	18.0		
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,653	10.1	10.1	0	11.0	1,086	13.7	13.9	1	16.1	567	6.7	6.3	0	6.0		
..All falls (E880-E886,E888,E957,E968.1,E987)	755	4.6	2.2	0	2.1	423	5.3	3.3	0	3.1	332	3.9	1.3	0	1.3		
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1,170	7.2	7.7	1	8.8	1,033	13.0	13.8	0	15.4	137	1.6	1.8	0	2.3		
....Suicide (E955.0-.4)	597	3.7	3.4	0	3.8	542	6.8	6.3	0	6.9	55	0.7	0.6	0	1.0		
....Homicide (E965.0-.4)	536	3.3	4.1	0	4.5	457	5.8	7.0	0	7.7	79	0.9	1.1	0	1.2		
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,439	8.8	8.1	1	5.2	1,059	13.3	12.1	1	8.0	380	4.5	4.1	1	2.4		
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	847	5.2	4.2	0	4.7	627	7.9	6.6	0	7.2	220	2.6	2.0	0	2.5		
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,261	7.7	7.1	1	3.7	919	11.6	10.6	1	5.6	342	4.1	3.7	1	1.8		

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1993 AAMR
*****Causes of Death*****															
All causes	147244	900.7	604.7	1	623.9	70,892	893.0	754.4	1	805.5	76,352	908.0	491.5	0	491.7
Infectious diseases and parasitic disease (1-139)	4,872	29.8	21.5	1	20.1	2,877	36.2	29.1	0	27.6	1,995	23.7	14.7	0	13.4
..Septicemia (038)	1,962	12.0	7.5	1	8.4	867	10.9	9.0	0	9.8	1,095	13.0	6.5	0	7.4
....Septicemia-related (038)	7,014	42.9	28.1	1	30.2	3,201	40.3	33.4	1	36.7	3,813	45.3	24.5	0	25.7
..HIV infection (042-044)	1,918	11.7	9.2	0	8.9	1,431	18.0	13.9	0	14.2	487	5.8	4.6	1	3.8
All cancer (140-208)	35,499	217.2	159.6	1	165.8	17,820	224.5	193.3	1	206.1	17,679	210.2	137.4	0	140.2
..Oral cavity or pharynx (140.0-149.9)	494	3.0	2.4	1	3.1	310	3.9	3.6	1	4.9	184	2.2	1.4	0	1.8
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,832	23.4	16.3	1	18.8	1,855	23.4	20.0	1	23.7	1,977	23.5	13.5	1	15.6
....Colon cancer (153)	3,117	19.1	13.1	1	15.4	1,482	18.7	15.9	1	19.3	1,635	19.4	11.1	1	12.9
....Rectal cancer (154)	656	4.0	2.9	0	3.1	347	4.4	3.8	0	3.9	309	3.7	2.2	0	2.4
..Pancreatic cancer (157)	2,000	12.2	8.9	0	8.5	937	11.8	10.3	0	10.1	1,063	12.6	7.8	0	7.3
..Lung and other respiratory cancer (160-165)	9,608	58.8	45.2	0	45.8	5,465	68.8	60.3	1	64.9	4,143	49.3	34.4	0	32.6
....Lung cancer (162.2-.9)	9,301	56.9	43.8	0	44.2	5,240	66.0	57.8	1	62.2	4,061	48.3	33.8	0	31.8
..Malignant melanoma of skin (172)	463	2.8	2.2	0	2.2	269	3.4	3.0	0	2.8	194	2.3	1.5	0	1.7
..Female breast cancer (174)	3,019	3,019	35.9	25.1	0	26.6
..Cervical cancer (180)	209	209	2.5	1.8	0	2.0
..Endometrial cancer (182)	223	223	2.7	1.7	0	1.7
..Ovarian cancer (183)	885	885	10.5	7.2	0	7.8
..Prostate cancer (185)	2,109	2,109	26.6	21.3	1	24.3
..Bladder cancer (188)	885	5.4	3.6	0	3.6	600	7.6	6.2	0	6.3	285	3.4	1.9	0	2.0
..Brain & other CNS cancer (191-192)	745	4.6	3.7	0	4.0	399	5.0	4.5	0	5.0	346	4.1	3.1	0	3.2
..Leukemia (204-208)	1,349	8.3	6.1	0	6.0	728	9.2	7.9	0	7.6	621	7.4	4.8	0	4.9
Diabetes mellitus (250)	3,219	19.7	13.7	1	11.5	1,468	18.5	15.7	1	12.8	1,751	20.8	12.2	1	10.4
..Diabetes-related (250)	12,514	76.5	52.2	0	51.5	5,908	74.4	62.8	0	60.3	6,606	78.6	44.6	0	45.1
..Diabetic ketoacidosis (DKA) (250.1)	63	0.4	0.3	0	0.2	35	0.4	0.4	0	0.2	28	0.3	0.2	0	0.2
Alzheimer's diseases (331.0)	1,261	7.7	4.1	0	3.9	379	4.8	3.7	0	4.4	882	10.5	4.2	1	3.6
Cardiovascular disease (390-459)	61,973	379.1	233.5	1	252.0	28,022	353.0	292.8	1	326.7	33,951	403.8	187.6	1	197.5
..Diseases of the heart (390-398,402,404-429)	48,741	298.2	185.5	1	202.8	22,792	287.1	239.1	1	270.0	25,949	308.6	144.4	1	153.6
....Heart disease-related (390-398,402,404-429)	82,121	502.3	317.2	1	336.8	38,591	486.1	403.8	1	440.5	43,530	517.7	253.2	1	263.5
....Coronary heart disease (CHD) (402,410-414,429.2)	34,962	213.9	133.5	1	149.6	16,972	213.8	178.5	1	203.6	17,990	213.9	99.0	1	109.8
....Congestive heart failure (CHF) (428.0)	2,738	16.7	9.0	1	8.0	958	12.1	9.5	0	9.3	1,780	21.2	8.5	1	7.3
..Hypertension with or without renal disease (401,403)	759	4.6	2.9	0	2.6	284	3.6	3.0	0	3.1	475	5.6	2.7	0	2.3
....Hypertension-related (401,403)	9,951	60.9	38.6	1	35.2	3,979	50.1	42.2	1	37.7	5,972	71.0	34.9	1	32.4
..Cerebrovascular disease (430-438)	9,478	58.0	34.0	0	34.6	3,561	44.9	36.4	0	37.6	5,917	70.4	31.7	0	32.4
..Atherosclerosis (440)	930	5.7	3.0	1	3.7	336	4.2	3.3	0	4.0	594	7.1	2.7	1	3.3
....Atherosclerosis-related (440)	4,060	24.8	13.8	1	19.4	1,587	20.0	16.0	1	22.5	2,473	29.4	12.1	1	17.1
..Aortic aneurysm (441)	1,076	6.6	4.3	0	4.4	630	7.9	6.6	0	7.0	446	5.3	2.7	0	2.7
Pneumonia & influenza (480-487)	5,888	36.0	20.1	1	21.6	2,635	33.2	26.4	1	28.6	3,253	38.7	16.3	1	17.6

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female						
	*****1994-1998*****					1989- 1993 AAMR	*****1994-1998*****					1989- 1993 AAMR	*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance			No. of deaths	Crude rate	AAMR	Signif- icance			No. of deaths	Crude rate	AAMR	Signif- icance	
*****Causes of Death*****																	
Chronic obstructive pulmonary disease (COPD) (490-496)	6,051	37.0	24.0	1	22.5	2,817	35.5	28.9	0	30.6	3,234	38.5	21.5	1	17.9		
..COPD-related (490-496)	14,108	86.3	55.9	1	53.0	7,062	89.0	72.7	0	76.2	7,046	83.8	45.8	1	39.7		
..Asthma (493)	267	1.6	1.3	0	1.1	87	1.1	1.0	0	0.9	180	2.1	1.5	0	1.2		
Chronic liver disease and cirrhosis (571)	1,513	9.3	7.5	0	7.8	933	11.8	10.4	0	11.2	580	6.9	5.0	0	5.0		
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,744	10.7	6.7	0	6.4	858	10.8	8.8	0	8.7	886	10.5	5.4	0	5.0		
..Nephritis-related (580-589)	7,752	47.4	31.0	1	35.4	4,066	51.2	42.0	1	49.5	3,686	43.8	24.1	1	26.9		
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	2,072	12.7	8.0	1	7.1	1,036	13.0	10.6	0	9.7	1,036	12.3	6.5	1	5.6		
Unintentional injuries (E800-E949)	5,249	32.1	26.1	1	23.9	3,359	42.3	37.5	0	35.0	1,890	22.5	15.9	1	13.6		
..Motor vehicle accidents (E810-E825)	1,691	10.3	10.1	0	10.9	1,116	14.1	13.8	1	15.8	575	6.8	6.5	0	6.1		
..Falls and fall related injuries (E880-E888)	1,002	6.1	3.7	0	3.6	498	6.3	5.1	0	4.7	504	6.0	2.7	0	2.7		
..Drowning (E830,E832,E910)	162	1.0	1.0	0	1.2	133	1.7	1.7	0	2.1	29	0.3	0.4	0	0.4		
..Residential fires (E890-E899)	173	1.1	1.0	0	1.0	95	1.2	1.2	0	1.2	78	0.9	0.9	0	0.8		
Suicide (E950-E959)	1,479	9.0	8.0	0	8.1	1,156	14.6	13.1	0	13.8	323	3.8	3.3	0	3.0		
Homicide and legal intervention (E960-E978)	808	4.9	5.3	0	5.7	622	7.8	8.3	0	9.1	186	2.2	2.3	0	2.4		
..Homicide (E960-E969)	801	4.9	5.3	0	5.7	615	7.7	8.2	0	9.0	186	2.2	2.3	0	2.4		
All injury (E800-E999)	7,680	47.0	40.2	0	38.7	5,234	65.9	59.9	0	59.5	2,446	29.1	22.0	1	19.4		
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,653	10.1	9.9	0	10.7	1,086	13.7	13.5	1	15.5	567	6.7	6.4	0	6.1		
..All falls (E880-E886,E888,E957,E968.1,E987)	755	4.6	3.0	0	3.0	423	5.3	4.4	0	4.2	332	3.9	1.9	0	2.1		
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1,170	7.2	7.2	1	8.2	1,033	13.0	12.9	0	14.6	137	1.6	1.6	0	2.1		
....Suicide (E955.0-.4)	597	3.7	3.2	0	3.7	542	6.8	6.2	0	6.8	55	0.7	0.6	0	0.9		
....Homicide (E965.0-.4)	536	3.3	3.7	0	4.1	457	5.8	6.3	0	7.1	79	0.9	1.0	0	1.1		
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,439	8.8	7.1	1	4.7	1,059	13.3	10.6	1	7.2	380	4.5	3.7	1	2.3		
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	847	5.2	4.4	0	4.9	627	7.9	6.9	0	7.5	220	2.6	2.1	0	2.6		
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,261	7.7	6.1	1	3.2	919	11.6	9.0	1	4.7	342	4.1	3.3	1	1.7		

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
All causes	147244	900.7	825.4	1	848.0	70,892	893.0	1022.4	1	1088.2	76,352	908.0	686.1	0	685.6
Infectious diseases and parasitic disease (1-139)	4,872	29.8	27.9	0	26.6	2,877	36.2	37.8	0	36.0	1,995	23.7	19.4	0	18.2
..Septicemia (038)	1,962	12.0	10.9	1	12.1	867	10.9	12.9	0	13.9	1,095	13.0	9.6	1	10.8
....Septicemia-related (038)	7,014	42.9	39.1	1	42.4	3,201	40.3	46.7	1	51.5	3,813	45.3	34.2	1	36.6
..HIV infection (042-044)	1,918	11.7	11.3	0	10.9	1,431	18.0	17.2	0	17.6	487	5.8	5.6	1	4.5
All cancer (140-208)	35,499	217.2	200.8	1	207.8	17,820	224.5	248.8	1	264.8	17,679	210.2	171.8	0	174.4
..Oral cavity or pharynx (140.0-149.9)	494	3.0	2.9	1	3.7	310	3.9	4.2	1	5.8	184	2.2	1.8	0	2.1
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,832	23.4	21.4	1	25.0	1,855	23.4	26.2	1	31.6	1,977	23.5	18.1	1	20.9
....Colon cancer (153)	3,117	19.1	17.4	1	20.5	1,482	18.7	21.0	1	25.9	1,635	19.4	15.0	1	17.3
....Rectal cancer (154)	656	4.0	3.7	0	4.0	347	4.4	4.8	0	5.1	309	3.7	2.9	0	3.2
..Pancreatic cancer (157)	2,000	12.2	11.3	0	10.9	937	11.8	12.8	0	12.7	1,063	12.6	10.0	0	9.5
..Lung and other respiratory cancer (160-165)	9,608	58.8	54.5	0	54.5	5,465	68.8	74.5	1	79.8	4,143	49.3	41.2	1	38.2
....Lung cancer (162.2-.9)	9,301	56.9	52.8	0	52.6	5,240	66.0	71.4	1	76.5	4,061	48.3	40.4	1	37.2
..Malignant melanoma of skin (172)	463	2.8	2.7	0	2.7	269	3.4	3.7	0	3.5	194	2.3	1.9	0	2.1
..Female breast cancer (174)	3,019	3,019	35.9	30.6	0	32.4
..Cervical cancer (180)	209	209	2.5	2.2	0	2.4
..Endometrial cancer (182)	223	223	2.7	2.1	0	2.1
..Ovarian cancer (183)	885	885	10.5	8.8	0	9.4
..Prostate cancer (185)	2,109	2,109	26.6	32.0	1	35.5
..Bladder cancer (188)	885	5.4	4.9	0	5.1	600	7.6	8.8	0	9.0	285	3.4	2.6	0	2.8
..Brain & other CNS cancer (191-192)	745	4.6	4.3	0	4.6	399	5.0	5.3	0	5.8	346	4.1	3.6	0	3.6
..Leukemia (204-208)	1,349	8.3	7.6	0	7.5	728	9.2	10.1	0	9.7	621	7.4	6.0	0	6.1
Diabetes mellitus (250)	3,219	19.7	18.1	1	15.2	1,468	18.5	20.8	1	16.7	1,751	20.8	16.2	1	14.0
..Diabetes-related (250)	12,514	76.5	69.8	0	69.4	5,908	74.4	84.1	0	81.0	6,606	78.6	60.1	0	61.5
..Diabetic ketoacidosis (DKA) (250.1)	63	0.4	0.4	0	0.2	35	0.4	0.4	0	0.3	28	0.3	0.3	0	0.2
Alzheimer's diseases (331.0)	1,261	7.7	6.9	0	6.3	379	4.8	6.2	0	7.0	882	10.5	7.1	1	5.9
Cardiovascular disease (390-459)	61,973	379.1	343.0	1	368.2	28,022	353.0	416.9	1	464.0	33,951	403.8	288.0	1	302.0
..Diseases of the heart (390-398,402,404-429)	48,741	298.2	270.2	1	293.0	22,792	287.1	337.7	1	379.2	25,949	308.6	220.5	1	233.4
....Heart disease-related (390-398,402,404-429)	82,121	502.3	455.7	1	481.8	38,591	486.1	570.1	1	620.0	43,530	517.7	376.1	1	390.3
....Coronary heart disease (CHD) (402,410-414,429.2)	34,962	213.9	193.8	1	216.4	16,972	213.8	250.7	1	285.0	17,990	213.9	152.3	1	168.5
....Congestive heart failure (CHF) (428.0)	2,738	16.7	14.9	1	13.1	958	12.1	15.5	0	15.1	1,780	21.2	14.4	1	12.1
..Hypertension with or without renal disease (401,403)	759	4.6	4.2	0	3.8	284	3.6	4.3	0	4.4	475	5.6	4.1	0	3.4
....Hypertension-related (401,403)	9,951	60.9	55.1	1	49.8	3,979	50.1	57.8	1	51.5	5,972	71.0	51.6	1	47.2
..Cerebrovascular disease (430-438)	9,478	58.0	52.1	0	53.5	3,561	44.9	54.3	0	57.2	5,917	70.4	49.8	0	50.8
..Atherosclerosis (440)	930	5.7	5.1	1	6.2	336	4.2	5.5	0	6.6	594	7.1	4.7	1	5.9
....Atherosclerosis-related (440)	4,060	24.8	22.2	1	31.4	1,587	20.0	24.9	1	35.2	2,473	29.4	20.2	1	28.7
..Aortic aneurysm (441)	1,076	6.6	5.9	0	6.0	630	7.9	9.1	0	9.5	446	5.3	3.9	0	3.9
Pneumonia & influenza (480-487)	5,888	36.0	32.3	1	35.0	2,635	33.2	42.3	1	46.2	3,253	38.7	26.8	1	29.2

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female						
	*****1994-1998*****					1989- 1993 AAMR	*****1994-1998*****					1989- 1993 AAMR	*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance			No. of deaths	Crude rate	AAMR	Signif- icance			No. of deaths	Crude rate	AAMR	Signif- icance	
*****Causes of Death*****																	
Chronic obstructive pulmonary disease (COPD) (490-496)	6,051	37.0	33.3	1	30.9	2,817	35.5	41.6	0	43.7	3,234	38.5	29.2	1	24.3		
..COPD-related (490-496)	14,108	86.3	77.7	1	73.4	7,062	89.0	104.1	1	109.7	7,046	83.8	63.1	1	54.3		
..Asthma (493)	267	1.6	1.6	0	1.4	87	1.1	1.2	0	1.2	180	2.1	1.9	0	1.6		
Chronic liver disease and cirrhosis (571)	1,513	9.3	8.9	0	9.2	933	11.8	12.2	0	13.2	580	6.9	6.0	0	5.9		
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,744	10.7	9.6	0	9.1	858	10.8	13.1	0	12.9	886	10.5	7.8	0	7.1		
..Nephritis-related (580-589)	7,752	47.4	43.1	1	49.2	4,066	51.2	60.2	1	70.8	3,686	43.8	33.3	1	37.2		
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	2,072	12.7	11.5	1	10.1	1,036	13.0	15.7	0	14.2	1,036	12.3	9.2	1	7.9		
Unintentional injuries (E800-E949)	5,249	32.1	30.8	1	27.3	3,359	42.3	44.5	1	39.8	1,890	22.5	19.1	1	16.4		
..Motor vehicle accidents (E810-E825)	1,691	10.3	10.4	0	11.0	1,116	14.1	14.3	0	15.8	575	6.8	6.7	0	6.3		
..Falls and fall related injuries (E880-E888)	1,002	6.1	5.6	0	5.3	498	6.3	7.6	0	6.8	504	6.0	4.2	0	4.3		
..Drowning (E830,E832,E910)	162	1.0	1.0	0	1.2	133	1.7	1.7	0	2.1	29	0.3	0.3	0	0.4		
..Residential fires (E890-E899)	173	1.1	1.0	0	1.0	95	1.2	1.2	0	1.3	78	0.9	0.9	0	0.8		
Suicide (E950-E959)	1,479	9.0	8.9	0	9.0	1,156	14.6	14.7	0	15.5	323	3.8	3.7	0	3.4		
Homicide and legal intervention (E960-E978)	808	4.9	5.1	0	5.6	622	7.8	7.9	0	8.7	186	2.2	2.3	0	2.4		
..Homicide (E960-E969)	801	4.9	5.0	0	5.5	615	7.7	7.8	0	8.6	186	2.2	2.3	0	2.4		
All injury (E800-E999)	7,680	47.0	45.6	1	43.1	5,234	65.9	68.2	0	65.8	2,446	29.1	25.7	1	22.8		
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,653	10.1	10.1	0	10.8	1,086	13.7	14.0	0	15.5	567	6.7	6.6	0	6.3		
..All falls (E880-E886,E888,E957,E968.1,E987)	755	4.6	4.2	0	4.3	423	5.3	6.2	0	5.8	332	3.9	2.9	0	3.2		
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1,170	7.2	7.2	1	8.2	1,033	13.0	13.2	0	14.7	137	1.6	1.7	0	2.2		
....Suicide (E955.0-.4)	597	3.7	3.6	0	4.0	542	6.8	6.9	0	7.5	55	0.7	0.7	0	1.0		
....Homicide (E965.0-.4)	536	3.3	3.4	0	3.9	457	5.8	5.8	0	6.6	79	0.9	1.0	0	1.1		
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,439	8.8	8.5	1	5.5	1,059	13.3	12.8	1	8.6	380	4.5	4.4	1	2.7		
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	847	5.2	5.1	0	5.7	627	7.9	8.1	0	8.8	220	2.6	2.5	0	3.0		
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,261	7.7	7.4	1	3.8	919	11.6	11.0	1	5.8	342	4.1	3.9	1	1.9		

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	147,244	32,866	60,960	610,952	1068272	4216.4	4455.0	1	6558.9	6880.6	1
Infectious diseases and parasitic disease (1-139)	4,872	2,692	3,208	63,363	92,738	395.6	387.3	0	542.1	521.5	0
..Septicemia (038)	1,962	305	616	4,780	9,272	30.7	44.5	1	53.3	70.2	1
....Septicemia-related (038)	7,014	1,363	2,721	20,866	40,676	135.3	165.6	1	235.6	271.4	1
..HIV infection (042-044)	1,918	1,885	1,913	46,906	65,921	285.7	298.6	0	379.5	390.4	0
All cancer (140-208)	35,499	9,276	19,322	104,343	244,348	656.7	707.9	1	1374.0	1469.1	1
..Oral cavity or pharynx (140.0-149.9)	494	180	321	1,875	4,358	12.2	16.9	0	25.3	35.4	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,832	743	1,778	7,373	19,660	45.2	50.2	0	107.4	119.6	0
...Colon cancer (153)	3,117	583	1,410	5,688	15,430	34.7	39.4	0	83.9	95.5	0
...Rectal cancer (154)	656	151	348	1,583	3,985	9.9	10.2	0	22.1	22.8	0
..Pancreatic cancer (157)	2,000	456	1,067	4,275	11,633	26.0	23.2	0	63.4	58.1	0
..Lung and other respiratory cancer (160-165)	9,608	2,621	5,874	22,473	64,290	136.9	156.5	1	351.5	385.7	1
....Lung cancer (162.2-.9)	9,301	2,519	5,676	21,543	61,835	131.2	149.2	1	337.8	370.2	1
..Malignant melanoma of skin (172)	463	182	284	2,485	4,800	15.0	19.3	0	27.0	33.0	0
..Female breast cancer (174)	3,019	1,112	1,870	13,675	28,440	.	.	0	.	.	.
..Cervical cancer (180)	209	122	154	2,115	3,515	.	.	0	.	.	.
..Endometrial cancer (182)	223	38	107	300	1,003	.	.	0	.	.	.
..Ovarian cancer (183)	885	266	512	2,765	6,565	.	.	0	.	.	.
..Prostate cancer (185)	2,109	137	620	778	4,315	.	.	0	.	.	.
..Bladder cancer (188)	885	108	338	870	2,995	5.5	5.1	0	16.1	15.0	0
..Brain & other CNS cancer (191-192)	745	333	538	5,670	10,007	38.0	42.1	0	60.5	67.0	0
..Leukemia (204-208)	1,349	383	730	7,408	12,820	53.3	58.5	0	81.2	87.7	0
Diabetes mellitus (250)	3,219	707	1,503	7,683	18,453	47.1	40.4	0	102.0	85.0	1
..Diabetes-related (250)	12,514	2,174	5,325	20,692	57,025	127.3	120.2	0	311.2	293.6	0
..Diabetic ketoacidosis (DKA) (250.1)	63	31	43	738	1,098	4.7	2.6	0	6.5	3.7	0
Alzheimer's diseases (331.0)	1,261	31	141	203	978	1.3	1.1	0	5.0	5.2	0
Cardiovascular disease (390-459)	61,973	8,031	18,767	93,347	222,157	587.3	615.5	0	1237.0	1316.0	1
..Diseases of the heart (390-398,402,404-429)	48,741	6,732	15,390	77,002	183,687	485.6	507.4	0	1025.9	1098.0	1
....Heart disease-related (390-398,402,404-429)	82,121	12,257	27,442	156,884	348,291	1001.6	1071.8	1	1968.3	2096.3	1
....Coronary heart disease (CHD) (402,410-414,429.2)	34,962	4,734	11,149	47,161	123,834	287.4	300.7	0	675.3	728.5	1
....Congestive heart failure (CHF) (428.0)	2,738	105	397	1,017	3,252	6.6	8.1	0	17.4	18.3	0
..Hypertension with or without renal disease (401,403)	759	98	241	1,067	2,665	6.6	6.7	0	14.6	14.4	0
....Hypertension-related (401,403)	9,951	1,317	3,284	12,135	34,212	74.4	71.3	0	186.0	173.8	0
..Cerebrovascular disease (430-438)	9,478	897	2,247	11,494	26,369	71.4	75.4	0	145.2	147.8	0
..Atherosclerosis (440)	930	36	128	495	1,245	3.0	3.1	0	6.5	7.7	0
....Atherosclerosis-related (440)	4,060	215	739	1,990	6,460	12.2	11.7	0	34.0	38.7	0
..Aortic aneurysm (441)	1,076	103	410	1,163	3,595	7.2	8.0	0	18.8	20.3	0
Pneumonia & influenza (480-487)	5,888	494	1,110	8,280	15,860	53.9	57.7	0	91.6	94.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	6,051	627	2,127	6,264	19,209	42.0	33.5	0	105.5	93.5	0
..COPD-related (490-496)	14,108	1,462	4,954	13,471	43,601	87.1	73.5	1	234.8	212.9	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	267	138	182	2,892	4,432	20.8	12.0	1	29.1	18.1	1
Chronic liver disease and cirrhosis (571)	1,513	794	1,181	11,577	21,405	68.7	76.0	0	119.0	130.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,744	238	555	3,352	7,130	21.5	20.9	0	40.3	39.8	0
..Nephritis-related (580-589)	7,752	1,373	2,967	20,191	41,006	128.1	132.4	0	232.3	249.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	2,072	302	696	4,491	9,236	28.8	22.4	0	52.4	43.3	0
Unintentional injuries (E800-E949)	5,249	3,177	3,684	93,308	127,340	700.5	672.2	0	885.7	837.8	0
..Motor vehicle accidents (E810-E825)	1,691	1,335	1,478	42,878	56,885	349.6	402.4	1	431.0	490.4	1
..Falls and fall related injuries (E880-E888)	1,002	156	289	3,292	5,425	23.4	22.5	0	34.4	33.2	0
..Drowning (E830,E832,E910)	162	140	150	4,940	6,400	39.0	45.0	0	47.2	54.5	0
..Residential fires (E890-E899)	173	119	143	3,920	5,220	29.9	29.8	0	36.9	36.5	0
Suicide (E950-E959)	1,479	1,207	1,337	32,063	44,818	233.5	237.1	0	302.7	307.1	0
Homicide and legal intervention (E960-E978)	808	766	796	27,993	35,813	235.1	246.9	0	282.2	297.5	0
..Homicide (E960-E969)	801	759	789	27,751	35,501	233.1	245.9	0	279.7	296.2	0
All injury (E800-E999)	7,680	5,286	5,958	157,089	213,089	1193.6	1190.1	0	1502.1	1485.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,653	1,304	1,445	41,828	55,526	341.5	397.0	1	421.1	483.6	1
..All falls (E880-E886,E888,E957,E968.1,E987)	755	177	292	3,770	6,047	26.4	25.5	0	38.1	36.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1,170	1,033	1,104	33,573	44,275	275.4	312.9	0	338.5	384.0	0
....Suicide (E955.0-.4)	597	470	532	12,780	17,800	95.1	108.9	0	122.6	140.4	0
....Homicide (E965.0-.4)	536	528	536	19,645	24,970	170.7	187.9	0	204.1	224.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,439	1,341	1,386	35,258	48,890	229.5	146.2	1	298.7	189.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	847	617	770	9,923	16,925	58.3	67.5	0	94.2	107.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,261	1,206	1,228	32,456	44,611	210.3	107.4	1	271.7	138.4	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	70,892	20,452	36,215	388,443	666,356	5382.3	5846.3	1	8362.4	9014.4	1
Infectious diseases and parasitic disease (1-139)	2,877	1,920	2,201	44,016	64,564	543.2	560.1	0	752.1	760.1	0
..Septicemia (038)	867	178	344	2,585	5,130	33.0	49.5	1	60.1	80.2	0
....Septicemia-related (038)	3,201	761	1,487	11,637	22,592	149.6	194.6	1	265.6	323.1	1
..HIV infection (042-044)	1,431	1,402	1,427	33,684	47,857	407.9	455.8	0	549.5	602.9	0
All cancer (140-208)	17,820	4,681	10,133	51,107	123,877	665.4	725.3	1	1452.9	1573.3	1
..Oral cavity or pharynx (140.0-149.9)	310	139	227	1,548	3,383	20.6	27.0	0	41.1	56.3	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,855	438	1,020	4,335	11,470	54.6	55.6	0	131.3	137.5	0
....Colon cancer (153)	1,482	332	790	3,165	8,685	39.6	41.9	0	98.9	107.1	0
....Rectal cancer (154)	347	102	221	1,115	2,663	14.3	13.4	0	31.0	29.2	0
..Pancreatic cancer (157)	937	265	589	2,548	6,783	31.6	28.4	0	77.3	72.0	0
..Lung and other respiratory cancer (160-165)	5,465	1,485	3,414	12,223	36,370	153.9	188.5	1	416.5	480.0	1
....Lung cancer (162.2-.9)	5,240	1,407	3,263	11,533	34,533	145.2	177.7	1	395.1	456.8	1
..Malignant melanoma of skin (172)	269	113	180	1,508	2,985	18.8	22.3	0	34.9	38.1	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	2,109	137	620	778	4,315	10.1	13.3	0	46.7	59.5	1
..Bladder cancer (188)	600	78	242	605	2,150	7.7	7.2	0	24.1	22.7	0
..Brain & other CNS cancer (191-192)	399	200	299	3,471	5,989	46.9	51.1	0	74.3	83.4	0
..Leukemia (204-208)	728	210	431	4,016	7,184	58.3	67.6	0	92.4	102.2	0
Diabetes mellitus (250)	1,468	378	782	4,320	10,025	54.3	47.1	0	115.7	99.1	0
..Diabetes-related (250)	5,908	1,246	2,901	12,097	32,300	151.9	142.1	0	369.3	345.4	0
..Diabetic ketoacidosis (DKA) (250.1)	35	23	29	538	798	7.0	2.5	0	9.8	3.5	0
Alzheimer's diseases (331.0)	379	14	63	80	453	1.0	0.9	0	4.9	5.4	0
Cardiovascular disease (390-459)	28,022	5,476	11,878	63,137	147,357	805.2	856.9	0	1709.2	1854.1	1
..Diseases of the heart (390-398,402,404-429)	22,792	4,694	9,980	53,452	124,862	681.7	732.3	0	1450.1	1597.4	1
....Heart disease-related (390-398,402,404-429)	38,591	7,969	16,909	102,007	222,982	1312.2	1410.5	1	2605.7	2811.9	1
....Coronary heart disease (CHD) (402,410-414,429.2)	16,972	3,495	7,561	35,757	89,667	446.4	473.2	0	1027.5	1126.7	1
....Congestive heart failure (CHF) (428.0)	958	56	198	475	1,630	6.2	8.8	0	18.3	21.2	0
..Hypertension with or without renal disease (401,403)	284	60	128	675	1,575	8.4	10.0	0	18.1	20.5	0
....Hypertension-related (401,403)	3,979	828	1,861	7,660	20,698	96.4	95.6	0	237.7	224.4	0
..Cerebrovascular disease (430-438)	3,561	520	1,208	6,588	14,823	84.1	82.3	0	171.5	162.8	0
..Atherosclerosis (440)	336	22	74	360	805	4.4	2.9	0	8.9	8.7	0
....Atherosclerosis-related (440)	1,587	128	446	1,302	4,032	16.5	13.5	0	44.8	48.7	0
..Aortic aneurysm (441)	630	83	297	918	2,763	11.8	12.1	0	30.9	31.8	0
Pneumonia & influenza (480-487)	2,635	310	682	5,443	10,178	70.8	68.4	0	120.1	117.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,817	284	1,029	2,832	9,040	39.2	32.7	0	104.1	101.0	0
..COPD-related (490-496)	7,062	758	2,659	6,737	22,795	90.0	81.7	0	258.3	250.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	87	54	68	1,270	1,865	19.3	11.4	0	26.1	16.9	0
Chronic liver disease and cirrhosis (571)	933	566	792	8,202	14,992	99.1	108.3	0	171.8	186.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	858	137	303	1,971	4,041	25.8	27.6	0	47.7	51.3	0
..Nephritis-related (580-589)	4,066	809	1,689	12,125	24,140	154.1	169.3	0	280.6	315.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,036	171	379	2,538	5,143	33.0	29.3	0	60.5	55.6	0
Unintentional injuries (E800-E949)	3,359	2,362	2,653	69,449	94,412	1027.6	1023.6	0	1301.2	1276.4	0
..Motor vehicle accidents (E810-E825)	1,116	931	1,010	30,235	39,922	486.4	598.9	1	599.4	729.0	1
..Falls and fall related injuries (E880-E888)	498	121	201	2,558	4,128	36.4	36.9	0	53.3	53.5	0
..Drowning (E830,E832,E910)	133	118	124	4,127	5,347	64.2	75.9	0	78.0	92.5	0
..Residential fires (E890-E899)	95	69	83	2,182	2,942	32.7	34.5	0	40.9	42.6	0
Suicide (E950-E959)	1,156	945	1,043	25,508	35,463	373.7	392.5	0	483.6	507.4	0
Homicide and legal intervention (E960-E978)	622	596	617	21,890	27,973	368.6	392.2	0	442.6	472.4	0
..Homicide (E960-E969)	615	589	610	21,648	27,660	364.6	390.5	0	437.8	470.2	0
All injury (E800-E999)	5,234	3,994	4,407	119,368	161,296	1803.2	1862.7	0	2270.2	2325.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,086	904	983	29,287	38,710	471.8	588.5	1	581.8	715.8	1
..All falls (E880-E886,E888,E957,E968.1,E987)	423	136	213	2,905	4,618	40.7	41.9	0	59.1	59.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1,033	907	969	29,594	38,989	482.6	542.7	0	593.9	666.2	0
....Suicide (E955.0-.4)	542	420	479	11,510	16,018	171.6	190.1	0	221.8	245.4	0
....Homicide (E965.0-.4)	457	454	457	16,996	21,554	292.7	323.4	0	349.7	386.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,059	1,002	1,029	26,589	36,737	346.5	230.4	1	450.5	297.8	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	627	474	573	7,710	12,978	92.8	98.5	0	148.7	158.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	919	896	906	24,362	33,357	316.2	167.5	1	407.7	215.0	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	76,352	12,414	24,745	222,509	401,917	3054.2	3070.3	0	4804.8	4814.2	0
Infectious diseases and parasitic disease (1-139)	1,995	772	1,007	19,347	28,175	252.1	219.1	0	338.9	290.3	0
..Septicemia (038)	1,095	127	272	2,195	4,142	28.7	39.8	0	47.3	61.0	0
....Septicemia-related (038)	3,813	602	1,234	9,229	18,084	122.0	138.0	0	208.0	223.1	0
..HIV infection (042-044)	487	483	486	13,222	18,064	166.8	145.3	0	214.5	183.7	0
All cancer (140-208)	17,679	4,595	9,189	53,237	120,472	647.3	691.2	0	1304.5	1379.4	0
..Oral cavity or pharynx (140.0-149.9)	184	41	94	328	975	3.9	7.2	0	10.2	16.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,977	305	758	3,038	8,190	36.2	45.0	0	85.4	103.8	1
....Colon cancer (153)	1,635	251	620	2,523	6,745	30.0	37.1	0	70.2	85.4	0
....Rectal cancer (154)	309	49	127	468	1,323	5.7	7.2	0	13.8	16.9	0
..Pancreatic cancer (157)	1,063	191	478	1,728	4,850	20.6	18.3	0	50.6	45.6	0
..Lung and other respiratory cancer (160-165)	4,143	1,136	2,460	10,250	27,920	120.9	126.3	0	293.3	301.3	0
....Lung cancer (162.2-.9)	4,061	1,112	2,413	10,010	27,303	118.1	122.4	0	286.8	293.0	0
..Malignant melanoma of skin (172)	194	69	104	978	1,815	11.3	16.5	0	19.6	28.1	0
..Female breast cancer (174)	3,019	1,112	1,870	13,675	28,440	158.5	180.3	0	304.3	337.9	0
..Cervical cancer (180)	209	122	154	2,115	3,515	24.9	25.1	0	38.8	38.9	0
..Endometrial cancer (182)	223	38	107	300	1,003	3.6	3.5	0	10.2	11.1	0
..Ovarian cancer (183)	885	266	512	2,765	6,565	33.2	39.2	0	70.7	81.3	0
..Prostate cancer (185)
..Bladder cancer (188)	285	30	96	265	845	3.5	3.2	0	8.9	8.3	0
..Brain & other CNS cancer (191-192)	346	133	239	2,199	4,019	29.1	33.4	0	47.2	51.7	0
..Leukemia (204-208)	621	173	299	3,392	5,637	48.4	49.4	0	70.9	73.9	0
Diabetes mellitus (250)	1,751	329	721	3,363	8,428	40.0	34.1	0	89.1	72.1	0
..Diabetes-related (250)	6,606	928	2,424	8,595	24,725	104.0	99.7	0	257.7	246.5	0
..Diabetic ketoacidosis (DKA) (250.1)	28	8	14	200	300	2.5	2.8	0	3.4	4.0	0
Alzheimer's diseases (331.0)	882	17	78	123	525	1.5	1.3	0	5.1	4.9	0
Cardiovascular disease (390-459)	33,951	2,555	6,889	30,210	74,800	378.5	385.8	0	798.1	822.3	0
..Diseases of the heart (390-398,402,404-429)	25,949	2,038	5,410	23,550	58,825	297.9	293.6	0	631.6	639.6	0
....Heart disease-related (390-398,402,404-429)	43,530	4,288	10,533	54,877	125,310	701.7	748.6	0	1372.6	1437.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	17,990	1,239	3,588	11,405	34,167	135.6	137.6	0	348.9	364.5	0
....Congestive heart failure (CHF) (428.0)	1,780	49	199	542	1,622	7.0	7.5	0	16.7	15.9	0
..Hypertension with or without renal disease (401,403)	475	38	113	392	1,090	4.9	3.6	0	11.3	8.7	0
....Hypertension-related (401,403)	5,972	489	1,423	4,475	13,515	53.6	48.1	0	138.4	126.9	0
..Cerebrovascular disease (430-438)	5,917	377	1,039	4,906	11,546	59.0	68.6	0	120.5	134.1	0
..Atherosclerosis (440)	594	14	54	135	440	1.5	3.3	0	4.2	6.9	0
....Atherosclerosis-related (440)	2,473	87	293	688	2,428	8.1	10.1	0	24.2	30.2	0
..Aortic aneurysm (441)	446	20	113	245	833	2.8	4.1	0	7.7	10.1	0
Pneumonia & influenza (480-487)	3,253	184	428	2,837	5,682	37.2	47.6	0	64.3	74.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	3,234	343	1,098	3,432	10,169	44.6	34.3	0	107.2	87.6	0
..COPD-related (490-496)	7,046	704	2,295	6,734	20,807	84.3	65.7	1	214.5	180.4	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	180	84	114	1,622	2,567	22.3	12.6	0	31.9	19.2	0
Chronic liver disease and cirrhosis (571)	580	228	389	3,375	6,413	39.6	45.1	0	69.1	78.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	886	101	252	1,382	3,089	17.2	14.3	0	33.3	28.8	0
..Nephritis-related (580-589)	3,686	564	1,278	8,066	16,866	102.8	97.1	0	186.9	187.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,036	131	317	1,954	4,094	24.6	15.6	0	44.8	31.7	0
Unintentional injuries (E800-E949)	1,890	815	1,031	23,859	32,929	370.5	315.5	0	468.6	395.1	1
..Motor vehicle accidents (E810-E825)	575	404	468	12,643	16,963	210.2	201.2	0	259.8	247.0	0
..Falls and fall related injuries (E880-E888)	504	35	88	735	1,297	10.4	8.0	0	15.8	13.2	0
..Drowning (E830,E832,E910)	29	22	26	813	1,053	13.2	13.6	0	15.8	16.1	0
..Residential fires (E890-E899)	78	50	60	1,738	2,278	27.3	24.9	0	33.1	30.4	0
Suicide (E950-E959)	323	262	294	6,555	9,355	91.9	80.9	0	121.3	107.2	0
Homicide and legal intervention (E960-E978)	186	170	179	6,103	7,841	97.2	97.7	0	116.8	118.4	0
..Homicide (E960-E969)	186	170	179	6,103	7,841	97.2	97.4	0	116.8	118.0	0
All injury (E800-E999)	2,446	1,292	1,551	37,721	51,794	575.4	507.2	0	727.1	638.1	1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	567	400	462	12,541	16,816	208.6	201.0	0	257.8	246.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	332	41	79	865	1,430	12.1	9.1	0	17.6	14.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	137	126	135	3,979	5,287	63.0	78.0	0	77.8	96.9	0
....Suicide (E955.0-.4)	55	50	53	1,270	1,783	17.7	27.1	0	23.1	35.4	0
....Homicide (E965.0-.4)	79	74	79	2,649	3,417	44.7	48.4	0	53.8	58.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	380	339	357	8,669	12,154	113.6	62.7	1	148.9	82.6	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	220	143	197	2,213	3,948	25.0	37.8	1	42.0	59.4	1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	342	310	322	8,094	11,254	105.4	48.0	1	137.2	62.8	1

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	147,244	32,866	60,960	610,952	1068272	4139.5	4377.6	1	6622.1	6948.3	1
Infectious diseases and parasitic disease (1-139)	4,872	2,692	3,208	63,363	92,738	352.9	339.2	0	485.8	458.3	0
..Septicemia (038)	1,962	305	616	4,780	9,272	30.7	43.0	1	55.2	70.2	1
....Septicemia-related (038)	7,014	1,363	2,721	20,866	40,676	132.4	158.4	1	240.9	270.6	1
..HIV infection (042-044)	1,918	1,885	1,913	46,906	65,921	245.5	253.4	0	324.3	328.9	0
All cancer (140-208)	35,499	9,276	19,322	104,343	244,348	656.8	705.8	1	1457.0	1553.2	1
..Oral cavity or pharynx (140.0-149.9)	494	180	321	1,875	4,358	12.4	16.9	0	26.9	37.3	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,832	743	1,778	7,373	19,660	45.2	50.5	0	115.8	129.4	0
....Colon cancer (153)	3,117	583	1,410	5,688	15,430	34.6	39.7	0	90.7	103.6	1
....Rectal cancer (154)	656	151	348	1,583	3,985	10.0	10.3	0	23.7	24.4	0
..Pancreatic cancer (157)	2,000	456	1,067	4,275	11,633	26.6	23.8	0	69.1	63.8	0
..Lung and other respiratory cancer (160-165)	9,608	2,621	5,874	22,473	64,290	141.9	161.7	1	387.3	422.2	1
....Lung cancer (162.2-.9)	9,301	2,519	5,676	21,543	61,835	136.1	154.2	1	372.5	405.6	1
..Malignant melanoma of skin (172)	463	182	284	2,485	4,800	14.1	17.8	0	26.8	32.0	0
..Female breast cancer (174)	3,019	1,112	1,870	13,675	28,440
..Cervical cancer (180)	209	122	154	2,115	3,515
..Endometrial cancer (182)	223	38	107	300	1,003
..Ovarian cancer (183)	885	266	512	2,765	6,565
..Prostate cancer (185)	2,109	137	620	778	4,315
..Bladder cancer (188)	885	108	338	870	2,995	5.8	5.3	0	18.1	16.9	0
..Brain & other CNS cancer (191-192)	745	333	538	5,670	10,007	38.4	41.9	0	62.2	68.2	0
..Leukemia (204-208)	1,349	383	730	7,408	12,820	53.2	58.5	0	82.9	89.0	0
Diabetes mellitus (250)	3,219	707	1,503	7,683	18,453	46.2	39.5	0	107.6	89.2	1
..Diabetes-related (250)	12,514	2,174	5,325	20,692	57,025	128.4	120.3	0	338.4	318.5	0
..Diabetic ketoacidosis (DKA) (250.1)	63	31	43	738	1,098	4.3	2.6	0	6.0	3.7	0
Alzheimer's diseases (331.0)	1,261	31	141	203	978	1.4	1.1	0	5.8	6.1	0
Cardiovascular disease (390-459)	61,973	8,031	18,767	93,347	222,157	583.9	614.1	0	1313.0	1403.0	1
..Diseases of the heart (390-398,402,404-429)	48,741	6,732	15,390	77,002	183,687	484.1	509.2	0	1090.3	1175.7	1
....Heart disease-related (390-398,402,404-429)	82,121	12,257	27,442	156,884	348,291	990.5	1062.4	1	2065.2	2203.4	1
....Coronary heart disease (CHD) (402,410-414,429.2)	34,962	4,734	11,149	47,161	123,834	290.0	305.2	0	729.6	793.0	1
....Congestive heart failure (CHF) (428.0)	2,738	105	397	1,017	3,252	6.8	8.5	0	19.5	20.5	0
..Hypertension with or without renal disease (401,403)	759	98	241	1,067	2,665	6.5	6.5	0	15.6	15.2	0
....Hypertension-related (401,403)	9,951	1,317	3,284	12,135	34,212	76.1	71.9	0	203.9	189.0	0
..Cerebrovascular disease (430-438)	9,478	897	2,247	11,494	26,369	70.4	73.0	0	153.0	153.2	0
..Atherosclerosis (440)	930	36	128	495	1,245	2.8	3.2	0	6.8	8.6	0
....Atherosclerosis-related (440)	4,060	215	739	1,990	6,460	12.4	12.4	0	37.8	44.5	0
..Aortic aneurysm (441)	1,076	103	410	1,163	3,595	6.9	8.0	0	20.4	22.4	0
Pneumonia & influenza (480-487)	5,888	494	1,110	8,280	15,860	52.8	57.5	0	93.7	98.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	6,051	627	2,127	6,264	19,209	42.5	34.5	0	116.7	105.2	0
..COPD-related (490-496)	14,108	1,462	4,954	13,471	43,601	88.7	76.3	0	261.7	240.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	267	138	182	2,892	4,432	20.0	11.5	1	28.1	17.8	1
Chronic liver disease and cirrhosis (571)	1,513	794	1,181	11,577	21,405	65.4	71.0	0	117.6	127.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,744	238	555	3,352	7,130	20.8	20.1	0	41.6	41.0	0
..Nephritis-related (580-589)	7,752	1,373	2,967	20,191	41,006	124.5	126.9	0	238.4	255.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	2,072	302	696	4,491	9,236	27.5	21.5	0	53.4	44.7	0
Unintentional injuries (E800-E949)	5,249	3,177	3,684	93,308	127,340	657.6	642.9	0	822.9	792.4	0
..Motor vehicle accidents (E810-E825)	1,691	1,335	1,478	42,878	56,885	333.4	385.0	1	405.7	462.7	1
..Falls and fall related injuries (E880-E888)	1,002	156	289	3,292	5,425	22.0	22.0	0	33.1	33.2	0
..Drowning (E830,E832,E910)	162	140	150	4,940	6,400	38.7	45.1	0	46.1	53.7	0
..Residential fires (E890-E899)	173	119	143	3,920	5,220	31.2	31.0	0	37.9	37.6	0
Suicide (E950-E959)	1,479	1,207	1,337	32,063	44,818	212.0	214.8	0	273.5	277.0	0
Homicide and legal intervention (E960-E978)	808	766	796	27,993	35,813	222.7	233.5	0	262.8	276.7	0
..Homicide (E960-E969)	801	759	789	27,751	35,501	220.9	232.7	0	260.7	275.6	0
All injury (E800-E999)	7,680	5,286	5,958	157,089	213,089	1113.6	1121.0	0	1386.5	1383.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,653	1,304	1,445	41,828	55,526	325.7	379.8	1	396.6	456.1	1
..All falls (E880-E886,E888,E957,E968.1,E987)	755	177	292	3,770	6,047	24.5	24.6	0	36.2	36.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1,170	1,033	1,104	33,573	44,275	255.5	293.6	1	310.0	355.4	1
....Suicide (E955.0-.4)	597	470	532	12,780	17,800	86.2	99.1	0	110.7	127.1	0
....Homicide (E965.0-.4)	536	528	536	19,645	24,970	160.2	178.8	0	188.3	209.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,439	1,341	1,386	35,258	48,890	198.2	128.0	1	256.1	164.8	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	847	617	770	9,923	16,925	54.1	62.0	0	89.9	102.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,261	1,206	1,228	32,456	44,611	180.2	91.5	1	230.6	116.9	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	70,892	20,452	36,215	388,443	666,356	5235.9	5691.2	1	8381.2	9034.7	1
Infectious diseases and parasitic disease (1-139)	2,877	1,920	2,201	44,016	64,564	479.8	484.3	0	668.7	660.5	0
..Septicemia (038)	867	178	344	2,585	5,130	32.4	47.3	0	61.9	80.0	0
....Septicemia-related (038)	3,201	761	1,487	11,637	22,592	144.4	184.5	1	270.0	320.5	1
..HIV infection (042-044)	1,431	1,402	1,427	33,684	47,857	350.0	385.4	0	470.3	507.5	0
All cancer (140-208)	17,820	4,681	10,133	51,107	123,877	670.7	727.5	1	1559.7	1682.2	1
..Oral cavity or pharynx (140.0-149.9)	310	139	227	1,548	3,383	20.8	27.0	0	43.4	59.1	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,855	438	1,020	4,335	11,470	55.0	56.4	0	142.3	150.1	0
....Colon cancer (153)	1,482	332	790	3,165	8,685	39.8	42.6	0	107.7	117.6	0
....Rectal cancer (154)	347	102	221	1,115	2,663	14.5	13.3	0	33.1	31.0	0
..Pancreatic cancer (157)	937	265	589	2,548	6,783	32.1	29.2	0	84.1	79.0	0
..Lung and other respiratory cancer (160-165)	5,465	1,485	3,414	12,223	36,370	160.7	195.1	1	463.4	528.5	1
....Lung cancer (162.2-.9)	5,240	1,407	3,263	11,533	34,533	151.7	184.0	1	440.0	503.4	1
..Malignant melanoma of skin (172)	269	113	180	1,508	2,985	17.8	20.6	0	35.0	37.1	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	2,109	137	620	778	4,315	11.1	14.7	0	55.5	70.8	1
..Bladder cancer (188)	600	78	242	605	2,150	8.2	7.4	0	27.5	25.8	0
..Brain & other CNS cancer (191-192)	399	200	299	3,471	5,989	47.0	50.7	0	75.7	84.5	0
..Leukemia (204-208)	728	210	431	4,016	7,184	57.5	67.2	0	94.3	103.5	0
Diabetes mellitus (250)	1,468	378	782	4,320	10,025	53.3	45.9	0	121.7	103.6	0
..Diabetes-related (250)	5,908	1,246	2,901	12,097	32,300	153.6	141.7	0	401.7	373.8	0
..Diabetic ketoacidosis (DKA) (250.1)	35	23	29	538	798	6.7	2.5	0	9.2	3.4	0
Alzheimer's diseases (331.0)	379	14	63	80	453	1.1	1.0	0	5.8	6.6	0
Cardiovascular disease (390-459)	28,022	5,476	11,878	63,137	147,357	802.5	853.9	0	1816.0	1975.9	1
..Diseases of the heart (390-398,402,404-429)	22,792	4,694	9,980	53,452	124,862	680.2	732.7	0	1541.0	1706.6	1
....Heart disease-related (390-398,402,404-429)	38,591	7,969	16,909	102,007	222,982	1296.6	1391.6	1	2734.5	2951.5	1
....Coronary heart disease (CHD) (402,410-414,429.2)	16,972	3,495	7,561	35,757	89,667	450.1	478.5	0	1105.9	1220.3	1
....Congestive heart failure (CHF) (428.0)	958	56	198	475	1,630	6.4	9.2	0	20.6	23.8	0
..Hypertension with or without renal disease (401,403)	284	60	128	675	1,575	8.2	9.6	0	19.0	21.3	0
....Hypertension-related (401,403)	3,979	828	1,861	7,660	20,698	99.2	95.9	0	260.3	241.9	0
..Cerebrovascular disease (430-438)	3,561	520	1,208	6,588	14,823	83.9	79.6	0	182.0	169.1	0
..Atherosclerosis (440)	336	22	74	360	805	4.1	3.1	0	9.1	9.9	0
....Atherosclerosis-related (440)	1,587	128	446	1,302	4,032	16.4	14.3	0	49.6	56.5	0
..Aortic aneurysm (441)	630	83	297	918	2,763	11.3	12.3	0	33.6	35.4	0
Pneumonia & influenza (480-487)	2,635	310	682	5,443	10,178	69.0	67.1	0	122.4	120.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,817	284	1,029	2,832	9,040	39.7	34.0	0	116.1	115.5	0
..COPD-related (490-496)	7,062	758	2,659	6,737	22,795	92.3	85.2	0	291.1	286.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	87	54	68	1,270	1,865	18.4	11.0	0	24.9	16.5	0
Chronic liver disease and cirrhosis (571)	933	566	792	8,202	14,992	95.0	101.8	0	170.3	182.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	858	137	303	1,971	4,041	25.2	26.3	0	49.3	52.2	0
..Nephritis-related (580-589)	4,066	809	1,689	12,125	24,140	149.7	159.7	0	287.7	319.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,036	171	379	2,538	5,143	32.0	27.9	0	62.2	56.9	0
Unintentional injuries (E800-E949)	3,359	2,362	2,653	69,449	94,412	954.3	972.2	0	1195.9	1198.6	0
..Motor vehicle accidents (E810-E825)	1,116	931	1,010	30,235	39,922	459.5	570.9	1	558.9	685.1	1
..Falls and fall related injuries (E880-E888)	498	121	201	2,558	4,128	33.9	36.0	0	51.0	53.1	0
..Drowning (E830,E832,E910)	133	118	124	4,127	5,347	63.3	75.6	0	75.6	90.5	0
..Residential fires (E890-E899)	95	69	83	2,182	2,942	33.6	35.9	0	41.5	43.9	0
Suicide (E950-E959)	1,156	945	1,043	25,508	35,463	339.1	356.1	0	436.9	458.5	0
Homicide and legal intervention (E960-E978)	622	596	617	21,890	27,973	347.2	370.9	0	410.1	439.6	0
..Homicide (E960-E969)	615	589	610	21,648	27,660	343.6	369.5	0	405.9	437.8	0
All injury (E800-E999)	5,234	3,994	4,407	119,368	161,296	1669.5	1747.8	0	2079.8	2157.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,086	904	983	29,287	38,710	446.0	561.0	1	542.9	672.6	1
..All falls (E880-E886,E888,E957,E968.1,E987)	423	136	213	2,905	4,618	37.5	40.4	0	55.8	58.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1,033	907	969	29,594	38,989	446.7	510.5	0	543.0	618.3	0
....Suicide (E955.0-.4)	542	420	479	11,510	16,018	155.6	173.8	0	200.6	223.5	0
....Homicide (E965.0-.4)	457	454	457	16,996	21,554	273.8	307.8	0	321.6	361.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,059	1,002	1,029	26,589	36,737	297.3	200.0	1	383.5	256.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	627	474	573	7,710	12,978	86.0	90.9	0	141.6	151.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	919	896	906	24,362	33,357	269.6	141.3	1	344.0	179.6	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	76,352	12,414	24,745	222,509	401,917	3046.3	3069.4	0	4921.2	4940.9	0
Infectious diseases and parasitic disease (1-139)	1,995	772	1,007	19,347	28,175	229.8	198.3	0	309.5	263.1	0
..Septicemia (038)	1,095	127	272	2,195	4,142	29.3	39.0	0	49.5	61.5	0
....Septicemia-related (038)	3,813	602	1,234	9,229	18,084	121.3	133.7	0	214.7	224.5	0
..HIV infection (042-044)	487	483	486	13,222	18,064	144.1	124.8	0	183.0	155.6	0
All cancer (140-208)	17,679	4,595	9,189	53,237	120,472	642.4	685.0	0	1366.8	1442.5	0
..Oral cavity or pharynx (140.0-149.9)	184	41	94	328	975	4.1	7.4	0	11.4	17.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,977	305	758	3,038	8,190	36.0	44.8	0	91.7	111.1	1
....Colon cancer (153)	1,635	251	620	2,523	6,745	29.7	36.9	0	75.3	91.4	0
....Rectal cancer (154)	309	49	127	468	1,323	5.7	7.3	0	15.0	18.2	0
..Pancreatic cancer (157)	1,063	191	478	1,728	4,850	21.3	18.7	0	55.4	50.1	0
..Lung and other respiratory cancer (160-165)	4,143	1,136	2,460	10,250	27,920	124.3	130.2	0	319.5	327.8	0
....Lung cancer (162.2-.9)	4,061	1,112	2,413	10,010	27,303	121.5	126.4	0	312.6	319.0	0
..Malignant melanoma of skin (172)	194	69	104	978	1,815	10.5	15.2	0	19.1	27.2	0
..Female breast cancer (174)	3,019	1,112	1,870	13,675	28,440	154.7	173.8	0	311.1	342.0	0
..Cervical cancer (180)	209	122	154	2,115	3,515	22.5	22.9	0	36.1	36.4	0
..Endometrial cancer (182)	223	38	107	300	1,003	3.8	3.8	0	11.5	12.8	0
..Ovarian cancer (183)	885	266	512	2,765	6,565	33.5	39.6	0	75.0	86.0	0
..Prostate cancer (185)
..Bladder cancer (188)	285	30	96	265	845	3.5	3.3	0	9.8	9.2	0
..Brain & other CNS cancer (191-192)	346	133	239	2,199	4,019	29.9	33.6	0	49.1	52.9	0
..Leukemia (204-208)	621	173	299	3,392	5,637	49.0	49.7	0	72.6	75.2	0
Diabetes mellitus (250)	1,751	329	721	3,363	8,428	39.4	33.5	0	94.5	76.1	1
..Diabetes-related (250)	6,606	928	2,424	8,595	24,725	104.5	100.2	0	280.4	268.8	0
..Diabetic ketoacidosis (DKA) (250.1)	28	8	14	200	300	2.0	2.7	0	2.9	3.9	0
Alzheimer's diseases (331.0)	882	17	78	123	525	1.6	1.3	0	5.9	5.7	0
Cardiovascular disease (390-459)	33,951	2,555	6,889	30,210	74,800	374.9	386.4	0	848.6	881.8	0
..Diseases of the heart (390-398,402,404-429)	25,949	2,038	5,410	23,550	58,825	296.8	297.3	0	674.2	692.2	0
....Heart disease-related (390-398,402,404-429)	43,530	4,288	10,533	54,877	125,310	695.4	749.2	0	1444.2	1520.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	17,990	1,239	3,588	11,405	34,167	137.5	141.7	0	383.1	405.4	0
....Congestive heart failure (CHF) (428.0)	1,780	49	199	542	1,622	7.3	7.8	0	18.7	17.6	0
..Hypertension with or without renal disease (401,403)	475	38	113	392	1,090	5.0	3.6	0	12.5	9.5	0
....Hypertension-related (401,403)	5,972	489	1,423	4,475	13,515	54.3	49.0	0	152.1	140.3	0
..Cerebrovascular disease (430-438)	5,917	377	1,039	4,906	11,546	57.2	66.5	0	125.8	138.9	0
..Atherosclerosis (440)	594	14	54	135	440	1.5	3.4	0	4.6	7.5	0
....Atherosclerosis-related (440)	2,473	87	293	688	2,428	8.5	10.6	0	27.2	34.4	0
..Aortic aneurysm (441)	446	20	113	245	833	2.6	3.9	0	8.5	10.8	0
Pneumonia & influenza (480-487)	3,253	184	428	2,837	5,682	36.7	48.6	0	66.4	77.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	3,234	343	1,098	3,432	10,169	45.3	34.9	0	117.9	97.0	1
..COPD-related (490-496)	7,046	704	2,295	6,734	20,807	85.3	67.6	1	236.4	201.9	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	180	84	114	1,622	2,567	21.4	12.0	0	31.0	18.9	0
Chronic liver disease and cirrhosis (571)	580	228	389	3,375	6,413	37.0	41.6	0	67.9	75.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	886	101	252	1,382	3,089	16.4	14.0	0	34.3	30.4	0
..Nephritis-related (580-589)	3,686	564	1,278	8,066	16,866	100.2	95.5	0	192.4	195.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,036	131	317	1,954	4,094	23.1	15.2	0	45.2	33.4	0
Unintentional injuries (E800-E949)	1,890	815	1,031	23,859	32,929	357.6	307.6	0	448.1	381.6	0
..Motor vehicle accidents (E810-E825)	575	404	468	12,643	16,963	204.3	194.1	0	249.7	235.4	0
..Falls and fall related injuries (E880-E888)	504	35	88	735	1,297	10.0	8.0	0	15.7	13.7	0
..Drowning (E830,E832,E910)	29	22	26	813	1,053	13.4	14.0	0	15.9	16.3	0
..Residential fires (E890-E899)	78	50	60	1,738	2,278	29.0	26.0	0	34.6	31.2	0
Suicide (E950-E959)	323	262	294	6,555	9,355	83.3	72.5	0	109.5	96.0	0
Homicide and legal intervention (E960-E978)	186	170	179	6,103	7,841	93.8	92.0	0	110.7	109.4	0
..Homicide (E960-E969)	186	170	179	6,103	7,841	93.8	91.8	0	110.7	109.1	0
All injury (E800-E999)	2,446	1,292	1,551	37,721	51,794	548.3	483.0	0	686.0	601.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	567	400	462	12,541	16,816	202.7	193.9	0	247.5	234.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	332	41	79	865	1,430	11.5	8.8	0	17.1	14.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	137	126	135	3,979	5,287	59.0	71.5	0	71.8	87.5	0
....Suicide (E955.0-.4)	55	50	53	1,270	1,783	15.8	23.7	0	20.5	30.8	0
....Homicide (E965.0-.4)	79	74	79	2,649	3,417	42.7	45.6	0	50.6	54.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	380	339	357	8,669	12,154	100.0	56.6	1	130.3	74.2	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	220	143	197	2,213	3,948	23.3	34.3	1	40.5	55.6	1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	342	310	322	8,094	11,254	91.6	42.2	1	118.4	55.1	1

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	147,244	32,866	60,960	610,952	1068272	4337.1	4553.3	1	6964.6	7267.2	1
Infectious diseases and parasitic disease (1-139)	4,872	2,692	3,208	63,363	92,738	425.9	409.7	0	581.7	549.9	0
..Septicemia (038)	1,962	305	616	4,780	9,272	33.7	46.8	1	60.0	76.2	1
....Septicemia-related (038)	7,014	1,363	2,721	20,866	40,676	147.5	178.9	1	263.7	300.4	1
..HIV infection (042-044)	1,918	1,885	1,913	46,906	65,921	310.8	317.6	0	408.3	410.7	0
All cancer (140-208)	35,499	9,276	19,322	104,343	244,348	750.5	810.5	1	1596.0	1707.0	1
..Oral cavity or pharynx (140.0-149.9)	494	180	321	1,875	4,358	13.7	20.2	1	29.0	41.9	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,832	743	1,778	7,373	19,660	53.0	59.6	0	127.4	142.9	0
....Colon cancer (153)	3,117	583	1,410	5,688	15,430	40.8	46.8	0	99.7	114.2	0
....Rectal cancer (154)	656	151	348	1,583	3,985	11.5	12.2	0	26.1	27.2	0
..Pancreatic cancer (157)	2,000	456	1,067	4,275	11,633	31.0	27.6	0	75.8	69.5	0
..Lung and other respiratory cancer (160-165)	9,608	2,621	5,874	22,473	64,290	164.1	186.9	1	420.3	459.6	1
....Lung cancer (162.2-.9)	9,301	2,519	5,676	21,543	61,835	157.3	178.6	1	404.1	441.7	1
..Malignant melanoma of skin (172)	463	182	284	2,485	4,800	17.3	22.2	0	31.1	37.9	0
..Female breast cancer (174)	3,019	1,112	1,870	13,675	28,440
..Cervical cancer (180)	209	122	154	2,115	3,515
..Endometrial cancer (182)	223	38	107	300	1,003
..Ovarian cancer (183)	885	266	512	2,765	6,565
..Prostate cancer (185)	2,109	137	620	778	4,315
..Bladder cancer (188)	885	108	338	870	2,995	6.4	6.1	0	19.3	18.2	0
..Brain & other CNS cancer (191-192)	745	333	538	5,670	10,007	40.7	44.5	0	66.1	72.4	0
..Leukemia (204-208)	1,349	383	730	7,408	12,820	53.2	60.2	0	84.2	92.6	0
Diabetes mellitus (250)	3,219	707	1,503	7,683	18,453	54.5	46.9	0	119.5	99.7	1
..Diabetes-related (250)	12,514	2,174	5,325	20,692	57,025	148.8	140.5	0	369.1	349.1	0
..Diabetic ketoacidosis (DKA) (250.1)	63	31	43	738	1,098	5.0	2.8	0	6.9	3.9	0
Alzheimer's diseases (331.0)	1,261	31	141	203	978	1.5	1.1	0	6.2	6.3	0
Cardiovascular disease (390-459)	61,973	8,031	18,767	93,347	222,157	668.4	701.0	0	1441.6	1536.9	1
..Diseases of the heart (390-398,402,404-429)	48,741	6,732	15,390	77,002	183,687	552.7	578.9	0	1194.4	1283.2	1
....Heart disease-related (390-398,402,404-429)	82,121	12,257	27,442	156,884	348,291	1116.7	1189.0	1	2257.1	2398.9	1
....Coronary heart disease (CHD) (402,410-414,429.2)	34,962	4,734	11,149	47,161	123,834	340.8	356.7	0	805.9	871.6	1
....Congestive heart failure (CHF) (428.0)	2,738	105	397	1,017	3,252	7.4	8.4	0	20.7	21.0	0
..Hypertension with or without renal disease (401,403)	759	98	241	1,067	2,665	7.6	7.8	0	17.2	17.0	0
....Hypertension-related (401,403)	9,951	1,317	3,284	12,135	34,212	87.9	84.3	0	222.2	208.2	0
..Cerebrovascular disease (430-438)	9,478	897	2,247	11,494	26,369	81.4	85.2	0	169.8	171.8	0
..Atherosclerosis (440)	930	36	128	495	1,245	3.5	3.6	0	7.8	9.3	0
....Atherosclerosis-related (440)	4,060	215	739	1,990	6,460	14.2	13.8	0	41.0	47.7	0
..Aortic aneurysm (441)	1,076	103	410	1,163	3,595	8.2	8.8	0	22.5	23.8	0
Pneumonia & influenza (480-487)	5,888	494	1,110	8,280	15,860	58.1	61.1	0	102.0	104.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	6,051	627	2,127	6,264	19,209	45.6	37.0	0	123.0	110.6	0
..COPD-related (490-496)	14,108	1,462	4,954	13,471	43,601	97.6	82.9	1	278.4	254.3	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	267	138	182	2,892	4,432	20.9	12.2	1	29.6	18.9	1
Chronic liver disease and cirrhosis (571)	1,513	794	1,181	11,577	21,405	81.8	89.4	0	140.0	152.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,744	238	555	3,352	7,130	23.6	22.9	0	45.9	45.1	0
..Nephritis-related (580-589)	7,752	1,373	2,967	20,191	41,006	141.8	147.3	0	264.1	284.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	2,072	302	696	4,491	9,236	31.4	24.7	0	59.1	49.4	0
Unintentional injuries (E800-E949)	5,249	3,177	3,684	93,308	127,340	663.4	618.8	0	838.3	770.3	1
..Motor vehicle accidents (E810-E825)	1,691	1,335	1,478	42,878	56,885	314.1	356.1	1	385.5	430.9	1
..Falls and fall related injuries (E880-E888)	1,002	156	289	3,292	5,425	23.4	22.3	0	35.5	34.0	0
..Drowning (E830,E832,E910)	162	140	150	4,940	6,400	35.7	42.2	0	42.9	50.8	0
..Residential fires (E890-E899)	173	119	143	3,920	5,220	28.5	28.0	0	35.1	34.4	0
Suicide (E950-E959)	1,479	1,207	1,337	32,063	44,818	225.1	227.3	0	292.0	294.7	0
Homicide and legal intervention (E960-E978)	808	766	796	27,993	35,813	205.9	217.4	0	244.0	258.9	0
..Homicide (E960-E969)	801	759	789	27,751	35,501	204.1	216.4	0	241.9	257.5	0
All injury (E800-E999)	7,680	5,286	5,958	157,089	213,089	1119.6	1098.0	0	1406.4	1367.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,653	1,304	1,445	41,828	55,526	306.8	351.4	1	376.6	424.9	1
..All falls (E880-E886,E888,E957,E968.1,E987)	755	177	292	3,770	6,047	26.6	25.4	0	39.3	37.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1,170	1,033	1,104	33,573	44,275	245.0	280.3	1	299.0	341.8	1
....Suicide (E955.0-.4)	597	470	532	12,780	17,800	90.2	103.4	0	116.5	133.5	0
....Homicide (E965.0-.4)	536	528	536	19,645	24,970	146.2	162.8	0	172.2	191.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,439	1,341	1,386	35,258	48,890	237.6	147.7	1	307.0	190.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	847	617	770	9,923	16,925	69.2	78.5	0	110.0	123.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,261	1,206	1,228	32,456	44,611	217.9	109.8	1	279.0	140.3	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	70,892	20,452	36,215	388,443	666,356	5530.4	5968.6	1	8867.9	9507.9	1
Infectious diseases and parasitic disease (1-139)	2,877	1,920	2,201	44,016	64,564	596.0	603.0	0	820.4	813.7	0
..Septicemia (038)	867	178	344	2,585	5,130	37.0	53.3	1	68.7	88.9	0
....Septicemia-related (038)	3,201	761	1,487	11,637	22,592	165.7	213.4	1	301.1	361.7	1
..HIV infection (042-044)	1,431	1,402	1,427	33,684	47,857	451.9	492.8	0	601.5	644.4	0
All cancer (140-208)	17,820	4,681	10,133	51,107	123,877	751.6	825.7	1	1684.6	1831.2	1
..Oral cavity or pharynx (140.0-149.9)	310	139	227	1,548	3,383	23.1	32.2	0	46.7	66.3	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,855	438	1,020	4,335	11,470	64.1	65.7	0	156.2	164.5	0
....Colon cancer (153)	1,482	332	790	3,165	8,685	46.6	49.5	0	117.9	128.2	0
....Rectal cancer (154)	347	102	221	1,115	2,663	16.7	15.8	0	36.6	34.7	0
..Pancreatic cancer (157)	937	265	589	2,548	6,783	37.7	34.0	0	92.5	86.3	0
..Lung and other respiratory cancer (160-165)	5,465	1,485	3,414	12,223	36,370	183.8	225.2	1	498.8	573.9	1
....Lung cancer (162.2-.9)	5,240	1,407	3,263	11,533	34,533	173.4	213.0	1	473.5	547.0	1
..Malignant melanoma of skin (172)	269	113	180	1,508	2,985	21.4	25.7	0	39.9	44.1	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	2,109	137	620	778	4,315	11.8	15.7	0	58.0	74.1	1
..Bladder cancer (188)	600	78	242	605	2,150	9.2	8.5	0	29.4	27.7	0
..Brain & other CNS cancer (191-192)	399	200	299	3,471	5,989	50.0	55.3	0	80.6	91.5	0
..Leukemia (204-208)	728	210	431	4,016	7,184	57.8	69.4	0	96.1	107.9	0
Diabetes mellitus (250)	1,468	378	782	4,320	10,025	62.6	55.5	0	135.3	117.1	0
..Diabetes-related (250)	5,908	1,246	2,901	12,097	32,300	178.5	167.3	0	439.5	412.2	0
..Diabetic ketoacidosis (DKA) (250.1)	35	23	29	538	798	7.4	2.7	0	10.3	3.7	0
Alzheimer's diseases (331.0)	379	14	63	80	453	1.2	1.0	0	6.1	6.8	0
Cardiovascular disease (390-459)	28,022	5,476	11,878	63,137	147,357	924.1	986.7	0	1999.7	2176.4	1
..Diseases of the heart (390-398,402,404-429)	22,792	4,694	9,980	53,452	124,862	784.0	844.9	1	1697.0	1875.6	1
....Heart disease-related (390-398,402,404-429)	38,591	7,969	16,909	102,007	222,982	1475.8	1587.3	1	3004.6	3246.0	1
....Coronary heart disease (CHD) (402,410-414,429.2)	16,972	3,495	7,561	35,757	89,667	529.7	563.5	0	1224.7	1347.3	1
....Congestive heart failure (CHF) (428.0)	958	56	198	475	1,630	7.1	9.4	0	22.1	24.7	0
..Hypertension with or without renal disease (401,403)	284	60	128	675	1,575	9.8	11.5	0	21.4	24.0	0
....Hypertension-related (401,403)	3,979	828	1,861	7,660	20,698	114.4	113.1	0	283.8	267.7	0
..Cerebrovascular disease (430-438)	3,561	520	1,208	6,588	14,823	95.3	93.2	0	199.6	189.9	0
..Atherosclerosis (440)	336	22	74	360	805	5.1	3.5	0	10.7	10.7	0
....Atherosclerosis-related (440)	1,587	128	446	1,302	4,032	18.9	16.2	0	53.9	60.4	0
..Aortic aneurysm (441)	630	83	297	918	2,763	13.1	13.2	0	36.6	37.4	0
Pneumonia & influenza (480-487)	2,635	310	682	5,443	10,178	76.9	73.5	0	134.6	131.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,817	284	1,029	2,832	9,040	41.9	35.8	0	121.7	120.6	0
..COPD-related (490-496)	7,062	758	2,659	6,737	22,795	99.9	91.6	0	307.5	300.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	87	54	68	1,270	1,865	18.5	11.5	0	25.3	17.3	0
Chronic liver disease and cirrhosis (571)	933	566	792	8,202	14,992	118.8	128.0	0	203.0	217.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	858	137	303	1,971	4,041	28.2	30.5	0	54.1	58.2	0
..Nephritis-related (580-589)	4,066	809	1,689	12,125	24,140	172.6	190.2	0	321.7	363.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,036	171	379	2,538	5,143	36.2	32.6	0	68.6	63.5	0
Unintentional injuries (E800-E949)	3,359	2,362	2,653	69,449	94,412	979.0	944.6	0	1238.0	1175.5	0
..Motor vehicle accidents (E810-E825)	1,116	931	1,010	30,235	39,922	436.9	529.5	1	535.6	639.3	1
..Falls and fall related injuries (E880-E888)	498	121	201	2,558	4,128	36.6	36.6	0	55.0	54.5	0
..Drowning (E830,E832,E910)	133	118	124	4,127	5,347	58.8	71.4	0	70.8	86.5	0
..Residential fires (E890-E899)	95	69	83	2,182	2,942	31.3	32.3	0	39.3	40.1	0
Suicide (E950-E959)	1,156	945	1,043	25,508	35,463	358.5	374.9	0	464.3	485.5	0
Homicide and legal intervention (E960-E978)	622	596	617	21,890	27,973	320.0	342.6	0	379.4	407.8	0
..Homicide (E960-E969)	615	589	610	21,648	27,660	316.5	340.9	0	375.1	405.5	0
All injury (E800-E999)	5,234	3,994	4,407	119,368	161,296	1691.9	1717.5	0	2125.4	2138.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,086	904	983	29,287	38,710	423.7	520.4	1	520.0	627.8	1
..All falls (E880-E886,E888,E957,E968.1,E987)	423	136	213	2,905	4,618	41.1	41.6	0	61.0	60.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1,033	907	969	29,594	38,989	428.6	483.9	0	524.0	590.4	0
....Suicide (E955.0-.4)	542	420	479	11,510	16,018	162.3	179.7	0	210.3	232.7	0
....Homicide (E965.0-.4)	457	454	457	16,996	21,554	250.1	278.5	0	294.2	327.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,059	1,002	1,029	26,589	36,737	359.9	233.6	1	464.1	299.9	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	627	474	573	7,710	12,978	109.5	114.9	0	173.0	183.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	919	896	906	24,362	33,357	328.5	171.9	1	419.5	218.4	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Signif-icance	1994-1998	1989-1993	Signif-icance
*****Causes of Death*****											
All causes	76,352	12,414	24,745	222,509	401,917	3155.5	3153.9	0	5133.1	5122.1	0
Infectious diseases and parasitic disease (1-139)	1,995	772	1,007	19,347	28,175	260.7	221.9	0	351.1	294.9	1
..Septicemia (038)	1,095	127	272	2,195	4,142	30.9	40.7	0	52.3	64.6	0
....Septicemia-related (038)	3,813	602	1,234	9,229	18,084	130.4	146.0	0	229.4	243.5	0
..HIV infection (042-044)	487	483	486	13,222	18,064	173.7	147.1	0	221.1	184.0	0
All cancer (140-208)	17,679	4,595	9,189	53,237	120,472	748.7	796.1	0	1520.5	1602.1	0
..Oral cavity or pharynx (140.0-149.9)	184	41	94	328	975	4.7	8.8	0	12.2	19.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,977	305	758	3,038	8,190	42.4	53.8	0	101.2	124.0	1
...Colon cancer (153)	1,635	251	620	2,523	6,745	35.2	44.2	0	83.3	102.0	0
...Rectal cancer (154)	309	49	127	468	1,323	6.6	8.7	0	16.3	20.3	0
..Pancreatic cancer (157)	1,063	191	478	1,728	4,850	24.6	21.5	0	60.6	54.4	0
..Lung and other respiratory cancer (160-165)	4,143	1,136	2,460	10,250	27,920	145.6	150.7	0	350.5	358.0	0
....Lung cancer (162.2-.9)	4,061	1,112	2,413	10,010	27,303	142.2	146.2	0	342.8	348.2	0
..Malignant melanoma of skin (172)	194	69	104	978	1,815	13.3	18.9	0	22.9	32.1	0
..Female breast cancer (174)	3,019	1,112	1,870	13,675	28,440	191.0	215.2	0	361.5	398.4	0
..Cervical cancer (180)	209	122	154	2,115	3,515	28.5	29.3	0	44.1	45.0	0
..Endometrial cancer (182)	223	38	107	300	1,003	4.3	4.2	0	12.3	13.3	0
..Ovarian cancer (183)	885	266	512	2,765	6,565	39.3	45.8	0	83.5	95.0	0
..Prostate cancer (185)
..Bladder cancer (188)	285	30	96	265	845	3.8	3.9	0	10.4	10.0	0
..Brain & other CNS cancer (191-192)	346	133	239	2,199	4,019	31.5	34.2	0	52.0	54.5	0
..Leukemia (204-208)	621	173	299	3,392	5,637	48.8	51.1	0	73.4	78.2	0
Diabetes mellitus (250)	1,751	329	721	3,363	8,428	46.6	38.7	0	104.7	83.7	1
..Diabetes-related (250)	6,606	928	2,424	8,595	24,725	120.4	115.2	0	304.6	292.0	0
..Diabetic ketoacidosis (DKA) (250.1)	28	8	14	200	300	2.6	2.9	0	3.6	4.1	0
Alzheimer's diseases (331.0)	882	17	78	123	525	1.8	1.3	0	6.3	6.0	0
Cardiovascular disease (390-459)	33,951	2,555	6,889	30,210	74,800	423.9	429.4	0	925.6	953.2	0
..Diseases of the heart (390-398,402,404-429)	25,949	2,038	5,410	23,550	58,825	331.6	326.4	0	729.6	742.2	0
....Heart disease-related (390-398,402,404-429)	43,530	4,288	10,533	54,877	125,310	770.8	809.3	0	1563.0	1622.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	17,990	1,239	3,588	11,405	34,167	160.7	161.0	0	419.4	438.3	0
....Congestive heart failure (CHF) (428.0)	1,780	49	199	542	1,622	7.7	7.5	0	19.7	17.7	0
..Hypertension with or without renal disease (401,403)	475	38	113	392	1,090	5.6	4.2	0	13.4	10.5	0
....Hypertension-related (401,403)	5,972	489	1,423	4,475	13,515	62.8	56.9	0	165.5	153.3	0
..Cerebrovascular disease (430-438)	5,917	377	1,039	4,906	11,546	68.0	77.3	0	142.0	155.4	0
..Atherosclerosis (440)	594	14	54	135	440	1.8	3.7	0	5.2	8.1	0
....Atherosclerosis-related (440)	2,473	87	293	688	2,428	9.7	11.7	0	29.4	36.8	0
..Aortic aneurysm (441)	446	20	113	245	833	3.4	4.4	0	9.7	11.8	0
Pneumonia & influenza (480-487)	3,253	184	428	2,837	5,682	39.5	49.4	0	71.1	80.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	3,234	343	1,098	3,432	10,169	49.1	38.0	0	125.0	102.8	1
..COPD-related (490-496)	7,046	704	2,295	6,734	20,807	95.4	74.5	1	253.8	214.7	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	180	84	114	1,622	2,567	23.2	12.9	0	33.7	20.3	0
Chronic liver disease and cirrhosis (571)	580	228	389	3,375	6,413	46.3	52.5	0	80.5	90.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	886	101	252	1,382	3,089	19.1	15.6	0	38.1	32.8	0
..Nephritis-related (580-589)	3,686	564	1,278	8,066	16,866	112.1	106.2	0	210.3	212.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,036	131	317	1,954	4,094	26.7	17.0	0	50.4	36.1	0
Unintentional injuries (E800-E949)	1,890	815	1,031	23,859	32,929	346.7	289.7	1	439.6	363.8	1
..Motor vehicle accidents (E810-E825)	575	404	468	12,643	16,963	189.4	179.2	0	233.7	219.3	0
..Falls and fall related injuries (E880-E888)	504	35	88	735	1,297	10.4	8.1	0	16.5	14.0	0
..Drowning (E830,E832,E910)	29	22	26	813	1,053	12.1	12.7	0	14.4	14.9	0
..Residential fires (E890-E899)	78	50	60	1,738	2,278	25.7	23.6	0	31.1	28.7	0
Suicide (E950-E959)	323	262	294	6,555	9,355	91.2	79.7	0	120.4	105.7	0
Homicide and legal intervention (E960-E978)	186	170	179	6,103	7,841	88.3	89.2	0	105.0	106.8	0
..Homicide (E960-E969)	186	170	179	6,103	7,841	88.3	88.8	0	105.0	106.4	0
All injury (E800-E999)	2,446	1,292	1,551	37,721	51,794	542.3	472.4	1	685.7	594.5	1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	567	400	462	12,541	16,816	187.9	179.0	0	231.7	218.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	332	41	79	865	1,430	12.2	9.2	0	18.3	15.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	137	126	135	3,979	5,287	57.6	73.1	0	70.7	90.3	0
....Suicide (E955.0-.4)	55	50	53	1,270	1,783	17.7	27.0	0	23.0	35.1	0
....Homicide (E965.0-.4)	79	74	79	2,649	3,417	39.2	43.9	0	46.7	52.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	380	339	357	8,669	12,154	117.2	63.1	1	152.7	82.9	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	220	143	197	2,213	3,948	30.3	43.5	1	49.8	67.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	342	310	322	8,094	11,254	108.7	48.7	1	140.5	63.6	1

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).