

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
All Residents, 1994

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables  
by Cause of Death and Sex, All Residents, 1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables  
by Cause of Death and Sex, All Residents, 1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
All causes	29,241	894.3	452.7	0	447.6	14,345	904.1	581.5	0	577.7	14,896	885.1	347.8	0	342.2
Infectious diseases and parasitic disease (1-139)	1,083	33.1	23.5	0	23.7	683	43.0	34.4	0	33.5	400	23.8	13.3	0	14.5
..Septicemia (038)	389	11.9	5.2	0	5.5	171	10.8	6.1	0	6.2	218	13.0	4.5	0	5.0
....Septicemia-related (038)	1,375	42.1	19.5	0	19.6	601	37.9	22.5	0	22.7	774	46.0	17.3	0	17.3
..HIV infection (042-044)	564	17.2	15.8	0	14.8	439	27.7	24.8	0	23.1	125	7.4	7.1	0	6.8
All cancer (140-208)	7,128	218.0	124.6	0	121.8	3,658	230.5	150.0	0	142.9	3,470	206.2	106.6	0	107.7
..Oral cavity or pharynx (140.0-149.9)	112	3.4	2.2	0	2.4	62	3.9	3.0	0	3.7	50	3.0	1.4	0	1.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	840	25.7	12.7	0	12.8	428	27.0	16.8	0	15.4	412	24.5	9.5	0	10.9
....Colon cancer (153)	675	20.6	10.1	0	9.8	336	21.2	13.0	0	11.6	339	20.1	7.8	0	8.5
....Rectal cancer (154)	154	4.7	2.5	0	2.8	88	5.5	3.6	0	3.6	66	3.9	1.6	0	2.1
..Pancreatic cancer (157)	395	12.1	6.6	0	6.6	199	12.5	8.5	0	8.1	196	11.6	5.1	0	5.3
..Lung and other respiratory cancer (160-165)	1,914	58.5	35.3	0	33.6	1,120	70.6	47.0	0	44.1	794	47.2	26.6	0	26.0
....Lung cancer (162.2-.9)	1,851	56.6	34.2	0	32.3	1,073	67.6	45.0	0	42.1	778	46.2	26.1	0	25.2
..Malignant melanoma of skin (172)	90	2.8	1.9	0	1.8	54	3.4	2.6	0	2.3	36	2.1	1.3	0	1.5
..Female breast cancer (174)	598	.	.	.	.	.	.	.	.	.	598	35.5	21.1	0	20.8
..Cervical cancer (180)	44	.	.	.	.	.	.	.	.	.	44	2.6	2.1	0	1.3
..Endometrial cancer (182)	46	.	.	.	.	.	.	.	.	.	46	2.7	1.3	0	1.2
..Ovarian cancer (183)	177	.	.	.	.	.	.	.	.	.	177	10.5	5.7	0	6.4
..Prostate cancer (185)	423	.	.	.	.	423	26.7	13.6	0	13.0	.	.	.	.	.
..Bladder cancer (188)	156	4.8	2.3	0	2.4	102	6.4	3.6	0	4.1	54	3.2	1.5	0	1.2
..Brain & other CNS cancer (191-192)	156	4.8	3.3	0	3.2	80	5.0	3.8	0	3.7	76	4.5	2.9	0	2.7
..Leukemia (204-208)	271	8.3	4.9	0	4.8	133	8.4	5.8	0	5.9	138	8.2	4.2	0	4.0
Diabetes mellitus (250)	627	19.2	10.0	0	9.1	275	17.3	11.4	0	10.1	352	20.9	8.8	0	8.5
..Diabetes-related (250)	2,471	75.6	36.9	0	36.6	1,135	71.5	43.5	0	42.2	1,336	79.4	31.8	0	32.3
..Diabetic ketoacidosis (DKA) (250.1)	15	0.5	0.3	0	.	7	0.4	.	.	.	8	0.5	.	.	.
Alzheimer's diseases (331.0)	258	7.9	2.5	0	2.4	75	4.7	2.3	0	2.5	183	10.9	2.6	0	2.3
Cardiovascular disease (390-459)	12,266	375.2	155.8	0	157.8	5,606	353.3	204.8	0	209.9	6,660	395.7	116.6	0	116.4
..Diseases of the heart (390-398,402,404-429)	9,715	297.1	125.7	0	128.1	4,606	290.3	170.1	0	174.6	5,109	303.6	90.4	0	91.0
....Heart disease-related (390-398,402,404-429)	16,554	506.3	223.1	0	219.0	7,896	497.6	293.6	0	289.1	8,658	514.5	168.2	0	164.5
....Coronary heart disease (CHD) (402,410-414,429.2)	7,031	215.0	90.6	0	91.9	3,434	216.4	127.5	0	128.9	3,597	213.7	61.1	0	62.2
....Congestive heart failure (CHF) (428.0)	514	15.7	4.7	0	4.7	196	12.4	5.6	0	5.3	318	18.9	4.1	0	4.3
....Hypertension with or without renal disease (401,403)	150	4.6	1.8	0	1.9	56	3.5	2.1	0	2.5	94	5.6	1.5	0	1.4
....Hypertension-related (401,403)	1,782	54.5	23.5	0	23.2	725	45.7	27.5	0	25.9	1,057	62.8	19.9	0	20.7
..Cerebrovascular disease (430-438)	1,825	55.8	21.4	0	20.8	705	44.4	24.4	0	22.8	1,120	66.6	18.9	0	19.3
..Atherosclerosis (440)	202	6.2	1.7	0	1.6	62	3.9	1.7	0	2.1	140	8.3	1.6	0	1.2
....Atherosclerosis-related (440)	910	27.8	8.9	0	8.9	364	22.9	11.2	0	10.2	546	32.4	7.3	0	7.8
..Aortic aneurysm (441)	179	5.5	2.5	0	2.9	105	6.6	3.8	0	4.6	74	4.4	1.6	0	1.6
Pneumonia & influenza (480-487)	1,170	35.8	12.3	0	12.4	526	33.2	16.6	0	16.3	644	38.3	9.4	0	10.0

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,183	36.2	16.0	0	15.0	564	35.5	19.1	0	18.3	619	36.8	14.3	0	12.9
..COPD-related (490-496)	2,819	86.2	37.8	0	36.4	1,457	91.8	49.5	0	48.7	1,362	80.9	30.5	0	28.6
..Asthma (493)	47	1.4	1.1	0	1.1	19	1.2	1.1	0	1.0	28	1.7	1.1	0	1.2
Chronic liver disease and cirrhosis (571)	303	9.3	6.9	0	6.7	189	11.9	9.6	0	10.0	114	6.8	4.4	0	3.7
Nephritis, nephrotic syndrome/nephrosis (580-589)	314	9.6	4.2	0	4.1	161	10.1	5.6	0	5.4	153	9.1	3.2	0	3.2
..Nephritis-related (580-589)	1,515	46.3	21.8	0	22.2	804	50.7	29.6	0	30.7	711	42.2	16.1	0	16.3
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	376	11.5	5.0	0	4.8	194	12.2	6.7	0	6.4	182	10.8	3.9	0	3.7
Unintentional injuries (E800-E949)	1,004	30.7	24.5	0	23.3	654	41.2	36.2	0	34.8	350	20.8	13.3	0	12.4
..Motor vehicle accidents (E810-E825)	328	10.0	10.1	0	10.9	229	14.4	14.7	0	15.6	99	5.9	5.7	0	6.2
..Falls and fall related injuries (E880-E888)	187	5.7	2.5	0	2.1	86	5.4	3.4	0	2.9	101	6.0	1.7	0	1.5
..Drowning (E830,E832,E910)	39	1.2	1.2	0	0.9	32	2.0	1.9	0	1.4	7	0.4	.	.	.
..Residential fires (E890-E899)	43	1.3	1.2	1	0.5	23	1.4	1.4	0	.	20	1.2	1.0	0	.
Suicide (E950-E959)	320	9.8	9.1	0	8.4	249	15.7	14.6	0	13.7	71	4.2	3.8	0	3.4
Homicide and legal intervention (E960-E978)	207	6.3	7.5	0	7.4	157	9.9	11.6	0	11.3	50	3.0	3.2	0	3.3
..Homicide (E960-E969)	207	6.3	7.5	0	7.3	157	9.9	11.6	0	11.2	50	3.0	3.2	0	3.3
All injury (E800-E999)	1,547	47.3	41.4	0	40.4	1,072	67.6	63.1	0	62.1	475	28.2	20.5	0	19.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	318	9.7	9.8	0	10.7	221	13.9	14.2	0	15.1	97	5.8	5.6	0	6.2
..All falls (E880-E886,E888,E957,E968.1,E987)	146	4.5	2.3	0	1.8	81	5.1	3.5	0	2.8	65	3.9	1.4	0	1.0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	293	9.0	9.9	0	9.8	256	16.1	17.5	0	16.6	37	2.2	2.4	0	3.2
....Suicide (E955.0-.4)	140	4.3	4.2	0	4.2	125	7.9	7.6	0	7.1	15	0.9	0.9	0	1.4
....Homicide (E965.0-.4)	143	4.4	5.4	0	5.5	122	7.7	9.2	0	9.0	21	1.2	1.4	0	1.8
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	259	7.9	7.1	0	7.9	191	12.0	10.9	0	12.6	68	4.0	3.5	0	3.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	5.4	4.5	0	4.6	133	8.4	7.2	0	7.4	43	2.6	2.0	0	2.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	222	6.8	6.2	0	6.8	163	10.3	9.3	0	10.8	59	3.5	3.1	0	2.9

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

*****Causes of Death*****	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR
All causes	29,241	894.3	622.4	0	620.2	14,345	904.1	790.7	0	790.0	14,896	885.1	495.8	0	493.3
Infectious diseases and parasitic disease (1-139)	1,083	33.1	24.3	0	24.8	683	43.0	34.6	0	33.7	400	23.8	14.9	0	16.5
..Septicemia (038)	389	11.9	7.8	0	8.3	171	10.8	9.2	0	9.3	218	13.0	6.8	0	7.5
....Septicemia-related (038)	1,375	42.1	28.1	0	28.7	601	37.9	32.4	0	33.1	774	46.0	25.1	0	25.6
..HIV infection (042-044)	564	17.2	13.5	0	12.5	439	27.7	21.5	0	19.7	125	7.4	5.9	0	5.6
All cancer (140-208)	7,128	218.0	164.2	0	161.7	3,658	230.5	204.0	0	196.2	3,470	206.2	137.9	0	140.1
..Oral cavity or pharynx (140.0-149.9)	112	3.4	2.8	0	2.9	62	3.9	3.6	0	4.5	50	3.0	1.9	0	1.7
..Colorectal cancer (153.0-154.3,154.8,159.0)	840	25.7	18.0	0	17.9	428	27.0	23.8	0	21.9	412	24.5	13.8	0	15.2
....Colon cancer (153)	675	20.6	14.4	0	14.0	336	21.2	18.7	0	16.9	339	20.1	11.4	0	12.0
....Rectal cancer (154)	154	4.7	3.4	0	3.6	88	5.5	4.9	0	4.7	66	3.9	2.3	0	2.8
..Pancreatic cancer (157)	395	12.1	9.0	0	8.9	199	12.5	11.2	0	10.9	196	11.6	7.1	0	7.3
..Lung and other respiratory cancer (160-165)	1,914	58.5	45.8	0	43.6	1,120	70.6	63.1	0	59.3	794	47.2	33.7	0	33.0
....Lung cancer (162.2-.9)	1,851	56.6	44.3	0	42.0	1,073	67.6	60.5	0	56.8	778	46.2	33.0	0	32.1
..Malignant melanoma of skin (172)	90	2.8	2.2	0	2.2	54	3.4	3.1	0	2.9	36	2.1	1.5	0	1.7
..Female breast cancer (174)	598	.	.	.	.	.	.	.	.	.	598	35.5	25.6	0	25.5
..Cervical cancer (180)	44	.	.	.	.	.	.	.	.	.	44	2.6	2.2	0	1.4
..Endometrial cancer (182)	46	.	.	.	.	.	.	.	.	.	46	2.7	1.8	0	1.6
..Ovarian cancer (183)	177	.	.	.	.	.	.	.	.	.	177	10.5	7.3	0	8.2
..Prostate cancer (185)	423	.	.	.	.	423	26.7	22.3	0	21.8	.	.	.	.	.
..Bladder cancer (188)	156	4.8	3.3	0	3.6	102	6.4	5.5	0	6.4	54	3.2	2.1	0	1.9
..Brain & other CNS cancer (191-192)	156	4.8	3.9	0	3.8	80	5.0	4.5	0	4.5	76	4.5	3.5	0	3.2
..Leukemia (204-208)	271	8.3	6.3	0	6.1	133	8.4	7.5	0	7.7	138	8.2	5.5	0	5.0
Diabetes mellitus (250)	627	19.2	13.7	0	12.7	275	17.3	15.2	0	14.1	352	20.9	12.3	0	11.7
..Diabetes-related (250)	2,471	75.6	52.6	0	52.6	1,135	71.5	62.1	0	60.8	1,336	79.4	45.8	0	46.8
..Diabetic ketoacidosis (DKA) (250.1)	15	0.5	0.3	0	.	7	0.4	.	.	.	8	0.5	.	.	.
Alzheimer's diseases (331.0)	258	7.9	4.5	0	4.4	75	4.7	4.0	0	4.6	183	10.9	4.8	0	4.3
Cardiovascular disease (390-459)	12,266	375.2	241.0	0	245.5	5,606	353.3	306.2	0	315.2	6,660	395.7	191.5	0	193.1
..Diseases of the heart (390-398,402,404-429)	9,715	297.1	192.6	0	197.4	4,606	290.3	252.4	0	259.0	5,109	303.6	147.7	0	150.5
....Heart disease-related (390-398,402,404-429)	16,554	506.3	333.1	0	330.4	7,896	497.6	430.7	0	426.9	8,658	514.5	262.2	0	260.4
....Coronary heart disease (CHD) (402,410-414,429.2)	7,031	215.0	139.5	0	142.6	3,434	216.4	188.8	0	190.9	3,597	213.7	102.3	0	105.3
....Congestive heart failure (CHF) (428.0)	514	15.7	8.8	0	8.4	196	12.4	10.3	0	9.8	318	18.9	7.9	0	7.8
....Hypertension with or without renal disease (401,403)	150	4.6	2.9	0	2.8	56	3.5	3.1	0	3.7	94	5.6	2.6	0	2.2
....Hypertension-related (401,403)	1,782	54.5	35.8	0	35.2	725	45.7	39.7	0	37.6	1,057	62.8	31.8	0	32.6
..Cerebrovascular disease (430-438)	1,825	55.8	34.5	0	34.5	705	44.4	37.9	0	37.2	1,120	66.6	31.5	0	32.5
..Atherosclerosis (440)	202	6.2	3.3	0	3.1	62	3.9	3.2	0	3.8	140	8.3	3.3	0	2.6
....Atherosclerosis-related (440)	910	27.8	16.1	0	16.0	364	22.9	19.3	0	17.7	546	32.4	13.7	0	14.6
..Aortic aneurysm (441)	179	5.5	3.7	0	4.2	105	6.6	5.7	0	6.6	74	4.4	2.4	0	2.4
Pneumonia & influenza (480-487)	1,170	35.8	21.0	0	21.5	526	33.2	27.9	0	28.4	644	38.3	16.7	0	17.7

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,183	36.2	24.2	0	22.8	564	35.5	30.3	0	28.7	619	36.8	21.0	0	19.4
..COPD-related (490-496)	2,819	86.2	57.4	0	55.9	1,457	91.8	78.2	0	77.6	1,362	80.9	45.4	0	43.4
..Asthma (493)	47	1.4	1.1	0	1.3	19	1.2	1.1	0	1.2	28	1.7	1.1	0	1.4
Chronic liver disease and cirrhosis (571)	303	9.3	7.7	0	7.4	189	11.9	10.8	0	11.3	114	6.8	5.0	0	4.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	314	9.6	6.3	0	6.2	161	10.1	8.7	0	8.4	153	9.1	4.8	0	4.9
..Nephritis-related (580-589)	1,515	46.3	31.3	0	32.3	804	50.7	43.5	0	46.1	711	42.2	23.5	0	23.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	376	11.5	7.5	0	7.2	194	12.2	10.5	0	9.7	182	10.8	5.8	0	5.7
Unintentional injuries (E800-E949)	1,004	30.7	25.6	0	24.5	654	41.2	37.2	0	35.7	350	20.8	15.1	0	14.2
..Motor vehicle accidents (E810-E825)	328	10.0	10.0	0	10.7	229	14.4	14.4	0	15.1	99	5.9	5.8	0	6.3
..Falls and fall related injuries (E880-E888)	187	5.7	3.6	0	3.3	86	5.4	4.7	0	4.3	101	6.0	2.8	0	2.6
..Drowning (E830,E832,E910)	39	1.2	1.1	0	0.9	32	2.0	1.8	0	1.4	7	0.4	.	.	.
..Residential fires (E890-E899)	43	1.3	1.3	1	0.5	23	1.4	1.5	0	.	20	1.2	1.1	0	.
Suicide (E950-E959)	320	9.8	8.8	0	8.0	249	15.7	14.4	0	13.2	71	4.2	3.7	0	3.3
Homicide and legal intervention (E960-E978)	207	6.3	6.8	0	6.8	157	9.9	10.6	0	10.5	50	3.0	3.0	0	3.0
..Homicide (E960-E969)	207	6.3	6.8	0	6.7	157	9.9	10.6	0	10.3	50	3.0	3.0	0	3.0
All injury (E800-E999)	1,547	47.3	41.5	0	40.4	1,072	67.6	62.7	0	61.4	475	28.2	21.9	0	20.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	318	9.7	9.7	0	10.5	221	13.9	13.9	0	14.7	97	5.8	5.7	0	6.3
..All falls (E880-E886,E888,E957,E968.1,E987)	146	4.5	3.1	0	2.5	81	5.1	4.4	0	3.9	65	3.9	2.0	0	1.6
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	293	9.0	9.3	0	9.2	256	16.1	16.6	0	15.7	37	2.2	2.2	0	2.9
....Suicide (E955.0-.4)	140	4.3	4.1	0	4.0	125	7.9	7.6	0	6.9	15	0.9	0.8	0	1.3
....Homicide (E965.0-.4)	143	4.4	4.9	0	5.0	122	7.7	8.3	0	8.3	21	1.2	1.3	0	1.6
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	259	7.9	6.2	0	7.1	191	12.0	9.3	0	11.1	68	4.0	3.2	0	3.3
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	5.4	4.6	0	4.8	133	8.4	7.5	0	7.9	43	2.6	2.1	0	2.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	222	6.8	5.2	0	5.8	163	10.3	7.8	0	9.0	59	3.5	2.7	0	2.7

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR
*****Causes of Death*****															
All causes	29,241	894.3	844.3	0	846.3	14,345	904.1	1064.3	0	1068.7	14,896	885.1	689.8	0	690.8
Infectious diseases and parasitic disease (1-139)	1,083	33.1	31.7	0	32.5	683	43.0	44.8	0	43.4	400	23.8	19.9	0	22.1
..Septicemia (038)	389	11.9	11.2	0	12.1	171	10.8	13.2	0	13.1	218	13.0	9.9	0	11.2
....Septicemia-related (038)	1,375	42.1	39.6	0	41.0	601	37.9	45.5	0	47.2	774	46.0	35.6	0	36.9
..HIV infection (042-044)	564	17.2	16.6	0	15.5	439	27.7	26.5	0	24.4	125	7.4	7.2	0	6.8
All cancer (140-208)	7,128	218.0	205.2	0	203.8	3,658	230.5	260.6	0	254.0	3,470	206.2	171.6	0	174.8
..Oral cavity or pharynx (140.0-149.9)	112	3.4	3.3	0	3.5	62	3.9	4.2	0	5.4	50	3.0	2.4	0	2.0
..Colorectal cancer (153.0-154.3,154.8,159.0)	840	25.7	24.0	0	23.6	428	27.0	31.5	0	29.0	412	24.5	19.0	0	20.2
....Colon cancer (153)	675	20.6	19.3	0	18.6	336	21.2	24.9	0	22.8	339	20.1	15.7	0	16.0
....Rectal cancer (154)	154	4.7	4.4	0	4.6	88	5.5	6.3	0	5.8	66	3.9	3.1	0	3.6
..Pancreatic cancer (157)	395	12.1	11.3	0	11.3	199	12.5	13.8	0	13.6	196	11.6	9.3	0	9.4
..Lung and other respiratory cancer (160-165)	1,914	58.5	54.9	0	52.4	1,120	70.6	77.9	0	74.0	794	47.2	40.0	0	38.8
....Lung cancer (162.2-.9)	1,851	56.6	53.1	0	50.5	1,073	67.6	74.6	0	70.9	778	46.2	39.2	0	37.8
..Malignant melanoma of skin (172)	90	2.8	2.7	0	2.6	54	3.4	3.7	0	3.4	36	2.1	1.9	0	2.0
..Female breast cancer (174)	598	.	.	.	.	.	.	.	.	.	598	35.5	30.9	0	31.2
..Cervical cancer (180)	44	.	.	.	.	.	.	.	.	.	44	2.6	2.5	0	1.8
..Endometrial cancer (182)	46	.	.	.	.	.	.	.	.	.	46	2.7	2.2	0	2.0
..Ovarian cancer (183)	177	.	.	.	.	.	.	.	.	.	177	10.5	9.0	0	10.1
..Prostate cancer (185)	423	.	.	.	.	423	26.7	33.0	0	32.9	.	.	.	.	.
..Bladder cancer (188)	156	4.8	4.4	0	5.1	102	6.4	7.8	0	9.3	54	3.2	2.6	0	2.8
..Brain & other CNS cancer (191-192)	156	4.8	4.6	0	4.4	80	5.0	5.4	0	5.2	76	4.5	4.0	0	3.7
..Leukemia (204-208)	271	8.3	7.8	0	7.6	133	8.4	9.3	0	10.1	138	8.2	6.7	0	6.1
Diabetes mellitus (250)	627	19.2	18.0	0	16.7	275	17.3	19.8	0	18.5	352	20.9	16.5	0	15.4
..Diabetes-related (250)	2,471	75.6	70.4	0	70.6	1,135	71.5	83.0	0	81.7	1,336	79.4	61.9	0	63.2
..Diabetic ketoacidosis (DKA) (250.1)	15	0.5	0.4	0	.	7	0.4	.	.	.	8	0.5	.	.	.
Alzheimer's diseases (331.0)	258	7.9	7.4	0	7.3	75	4.7	6.3	0	7.5	183	10.9	7.8	0	7.1
Cardiovascular disease (390-459)	12,266	375.2	352.6	0	360.1	5,606	353.3	434.8	0	447.7	6,660	395.7	293.3	0	297.4
..Diseases of the heart (390-398,402,404-429)	9,715	297.1	279.5	0	286.6	4,606	290.3	356.0	0	363.5	5,109	303.6	225.3	0	230.9
....Heart disease-related (390-398,402,404-429)	16,554	506.3	475.9	0	474.9	7,896	497.6	605.2	0	602.1	8,658	514.5	387.9	0	388.1
....Coronary heart disease (CHD) (402,410-414,429.2)	7,031	215.0	202.2	0	207.2	3,434	216.4	264.4	0	266.3	3,597	213.7	157.7	0	163.5
....Congestive heart failure (CHF) (428.0)	514	15.7	14.8	0	13.8	196	12.4	17.0	0	16.0	318	18.9	13.4	0	12.7
....Hypertension with or without renal disease (401,403)	150	4.6	4.3	0	4.0	56	3.5	4.1	0	5.4	94	5.6	4.1	0	3.2
....Hypertension-related (401,403)	1,782	54.5	51.0	0	49.8	725	45.7	53.8	0	51.5	1,057	62.8	47.1	0	47.3
..Cerebrovascular disease (430-438)	1,825	55.8	52.5	0	53.5	705	44.4	55.9	0	56.8	1,120	66.6	49.2	0	51.1
..Atherosclerosis (440)	202	6.2	5.8	0	5.4	62	3.9	5.4	0	6.2	140	8.3	5.8	0	4.7
....Atherosclerosis-related (440)	910	27.8	26.0	0	25.9	364	22.9	30.2	0	27.7	546	32.4	23.2	0	24.4
..Aortic aneurysm (441)	179	5.5	5.0	0	5.5	105	6.6	7.7	0	8.9	74	4.4	3.3	0	3.4
Pneumonia & influenza (480-487)	1,170	35.8	33.7	0	34.8	526	33.2	44.5	0	46.0	644	38.3	27.7	0	29.1

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Resident DEATHS, 1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,183	36.2	33.5	0	31.4	564	35.5	43.8	0	40.8	619	36.8	28.5	0	26.5
..COPD-related (490-496)	2,819	86.2	79.8	0	78.4	1,457	91.8	112.7	0	112.4	1,362	80.9	62.3	0	60.3
..Asthma (493)	47	1.4	1.4	0	1.6	19	1.2	1.3	0	1.4	28	1.7	1.5	0	1.7
Chronic liver disease and cirrhosis (571)	303	9.3	9.1	0	8.7	189	11.9	12.6	0	13.5	114	6.8	6.1	0	5.0
Nephritis, nephrotic syndrome/nephrosis (580-589)	314	9.6	9.0	0	8.8	161	10.1	13.0	0	12.4	153	9.1	7.0	0	6.9
..Nephritis-related (580-589)	1,515	46.3	43.4	0	45.4	804	50.7	62.0	0	67.0	711	42.2	32.7	0	33.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	376	11.5	10.8	0	10.2	194	12.2	15.7	0	14.1	182	10.8	8.3	0	8.0
Unintentional injuries (E800-E949)	1,004	30.7	29.8	0	28.3	654	41.2	43.7	0	41.4	350	20.8	18.0	0	16.9
..Motor vehicle accidents (E810-E825)	328	10.0	10.0	0	10.8	229	14.4	14.7	0	15.2	99	5.9	5.8	0	6.5
..Falls and fall related injuries (E880-E888)	187	5.7	5.4	0	5.0	86	5.4	6.9	0	6.5	101	6.0	4.4	0	4.1
..Drowning (E830,E832,E910)	39	1.2	1.2	0	0.9	32	2.0	2.0	0	1.4	7	0.4	.	.	.
..Residential fires (E890-E899)	43	1.3	1.3	1	0.6	23	1.4	1.6	0	.	20	1.2	1.1	1	.
Suicide (E950-E959)	320	9.8	9.6	0	8.9	249	15.7	16.1	0	14.7	71	4.2	4.1	0	3.7
Homicide and legal intervention (E960-E978)	207	6.3	6.4	0	6.4	157	9.9	9.8	0	9.8	50	3.0	2.9	0	3.0
..Homicide (E960-E969)	207	6.3	6.4	0	6.4	157	9.9	9.8	0	9.6	50	3.0	2.9	0	3.0
All injury (E800-E999)	1,547	47.3	46.3	0	45.0	1,072	67.6	70.3	0	68.3	475	28.2	25.2	0	24.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	318	9.7	9.7	0	10.6	221	13.9	14.3	0	14.8	97	5.8	5.7	0	6.5
..All falls (E880-E886,E888,E957,E968.1,E987)	146	4.5	4.3	0	3.6	81	5.1	6.1	0	5.6	65	3.9	3.0	0	2.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	293	9.0	9.1	0	9.2	256	16.1	16.4	0	15.8	37	2.2	2.2	0	3.0
....Suicide (E955.0-.4)	140	4.3	4.3	0	4.4	125	7.9	8.2	0	7.7	15	0.9	0.9	0	1.5
....Homicide (E965.0-.4)	143	4.4	4.5	0	4.6	122	7.7	7.6	0	7.6	21	1.2	1.2	0	1.5
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	259	7.9	7.6	0	8.2	191	12.0	11.5	0	13.1	68	4.0	3.9	0	3.6
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	5.4	5.4	0	5.5	133	8.4	8.7	0	9.0	43	2.6	2.5	0	2.4
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	222	6.8	6.5	0	7.0	163	10.3	9.7	0	10.9	59	3.5	3.3	0	3.1

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.  
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	29,241	6,982	12,986	136,266	233,891	4693.7	4556.2	0	7179.6	6975.7	0
Infectious diseases and parasitic disease (1-139)	1,083	679	766	16,695	23,922	516.0	522.3	0	696.3	699.4	0
..Septicemia (038)	389	62	128	967	1,912	31.4	35.8	0	55.0	59.3	0
...Septicemia-related (038)	1,375	266	529	4,323	8,196	141.8	140.0	0	239.3	232.3	0
..HIV infection (042-044)	564	556	562	14,207	19,802	434.3	422.9	0	573.4	553.0	0
All cancer (140-208)	7,128	1,899	4,120	21,700	51,197	698.7	696.5	0	1449.1	1424.7	0
..Oral cavity or pharynx (140.0-149.9)	112	40	72	435	985	14.8	16.1	0	29.5	32.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	840	154	391	1,400	4,048	43.6	48.2	0	109.8	118.6	0
...Colon cancer (153)	675	125	303	1,093	3,183	33.8	33.2	0	86.3	85.2	0
...Rectal cancer (154)	154	28	86	285	825	9.1	14.5	0	22.5	32.2	0
..Pancreatic cancer (157)	395	87	227	838	2,333	26.2	28.0	0	63.7	65.9	0
..Lung and other respiratory cancer (160-165)	1,914	534	1,228	4,675	13,390	146.2	139.8	0	367.7	351.0	0
...Lung cancer (162.2-.9)	1,851	521	1,189	4,508	12,958	141.0	132.1	0	356.0	334.3	0
..Malignant melanoma of skin (172)	90	43	62	533	1,055	16.3	16.3	0	30.1	29.4	0
..Female breast cancer (174)	598	222	393	2,730	5,783	.	.	0	.	.	0
..Cervical cancer (180)	44	31	37	488	833	.	.	0	.	.	0
..Endometrial cancer (182)	46	7	23	43	183	.	.	0	.	.	0
..Ovarian cancer (183)	177	57	103	603	1,358	.	.	0	.	.	0
..Prostate cancer (185)	423	23	144	158	925	.	.	0	.	.	0
..Bladder cancer (188)	156	19	73	198	648	7.0	5.6	0	17.9	15.1	0
..Brain & other CNS cancer (191-192)	156	68	111	1,152	2,060	39.0	42.6	0	62.7	64.6	0
..Leukemia (204-208)	271	78	160	1,606	2,756	59.3	55.8	0	88.7	85.9	0
Diabetes mellitus (250)	627	144	316	1,920	4,165	60.6	43.6	0	117.1	94.7	0
..Diabetes-related (250)	2,471	406	1,130	4,355	11,795	137.4	129.0	0	321.0	310.3	0
..Diabetic ketoacidosis (DKA) (250.1)	15	7	11	233	323	7.9	.	0	10.1	.	0
Alzheimer's diseases (331.0)	258	11	41	68	323	2.2	2.3	0	8.4	6.7	0
Cardiovascular disease (390-459)	12,266	1,677	3,985	19,411	46,741	621.0	629.4	0	1307.1	1306.1	0
..Diseases of the heart (390-398,402,404-429)	9,715	1,406	3,294	16,034	38,719	515.5	511.1	0	1086.9	1077.1	0
...Heart disease-related (390-398,402,404-429)	16,554	2,658	6,018	35,225	77,240	1138.5	1138.3	0	2192.9	2136.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,031	986	2,377	9,544	25,787	299.3	286.1	0	708.7	687.5	0
....Congestive heart failure (CHF) (428.0)	514	19	75	148	568	4.6	9.7	0	14.6	21.0	0
..Hypertension with or without renal disease (401,403)	150	16	52	150	460	4.6	10.6	0	11.9	20.5	0
...Hypertension-related (401,403)	1,782	231	634	2,338	6,505	73.6	69.2	0	176.7	172.8	0
..Cerebrovascular disease (430-438)	1,825	206	473	2,624	5,907	81.0	83.6	0	162.8	155.9	0
..Atherosclerosis (440)	202	4	23	80	208	2.3	2.5	0	5.1	5.4	0
...Atherosclerosis-related (440)	910	44	167	370	1,348	11.2	9.7	0	34.3	31.6	0
..Aortic aneurysm (441)	179	15	79	163	633	5.6	7.1	0	16.6	20.3	0
Pneumonia & influenza (480-487)	1,170	112	233	2,098	3,726	66.7	61.9	0	106.7	100.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,183	132	441	1,372	4,135	45.4	38.4	0	112.0	98.2	0
..COPD-related (490-496)	2,819	294	1,060	2,797	9,242	91.1	81.2	0	245.7	222.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	47	28	37	665	978	22.9	18.4	0	31.0	26.3	0
Chronic liver disease and cirrhosis (571)	303	162	252	2,345	4,390	71.0	80.2	0	123.9	133.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	314	54	109	754	1,537	23.4	19.0	0	43.0	37.0	0
..Nephritis-related (580-589)	1,515	283	608	4,786	9,098	154.5	127.1	0	261.5	230.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	376	64	131	939	1,867	29.5	23.4	0	52.7	44.8	0
Unintentional injuries (E800-E949)	1,004	625	726	19,256	25,963	719.9	702.3	0	901.9	876.6	0
..Motor vehicle accidents (E810-E825)	328	259	290	8,706	11,438	355.1	381.7	0	434.5	466.8	0
..Falls and fall related injuries (E880-E888)	187	39	61	773	1,248	26.5	23.1	0	39.0	33.6	0
..Drowning (E830,E832,E910)	39	33	35	1,137	1,477	43.0	37.1	0	52.3	44.1	0
..Residential fires (E890-E899)	43	32	36	1,110	1,445	43.4	11.5	1	52.7	15.4	1
Suicide (E950-E959)	320	258	282	6,950	9,665	255.5	225.7	0	330.0	295.8	0
Homicide and legal intervention (E960-E978)	207	198	206	7,484	9,499	310.4	294.6	0	370.6	354.3	0
..Homicide (E960-E969)	207	198	206	7,484	9,499	310.4	292.2	0	370.6	351.3	0
All injury (E800-E999)	1,547	1,096	1,229	34,077	45,665	1297.5	1259.8	0	1617.8	1574.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	318	251	281	8,389	11,039	342.7	373.0	0	419.9	456.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	146	46	66	925	1,470	30.9	24.1	0	45.0	34.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	293	264	277	9,072	11,780	374.2	348.8	0	454.7	429.6	0
....Suicide (E955.0-.4)	140	114	124	3,370	4,565	131.6	109.9	0	165.7	145.0	0
....Homicide (E965.0-.4)	143	140	143	5,317	6,730	225.7	230.1	0	268.9	274.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	259	241	249	6,318	8,763	198.4	241.6	0	259.8	307.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	132	163	2,245	3,753	68.3	65.0	0	107.5	104.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	222	212	216	5,810	7,945	182.0	206.0	0	235.2	263.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	14,345	4,438	7,852	87,795	148,305	6064.2	6016.5	0	9299.4	9172.8	0
Infectious diseases and parasitic disease (1-139)	683	507	559	12,053	17,383	738.6	731.4	0	1009.9	990.9	0
..Septicemia (038)	171	32	72	380	895	23.7	29.7	0	51.0	55.7	0
...Septicemia-related (038)	601	144	283	2,137	4,230	134.3	153.8	0	244.5	259.8	0
..HIV infection (042-044)	439	432	438	10,641	14,996	648.1	631.0	0	867.9	834.9	0
All cancer (140-208)	3,658	992	2,217	10,819	26,577	715.0	699.4	0	1563.9	1486.3	0
..Oral cavity or pharynx (140.0-149.9)	62	30	45	355	728	24.8	25.5	0	46.0	50.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	428	101	243	898	2,563	58.0	51.2	0	147.5	130.9	0
...Colon cancer (153)	336	78	183	640	1,903	41.3	33.2	0	109.3	90.4	0
...Rectal cancer (154)	88	22	58	235	620	15.4	18.0	0	36.1	40.4	0
..Pancreatic cancer (157)	199	58	136	610	1,550	38.9	32.5	0	89.6	81.0	0
..Lung and other respiratory cancer (160-165)	1,120	310	716	2,470	7,555	160.3	158.8	0	436.3	413.0	0
...Lung cancer (162.2-.9)	1,073	299	685	2,338	7,218	151.8	149.2	0	416.9	391.0	0
..Malignant melanoma of skin (172)	54	28	40	295	635	18.9	17.1	0	38.0	32.1	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	423	23	144	158	925	10.2	16.0	0	48.3	52.7	0
..Bladder cancer (188)	102	9	46	78	355	5.3	11.1	0	19.6	27.9	0
..Brain & other CNS cancer (191-192)	80	39	59	648	1,148	43.5	40.7	0	70.7	67.8	0
..Leukemia (204-208)	133	41	88	875	1,517	64.5	60.8	0	98.7	95.0	0
Diabetes mellitus (250)	275	86	162	1,200	2,445	78.3	43.1	1	145.4	96.3	0
..Diabetes-related (250)	1,135	236	592	2,565	6,630	165.5	144.0	0	381.5	351.0	0
..Diabetic ketoacidosis (DKA) (250.1)	7	6	7	200	268	.	.	.	.	.	.
Alzheimer's diseases (331.0)	75	5	18	28	140	1.9	0.8	0	7.9	5.1	0
Cardiovascular disease (390-459)	5,606	1,146	2,549	13,272	31,305	865.1	872.9	0	1833.3	1847.9	0
..Diseases of the heart (390-398,402,404-429)	4,606	984	2,163	11,173	26,516	728.4	724.4	0	1554.0	1562.2	0
...Heart disease-related (390-398,402,404-429)	7,896	1,746	3,759	22,937	49,795	1489.9	1477.5	0	2922.1	2846.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,434	735	1,640	7,265	18,877	468.0	455.7	0	1095.9	1079.8	0
....Congestive heart failure (CHF) (428.0)	196	12	39	100	333	6.3	5.8	0	18.4	18.1	0
..Hypertension with or without renal disease (401,403)	56	12	31	130	338	8.0	17.9	0	18.8	31.5	0
...Hypertension-related (401,403)	725	147	370	1,413	3,925	91.1	94.4	0	225.3	223.0	0
..Cerebrovascular disease (430-438)	705	123	262	1,622	3,509	103.6	94.9	0	204.3	175.4	0
..Atherosclerosis (440)	62	2	12	50	120	3.0	3.6	0	6.3	8.4	0
...Atherosclerosis-related (440)	364	26	105	200	818	12.4	13.4	0	43.8	42.2	0
..Aortic aneurysm (441)	105	10	54	125	445	9.1	12.3	0	25.3	34.7	0
Pneumonia & influenza (480-487)	526	72	151	1,351	2,434	86.8	69.1	0	142.8	117.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	564	64	211	690	2,023	49.1	36.2	0	118.4	102.8	0
..COPD-related (490-496)	1,457	161	573	1,618	5,113	109.7	88.5	0	290.3	260.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	19	12	16	375	515	29.0	17.0	0	36.7	24.5	0
Chronic liver disease and cirrhosis (571)	189	111	166	1,518	2,905	94.7	111.9	0	170.4	190.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	161	33	62	502	969	32.3	24.0	0	57.2	47.5	0
..Nephritis-related (580-589)	804	186	365	3,178	5,881	205.9	168.1	0	348.1	301.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	194	38	74	589	1,139	37.6	30.4	0	66.7	58.6	0
Unintentional injuries (E800-E949)	654	476	533	14,532	19,555	1066.0	1052.1	0	1340.3	1317.0	0
..Motor vehicle accidents (E810-E825)	229	190	209	6,379	8,372	509.1	554.0	0	624.9	677.4	0
..Falls and fall related injuries (E880-E888)	86	30	42	600	950	41.7	31.5	0	60.8	47.0	0
..Drowning (E830,E832,E910)	32	27	28	892	1,169	63.6	56.3	0	78.5	67.8	0
..Residential fires (E890-E899)	23	19	21	647	842	49.7	.	0	60.5	.	0
Suicide (E950-E959)	249	202	218	5,685	7,790	420.6	366.3	0	538.1	479.1	0
Homicide and legal intervention (E960-E978)	157	154	157	5,759	7,317	480.7	459.9	0	575.1	552.5	0
..Homicide (E960-E969)	157	154	157	5,759	7,317	480.7	455.2	0	575.1	546.4	0
All injury (E800-E999)	1,072	843	919	26,264	35,059	1985.1	1945.4	0	2476.8	2434.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	221	184	202	6,129	8,059	489.6	536.8	0	601.9	656.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	81	35	47	728	1,133	49.5	34.3	0	71.5	50.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	256	230	241	7,910	10,268	650.7	581.1	0	791.7	716.1	0
....Suicide (E955.0-.4)	125	100	110	2,975	4,030	231.8	182.5	0	292.6	241.4	0
....Homicide (E965.0-.4)	122	121	122	4,583	5,795	387.6	381.1	0	462.1	454.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	191	182	186	4,870	6,705	309.3	384.1	0	402.8	489.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	133	102	123	1,750	2,903	109.4	95.5	0	171.7	158.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	163	159	161	4,358	5,953	275.0	330.8	0	355.4	422.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	14,896	2,544	5,134	48,471	85,586	3331.3	3101.2	0	5124.3	4839.5	0
Infectious diseases and parasitic disease (1-139)	400	172	207	4,642	6,540	299.7	319.2	0	392.8	417.7	0
..Septicemia (038)	218	30	56	587	1,017	39.6	42.2	0	60.4	63.9	0
...Septicemia-related (038)	774	122	246	2,186	3,966	151.0	127.4	0	237.6	207.4	0
..HIV infection (042-044)	125	124	124	3,566	4,806	225.6	219.6	0	286.9	278.3	0
All cancer (140-208)	3,470	907	1,903	10,881	24,621	683.5	694.1	0	1349.4	1374.2	0
..Oral cavity or pharynx (140.0-149.9)	50	10	27	80	258	5.1	7.0	0	13.6	15.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	412	53	148	503	1,485	30.1	45.4	0	75.5	107.8	0
...Colon cancer (153)	339	47	120	453	1,280	26.9	33.3	0	65.4	81.0	0
...Rectal cancer (154)	66	6	28	50	205	3.2	11.3	0	10.0	24.7	0
..Pancreatic cancer (157)	196	29	91	228	783	14.0	24.0	0	39.6	52.4	0
..Lung and other respiratory cancer (160-165)	794	224	512	2,205	5,835	133.2	122.0	0	307.1	296.1	0
...Lung cancer (162.2-.9)	778	222	504	2,170	5,740	131.1	116.1	0	302.4	284.3	0
..Malignant melanoma of skin (172)	36	15	22	238	420	13.8	15.6	0	22.9	27.0	0
..Female breast cancer (174)	598	222	393	2,730	5,783	162.4	167.6	0	313.0	315.6	0
..Cervical cancer (180)	44	31	37	488	833	28.6	19.8	0	46.3	30.1	0
..Endometrial cancer (182)	46	7	23	43	183	2.7	5.1	0	9.1	13.0	0
..Ovarian cancer (183)	177	57	103	603	1,358	38.1	40.8	0	76.0	83.8	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	54	10	27	120	293	8.7	0.3	0	16.9	3.3	1
..Brain & other CNS cancer (191-192)	76	29	52	505	912	34.9	45.1	0	55.3	62.7	0
..Leukemia (204-208)	138	37	72	732	1,239	54.2	51.1	0	79.3	77.7	0
Diabetes mellitus (250)	352	58	154	720	1,720	43.1	44.4	0	89.8	93.7	0
..Diabetes-related (250)	1,336	170	538	1,790	5,165	110.4	115.3	0	265.0	273.9	0
..Diabetic ketoacidosis (DKA) (250.1)	8	1	4	33	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	183	6	23	40	183	2.5	3.8	0	8.9	8.3	0
Cardiovascular disease (390-459)	6,660	531	1,436	6,139	15,436	386.9	396.7	0	819.6	806.5	0
..Diseases of the heart (390-398,402,404-429)	5,109	422	1,131	4,861	12,204	312.0	308.3	0	655.1	630.8	0
...Heart disease-related (390-398,402,404-429)	8,658	912	2,259	12,288	27,446	801.1	814.4	0	1516.0	1479.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,597	251	737	2,280	6,910	139.2	124.9	0	352.4	326.9	0
....Congestive heart failure (CHF) (428.0)	318	7	36	48	235	3.0	13.7	0	11.1	24.3	0
..Hypertension with or without renal disease (401,403)	94	4	21	20	123	1.2	3.7	0	5.6	10.0	0
...Hypertension-related (401,403)	1,057	84	264	925	2,580	57.5	45.2	0	133.0	126.1	0
..Cerebrovascular disease (430-438)	1,120	83	211	1,003	2,398	58.9	71.8	0	123.7	137.1	0
..Atherosclerosis (440)	140	2	11	30	88	1.6	1.5	0	3.9	2.7	0
...Atherosclerosis-related (440)	546	18	62	170	530	10.1	6.3	0	26.2	22.1	0
..Aortic aneurysm (441)	74	5	25	38	188	2.2	2.0	0	8.6	7.3	0
Pneumonia & influenza (480-487)	644	40	82	747	1,292	46.9	55.5	0	72.6	84.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	619	68	230	682	2,112	41.4	40.6	0	105.7	95.0	0
..COPD-related (490-496)	1,362	133	487	1,180	4,130	72.3	74.3	0	204.6	189.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	28	16	21	290	463	16.3	19.7	0	24.6	28.0	0
Chronic liver disease and cirrhosis (571)	114	51	86	828	1,485	48.7	49.9	0	80.6	78.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	153	21	47	253	568	14.5	14.5	0	29.3	27.5	0
..Nephritis-related (580-589)	711	97	243	1,608	3,218	104.2	87.7	0	178.8	164.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	182	26	57	350	728	21.5	16.8	0	39.3	32.2	0
Unintentional injuries (E800-E949)	350	149	193	4,724	6,409	371.3	348.8	0	462.5	434.0	0
..Motor vehicle accidents (E810-E825)	99	69	81	2,327	3,067	197.9	205.2	0	241.2	252.0	0
..Falls and fall related injuries (E880-E888)	101	9	19	173	298	11.5	15.0	0	17.6	20.8	0
..Drowning (E830,E832,E910)	7	6	7	245	308	.	.	.	.	.	.
..Residential fires (E890-E899)	20	13	15	464	604	37.2	.	0	44.9	.	0
Suicide (E950-E959)	71	56	64	1,265	1,875	87.8	84.5	0	119.8	113.1	0
Homicide and legal intervention (E960-E978)	50	44	49	1,725	2,183	134.4	123.8	0	159.5	150.1	0
..Homicide (E960-E969)	50	44	49	1,725	2,183	134.4	123.8	0	159.5	150.1	0
All injury (E800-E999)	475	253	310	7,814	10,606	599.2	564.6	0	749.4	707.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	97	67	79	2,260	2,980	192.9	205.2	0	235.1	252.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	65	11	19	198	338	12.2	14.2	0	19.0	18.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	37	34	36	1,162	1,512	89.6	110.5	0	109.1	137.1	0
....Suicide (E955.0-.4)	15	14	14	395	535	29.5	36.5	0	37.3	48.6	0
....Homicide (E965.0-.4)	21	19	21	735	935	58.2	74.1	0	69.4	88.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	68	59	63	1,448	2,058	88.9	100.6	0	119.1	128.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	43	30	40	495	850	28.5	35.8	0	45.9	53.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	59	53	55	1,453	1,993	90.5	83.1	0	117.1	106.4	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	29,241	6,982	12,986	136,266	233,891	4591.3	4448.2	0	7206.6	6995.0	0
Infectious diseases and parasitic disease (1-139)	1,083	679	766	16,695	23,922	452.8	453.7	0	611.5	608.7	0
..Septicemia (038)	389	62	128	967	1,912	32.1	33.7	0	57.8	59.0	0
...Septicemia-related (038)	1,375	266	529	4,323	8,196	136.5	133.1	0	240.6	231.4	0
..HIV infection (042-044)	564	556	562	14,207	19,802	371.6	357.4	0	487.7	464.1	0
All cancer (140-208)	7,128	1,899	4,120	21,700	51,197	698.1	694.0	0	1534.5	1504.7	0
..Oral cavity or pharynx (140.0-149.9)	112	40	72	435	985	15.4	15.5	0	31.5	33.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	840	154	391	1,400	4,048	44.5	49.0	0	120.2	129.2	0
...Colon cancer (153)	675	125	303	1,093	3,183	34.4	34.1	0	94.5	93.7	0
...Rectal cancer (154)	154	28	86	285	825	9.5	14.5	0	24.7	34.3	0
..Pancreatic cancer (157)	395	87	227	838	2,333	26.8	29.0	0	69.5	72.0	0
..Lung and other respiratory cancer (160-165)	1,914	534	1,228	4,675	13,390	150.4	142.9	0	403.0	383.6	0
...Lung cancer (162.2-.9)	1,851	521	1,189	4,508	12,958	145.2	135.8	0	390.5	366.5	0
..Malignant melanoma of skin (172)	90	43	62	533	1,055	15.4	15.5	0	30.1	29.2	0
..Female breast cancer (174)	598	222	393	2,730	5,783	.	.	0	.	.	0
..Cervical cancer (180)	44	31	37	488	833	.	.	0	.	.	0
..Endometrial cancer (182)	46	7	23	43	183	.	.	0	.	.	0
..Ovarian cancer (183)	177	57	103	603	1,358	.	.	0	.	.	0
..Prostate cancer (185)	423	23	144	158	925	.	.	0	.	.	0
..Bladder cancer (188)	156	19	73	198	648	7.1	5.7	0	19.8	16.7	0
..Brain & other CNS cancer (191-192)	156	68	111	1,152	2,060	38.9	44.1	0	63.8	67.5	0
..Leukemia (204-208)	271	78	160	1,606	2,756	59.2	54.8	0	90.7	86.3	0
Diabetes mellitus (250)	627	144	316	1,920	4,165	57.8	43.5	0	119.7	100.7	0
..Diabetes-related (250)	2,471	406	1,130	4,355	11,795	136.1	129.9	0	345.0	336.9	0
...Diabetic ketoacidosis (DKA) (250.1)	15	7	11	233	323	7.2	.	0	9.2	.	0
Alzheimer's diseases (331.0)	258	11	41	68	323	2.4	2.2	0	9.8	7.4	0
Cardiovascular disease (390-459)	12,266	1,677	3,985	19,411	46,741	614.9	628.8	0	1383.5	1388.2	0
..Diseases of the heart (390-398,402,404-429)	9,715	1,406	3,294	16,034	38,719	512.7	514.2	0	1153.4	1150.8	0
...Heart disease-related (390-398,402,404-429)	16,554	2,658	6,018	35,225	77,240	1116.0	1121.9	0	2281.0	2224.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,031	986	2,377	9,544	25,787	302.7	291.1	0	767.0	748.0	0
....Congestive heart failure (CHF) (428.0)	514	19	75	148	568	4.8	10.2	0	16.7	23.3	0
..Hypertension with or without renal disease (401,403)	150	16	52	150	460	4.4	10.3	0	13.0	21.0	0
...Hypertension-related (401,403)	1,782	231	634	2,338	6,505	73.2	70.0	0	190.7	188.5	0
..Cerebrovascular disease (430-438)	1,825	206	473	2,624	5,907	78.4	81.5	0	168.7	161.5	0
...Atherosclerosis (440)	202	4	23	80	208	1.9	2.4	0	5.1	5.7	0
....Atherosclerosis-related (440)	910	44	167	370	1,348	11.2	10.1	0	38.5	36.2	0
...Aortic aneurysm (441)	179	15	79	163	633	5.6	6.9	0	18.5	22.4	0
Pneumonia & influenza (480-487)	1,170	112	233	2,098	3,726	63.9	60.6	0	105.8	101.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,183	132	441	1,372	4,135	45.4	39.3	0	122.8	109.6	0
..COPD-related (490-496)	2,819	294	1,060	2,797	9,242	92.0	83.0	0	273.2	248.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	47	28	37	665	978	21.2	17.5	0	28.7	25.3	0
Chronic liver disease and cirrhosis (571)	303	162	252	2,345	4,390	67.8	74.7	0	122.6	128.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	314	54	109	754	1,537	22.6	18.0	0	44.0	37.9	0
..Nephritis-related (580-589)	1,515	283	608	4,786	9,098	150.2	120.3	0	265.7	232.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	376	64	131	939	1,867	28.0	21.9	0	53.1	45.6	0
Unintentional injuries (E800-E949)	1,004	625	726	19,256	25,963	679.8	666.7	0	841.5	822.1	0
..Motor vehicle accidents (E810-E825)	328	259	290	8,706	11,438	342.1	364.7	0	413.1	440.0	0
..Falls and fall related injuries (E880-E888)	187	39	61	773	1,248	24.4	22.7	0	36.7	33.2	0
..Drowning (E830,E832,E910)	39	33	35	1,137	1,477	40.4	38.3	0	48.3	44.6	0
..Residential fires (E890-E899)	43	32	36	1,110	1,445	45.2	11.8	1	53.9	15.6	1
Suicide (E950-E959)	320	258	282	6,950	9,665	232.5	204.2	0	299.2	267.0	0
Homicide and legal intervention (E960-E978)	207	198	206	7,484	9,499	293.9	281.4	0	344.8	332.8	0
..Homicide (E960-E969)	207	198	206	7,484	9,499	293.9	279.5	0	344.8	330.4	0
All injury (E800-E999)	1,547	1,096	1,229	34,077	45,665	1215.8	1184.9	0	1498.1	1463.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	318	251	281	8,389	11,039	329.7	356.9	0	398.6	430.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	146	46	66	925	1,470	27.9	23.4	0	41.8	33.8	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	293	264	277	9,072	11,780	352.6	329.9	0	422.2	400.5	0
....Suicide (E955.0-.4)	140	114	124	3,370	4,565	122.9	99.5	0	153.3	131.2	0
....Homicide (E965.0-.4)	143	140	143	5,317	6,730	213.5	221.0	0	250.1	258.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	259	241	249	6,318	8,763	167.5	212.2	0	218.4	267.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	132	163	2,245	3,753	63.6	60.8	0	102.2	100.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	222	212	216	5,810	7,945	152.4	175.1	0	195.2	221.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	14,345	4,438	7,852	87,795	148,305	5876.3	5816.3	0	9267.6	9118.8	0
Infectious diseases and parasitic disease (1-139)	683	507	559	12,053	17,383	640.5	626.3	0	879.2	852.7	0
..Septicemia (038)	171	32	72	380	895	23.4	28.4	0	53.6	57.1	0
...Septicemia-related (038)	601	144	283	2,137	4,230	126.7	145.7	0	245.4	258.4	0
..HIV infection (042-044)	439	432	438	10,641	14,996	554.6	532.8	0	740.7	702.0	0
All cancer (140-208)	3,658	992	2,217	10,819	26,577	720.6	697.8	0	1678.8	1582.6	0
..Oral cavity or pharynx (140.0-149.9)	62	30	45	355	728	25.5	24.3	0	48.3	52.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	428	101	243	898	2,563	59.7	52.8	0	162.4	144.1	0
...Colon cancer (153)	336	78	183	640	1,903	42.6	34.7	0	121.0	100.8	0
...Rectal cancer (154)	88	22	58	235	620	16.0	18.0	0	39.3	43.2	0
..Pancreatic cancer (157)	199	58	136	610	1,550	39.4	33.2	0	96.4	88.4	0
..Lung and other respiratory cancer (160-165)	1,120	310	716	2,470	7,555	167.5	162.2	0	485.6	453.9	0
...Lung cancer (162.2-.9)	1,073	299	685	2,338	7,218	159.0	153.1	0	464.9	430.8	0
..Malignant melanoma of skin (172)	54	28	40	295	635	18.4	16.5	0	39.2	32.5	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	423	23	144	158	925	10.6	17.2	0	57.0	60.8	0
..Bladder cancer (188)	102	9	46	78	355	5.7	11.3	0	22.6	30.6	0
..Brain & other CNS cancer (191-192)	80	39	59	648	1,148	42.2	42.8	0	70.5	71.9	0
..Leukemia (204-208)	133	41	88	875	1,517	63.5	57.0	0	100.4	92.5	0
Diabetes mellitus (250)	275	86	162	1,200	2,445	74.7	43.0	0	147.4	102.6	0
..Diabetes-related (250)	1,135	236	592	2,565	6,630	164.5	145.7	0	409.5	381.9	0
..Diabetic ketoacidosis (DKA) (250.1)	7	6	7	200	268	.	.	.	.	.	.
Alzheimer's diseases (331.0)	75	5	18	28	140	2.2	1.0	0	9.4	6.2	0
Cardiovascular disease (390-459)	5,606	1,146	2,549	13,272	31,305	862.8	870.6	0	1947.0	1964.4	0
..Diseases of the heart (390-398,402,404-429)	4,606	984	2,163	11,173	26,516	729.1	726.6	0	1654.5	1667.9	0
...Heart disease-related (390-398,402,404-429)	7,896	1,746	3,759	22,937	49,795	1462.2	1445.1	0	3046.7	2958.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,434	735	1,640	7,265	18,877	473.6	462.5	0	1183.4	1170.0	0
....Congestive heart failure (CHF) (428.0)	196	12	39	100	333	6.6	6.2	0	20.7	20.8	0
..Hypertension with or without renal disease (401,403)	56	12	31	130	338	7.6	16.9	0	19.8	31.2	0
...Hypertension-related (401,403)	725	147	370	1,413	3,925	92.7	94.9	0	246.0	240.3	0
..Cerebrovascular disease (430-438)	705	123	262	1,622	3,509	101.1	93.2	0	211.9	182.6	0
..Atherosclerosis (440)	62	2	12	50	120	2.5	3.7	0	6.2	9.2	0
...Atherosclerosis-related (440)	364	26	105	200	818	12.4	14.1	0	50.0	48.2	0
..Aortic aneurysm (441)	105	10	54	125	445	8.9	11.9	0	28.1	38.0	0
Pneumonia & influenza (480-487)	526	72	151	1,351	2,434	84.3	66.2	0	143.8	118.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	564	64	211	690	2,023	49.6	37.4	0	130.6	116.6	0
..COPD-related (490-496)	1,457	161	573	1,618	5,113	110.7	91.4	0	322.9	294.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	19	12	16	375	515	28.0	16.5	0	35.1	24.2	0
Chronic liver disease and cirrhosis (571)	189	111	166	1,518	2,905	92.2	104.8	0	171.5	186.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	161	33	62	502	969	31.6	21.3	0	58.8	47.0	0
..Nephritis-related (580-589)	804	186	365	3,178	5,881	199.8	156.1	0	352.5	299.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	194	38	74	589	1,139	36.6	27.1	0	68.2	57.7	0
Unintentional injuries (E800-E949)	654	476	533	14,532	19,555	995.7	990.1	0	1237.1	1224.0	0
..Motor vehicle accidents (E810-E825)	229	190	209	6,379	8,372	485.7	529.9	0	588.3	638.7	0
..Falls and fall related injuries (E880-E888)	86	30	42	600	950	38.6	30.3	0	57.5	45.8	0
..Drowning (E830,E832,E910)	32	27	28	892	1,169	58.0	58.1	0	70.4	68.4	0
..Residential fires (E890-E899)	23	19	21	647	842	52.7	.	0	63.1	.	0
Suicide (E950-E959)	249	202	218	5,685	7,790	382.6	331.7	0	487.0	432.5	0
Homicide and legal intervention (E960-E978)	157	154	157	5,759	7,317	453.3	440.3	0	533.5	520.0	0
..Homicide (E960-E969)	157	154	157	5,759	7,317	453.3	436.5	0	533.5	515.1	0
All injury (E800-E999)	1,072	843	919	26,264	35,059	1846.4	1821.1	0	2276.7	2251.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	221	184	202	6,129	8,059	466.6	514.5	0	566.3	620.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	81	35	47	728	1,133	44.8	32.6	0	66.1	49.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	256	230	241	7,910	10,268	613.4	551.8	0	735.9	670.6	0
....Suicide (E955.0-.4)	125	100	110	2,975	4,030	216.7	167.2	0	271.3	220.9	0
....Homicide (E965.0-.4)	122	121	122	4,583	5,795	366.4	366.3	0	429.4	428.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	191	182	186	4,870	6,705	260.8	331.4	0	337.4	418.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	133	102	123	1,750	2,903	101.6	91.0	0	163.1	155.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	163	159	161	4,358	5,953	230.4	277.4	0	295.0	351.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	14,896	2,544	5,134	48,471	85,586	3313.8	3084.0	0	5220.8	4941.9	0
Infectious diseases and parasitic disease (1-139)	400	172	207	4,642	6,540	271.2	286.8	0	353.7	374.1	0
..Septicemia (038)	218	30	56	587	1,017	41.5	39.4	0	63.6	62.0	0
...Septicemia-related (038)	774	122	246	2,186	3,966	148.1	121.7	0	239.8	207.2	0
..HIV infection (042-044)	125	124	124	3,566	4,806	193.3	186.3	0	242.3	232.8	0
All cancer (140-208)	3,470	907	1,903	10,881	24,621	676.8	690.9	0	1409.1	1440.9	0
..Oral cavity or pharynx (140.0-149.9)	50	10	27	80	258	5.5	7.1	0	15.3	16.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	412	53	148	503	1,485	30.2	45.6	0	82.0	116.2	0
...Colon cancer (153)	339	47	120	453	1,280	26.8	33.6	0	70.6	87.7	0
...Rectal cancer (154)	66	6	28	50	205	3.4	11.2	0	11.4	26.2	0
..Pancreatic cancer (157)	196	29	91	228	783	14.8	25.2	0	44.6	57.5	0
..Lung and other respiratory cancer (160-165)	794	224	512	2,205	5,835	134.6	124.7	0	330.1	322.0	0
...Lung cancer (162.2-.9)	778	222	504	2,170	5,740	132.6	119.4	0	325.1	310.3	0
..Malignant melanoma of skin (172)	36	15	22	238	420	12.6	14.6	0	21.7	26.3	0
..Female breast cancer (174)	598	222	393	2,730	5,783	157.4	163.0	0	319.2	321.1	0
..Cervical cancer (180)	44	31	37	488	833	26.8	18.0	0	44.4	27.7	0
..Endometrial cancer (182)	46	7	23	43	183	2.9	5.5	0	10.5	14.5	0
..Ovarian cancer (183)	177	57	103	603	1,358	38.6	41.7	0	80.0	89.2	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	54	10	27	120	293	8.7	0.3	0	17.9	4.1	1
..Brain & other CNS cancer (191-192)	76	29	52	505	912	36.0	46.1	0	57.8	64.3	0
..Leukemia (204-208)	138	37	72	732	1,239	54.9	53.0	0	81.9	81.1	0
Diabetes mellitus (250)	352	58	154	720	1,720	41.2	44.4	0	93.0	99.5	0
..Diabetes-related (250)	1,336	170	538	1,790	5,165	109.1	115.5	0	285.7	296.8	0
..Diabetic ketoacidosis (DKA) (250.1)	8	1	4	33	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	183	6	23	40	183	2.7	3.5	0	10.3	8.7	0
Cardiovascular disease (390-459)	6,660	531	1,436	6,139	15,436	377.3	398.4	0	864.9	861.1	0
..Diseases of the heart (390-398,402,404-429)	5,109	422	1,131	4,861	12,204	306.1	313.0	0	693.2	678.7	0
...Heart disease-related (390-398,402,404-429)	8,658	912	2,259	12,288	27,446	784.0	814.5	0	1575.6	1552.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,597	251	737	2,280	6,910	140.9	128.6	0	386.6	362.7	0
....Congestive heart failure (CHF) (428.0)	318	7	36	48	235	3.2	14.3	0	13.0	26.4	0
..Hypertension with or without renal disease (401,403)	94	4	21	20	123	1.3	3.9	0	6.6	11.3	0
...Hypertension-related (401,403)	1,057	84	264	925	2,580	55.2	46.4	0	141.1	140.7	0
..Cerebrovascular disease (430-438)	1,120	83	211	1,003	2,398	56.1	69.4	0	128.0	141.4	0
...Atherosclerosis (440)	140	2	11	30	88	1.3	1.2	0	4.0	2.6	0
...Atherosclerosis-related (440)	546	18	62	170	530	10.1	6.3	0	28.7	25.4	0
..Aortic aneurysm (441)	74	5	25	38	188	2.2	2.1	0	9.9	8.5	0
Pneumonia & influenza (480-487)	644	40	82	747	1,292	43.7	56.0	0	70.1	87.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	619	68	230	682	2,112	40.8	41.3	0	115.2	104.4	0
..COPD-related (490-496)	1,362	133	487	1,180	4,130	73.2	75.0	0	227.9	209.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	28	16	21	290	463	13.8	18.4	0	21.7	26.5	0
Chronic liver disease and cirrhosis (571)	114	51	86	828	1,485	44.6	46.1	0	77.1	74.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	153	21	47	253	568	13.5	15.1	0	29.7	30.0	0
..Nephritis-related (580-589)	711	97	243	1,608	3,218	101.6	86.0	0	183.4	170.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	182	26	57	350	728	19.4	17.1	0	38.7	34.6	0
Unintentional injuries (E800-E949)	350	149	193	4,724	6,409	360.9	338.9	0	444.6	417.3	0
..Motor vehicle accidents (E810-E825)	99	69	81	2,327	3,067	195.3	195.1	0	234.9	236.8	0
..Falls and fall related injuries (E880-E888)	101	9	19	173	298	10.2	15.4	0	16.3	21.3	0
..Drowning (E830,E832,E910)	7	6	7	245	308	.	.	0	.	.	0
..Residential fires (E890-E899)	20	13	15	464	604	37.6	.	0	44.8	.	0
Suicide (E950-E959)	71	56	64	1,265	1,875	79.8	76.0	0	109.5	102.0	0
Homicide and legal intervention (E960-E978)	50	44	49	1,725	2,183	128.7	116.9	0	149.7	139.4	0
..Homicide (E960-E969)	50	44	49	1,725	2,183	128.7	116.9	0	149.7	139.4	0
All injury (E800-E999)	475	253	310	7,814	10,606	573.8	538.0	0	709.9	667.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	97	67	79	2,260	2,980	189.8	195.1	0	228.3	236.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	65	11	19	198	338	11.1	14.5	0	17.9	19.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	37	34	36	1,162	1,512	83.6	101.6	0	100.1	124.3	0
....Suicide (E955.0-.4)	15	14	14	395	535	27.1	31.0	0	33.8	41.6	0
....Homicide (E965.0-.4)	21	19	21	735	935	55.1	70.6	0	64.5	82.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	68	59	63	1,448	2,058	75.5	94.2	0	101.3	118.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	43	30	40	495	850	26.7	31.9	0	44.1	48.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	59	53	55	1,453	1,993	75.6	74.4	0	97.1	94.6	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	29,241	6,982	12,986	136,266	233,891	4808.9	4661.2	0	7583.3	7358.2	0
Infectious diseases and parasitic disease (1-139)	1,083	679	766	16,695	23,922	555.4	555.6	0	744.7	740.4	0
..Septicemia (038)	389	62	128	967	1,912	35.1	38.8	0	62.7	66.5	0
...Septicemia-related (038)	1,375	266	529	4,323	8,196	153.4	152.4	0	265.6	259.5	0
..HIV infection (042-044)	564	556	562	14,207	19,802	467.3	451.2	0	610.3	583.4	0
All cancer (140-208)	7,128	1,899	4,120	21,700	51,197	798.0	789.7	0	1684.0	1646.0	0
..Oral cavity or pharynx (140.0-149.9)	112	40	72	435	985	17.0	18.9	0	34.1	38.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	840	154	391	1,400	4,048	52.4	57.5	0	132.2	141.3	0
...Colon cancer (153)	675	125	303	1,093	3,183	40.5	39.6	0	103.4	101.7	0
...Rectal cancer (154)	154	28	86	285	825	11.1	17.4	0	27.5	38.2	0
..Pancreatic cancer (157)	395	87	227	838	2,333	31.5	32.8	0	76.8	78.0	0
..Lung and other respiratory cancer (160-165)	1,914	534	1,228	4,675	13,390	175.7	167.7	0	440.4	419.8	0
...Lung cancer (162.2-.9)	1,851	521	1,189	4,508	12,958	169.4	158.9	0	426.2	400.5	0
..Malignant melanoma of skin (172)	90	43	62	533	1,055	18.9	19.3	0	34.7	34.4	0
..Female breast cancer (174)	598	222	393	2,730	5,783	.	.	0	.	.	0
..Cervical cancer (180)	44	31	37	488	833	.	.	0	.	.	0
..Endometrial cancer (182)	46	7	23	43	183	.	.	0	.	.	0
..Ovarian cancer (183)	177	57	103	603	1,358	.	.	0	.	.	0
..Prostate cancer (185)	423	23	144	158	925	.	.	0	.	.	0
..Bladder cancer (188)	156	19	73	198	648	7.6	6.8	0	20.9	18.6	0
..Brain & other CNS cancer (191-192)	156	68	111	1,152	2,060	42.1	43.9	0	68.9	68.3	0
..Leukemia (204-208)	271	78	160	1,606	2,756	57.0	58.3	0	89.0	92.0	0
Diabetes mellitus (250)	627	144	316	1,920	4,165	68.2	50.8	0	134.7	110.9	0
..Diabetes-related (250)	2,471	406	1,130	4,355	11,795	159.2	149.5	0	380.8	366.8	0
..Diabetic ketoacidosis (DKA) (250.1)	15	7	11	233	323	7.5	.	0	9.6	.	0
Alzheimer's diseases (331.0)	258	11	41	68	323	2.6	2.2	0	10.2	7.6	0
Cardiovascular disease (390-459)	12,266	1,677	3,985	19,411	46,741	707.6	710.2	0	1523.7	1514.4	0
..Diseases of the heart (390-398,402,404-429)	9,715	1,406	3,294	16,034	38,719	586.1	579.2	0	1264.9	1251.6	0
...Heart disease-related (390-398,402,404-429)	16,554	2,658	6,018	35,225	77,240	1269.7	1250.6	0	2512.1	2422.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,031	986	2,377	9,544	25,787	354.9	338.7	0	845.9	820.5	0
....Congestive heart failure (CHF) (428.0)	514	19	75	148	568	5.5	10.2	0	18.0	24.0	0
..Hypertension with or without renal disease (401,403)	150	16	52	150	460	5.3	12.3	0	14.4	23.8	0
...Hypertension-related (401,403)	1,782	231	634	2,338	6,505	86.0	82.0	0	210.6	207.1	0
..Cerebrovascular disease (430-438)	1,825	206	473	2,624	5,907	94.3	90.9	0	191.7	176.4	0
..Atherosclerosis (440)	202	4	23	80	208	2.5	3.0	0	6.0	6.8	0
...Atherosclerosis-related (440)	910	44	167	370	1,348	13.3	11.6	0	41.9	39.6	0
..Aortic aneurysm (441)	179	15	79	163	633	6.0	8.1	0	19.6	24.5	0
Pneumonia & influenza (480-487)	1,170	112	233	2,098	3,726	73.7	65.6	0	120.2	109.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,183	132	441	1,372	4,135	49.4	40.5	0	130.0	113.2	0
..COPD-related (490-496)	2,819	294	1,060	2,797	9,242	100.9	89.5	0	290.2	262.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	47	28	37	665	978	23.2	18.3	0	31.6	26.6	0
Chronic liver disease and cirrhosis (571)	303	162	252	2,345	4,390	86.1	92.4	0	147.9	152.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	314	54	109	754	1,537	26.3	20.7	0	49.2	41.9	0
..Nephritis-related (580-589)	1,515	283	608	4,786	9,098	166.7	140.8	0	290.6	262.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	376	64	131	939	1,867	32.6	25.5	0	59.6	50.7	0
Unintentional injuries (E800-E949)	1,004	625	726	19,256	25,963	676.7	655.8	0	846.2	816.5	0
..Motor vehicle accidents (E810-E825)	328	259	290	8,706	11,438	314.7	339.4	0	382.9	412.5	0
..Falls and fall related injuries (E880-E888)	187	39	61	773	1,248	27.3	24.1	0	40.9	35.5	0
..Drowning (E830,E832,E910)	39	33	35	1,137	1,477	39.5	35.8	0	47.6	42.2	0
..Residential fires (E890-E899)	43	32	36	1,110	1,445	40.4	11.8	1	48.8	15.9	1
Suicide (E950-E959)	320	258	282	6,950	9,665	240.8	219.5	0	311.4	288.2	0
Homicide and legal intervention (E960-E978)	207	198	206	7,484	9,499	268.8	258.0	0	316.3	306.5	0
..Homicide (E960-E969)	207	198	206	7,484	9,499	268.8	255.3	0	316.3	303.1	0
All injury (E800-E999)	1,547	1,096	1,229	34,077	45,665	1198.9	1171.2	0	1490.3	1459.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	318	251	281	8,389	11,039	303.7	331.9	0	370.1	403.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	146	46	66	925	1,470	32.3	25.0	0	47.6	36.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	293	264	277	9,072	11,780	327.7	314.7	0	394.6	385.2	0
....Suicide (E955.0-.4)	140	114	124	3,370	4,565	120.0	107.6	0	151.0	142.4	0
....Homicide (E965.0-.4)	143	140	143	5,317	6,730	193.3	198.6	0	226.7	233.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	259	241	249	6,318	8,763	208.3	240.5	0	270.4	304.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	176	132	163	2,245	3,753	81.4	75.5	0	126.0	120.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	222	212	216	5,810	7,945	190.4	208.4	0	243.5	264.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	14,345	4,438	7,852	87,795	148,305	6213.6	6158.3	0	9820.9	9672.3	0
Infectious diseases and parasitic disease (1-139)	683	507	559	12,053	17,383	810.5	793.2	0	1099.0	1067.2	0
..Septicemia (038)	171	32	72	380	895	28.9	34.9	0	61.8	66.4	0
...Septicemia-related (038)	601	144	283	2,137	4,230	152.6	171.0	0	281.6	294.8	0
..HIV infection (042-044)	439	432	438	10,641	14,996	709.7	682.8	0	939.6	893.3	0
All cancer (140-208)	3,658	992	2,217	10,819	26,577	810.8	790.0	0	1818.5	1722.8	0
..Oral cavity or pharynx (140.0-149.9)	62	30	45	355	728	28.3	29.4	0	52.7	59.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	428	101	243	898	2,563	69.1	61.1	0	177.0	156.7	0
...Colon cancer (153)	336	78	183	640	1,903	48.7	40.0	0	130.4	108.9	0
...Rectal cancer (154)	88	22	58	235	620	18.7	21.1	0	43.9	47.7	0
..Pancreatic cancer (157)	199	58	136	610	1,550	46.7	38.7	0	107.6	96.4	0
..Lung and other respiratory cancer (160-165)	1,120	310	716	2,470	7,555	191.4	191.4	0	522.1	497.8	0
...Lung cancer (162.2-.9)	1,073	299	685	2,338	7,218	181.2	179.8	0	498.7	471.4	0
..Malignant melanoma of skin (172)	54	28	40	295	635	21.8	20.6	0	43.6	38.3	0
..Female breast cancer (174)	.	.	.	.	.	.	.	0	.	.	0
..Cervical cancer (180)	.	.	.	.	.	.	.	0	.	.	0
..Endometrial cancer (182)	.	.	.	.	.	.	.	0	.	.	0
..Ovarian cancer (183)	.	.	.	.	.	.	.	0	.	.	0
..Prostate cancer (185)	423	23	144	158	925	11.7	19.1	0	60.6	65.0	0
..Bladder cancer (188)	102	9	46	78	355	6.3	13.7	0	24.3	34.3	0
..Brain & other CNS cancer (191-192)	80	39	59	648	1,148	47.6	44.4	0	78.3	74.9	0
..Leukemia (204-208)	133	41	88	875	1,517	61.6	63.9	0	99.2	102.3	0
Diabetes mellitus (250)	275	86	162	1,200	2,445	86.8	51.7	0	164.6	115.2	0
..Diabetes-related (250)	1,135	236	592	2,565	6,630	192.6	169.2	0	452.5	417.9	0
..Diabetic ketoacidosis (DKA) (250.1)	7	6	7	200	268	.	.	0	.	.	0
Alzheimer's diseases (331.0)	75	5	18	28	140	2.2	1.0	0	9.6	6.4	0
Cardiovascular disease (390-459)	5,606	1,146	2,549	13,272	31,305	993.9	995.8	0	2146.8	2154.8	0
..Diseases of the heart (390-398,402,404-429)	4,606	984	2,163	11,173	26,516	839.0	831.7	0	1821.8	1826.8	0
...Heart disease-related (390-398,402,404-429)	7,896	1,746	3,759	22,937	49,795	1684.4	1651.8	0	3378.0	3266.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,434	735	1,640	7,265	18,877	555.7	538.2	0	1307.4	1283.6	0
....Congestive heart failure (CHF) (428.0)	196	12	39	100	333	7.7	6.9	0	22.7	22.5	0
..Hypertension with or without renal disease (401,403)	56	12	31	130	338	9.4	20.6	0	22.4	36.2	0
...Hypertension-related (401,403)	725	147	370	1,413	3,925	109.0	112.4	0	271.5	266.7	0
..Cerebrovascular disease (430-438)	705	123	262	1,622	3,509	119.2	103.0	0	238.6	199.1	0
..Atherosclerosis (440)	62	2	12	50	120	3.2	4.3	0	7.3	10.4	0
...Atherosclerosis-related (440)	364	26	105	200	818	14.4	16.0	0	53.6	52.3	0
..Aortic aneurysm (441)	105	10	54	125	445	9.3	13.9	0	29.4	41.3	0
Pneumonia & influenza (480-487)	526	72	151	1,351	2,434	96.6	75.0	0	162.3	131.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	564	64	211	690	2,023	51.2	38.3	0	135.1	120.4	0
..COPD-related (490-496)	1,457	161	573	1,618	5,113	118.4	98.2	0	339.8	309.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	19	12	16	375	515	27.2	17.0	0	34.7	24.9	0
Chronic liver disease and cirrhosis (571)	189	111	166	1,518	2,905	116.0	130.3	0	204.8	220.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	161	33	62	502	969	35.0	27.3	0	63.8	55.2	0
..Nephritis-related (580-589)	804	186	365	3,178	5,881	224.1	187.9	0	388.7	344.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	194	38	74	589	1,139	41.5	34.0	0	75.4	67.2	0
Unintentional injuries (E800-E949)	654	476	533	14,532	19,555	1010.4	991.1	0	1267.2	1236.3	0
..Motor vehicle accidents (E810-E825)	229	190	209	6,379	8,372	452.4	494.8	0	552.2	600.6	0
..Falls and fall related injuries (E880-E888)	86	30	42	600	950	43.2	33.6	0	63.9	50.6	0
..Drowning (E830,E832,E910)	32	27	28	892	1,169	59.7	54.9	0	73.0	65.4	0
..Residential fires (E890-E899)	23	19	21	647	842	46.8	.	0	56.8	.	0
Suicide (E950-E959)	249	202	218	5,685	7,790	392.4	355.6	0	501.9	466.0	0
Homicide and legal intervention (E960-E978)	157	154	157	5,759	7,317	412.3	401.3	0	486.3	476.0	0
..Homicide (E960-E969)	157	154	157	5,759	7,317	412.3	395.9	0	486.3	469.2	0
All injury (E800-E999)	1,072	843	919	26,264	35,059	1834.4	1815.9	0	2280.5	2264.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	221	184	202	6,129	8,059	435.4	479.9	0	532.5	583.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	81	35	47	728	1,133	51.1	36.5	0	74.5	54.8	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	256	230	241	7,910	10,268	568.3	522.9	0	685.6	641.0	0
....Suicide (E955.0-.4)	125	100	110	2,975	4,030	211.1	178.2	0	266.5	236.7	0
....Homicide (E965.0-.4)	122	121	122	4,583	5,795	330.7	328.0	0	388.2	384.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	191	182	186	4,870	6,705	323.8	385.3	0	417.7	487.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	133	102	123	1,750	2,903	128.7	112.5	0	199.3	184.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	163	159	161	4,358	5,953	288.6	336.9	0	369.1	426.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	14,896	2,544	5,134	48,471	85,586	3421.9	3178.9	0	5436.8	5131.9	0
Infectious diseases and parasitic disease (1-139)	400	172	207	4,642	6,540	308.1	325.4	0	402.7	425.3	0
..Septicemia (038)	218	30	56	587	1,017	41.9	43.2	0	65.2	67.7	0
...Septicemia-related (038)	774	122	246	2,186	3,966	156.0	135.3	0	253.5	227.4	0
..HIV infection (042-044)	125	124	124	3,566	4,806	231.3	225.5	0	290.8	282.4	0
All cancer (140-208)	3,470	907	1,903	10,881	24,621	786.3	789.8	0	1569.1	1583.9	0
..Oral cavity or pharynx (140.0-149.9)	50	10	27	80	258	6.0	8.7	0	16.3	18.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	412	53	148	503	1,485	36.7	54.1	0	91.7	127.9	0
...Colon cancer (153)	339	47	120	453	1,280	32.8	39.3	0	79.2	95.7	0
...Rectal cancer (154)	66	6	28	50	205	3.8	13.8	0	12.4	29.7	0
..Pancreatic cancer (157)	196	29	91	228	783	16.9	27.5	0	48.2	61.5	0
..Lung and other respiratory cancer (160-165)	794	224	512	2,205	5,835	161.1	145.4	0	368.7	351.2	0
...Lung cancer (162.2-.9)	778	222	504	2,170	5,740	158.6	139.2	0	362.9	338.3	0
..Malignant melanoma of skin (172)	36	15	22	238	420	16.3	18.2	0	26.6	31.0	0
..Female breast cancer (174)	598	222	393	2,730	5,783	195.9	199.0	0	372.4	371.1	0
..Cervical cancer (180)	44	31	37	488	833	34.1	23.5	0	54.1	35.1	0
..Endometrial cancer (182)	46	7	23	43	183	3.2	6.1	0	11.1	15.3	0
..Ovarian cancer (183)	177	57	103	603	1,358	44.6	47.8	0	89.0	98.0	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	54	10	27	120	293	8.9	0.3	1	18.6	4.3	1
..Brain & other CNS cancer (191-192)	76	29	52	505	912	37.1	44.1	0	60.2	63.0	0
..Leukemia (204-208)	138	37	72	732	1,239	52.4	53.2	0	79.7	82.7	0
Diabetes mellitus (250)	352	58	154	720	1,720	50.1	50.2	0	106.0	107.5	0
..Diabetes-related (250)	1,336	170	538	1,790	5,165	127.4	131.4	0	314.8	321.0	0
..Diabetic ketoacidosis (DKA) (250.1)	8	1	4	33	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	183	6	23	40	183	2.9	3.5	0	10.8	8.8	0
Cardiovascular disease (390-459)	6,660	531	1,436	6,139	15,436	433.5	437.7	0	949.7	927.1	0
..Diseases of the heart (390-398,402,404-429)	5,109	422	1,131	4,861	12,204	344.6	339.2	0	752.7	724.8	0
...Heart disease-related (390-398,402,404-429)	8,658	912	2,259	12,288	27,446	872.1	867.6	0	1712.6	1646.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,597	251	737	2,280	6,910	164.3	149.1	0	423.1	396.5	0
....Congestive heart failure (CHF) (428.0)	318	7	36	48	235	3.5	13.6	0	13.8	26.0	0
..Hypertension with or without renal disease (401,403)	94	4	21	20	123	1.5	4.4	0	7.0	12.0	0
...Hypertension-related (401,403)	1,057	84	264	925	2,580	64.7	53.1	0	155.8	151.8	0
..Cerebrovascular disease (430-438)	1,120	83	211	1,003	2,398	70.0	78.4	0	147.7	155.1	0
..Atherosclerosis (440)	140	2	11	30	88	1.9	1.8	0	4.9	3.5	0
...Atherosclerosis-related (440)	546	18	62	170	530	12.2	7.5	0	32.1	28.2	0
..Aortic aneurysm (441)	74	5	25	38	188	2.7	2.6	0	10.7	9.5	0
Pneumonia & influenza (480-487)	644	40	82	747	1,292	51.3	57.1	0	80.8	90.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	619	68	230	682	2,112	47.3	42.8	0	125.4	108.0	0
..COPD-related (490-496)	1,362	133	487	1,180	4,130	83.5	81.3	0	245.7	221.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	28	16	21	290	463	18.8	19.5	0	28.0	28.2	0
Chronic liver disease and cirrhosis (571)	114	51	86	828	1,485	57.8	56.3	0	95.0	88.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	153	21	47	253	568	17.6	14.6	0	35.2	29.8	0
..Nephritis-related (580-589)	711	97	243	1,608	3,218	110.7	95.6	0	197.6	185.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	182	26	57	350	728	23.8	17.4	0	44.6	35.5	0
Unintentional injuries (E800-E949)	350	149	193	4,724	6,409	342.3	318.7	0	426.8	396.9	0
..Motor vehicle accidents (E810-E825)	99	69	81	2,327	3,067	174.7	180.9	0	211.9	221.4	0
..Falls and fall related injuries (E880-E888)	101	9	19	173	298	11.6	14.9	0	18.4	21.1	0
..Drowning (E830,E832,E910)	7	6	7	245	308	.	.	.	.	.	.
..Residential fires (E890-E899)	20	13	15	464	604	34.0	.	0	40.9	.	0
Suicide (E950-E959)	71	56	64	1,265	1,875	87.7	83.6	0	120.3	112.2	0
Homicide and legal intervention (E960-E978)	50	44	49	1,725	2,183	120.9	110.4	0	141.4	132.4	0
..Homicide (E960-E969)	50	44	49	1,725	2,183	120.9	110.4	0	141.4	132.4	0
All injury (E800-E999)	475	253	310	7,814	10,606	556.9	521.1	0	696.4	652.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	97	67	79	2,260	2,980	170.0	180.9	0	206.3	221.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	65	11	19	198	338	13.6	13.9	0	21.4	18.8	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	37	34	36	1,162	1,512	81.1	102.1	0	97.7	125.7	0
....Suicide (E955.0-.4)	15	14	14	395	535	27.8	36.8	0	35.0	48.9	0
....Homicide (E965.0-.4)	21	19	21	735	935	51.5	65.3	0	60.5	76.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	68	59	63	1,448	2,058	94.9	97.7	0	125.9	124.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	43	30	40	495	850	35.6	40.1	0	56.0	59.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	59	53	55	1,453	1,993	94.1	82.2	0	120.5	104.9	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).