

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
All Residents, 1995-1996

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables
by Cause of Death and Sex, All Residents, 1995-1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables
by Cause of Death and Sex, All Residents, 1995-1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female				1993-1994 AAMR		
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
All causes	58,978	902.6	440.2	1	450.2	28,564	899.9	557.1	1	579.6	30,414	905.1	345.1	0	345.0
Infectious diseases and parasitic disease (1-139)	2,156	33.0	22.6	0	23.6	1,311	41.3	31.8	0	33.9	845	25.1	14.1	0	13.9
..Septicemia (038)	789	12.1	5.0	0	5.3	362	11.4	6.3	0	6.2	427	12.7	4.1	0	4.7
....Septicemia-related (038)	2,760	42.2	19.6	0	19.5	1,282	40.4	23.7	0	22.6	1,478	44.0	16.5	0	17.3
..HIV infection (042-044)	990	15.2	13.6	0	15.3	731	23.0	20.2	1	24.0	259	7.7	7.2	0	7.0
All cancer (140-208)	14,206	217.4	120.9	0	123.2	7,151	225.3	142.4	0	146.4	7,055	210.0	105.8	0	107.2
..Oral cavity or pharynx (140.0-149.9)	199	3.0	2.0	0	2.3	135	4.3	3.3	0	3.3	64	1.9	0.9	0	1.4
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,491	22.8	11.5	0	12.7	726	22.9	14.3	0	16.1	765	22.8	9.3	0	10.2
....Colon cancer (153)	1,205	18.4	9.1	0	9.9	576	18.1	11.1	0	12.3	629	18.7	7.5	0	8.2
....Rectal cancer (154)	263	4.0	2.3	0	2.6	139	4.4	3.0	0	3.6	124	3.7	1.6	0	1.8
..Pancreatic cancer (157)	790	12.1	6.5	0	6.6	354	11.2	7.3	0	8.3	436	13.0	5.8	0	5.2
..Lung and other respiratory cancer (160-165)	3,847	58.9	34.7	0	34.5	2,205	69.5	45.4	0	45.5	1,642	48.9	26.6	0	26.3
....Lung cancer (162.2-.9)	3,727	57.0	33.5	0	33.3	2,115	66.6	43.4	0	43.6	1,612	48.0	26.1	0	25.7
..Malignant melanoma of skin (172)	197	3.0	1.9	0	1.9	126	4.0	2.8	0	2.5	71	2.1	1.2	0	1.4
..Female breast cancer (174)	1,229	1,229	36.6	21.2	0	21.0	
..Cervical cancer (180)	94	94	2.8	1.8	0	1.7	
..Endometrial cancer (182)	93	93	2.8	1.3	0	1.2	
..Ovarian cancer (183)	333	333	9.9	5.2	0	6.1	
..Prostate cancer (185)	877	877	27.6	13.4	0	13.3	
..Bladder cancer (188)	359	5.5	2.5	0	2.4	250	7.9	4.3	0	3.8	109	3.2	1.2	0	1.4
..Brain & other CNS cancer (191-192)	294	4.5	3.2	0	3.3	159	5.0	3.9	0	3.8	135	4.0	2.7	0	2.8
..Leukemia (204-208)	545	8.3	4.8	0	4.8	304	9.6	6.3	0	5.8	241	7.2	3.6	0	4.1
Diabetes mellitus (250)	1,312	20.1	10.2	0	9.6	585	18.4	11.1	0	10.7	727	21.6	9.5	0	8.7
..Diabetes-related (250)	5,007	76.6	36.7	0	36.7	2,305	72.6	43.0	0	42.9	2,702	80.4	32.0	0	32.1
..Diabetic ketoacidosis (DKA) (250.1)	28	0.4	0.3	0	0.3	18	0.6	0.5	0	.	10	0.3	.	0	0.2
Alzheimer's diseases (331.0)	480	7.3	2.0	0	2.4	151	4.8	2.0	0	2.4	329	9.8	2.1	0	2.4
Cardiovascular disease (390-459)	24,967	382.1	152.7	0	156.8	11,288	355.6	197.2	1	207.3	13,679	407.1	117.1	0	116.5
..Diseases of the heart (390-398,402,404-429)	19,673	301.1	123.0	0	126.9	9,162	288.7	162.4	1	172.4	10,511	312.8	91.5	0	90.6
....Heart disease-related (390-398,402,404-429)	32,929	504.0	213.2	1	221.1	15,451	486.8	275.1	1	291.3	17,478	520.2	164.9	0	166.4
....Coronary heart disease (CHD) (402,410-414,429.2)	14,102	215.8	88.1	0	91.3	6,863	216.2	122.1	0	128.2	7,239	215.4	61.0	0	61.6
....Congestive heart failure (CHF) (428.0)	1,051	16.1	4.7	0	4.7	361	11.4	5.1	0	5.5	690	20.5	4.4	0	4.2
....Hypertension with or without renal disease (401,403)	282	4.3	1.8	0	1.9	110	3.5	1.9	0	2.3	172	5.1	1.6	0	1.5
....Hypertension-related (401,403)	3,838	58.7	24.7	0	23.4	1,526	48.1	28.3	0	26.7	2,312	68.8	21.3	0	20.3
..Cerebrovascular disease (430-438)	3,807	58.3	20.9	0	21.1	1,445	45.5	23.4	0	23.6	2,362	70.3	18.9	0	19.1
..Atherosclerosis (440)	386	5.9	1.6	0	1.6	149	4.7	2.1	0	1.9	237	7.1	1.3	0	1.4
....Atherosclerosis-related (440)	1,670	25.6	8.1	0	8.9	655	20.6	9.9	0	10.7	1,015	30.2	6.8	0	7.5
..Aortic aneurysm (441)	449	6.9	3.0	0	2.7	269	8.5	4.7	0	4.2	180	5.4	1.6	0	1.6
Pneumonia & influenza (480-487)	2,256	34.5	11.4	0	12.4	991	31.2	14.7	0	16.4	1,265	37.6	9.2	0	9.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,370	36.3	15.6	0	15.5	1,128	35.5	18.5	0	18.7	1,242	37.0	14.0	0	13.6
..COPD-related (490-496)	5,564	85.2	36.4	0	37.1	2,822	88.9	46.5	0	49.1	2,742	81.6	29.8	0	29.5
..Asthma (493)	103	1.6	1.2	0	1.1	33	1.0	0.8	0	1.0	70	2.1	1.5	0	1.1
Chronic liver disease and cirrhosis (571)	630	9.6	6.9	0	6.8	390	12.3	9.6	0	9.8	240	7.1	4.3	0	4.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	711	10.9	4.5	0	4.1	349	11.0	5.7	0	5.5	362	10.8	3.6	0	3.2
..Nephritis-related (580-589)	3,056	46.8	21.6	0	22.0	1,577	49.7	27.7	0	30.2	1,479	44.0	17.4	0	16.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	847	13.0	5.5	0	4.9	419	13.2	7.0	0	6.6	428	12.7	4.5	0	3.8
Unintentional injuries (E800-E949)	2,087	31.9	24.8	0	23.9	1,338	42.2	36.4	0	35.5	749	22.3	13.8	0	12.9
..Motor vehicle accidents (E810-E825)	673	10.3	10.4	0	10.5	453	14.3	14.5	0	15.1	220	6.5	6.3	0	6.0
..Falls and fall related injuries (E880-E888)	414	6.3	2.5	0	2.3	197	6.2	3.5	0	3.1	217	6.5	1.8	0	1.6
..Drowning (E830,E832,E910)	70	1.1	1.2	0	1.0	57	1.8	1.9	0	1.6	13	0.4	.	0	.
..Residential fires (E890-E899)	72	1.1	0.9	0	0.9	44	1.4	1.2	0	1.1	28	0.8	0.7	0	0.7
Suicide (E950-E959)	610	9.3	8.8	0	8.7	490	15.4	14.5	0	14.2	120	3.6	3.4	0	3.6
Homicide and legal intervention (E960-E978)	319	4.9	5.7	1	7.4	250	7.9	9.0	0	11.5	69	2.1	2.3	0	3.2
..Homicide (E960-E969)	316	4.8	5.6	1	7.4	247	7.8	8.9	1	11.4	69	2.1	2.3	0	3.2
All injury (E800-E999)	3,069	47.0	40.1	0	40.9	2,112	66.5	60.9	0	62.5	957	28.5	20.0	0	20.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	658	10.1	10.2	0	10.3	440	13.9	14.2	0	14.7	218	6.5	6.3	0	5.9
..All falls (E880-E886,E888,E957,E968.1,E987)	317	4.9	2.2	0	2.1	163	5.1	3.1	0	3.1	154	4.6	1.4	0	1.2
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	497	7.6	8.1	1	9.9	439	13.8	14.4	0	17.0	58	1.7	1.9	0	2.8
....Suicide (E955.0-.4)	261	4.0	3.7	0	4.2	239	7.5	6.8	0	7.4	22	0.7	0.6	0	1.2
....Homicide (E965.0-.4)	222	3.4	4.2	0	5.4	187	5.9	7.1	0	9.1	35	1.0	1.3	0	1.6
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	553	8.5	7.9	0	7.5	418	13.2	12.1	0	11.8	135	4.0	3.8	0	3.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	369	5.6	4.5	0	4.6	269	8.5	7.0	0	7.3	100	3.0	2.2	0	2.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	478	7.3	6.8	0	6.5	360	11.3	10.4	0	10.0	118	3.5	3.3	0	3.0

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR
*****Causes of Death*****															
All causes	58,978	902.6	610.8	1	621.3	28,564	899.9	766.0	1	790.3	30,414	905.1	494.5	0	494.6
Infectious diseases and parasitic disease (1-139)	2,156	33.0	23.8	0	24.6	1,311	41.3	32.9	0	34.2	845	25.1	15.8	0	15.7
..Septicemia (038)	789	12.1	7.6	0	8.0	362	11.4	9.5	0	9.2	427	12.7	6.3	0	7.2
....Septicemia-related (038)	2,760	42.2	28.0	0	28.4	1,282	40.4	33.9	0	32.7	1,478	44.0	23.9	0	25.4
..HIV infection (042-044)	990	15.2	11.7	0	13.0	731	23.0	17.6	1	20.6	259	7.7	6.1	0	5.8
All cancer (140-208)	14,206	217.4	160.5	0	162.9	7,151	225.3	195.4	0	200.1	7,055	210.0	137.8	0	139.0
..Oral cavity or pharynx (140.0-149.9)	199	3.0	2.5	0	2.8	135	4.3	4.0	0	4.1	64	1.9	1.2	0	1.8
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,491	22.8	16.1	1	18.0	726	22.9	19.8	0	22.8	765	22.8	13.2	0	14.5
....Colon cancer (153)	1,205	18.4	12.8	0	14.2	576	18.1	15.6	0	17.8	629	18.7	10.8	0	11.7
....Rectal cancer (154)	263	4.0	3.0	0	3.5	139	4.4	3.9	0	4.8	124	3.7	2.3	0	2.5
..Pancreatic cancer (157)	790	12.1	8.8	0	8.9	354	11.2	9.7	0	11.0	436	13.0	8.1	0	7.2
..Lung and other respiratory cancer (160-165)	3,847	58.9	45.4	0	44.7	2,205	69.5	61.2	0	61.2	1,642	48.9	34.2	0	33.4
....Lung cancer (162.2-.9)	3,727	57.0	43.9	0	43.2	2,115	66.6	58.6	0	58.7	1,612	48.0	33.5	0	32.6
..Malignant melanoma of skin (172)	197	3.0	2.3	0	2.2	126	4.0	3.5	0	3.0	71	2.1	1.5	0	1.6
..Female breast cancer (174)	1,229	1,229	36.6	25.8	0	25.5	
..Cervical cancer (180)	94	94	2.8	2.0	0	1.8	
..Endometrial cancer (182)	93	93	2.8	1.8	0	1.7	
..Ovarian cancer (183)	333	333	9.9	6.7	0	7.7	
..Prostate cancer (185)	877	877	27.6	22.5	0	22.1	
..Bladder cancer (188)	359	5.5	3.7	0	3.5	250	7.9	6.6	0	6.0	109	3.2	1.8	0	2.0
..Brain & other CNS cancer (191-192)	294	4.5	3.8	0	3.9	159	5.0	4.6	0	4.5	135	4.0	3.1	0	3.4
..Leukemia (204-208)	545	8.3	6.2	0	6.2	304	9.6	8.3	0	7.6	241	7.2	4.6	0	5.2
Diabetes mellitus (250)	1,312	20.1	14.1	0	13.2	585	18.4	15.7	0	14.6	727	21.6	13.1	0	12.0
..Diabetes-related (250)	5,007	76.6	52.6	0	52.6	2,305	72.6	61.9	0	61.5	2,702	80.4	46.1	0	46.3
..Diabetic ketoacidosis (DKA) (250.1)	28	0.4	0.3	0	0.3	18	0.6	0.5	0	.	10	0.3	.	0	0.3
Alzheimer's diseases (331.0)	480	7.3	3.9	0	4.5	151	4.8	3.8	0	4.3	329	9.8	4.0	0	4.5
Cardiovascular disease (390-459)	24,967	382.1	237.4	0	243.2	11,288	355.6	297.8	1	310.7	13,679	407.1	191.7	0	192.2
..Diseases of the heart (390-398,402,404-429)	19,673	301.1	189.1	1	194.9	9,162	288.7	242.6	1	255.7	10,511	312.8	148.7	0	149.1
....Heart disease-related (390-398,402,404-429)	32,929	504.0	321.1	1	331.7	15,451	486.8	408.0	1	428.8	17,478	520.2	257.9	0	261.3
....Coronary heart disease (CHD) (402,410-414,429.2)	14,102	215.8	135.8	1	141.0	6,863	216.2	182.1	0	189.9	7,239	215.4	101.0	0	103.8
....Congestive heart failure (CHF) (428.0)	1,051	16.1	8.7	0	8.6	361	11.4	9.2	0	10.1	690	20.5	8.3	0	7.8
..Hypertension with or without renal disease (401,403)	282	4.3	2.7	0	2.9	110	3.5	2.9	0	3.4	172	5.1	2.6	0	2.4
....Hypertension-related (401,403)	3,838	58.7	37.7	0	35.5	1,526	48.1	41.1	0	38.7	2,312	68.8	34.1	0	32.2
..Cerebrovascular disease (430-438)	3,807	58.3	34.5	0	34.5	1,445	45.5	37.5	0	37.5	2,362	70.3	31.9	0	32.0
..Atherosclerosis (440)	386	5.9	3.1	0	3.2	149	4.7	3.7	0	3.5	237	7.1	2.7	0	2.9
....Atherosclerosis-related (440)	1,670	25.6	14.4	1	16.0	655	20.6	16.8	0	18.5	1,015	30.2	12.6	0	14.2
..Aortic aneurysm (441)	449	6.9	4.5	0	3.9	269	8.5	7.1	0	6.2	180	5.4	2.6	0	2.4
Pneumonia & influenza (480-487)	2,256	34.5	19.5	0	21.2	991	31.2	25.2	0	28.1	1,265	37.6	16.2	0	17.2

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,370	36.3	23.7	0	23.5	1,128	35.5	29.2	0	29.5	1,242	37.0	20.8	0	20.2
..COPD-related (490-496)	5,564	85.2	55.5	0	56.7	2,822	88.9	73.3	0	77.9	2,742	81.6	44.8	0	44.4
..Asthma (493)	103	1.6	1.3	0	1.2	33	1.0	1.0	0	1.1	70	2.1	1.6	0	1.3
Chronic liver disease and cirrhosis (571)	630	9.6	7.8	0	7.6	390	12.3	10.8	0	11.1	240	7.1	5.1	0	4.6
Nephritis, nephrotic syndrome/nephrosis (580-589)	711	10.9	6.8	0	6.2	349	11.0	9.0	0	8.6	362	10.8	5.5	0	4.9
..Nephritis-related (580-589)	3,056	46.8	30.9	0	31.8	1,577	49.7	41.0	0	44.8	1,479	44.0	24.6	0	23.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	847	13.0	8.2	0	7.3	419	13.2	10.9	0	10.1	428	12.7	6.7	0	5.7
Unintentional injuries (E800-E949)	2,087	31.9	26.2	0	25.0	1,338	42.2	37.7	0	36.5	749	22.3	15.7	0	14.6
..Motor vehicle accidents (E810-E825)	673	10.3	10.1	0	10.3	453	14.3	14.1	0	14.8	220	6.5	6.4	0	6.1
..Falls and fall related injuries (E880-E888)	414	6.3	3.8	0	3.4	197	6.2	5.1	0	4.5	217	6.5	2.9	0	2.7
..Drowning (E830,E832,E910)	70	1.1	1.2	0	1.0	57	1.8	1.9	0	1.6	13	0.4	.	0	.
..Residential fires (E890-E899)	72	1.1	1.0	0	0.9	44	1.4	1.3	0	1.1	28	0.8	0.8	0	0.7
Suicide (E950-E959)	610	9.3	8.4	0	8.4	490	15.4	14.0	0	13.8	120	3.6	3.2	0	3.5
Homicide and legal intervention (E960-E978)	319	4.9	5.2	1	6.8	250	7.9	8.3	0	10.5	69	2.1	2.2	0	3.0
..Homicide (E960-E969)	316	4.8	5.2	1	6.8	247	7.8	8.2	0	10.4	69	2.1	2.2	0	3.0
All injury (E800-E999)	3,069	47.0	40.5	0	41.0	2,112	66.5	60.8	0	62.0	957	28.5	21.6	0	21.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	658	10.1	10.0	0	10.1	440	13.9	13.7	0	14.3	218	6.5	6.3	0	6.0
..All falls (E880-E886,E888,E957,E968.1,E987)	317	4.9	3.1	0	2.8	163	5.1	4.3	0	4.2	154	4.6	2.2	0	1.8
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	497	7.6	7.6	1	9.2	439	13.8	13.5	0	16.1	58	1.7	1.8	0	2.5
....Suicide (E955.0-.4)	261	4.0	3.5	0	4.0	239	7.5	6.8	0	7.2	22	0.7	0.6	0	1.1
....Homicide (E965.0-.4)	222	3.4	3.8	0	4.9	187	5.9	6.4	0	8.3	35	1.0	1.2	0	1.5
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	553	8.5	7.0	0	6.6	418	13.2	10.6	0	10.2	135	4.0	3.4	0	3.2
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	369	5.6	4.8	0	4.7	269	8.5	7.4	0	7.7	100	3.0	2.4	0	2.1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	478	7.3	5.9	0	5.5	360	11.3	8.9	0	8.4	118	3.5	2.9	0	2.7

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1993-1994 AAMR		
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
All causes	58,978	902.6	833.1	0	845.2	28,564	899.9	1039.9	1	1066.4	30,414	905.1	688.8	0	690.3
Infectious diseases and parasitic disease (1-139)	2,156	33.0	31.1	0	32.1	1,311	41.3	42.9	0	44.1	845	25.1	20.8	0	21.0
..Septicemia (038)	789	12.1	11.0	0	11.7	362	11.4	13.7	0	13.2	427	12.7	9.3	0	10.6
....Septicemia-related (038)	2,760	42.2	38.8	0	40.3	1,282	40.4	47.2	0	46.3	1,478	44.0	33.4	0	36.3
..HIV infection (042-044)	990	15.2	14.6	0	16.1	731	23.0	22.0	1	25.5	259	7.7	7.5	0	7.0
All cancer (140-208)	14,206	217.4	202.0	0	204.5	7,151	225.3	252.2	0	257.3	7,055	210.0	172.1	0	173.2
..Oral cavity or pharynx (140.0-149.9)	199	3.0	2.9	0	3.4	135	4.3	4.6	0	4.8	64	1.9	1.5	0	2.2
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,491	22.8	21.0	1	23.8	726	22.9	25.7	1	30.3	765	22.8	17.6	0	19.6
....Colon cancer (153)	1,205	18.4	16.9	1	19.0	576	18.1	20.6	0	23.9	629	18.7	14.4	0	15.9
....Rectal cancer (154)	263	4.0	3.8	0	4.5	139	4.4	4.7	0	6.0	124	3.7	2.9	0	3.3
..Pancreatic cancer (157)	790	12.1	11.2	0	11.3	354	11.2	12.3	0	13.7	436	13.0	10.3	0	9.3
..Lung and other respiratory cancer (160-165)	3,847	58.9	54.8	0	53.7	2,205	69.5	75.6	0	75.9	1,642	48.9	40.9	0	39.4
....Lung cancer (162.2-.9)	3,727	57.0	53.1	0	51.8	2,115	66.6	72.5	0	72.8	1,612	48.0	40.2	0	38.5
..Malignant melanoma of skin (172)	197	3.0	2.9	0	2.6	126	4.0	4.3	0	3.6	71	2.1	1.8	0	1.9
..Female breast cancer (174)	1,229	1,229	36.6	31.4	0	31.1	
..Cervical cancer (180)	94	94	2.8	2.5	0	2.2	
..Endometrial cancer (182)	93	93	2.8	2.2	0	2.1	
..Ovarian cancer (183)	333	333	9.9	8.2	0	9.5	
..Prostate cancer (185)	877	877	27.6	33.8	0	32.9	
..Bladder cancer (188)	359	5.5	5.0	0	4.8	250	7.9	9.3	0	8.6	109	3.2	2.5	0	2.7
..Brain & other CNS cancer (191-192)	294	4.5	4.3	0	4.5	159	5.0	5.3	0	5.3	135	4.0	3.6	0	3.9
..Leukemia (204-208)	545	8.3	7.8	0	7.7	304	9.6	10.7	0	9.7	241	7.2	5.8	0	6.4
Diabetes mellitus (250)	1,312	20.1	18.6	0	17.4	585	18.4	21.0	0	19.2	727	21.6	17.1	0	16.0
..Diabetes-related (250)	5,007	76.6	70.3	0	70.5	2,305	72.6	83.0	0	82.3	2,702	80.4	62.0	0	62.6
..Diabetic ketoacidosis (DKA) (250.1)	28	0.4	0.4	0	0.4	18	0.6	0.6	0	.	10	0.3	.	.	
Alzheimer's diseases (331.0)	480	7.3	6.6	0	7.4	151	4.8	6.4	0	6.9	329	9.8	6.7	0	7.5
Cardiovascular disease (390-459)	24,967	382.1	348.7	0	356.3	11,288	355.6	425.8	0	441.2	13,679	407.1	293.1	0	295.3
..Diseases of the heart (390-398,402,404-429)	19,673	301.1	275.1	1	283.0	9,162	288.7	343.9	1	359.7	10,511	312.8	225.9	0	228.1
....Heart disease-related (390-398,402,404-429)	32,929	504.0	460.9	1	475.4	15,451	486.8	577.3	1	603.6	17,478	520.2	381.5	0	387.9
....Coronary heart disease (CHD) (402,410-414,429.2)	14,102	215.8	197.1	1	204.7	6,863	216.2	256.8	0	265.4	7,239	215.4	154.7	0	160.6
....Congestive heart failure (CHF) (428.0)	1,051	16.1	14.5	0	14.3	361	11.4	14.8	0	16.5	690	20.5	14.1	0	13.1
..Hypertension with or without renal disease (401,403)	282	4.3	3.9	0	4.1	110	3.5	4.2	0	4.7	172	5.1	3.7	0	3.6
....Hypertension-related (401,403)	3,838	58.7	53.7	0	50.4	1,526	48.1	56.0	0	52.6	2,312	68.8	50.3	0	47.2
..Cerebrovascular disease (430-438)	3,807	58.3	52.9	0	53.0	1,445	45.5	56.0	0	56.3	2,362	70.3	50.0	0	50.1
..Atherosclerosis (440)	386	5.9	5.3	0	5.6	149	4.7	6.2	0	5.8	237	7.1	4.7	0	5.3
....Atherosclerosis-related (440)	1,670	25.6	23.1	1	26.0	655	20.6	26.0	0	29.0	1,015	30.2	20.9	1	23.8
..Aortic aneurysm (441)	449	6.9	6.2	0	5.3	269	8.5	9.8	0	8.3	180	5.4	3.9	0	3.4
Pneumonia & influenza (480-487)	2,256	34.5	31.3	1	34.3	991	31.2	40.7	0	45.2	1,265	37.6	26.3	0	28.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,370	36.3	32.9	0	32.5	1,128	35.5	41.9	0	42.4	1,242	37.0	28.2	0	27.5
..COPD-related (490-496)	5,564	85.2	77.1	0	79.1	2,822	88.9	105.0	0	112.5	2,742	81.6	61.7	0	61.3
..Asthma (493)	103	1.6	1.5	0	1.5	33	1.0	1.1	0	1.4	70	2.1	1.9	0	1.6
Chronic liver disease and cirrhosis (571)	630	9.6	9.3	0	8.9	390	12.3	12.8	0	13.0	240	7.1	6.2	0	5.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	711	10.9	9.9	0	8.9	349	11.0	13.4	0	12.7	362	10.8	8.0	0	7.0
..Nephritis-related (580-589)	3,056	46.8	42.8	0	44.4	1,577	49.7	58.6	0	64.5	1,479	44.0	33.8	0	33.0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	847	13.0	11.8	0	10.5	419	13.2	16.0	0	14.9	428	12.7	9.5	0	8.2
Unintentional injuries (E800-E949)	2,087	31.9	30.9	0	29.1	1,338	42.2	44.6	0	42.6	749	22.3	19.0	0	17.5
..Motor vehicle accidents (E810-E825)	673	10.3	10.4	0	10.4	453	14.3	14.6	0	15.0	220	6.5	6.5	0	6.1
..Falls and fall related injuries (E880-E888)	414	6.3	5.8	0	5.2	197	6.2	7.6	0	6.7	217	6.5	4.6	0	4.2
..Drowning (E830,E832,E910)	70	1.1	1.1	0	1.0	57	1.8	1.8	0	1.7	13	0.4	.	0	.
..Residential fires (E890-E899)	72	1.1	1.1	0	1.0	44	1.4	1.4	0	1.2	28	0.8	0.8	0	0.7
Suicide (E950-E959)	610	9.3	9.2	0	9.3	490	15.4	15.5	0	15.4	120	3.6	3.5	0	3.9
Homicide and legal intervention (E960-E978)	319	4.9	5.0	1	6.4	250	7.9	7.9	0	9.8	69	2.1	2.1	0	3.0
..Homicide (E960-E969)	316	4.8	5.0	1	6.4	247	7.8	7.8	0	9.7	69	2.1	2.1	0	3.0
All injury (E800-E999)	3,069	47.0	45.8	0	45.6	2,112	66.5	69.0	0	69.3	957	28.5	25.1	0	24.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	658	10.1	10.2	0	10.2	440	13.9	14.2	0	14.5	218	6.5	6.4	0	6.1
..All falls (E880-E886,E888,E957,E968.1,E987)	317	4.9	4.5	0	3.9	163	5.1	6.0	0	5.9	154	4.6	3.4	0	2.7
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	497	7.6	7.6	1	9.1	439	13.8	13.9	0	16.1	58	1.7	1.8	0	2.6
....Suicide (E955.0-.4)	261	4.0	3.9	0	4.3	239	7.5	7.6	0	8.0	22	0.7	0.6	0	1.2
....Homicide (E965.0-.4)	222	3.4	3.5	1	4.5	187	5.9	5.9	0	7.6	35	1.0	1.1	0	1.4
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	553	8.5	8.2	0	7.9	418	13.2	12.7	0	12.3	135	4.0	3.9	0	3.7
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	369	5.6	5.5	0	5.4	269	8.5	8.7	0	8.9	100	3.0	2.8	0	2.4
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	478	7.3	7.1	0	6.7	360	11.3	10.8	0	10.3	118	3.5	3.4	0	3.2

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Resident DEATHS, 1995-1996
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	58,978	13,415	24,797	249,795	435,890	4298.9	4625.2	1	6686.1	7078.2	1
Infectious diseases and parasitic disease (1-139)	2,156	1,286	1,490	30,792	44,627	473.6	519.5	0	644.9	698.3	0
..Septicemia (038)	789	122	248	1,972	3,762	31.9	33.7	0	54.5	57.3	0
....Septicemia-related (038)	2,760	555	1,096	8,527	16,554	137.1	140.9	0	238.8	235.8	0
..HIV infection (042-044)	990	974	987	24,169	33,982	362.9	428.9	1	483.2	563.5	1
All cancer (140-208)	14,206	3,722	7,756	41,933	98,168	666.0	697.7	0	1389.7	1437.1	0
..Oral cavity or pharynx (140.0-149.9)	199	76	143	765	1,828	12.8	15.5	0	27.0	31.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,491	298	718	2,925	7,860	46.3	45.9	0	109.1	114.3	0
....Colon cancer (153)	1,205	223	564	2,203	5,995	34.6	33.5	0	82.6	85.8	0
....Rectal cancer (154)	263	70	145	675	1,743	10.9	11.9	0	24.8	27.4	0
..Pancreatic cancer (157)	790	186	420	1,710	4,605	26.2	27.1	0	63.3	64.8	0
..Lung and other respiratory cancer (160-165)	3,847	1,035	2,355	8,883	25,573	137.3	143.1	0	352.0	359.4	0
....Lung cancer (162.2-.9)	3,727	991	2,271	8,503	24,533	131.5	136.6	0	337.6	345.2	0
..Malignant melanoma of skin (172)	197	79	122	1,153	2,160	17.9	16.3	0	31.0	29.7	0
..Female breast cancer (174)	1,229	459	752	5,623	11,680
..Cervical cancer (180)	94	49	66	873	1,450
..Endometrial cancer (182)	93	15	50	118	440
..Ovarian cancer (183)	333	95	186	968	2,355
..Prostate cancer (185)	877	62	258	300	1,790
..Bladder cancer (188)	359	47	148	343	1,255	5.3	6.2	0	16.7	16.4	0
..Brain & other CNS cancer (191-192)	294	138	228	2,389	4,199	40.6	40.8	0	64.2	63.7	0
..Leukemia (204-208)	545	157	293	2,998	5,183	53.0	57.3	0	81.1	87.0	0
Diabetes mellitus (250)	1,312	295	609	3,083	7,458	48.0	52.1	0	104.5	105.9	0
..Diabetes-related (250)	5,007	885	2,133	8,028	22,713	125.2	133.2	0	312.5	315.8	0
..Diabetic ketoacidosis (DKA) (250.1)	28	16	22	380	560	6.1	5.0	0	8.3	6.9	0
Alzheimer's diseases (331.0)	480	13	48	68	335	1.1	2.3	0	4.4	7.6	0
Cardiovascular disease (390-459)	24,967	3,227	7,680	38,255	90,527	607.0	625.3	0	1265.7	1306.7	0
..Diseases of the heart (390-398,402,404-429)	19,673	2,714	6,313	31,841	75,264	506.2	513.2	0	1055.5	1082.0	0
....Heart disease-related (390-398,402,404-429)	32,929	4,998	11,223	66,293	144,261	1063.7	1138.8	0	2047.9	2164.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	14,102	1,881	4,558	18,975	49,962	291.1	292.8	0	682.5	698.3	0
....Congestive heart failure (CHF) (428.0)	1,051	39	161	425	1,295	7.1	7.2	0	17.5	17.8	0
..Hypertension with or without renal disease (401,403)	282	38	99	355	993	5.5	7.6	0	13.5	16.2	0
....Hypertension-related (401,403)	3,838	519	1,293	4,703	13,453	73.4	71.4	0	184.7	174.8	0
..Cerebrovascular disease (430-438)	3,807	356	922	4,454	10,514	70.0	82.4	0	145.2	159.5	0
..Atherosclerosis (440)	386	15	48	223	485	3.4	2.4	0	6.5	5.2	0
....Atherosclerosis-related (440)	1,670	87	316	773	2,620	12.0	10.4	0	34.4	32.9	0
..Aortic aneurysm (441)	449	43	170	508	1,500	7.9	6.3	0	19.8	18.4	0
Pneumonia & influenza (480-487)	2,256	198	456	3,156	6,226	52.5	64.5	0	90.9	103.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,370	242	836	2,335	7,355	40.4	42.0	0	102.1	105.2	0
..COPD-related (490-496)	5,564	558	1,966	4,810	16,635	78.9	86.2	0	223.4	234.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	103	51	76	1,113	1,720	21.4	20.6	0	29.7	28.6	0
Chronic liver disease and cirrhosis (571)	630	325	486	4,943	8,980	74.1	75.7	0	125.9	128.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	711	90	228	1,267	2,817	20.4	21.3	0	39.6	40.0	0
..Nephritis-related (580-589)	3,056	554	1,226	8,649	17,214	137.4	140.8	0	244.1	245.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	847	118	290	1,717	3,702	27.3	26.5	0	51.9	48.8	0
Unintentional injuries (E800-E949)	2,087	1,277	1,470	36,953	50,505	694.3	711.0	0	879.5	889.2	0
..Motor vehicle accidents (E810-E825)	673	549	595	17,255	22,940	351.8	368.4	0	434.8	450.7	0
..Falls and fall related injuries (E880-E888)	414	62	122	1,347	2,197	24.0	24.7	0	34.9	36.2	0
..Drowning (E830,E832,E910)	70	63	69	2,192	2,862	43.7	39.9	0	53.2	48.1	0
..Residential fires (E890-E899)	72	48	59	1,683	2,206	31.8	27.4	0	38.7	34.0	0
Suicide (E950-E959)	610	501	566	13,353	18,705	244.6	240.4	0	317.5	312.6	0
Homicide and legal intervention (E960-E978)	319	299	313	10,897	13,962	228.3	302.2	1	274.3	362.1	1
..Homicide (E960-E969)	316	296	310	10,799	13,834	226.4	301.1	1	272.0	360.6	1
All injury (E800-E999)	3,069	2,125	2,401	62,663	85,138	1191.8	1278.2	0	1502.4	1595.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	658	538	583	16,947	22,520	346.7	357.8	0	428.2	438.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	317	67	120	1,435	2,307	24.9	27.4	0	36.1	39.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	497	430	469	13,943	18,446	283.7	361.0	1	349.5	441.5	1
....Suicide (E955.0-.4)	261	199	234	5,423	7,590	100.2	120.5	0	129.8	155.1	0
....Homicide (E965.0-.4)	222	219	222	8,141	10,348	175.7	227.7	0	210.1	271.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	553	522	540	13,788	19,108	227.3	220.4	0	295.6	284.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	369	256	330	3,985	6,925	59.1	66.7	0	97.0	105.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	478	463	470	12,407	17,074	200.9	194.2	0	260.0	249.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
All causes	28,564	8,398	14,764	160,368	273,748	5531.5	6040.6	1	8573.4	9236.5	1	
Infectious diseases and parasitic disease (1-139)	1,311	925	1,034	21,568	31,350	657.3	735.6	0	904.2	1001.2	0	
..Septicemia (038)	362	78	143	1,149	2,227	37.0	26.8	0	65.9	53.4	0	
...Septicemia-related (038)	1,282	320	608	4,945	9,495	159.6	144.1	0	280.6	252.2	0	
..HIV infection (042-044)	731	717	728	17,351	24,583	520.8	640.1	1	700.5	852.1	1	
All cancer (140-208)	7,151	1,889	4,081	21,053	50,318	693.2	707.4	0	1488.2	1525.3	0	
..Oral cavity or pharynx (140.0-149.9)	135	62	111	645	1,493	22.4	25.2	0	46.3	48.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	726	180	419	1,785	4,723	57.8	54.6	0	137.3	139.3	0	
...Colon cancer (153)	576	130	322	1,265	3,470	40.5	37.2	0	99.8	99.8	0	
...Rectal cancer (154)	139	48	92	495	1,190	16.6	16.7	0	35.8	38.3	0	
..Pancreatic cancer (157)	354	101	223	1,063	2,658	33.1	35.7	0	76.1	85.4	0	
..Lung and other respiratory cancer (160-165)	2,205	588	1,381	4,820	14,488	154.4	159.5	0	418.0	424.5	0	
...Lung cancer (162.2-.9)	2,115	554	1,316	4,540	13,700	145.5	150.4	0	394.9	403.7	0	
..Malignant melanoma of skin (172)	126	51	81	773	1,448	24.6	18.0	0	43.0	35.0	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	877	62	258	300	1,790	10.0	13.1	0	48.9	50.4	0	
..Bladder cancer (188)	250	33	110	263	925	8.5	8.2	0	26.0	23.8	0	
..Brain & other CNS cancer (191-192)	159	81	126	1,432	2,454	49.0	42.1	0	76.9	69.2	0	
..Leukemia (204-208)	304	94	182	1,824	3,169	64.9	62.6	0	101.0	96.7	0	
Diabetes mellitus (250)	585	141	302	1,548	3,685	49.7	60.6	0	107.6	120.8	0	
..Diabetes-related (250)	2,305	477	1,144	4,388	12,315	139.9	154.8	0	354.2	366.4	0	
..Diabetic ketoacidosis (DKA) (250.1)	18	12	16	260	395	8.4	.	0	11.9	.	0	
Alzheimer's diseases (331.0)	151	6	21	25	143	0.8	1.4	0	3.9	6.5	0	
Cardiovascular disease (390-459)	11,288	2,170	4,781	25,520	59,158	821.0	869.2	0	1724.7	1841.0	0	
..Diseases of the heart (390-398,402,404-429)	9,162	1,853	4,012	21,678	50,175	697.0	726.5	0	1463.9	1558.4	0	
...Heart disease-related (390-398,402,404-429)	15,451	3,212	6,825	42,755	91,388	1382.5	1484.3	0	2682.7	2885.1	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,863	1,381	3,051	14,340	35,885	451.1	462.1	0	1032.1	1088.3	0	
....Congestive heart failure (CHF) (428.0)	361	23	83	198	673	6.9	6.1	0	19.4	18.2	0	
..Hypertension with or without renal disease (401,403)	110	25	50	258	605	8.1	12.9	0	17.5	25.1	0	
...Hypertension-related (401,403)	1,526	336	741	3,090	8,323	99.5	92.8	0	242.6	224.1	0	
..Cerebrovascular disease (430-438)	1,445	209	495	2,593	5,928	84.4	99.4	0	173.3	190.0	0	
..Atherosclerosis (440)	149	12	30	200	385	6.3	3.2	0	11.0	7.3	0	
...Atherosclerosis-related (440)	655	57	192	538	1,695	17.2	12.8	0	47.5	42.9	0	
..Aortic aneurysm (441)	269	36	127	405	1,188	13.1	10.7	0	33.5	30.0	0	
Pneumonia & influenza (480-487)	991	118	268	2,092	3,912	69.3	78.1	0	116.7	130.4	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,128	109	415	973	3,463	33.0	42.7	0	97.6	110.6	0	
..COPD-related (490-496)	2,822	294	1,059	2,365	8,773	78.0	99.1	0	245.4	275.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	33	18	26	365	575	13.7	22.9	0	19.6	30.6	0
Chronic liver disease and cirrhosis (571)	390	235	325	3,618	6,418	110.1	103.5	0	185.1	180.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	349	54	127	792	1,655	25.9	28.1	0	48.6	52.3	0
..Nephritis-related (580-589)	1,577	316	685	4,969	9,777	156.5	187.0	0	281.8	324.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	419	66	159	977	2,050	31.8	34.0	0	60.0	62.7	0
Unintentional injuries (E800-E949)	1,338	959	1,066	27,686	37,718	1022.8	1058.8	0	1298.7	1328.4	0
..Motor vehicle accidents (E810-E825)	453	387	411	12,362	16,332	494.5	531.3	0	610.2	650.9	0
..Falls and fall related injuries (E880-E888)	197	46	81	955	1,553	34.0	36.4	0	50.1	53.7	0
..Drowning (E830,E832,E910)	57	53	56	1,816	2,368	72.9	59.8	0	88.9	72.9	0
..Residential fires (E890-E899)	44	31	39	971	1,316	35.5	31.9	0	44.8	40.3	0
Suicide (E950-E959)	490	402	454	10,770	15,055	395.0	393.1	0	513.6	508.0	0
Homicide and legal intervention (E960-E978)	250	237	248	8,696	11,128	361.5	469.6	1	434.6	563.0	1
..Homicide (E960-E969)	247	234	245	8,598	11,001	357.9	467.3	1	430.1	559.9	1
All injury (E800-E999)	2,112	1,629	1,801	48,118	65,188	1811.8	1964.0	0	2287.4	2454.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	440	376	399	12,054	15,912	484.2	512.9	0	597.0	629.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	163	49	83	1,013	1,638	35.0	41.7	0	51.7	61.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	439	378	411	12,291	16,244	494.3	614.7	0	609.9	752.5	0
....Suicide (E955.0-.4)	239	180	212	4,930	6,895	182.1	206.7	0	236.4	266.4	0
....Homicide (E965.0-.4)	187	186	187	6,981	8,849	296.8	383.8	0	354.6	457.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	418	401	412	10,552	14,619	345.8	347.4	0	450.8	447.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	196	243	3,125	5,313	94.8	102.4	0	153.3	164.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	360	354	357	9,532	13,090	308.1	303.3	0	398.6	389.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	30,414	5,017	10,033	89,427	162,142	3070.4	3216.6	0	4848.1	4982.5	0
Infectious diseases and parasitic disease (1-139)	845	361	456	9,225	13,277	294.7	309.6	0	393.5	405.4	0
..Septicemia (038)	427	44	105	823	1,536	27.2	41.2	0	43.9	62.4	0
....Septicemia-related (038)	1,478	235	488	3,582	7,059	115.3	139.2	0	199.3	222.5	0
..HIV infection (042-044)	259	257	259	6,819	9,399	208.7	222.6	0	271.6	282.6	0
All cancer (140-208)	7,055	1,833	3,675	20,881	47,851	637.7	688.8	0	1299.9	1362.0	0
..Oral cavity or pharynx (140.0-149.9)	64	14	32	120	335	3.5	6.0	0	8.6	14.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	765	118	299	1,140	3,138	35.1	37.7	0	83.1	91.7	0
....Colon cancer (153)	629	93	242	938	2,525	29.1	30.1	0	67.0	73.2	0
....Rectal cancer (154)	124	22	53	180	553	5.4	7.2	0	14.3	17.4	0
..Pancreatic cancer (157)	436	85	197	648	1,948	19.5	19.0	0	51.3	46.0	0
..Lung and other respiratory cancer (160-165)	1,642	447	974	4,063	11,085	121.3	127.8	0	293.2	301.9	0
....Lung cancer (162.2-.9)	1,612	437	955	3,963	10,833	118.4	123.7	0	286.6	293.6	0
..Malignant melanoma of skin (172)	71	28	41	380	713	11.3	14.7	0	19.7	25.0	0
..Female breast cancer (174)	1,229	459	752	5,623	11,680	165.1	165.1	0	316.2	314.4	0
..Cervical cancer (180)	94	49	66	873	1,450	26.1	24.2	0	40.4	38.2	0
..Endometrial cancer (182)	93	15	50	118	440	3.5	3.9	0	11.0	11.1	0
..Ovarian cancer (183)	333	95	186	968	2,355	29.0	39.4	0	63.3	79.9	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	109	14	38	80	330	2.4	4.4	0	8.4	10.1	0
..Brain & other CNS cancer (191-192)	135	57	102	958	1,745	32.1	40.1	0	51.7	59.1	0
..Leukemia (204-208)	241	63	111	1,174	2,014	40.9	52.3	0	61.8	78.1	0
Diabetes mellitus (250)	727	154	307	1,535	3,773	46.2	43.8	0	101.7	91.9	0
..Diabetes-related (250)	2,702	408	989	3,640	10,398	111.4	112.9	0	274.8	269.7	0
..Diabetic ketoacidosis (DKA) (250.1)	10	4	6	120	165	.	1.8	0	.	3.0	0
Alzheimer's diseases (331.0)	329	7	27	43	193	1.3	3.2	0	4.8	8.6	0
Cardiovascular disease (390-459)	13,679	1,057	2,899	12,735	31,370	401.6	391.7	0	838.7	812.8	0
..Diseases of the heart (390-398,402,404-429)	10,511	861	2,301	10,164	25,089	323.4	309.9	0	675.8	642.6	0
....Heart disease-related (390-398,402,404-429)	17,478	1,786	4,398	23,538	52,873	754.9	807.9	0	1452.9	1497.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,239	500	1,507	4,635	14,078	138.3	132.0	0	358.1	339.5	0
....Congestive heart failure (CHF) (428.0)	690	16	78	227	622	7.4	8.4	0	15.8	17.8	0
..Hypertension with or without renal disease (401,403)	172	13	49	98	388	3.0	2.4	0	9.6	7.8	0
....Hypertension-related (401,403)	2,312	183	552	1,613	5,130	48.6	51.4	0	131.0	129.7	0
..Cerebrovascular disease (430-438)	2,362	147	427	1,862	4,587	55.8	65.5	0	118.4	130.5	0
..Atherosclerosis (440)	237	3	18	23	100	0.6	1.6	0	2.2	3.3	0
....Atherosclerosis-related (440)	1,015	30	124	235	925	7.0	8.2	0	22.4	24.1	0
..Aortic aneurysm (441)	180	7	43	103	313	2.9	2.1	0	7.3	7.9	0
Pneumonia & influenza (480-487)	1,265	80	188	1,064	2,314	35.8	51.3	0	66.0	78.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,242	133	421	1,363	3,893	48.1	41.2	0	107.6	100.5	0
..COPD-related (490-496)	2,742	264	907	2,445	7,863	80.4	73.5	0	205.5	197.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	70	33	50	748	1,145	29.4	18.2	0	40.0	26.4	0
Chronic liver disease and cirrhosis (571)	240	90	161	1,325	2,563	39.6	49.4	0	69.7	79.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	362	36	101	475	1,163	14.9	14.6	0	30.9	28.5	0
..Nephritis-related (580-589)	1,479	238	541	3,680	7,438	119.4	95.8	0	209.2	171.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	428	52	131	740	1,653	22.8	19.2	0	44.3	35.8	0
Unintentional injuries (E800-E949)	749	318	404	9,267	12,787	362.5	360.2	0	458.3	448.4	0
..Motor vehicle accidents (E810-E825)	220	162	184	4,893	6,608	206.1	201.8	0	256.2	246.9	0
..Falls and fall related injuries (E880-E888)	217	16	41	392	645	14.2	13.2	0	20.1	19.1	0
..Drowning (E830,E832,E910)	13	10	13	376	494
..Residential fires (E890-E899)	28	17	20	713	890	28.3	23.1	0	33.1	27.9	0
Suicide (E950-E959)	120	99	112	2,583	3,650	92.5	86.1	0	120.9	116.4	0
Homicide and legal intervention (E960-E978)	69	62	65	2,201	2,834	90.5	129.3	0	108.9	155.0	0
..Homicide (E960-E969)	69	62	65	2,201	2,834	90.5	129.3	0	108.9	155.0	0
All injury (E800-E999)	957	496	600	14,545	19,950	562.4	582.2	0	709.8	728.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	218	162	184	4,893	6,608	206.1	199.3	0	256.2	243.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	154	18	37	422	670	15.0	13.2	0	21.1	19.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	58	52	58	1,652	2,202	67.8	100.2	0	83.7	123.2	0
....Suicide (E955.0-.4)	22	19	22	493	695	17.4	33.0	0	22.7	43.0	0
....Homicide (E965.0-.4)	35	33	35	1,160	1,500	50.4	66.3	0	60.9	79.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	135	121	128	3,237	4,489	109.9	94.8	0	142.2	123.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	100	60	87	860	1,613	24.7	32.3	0	43.3	49.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	118	109	113	2,875	3,985	94.6	86.7	0	122.8	111.7	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	58,978	13,415	24,797	249,795	435,890	4209.3	4520.0	1	6733.5	7101.2	1
Infectious diseases and parasitic disease (1-139)	2,156	1,286	1,490	30,792	44,627	419.4	453.6	0	572.5	610.5	0
..Septicemia (038)	789	122	248	1,972	3,762	31.7	33.1	0	56.2	58.6	0
....Septicemia-related (038)	2,760	555	1,096	8,527	16,554	133.8	134.9	0	243.5	236.1	0
..HIV infection (042-044)	990	974	987	24,169	33,982	311.2	364.7	1	412.0	476.2	1
All cancer (140-208)	14,206	3,722	7,756	41,933	98,168	666.4	696.2	0	1473.2	1519.8	0
..Oral cavity or pharynx (140.0-149.9)	199	76	143	765	1,828	13.1	15.5	0	28.9	32.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,491	298	718	2,925	7,860	46.6	46.8	0	118.0	124.8	0
....Colon cancer (153)	1,205	223	564	2,203	5,995	34.5	34.3	0	89.2	94.1	0
....Rectal cancer (154)	263	70	145	675	1,743	11.3	12.0	0	26.9	29.5	0
..Pancreatic cancer (157)	790	186	420	1,710	4,605	26.7	27.9	0	68.8	70.8	0
..Lung and other respiratory cancer (160-165)	3,847	1,035	2,355	8,883	25,573	142.5	146.7	0	388.0	393.3	0
....Lung cancer (162.2-.9)	3,727	991	2,271	8,503	24,533	136.5	140.5	0	372.2	378.5	0
..Malignant melanoma of skin (172)	197	79	122	1,153	2,160	16.6	15.4	0	30.4	29.6	0
..Female breast cancer (174)	1,229	459	752	5,623	11,680
..Cervical cancer (180)	94	49	66	873	1,450
..Endometrial cancer (182)	93	15	50	118	440
..Ovarian cancer (183)	333	95	186	968	2,355
..Prostate cancer (185)	877	62	258	300	1,790
..Bladder cancer (188)	359	47	148	343	1,255	5.6	6.4	0	19.0	18.3	0
..Brain & other CNS cancer (191-192)	294	138	228	2,389	4,199	42.2	41.5	0	67.2	65.6	0
..Leukemia (204-208)	545	157	293	2,998	5,183	52.9	56.8	0	82.8	88.2	0
Diabetes mellitus (250)	1,312	295	609	3,083	7,458	47.8	50.7	0	111.1	110.2	0
..Diabetes-related (250)	5,007	885	2,133	8,028	22,713	127.4	133.1	0	341.7	341.1	0
..Diabetic ketoacidosis (DKA) (250.1)	28	16	22	380	560	5.6	4.6	0	7.7	6.4	0
Alzheimer's diseases (331.0)	480	13	48	68	335	1.2	2.4	0	5.2	8.6	0
Cardiovascular disease (390-459)	24,967	3,227	7,680	38,255	90,527	603.7	621.9	0	1342.4	1385.9	0
..Diseases of the heart (390-398,402,404-429)	19,673	2,714	6,313	31,841	75,264	504.3	513.4	0	1119.8	1152.1	0
....Heart disease-related (390-398,402,404-429)	32,929	4,998	11,223	66,293	144,261	1050.8	1119.3	0	2141.2	2253.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	14,102	1,881	4,558	18,975	49,962	293.7	297.0	0	737.2	757.7	0
....Congestive heart failure (CHF) (428.0)	1,051	39	161	425	1,295	7.2	7.5	0	19.4	20.0	0
..Hypertension with or without renal disease (401,403)	282	38	99	355	993	5.5	7.4	0	14.7	17.0	0
....Hypertension-related (401,403)	3,838	519	1,293	4,703	13,453	76.0	71.6	0	203.5	189.7	0
..Cerebrovascular disease (430-438)	3,807	356	922	4,454	10,514	69.7	80.0	0	154.3	165.2	0
..Atherosclerosis (440)	386	15	48	223	485	3.2	2.1	0	6.6	5.4	0
....Atherosclerosis-related (440)	1,670	87	316	773	2,620	12.3	10.6	0	38.6	37.3	0
..Aortic aneurysm (441)	449	43	170	508	1,500	7.6	6.2	0	21.3	20.5	0
Pneumonia & influenza (480-487)	2,256	198	456	3,156	6,226	51.7	62.4	0	93.8	104.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,370	242	836	2,335	7,355	41.1	42.4	0	113.3	116.2	0
..COPD-related (490-496)	5,564	558	1,966	4,810	16,635	80.6	87.6	0	250.7	261.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	103	51	76	1,113	1,720	20.8	19.4	0	29.1	27.1	0
Chronic liver disease and cirrhosis (571)	630	325	486	4,943	8,980	70.2	71.3	0	123.6	125.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	711	90	228	1,267	2,817	19.3	20.3	0	40.6	41.0	0
..Nephritis-related (580-589)	3,056	554	1,226	8,649	17,214	132.9	135.2	0	248.6	249.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	847	118	290	1,717	3,702	25.4	25.0	0	52.5	49.4	0
Unintentional injuries (E800-E949)	2,087	1,277	1,470	36,953	50,505	654.5	673.2	0	820.7	831.8	0
..Motor vehicle accidents (E810-E825)	673	549	595	17,255	22,940	335.9	353.4	0	410.0	426.5	0
..Falls and fall related injuries (E880-E888)	414	62	122	1,347	2,197	22.6	23.4	0	33.7	34.9	0
..Drowning (E830,E832,E910)	70	63	69	2,192	2,862	44.9	39.3	0	53.7	46.4	0
..Residential fires (E890-E899)	72	48	59	1,683	2,206	33.6	28.4	0	40.3	34.7	0
Suicide (E950-E959)	610	501	566	13,353	18,705	222.9	218.2	0	288.2	282.9	0
Homicide and legal intervention (E960-E978)	319	299	313	10,897	13,962	216.5	287.4	1	255.9	338.5	1
..Homicide (E960-E969)	316	296	310	10,799	13,834	214.9	286.4	1	253.9	337.3	1
All injury (E800-E999)	3,069	2,125	2,401	62,663	85,138	1116.0	1199.9	0	1392.3	1480.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	658	538	583	16,947	22,520	331.5	343.3	0	404.3	414.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	317	67	120	1,435	2,307	23.2	25.6	0	34.4	37.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	497	430	469	13,943	18,446	263.1	340.7	1	320.1	410.8	1
....Suicide (E955.0-.4)	261	199	234	5,423	7,590	90.7	111.0	0	117.0	142.0	0
....Homicide (E965.0-.4)	222	219	222	8,141	10,348	165.2	217.1	0	194.2	254.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	553	522	540	13,788	19,108	198.9	190.2	0	256.6	243.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	369	256	330	3,985	6,925	55.1	62.2	0	93.3	101.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	478	463	470	12,407	17,074	173.2	164.0	0	222.0	208.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	28,564	8,398	14,764	160,368	273,748	5363.8	5846.6	1	8562.5	9193.6	1
Infectious diseases and parasitic disease (1-139)	1,311	925	1,034	21,568	31,350	578.1	633.9	0	798.3	866.7	0
..Septicemia (038)	362	78	143	1,149	2,227	36.1	26.0	0	67.5	55.5	0
....Septicemia-related (038)	1,282	320	608	4,945	9,495	153.8	136.3	0	284.1	251.9	0
..HIV infection (042-044)	731	717	728	17,351	24,583	447.5	544.2	1	599.4	721.9	1
All cancer (140-208)	7,151	1,889	4,081	21,053	50,318	699.8	709.5	0	1595.4	1630.8	0
..Oral cavity or pharynx (140.0-149.9)	135	62	111	645	1,493	22.8	25.0	0	49.5	50.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	726	180	419	1,785	4,723	58.7	56.3	0	149.2	153.3	0
....Colon cancer (153)	576	130	322	1,265	3,470	40.7	38.7	0	108.6	110.9	0
....Rectal cancer (154)	139	48	92	495	1,190	17.2	17.0	0	38.7	41.3	0
..Pancreatic cancer (157)	354	101	223	1,063	2,658	33.1	36.4	0	81.4	92.6	0
..Lung and other respiratory cancer (160-165)	2,205	588	1,381	4,820	14,488	161.8	164.8	0	465.8	469.6	0
....Lung cancer (162.2-.9)	2,115	554	1,316	4,540	13,700	152.4	156.0	0	440.3	447.6	0
..Malignant melanoma of skin (172)	126	51	81	773	1,448	22.7	17.4	0	42.0	35.8	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	877	62	258	300	1,790	11.3	13.9	0	58.5	58.9	0
..Bladder cancer (188)	250	33	110	263	925	8.9	8.5	0	29.5	26.6	0
..Brain & other CNS cancer (191-192)	159	81	126	1,432	2,454	51.3	42.4	0	80.9	71.1	0
..Leukemia (204-208)	304	94	182	1,824	3,169	65.8	60.2	0	104.5	96.4	0
Diabetes mellitus (250)	585	141	302	1,548	3,685	49.7	58.8	0	114.6	125.0	0
..Diabetes-related (250)	2,305	477	1,144	4,388	12,315	143.3	155.1	0	389.1	395.8	0
..Diabetic ketoacidosis (DKA) (250.1)	18	12	16	260	395	8.1	.	0	11.5	.	0
Alzheimer's diseases (331.0)	151	6	21	25	143	0.9	1.6	0	4.7	7.8	0
Cardiovascular disease (390-459)	11,288	2,170	4,781	25,520	59,158	818.3	866.9	0	1830.8	1956.1	0
..Diseases of the heart (390-398,402,404-429)	9,162	1,853	4,012	21,678	50,175	694.2	728.0	0	1552.3	1661.5	0
....Heart disease-related (390-398,402,404-429)	15,451	3,212	6,825	42,755	91,388	1362.5	1454.2	0	2802.3	3003.0	1
....Coronary heart disease (CHD) (402,410-414,429.2)	6,863	1,381	3,051	14,340	35,885	454.7	468.3	0	1110.1	1177.2	0
....Congestive heart failure (CHF) (428.0)	361	23	83	198	673	7.0	6.4	0	21.8	20.7	0
..Hypertension with or without renal disease (401,403)	110	25	50	258	605	8.0	12.3	0	18.6	25.5	0
....Hypertension-related (401,403)	1,526	336	741	3,090	8,323	103.7	93.8	0	266.6	243.1	0
..Cerebrovascular disease (430-438)	1,445	209	495	2,593	5,928	85.5	97.2	0	185.9	197.4	0
..Atherosclerosis (440)	149	12	30	200	385	5.8	3.1	0	10.8	7.7	0
....Atherosclerosis-related (440)	655	57	192	538	1,695	17.5	13.2	0	52.9	49.0	0
..Aortic aneurysm (441)	269	36	127	405	1,188	12.6	10.4	0	36.2	33.0	0
Pneumonia & influenza (480-487)	991	118	268	2,092	3,912	67.0	75.4	0	118.4	131.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,128	109	415	973	3,463	33.2	43.5	0	109.9	123.6	0
..COPD-related (490-496)	2,822	294	1,059	2,365	8,773	79.9	101.1	0	278.5	308.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
.- Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	33	18	26	365	575	12.9	22.2	0	18.8	29.6	0
Chronic liver disease and cirrhosis (571)	390	235	325	3,618	6,418	104.5	98.6	0	181.1	178.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	349	54	127	792	1,655	24.7	26.4	0	49.8	52.9	0
..Nephritis-related (580-589)	1,577	316	685	4,969	9,777	150.1	177.9	0	286.2	326.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	419	66	159	977	2,050	29.9	31.8	0	61.1	63.0	0
Unintentional injuries (E800-E949)	1,338	959	1,066	27,686	37,718	954.0	992.7	0	1198.8	1230.3	0
..Motor vehicle accidents (E810-E825)	453	387	411	12,362	16,332	469.5	507.5	0	571.6	613.2	0
..Falls and fall related injuries (E880-E888)	197	46	81	955	1,553	31.4	34.3	0	47.6	51.5	0
..Drowning (E830,E832,E910)	57	53	56	1,816	2,368	74.5	57.9	0	89.4	69.2	0
..Residential fires (E890-E899)	44	31	39	971	1,316	36.7	33.2	0	45.6	41.3	0
Suicide (E950-E959)	490	402	454	10,770	15,055	359.8	356.8	0	466.3	459.2	0
Homicide and legal intervention (E960-E978)	250	237	248	8,696	11,128	340.3	446.1	1	402.5	525.9	1
..Homicide (E960-E969)	247	234	245	8,598	11,001	337.0	444.2	1	398.6	523.5	1
All injury (E800-E999)	2,112	1,629	1,801	48,118	65,188	1683.0	1832.6	0	2103.2	2262.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	440	376	399	12,054	15,912	460.7	490.2	0	560.3	593.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	163	49	83	1,013	1,638	31.7	38.5	0	48.4	57.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	439	378	411	12,291	16,244	456.5	581.6	1	556.7	702.0	1
....Suicide (E955.0-.4)	239	180	212	4,930	6,895	165.0	191.5	0	213.8	245.6	0
....Homicide (E965.0-.4)	187	186	187	6,981	8,849	277.2	365.8	0	325.6	428.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	418	401	412	10,552	14,619	299.5	296.7	0	387.8	378.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	196	243	3,125	5,313	88.6	96.2	0	147.0	159.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	360	354	357	9,532	13,090	264.1	254.3	0	338.4	323.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	30,414	5,017	10,033	89,427	162,142	3058.2	3199.1	0	4962.7	5081.8	0
Infectious diseases and parasitic disease (1-139)	845	361	456	9,225	13,277	265.2	279.2	0	354.1	364.0	0
...Septicemia (038)	427	44	105	823	1,536	27.6	40.7	0	45.9	63.1	0
...Septicemia-related (038)	1,478	235	488	3,582	7,059	114.5	135.0	0	205.7	223.6	0
...HIV infection (042-044)	259	257	259	6,819	9,399	178.4	189.8	0	229.8	237.5	0
All cancer (140-208)	7,055	1,833	3,675	20,881	47,851	631.9	683.8	0	1362.5	1425.3	0
..Oral cavity or pharynx (140.0-149.9)	64	14	32	120	335	3.6	6.3	0	9.5	15.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	765	118	299	1,140	3,138	35.0	37.9	0	89.5	99.2	0
...Colon cancer (153)	629	93	242	938	2,525	28.6	30.2	0	71.7	79.2	0
...Rectal cancer (154)	124	22	53	180	553	5.6	7.3	0	15.9	18.8	0
..Pancreatic cancer (157)	436	85	197	648	1,948	20.6	20.0	0	57.1	51.0	0
..Lung and other respiratory cancer (160-165)	1,642	447	974	4,063	11,085	124.4	129.8	0	318.9	326.3	0
...Lung cancer (162.2-.9)	1,612	437	955	3,963	10,833	121.7	126.2	0	312.0	317.9	0
..Malignant melanoma of skin (172)	71	28	41	380	713	10.7	13.6	0	19.5	24.0	0
..Female breast cancer (174)	1,229	459	752	5,623	11,680	160.8	160.3	0	322.9	320.3	0
..Cervical cancer (180)	94	49	66	873	1,450	23.6	22.4	0	37.6	36.1	0
..Endometrial cancer (182)	93	15	50	118	440	3.7	4.2	0	12.4	12.5	0
..Ovarian cancer (183)	333	95	186	968	2,355	29.4	40.1	0	67.5	84.6	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	109	14	38	80	330	2.5	4.5	0	9.6	11.0	0
..Brain & other CNS cancer (191-192)	135	57	102	958	1,745	33.0	41.1	0	53.7	61.2	0
..Leukemia (204-208)	241	63	111	1,174	2,014	39.9	53.6	0	61.8	81.0	0
Diabetes mellitus (250)	727	154	307	1,535	3,773	45.8	42.8	0	107.8	96.3	0
..Diabetes-related (250)	2,702	408	989	3,640	10,398	112.3	112.4	0	299.0	291.5	0
..Diabetic ketoacidosis (DKA) (250.1)	10	4	6	120	165	.	1.4	0	.	2.7	0
Alzheimer's diseases (331.0)	329	7	27	43	193	1.5	3.1	0	5.6	9.5	0
Cardiovascular disease (390-459)	13,679	1,057	2,899	12,735	31,370	398.3	387.8	0	891.2	862.7	0
..Diseases of the heart (390-398,402,404-429)	10,511	861	2,301	10,164	25,089	322.8	309.4	0	720.5	685.6	0
...Heart disease-related (390-398,402,404-429)	17,478	1,786	4,398	23,538	52,873	749.4	799.5	0	1526.4	1564.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,239	500	1,507	4,635	14,078	140.2	134.7	0	393.5	374.5	0
....Congestive heart failure (CHF) (428.0)	690	16	78	227	622	7.5	8.8	0	17.3	19.8	0
..Hypertension with or without renal disease (401,403)	172	13	49	98	388	3.1	2.6	0	10.9	8.9	0
...Hypertension-related (401,403)	2,312	183	552	1,613	5,130	49.7	50.8	0	145.0	141.0	0
..Cerebrovascular disease (430-438)	2,362	147	427	1,862	4,587	54.0	62.9	0	124.4	134.8	0
..Atherosclerosis (440)	237	3	18	23	100	0.7	1.2	0	2.6	3.3	0
...Atherosclerosis-related (440)	1,015	30	124	235	925	7.3	8.2	0	25.6	27.1	0
..Aortic aneurysm (441)	180	7	43	103	313	2.8	2.1	0	7.8	9.2	0
Pneumonia & influenza (480-487)	1,265	80	188	1,064	2,314	36.5	50.0	0	70.4	78.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,242	133	421	1,363	3,893	49.2	41.2	0	118.1	109.9	0
..COPD-related (490-496)	2,742	264	907	2,445	7,863	81.8	74.3	0	227.9	218.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	70	33	50	748	1,145	28.9	16.2	0	39.5	24.2	0
Chronic liver disease and cirrhosis (571)	240	90	161	1,325	2,563	37.3	45.5	0	69.1	76.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	362	36	101	475	1,163	13.9	14.4	0	31.8	30.0	0
..Nephritis-related (580-589)	1,479	238	541	3,680	7,438	116.5	93.7	0	214.2	177.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	428	52	131	740	1,653	20.9	18.3	0	44.4	36.7	0
Unintentional injuries (E800-E949)	749	318	404	9,267	12,787	351.3	350.0	0	440.3	431.1	0
..Motor vehicle accidents (E810-E825)	220	162	184	4,893	6,608	199.0	195.4	0	245.1	236.1	0
..Falls and fall related injuries (E880-E888)	217	16	41	392	645	14.0	12.7	0	20.1	18.8	0
..Drowning (E830,E832,E910)	13	10	13	376	494
..Residential fires (E890-E899)	28	17	20	713	890	30.8	23.8	0	35.5	28.3	0
Suicide (E950-E959)	120	99	112	2,583	3,650	84.3	77.9	0	109.8	105.8	0
Homicide and legal intervention (E960-E978)	69	62	65	2,201	2,834	88.1	123.0	0	104.4	144.7	0
..Homicide (E960-E969)	69	62	65	2,201	2,834	88.1	123.0	0	104.4	144.7	0
All injury (E800-E999)	957	496	600	14,545	19,950	538.9	556.2	0	673.7	688.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	218	162	184	4,893	6,608	199.0	192.7	0	245.1	232.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	154	18	37	422	670	14.9	12.8	0	21.0	18.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	58	52	58	1,652	2,202	64.2	92.7	0	78.3	112.3	0
....Suicide (E955.0-.4)	22	19	22	493	695	15.3	29.0	0	20.0	37.7	0
....Homicide (E965.0-.4)	35	33	35	1,160	1,500	48.9	63.0	0	58.2	73.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	135	121	128	3,237	4,489	99.1	84.9	0	127.0	110.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	100	60	87	860	1,613	22.9	29.4	0	42.2	46.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	118	109	113	2,875	3,985	83.1	75.0	0	107.0	95.9	0

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	58,978	13,415	24,797	249,795	435,890	4433.9	4735.5	1	7110.6	7471.4	1
..Infectious diseases and parasitic disease (1-139)	2,156	1,286	1,490	30,792	44,627	514.1	555.9	0	696.3	743.0	0
...Septicemia (038)	789	122	248	1,972	3,762	34.5	37.1	0	60.5	64.8	0
....Septicemia-related (038)	2,760	555	1,096	8,527	16,554	150.6	153.0	0	268.4	262.6	0
...HIV infection (042-044)	990	974	987	24,169	33,982	399.2	459.5	1	525.2	597.2	1
All cancer (140-208)	14,206	3,722	7,756	41,933	98,168	760.1	794.0	0	1612.0	1665.3	0
..Oral cavity or pharynx (140.0-149.9)	199	76	143	765	1,828	14.3	18.0	0	30.7	36.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,491	298	718	2,925	7,860	53.5	55.0	0	128.6	136.8	0
...Colon cancer (153)	1,205	223	564	2,203	5,995	39.9	40.0	0	97.3	102.6	0
....Rectal cancer (154)	263	70	145	675	1,743	12.8	14.2	0	29.2	32.9	0
..Pancreatic cancer (157)	790	186	420	1,710	4,605	31.2	32.2	0	75.5	77.4	0
..Lung and other respiratory cancer (160-165)	3,847	1,035	2,355	8,883	25,573	164.7	171.8	0	421.2	430.1	0
....Lung cancer (162.2-.9)	3,727	991	2,271	8,503	24,533	157.7	164.2	0	404.1	413.4	0
..Malignant melanoma of skin (172)	197	79	122	1,153	2,160	20.1	19.1	0	35.1	34.5	0
..Female breast cancer (174)	1,229	459	752	5,623	11,680
..Cervical cancer (180)	94	49	66	873	1,450
..Endometrial cancer (182)	93	15	50	118	440
..Ovarian cancer (183)	333	95	186	968	2,355
..Prostate cancer (185)	877	62	258	300	1,790
..Bladder cancer (188)	359	47	148	343	1,255	6.3	7.2	0	20.2	19.8	0
..Brain & other CNS cancer (191-192)	294	138	228	2,389	4,199	43.5	43.0	0	70.1	68.6	0
..Leukemia (204-208)	545	157	293	2,998	5,183	53.9	57.4	0	85.3	90.2	0
Diabetes mellitus (250)	1,312	295	609	3,083	7,458	55.7	59.5	0	122.4	122.9	0
..Diabetes-related (250)	5,007	885	2,133	8,028	22,713	146.5	154.4	0	370.3	374.0	0
..Diabetic ketoacidosis (DKA) (250.1)	28	16	22	380	560	6.5	5.1	0	8.9	7.0	0
Alzheimer's diseases (331.0)	480	13	48	68	335	1.3	2.4	0	5.4	8.9	0
Cardiovascular disease (390-459)	24,967	3,227	7,680	38,255	90,527	690.2	709.0	0	1474.6	1519.2	0
..Diseases of the heart (390-398,402,404-429)	19,673	2,714	6,313	31,841	75,264	575.8	582.6	0	1228.7	1258.3	0
....Heart disease-related (390-398,402,404-429)	32,929	4,998	11,223	66,293	144,261	1184.0	1260.7	0	2343.9	2467.9	0
.....Coronary heart disease (CHD) (402,410-414,429.2)	14,102	1,881	4,558	18,975	49,962	346.6	346.9	0	816.9	833.4	0
.....Congestive heart failure (CHF) (428.0)	1,051	39	161	425	1,295	7.7	7.9	0	20.6	21.0	0
..Hypertension with or without renal disease (401,403)	282	38	99	355	993	6.5	8.8	0	16.2	19.1	0
....Hypertension-related (401,403)	3,838	519	1,293	4,703	13,453	86.9	84.0	0	220.8	208.9	0
..Cerebrovascular disease (430-438)	3,807	356	922	4,454	10,514	79.3	92.7	0	169.4	184.2	0
..Atherosclerosis (440)	386	15	48	223	485	3.9	2.7	0	7.8	6.4	0
....Atherosclerosis-related (440)	1,670	87	316	773	2,620	14.1	12.4	0	41.9	40.7	0
..Aortic aneurysm (441)	449	43	170	508	1,500	9.0	7.0	0	23.6	22.0	0
Pneumonia & influenza (480-487)	2,256	198	456	3,156	6,226	55.8	69.8	0	100.6	115.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,370	242	836	2,335	7,355	43.2	45.0	0	118.2	121.7	0
..COPD-related (490-496)	5,564	558	1,966	4,810	16,635	88.3	95.3	0	265.4	276.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	103	51	76	1,113	1,720	20.7	20.8	0	29.4	29.1	0
Chronic liver disease and cirrhosis (571)	630	325	486	4,943	8,980	87.6	89.4	0	147.5	150.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	711	90	228	1,267	2,817	22.3	23.6	0	44.9	45.6	0
..Nephritis-related (580-589)	3,056	554	1,226	8,649	17,214	152.0	153.7	0	277.1	276.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	847	118	290	1,717	3,702	29.8	29.1	0	58.7	55.2	0
Unintentional injuries (E800-E949)	2,087	1,277	1,470	36,953	50,505	658.1	666.2	0	833.7	831.4	0
..Motor vehicle accidents (E810-E825)	673	549	595	17,255	22,940	316.6	327.0	0	389.7	397.7	0
..Falls and fall related injuries (E880-E888)	414	62	122	1,347	2,197	24.1	25.6	0	36.1	38.1	0
..Drowning (E830,E832,E910)	70	63	69	2,192	2,862	40.3	37.6	0	48.7	44.8	0
..Residential fires (E890-E899)	72	48	59	1,683	2,206	30.2	26.1	0	36.7	32.3	0
Suicide (E950-E959)	610	501	566	13,353	18,705	234.5	229.9	0	305.0	299.5	0
Homicide and legal intervention (E960-E978)	319	299	313	10,897	13,962	199.9	263.1	1	237.4	311.1	1
..Homicide (E960-E969)	316	296	310	10,799	13,834	198.2	261.8	1	235.3	309.4	1
All injury (E800-E999)	3,069	2,125	2,401	62,663	85,138	1117.2	1184.7	0	1406.8	1474.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	658	538	583	16,947	22,520	311.5	317.8	0	383.2	386.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	317	67	120	1,435	2,307	25.4	28.6	0	37.7	41.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	497	430	469	13,943	18,446	252.8	320.7	1	309.6	389.3	1
...Suicide (E955.0-.4)	261	199	234	5,423	7,590	95.2	113.6	0	123.6	146.4	0
...Homicide (E965.0-.4)	222	219	222	8,141	10,348	150.6	195.8	0	177.4	229.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	553	522	540	13,788	19,108	233.1	224.7	0	301.1	287.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	369	256	330	3,985	6,925	69.9	78.4	0	113.3	123.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	478	463	470	12,407	17,074	207.9	199.6	0	266.7	254.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	28,564	8,398	14,764	160,368	273,748	5706.0	6186.3	1	9111.5	9747.2	1
Infectious diseases and parasitic disease (1-139)	1,311	925	1,034	21,568	31,350	726.8	802.4	0	991.9	1083.8	0
..Septicemia (038)	362	78	143	1,149	2,227	40.7	31.9	0	74.2	64.1	0
...Septicemia-related (038)	1,282	320	608	4,945	9,495	176.4	161.8	0	316.9	288.2	0
..HIV infection (042-044)	731	717	728	17,351	24,583	581.6	696.8	1	772.4	917.0	1
All cancer (140-208)	7,151	1,889	4,081	21,053	50,318	779.8	800.6	0	1720.0	1770.8	0
..Oral cavity or pharynx (140.0-149.9)	135	62	111	645	1,493	24.6	28.9	0	52.3	56.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	726	180	419	1,785	4,723	67.4	65.1	0	162.6	166.9	0
...Colon cancer (153)	576	130	322	1,265	3,470	47.3	44.3	0	118.6	119.6	0
...Rectal cancer (154)	139	48	92	495	1,190	19.2	19.9	0	41.9	45.8	0
..Pancreatic cancer (157)	354	101	223	1,063	2,658	39.4	42.7	0	90.8	102.1	0
..Lung and other respiratory cancer (160-165)	2,205	588	1,381	4,820	14,488	184.6	191.3	0	501.3	509.8	0
...Lung cancer (162.2-.9)	2,115	554	1,316	4,540	13,700	173.9	180.4	0	474.0	484.8	0
..Malignant melanoma of skin (172)	126	51	81	773	1,448	27.1	21.1	0	48.0	40.8	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	877	62	258	300	1,790	11.7	15.4	0	60.5	62.8	0
..Bladder cancer (188)	250	33	110	263	925	10.1	10.0	0	31.8	29.3	0
..Brain & other CNS cancer (191-192)	159	81	126	1,432	2,454	52.3	45.9	0	83.7	76.6	0
..Leukemia (204-208)	304	94	182	1,824	3,169	66.2	62.6	0	106.8	100.6	0
Diabetes mellitus (250)	585	141	302	1,548	3,685	57.5	69.2	0	126.4	139.9	0
..Diabetes-related (250)	2,305	477	1,144	4,388	12,315	165.1	181.0	0	422.7	435.3	0
..Diabetic ketoacidosis (DKA) (250.1)	18	12	16	260	395	9.2	.	0	13.1	.	0
Alzheimer's diseases (331.0)	151	6	21	25	143	1.0	1.6	0	4.8	8.0	0
Cardiovascular disease (390-459)	11,288	2,170	4,781	25,520	59,158	940.2	995.2	0	2015.8	2151.3	0
..Diseases of the heart (390-398,402,404-429)	9,162	1,853	4,012	21,678	50,175	800.0	835.6	0	1711.5	1824.7	0
...Heart disease-related (390-398,402,404-429)	15,451	3,212	6,825	42,755	91,388	1549.9	1668.8	0	3084.2	3323.0	1
....Coronary heart disease (CHD) (402,410-414,429.2)	6,863	1,381	3,051	14,340	35,885	536.4	547.2	0	1232.3	1296.0	0
....Congestive heart failure (CHF) (428.0)	361	23	83	198	673	7.5	7.3	0	22.9	22.6	0
..Hypertension with or without renal disease (401,403)	110	25	50	258	605	9.6	14.9	0	20.8	29.2	0
...Hypertension-related (401,403)	1,526	336	741	3,090	8,323	118.0	110.7	0	289.2	269.0	0
..Cerebrovascular disease (430-438)	1,445	209	495	2,593	5,928	94.4	111.2	0	200.6	219.0	0
..Atherosclerosis (440)	149	12	30	200	385	7.2	3.7	0	12.9	8.8	0
...Atherosclerosis-related (440)	655	57	192	538	1,695	20.1	15.2	0	57.6	52.8	0
..Aortic aneurysm (441)	269	36	127	405	1,188	14.6	11.5	0	39.6	35.4	0
Pneumonia & influenza (480-487)	991	118	268	2,092	3,912	74.2	86.0	0	129.7	147.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,128	109	415	973	3,463	36.3	44.7	0	116.3	127.7	0
..COPD-related (490-496)	2,822	294	1,059	2,365	8,773	88.6	108.3	0	295.6	324.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	33	18	26	365	575	13.4	22.1	0	19.6	29.8	0
Chronic liver disease and cirrhosis (571)	390	235	325	3,618	6,418	131.1	123.3	0	217.6	212.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	349	54	127	792	1,655	28.2	31.2	0	55.0	59.4	0
..Nephritis-related (580-589)	1,577	316	685	4,969	9,777	176.3	206.0	0	324.5	366.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	419	66	159	977	2,050	34.4	37.8	0	67.6	71.3	0
Unintentional injuries (E800-E949)	1,338	959	1,066	27,686	37,718	977.3	1000.6	0	1239.9	1251.7	0
..Motor vehicle accidents (E810-E825)	453	387	411	12,362	16,332	446.7	473.4	0	548.5	576.2	0
..Falls and fall related injuries (E880-E888)	197	46	81	955	1,553	34.3	38.3	0	52.0	57.1	0
..Drowning (E830,E832,E910)	57	53	56	1,816	2,368	66.3	57.1	0	80.4	69.0	0
..Residential fires (E890-E899)	44	31	39	971	1,316	34.4	31.1	0	43.5	39.4	0
Suicide (E950-E959)	490	402	454	10,770	15,055	378.6	373.6	0	493.3	483.4	0
Homicide and legal intervention (E960-E978)	250	237	248	8,696	11,128	315.5	406.2	0	374.7	480.5	1
..Homicide (E960-E969)	247	234	245	8,598	11,001	312.0	403.5	1	370.5	477.1	1
All injury (E800-E999)	2,112	1,629	1,801	48,118	65,188	1703.8	1824.1	0	2148.0	2271.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	440	376	399	12,054	15,912	436.6	457.4	0	535.6	557.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	163	49	83	1,013	1,638	35.9	43.6	0	54.2	64.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	439	378	411	12,291	16,244	441.3	544.6	1	541.5	662.1	0
....Suicide (E955.0-.4)	239	180	212	4,930	6,895	173.2	194.2	0	225.5	251.0	0
....Homicide (E965.0-.4)	187	186	187	6,981	8,849	254.2	328.9	0	299.0	386.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	418	401	412	10,552	14,619	357.4	355.1	0	462.6	453.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	269	196	243	3,125	5,313	112.3	120.5	0	179.0	191.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	360	354	357	9,532	13,090	320.7	313.1	0	411.1	398.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	30,414	5,017	10,033	89,427	162,142	3174.4	3300.8	0	5182.5	5285.1	0
Infectious diseases and parasitic disease (1-139)	845	361	456	9,225	13,277	307.2	316.9	0	410.1	414.1	0
..Septicemia (038)	427	44	105	823	1,536	28.6	42.8	0	47.9	66.7	0
....Septicemia-related (038)	1,478	235	488	3,582	7,059	125.8	145.7	0	223.0	240.5	0
..HIV infection (042-044)	259	257	259	6,819	9,399	221.5	228.4	0	285.0	286.6	0
All cancer (140-208)	7,055	1,833	3,675	20,881	47,851	739.5	788.2	0	1516.5	1576.9	0
..Oral cavity or pharynx (140.0-149.9)	64	14	32	120	335	4.3	7.4	0	10.5	17.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	765	118	299	1,140	3,138	40.3	45.4	0	97.4	109.9	0
....Colon cancer (153)	629	93	242	938	2,525	32.9	36.0	0	78.1	87.5	0
....Rectal cancer (154)	124	22	53	180	553	6.5	8.8	0	17.3	21.1	0
..Pancreatic cancer (157)	436	85	197	648	1,948	23.4	22.2	0	61.4	54.8	0
..Lung and other respiratory cancer (160-165)	1,642	447	974	4,063	11,085	146.1	153.5	0	350.3	360.2	0
....Lung cancer (162.2-.9)	1,612	437	955	3,963	10,833	142.7	149.1	0	342.5	350.9	0
..Malignant melanoma of skin (172)	71	28	41	380	713	13.3	17.2	0	22.9	28.8	0
..Female breast cancer (174)	1,229	459	752	5,623	11,680	197.8	197.5	0	373.7	371.8	0
..Cervical cancer (180)	94	49	66	873	1,450	29.7	28.9	0	45.7	44.7	0
..Endometrial cancer (182)	93	15	50	118	440	4.3	4.6	0	13.4	13.2	0
..Ovarian cancer (183)	333	95	186	968	2,355	34.6	46.2	0	75.1	93.5	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	109	14	38	80	330	2.8	4.6	0	9.9	11.4	0
..Brain & other CNS cancer (191-192)	135	57	102	958	1,745	34.7	40.7	0	56.9	61.7	0
..Leukemia (204-208)	241	63	111	1,174	2,014	41.6	52.5	0	64.8	80.8	0
Diabetes mellitus (250)	727	154	307	1,535	3,773	53.7	50.2	0	118.7	106.9	0
..Diabetes-related (250)	2,702	408	989	3,640	10,398	128.9	129.5	0	323.2	318.1	0
..Diabetic ketoacidosis (DKA) (250.1)	10	4	6	120	165	.	2.0	0	.	3.3	0
Alzheimer's diseases (331.0)	329	7	27	43	193	1.6	3.2	0	5.9	9.8	0
Cardiovascular disease (390-459)	13,679	1,057	2,899	12,735	31,370	450.8	435.5	0	974.2	938.2	0
..Diseases of the heart (390-398,402,404-429)	10,511	861	2,301	10,164	25,089	361.3	341.8	0	782.1	738.5	0
....Heart disease-related (390-398,402,404-429)	17,478	1,786	4,398	23,538	52,873	830.9	870.2	0	1654.7	1679.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,239	500	1,507	4,635	14,078	165.4	156.7	0	433.1	409.7	0
....Congestive heart failure (CHF) (428.0)	690	16	78	227	622	8.0	8.6	0	18.7	19.9	0
..Hypertension with or without renal disease (401,403)	172	13	49	98	388	3.6	2.9	0	11.8	9.5	0
....Hypertension-related (401,403)	2,312	183	552	1,613	5,130	57.4	59.0	0	157.4	153.9	0
..Cerebrovascular disease (430-438)	2,362	147	427	1,862	4,587	64.5	74.4	0	140.1	151.6	0
..Atherosclerosis (440)	237	3	18	23	100	0.8	1.8	0	2.9	4.2	0
....Atherosclerosis-related (440)	1,015	30	124	235	925	8.4	9.8	0	27.6	30.2	0
..Aortic aneurysm (441)	180	7	43	103	313	3.6	2.6	0	9.2	10.1	0
Pneumonia & influenza (480-487)	1,265	80	188	1,064	2,314	37.7	54.3	0	72.8	85.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,242	133	421	1,363	3,893	50.3	45.1	0	121.6	116.8	0
..COPD-related (490-496)	2,742	264	907	2,445	7,863	88.4	82.6	0	240.5	233.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	70	33	50	748	1,145	28.1	19.3	0	39.2	28.2	0
Chronic liver disease and cirrhosis (571)	240	90	161	1,325	2,563	45.9	57.2	0	80.8	91.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	362	36	101	475	1,163	16.4	16.2	0	35.4	32.6	0
..Nephritis-related (580-589)	1,479	238	541	3,680	7,438	128.9	103.0	0	233.4	191.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	428	52	131	740	1,653	25.2	20.6	0	50.4	40.1	0
Unintentional injuries (E800-E949)	749	318	404	9,267	12,787	337.7	330.6	0	428.3	412.0	0
..Motor vehicle accidents (E810-E825)	220	162	184	4,893	6,608	184.2	178.0	0	228.9	216.9	0
..Falls and fall related injuries (E880-E888)	217	16	41	392	645	14.1	13.2	0	20.7	19.7	0
..Drowning (E830,E832,E910)	13	10	13	376	494
..Residential fires (E890-E899)	28	17	20	713	890	26.3	21.1	0	30.4	25.4	0
Suicide (E950-E959)	120	99	112	2,583	3,650	89.8	85.7	0	117.6	116.3	0
Homicide and legal intervention (E960-E978)	69	62	65	2,201	2,834	80.9	115.8	0	96.4	137.1	0
..Homicide (E960-E969)	69	62	65	2,201	2,834	80.9	115.8	0	96.4	137.1	0
All injury (E800-E999)	957	496	600	14,545	19,950	525.1	539.3	0	663.7	674.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	218	162	184	4,893	6,608	184.2	175.7	0	228.9	214.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	154	18	37	422	670	15.2	13.8	0	21.8	20.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	58	52	58	1,652	2,202	60.4	91.6	0	74.4	111.8	0
....Suicide (E955.0-.4)	22	19	22	493	695	16.8	32.3	0	22.0	41.9	0
....Homicide (E965.0-.4)	35	33	35	1,160	1,500	43.6	58.5	0	52.1	68.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	135	121	128	3,237	4,489	110.5	96.3	0	142.3	125.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	100	60	87	860	1,613	29.2	38.0	0	50.5	57.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	118	109	113	2,875	3,985	96.6	88.1	0	124.6	112.7	0

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).