

**Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
All Residents, 1995**

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, All Residents, 1995 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, All Residents, 1995 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1995*****				*****1995*****				*****1995*****			
	No. of deaths	Crude rate	Significance	1994 AAMR	No. of deaths	Crude rate	Significance	1994 AAMR	No. of deaths	Crude rate	Significance	1994 AAMR
*****Causes of Death*****												
All causes	29,437	901.1	444.6	0	452.7	14,374	906.1	566.5	0	581.5	15,063	896.4
Infectious diseases and parasitic disease (1-139)	1,180	36.1	25.2	0	23.5	718	45.3	35.3	0	34.4	462	27.5
..Septicemia (038)	426	13.0	5.5	0	5.2	187	11.8	6.5	0	6.1	239	14.2
....Septicemia-related (038)	1,401	42.9	20.3	0	19.5	652	41.1	24.3	0	22.5	749	44.6
...HIV infection (042-044)	599	18.3	16.6	0	15.8	441	27.8	24.6	0	24.8	158	9.4
All cancer (140-208)	7,071	216.5	120.7	0	124.6	3,560	224.4	142.9	0	150.0	3,511	208.9
..Oral cavity or pharynx (140.0-149.9)	103	3.2	2.0	0	2.2	73	4.6	3.5	0	3.0	30	1.8
..Colorectal cancer (153.0-154.3,154.8,159.0)	755	23.1	12.0	0	12.7	359	22.6	14.6	0	16.8	396	23.6
....Colon cancer (153)	601	18.4	9.2	0	10.1	280	17.6	11.1	0	13.0	321	19.1
....Rectal cancer (154)	140	4.3	2.5	0	2.5	73	4.6	3.3	0	3.6	67	4.0
...Pancreatic cancer (157)	368	11.3	6.2	0	6.6	159	10.0	6.7	0	8.5	209	12.4
..Lung and other respiratory cancer (160-165)	1,907	58.4	34.4	0	35.3	1,112	70.1	45.7	0	47.0	795	47.3
....Lung cancer (162.2-.9)	1,840	56.3	33.2	0	34.2	1,060	66.8	43.4	0	45.0	780	46.4
..Malignant melanoma of skin (172)	92	2.8	1.7	0	1.9	54	3.4	2.4	0	2.6	38	2.3
..Female breast cancer (174)	625	.	.	0	0	.	625	37.2
..Cervical cancer (180)	38	.	.	0	0	.	38	2.3
..Endometrial cancer (182)	42	.	.	0	0	.	42	2.5
..Ovarian cancer (183)	186	.	.	0	0	.	186	11.1
..Prostate cancer (185)	433	.	.	0	433	27.3	13.4	0	13.6	.	.	.
..Bladder cancer (188)	174	5.3	2.5	0	2.3	128	8.1	4.5	0	3.6	46	2.7
..Brain & other CNS cancer (191-192)	135	4.1	3.0	0	3.3	75	4.7	3.7	0	3.8	60	3.6
..Leukemia (204-208)	281	8.6	5.0	0	4.9	158	10.0	6.7	0	5.8	123	7.3
Diabetes mellitus (250)	601	18.4	9.3	0	10.0	260	16.4	9.9	0	11.4	341	20.3
..Diabetes-related (250)	2,443	74.8	36.4	0	36.9	1,122	70.7	42.2	0	43.5	1,321	78.6
...Diabetic ketoacidosis (DKA) (250.1)	9	0.3	.	0	0.3	5	0.3	.	0	0.2	4	0.2
Alzheimer's diseases (331.0)	240	7.3	2.1	0	2.5	82	5.2	2.2	0	2.3	158	9.4
Cardiovascular disease (390-459)	12,374	378.8	152.8	0	155.8	5,669	357.3	199.7	0	204.8	6,705	399.0
..Diseases of the heart (390-398,402,404-429)	9,775	299.2	123.3	0	125.7	4,604	290.2	164.4	0	170.1	5,171	307.7
....Heart disease-related (390-398,402,404-429)	16,476	504.4	214.9	1	223.1	7,841	494.3	280.9	0	293.6	8,635	513.9
....Coronary heart disease (CHD) (402,410-414,429.2)	7,028	215.1	88.9	0	90.6	3,461	218.2	124.4	0	127.5	3,567	212.3
....Congestive heart failure (CHF) (428.0)	531	16.3	4.8	0	4.7	196	12.4	5.7	0	5.6	335	19.9
..Hypertension with or without renal disease (401,403)	151	4.6	1.9	0	1.8	70	4.4	2.3	0	2.1	81	4.8
....Hypertension-related (401,403)	1,855	56.8	24.2	0	23.5	729	46.0	27.2	0	27.5	1,126	67.0
..Cerebrovascular disease (430-438)	1,867	57.2	20.7	0	21.4	724	45.6	23.8	0	24.4	1,143	68.0
....Atherosclerosis (440)	175	5.4	1.5	0	1.7	72	4.5	2.0	0	1.7	103	6.1
....Atherosclerosis-related (440)	800	24.5	7.7	0	8.9	312	19.7	9.2	0	11.2	488	29.0
..Aortic aneurysm (441)	217	6.6	2.9	0	2.5	125	7.9	4.5	0	3.8	92	5.5
Pneumonia & influenza (480-487)	1,109	33.9	11.4	0	12.3	488	30.8	14.6	0	16.6	621	37.0

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.

0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes						Male						Female					
	*****1995*****			*****1995*****			*****1995*****			*****1995*****			*****1995*****			*****1995*****		
	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate
*****Causes of Death*****																		
Chronic obstructive pulmonary disease (COPD) (490-496)	1,168	35.8	15.5	0	16.0	558	35.2	18.4	0	19.1	610	36.3	13.7	0	14.3			
..COPD-related (490-496)	2,751	84.2	36.4	0	37.8	1,403	88.4	46.9	0	49.5	1,348	80.2	29.7	0	30.5			
..Asthma (493)	54	1.7	1.2	0	1.1	16	1.0	0.8	0	1.1	38	2.3	1.6	0	1.1			
Chronic liver disease and cirrhosis (571)	328	10.0	7.1	0	6.9	196	12.4	9.8	0	9.6	132	7.9	4.5	0	4.4			
Nephritis, nephrotic syndrome/nephrosis (580-589)	369	11.3	4.5	0	4.2	187	11.8	6.1	0	5.6	182	10.8	3.3	0	3.2			
..Nephritis-related (580-589)	1,527	46.7	21.7	0	21.8	782	49.3	27.7	0	29.6	745	44.3	17.6	0	16.1			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	431	13.2	5.4	0	5.0	218	13.7	7.2	0	6.7	213	12.7	4.1	0	3.9			
Unintentional injuries (E800-E949)	1,087	33.3	26.0	0	24.5	689	43.4	37.9	0	36.2	398	23.7	14.7	0	13.3			
..Motor vehicle accidents (E810-E825)	352	10.8	10.8	0	10.1	235	14.8	15.2	0	14.7	117	7.0	6.5	0	5.7			
..Falls and fall related injuries (E880-E888)	196	6.0	2.2	0	2.5	86	5.4	2.8	0	3.4	110	6.5	1.8	0	1.7			
..Drowning (E830,E832,E910)	39	1.2	1.2	0	1.2	31	2.0	2.0	0	1.9	8	0.5	.	0	.			
..Residential fires (E890-E899)	34	1.0	0.9	0	1.2	20	1.3	1.1	0	1.4	14	0.8	.	0	1.0			
Suicide (E950-E959)	324	9.9	9.2	0	9.1	260	16.4	15.2	0	14.6	64	3.8	3.6	0	3.8			
Homicide and legal intervention (E960-E978)	149	4.6	5.4	1	7.5	119	7.5	8.6	0	11.6	30	1.8	2.2	0	3.2			
..Homicide (E960-E969)	149	4.6	5.4	1	7.5	119	7.5	8.6	0	11.6	30	1.8	2.2	0	3.2			
All injury (E800-E999)	1,576	48.2	41.1	0	41.4	1,079	68.0	62.3	0	63.1	497	29.6	20.7	0	20.5			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	345	10.6	10.7	0	9.8	228	14.4	14.8	0	14.2	117	7.0	6.5	0	5.6			
..All falls (E880-E886,E888,E957,E968.1,E987)	149	4.6	2.0	0	2.3	74	4.7	2.6	0	3.5	75	4.5	1.4	0	1.4			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	251	7.7	8.0	0	9.9	222	14.0	14.3	0	17.5	29	1.7	1.8	0	2.4			
....Suicide (E955.0-.4)	140	4.3	3.8	0	4.2	128	8.1	7.2	0	7.6	12	0.7	.	0	0.9			
....Homicide (E965.0-.4)	104	3.2	4.0	0	5.4	88	5.5	6.7	0	9.2	16	1.0	1.2	0	1.4			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	299	9.2	8.5	0	7.1	229	14.4	13.2	0	10.9	70	4.2	3.9	0	3.5			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	193	5.9	4.8	0	4.5	147	9.3	7.8	0	7.2	46	2.7	2.0	0	2.0			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	271	8.3	7.7	0	6.2	209	13.2	12.0	0	9.3	62	3.7	3.5	0	3.1			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.

0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1995*****				*****1995*****				*****1995*****			
	No. of deaths	Crude rate	Significance	1994 AAMR	No. of deaths	Crude rate	Significance	1994 AAMR	No. of deaths	Crude rate	Significance	1994 AAMR
*****Causes of Death*****												
All causes	29,437	901.1	614.3	0	622.4	14,374	906.1	775.8	0	790.7	15,063	896.4
Infectious diseases and parasitic disease (1-139)	1,180	36.1	26.1	0	24.3	718	45.3	35.9	0	34.6	462	27.5
..Septicemia (038)	426	13.0	8.3	0	7.8	187	11.8	9.8	0	9.2	239	14.2
....Septicemia-related (038)	1,401	42.9	28.7	0	28.1	652	41.1	34.6	0	32.4	749	44.6
...HIV infection (042-044)	599	18.3	14.2	0	13.5	441	27.8	21.4	0	21.5	158	9.4
All cancer (140-208)	7,071	216.5	160.4	0	164.2	3,560	224.4	195.8	0	204.0	3,511	208.9
..Oral cavity or pharynx (140.0-149.9)	103	3.2	2.5	0	2.8	73	4.6	4.3	0	3.6	30	1.8
..Colorectal cancer (153.0-154.3,154.8,159.0)	755	23.1	16.6	0	18.0	359	22.6	19.9	0	23.8	396	23.6
....Colon cancer (153)	601	18.4	13.0	0	14.4	280	17.6	15.3	0	18.7	321	19.1
....Rectal cancer (154)	140	4.3	3.3	0	3.4	73	4.6	4.2	0	4.9	67	4.0
...Pancreatic cancer (157)	368	11.3	8.4	0	9.0	159	10.0	8.9	0	11.2	209	12.4
..Lung and other respiratory cancer (160-165)	1,907	58.4	45.1	0	45.8	1,112	70.1	61.8	0	63.1	795	47.3
....Lung cancer (162.2-.9)	1,840	56.3	43.5	0	44.3	1,060	66.8	58.8	0	60.5	780	46.4
..Malignant melanoma of skin (172)	92	2.8	2.1	0	2.2	54	3.4	3.0	0	3.1	38	2.3
..Female breast cancer (174)	625	.	.	0	0	.	625	37.2
..Cervical cancer (180)	38	.	.	0	0	.	38	2.3
..Endometrial cancer (182)	42	.	.	0	0	.	42	2.5
..Ovarian cancer (183)	186	.	.	0	0	.	186	11.1
..Prostate cancer (185)	433	.	.	0	433	27.3	22.5	0	22.3	.	.	.
..Bladder cancer (188)	174	5.3	3.7	0	3.3	128	8.1	6.8	0	5.5	46	2.7
..Brain & other CNS cancer (191-192)	135	4.1	3.5	0	3.9	75	4.7	4.3	0	4.5	60	3.6
..Leukemia (204-208)	281	8.6	6.4	0	6.3	158	10.0	8.8	0	7.5	123	7.3
All Diabetes mellitus (250)	601	18.4	12.9	0	13.7	260	16.4	14.0	0	15.2	341	20.3
..Diabetes-related (250)	2,443	74.8	52.0	0	52.6	1,122	70.7	60.8	0	62.1	1,321	78.6
...Diabetic ketoacidosis (DKA) (250.1)	9	0.3	.	0	0.3	5	0.3	.	0	0.2	4	0.2
All Alzheimer's diseases (331.0)	240	7.3	4.0	0	4.5	82	5.2	4.2	0	4.0	158	9.4
All Cardiovascular disease (390-459)	12,374	378.8	237.3	0	241.0	5,669	357.3	301.7	0	306.2	6,705	399.0
..Diseases of the heart (390-398,402,404-429)	9,775	299.2	189.4	0	192.6	4,604	290.2	245.7	0	252.4	5,171	307.7
....Heart disease-related (390-398,402,404-429)	16,476	504.4	323.4	0	333.1	7,841	494.3	417.3	0	430.7	8,635	513.9
....Coronary heart disease (CHD) (402,410-414,429.2)	7,028	215.1	136.8	0	139.5	3,461	218.2	185.3	0	188.8	3,567	212.3
....Congestive heart failure (CHF) (428.0)	531	16.3	8.9	0	8.8	196	12.4	10.1	0	10.3	335	19.9
..Hypertension with or without renal disease (401,403)	151	4.6	2.9	0	2.9	70	4.4	3.7	0	3.1	81	4.8
....Hypertension-related (401,403)	1,855	56.8	36.8	0	35.8	729	46.0	39.6	0	39.7	1,126	67.0
..Cerebrovascular disease (430-438)	1,867	57.2	34.1	0	34.5	724	45.6	38.0	0	37.9	1,143	68.0
..Atherosclerosis (440)	175	5.4	2.8	0	3.3	72	4.5	3.7	0	3.2	103	6.1
....Atherosclerosis-related (440)	800	24.5	13.8	1	16.1	312	19.7	16.1	0	19.3	488	29.0
..Aortic aneurysm (441)	217	6.6	4.4	0	3.7	125	7.9	6.7	0	5.7	92	5.5
Pneumonia & influenza (480-487)	1,109	33.9	19.4	0	21.0	488	30.8	25.1	0	27.9	621	37.0

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.

0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes						Male						Female					
	*****1995*****			*****1995*****			*****1995*****			*****1995*****			*****1995*****			*****1995*****		
	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate
*****Causes of Death*****																		
Chronic obstructive pulmonary disease (COPD) (490-496)	1,168	35.8	23.6	0	24.2	558	35.2	29.1	0	30.3	610	36.3	20.4	0	21.0			
..COPD-related (490-496)	2,751	84.2	55.4	0	57.4	1,403	88.4	73.6	0	78.2	1,348	80.2	44.4	0	45.4			
..Asthma (493)	54	1.7	1.4	0	1.1	16	1.0	1.0	0	1.1	38	2.3	1.8	0	1.1			
Chronic liver disease and cirrhosis (571)	328	10.0	8.1	0	7.7	196	12.4	10.9	0	10.8	132	7.9	5.5	0	5.0			
Nephritis, nephrotic syndrome/nephrosis (580-589)	369	11.3	7.0	0	6.3	187	11.8	9.7	0	8.7	182	10.8	5.3	0	4.8			
..Nephritis-related (580-589)	1,527	46.7	31.0	0	31.3	782	49.3	40.9	0	43.5	745	44.3	24.9	0	23.5			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	431	13.2	8.3	0	7.5	218	13.7	11.3	0	10.5	213	12.7	6.4	0	5.8			
Unintentional injuries (E800-E949)	1,087	33.3	27.2	0	25.6	689	43.4	38.8	0	37.2	398	23.7	16.7	0	15.1			
..Motor vehicle accidents (E810-E825)	352	10.8	10.5	0	10.0	235	14.8	14.6	0	14.4	117	7.0	6.6	0	5.8			
..Falls and fall related injuries (E880-E888)	196	6.0	3.6	0	3.6	86	5.4	4.5	0	4.7	110	6.5	3.0	0	2.8			
..Drowning (E830,E832,E910)	39	1.2	1.2	0	1.1	31	2.0	2.0	0	1.8	8	0.5	.	0	.			
..Residential fires (E890-E899)	34	1.0	1.0	0	1.3	20	1.3	1.3	0	1.5	14	0.8	.	0	1.1			
Suicide (E950-E959)	324	9.9	8.8	0	8.8	260	16.4	14.8	0	14.4	64	3.8	3.3	0	3.7			
Homicide and legal intervention (E960-E978)	149	4.6	4.9	1	6.8	119	7.5	7.9	0	10.6	30	1.8	2.0	0	3.0			
..Homicide (E960-E969)	149	4.6	4.9	1	6.8	119	7.5	7.9	0	10.6	30	1.8	2.0	0	3.0			
All injury (E800-E999)	1,576	48.2	41.4	0	41.5	1,079	68.0	61.9	0	62.7	497	29.6	22.3	0	21.9			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	345	10.6	10.3	0	9.7	228	14.4	14.2	0	13.9	117	7.0	6.6	0	5.7			
..All falls (E880-E886,E888,E957,E968.1,E987)	149	4.6	2.9	0	3.1	74	4.7	3.9	0	4.4	75	4.5	2.2	0	2.0			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	251	7.7	7.5	0	9.3	222	14.0	13.6	0	16.6	29	1.7	1.7	0	2.2			
....Suicide (E955.0-.4)	140	4.3	3.7	0	4.1	128	8.1	7.2	0	7.6	12	0.7	.	0	0.8			
....Homicide (E965.0-.4)	104	3.2	3.6	0	4.9	88	5.5	6.0	0	8.3	16	1.0	1.1	0	1.3			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	299	9.2	7.4	0	6.2	229	14.4	11.4	0	9.3	70	4.2	3.6	0	3.2			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	193	5.9	5.0	0	4.6	147	9.3	8.2	0	7.5	46	2.7	2.2	0	2.1			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	271	8.3	6.6	0	5.2	209	13.2	10.2	0	7.8	62	3.7	3.2	0	2.7			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.

0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995*****				*****1995*****				*****1995*****						
	No. of deaths	Crude rate	Significance	1994 AAMR	No. of deaths	Crude rate	Significance	1994 AAMR	No. of deaths	Crude rate	Significance	1994 AAMR			
*****Causes of Death*****															
All causes	29,437	901.1	837.1	0	844.3	14,374	906.1	1052.5	0	1064.3	15,063	896.4	687.2	0	689.8
Infectious diseases and parasitic disease (1-139)	1,180	36.1	34.2	0	31.7	718	45.3	47.0	0	44.8	462	27.5	22.9	0	19.9
..Septicemia (038)	426	13.0	12.0	0	11.2	187	11.8	14.2	0	13.2	239	14.2	10.6	0	9.9
....Septicemia-related (038)	1,401	42.9	39.7	0	39.6	652	41.1	48.2	0	45.5	749	44.6	34.4	0	35.6
...HIV infection (042-044)	599	18.3	17.8	0	16.6	441	27.8	26.8	0	26.5	158	9.4	9.1	0	7.2
All cancer (140-208)	7,071	216.5	201.8	0	205.2	3,560	224.4	251.9	0	260.6	3,511	208.9	171.6	0	171.6
..Oral cavity or pharynx (140.0-149.9)	103	3.2	3.0	0	3.3	73	4.6	5.0	0	4.2	30	1.8	1.4	0	2.4
..Colorectal cancer (153.0-154.3,154.8,159.0)	755	23.1	21.4	0	24.0	359	22.6	25.2	1	31.5	396	23.6	18.4	0	19.0
....Colon cancer (153)	601	18.4	17.0	0	19.3	280	17.6	19.9	0	24.9	321	19.1	14.8	0	15.7
....Rectal cancer (154)	140	4.3	4.0	0	4.4	73	4.6	4.9	0	6.3	67	4.0	3.2	0	3.1
..Pancreatic cancer (157)	368	11.3	10.5	0	11.3	159	10.0	11.1	0	13.8	209	12.4	10.0	0	9.3
..Lung and other respiratory cancer (160-165)	1,907	58.4	54.4	0	54.9	1,112	70.1	76.5	0	77.9	795	47.3	39.8	0	40.0
....Lung cancer (162.2-.9)	1,840	56.3	52.5	0	53.1	1,060	66.8	72.9	0	74.6	780	46.4	39.1	0	39.2
..Malignant melanoma of skin (172)	92	2.8	2.7	0	2.7	54	3.4	3.8	0	3.7	38	2.3	1.9	0	1.9
..Female breast cancer (174)	625	.	.	0	0	.	625	37.2	31.9	0	30.9
..Cervical cancer (180)	38	.	.	0	0	.	38	2.3	2.0	0	2.5
..Endometrial cancer (182)	42	.	.	0	0	.	42	2.5	2.0	0	2.2
..Ovarian cancer (183)	186	.	.	0	0	.	186	11.1	9.3	0	9.0
..Prostate cancer (185)	433	.	.	0	.	433	27.3	33.9	0	33.0
..Bladder cancer (188)	174	5.3	4.9	0	4.4	128	8.1	9.4	0	7.8	46	2.7	2.1	0	2.6
..Brain & other CNS cancer (191-192)	135	4.1	4.0	0	4.6	75	4.7	5.0	0	5.4	60	3.6	3.2	0	4.0
..Leukemia (204-208)	281	8.6	8.0	0	7.8	158	10.0	11.1	0	9.3	123	7.3	6.0	0	6.7
Diabetes mellitus (250)	601	18.4	17.1	0	18.0	260	16.4	18.7	0	19.8	341	20.3	16.1	0	16.5
..Diabetes-related (250)	2,443	74.8	69.0	0	70.4	1,122	70.7	81.1	0	83.0	1,321	78.6	61.2	0	61.9
..Diabetic ketoacidosis (DKA) (250.1)	9	0.3	.	0	0.4	5	0.3	.	0	0.4	4	0.2	.	0	.
Alzheimer's diseases (331.0)	240	7.3	6.7	0	7.4	82	5.2	7.0	0	6.3	158	9.4	6.5	0	7.8
Cardiovascular disease (390-459)	12,374	378.8	348.4	0	352.6	5,669	357.3	431.8	0	434.8	6,705	399.0	289.6	0	293.3
..Diseases of the heart (390-398,402,404-429)	9,775	299.2	275.6	0	279.5	4,604	290.2	348.9	0	356.0	5,171	307.7	224.1	0	225.3
....Heart disease-related (390-398,402,404-429)	16,476	504.4	464.7	0	475.9	7,841	494.3	591.8	0	605.2	8,635	513.9	379.6	0	387.9
....Coronary heart disease (CHD) (402,410-414,429.2)	7,028	215.1	198.1	0	202.2	3,461	218.2	261.1	0	264.4	3,567	212.3	153.8	0	157.7
....Congestive heart failure (CHF) (428.0)	531	16.3	14.8	0	14.8	196	12.4	16.3	0	17.0	335	19.9	13.7	0	13.4
..Hypertension with or without renal disease (401,403)	151	4.6	4.2	0	4.3	70	4.4	5.6	0	4.1	81	4.8	3.5	0	4.1
....Hypertension-related (401,403)	1,855	56.8	52.3	0	51.0	729	46.0	54.1	0	53.8	1,126	67.0	49.5	0	47.1
..Cerebrovascular disease (430-438)	1,867	57.2	52.3	0	52.5	724	45.6	56.5	0	55.9	1,143	68.0	48.7	0	49.2
..Atherosclerosis (440)	175	5.4	4.9	0	5.8	72	4.5	6.1	0	5.4	103	6.1	4.2	0	5.8
....Atherosclerosis-related (440)	800	24.5	22.3	1	26.0	312	19.7	25.5	0	30.2	488	29.0	20.3	0	23.2
..Aortic aneurysm (441)	217	6.6	6.0	0	5.0	125	7.9	9.1	0	7.7	92	5.5	4.1	0	3.3
Pneumonia & influenza (480-487)	1,109	33.9	31.1	0	33.7	488	30.8	40.7	0	44.5	621	37.0	26.2	0	27.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.

0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes						Male						Female					
	*****1995*****			*****1995*****			*****1995*****			*****1995*****			*****1995*****			*****1995*****		
	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate	Significance	1994	No. of deaths	Crude rate
*****Causes of Death*****																		
Chronic obstructive pulmonary disease (COPD) (490-496)	1,168	35.8	32.6	0	33.5	558	35.2	41.4	0	43.8	610	36.3	27.8	0	28.5			
..COPD-related (490-496)	2,751	84.2	76.7	0	79.8	1,403	88.4	104.5	0	112.7	1,348	80.2	60.9	0	62.3			
..Asthma (493)	54	1.7	1.6	0	1.4	16	1.0	1.1	0	1.3	38	2.3	2.0	0	1.5			
Chronic liver disease and cirrhosis (571)	328	10.0	9.7	0	9.1	196	12.4	12.9	0	12.6	132	7.9	6.7	0	6.1			
Nephritis, nephrotic syndrome/nephrosis (580-589)	369	11.3	10.3	0	9.0	187	11.8	14.5	0	13.0	182	10.8	8.0	0	7.0			
..Nephritis-related (580-589)	1,527	46.7	43.1	0	43.4	782	49.3	58.4	0	62.0	745	44.3	34.2	0	32.7			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	431	13.2	12.1	0	10.8	218	13.7	16.8	0	15.7	213	12.7	9.4	0	8.3			
Unintentional injuries (E800-E949)	1,087	33.3	32.1	0	29.8	689	43.4	45.9	0	43.7	398	23.7	20.2	0	18.0			
..Motor vehicle accidents (E810-E825)	352	10.8	10.8	0	10.0	235	14.8	15.2	0	14.7	117	7.0	6.8	0	5.8			
..Falls and fall related injuries (E880-E888)	196	6.0	5.5	0	5.4	86	5.4	6.9	0	6.9	110	6.5	4.7	0	4.4			
..Drowning (E830,E832,E910)	39	1.2	1.2	0	1.2	31	2.0	2.0	0	2.0	81	0.5	..	0	..			
..Residential fires (E890-E899)	34	1.0	1.0	0	1.3	20	1.3	1.3	0	1.6	14	0.8	..	0	1.1			
Suicide (E950-E959)	324	9.9	9.7	0	9.6	260	16.4	16.5	0	16.1	64	3.8	3.7	0	4.1			
Homicide and legal intervention (E960-E978)	149	4.6	4.7	1	6.4	119	7.5	7.5	0	9.8	30	1.8	1.8	0	2.9			
..Homicide (E960-E969)	149	4.6	4.7	1	6.4	119	7.5	7.5	0	9.8	30	1.8	1.8	0	2.9			
All injury (E800-E999)	1,576	48.2	47.0	0	46.3	1,079	68.0	70.5	0	70.3	497	29.6	26.0	0	25.2			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	345	10.6	10.6	0	9.7	228	14.4	14.7	0	14.3	117	7.0	6.8	0	5.7			
..All falls (E880-E886,E888,E957,E968.1,E987)	149	4.6	4.2	0	4.3	74	4.7	5.7	0	6.1	75	4.5	3.3	0	3.0			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	251	7.7	7.6	0	9.1	222	14.0	14.2	0	16.4	29	1.7	1.7	0	2.2			
....Suicide (E955.0-.4)	140	4.3	4.2	0	4.3	128	8.1	8.2	0	8.2	12	0.7	..	0	0.9			
....Homicide (E965.0-.4)	104	3.2	3.3	0	4.5	88	5.5	5.5	0	7.6	16	1.0	1.0	0	1.2			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	299	9.2	8.8	0	7.6	229	14.4	13.8	0	11.5	70	4.2	4.1	0	3.9			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	193	5.9	5.8	0	5.4	147	9.3	9.6	0	8.7	46	2.7	2.5	0	2.5			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	271	8.3	8.0	0	6.5	209	13.2	12.5	0	9.7	62	3.7	3.6	0	3.3			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.

0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1940 U.S. standard population *****

	Both Sexes											
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
All causes	29,437	6,833	12,575	129,343	224,128	4444.0	4693.7	0	6871.3	7179.6	0	
Infectious diseases and parasitic disease (1-139)	1,180	728	828	17,547	25,267	539.3	516.0	0	731.1	696.3	0	
..Septicemia (038)	426	70	135	1,220	2,193	39.0	31.4	0	63.2	55.0	0	
....Septicemia-related (038)	1,401	294	572	4,665	8,880	149.2	141.8	0	255.4	239.3	0	
....HIV infection (042-044)	599	587	597	14,589	20,509	440.8	434.3	0	587.0	573.4	0	
All cancer (140-208)	7,071	1,840	3,887	20,418	48,636	652.2	698.7	0	1377.2	1449.1	0	
..Oral cavity or pharynx (140.0-149.9)	103	38	69	485	1,013	16.9	14.8	0	31.0	29.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	755	159	373	1,518	4,138	48.6	43.6	0	115.5	109.8	0	
....Colon cancer (153)	601	114	288	1,095	3,050	34.5	33.8	0	84.0	86.3	0	
....Rectal cancer (154)	140	42	79	390	1,008	13.0	9.1	0	29.3	22.5	0	
....Pancreatic cancer (157)	368	95	198	778	2,180	24.3	26.2	0	60.8	63.7	0	
....Lung and other respiratory cancer (160-165)	1,907	503	1,181	4,308	12,658	133.6	146.2	0	347.0	367.7	0	
....Lung cancer (162.2-.9)	1,840	480	1,139	4,110	12,123	127.5	141.0	0	332.1	356.0	0	
..Malignant melanoma of skin (172)	92	35	51	443	873	13.3	16.3	0	24.7	30.1	0	
..Female breast cancer (174)	625	224	384	2,815	5,860	
..Cervical cancer (180)	38	20	26	385	620	
..Endometrial cancer (182)	42	7	25	38	193	
..Ovarian cancer (183)	186	53	107	533	1,333	
..Prostate cancer (185)	433	31	134	153	905	
..Bladder cancer (188)	174	24	73	150	618	4.8	7.0	0	16.5	17.9	0	
..Brain & other CNS cancer (191-192)	135	65	109	1,127	1,987	38.1	39.0	0	60.4	62.7	0	
..Leukemia (204-208)	281	80	154	1,547	2,762	55.7	59.3	0	85.4	88.7	0	
Diabetes mellitus (250)	601	132	284	1,370	3,370	42.7	60.6	0	94.1	117.1	0	
..Diabetes-related (250)	2,443	446	1,069	3,850	11,253	119.9	137.4	0	308.5	321.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	9	5	6	133	190	..	7.9	10.1	..	
Alzheimer's diseases (331.0)	240	8	25	50	193	1.6	2.2	0	5.2	8.4	0	
Cardiovascular disease (390-459)	12,374	1,605	3,880	19,039	45,456	600.4	621.0	0	1262.9	1307.1	0	
..Diseases of the heart (390-398,402,404-429)	9,775	1,352	3,180	15,798	37,733	499.3	515.5	0	1052.0	1086.9	0	
....Heart disease-related (390-398,402,404-429)	16,476	2,510	5,675	33,536	73,059	1071.8	1138.5	0	2065.8	2192.9	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	7,028	940	2,321	9,457	25,305	292.3	299.3	0	691.4	708.7	0	
....Congestive heart failure (CHF) (428.0)	531	22	77	277	720	9.6	4.6	0	20.3	14.6	0	
....Hypertension with or without renal disease (401,403)	151	19	55	218	558	6.7	4.6	0	15.0	11.9	0	
....Hypertension-related (401,403)	1,855	254	648	2,395	6,770	74.8	73.6	0	185.3	176.7	0	
..Cerebrovascular disease (430-438)	1,867	171	472	2,154	5,191	67.2	81.0	0	141.6	162.8	0	
..Atherosclerosis (440)	175	8	20	115	235	3.7	2.3	0	6.7	5.1	0	
....Atherosclerosis-related (440)	800	39	146	388	1,240	12.0	11.2	0	32.3	34.3	0	
..Aortic aneurysm (441)	217	21	90	273	785	8.5	5.6	0	20.5	16.6	0	
Pneumonia & influenza (480-487)	1,109	101	228	1,651	3,208	53.8	66.7	0	92.6	106.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,168	119	403	1,133	3,538	41.6	45.4	0	101.0	112.0	0	
..COPD-related (490-496)	2,751	277	988	2,378	8,320	81.1	91.1	0	226.1	245.7	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1940 U.S. standard population *****

	Both Sexes											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
..Asthma (493)	54	27	39	598	903	24.8	22.9	0	33.6	31.0	0	
Chronic liver disease and cirrhosis (571)	328	165	247	2,553	4,613	77.1	71.0	0	130.1	123.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	369	41	108	553	1,280	16.5	23.4	0	34.3	43.0	0	
..Nephritis-related (580-589)	1,527	278	613	4,485	8,803	142.0	154.5	0	249.0	261.5	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	431	52	136	760	1,675	23.0	29.5	0	45.2	52.7	0	
Unintentional injuries (E800-E949)	1,087	671	772	19,635	26,767	735.8	719.9	0	930.6	901.9	0	
..Motor vehicle accidents (E810-E825)	352	288	311	9,060	12,038	367.6	355.1	0	454.4	434.5	0	
..Falls and fall related injuries (E880-E888)	196	23	50	498	825	18.6	26.5	0	27.0	39.0	0	
..Drowning (E830,E832,E910)	39	34	38	1,086	1,456	42.1	43.0	0	52.4	52.3	0	
..Residential fires (E890-E899)	34	21	27	786	1,026	30.7	43.4	0	37.2	52.7	0	
Suicide (E950-E959)	324	262	300	6,935	9,745	251.2	255.5	0	327.3	330.0	0	
Homicide and legal intervention (E960-E978)	149	142	146	5,351	6,791	224.4	310.4	0	268.0	370.6	0	
..Homicide (E960-E969)	149	142	146	5,351	6,791	224.4	310.4	0	268.0	370.6	0	
All injury (E800-E999)	1,576	1,090	1,234	32,415	43,955	1228.9	1297.5	0	1547.4	1617.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	345	283	305	8,893	11,818	361.7	342.7	0	447.1	419.9	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	149	25	51	543	893	19.8	30.9	0	28.8	45.0	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	251	210	234	6,724	8,954	271.0	374.2	1	335.6	454.7	1	
....Suicide (E955.0-.4)	140	103	124	2,738	3,880	99.2	131.6	0	129.9	165.7	0	
....Homicide (E965.0-.4)	104	102	104	3,839	4,869	165.8	225.7	0	197.9	268.9	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	299	282	290	7,591	10,446	249.0	198.4	0	321.9	259.8	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	193	135	175	2,133	3,683	63.8	68.3	0	103.9	107.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	271	261	266	7,020	9,657	226.8	182.0	0	293.6	235.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1940 U.S. standard population *****

	Male											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
All causes	14,374	4,297	7,548	82,962	141,014	5709.6	6064.2	0	8819.8	9299.4	0	
Infectious diseases and parasitic disease (1-139)	718	524	573	12,168	17,636	739.9	738.6	0	1017.0	1009.9	0	
..Septicemia (038)	187	44	70	739	1,294	46.7	23.7	0	76.1	51.0	0	
....Septicemia-related (038)	652	163	308	2,688	5,010	173.2	134.3	0	295.9	244.5	0	
...HIV infection (042-044)	441	431	439	10,325	14,675	622.9	648.1	0	841.3	867.9	0	
All cancer (140-208)	3,560	931	2,061	10,209	24,979	678.0	715.0	0	1479.1	1563.9	0	
..Oral cavity or pharynx (140.0-149.9)	73	33	59	413	863	29.7	24.8	0	55.0	46.0	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	359	96	218	920	2,470	60.4	58.0	0	144.7	147.5	0	
....Colon cancer (153)	280	67	165	643	1,768	40.9	41.3	0	101.4	109.3	0	
....Rectal cancer (154)	73	28	50	260	665	18.5	15.4	0	41.2	36.1	0	
..Pancreatic cancer (157)	159	49	103	463	1,208	29.5	38.9	0	70.2	89.6	0	
..Lung and other respiratory cancer (160-165)	1,112	280	697	2,240	7,118	143.9	160.3	0	407.9	436.3	0	
....Lung cancer (162.2-.9)	1,060	260	663	2,080	6,683	133.7	151.8	0	382.1	416.9	0	
..Malignant melanoma of skin (172)	54	24	33	340	633	20.8	18.9	0	37.1	38.0	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	433	31	134	153	905	10.2	10.2	0	49.2	48.3	0	
..Bladder cancer (188)	128	16	56	90	435	6.1	5.3	0	24.5	19.6	0	
..Brain & other CNS cancer (191-192)	75	40	62	724	1,224	48.8	43.5	0	76.0	70.7	0	
..Leukemia (204-208)	158	47	97	935	1,660	68.2	64.5	0	107.1	98.7	0	
Diabetes mellitus (250)	260	59	139	643	1,588	40.9	78.3	1	91.6	145.4	1	
..Diabetes-related (250)	1,122	232	568	2,020	5,895	129.5	165.5	0	339.0	381.5	0	
..Diabetic ketoacidosis (DKA) (250.1)	5	3	4	63	100	
Alzheimer's diseases (331.0)	82	4	13	20	93	1.3	1.9	0	5.1	7.9	0	
Cardiovascular disease (390-459)	5,669	1,091	2,438	12,818	29,865	824.3	865.1	0	1738.6	1833.3	0	
..Diseases of the heart (390-398,402,404-429)	4,604	935	2,035	10,822	25,222	695.4	728.4	0	1470.2	1554.0	0	
....Heart disease-related (390-398,402,404-429)	7,841	1,629	3,486	21,644	46,426	1398.2	1489.9	0	2721.8	2922.1	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,461	699	1,562	7,230	18,237	459.4	468.0	0	1053.2	1095.9	0	
....Congestive heart failure (CHF) (428.0)	196	16	46	165	440	11.6	6.3	0	26.2	18.4	0	
..Hypertension with or without renal disease (401,403)	70	12	31	160	353	10.0	8.0	0	20.1	18.8	0	
....Hypertension-related (401,403)	729	163	366	1,583	4,120	101.9	91.1	0	239.9	225.3	0	
..Cerebrovascular disease (430-438)	724	103	262	1,339	3,076	86.8	103.6	0	178.3	204.3	0	
..Atherosclerosis (440)	72	6	13	95	178	6.3	3.0	0	10.7	6.3	0	
....Atherosclerosis-related (440)	312	24	87	245	758	15.6	12.4	0	41.9	43.8	0	
..Aortic aneurysm (441)	125	17	65	203	603	13.1	9.1	0	33.7	25.3	0	
Pneumonia & influenza (480-487)	488	63	132	1,122	2,059	72.0	86.8	0	120.7	142.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	558	52	205	390	1,558	28.1	49.1	0	88.7	118.4	0	
..COPD-related (490-496)	1,403	149	531	1,123	4,323	76.8	109.7	0	244.5	290.3	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
					All	< 65	< 75	< 65	< 75	1995	1994	Significance
*****Causes of Death*****												
..Asthma (493)	16	9	13	163	263	13.5	29.0	0	19.4	36.7	0	
Chronic liver disease and cirrhosis (571)	196	119	164	1,848	3,270	113.1	94.7	0	189.8	170.4	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	187	26	67	330	783	19.9	32.3	0	43.5	57.2	0	
..Nephritis-related (580-589)	782	154	346	2,543	4,943	159.0	205.9	0	283.0	348.1	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	218	31	82	433	980	26.7	37.6	0	55.1	66.7	0	
Unintentional injuries (E800-E949)	689	501	556	14,803	20,045	1093.8	1066.0	0	1381.8	1340.3	0	
..Motor vehicle accidents (E810-E825)	235	203	215	6,616	8,696	529.9	509.1	0	651.3	624.9	0	
..Falls and fall related injuries (E880-E888)	86	15	30	318	520	22.6	41.7	0	33.3	60.8	0	
..Drowning (E830,E832,E910)	31	27	30	855	1,147	67.6	63.6	0	84.4	78.5	0	
..Residential fires (E890-E899)	20	13	17	469	624	35.5	49.7	0	43.9	60.5	0	
Suicide (E950-E959)	260	208	240	5,550	7,790	404.3	420.6	0	527.4	538.1	0	
Homicide and legal intervention (E960-E978)	119	115	117	4,246	5,466	351.2	480.7	0	421.1	575.1	0	
..Homicide (E960-E969)	119	115	117	4,246	5,406	351.2	480.7	0	421.1	575.1	0	
All injury (E800-E999)	1,079	835	924	24,931	33,683	1872.0	1985.1	0	2358.7	2476.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	228	198	209	6,448	8,476	518.1	489.6	0	636.8	601.9	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	74	17	32	363	590	25.0	49.5	0	37.0	71.5	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	222	187	205	5,935	7,905	474.1	650.7	1	588.9	791.7	0	
....Suicide (E955.0-.4)	128	94	112	2,495	3,535	181.9	231.8	0	239.1	292.6	0	
....Homicide (E965.0-.4)	88	88	88	3,292	4,172	280.2	387.6	0	334.8	462.1	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	229	219	225	5,835	8,050	378.2	309.3	0	491.7	402.8	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	147	108	135	1,750	2,963	107.1	109.4	0	172.3	171.7	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	209	204	207	5,500	7,558	353.0	275.0	0	457.4	355.4	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
All causes	15,063	2,536	5,027	46,381	83,114	3185.1	3331.3	0	4977.9	5124.3	0	
Infectious diseases and parasitic disease (1-139)	462	204	255	5,379	7,632	345.0	299.7	0	455.0	392.8	0	
..Septicemia (038)	239	26	65	481	899	31.8	39.6	0	51.0	60.4	0	
....Septicemia-related (038)	749	131	264	1,978	3,870	125.5	151.0	0	216.7	237.6	0	
..HIV infection (042-044)	158	156	158	4,264	5,834	263.7	225.6	0	340.4	286.9	0	
All cancer (140-208)	3,511	909	1,826	10,210	23,657	624.8	683.5	0	1284.7	1349.4	0	
..Oral cavity or pharynx (140.0-149.9)	30	5	10	73	150	4.3	5.1	0	8.0	13.6	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	396	63	155	598	1,668	37.2	30.1	0	88.6	75.5	0	
....Colon cancer (153)	321	47	123	453	1,283	28.6	26.9	0	68.3	65.4	0	
....Rectal cancer (154)	67	14	29	130	343	7.6	3.2	0	18.0	10.0	0	
..Pancreatic cancer (157)	209	46	95	315	973	19.3	14.0	0	52.0	39.6	0	
..Lung and other respiratory cancer (160-165)	795	223	484	2,068	5,540	124.1	133.2	0	293.9	307.1	0	
....Lung cancer (162.2-.9)	780	220	476	2,030	5,440	122.0	131.1	0	288.9	302.4	0	
..Malignant melanoma of skin (172)	38	11	18	103	240	6.0	13.8	0	12.9	22.9	0	
..Female breast cancer (174)	625	224	384	2,815	5,860	165.5	162.4	0	316.4	313.0	0	
..Cervical cancer (180)	38	20	26	385	620	22.5	28.6	0	34.0	46.3	0	
..Endometrial cancer (182)	42	7	25	38	193	2.4	2.7	0	9.5	9.1	0	
..Ovarian cancer (183)	186	53	107	533	1,333	32.2	38.1	0	71.7	76.0	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	46	8	17	60	183	3.5	8.7	0	9.6	16.9	0	
..Brain & other CNS cancer (191-192)	60	25	47	403	763	27.3	34.9	0	45.1	55.3	0	
..Leukemia (204-208)	123	33	57	613	1,043	42.8	54.2	0	64.4	79.3	0	
Diabetes mellitus (250)	341	73	145	728	1,783	44.5	43.1	0	96.8	89.8	0	
..Diabetes-related (250)	1,321	214	501	1,830	5,358	110.9	110.4	0	281.4	265.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	2	2	70	90	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	158	4	12	30	100	1.9	2.5	0	5.3	8.9	0	
Cardiovascular disease (390-459)	6,705	514	1,442	6,221	15,591	385.7	386.9	0	820.6	819.6	0	
..Diseases of the heart (390-398,402,404-429)	5,171	417	1,145	4,977	12,512	311.8	312.0	0	663.5	655.1	0	
....Heart disease-related (390-398,402,404-429)	8,635	881	2,189	11,893	26,633	756.2	801.1	0	1452.0	1516.0	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,567	241	759	2,228	7,068	132.7	139.2	0	355.7	352.4	0	
....Congestive heart failure (CHF) (428.0)	335	6	31	112	280	7.9	3.0	0	15.0	11.1	0	
..Hypertension with or without renal disease (401,403)	81	7	24	58	205	3.4	1.2	0	10.2	5.6	0	
....Hypertension-related (401,403)	1,126	91	282	813	2,650	49.0	57.5	0	134.3	133.0	0	
..Cerebrovascular disease (430-438)	1,143	68	210	815	2,115	47.7	58.9	0	106.7	123.7	0	
..Atherosclerosis (440)	103	2	7	20	58	1.2	1.6	0	2.8	3.9	0	
....Atherosclerosis-related (440)	488	15	59	143	483	8.4	10.1	0	23.5	26.2	0	
..Aortic aneurysm (441)	92	4	25	70	183	4.1	2.2	0	8.6	8.6	0	
Pneumonia & influenza (480-487)	621	38	96	529	1,149	36.1	46.9	0	65.7	72.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	610	67	198	743	1,980	55.3	41.4	0	114.4	105.7	0	
..COPD-related (490-496)	1,348	128	457	1,255	3,998	85.9	72.3	0	211.7	204.6	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
..Asthma (493)	38	18	26	435	640	36.5	16.3	0	48.1	24.6	0	
Chronic liver disease and cirrhosis (571)	132	46	83	705	1,343	42.7	48.7	0	73.6	80.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	182	15	41	223	498	13.4	14.5	0	25.9	29.3	0	
..Nephritis-related (580-589)	745	124	267	1,942	3,860	125.9	104.2	0	217.9	178.8	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	213	21	54	328	695	19.4	21.5	0	36.2	39.3	0	
Unintentional injuries (E800-E949)	398	170	216	4,832	6,722	373.7	371.3	0	476.2	462.5	0	
..Motor vehicle accidents (E810-E825)	117	85	96	2,445	3,342	201.3	197.9	0	253.2	241.2	0	
..Falls and fall related injuries (E880-E888)	110	8	20	180	305	14.8	11.5	0	21.1	17.6	0	
..Drowning (E830,E832,E910)	8	7	8	232	309	
..Residential fires (E890-E899)	14	8	10	317	402	.	37.2	.	.	44.9	.	
Suicide (E950-E959)	64	54	60	1,385	1,955	96.3	87.8	0	126.5	119.8	0	
Homicide and legal intervention (E960-E978)	30	27	29	1,106	1,386	93.5	134.4	0	110.4	159.5	0	
..Homicide (E960-E969)	30	27	29	1,106	1,386	93.5	134.4	0	110.4	159.5	0	
All injury (E800-E999)	497	255	310	7,485	10,272	575.7	599.2	0	727.7	749.4	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	117	85	96	2,445	3,342	201.3	192.9	0	253.2	235.1	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	75	8	19	180	303	14.8	12.2	0	21.0	19.0	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	23	29	790	1,050	62.9	89.6	0	77.4	109.1	0	
....Suicide (E955.0-.4)	12	9	12	243	345	.	29.5	.	.	37.3	.	
....Homicide (E965.0-.4)	16	14	16	547	697	47.5	58.2	0	56.7	69.4	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	70	63	65	1,757	2,397	121.4	88.9	0	154.8	119.1	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	46	27	40	383	720	22.0	28.5	0	38.6	45.9	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	62	57	59	1,520	2,100	102.1	90.5	0	132.0	117.1	0	

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
All causes	29,437	6,833	12,575	129,343	224,128	4330.2	4591.3	0	6887.2	7206.6	0	
Infectious diseases and parasitic disease (1-139)	1,180	728	828	17,547	25,267	471.5	452.8	0	640.3	611.5	0	
..Septicemia (038)	426	70	135	1,220	2,193	37.9	32.1	0	63.7	57.8	0	
....Septicemia-related (038)	1,401	294	572	4,665	8,880	145.8	136.5	0	260.0	240.6	0	
....HIV infection (042-044)	599	587	597	14,589	20,509	377.1	371.6	0	499.6	487.7	0	
All cancer (140-208)	7,071	1,840	3,887	20,418	48,636	650.1	698.1	0	1459.9	1534.5	0	
..Oral cavity or pharynx (140.0-149.9)	103	38	69	485	1,013	16.8	15.4	0	32.2	31.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	755	159	373	1,518	4,138	49.0	44.5	0	125.2	120.2	0	
....Colon cancer (153)	601	114	288	1,095	3,050	34.4	34.4	0	90.9	94.5	0	
....Rectal cancer (154)	140	42	79	390	1,008	13.5	9.5	0	31.9	24.7	0	
....Pancreatic cancer (157)	368	95	198	778	2,180	25.3	26.8	0	66.9	69.5	0	
...Lung and other respiratory cancer (160-165)	1,907	503	1,181	4,308	12,658	138.9	150.4	0	383.4	403.0	0	
....Lung cancer (162.2-.9)	1,840	480	1,139	4,110	12,123	132.7	145.2	0	367.1	390.5	0	
..Malignant melanoma of skin (172)	92	35	51	443	873	12.5	15.4	0	24.7	30.1	0	
..Female breast cancer (174)	625	224	384	2,815	5,860	
..Cervical cancer (180)	38	20	26	385	620	
..Endometrial cancer (182)	42	7	25	38	193	
..Ovarian cancer (183)	186	53	107	533	1,333	
..Prostate cancer (185)	433	31	134	153	905	
..Bladder cancer (188)	174	24	73	150	618	5.1	7.1	0	19.0	19.8	0	
..Brain & other CNS cancer (191-192)	135	65	109	1,127	1,987	38.4	38.9	0	61.9	63.8	0	
..Leukemia (204-208)	281	80	154	1,547	2,762	55.8	59.2	0	87.5	90.7	0	
Diabetes mellitus (250)	601	132	284	1,370	3,370	42.1	57.8	0	99.7	119.7	0	
..Diabetes-related (250)	2,443	446	1,069	3,850	11,253	122.2	136.1	0	338.6	345.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	9	5	6	133	190	..	7.2	9.2	..	
Alzheimer's diseases (331.0)	240	8	25	50	193	1.8	2.4	0	6.0	9.8	0	
Cardiovascular disease (390-459)	12,374	1,605	3,880	19,039	45,456	596.4	614.9	0	1339.4	1383.5	0	
..Diseases of the heart (390-398,402,404-429)	9,775	1,352	3,180	15,798	37,733	496.9	512.7	0	1116.4	1153.4	0	
....Heart disease-related (390-398,402,404-429)	16,476	2,510	5,675	33,536	73,059	1053.1	1116.0	0	2153.1	2281.0	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	7,028	940	2,321	9,457	25,305	294.8	302.7	0	747.4	767.0	0	
....Congestive heart failure (CHF) (428.0)	531	22	77	277	720	9.6	4.8	0	22.0	16.7	0	
....Hypertension with or without renal disease (401,403)	151	19	55	218	558	6.6	4.4	0	16.0	13.0	0	
....Hypertension-related (401,403)	1,855	254	648	2,395	6,770	77.4	73.2	0	203.8	190.7	0	
..Cerebrovascular disease (430-438)	1,867	171	472	2,154	5,191	66.6	78.4	0	150.6	168.7	0	
..Atherosclerosis (440)	175	8	20	115	235	3.4	1.9	0	6.7	5.1	0	
....Atherosclerosis-related (440)	800	39	146	388	1,240	11.8	11.2	0	35.6	38.5	0	
..Aortic aneurysm (441)	217	21	90	273	785	8.1	5.6	0	21.9	18.5	0	
Pneumonia & influenza (480-487)	1,109	101	228	1,651	3,208	52.0	63.9	0	94.1	105.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,168	119	403	1,133	3,538	42.6	45.4	0	112.2	122.8	0	
..COPD-related (490-496)	2,751	277	988	2,378	8,320	82.6	92.0	0	253.6	273.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
..Asthma (493)	54	27	39	598	903	24.4	21.2	0	33.2	28.7	0	
Chronic liver disease and cirrhosis (571)	328	165	247	2,553	4,613	72.8	67.8	0	127.2	122.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	369	41	108	553	1,280	15.3	22.6	0	35.0	44.0	0	
..Nephritis-related (580-589)	1,527	278	613	4,485	8,803	136.6	150.2	0	252.4	265.7	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	431	52	136	760	1,675	20.8	28.0	0	45.3	53.1	0	
Unintentional injuries (E800-E949)	1,087	671	772	19,635	26,767	686.3	679.8	0	859.6	841.5	0	
..Motor vehicle accidents (E810-E825)	352	288	311	9,060	12,038	347.5	342.1	0	424.4	413.1	0	
..Falls and fall related injuries (E880-E888)	196	23	50	498	825	17.9	24.4	0	26.6	36.7	0	
..Drowning (E830,E832,E910)	39	34	38	1,086	1,456	41.9	40.4	0	51.5	48.3	0	
..Residential fires (E890-E899)	34	21	27	786	1,026	33.0	45.2	0	39.3	53.9	0	
Suicide (E950-E959)	324	262	300	6,935	9,745	228.2	232.5	0	296.5	299.2	0	
Homicide and legal intervention (E960-E978)	149	142	146	5,351	6,791	211.5	293.9	0	248.3	344.8	0	
..Homicide (E960-E969)	149	142	146	5,351	6,791	211.5	293.9	0	248.3	344.8	0	
All injury (E800-E999)	1,576	1,090	1,234	32,415	43,955	1141.7	1215.8	0	1423.4	1498.1	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	345	283	305	8,893	11,818	342.2	329.7	0	418.0	398.6	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	149	25	51	543	893	18.8	27.9	0	28.0	41.8	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	251	210	234	6,724	8,954	249.5	352.6	1	305.7	422.2	1	
....Suicide (E955.0-.4)	140	103	124	2,738	3,880	88.9	122.9	0	116.5	153.3	0	
....Homicide (E965.0-.4)	104	102	104	3,839	4,869	155.0	213.5	0	182.1	250.1	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	299	282	290	7,591	10,446	216.3	167.5	0	277.3	218.4	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	193	135	175	2,133	3,683	59.3	63.6	0	99.6	102.2	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	271	261	266	7,020	9,657	195.3	152.4	0	250.5	195.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75		< 65	< 75	1995	1994	Significance	1995	1994	Significance
*****Causes of Death*****												
All causes	14,374	4,297	7,548	82,962	141,014	5507.5	5876.3	0	8767.0	9267.6	0	
Infectious diseases and parasitic disease (1-139)	718	524	573	12,168	17,636	641.3	640.5	0	885.4	879.2	0	
..Septicemia (038)	187	44	70	739	1,294	44.5	23.4	0	75.3	53.6	0	
....Septicemia-related (038)	652	163	308	2,688	5,010	167.3	126.7	0	298.6	245.4	0	
...HIV infection (042-044)	441	431	439	10,325	14,675	532.5	554.6	0	717.7	740.7	0	
All cancer (140-208)	3,560	931	2,061	10,209	24,979	681.3	720.6	0	1586.5	1678.8	0	
..Oral cavity or pharynx (140.0-149.9)	73	33	59	413	863	29.5	25.5	0	57.4	48.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	359	96	218	920	2,470	61.7	59.7	0	157.6	162.4	0	
....Colon cancer (153)	280	67	165	643	1,768	41.3	42.6	0	110.4	121.0	0	
....Rectal cancer (154)	73	28	50	260	665	19.4	16.0	0	45.2	39.3	0	
..Pancreatic cancer (157)	159	49	103	463	1,208	30.3	39.4	0	76.3	96.4	0	
..Lung and other respiratory cancer (160-165)	1,112	280	697	2,240	7,118	151.5	167.5	0	457.5	485.6	0	
....Lung cancer (162.2-.9)	1,060	260	663	2,080	6,683	140.8	159.0	0	429.2	464.9	0	
..Malignant melanoma of skin (172)	54	24	33	340	633	19.2	18.4	0	36.2	39.2	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	433	31	134	153	905	11.5	10.6	0	58.9	57.0	0	
..Bladder cancer (188)	128	16	56	90	435	6.9	5.7	0	28.9	22.6	0	
..Brain & other CNS cancer (191-192)	75	40	62	724	1,224	49.4	42.2	0	77.8	70.5	0	
..Leukemia (204-208)	158	47	97	935	1,660	69.9	63.5	0	112.4	100.4	0	
Diabetes mellitus (250)	260	59	139	643	1,588	40.5	74.7	1	97.5	147.4	0	
..Diabetes-related (250)	1,122	232	568	2,020	5,895	133.2	164.5	0	374.3	409.5	0	
..Diabetic ketoacidosis (DKA) (250.1)	5	3	4	63	100	
Alzheimer's diseases (331.0)	82	4	13	20	93	1.4	2.2	0	6.0	9.4	0	
Cardiovascular disease (390-459)	5,669	1,091	2,438	12,818	29,865	820.1	862.8	0	1844.1	1947.0	0	
..Diseases of the heart (390-398,402,404-429)	4,604	935	2,035	10,822	25,222	691.3	729.1	0	1558.0	1654.5	0	
....Heart disease-related (390-398,402,404-429)	7,841	1,629	3,486	21,644	46,426	1371.6	1462.2	0	2836.6	3046.7	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,461	699	1,562	7,230	18,237	463.7	473.6	0	1133.9	1183.4	0	
....Congestive heart failure (CHF) (428.0)	196	16	46	165	440	11.4	6.6	0	28.3	20.7	0	
..Hypertension with or without renal disease (401,403)	70	12	31	160	353	9.7	7.6	0	20.8	19.8	0	
....Hypertension-related (401,403)	729	163	366	1,583	4,120	106.4	92.7	0	263.2	246.0	0	
..Cerebrovascular disease (430-438)	724	103	262	1,339	3,076	88.3	101.1	0	191.7	211.9	0	
..Atherosclerosis (440)	72	6	13	95	178	5.7	2.5	0	10.4	6.2	0	
....Atherosclerosis-related (440)	312	24	87	245	758	15.2	12.4	0	46.1	50.0	0	
..Aortic aneurysm (441)	125	17	65	203	603	12.6	8.9	0	36.5	28.1	0	
Pneumonia & influenza (480-487)	488	63	132	1,122	2,059	67.2	84.3	0	119.1	143.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	558	52	205	390	1,558	29.3	49.6	0	102.1	130.6	0	
..COPD-related (490-496)	1,403	149	531	1,123	4,323	79.4	110.7	0	279.1	322.9	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
..Asthma (493)	16	9	13	163	263	13.6	28.0	0	19.9	35.1	0	
Chronic liver disease and cirrhosis (571)	196	119	164	1,848	3,270	106.6	92.2	0	184.5	171.5	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	187	26	67	330	783	18.8	31.6	0	45.3	58.8	0	
..Nephritis-related (580-589)	782	154	346	2,543	4,943	151.0	199.8	0	285.3	352.5	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	218	31	82	433	980	24.6	36.6	0	56.3	68.2	0	
Unintentional injuries (E800-E949)	689	501	556	14,803	20,045	1011.4	995.7	0	1264.2	1237.1	0	
..Motor vehicle accidents (E810-E825)	235	203	215	6,616	8,696	498.7	485.7	0	604.6	588.3	0	
..Falls and fall related injuries (E880-E888)	86	15	30	318	520	21.0	38.6	0	31.9	57.5	0	
..Drowning (E830,E832,E910)	31	27	30	855	1,147	66.9	58.0	0	82.6	70.4	0	
..Residential fires (E890-E899)	20	13	17	469	624	39.1	52.7	0	47.6	63.1	0	
Suicide (E950-E959)	260	208	240	5,550	7,790	368.1	382.6	0	479.1	487.0	0	
Homicide and legal intervention (E960-E978)	119	115	117	4,246	5,466	330.0	453.3	0	389.0	533.5	0	
..Homicide (E960-E969)	119	115	117	4,246	5,406	330.0	453.3	0	389.0	533.5	0	
All injury (E800-E999)	1,079	835	924	24,931	33,683	1729.2	1846.4	0	2156.6	2276.7	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	228	198	209	6,448	8,476	488.3	466.6	0	592.0	566.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	74	17	32	363	590	22.9	44.8	0	34.9	66.1	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	222	187	205	5,935	7,905	436.8	613.4	1	537.0	735.9	1	
....Suicide (E955.0-.4)	128	94	112	2,495	3,535	164.4	216.7	0	216.1	271.3	0	
....Homicide (E965.0-.4)	88	88	88	3,292	4,172	261.3	366.4	0	307.2	429.4	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	229	219	225	5,835	8,050	324.7	260.8	0	419.0	337.4	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	147	108	135	1,750	2,963	99.7	101.6	0	164.5	163.1	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	209	204	207	5,500	7,558	300.7	230.4	0	386.0	295.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1970 U.S. standard population *****

	Female											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
All causes	15,063	2,536	5,027	46,381	83,114	3158.8	3313.8	0	5071.7	5220.8	0	
Infectious diseases and parasitic disease (1-139)	462	204	255	5,379	7,632	307.8	271.2	0	404.8	353.7	0	
..Septicemia (038)	239	26	65	481	899	31.8	41.5	0	52.9	63.6	0	
....Septicemia-related (038)	749	131	264	1,978	3,870	124.7	148.1	0	223.5	239.8	0	
..HIV infection (042-044)	158	156	158	4,264	5,834	226.4	193.3	0	288.7	242.3	0	
All cancer (140-208)	3,511	909	1,826	10,210	23,657	617.2	676.8	0	1345.8	1409.1	0	
..Oral cavity or pharynx (140.0-149.9)	30	5	10	73	150	4.3	5.5	0	8.3	15.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	396	63	155	598	1,668	36.8	30.2	0	95.4	82.0	0	
....Colon cancer (153)	321	47	123	453	1,283	28.1	26.8	0	73.4	70.6	0	
....Rectal cancer (154)	67	14	29	130	343	7.7	3.4	0	19.4	11.4	0	
..Pancreatic cancer (157)	209	46	95	315	973	20.5	14.8	0	58.2	44.6	0	
..Lung and other respiratory cancer (160-165)	795	223	484	2,068	5,540	127.2	134.6	0	318.7	330.1	0	
....Lung cancer (162.2-.9)	780	220	476	2,030	5,440	125.3	132.6	0	313.6	325.1	0	
..Malignant melanoma of skin (172)	38	11	18	103	240	6.1	12.6	0	13.8	21.7	0	
..Female breast cancer (174)	625	224	384	2,815	5,860	160.1	157.4	0	322.1	319.2	0	
..Cervical cancer (180)	38	20	26	385	620	19.7	26.8	0	30.7	44.4	0	
..Endometrial cancer (182)	42	7	25	38	193	2.6	2.9	0	11.2	10.5	0	
..Ovarian cancer (183)	186	53	107	533	1,333	32.9	38.6	0	76.8	80.0	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	46	8	17	60	183	3.5	8.7	0	10.5	17.9	0	
..Brain & other CNS cancer (191-192)	60	25	47	403	763	27.3	36.0	0	46.2	57.8	0	
..Leukemia (204-208)	123	33	57	613	1,043	41.2	54.9	0	63.4	81.9	0	
Diabetes mellitus (250)	341	73	145	728	1,783	43.7	41.2	0	102.2	93.0	0	
..Diabetes-related (250)	1,321	214	501	1,830	5,358	112.0	109.1	0	307.0	285.7	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	2	2	70	90	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	158	4	12	30	100	2.1	2.7	0	6.0	10.3	0	
Cardiovascular disease (390-459)	6,705	514	1,442	6,221	15,591	382.6	377.3	0	873.6	864.9	0	
..Diseases of the heart (390-398,402,404-429)	5,171	417	1,145	4,977	12,512	311.6	306.1	0	709.3	693.2	0	
....Heart disease-related (390-398,402,404-429)	8,635	881	2,189	11,893	26,633	745.7	784.0	0	1518.6	1575.6	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,567	241	759	2,228	7,068	133.8	140.9	0	391.2	386.6	0	
....Congestive heart failure (CHF) (428.0)	335	6	31	112	280	8.0	3.2	0	16.5	13.0	0	
..Hypertension with or without renal disease (401,403)	81	7	24	58	205	3.6	1.3	0	11.5	6.6	0	
....Hypertension-related (401,403)	1,126	91	282	813	2,650	49.7	55.2	0	148.5	141.1	0	
..Cerebrovascular disease (430-438)	1,143	68	210	815	2,115	45.1	56.1	0	111.6	128.0	0	
..Atherosclerosis (440)	103	2	7	20	58	1.2	1.3	0	3.1	4.0	0	
....Atherosclerosis-related (440)	488	15	59	143	483	8.5	10.1	0	26.2	28.7	0	
..Aortic aneurysm (441)	92	4	25	70	183	3.8	2.2	0	8.9	9.9	0	
Pneumonia & influenza (480-487)	621	38	96	529	1,149	37.2	43.7	0	70.6	70.1	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	610	67	198	743	1,980	56.0	40.8	0	123.8	115.2	0	
..COPD-related (490-496)	1,348	128	457	1,255	3,998	86.4	73.2	0	233.1	227.9	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
..Asthma (493)	38	18	26	435	640	35.6	13.8	0	46.8	21.7	0	
Chronic liver disease and cirrhosis (571)	132	46	83	705	1,343	40.7	44.6	0	73.1	77.1	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	182	15	41	223	498	12.0	13.5	0	25.7	29.7	0	
..Nephritis-related (580-589)	745	124	267	1,942	3,860	123.0	101.6	0	222.9	183.4	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	213	21	54	328	695	17.2	19.4	0	35.4	38.7	0	
Unintentional injuries (E800-E949)	398	170	216	4,832	6,722	356.4	360.9	0	451.4	444.6	0	
..Motor vehicle accidents (E810-E825)	117	85	96	2,445	3,342	192.0	195.3	0	239.7	234.9	0	
..Falls and fall related injuries (E880-E888)	110	8	20	180	305	15.0	10.2	0	21.7	16.3	0	
..Drowning (E830,E832,E910)	8	7	8	232	309	
..Residential fires (E890-E899)	14	8	10	317	402	.	37.6	0	.	44.8	.	
Suicide (E950-E959)	64	54	60	1,385	1,955	86.5	79.8	0	113.3	109.5	0	
Homicide and legal intervention (E960-E978)	30	27	29	1,106	1,386	88.8	128.7	0	103.1	149.7	0	
..Homicide (E960-E969)	30	27	29	1,106	1,386	88.8	128.7	0	103.1	149.7	0	
All injury (E800-E999)	497	255	310	7,485	10,272	543.5	573.8	0	681.6	709.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	117	85	96	2,445	3,342	192.0	189.8	0	239.7	228.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	75	8	19	180	303	15.0	11.1	0	21.6	17.9	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	23	29	790	1,050	57.2	83.6	0	69.7	100.1	0	
....Suicide (E955.0-.4)	12	9	12	243	345	.	27.1	0	.	33.8	.	
....Homicide (E965.0-.4)	16	14	16	547	697	44.8	55.1	0	52.6	64.5	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	70	63	65	1,757	2,397	109.4	75.5	0	138.0	101.3	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	46	27	40	383	720	20.5	26.7	0	37.8	44.1	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	62	57	59	1,520	2,100	91.2	75.6	0	116.9	97.1	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
All causes	29,437	6,833	12,575	129,343	224,128	4577.9	4808.9	0	7293.1	7583.3	0	
Infectious diseases and parasitic disease (1-139)	1,180	728	828	17,547	25,267	585.6	555.4	0	788.7	744.7	0	
..Septicemia (038)	426	70	135	1,220	2,193	42.3	35.1	0	70.2	62.7	0	
....Septicemia-related (038)	1,401	294	572	4,665	8,880	165.4	153.4	0	288.6	265.6	0	
...HIV infection (042-044)	599	587	597	14,589	20,509	483.2	467.3	0	636.1	610.3	0	
All cancer (140-208)	7,071	1,840	3,887	20,418	48,636	743.8	798.0	0	1597.4	1684.0	0	
..Oral cavity or pharynx (140.0-149.9)	103	38	69	485	1,013	18.0	17.0	0	34.1	34.1	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	755	159	373	1,518	4,138	55.8	52.4	0	135.3	132.2	0	
....Colon cancer (153)	601	114	288	1,095	3,050	39.6	40.5	0	98.7	103.4	0	
....Rectal cancer (154)	140	42	79	390	1,008	14.9	11.1	0	34.0	27.5	0	
..Pancreatic cancer (157)	368	95	198	778	2,180	29.0	31.5	0	72.3	76.8	0	
..Lung and other respiratory cancer (160-165)	1,907	503	1,181	4,308	12,658	161.3	175.7	0	416.9	440.4	0	
....Lung cancer (162.2-.9)	1,840	480	1,139	4,110	12,123	154.1	169.4	0	399.3	426.2	0	
..Malignant melanoma of skin (172)	92	35	51	443	873	15.4	18.9	0	28.4	34.7	0	
..Female breast cancer (174)	625	224	384	2,815	5,860	
..Cervical cancer (180)	38	20	26	385	620	
..Endometrial cancer (182)	42	7	25	38	193	
..Ovarian cancer (183)	186	53	107	533	1,333	
..Prostate cancer (185)	433	31	134	153	905	
..Bladder cancer (188)	174	24	73	150	618	5.6	7.6	0	19.8	20.9	0	
..Brain & other CNS cancer (191-192)	135	65	109	1,127	1,987	40.8	42.1	0	66.1	68.9	0	
..Leukemia (204-208)	281	80	154	1,547	2,762	56.0	57.0	0	89.1	89.0	0	
Diabetes mellitus (250)	601	132	284	1,370	3,370	49.3	68.2	0	110.1	134.7	0	
..Diabetes-related (250)	2,443	446	1,069	3,850	11,253	141.1	159.2	0	366.5	380.8	0	
..Diabetic ketoacidosis (DKA) (250.1)	9	5	6	133	190	..	7.5	9.6	..	
Alzheimer's diseases (331.0)	240	8	25	50	193	1.9	2.6	0	6.3	10.2	0	
Cardiovascular disease (390-459)	12,374	1,605	3,880	19,039	45,456	688.3	707.6	0	1478.7	1523.7	0	
..Diseases of the heart (390-398,402,404-429)	9,775	1,352	3,180	15,798	37,733	572.5	586.1	0	1230.4	1264.9	0	
....Heart disease-related (390-398,402,404-429)	16,476	2,510	5,675	33,536	73,059	1197.1	1269.7	0	2368.9	2512.1	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	7,028	940	2,321	9,457	25,305	348.0	354.9	0	827.6	845.9	0	
....Congestive heart failure (CHF) (428.0)	531	22	77	277	720	9.9	5.5	0	22.8	18.0	0	
..Hypertension with or without renal disease (401,403)	151	19	55	218	558	7.9	5.3	0	18.1	14.4	0	
....Hypertension-related (401,403)	1,855	254	648	2,395	6,770	89.1	86.0	0	222.3	210.6	0	
..Cerebrovascular disease (430-438)	1,867	171	472	2,154	5,191	76.8	94.3	0	166.6	191.7	0	
..Atherosclerosis (440)	175	8	20	115	235	4.0	2.5	0	7.5	6.0	0	
....Atherosclerosis-related (440)	800	39	146	388	1,240	13.9	13.3	0	39.0	41.9	0	
..Aortic aneurysm (441)	217	21	90	273	785	9.7	6.0	0	24.7	19.6	0	
Pneumonia & influenza (480-487)	1,109	101	228	1,651	3,208	57.7	73.7	0	102.8	120.2	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,168	119	403	1,133	3,538	42.8	49.4	0	114.6	130.0	0	
..COPD-related (490-496)	2,751	277	988	2,378	8,320	87.8	100.9	0	265.0	290.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
..Asthma (493)	54	27	39	598	903	23.0	23.2	0	31.9	31.6	0	
Chronic liver disease and cirrhosis (571)	328	165	247	2,553	4,613	91.2	86.1	0	152.4	147.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	369	41	108	553	1,280	19.2	26.3	0	40.5	49.2	0	
..Nephritis-related (580-589)	1,527	278	613	4,485	8,803	157.2	166.7	0	282.5	290.6	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	431	52	136	760	1,675	26.1	32.6	0	52.6	59.6	0	
Unintentional injuries (E800-E949)	1,087	671	772	19,635	26,767	694.1	676.7	0	877.3	846.2	0	
..Motor vehicle accidents (E810-E825)	352	288	311	9,060	12,038	329.7	314.7	0	405.7	382.9	0	
..Falls and fall related injuries (E880-E888)	196	23	50	498	825	18.3	27.3	0	27.6	40.9	0	
..Drowning (E830,E832,E910)	39	34	38	1,086	1,456	39.2	39.5	0	48.7	47.6	0	
..Residential fires (E890-E899)	34	21	27	786	1,026	28.6	40.4	0	34.5	48.8	0	
Suicide (E950-E959)	324	262	300	6,935	9,745	242.0	240.8	0	315.9	311.4	0	
Homicide and legal intervention (E960-E978)	149	142	146	5,351	6,791	194.6	268.8	0	229.0	316.3	1	
..Homicide (E960-E969)	149	142	146	5,351	6,791	194.6	268.8	0	229.0	316.3	1	
All injury (E800-E999)	1,576	1,090	1,234	32,415	43,955	1147.6	1198.9	0	1442.8	1490.3	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	345	283	305	8,893	11,818	324.0	303.7	0	398.9	370.1	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	149	25	51	543	893	19.7	32.3	0	29.6	47.6	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	251	210	234	6,724	8,954	241.6	327.7	1	297.9	394.6	1	
....Suicide (E955.0-.4)	140	103	124	2,738	3,880	95.4	120.0	0	125.4	151.0	0	
....Homicide (E965.0-.4)	104	102	104	3,839	4,869	141.0	193.3	0	165.7	226.7	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	299	282	290	7,591	10,446	255.1	208.3	0	327.4	270.4	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	193	135	175	2,133	3,683	75.6	81.4	0	121.5	126.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	271	261	266	7,020	9,657	234.8	190.4	0	301.4	243.5	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Male											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
All causes	14,374	4,297	7,548	82,962	141,014	5889.4	6213.6	0	9366.7	9820.9	0	
Infectious diseases and parasitic disease (1-139)	718	524	573	12,168	17,636	820.9	810.5	0	1117.8	1099.0	0	
..Septicemia (038)	187	44	70	739	1,294	51.8	28.9	0	85.5	61.8	0	
....Septicemia-related (038)	652	163	308	2,688	5,010	191.6	152.6	0	333.9	281.6	0	
...HIV infection (042-044)	441	431	439	10,325	14,675	694.7	709.7	0	926.7	939.6	0	
All cancer (140-208)	3,560	931	2,061	10,209	24,979	759.4	810.8	0	1707.1	1818.5	0	
..Oral cavity or pharynx (140.0-149.9)	73	33	59	413	863	31.1	28.3	0	60.0	52.7	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	359	96	218	920	2,470	69.9	69.1	0	170.4	177.0	0	
....Colon cancer (153)	280	67	165	643	1,768	48.1	48.7	0	120.9	130.4	0	
....Rectal cancer (154)	73	28	50	260	665	20.5	18.7	0	47.0	43.9	0	
..Pancreatic cancer (157)	159	49	103	463	1,208	35.3	46.7	0	83.9	107.6	0	
..Lung and other respiratory cancer (160-165)	1,112	280	697	2,240	7,118	173.6	191.4	0	491.8	522.1	0	
....Lung cancer (162.2-.9)	1,060	260	663	2,080	6,683	161.4	181.2	0	461.6	498.7	0	
..Malignant melanoma of skin (172)	54	24	33	340	633	23.5	21.8	0	41.8	43.6	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	433	31	134	153	905	12.0	11.7	0	61.1	60.6	0	
..Bladder cancer (188)	128	16	56	90	435	7.2	6.3	0	29.8	24.3	0	
..Brain & other CNS cancer (191-192)	75	40	62	724	1,224	52.7	47.6	0	83.3	78.3	0	
..Leukemia (204-208)	158	47	97	935	1,660	67.9	61.6	0	111.5	99.2	0	
Diabetes mellitus (250)	260	59	139	643	1,588	48.0	86.8	1	108.9	164.6	0	
..Diabetes-related (250)	1,122	232	568	2,020	5,895	153.6	192.6	0	406.1	452.5	0	
..Diabetic ketoacidosis (DKA) (250.1)	5	3	4	63	100	
Alzheimer's diseases (331.0)	82	4	13	20	93	1.6	2.2	0	6.3	9.6	0	
Cardiovascular disease (390-459)	5,669	1,091	2,438	12,818	29,865	949.2	993.9	0	2039.4	2146.8	0	
..Diseases of the heart (390-398,402,404-429)	4,604	935	2,035	10,822	25,222	803.4	839.0	0	1725.5	1821.8	0	
....Heart disease-related (390-398,402,404-429)	7,841	1,629	3,486	21,644	46,426	1571.2	1684.4	0	3133.9	3378.0	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,461	699	1,562	7,230	18,237	545.9	555.7	0	1257.5	1307.4	0	
....Congestive heart failure (CHF) (428.0)	196	16	46	165	440	12.4	7.7	0	30.1	22.7	0	
....Hypertension with or without renal disease (401,403)	70	12	31	160	353	11.8	9.4	0	24.1	22.4	0	
....Hypertension-related (401,403)	729	163	366	1,583	4,120	121.8	109.0	0	287.7	271.5	0	
..Cerebrovascular disease (430-438)	724	103	262	1,339	3,076	98.0	119.2	0	208.0	238.6	0	
..Atherosclerosis (440)	72	6	13	95	178	6.7	3.2	0	11.8	7.3	0	
....Atherosclerosis-related (440)	312	24	87	245	758	17.8	14.4	0	50.4	53.6	0	
..Aortic aneurysm (441)	125	17	65	203	603	14.8	9.3	0	40.2	29.4	0	
Pneumonia & influenza (480-487)	488	63	132	1,122	2,059	78.5	96.6	0	135.2	162.3	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	558	52	205	390	1,558	29.6	51.2	0	105.0	135.1	0	
..COPD-related (490-496)	1,403	149	531	1,123	4,323	84.6	118.4	0	291.2	339.8	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Male											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
..Asthma (493)	16	9	13	163	263	12.8	27.2	0	19.1	34.7	0	
Chronic liver disease and cirrhosis (571)	196	119	164	1,848	3,270	134.3	116.0	0	222.5	204.8	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	187	26	67	330	783	23.7	35.0	0	52.2	63.8	0	
..Nephritis-related (580-589)	782	154	346	2,543	4,943	179.7	224.1	0	326.6	388.7	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	218	31	82	433	980	30.4	41.5	0	64.6	75.4	0	
Unintentional injuries (E800-E949)	689	501	556	14,803	20,045	1037.7	1010.4	0	1308.5	1267.2	0	
..Motor vehicle accidents (E810-E825)	235	203	215	6,616	8,696	475.0	452.4	0	580.3	552.2	0	
..Falls and fall related injuries (E880-E888)	86	15	30	318	520	23.4	43.2	0	35.5	63.9	0	
..Drowning (E830,E832,E910)	31	27	30	855	1,147	61.5	59.7	0	76.8	73.0	0	
..Residential fires (E890-E899)	20	13	17	469	624	33.5	46.8	0	41.5	56.8	0	
Suicide (E950-E959)	260	208	240	5,550	7,790	389.4	392.4	0	509.5	501.9	0	
Homicide and legal intervention (E960-E978)	119	115	117	4,246	5,466	305.4	412.3	0	361.2	486.3	0	
..Homicide (E960-E969)	119	115	117	4,246	5,406	305.4	412.3	0	361.2	486.3	0	
All injury (E800-E999)	1,079	835	924	24,931	33,683	1755.0	1834.4	0	2207.0	2280.5	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	228	198	209	6,448	8,476	463.8	435.4	0	566.7	532.5	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	74	17	32	363	590	26.2	51.1	0	39.7	74.5	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	222	187	205	5,935	7,905	424.3	568.3	0	525.2	685.6	0	
....Suicide (E955.0-.4)	128	94	112	2,495	3,535	175.2	211.1	0	231.4	266.5	0	
....Homicide (E965.0-.4)	88	88	88	3,292	4,172	238.6	330.7	0	280.6	388.2	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	229	219	225	5,835	8,050	392.5	323.8	0	506.1	417.7	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	147	108	135	1,750	2,963	126.6	128.7	0	200.9	199.3	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	209	204	207	5,500	7,558	368.8	288.6	0	473.4	369.1	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Female											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
All causes	15,063	2,536	5,027	46,381	83,114	3281.9	3421.9	0	5299.1	5436.8	0	
Infectious diseases and parasitic disease (1-139)	462	204	255	5,379	7,632	357.9	308.1	0	471.1	402.7	0	
..Septicemia (038)	239	26	65	481	899	33.2	41.9	0	55.6	65.2	0	
....Septicemia-related (038)	749	131	264	1,978	3,870	139.7	156.0	0	245.7	253.5	0	
...HIV infection (042-044)	158	156	158	4,264	5,834	277.8	231.3	0	354.7	290.8	0	
All cancer (140-208)	3,511	909	1,826	10,210	23,657	726.8	786.3	0	1501.1	1569.1	0	
..Oral cavity or pharynx (140.0-149.9)	30	5	10	73	150	5.3	6.0	0	9.7	16.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	396	63	155	598	1,668	42.2	36.7	0	103.2	91.7	0	
....Colon cancer (153)	321	47	123	453	1,283	31.6	32.8	0	78.7	79.2	0	
....Rectal cancer (154)	67	14	29	130	343	9.5	3.8	0	21.8	12.4	0	
..Pancreatic cancer (157)	209	46	95	315	973	22.9	16.9	0	61.6	48.2	0	
..Lung and other respiratory cancer (160-165)	795	223	484	2,068	5,540	150.1	161.1	0	351.8	368.7	0	
....Lung cancer (162.2-.9)	780	220	476	2,030	5,440	147.6	158.6	0	345.9	362.9	0	
..Malignant melanoma of skin (172)	38	11	18	103	240	7.4	16.3	0	15.5	26.6	0	
..Female breast cancer (174)	625	224	384	2,815	5,860	198.5	195.9	0	374.5	372.4	0	
..Cervical cancer (180)	38	20	26	385	620	25.7	34.1	0	38.4	54.1	0	
..Endometrial cancer (182)	42	7	25	38	193	2.8	3.2	0	11.5	11.1	0	
..Ovarian cancer (183)	186	53	107	533	1,333	38.7	44.6	0	85.3	89.0	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	46	8	17	60	183	4.1	8.9	0	11.2	18.6	0	
..Brain & other CNS cancer (191-192)	60	25	47	403	763	29.0	37.1	0	49.2	60.2	0	
..Leukemia (204-208)	123	33	57	613	1,043	43.9	52.4	0	67.7	79.7	0	
Diabetes mellitus (250)	341	73	145	728	1,783	50.6	50.1	0	111.6	106.0	0	
..Diabetic-related (250)	1,321	214	501	1,830	5,358	129.4	127.4	0	331.6	314.8	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	2	2	70	90	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	158	4	12	30	100	2.3	2.9	0	6.4	10.8	0	
Cardiovascular disease (390-459)	6,705	514	1,442	6,221	15,591	438.7	433.5	0	960.7	949.7	0	
..Diseases of the heart (390-398,402,404-429)	5,171	417	1,145	4,977	12,512	352.1	344.6	0	773.1	752.7	0	
....Heart disease-related (390-398,402,404-429)	8,635	881	2,189	11,893	26,633	836.4	872.1	0	1658.1	1712.6	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,567	241	759	2,228	7,068	159.2	164.3	0	430.9	423.1	0	
....Congestive heart failure (CHF) (428.0)	335	6	31	112	280	7.6	3.5	0	16.3	13.8	0	
..Hypertension with or without renal disease (401,403)	81	7	24	58	205	4.2	1.5	0	12.5	7.0	0	
....Hypertension-related (401,403)	1,126	91	282	813	2,650	58.0	64.7	0	161.4	155.8	0	
..Cerebrovascular disease (430-438)	1,143	68	210	815	2,115	55.9	70.0	0	127.6	147.7	0	
..Atherosclerosis (440)	103	2	7	20	58	1.4	1.9	0	3.5	4.9	0	
....Atherosclerosis-related (440)	488	15	59	143	483	10.0	12.2	0	28.8	32.1	0	
..Aortic aneurysm (441)	92	4	25	70	183	4.9	2.7	0	10.9	10.7	0	
Pneumonia & influenza (480-487)	621	38	96	529	1,149	37.6	51.3	0	72.1	80.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	610	67	198	743	1,980	56.0	47.3	0	125.8	125.4	0	
..COPD-related (490-496)	1,348	128	457	1,255	3,998	91.6	83.5	0	244.1	245.7	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1995
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Female											
	Number of Deaths, 1995				Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance
	All	< 65	< 75	< 65	< 75	1995	1994	Significance	1995	1994	Significance	
*****Causes of Death*****												
..Asthma (493)	38	18	26	435	640	33.5	18.8	0	44.9	28.0	0	
Chronic liver disease and cirrhosis (571)	132	46	83	705	1,343	50.0	57.8	0	85.9	95.0	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	182	15	41	223	498	15.0	17.6	0	29.9	35.2	0	
..Nephritis-related (580-589)	745	124	267	1,942	3,860	135.8	110.7	0	242.1	197.6	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	213	21	54	328	695	21.9	23.8	0	41.8	44.6	0	
Unintentional injuries (E800-E949)	398	170	216	4,832	6,722	348.4	342.3	0	445.8	426.8	0	
..Motor vehicle accidents (E810-E825)	117	85	96	2,445	3,342	181.3	174.7	0	228.2	211.9	0	
..Falls and fall related injuries (E880-E888)	110	8	20	180	305	13.5	11.6	0	20.2	18.4	0	
..Drowning (E830,E832,E910)	8	7	8	232	309	
..Residential fires (E890-E899)	14	8	10	317	402	.	34.0	0	.	40.9	0	
Suicide (E950-E959)	64	54	60	1,385	1,955	93.8	87.7	0	123.2	120.3	0	
Homicide and legal intervention (E960-E978)	30	27	29	1,106	1,386	80.5	120.9	0	93.5	141.4	0	
..Homicide (E960-E969)	30	27	29	1,106	1,386	80.5	120.9	0	93.5	141.4	0	
All injury (E800-E999)	497	255	310	7,485	10,272	534.2	556.9	0	676.1	696.4	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	117	85	96	2,445	3,342	181.3	170.0	0	228.2	206.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	75	8	19	180	303	13.5	13.6	0	20.1	21.4	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-	4	29	23	29	790	1,050	55.5	81.1	0	67.9	97.7	0
...Suicide (E955.0-.4)	12	9	12	243	345	.	27.8	0	.	35.0	0	
....Homicide (E965.0-.4)	16	14	16	547	697	40.3	51.5	0	47.5	60.5	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	70	63	65	1,757	2,397	120.0	94.9	0	152.2	125.9	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-	3,790.3,E860)	46	27	40	383	720	26.5	35.6	0	45.7	56.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-	5,E962.0,E980.0-.5)	62	57	59	1,520	2,100	103.1	94.1	0	132.4	120.5	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).