

**Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
All Residents, 1996-1998**

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, All Residents, 1996-1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, All Residents, 1996-1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female				1989-1991 AAMR	
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****					
	No. of deaths	Crude rate	Significance	AAMR	No. of deaths	Crude rate	Significance	AAMR	No. of deaths	Crude rate	Significance	AAMR		
*****Causes of Death*****														
All causes	88,566	902.7	425.0		1 452.8	42,173	884.9	530.1	1 590.0	46,393	919.5	338.9	0 345.3	
Infectious diseases and parasitic disease (1-139)	2,609	26.6	16.8	0	0 16.5	1,476	31.0	22.6	0 23.5	1,133	22.5	11.5	0 10.0	
..Septicemia (038)	1,147	11.7	4.8		1 5.7	509	10.7	5.7	0 6.8	638	12.6	4.0	0 4.8	
...Septicemia-related (038)	4,238	43.2	19.5		1 21.8	1,948	40.9	23.2	1 26.7	2,290	45.4	16.7	0 18.1	
...HIV infection (042-044)	755	7.7	6.9	1	1 8.5	551	11.6	10.1	1 13.7	204	4.0	3.8	0 3.6	
All cancer (140-208)	21,300	217.1	118.4		1 127.0	10,602	222.5	137.3	1 153.3	10,698	212.0	105.2	0 109.2	
..Oral cavity or pharynx (140.0-149.9)	279	2.8	1.8	1	1 2.8	175	3.7	2.6	1 4.4	104	2.1	1.0	0 1.4	
..Colorectal cancer (153.0-154.3,154.8,159.0)	2,237	22.8	11.1	1	1 13.8	1,068	22.4	13.3	1 17.0	1,169	23.2	9.4	1 11.5	
....Colon cancer (153)	1,841	18.8	9.1	1	1 11.5	866	18.2	10.7	1 14.1	975	19.3	7.8	1 9.8	
....Rectal cancer (154)	362	3.7	1.9	0	0 2.0	186	3.9	2.4	0 2.5	176	3.5	1.5	0 1.6	
...Pancreatic cancer (157)	1,237	12.6	6.7	0	0 6.1	579	12.1	7.8	0 7.6	658	13.0	5.7	0 5.0	
..Lung and other respiratory cancer (160-165)	5,787	59.0	34.4	0	0 36.1	3,233	67.8	43.9	1 50.3	2,554	50.6	27.1	0 25.5	
....Lung cancer (162.2-.9)	5,610	57.2	33.3	0	0 34.9	3,107	65.2	42.1	1 48.3	2,503	49.6	26.5	0 24.9	
..Malignant melanoma of skin (172)	281	2.9	1.7	0	0 1.9	161	3.4	2.3	0 2.4	120	2.4	1.3	0 1.5	
..Female breast cancer (174)	1,796	.-	.1	.-	.-	.-	.-	.-	.-	1,796	35.6	20.0	1 22.6	
..Cervical cancer (180)	127	.-	.1	.-	.-	.-	.-	.-	.-	127	2.5	1.7	0 2.1	
..Endometrial cancer (182)	135	.-	.1	.-	.-	.-	.-	.-	.-	135	2.7	1.2	0 1.3	
..Ovarian cancer (183)	522	.-	.1	.-	.-	.-	.-	.-	.-	522	10.3	5.5	0 6.2	
..Prostate cancer (185)	1,253	.-	.1	.-	.-	1,253	26.3	12.3	1 15.1	.-	.-	.-	.-	
..Bladder cancer (188)	555	5.7	2.4	0	0 2.4	370	7.8	4.1	0 4.0	185	3.7	1.2	0 1.3	
..Brain & other CNS cancer (191-192)	454	4.6	3.1	0	0 3.4	244	5.1	3.8	0 4.2	210	4.2	2.5	0 2.6	
..Leukemia (204-208)	797	8.1	4.6	0	0 4.7	437	9.2	5.8	0 5.8	360	7.1	3.6	0 3.9	
Diabetes mellitus (250)	1,991	20.3	10.0	1	1 8.0	933	19.6	11.7	1 9.2	1,058	21.0	8.7	1 7.0	
..Diabetes-related (250)	7,600	77.5	36.2	0	0 35.6	3,651	76.6	44.2	0 41.9	3,949	78.3	30.0	0 30.8	
..Diabetic ketoacidosis (DKA) (250.1)	39	0.4	0.3	0	0 0.2	23	0.5	0.4	0 0.1	16	0.3	0.1	0 .	
Alzheimer's diseases (331.0)	763	7.8	2.0	0	0 2.1	222	4.7	1.8	0 2.3	541	10.7	2.1	0 1.9	
Cardiovascular disease (390-459)	37,333	380.5	147.3	1	1 165.0	16,747	351.4	189.9	1 221.3	20,586	408.0	112.4	1 121.8	
..Diseases of the heart (390-398,402,404-429)	29,251	298.1	117.9	1	1 134.2	213,582	285.0	156.4	1 185.3	15,669	310.6	86.4	1 94.8	
....Heart disease-related (390-398,402,404-429)	49,091	500.4	204.0	1	1 226.2	22,854	479.5	262.6	1 301.5	26,237	520.0	157.4	1 169.7	
....Coronary heart disease (CHD) (402,410-414,429.2)	20,903	213.1	84.5	1	1 99.0	10,077	211.4	116.5	1 139.7	10,826	214.6	58.4	1 67.5	
....Congestive heart failure (CHF) (428.0)	1,693	17.3	4.9	1	1 4.2	566	11.9	5.0	0 5.1	1,127	22.3	4.8	1 3.6	
..Hypertension with or without renal disease (401,403)	458	4.7	1.8	0	0 1.7	158	3.3	1.8	0 1.9	300	5.9	1.8	0 1.4	
...Hypertension-related (401,403)	6,314	64.4	26.1	1	1 23.3	2,525	53.0	29.7	1 26.0	3,789	75.1	22.7	1 20.7	
..Cerebrovascular disease (430-438)	5,786	59.0	20.4	0	0 21.3	2,132	44.7	22.0	0 23.5	3,654	72.4	18.9	0 19.6	
..Atherosclerosis (440)	553	5.6	1.6	1	1 2.1	202	4.2	1.8	0 2.4	351	7.0	1.4	1 1.9	
...Atherosclerosis-related (440)	2,350	24.0	7.4	1	1 11.5	911	19.1	8.8	1 13.9	1,439	28.5	6.3	1 9.7	
..Aortic aneurysm (441)	680	6.9	2.9	0	0 3.0	400	8.4	4.6	0 4.8	280	5.5	1.7	0 1.7	
Pneumonia & influenza (480-487)	3,609	36.8	11.5	0	0 12.4	1,621	34.0	15.2	0 16.4	1,988	39.4	9.0	0 9.8	

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes						Male						Female					
	*****1996-1998*****			1989-			*****1996-1998*****			1989-			*****1996-1998*****			1989-		
	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance
*****Causes of Death*****																		
Chronic obstructive pulmonary disease (COPD) (490-496)	3,700	37.7	15.9	1	14.5	1,695	35.6	18.0	0	19.1	2,005	39.7	14.8	1	11.8			
..COPD-related (490-496)	8,538	87.0	36.5	1	34.2	4,202	88.2	45.0	0	47.6	4,336	85.9	30.9	1	26.0			
..Asthma (493)	166	1.7	1.1	0	0.8	52	1.1	0.9	0	0.7	114	2.3	1.3	0	0.9			
Chronic liver disease and cirrhosis (571)	882	9.0	6.4	0	7.2	548	11.5	9.0	0	10.1	334	6.6	4.0	0	4.7			
..Nephritis, nephrotic syndrome/nephrosis (580-589)	1,061	10.8	4.4	0	4.3	510	10.7	5.3	0	5.6	551	10.9	3.8	0	3.4			
..Nephritis-related (580-589)	4,710	48.0	21.2	1	25.3	2,480	52.0	27.7	1	34.1	2,230	44.2	16.8	1	19.3			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,265	12.9	5.4	1	4.6	624	13.1	6.7	0	6.0	641	12.7	4.6	1	3.7			
..Unintentional injuries (E800-E949)	3,158	32.2	24.6	1	22.3	2,016	42.3	35.7	0	33.3	1,142	22.6	14.1	1	11.9			
..Motor vehicle accidents (E810-E825)	1,011	10.3	10.2	1	11.8	652	13.7	13.8	1	17.2	359	7.1	6.6	0	6.4			
..Falls and fall related injuries (E880-E888)	619	6.3	2.5	0	2.3	326	6.8	3.8	0	3.3	293	5.8	1.5	0	1.6			
..Drowning (E830,E832,E910)	84	0.9	0.9	0	1.3	70	1.5	1.6	0	2.4	14	0.3	0.3			
..Residential fires (E890-E899)	96	1.0	0.8	0	1.1	52	1.1	1.0	0	1.4	44	0.9	0.7	0	1.0			
Suicide (E950-E959)	835	8.5	7.8	0	8.5	647	13.6	12.5	0	14.2	188	3.7	3.4	0	3.2			
Homicide and legal intervention (E960-E978)	452	4.6	5.4	0	5.9	346	7.3	8.4	0	9.4	106	2.1	2.2	0	2.5			
..Homicide (E960-E969)	445	4.5	5.3	0	5.9	339	7.1	8.3	0	9.4	106	2.1	2.2	0	2.5			
All injury (E800-E999)	4,557	46.4	38.9	0	37.8	3,083	64.7	58.1	0	58.5	1,474	29.2	20.4	0	18.1			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	990	10.1	9.9	1	11.6	637	13.4	13.5	1	16.8	353	7.0	6.5	0	6.3			
..All falls (E880-E886,E888,E957,E968.1,E987)	460	4.7	2.2	0	2.2	268	5.6	3.5	0	3.1	192	3.8	1.2	0	1.4			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	626	6.4	6.9	1	8.4	555	11.6	12.3	1	14.8	71	1.4	1.5	0	2.2			
....Suicide (E955.0-.4)	317	3.2	2.9	1	3.7	289	6.1	5.5	0	6.7	28	0.6	0.5	0	0.9			
....Homicide (E965.0-.4)	289	2.9	3.7	0	4.2	247	5.2	6.4	0	7.2	42	0.8	1.0	0	1.2			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	881	9.0	8.2	1	3.7	639	13.4	12.2	1	5.5	242	4.8	4.4	1	2.0			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	478	4.9	3.9	0	4.6	347	7.3	6.0	0	6.8	131	2.6	2.0	0	2.7			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	768	7.8	7.2	1	2.2	547	11.5	10.6	1	3.0	221	4.4	4.0	1	1.3			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****			
	No. of deaths	Crude rate	Signif-icance	AAMR	No. of deaths	Crude rate	Signif-icance	AAMR	No. of deaths	Crude rate	Signif-icance	AAMR
*****Causes of Death*****												
All causes	88,566	902.7	595.5	1	628.3	42,173	884.9	735.5	1	813.6	46,393	919.5
Infectious diseases and parasitic disease (1-139)	2,609	26.6	19.0	0	18.4	1,476	31.0	25.1	0	25.2	1,133	22.5
..Septicemia (038)	1,147	11.7	7.2	1	8.5	509	10.7	8.6	0	10.0	638	12.6
....Septicemia-related (038)	4,238	43.2	28.0	1	31.0	1,948	40.9	33.4	1	38.0	2,290	45.4
...HIV infection (042-044)	755	7.7	6.0	1	7.2	551	11.6	8.9	1	11.6	204	4.0
All cancer (140-208)	21,300	217.1	157.7	1	167.9	10,602	222.5	188.8	1	208.7	10,698	212.0
..Oral cavity or pharynx (140.0-149.9)	279	2.8	2.2	1	3.4	175	3.7	3.3	1	5.3	104	2.1
..Colorectal cancer (153.0-154.3,154.8,159.0)	2,237	22.8	15.6	1	19.5	1,068	22.4	18.7	1	24.4	1,169	23.2
....Colon cancer (153)	1,841	18.8	12.8	1	16.3	866	18.2	15.2	1	20.3	975	19.3
....Rectal cancer (154)	362	3.7	2.6	0	2.8	186	3.9	3.3	0	3.5	176	3.5
...Pancreatic cancer (157)	1,237	12.6	9.1	0	8.4	579	12.1	10.5	0	10.3	658	13.0
..Lung and other respiratory cancer (160-165)	5,787	59.0	45.1	0	46.2	3,233	67.8	58.9	1	66.6	2,554	56.6
....Lung cancer (162.2-.9)	5,610	57.2	43.6	0	44.6	3,107	65.2	56.5	1	63.9	2,503	49.6
..Malignant melanoma of skin (172)	281	2.9	2.1	0	2.2	161	3.4	2.9	0	2.8	120	2.4
..Female breast cancer (174)	1,796	.-	.-	.-	.-	.-	.-	.-	.-	1,796	35.6	24.5
..Cervical cancer (180)	127	.-	.-	.-	.-	.-	.-	.-	.-	127	2.5	1.8
..Endometrial cancer (182)	135	.-	.-	.-	.-	.-	.-	.-	.-	135	2.7	1.6
..Ovarian cancer (183)	522	.-	.-	.-	.-	.-	.-	.-	.-	522	10.3	7.0
..Prostate cancer (185)	1,253	.-	.-	.-	1,253	26.3	20.6	1	24.2	.-	.-	.-
..Bladder cancer (188)	555	5.7	3.6	0	3.6	370	7.8	6.3	0	6.4	185	3.7
..Brain & other CNS cancer (191-192)	454	4.6	3.7	0	3.9	244	5.1	4.6	0	4.9	210	4.2
..Leukemia (204-208)	797	8.1	5.9	0	6.0	437	9.2	7.8	0	7.5	360	7.1
Diabetes mellitus (250)	1,991	20.3	13.9	1	11.1	933	19.6	16.4	1	12.5	1,058	21.0
..Diabetes-related (250)	7,600	77.5	52.0	0	51.4	3,651	76.6	63.6	0	60.3	3,949	78.3
...Diabetic ketoacidosis (DKA) (250.1)	39	0.4	0.3	0	0.2	23	0.5	0.4	0	0.1	16	0.3
Alzheimer's diseases (331.0)	763	7.8	4.0	0	3.8	222	4.7	3.5	0	4.3	541	10.7
Cardiovascular disease (390-459)	37,333	380.5	229.8	1	255.7	16,747	351.4	285.7	1	333.3	20,586	408.0
..Diseases of the heart (390-398,402,404-429)	29,251	298.1	182.0	1	205.7	113,582	285.0	232.8	1	276.0	15,669	310.6
....Heart disease-related (390-398,402,404-429)	49,091	500.4	309.9	1	341.0	22,854	479.5	390.8	1	447.4	26,237	520.0
....Coronary heart disease (CHD) (402,410-414,429.2)	20,903	213.1	130.5	1	152.8	10,077	211.4	173.1	1	208.6	10,826	214.6
....Congestive heart failure (CHF) (428.0)	1,693	17.3	9.0	1	7.7	566	11.9	9.1	0	9.2	1,127	22.3
..Hypertension with or without renal disease (401,403)	458	4.7	2.8	0	2.6	158	3.3	2.7	0	2.9	300	5.9
....Hypertension-related (401,403)	6,314	64.4	40.1	1	35.2	2,525	53.0	43.8	1	37.5	3,789	75.1
..Cerebrovascular disease (430-438)	5,786	59.0	33.7	0	35.0	2,132	44.7	35.4	0	37.9	3,654	72.4
..Atherosclerosis (440)	553	5.6	2.9	1	3.9	202	4.2	3.2	0	4.2	351	7.0
....Atherosclerosis-related (440)	2,350	24.0	13.1	1	20.8	911	19.1	14.9	1	24.2	1,439	28.5
..Aortic aneurysm (441)	680	6.9	4.4	0	4.5	400	8.4	6.8	0	7.2	280	5.5
Pneumonia & influenza (480-487)	3,609	36.8	20.0	1	21.7	1,621	34.0	26.3	0	28.5	1,988	39.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes						Male						Female					
	*****1996-1998*****			1989-			*****1996-1998*****			1989-			*****1996-1998*****			1989-		
	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance
*****Causes of Death*****																		
Chronic obstructive pulmonary disease (COPD) (490-496)	3,700	37.7	24.1	1	21.8	1,695	35.6	28.4	0	30.2	2,005	39.7	21.9	1	17.2			
..COPD-related (490-496)	8,538	87.0	55.5	1	51.6	4,202	88.2	70.7	1	75.5	4,336	85.9	46.3	1	38.3			
..Asthma (493)	166	1.7	1.3	0	1.0	52	1.1	1.0	0	0.9	114	2.3	1.6	0	1.2			
Chronic liver disease and cirrhosis (571)	882	9.0	7.3	0	8.2	548	11.5	10.1	0	11.4	334	6.6	4.8	0	5.4			
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,061	10.8	6.7	0	6.4	510	10.7	8.5	0	8.6	551	10.9	5.7	0	5.1			
..Nephritis-related (580-589)	4,710	48.0	30.9	1	36.5	2,480	52.0	41.8	1	50.6	2,230	44.2	24.1	1	27.9			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,265	12.9	8.1	1	7.0	624	13.1	10.4	0	9.3	641	12.7	6.7	1	5.6			
Unintentional injuries (E800-E949)	3,158	32.2	25.9	1	23.9	2,016	42.3	37.2	0	35.1	1,142	22.6	15.9	1	13.7			
..Motor vehicle accidents (E810-E825)	1,011	10.3	10.0	1	11.4	652	13.7	13.4	1	16.5	359	7.1	6.7	0	6.4			
..Falls and fall related injuries (E880-E888)	619	6.3	3.8	0	3.6	326	6.8	5.5	0	4.8	293	5.8	2.5	0	2.7			
..Drowning (E830,E832,E910)	84	0.9	0.9	1	1.3	70	1.5	1.5	0	2.4	14	0.3	0.4			
..Residential fires (E890-E899)	96	1.0	0.9	0	1.2	52	1.1	1.0	0	1.5	44	0.9	0.8	0	1.0			
Suicide (E950-E959)	835	8.5	7.4	0	8.2	647	13.6	12.0	0	13.8	188	3.7	3.2	0	3.1			
Homicide and legal intervention (E960-E978)	452	4.6	4.9	0	5.5	346	7.3	7.7	0	8.7	106	2.1	2.1	0	2.3			
..Homicide (E960-E969)	445	4.5	4.9	0	5.5	339	7.1	7.6	0	8.7	106	2.1	2.1	0	2.3			
All injury (E800-E999)	4,557	46.4	39.2	0	38.4	3,083	64.7	58.2	0	59.0	1,474	29.2	21.8	0	19.5			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	990	10.1	9.8	1	11.2	637	13.4	13.1	1	16.2	353	7.0	6.6	0	6.3			
..All falls (E880-E886,E888,E957,E968.1,E987)	460	4.7	3.0	0	3.1	268	5.6	4.6	0	4.2	192	3.8	1.8	0	2.3			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	626	6.4	6.4	1	7.9	555	11.6	11.5	1	14.1	71	1.4	1.4	0	1.9			
....Suicide (E955.0-.4)	317	3.2	2.8	1	3.5	289	6.1	5.4	0	6.6	28	0.6	0.5	0	0.8			
....Homicide (E965.0-.4)	289	2.9	3.3	0	3.9	247	5.2	5.7	0	6.6	42	0.8	0.9	0	1.1			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	881	9.0	7.2	1	3.4	639	13.4	10.7	1	5.0	242	4.8	3.9	1	1.9			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	478	4.9	4.1	0	4.8	347	7.3	6.3	0	7.2	131	2.6	2.1	0	2.8			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	768	7.8	6.2	1	1.9	547	11.5	9.0	1	2.6	221	4.4	3.5	1	1.3			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1989-1991 AAMR	
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****					
	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR		
*****Causes of Death*****														
All causes	88,566	902.7	815.1	852.0	42,173	884.9	999.0	1097.6	46,393	919.5	684.3	688.2		
Infectious diseases and parasitic disease (1-139)	2,609	26.6	24.6	24.6	0	24.6	1,476	31.0	32.4	0	33.2	1,133	22.5	
..Septicemia (038)	1,147	11.7	10.4	11	12.3	509	10.7	12.4	0	14.5	638	12.6	9.1	
....Septicemia-related (038)	4,238	43.2	38.8	43.5	1	1,948	40.9	46.6	1	53.1	2,290	45.4	33.8	
...HIV infection (042-044)	755	7.7	7.4	8.9	1	551	11.6	11.0	1	14.4	204	4.0	3.9	
All cancer (140-208)	21,300	217.1	199.0	208.6	10,602	222.5	243.8	267.2	10,698	212.0	171.9	174.4		
..Oral cavity or pharynx (140.0-149.9)	279	2.8	2.7	3.9	175	3.7	3.9	6.2	104	2.1	1.7	2.2		
..Colorectal cancer (153.0-154.3,154.8,159.0)	2,237	22.8	20.6	25.9	1,068	22.4	24.8	32.6	1,169	23.2	17.8	21.8		
....Colon cancer (153)	1,841	18.8	16.9	21.7	866	18.2	20.1	27.2	975	19.3	14.8	18.4		
....Rectal cancer (154)	362	3.7	3.4	3.7	186	3.9	4.3	4.6	176	3.5	2.7	3.1		
...Pancreatic cancer (157)	1,237	12.6	11.5	10.6	579	12.1	13.0	13.0	658	13.0	10.2	9.0		
..Lung and other respiratory cancer (160-165)	5,787	59.0	54.4	54.8	3,233	67.8	72.7	81.6	2,554	56.6	42.0	37.4		
....Lung cancer (162.2-.9)	5,610	57.2	52.7	52.9	3,107	65.2	69.9	78.3	2,503	49.6	41.2	36.4		
..Malignant melanoma of skin (172)	281	2.9	2.7	2.6	161	3.4	3.6	3.4	120	2.4	2.0	2.0		
..Female breast cancer (174)	1,796	.-	.-	.-	.-	.-	.-	1,796	35.6	30.0	33.3			
..Cervical cancer (180)	127	.-	.-	.-	.-	.-	.-	127	2.5	2.2	2.8			
..Endometrial cancer (182)	135	.-	.-	.-	.-	.-	.-	135	2.7	2.1	2.2			
..Ovarian cancer (183)	522	.-	.-	.-	.-	.-	.-	522	10.3	8.6	9.2			
..Prostate cancer (185)	1,253	.-	.-	.-	1,253	26.3	31.0	34.9	.-	.-	.-	.-		
..Bladder cancer (188)	555	5.7	5.0	5.0	370	7.8	8.9	9.1	185	3.7	2.7	2.7		
..Brain & other CNS cancer (191-192)	454	4.6	4.4	4.5	244	5.1	5.4	5.7	210	4.2	3.6	3.5		
..Leukemia (204-208)	797	8.1	7.5	7.4	437	9.2	10.0	9.4	360	7.1	5.8	6.1		
Diabetes mellitus (250)	1,991	20.3	18.4	14.8	933	19.6	21.8	16.1	1,058	21.0	16.2	13.5		
..Diabetes-related (250)	7,600	77.5	69.8	69.3	3,651	76.6	85.4	81.0	3,949	78.3	59.1	61.5		
..Diabetic ketoacidosis (DKA) (250.1)	39	0.4	0.4	0.2	23	0.5	0.5	0	16	0.3	0.3	0		
Alzheimer's diseases (331.0)	763	7.8	6.7	6.2	222	4.7	5.9	7.0	541	10.7	7.1	5.8		
Cardiovascular disease (390-459)	37,333	380.5	338.1	372.9	16,747	351.4	406.6	472.9	20,586	408.0	285.7	304.7		
..Diseases of the heart (390-398,402,404-429)	29,251	298.1	265.4	296.7	113,582	285.0	328.5	387.8	15,669	310.6	217.8	234.9		
....Heart disease-related (390-398,402,404-429)	49,091	500.4	446.2	487.1	22,854	479.5	552.1	629.3	26,237	520.0	371.1	394.2		
....Coronary heart disease (CHD) (402,410-414,429.2)	20,903	213.1	189.7	221.0	10,077	211.4	243.0	292.6	10,826	214.6	150.0	172.1		
....Congestive heart failure (CHF) (428.0)	1,693	17.3	15.0	12.7	566	11.9	14.8	14.8	1,127	22.3	14.9	11.4		
..Hypertension with or without renal disease (401,403)	458	4.7	4.2	3.7	158	3.3	3.9	4.0	300	5.9	4.2	3.5		
....Hypertension-related (401,403)	6,314	64.4	57.4	49.7	2,525	53.0	60.2	50.9	3,789	75.1	53.7	47.4		
..Cerebrovascular disease (430-438)	5,786	59.0	51.9	54.0	2,132	44.7	53.0	57.4	3,654	72.4	50.3	51.3		
..Atherosclerosis (440)	553	5.6	4.9	6.6	202	4.2	5.3	6.8	351	7.0	4.6	6.3		
....Atherosclerosis-related (440)	2,350	24.0	20.9	33.7	911	19.1	23.1	37.8	1,439	28.5	19.2	30.8		
..Aortic aneurysm (441)	680	6.9	6.1	6.2	400	8.4	9.5	9.8	280	5.5	4.0	4.0		
Pneumonia & influenza (480-487)	3,609	36.8	32.2	35.2	1,621	34.0	42.2	45.9	1,988	39.4	26.6	29.6		

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1989- 1991	
	*****1996-1998*****				*****1996-1998*****				*****1996-1998*****					
	No. of deaths	Crude rate	Signif- icance	AAMR	No. of deaths	Crude rate	Signif- icance	AAMR	No. of deaths	Crude rate	Signif- icance	AAMR		
*****Causes of Death*****														
Chronic obstructive pulmonary disease (COPD) (490-496)	3,700	37.7	33.5	1	29.7	1,695	35.6	41.0	0	43.2	2,005	39.7	29.9	1 23.0
..COPD-related (490-496)	8,538	87.0	77.4	1	71.1	4,202	88.2	101.4	1	108.6	4,336	85.9	64.1	1 51.7
..Asthma (493)	166	1.7	1.6	0	1.3	52	1.1	1.2	0	1.1	114	2.3	1.9	0 1.5
Chronic liver disease and cirrhosis (571)	882	9.0	8.6	0	9.6	548	11.5	11.9	0	13.4	334	6.6	5.7	0 6.4
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,061	10.8	9.6	0	9.1	510	10.7	12.7	0	12.6	551	10.9	8.0	0 7.2
..Nephritis-related (580-589)	4,710	48.0	43.1	1	50.4	2,480	52.0	60.1	1	71.8	2,230	44.2	33.2	1 38.4
End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,265	12.9	11.5	1	9.9	624	13.1	15.4	0	13.7	641	12.7	9.4	1 7.9
Unintentional injuries (E800-E949)	3,158	32.2	30.7	1	27.0	2,016	42.3	44.3	1	39.5	1,142	22.6	19.1	1 16.3
..Motor vehicle accidents (E810-E825)	1,011	10.3	10.3	0	11.4	652	13.7	13.9	1	16.4	359	7.1	6.9	0 6.5
..Falls and fall related injuries (E880-E888)	619	6.3	5.6	0	5.4	326	6.8	8.0	0	6.9	293	5.8	4.0	0 4.4
..Drowning (E830,E832,E910)	84	0.9	0.9	1	1.4	70	1.5	1.5	1	2.4	14	0.3	. .	0 0.4
..Residential fires (E890-E899)	96	1.0	1.0	0	1.3	52	1.1	1.1	0	1.6	44	0.9	0.8	0 1.0
Suicide (E950-E959)	835	8.5	8.3	0	9.0	647	13.6	13.6	0	15.5	188	3.7	3.6	0 3.5
Homicide and legal intervention (E960-E978)	452	4.6	4.8	0	5.4	346	7.3	7.4	0	8.4	106	2.1	2.1	0 2.4
..Homicide (E960-E969)	445	4.5	4.7	0	5.3	339	7.1	7.2	0	8.4	106	2.1	2.1	0 2.3
All injury (E800-E999)	4,557	46.4	44.9	0	42.4	3,083	64.7	66.8	0	65.0	1,474	29.2	25.6	1 22.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	990	10.1	10.1	0	11.2	637	13.4	13.6	1	16.0	353	7.0	6.8	0 6.5
..All falls (E880-E886,E888,E957,E968.1,E987)	460	4.7	4.2	0	4.5	268	5.6	6.3	0	5.8	192	3.8	2.7	1 3.6
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	626	6.4	6.5	1	8.0	555	11.6	11.8	1	14.3	71	1.4	1.5	0 2.1
....Suicide (E955.0-.4)	317	3.2	3.1	0	3.9	289	6.1	6.1	0	7.3	28	0.6	0.6	0 0.9
....Homicide (E965.0-.4)	289	2.9	3.1	0	3.7	247	5.2	5.3	0	6.2	42	0.8	0.9	0 1.1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	881	9.0	8.7	1	4.0	639	13.4	12.9	1	5.9	242	4.8	4.6	1 2.2
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	478	4.9	4.7	0	5.6	347	7.3	7.4	0	8.4	131	2.6	2.4	0 3.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	768	7.8	7.5	1	2.3	547	11.5	10.9	1	3.3	221	4.4	4.2	1 1.5

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
All causes	88,566	19,051	35,399	345,344	610,254	3978.7	4490.7	1	6245.1	6932.4	1	
Infectious diseases and parasitic disease (1-139)	2,609	1,285	1,614	29,122	43,549	307.2	333.9	0	427.6	449.6	0	
..Septicemia (038)	1,147	173	353	2,593	5,168	27.8	45.1	1	49.5	70.8	1	
....Septicemia-related (038)	4,238	803	1,620	11,878	23,600	128.6	173.6	1	227.8	284.1	1	
..HIV infection (042-044)	755	742	754	18,110	25,610	183.3	247.0	1	244.6	321.5	1	
All cancer (140-208)	21,300	5,537	11,315	62,226	144,516	644.3	718.1	1	1347.8	1491.8	1	
..Oral cavity or pharynx (140.0-149.9)	279	102	180	955	2,360	9.8	17.8	1	22.1	38.2	1	
..Colorectal cancer (153.0-154.3,154.8,159.0)	2,237	430	1,014	4,455	11,475	44.7	51.6	0	103.9	122.0	0	
....Colon cancer (153)	1,841	344	819	3,500	9,198	35.0	42.8	0	83.0	101.7	1	
....Rectal cancer (154)	362	81	183	908	2,153	9.3	8.5	0	19.8	19.3	0	
..Pancreatic cancer (157)	1,237	274	642	2,660	7,120	26.5	21.6	0	64.2	56.0	0	
..Lung and other respiratory cancer (160-165)	5,787	1,584	3,465	13,490	38,243	135.1	162.0	1	347.7	396.3	1	
....Lung cancer (162.2-.9)	5,610	1,518	3,348	12,925	36,755	129.5	155.5	1	334.0	382.0	1	
..Malignant melanoma of skin (172)	281	104	171	1,510	2,873	15.2	19.2	0	26.7	33.1	0	
..Female breast cancer (174)	1,796	666	1,093	8,130	16,798	
..Cervical cancer (180)	127	71	91	1,243	2,063	
..Endometrial cancer (182)	135	24	59	220	628	
..Ovarian cancer (183)	522	156	302	1,630	3,875	
..Prostate cancer (185)	1,253	83	342	468	2,485	
..Bladder cancer (188)	555	65	192	523	1,730	5.2	5.3	0	15.3	15.5	0	
..Brain & other CNS cancer (191-192)	454	200	318	3,391	5,961	37.6	43.9	0	59.9	68.7	0	
..Leukemia (204-208)	797	225	416	4,255	7,362	50.1	62.3	0	76.9	91.6	0	
Diabetes mellitus (250)	1,991	431	903	4,393	10,918	43.9	38.7	0	99.6	81.5	1	
..Diabetes-related (250)	7,600	1,322	3,126	12,487	33,977	126.6	118.2	0	308.9	290.9	0	
..Diabetic ketoacidosis (DKA) (250.1)	39	19	26	373	585	3.8	2.6	0	5.5	3.7	0	
Alzheimer's diseases (331.0)	763	12	75	85	463	0.8	0.9	0	3.8	4.9	0	
Cardiovascular disease (390-459)	37,333	4,749	10,902	54,898	129,960	572.5	609.0	0	1205.7	1318.9	1	
..Diseases of the heart (390-398,402,404-429)	29,251	3,974	8,916	45,170	107,235	471.7	499.7	0	997.3	1097.4	1	
....Heart disease-related (390-398,402,404-429)	49,091	7,089	15,749	88,123	197,993	933.7	1052.2	1	1862.3	2086.5	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	20,903	2,808	6,451	28,160	72,743	282.0	302.5	0	659.0	736.8	1	
....Congestive heart failure (CHF) (428.0)	1,693	64	245	592	1,965	6.2	8.1	0	17.3	17.3	0	
....Hypertension with or without renal disease (401,403)	458	63	134	700	1,647	7.2	5.5	0	15.2	12.3	0	
....Hypertension-related (401,403)	6,314	832	2,002	7,402	20,937	74.6	74.8	0	189.4	178.4	0	
..Cerebrovascular disease (430-438)	5,786	520	1,302	6,716	15,271	69.8	76.9	0	140.7	151.2	0	
..Atherosclerosis (440)	553	24	85	300	803	2.9	3.7	0	6.8	9.2	0	
....Atherosclerosis-related (440)	2,350	132	426	1,232	3,872	12.6	12.4	0	34.3	41.7	0	
..Aortic aneurysm (441)	680	67	241	728	2,178	7.3	8.1	0	19.0	20.4	0	
Pneumonia & influenza (480-487)	3,609	281	649	4,532	8,927	49.9	56.3	0	86.6	93.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	3,700	376	1,283	3,759	11,537	40.8	32.9	0	104.5	92.5	0	
..COPD-related (490-496)	8,538	891	2,906	8,297	26,039	87.4	71.9	0	233.4	210.3	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
..Asthma (493)	166	83	106	1,630	2,552	18.7	10.1	0	26.9	15.6	0	
Chronic liver disease and cirrhosis (571)	882	467	682	6,680	12,402	65.5	74.0	0	114.2	129.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,061	143	338	2,046	4,313	22.5	21.2	0	41.5	41.0	0	
..Nephritis-related (580-589)	4,710	812	1,746	10,920	23,105	114.0	139.0	1	216.3	261.3	1	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,265	186	429	2,792	5,695	30.5	22.0	0	54.7	43.2	0	
Unintentional injuries (E800-E949)	3,158	1,881	2,186	54,418	74,610	682.2	683.7	0	865.1	847.3	0	
..Motor vehicle accidents (E810-E825)	1,011	788	877	25,112	33,410	341.4	431.6	1	421.5	523.7	1	
..Falls and fall related injuries (E880-E888)	619	94	178	2,022	3,352	24.0	22.9	0	35.4	33.3	0	
..Drowning (E830,E832,E910)	84	73	77	2,718	3,468	36.8	49.0	0	44.0	59.5	0	
..Residential fires (E890-E899)	96	66	80	2,024	2,749	25.1	39.6	0	31.5	48.1	0	
Suicide (E950-E959)	835	687	755	18,178	25,408	219.4	240.5	0	284.3	310.6	0	
Homicide and legal intervention (E960-E978)	452	426	444	15,158	19,523	212.3	231.1	0	255.9	279.1	0	
..Homicide (E960-E969)	445	419	437	14,916	19,211	208.9	230.8	0	251.8	278.8	0	
All injury (E800-E999)	4,557	3,100	3,495	90,597	123,470	1145.2	1188.1	0	1445.9	1478.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	990	770	859	24,547	32,670	333.9	427.3	1	412.4	518.0	1	
..All falls (E880-E886,E888,E957,E968.1,E987)	460	106	175	2,302	3,685	27.2	26.2	0	39.1	37.5	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	626	559	593	17,777	23,542	242.7	300.3	1	299.2	368.6	1	
...Suicide (E955.0-.4)	317	253	284	6,673	9,355	80.9	108.0	1	105.0	138.3	1	
...Homicide (E965.0-.4)	289	286	289	10,489	13,372	153.4	173.0	0	183.7	207.2	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	881	818	847	21,349	29,682	233.5	100.3	1	304.1	131.4	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	478	350	432	5,545	9,490	53.4	64.7	0	86.9	104.2	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	768	733	746	19,627	27,009	214.5	61.8	1	276.9	80.1	1	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
All causes	42,173	11,717	20,815	217,687	377,037	5044.6	5831.4	1	7897.0	9009.0	1	
Infectious diseases and parasitic disease (1-139)	1,476	889	1,069	19,796	29,546	412.3	484.4	1	578.2	656.8	0	
..Septicemia (038)	509	102	202	1,466	2,941	31.8	51.3	0	58.0	82.2	0	
....Septicemia-related (038)	1,948	454	896	6,812	13,352	147.1	203.5	1	262.8	338.6	1	
...HIV infection (042-044)	551	539	550	12,719	18,186	255.1	377.2	1	345.4	497.5	1	
All cancer (140-208)	10,602	2,758	5,855	30,079	72,322	645.0	728.6	1	1407.4	1594.2	1	
..Oral cavity or pharynx (140.0-149.9)	175	76	123	780	1,793	16.4	28.1	1	35.1	60.4	1	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,068	241	559	2,518	6,438	51.8	56.7	0	121.7	139.4	0	
....Colon cancer (153)	866	187	442	1,883	5,015	38.7	44.3	0	94.7	112.6	0	
....Rectal cancer (154)	186	52	113	620	1,378	12.7	11.8	0	26.1	25.0	0	
..Pancreatic cancer (157)	579	158	350	1,475	4,025	30.0	27.1	0	76.0	70.8	0	
..Lung and other respiratory cancer (160-165)	3,233	895	2,001	7,513	21,698	155.3	199.6	1	412.7	503.5	1	
....Lung cancer (162.2-.9)	3,107	848	1,915	7,115	20,633	147.0	190.5	1	392.1	482.6	1	
..Malignant melanoma of skin (172)	161	61	107	873	1,718	18.2	23.1	0	33.2	39.8	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	1,253	83	342	468	2,485	10.0	12.3	0	45.4	60.3	1	
..Bladder cancer (188)	370	53	140	438	1,360	9.0	6.1	0	25.5	21.2	0	
..Brain & other CNS cancer (191-192)	244	121	178	2,100	3,617	47.5	55.5	0	75.0	87.1	0	
..Leukemia (204-208)	437	122	246	2,207	4,007	52.6	69.5	0	84.9	104.5	0	
Diabetes mellitus (250)	933	233	481	2,478	5,993	50.7	48.0	0	113.8	99.6	0	
..Diabetes-related (250)	3,651	778	1,741	7,512	19,775	154.7	143.5	0	375.3	347.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	23	14	18	275	430	5.8	0	0	8.5	0	0	
Alzheimer's diseases (331.0)	222	5	32	33	220	0.6	1.0	0	3.8	5.5	0	
Cardiovascular disease (390-459)	16,747	3,239	6,891	37,048	86,188	780.0	854.5	0	1659.8	1862.3	1	
..Diseases of the heart (390-398,402,404-429)	13,582	2,775	5,782	31,458	73,125	662.7	730.7	0	1410.3	1604.7	1	
....Heart disease-related (390-398,402,404-429)	22,854	4,594	9,664	57,426	126,761	1226.4	1381.9	1	2464.4	2791.6	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	10,077	2,061	4,359	21,263	52,553	435.6	473.4	0	997.2	1131.3	1	
....Congestive heart failure (CHF) (428.0)	566	28	113	210	858	4.4	10.5	0	15.6	22.2	0	
..Hypertension with or without renal disease (401,403)	158	36	66	385	885	8.0	7.7	0	17.1	17.3	0	
....Hypertension-related (401,403)	2,525	518	1,125	4,665	12,653	96.7	100.7	0	241.4	231.1	0	
..Cerebrovascular disease (430-438)	2,132	294	684	3,628	8,238	76.9	84.1	0	158.5	166.3	0	
..Atherosclerosis (440)	202	14	49	215	508	4.2	2.8	0	9.0	9.2	0	
....Atherosclerosis-related (440)	911	78	254	857	2,457	18.0	13.3	0	45.8	50.7	0	
..Aortic aneurysm (441)	400	56	178	590	1,715	12.2	11.8	0	31.9	31.3	0	
Pneumonia & influenza (480-487)	1,621	175	399	2,971	5,686	65.5	63.2	0	112.8	113.5	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,695	168	613	1,752	5,460	39.5	34.0	0	104.2	101.0	0	
..COPD-related (490-496)	4,202	448	1,555	3,997	13,360	87.4	82.0	0	251.6	247.3	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1940 U.S. standard population *****

	Male											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
..Asthma (493)	52	33	39	733	1,088	18.1	11.8	0	24.7	16.7	0	
Chronic liver disease and cirrhosis (571)	548	336	462	4,837	8,817	96.3	105.7	0	166.8	184.8	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	510	78	174	1,139	2,289	25.5	28.0	0	45.8	52.3	0	
..Nephritis-related (580-589)	2,480	469	978	6,404	13,316	134.5	176.6	1	256.4	329.4	1	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	624	102	223	1,516	3,024	33.5	28.5	0	60.1	54.6	0	
Unintentional injuries (E800-E949)	2,016	1,385	1,564	40,115	54,812	993.0	1029.3	0	1261.7	1276.9	0	
..Motor vehicle accidents (E810-E825)	652	538	586	17,240	22,855	463.7	636.2	1	572.9	771.6	1	
..Falls and fall related injuries (E880-E888)	326	76	129	1,640	2,658	39.5	39.0	0	57.8	55.4	0	
..Drowning (E830,E832,E910)	70	64	66	2,381	3,031	63.4	83.9	0	75.8	102.9	0	
..Residential fires (E890-E899)	52	37	45	1,067	1,477	26.2	45.7	0	33.6	55.5	0	
Suicide (E950-E959)	647	535	585	14,273	19,883	346.4	397.5	0	448.9	512.0	0	
Homicide and legal intervention (E960-E978)	346	327	343	11,886	15,251	335.7	366.0	0	404.0	442.1	0	
..Homicide (E960-E969)	339	320	336	11,643	14,938	328.8	366.0	0	395.8	442.1	0	
All injury (E800-E999)	3,083	2,316	2,564	68,174	92,554	1717.3	1845.4	0	2168.9	2297.4	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	637	522	572	16,710	22,175	449.8	628.2	1	556.1	761.0	1	
..All falls (E880-E886,E888,E957,E968.1,E987)	268	84	134	1,815	2,895	43.1	44.2	0	62.6	61.6	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	555	490	523	15,749	20,817	427.9	522.3	1	527.8	641.4	1	
....Suicide (E955.0-.4)	289	226	257	6,040	8,453	147.1	188.8	0	191.3	242.7	0	
....Homicide (E965.0-.4)	247	245	247	9,122	11,587	264.5	298.3	0	316.3	356.6	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	639	601	618	15,885	21,982	348.8	152.9	1	453.2	198.8	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	347	264	315	4,210	7,113	82.8	92.2	0	133.8	149.3	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	547	533	538	14,505	19,847	318.3	89.8	1	409.2	115.4	1	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
All causes	46,393	7,334	14,584	127,657	233,217	2914.1	3157.4	1	4635.7	4926.2	1	
Infectious diseases and parasitic disease (1-139)	1,133	396	545	9,326	14,064	204.6	187.2	0	281.5	248.6	0	
..Septicemia (038)	638	71	151	1,127	2,227	24.0	39.3	0	41.6	60.4	0	
....Septicemia-related (038)	2,290	349	724	5,066	10,248	111.0	144.9	0	195.2	233.3	0	
...HIV infection (042-044)	204	203	204	5,392	7,424	113.7	120.2	0	147.0	150.6	0	
All cancer (140-208)	10,698	2,779	5,460	32,147	72,194	642.5	708.2	0	1295.8	1404.9	1	
..Oral cavity or pharynx (140.0-149.9)	104	26	57	175	568	3.4	8.0	0	9.9	17.7	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,169	189	455	1,938	5,038	38.0	46.6	0	87.6	106.7	0	
....Colon cancer (153)	975	157	377	1,618	4,183	31.4	41.4	0	72.4	92.5	0	
....Rectal cancer (154)	176	29	70	288	775	5.9	5.2	0	13.8	13.9	0	
..Pancreatic cancer (157)	658	116	292	1,185	3,095	23.2	16.5	0	53.5	42.6	0	
..Lung and other respiratory cancer (160-165)	2,554	689	1,464	5,978	16,545	116.1	126.7	0	289.0	300.2	0	
....Lung cancer (162.2-.9)	2,503	670	1,433	5,810	16,123	112.9	122.7	0	281.5	291.9	0	
..Malignant melanoma of skin (172)	120	43	64	638	1,155	12.2	15.5	0	20.7	26.9	0	
..Female breast cancer (174)	1,796	666	1,093	8,130	16,798	154.8	186.9	1	297.2	349.2	1	
..Cervical cancer (180)	127	71	91	1,243	2,063	24.6	29.0	0	38.1	45.0	0	
..Endometrial cancer (182)	135	24	59	220	628	4.2	3.2	0	10.7	11.0	0	
..Ovarian cancer (183)	522	156	302	1,630	3,875	31.8	42.1	0	68.7	85.4	0	
..Prostate cancer (185)	
..Bladder cancer (188)	185	12	52	85	370	1.6	4.5	0	5.9	10.6	0	
..Brain & other CNS cancer (191-192)	210	79	140	1,292	2,344	27.8	32.6	0	45.0	51.1	0	
..Leukemia (204-208)	360	103	170	2,048	3,355	47.9	55.1	0	69.7	79.4	0	
Diabetes mellitus (250)	1,058	198	422	1,915	4,925	37.3	29.8	0	86.3	64.6	1	
..Diabetes-related (250)	3,949	544	1,385	4,975	14,203	99.7	94.2	0	247.6	239.5	0	
..Diabetic ketoacidosis (DKA) (250.1)	16	5	8	98	155	1.8	.	0	2.6	.	0	
Alzheimer's diseases (331.0)	541	7	43	53	243	1.1	0.7	0	3.8	4.5	0	
Cardiovascular disease (390-459)	20,586	1,510	4,011	17,850	43,773	373.7	375.2	0	783.3	820.7	0	
..Diseases of the heart (390-398,402,404-429)	15,669	1,199	3,134	13,713	34,110	288.7	279.8	0	612.7	631.8	0	
....Heart disease-related (390-398,402,404-429)	26,237	2,495	6,085	30,697	71,232	650.7	737.6	1	1298.4	1438.3	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	10,826	747	2,092	6,898	20,190	135.3	141.2	0	344.8	377.0	0	
....Congestive heart failure (CHF) (428.0)	1,127	36	132	382	1,107	8.0	5.7	0	19.0	12.7	0	
..Hypertension with or without renal disease (401,403)	300	27	68	315	762	6.5	3.5	0	13.6	7.7	0	
....Hypertension-related (401,403)	3,789	314	877	2,737	8,285	53.7	50.0	0	141.3	129.5	0	
..Cerebrovascular disease (430-438)	3,654	226	618	3,088	7,033	62.9	69.7	0	124.0	137.3	0	
..Atherosclerosis (440)	351	10	36	85	295	1.6	4.7	0	4.8	9.4	0	
....Atherosclerosis-related (440)	1,439	54	172	375	1,415	7.4	11.8	0	23.7	34.2	0	
..Aortic aneurysm (441)	280	11	63	138	463	2.5	4.5	0	7.1	10.6	0	
Pneumonia & influenza (480-487)	1,988	106	250	1,561	3,241	34.4	50.5	0	61.3	76.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,005	208	670	2,007	6,077	41.9	31.6	0	105.1	85.3	0	
..COPD-related (490-496)	4,336	443	1,351	4,300	12,680	87.3	61.8	1	218.1	177.9	1	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
..Asthma (493)	114	50	67	897	1,465	19.3	8.3	0	28.8	14.3	0	
Chronic liver disease and cirrhosis (571)	334	131	220	1,843	3,585	35.8	43.8	0	64.2	78.3	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	551	65	164	907	2,024	19.6	14.6	0	37.4	30.2	0	
..Nephritis-related (580-589)	2,230	343	768	4,517	9,789	94.3	102.9	0	178.8	197.9	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	641	84	206	1,276	2,671	27.5	15.7	0	49.6	32.4	0	
Unintentional injuries (E800-E949)	1,142	496	622	14,303	19,798	368.6	332.2	0	467.3	413.0	0	
..Motor vehicle accidents (E810-E825)	359	250	291	7,872	10,555	216.9	222.1	0	267.9	270.9	0	
..Falls and fall related injuries (E880-E888)	293	18	49	382	695	8.5	6.6	0	13.3	11.4	0	
..Drowning (E830,E832,E910)	14	9	11	337	437	.	13.6	.	.	15.8	.	
..Residential fires (E890-E899)	44	29	35	958	1,273	24.3	33.2	0	29.7	40.4	0	
Suicide (E950-E959)	188	152	170	3,905	5,525	91.6	82.6	0	119.7	109.5	0	
Homicide and legal intervention (E960-E978)	106	99	101	3,273	4,273	84.9	92.9	0	103.3	112.6	0	
..Homicide (E960-E969)	106	99	101	3,273	4,273	84.9	92.3	0	103.3	111.9	0	
All injury (E800-E999)	1,474	784	931	22,423	30,916	565.6	520.6	0	717.1	652.2	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	353	248	287	7,837	10,495	216.0	221.8	0	266.6	270.2	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	192	22	41	487	790	11.2	8.1	0	16.1	13.5	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	71	69	70	2,028	2,725	53.3	73.6	0	66.4	91.5	0	
...Suicide (E955.0-.4)	28	27	27	633	903	14.1	26.6	0	18.7	34.1	0	
...Homicide (E965.0-.4)	42	41	42	1,368	1,785	38.7	44.2	0	47.1	54.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	242	217	229	5,465	7,700	119.0	47.9	1	156.6	64.6	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	131	86	117	1,335	2,378	25.0	38.3	0	42.0	61.6	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	221	200	208	5,122	7,162	111.3	34.1	1	145.6	45.3	1	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
All causes	88,566	19,051	35,399	345,344	610,254	3923.5	4426.4	1	6336.9	7019.4	1	
Infectious diseases and parasitic disease (1-139)	2,609	1,285	1,614	29,122	43,549	280.1	294.2	0	392.8	397.5	0	
..Septicemia (038)	1,147	173	353	2,593	5,168	27.8	43.6	1	51.6	70.7	1	
....Septicemia-related (038)	4,238	803	1,620	11,878	23,600	126.6	165.9	1	234.8	283.0	1	
..HIV infection (042-044)	755	742	754	18,110	25,610	158.9	210.0	1	210.8	271.0	1	
All cancer (140-208)	21,300	5,537	11,315	62,226	144,516	645.4	717.2	1	1430.1	1578.4	1	
..Oral cavity or pharynx (140.0-149.9)	279	102	180	955	2,360	10.0	18.0	1	23.9	40.5	1	
..Colorectal cancer (153.0-154.3,154.8,159.0)	2,237	430	1,014	4,455	11,475	44.4	51.6	0	111.3	131.7	1	
....Colon cancer (153)	1,841	344	819	3,500	9,198	34.8	42.8	0	89.2	109.8	1	
....Rectal cancer (154)	362	81	183	908	2,153	9.1	8.4	0	20.8	20.6	0	
..Pancreatic cancer (157)	1,237	274	642	2,660	7,120	26.9	22.3	0	69.8	61.6	0	
..Lung and other respiratory cancer (160-165)	5,787	1,584	3,465	13,490	38,243	140.3	167.8	1	383.5	433.7	1	
....Lung cancer (162.2-.9)	5,610	1,518	3,348	12,925	36,755	134.4	161.1	1	368.5	418.2	1	
..Malignant melanoma of skin (172)	281	104	171	1,510	2,873	14.2	17.7	0	26.4	32.1	0	
..Female breast cancer (174)	1,796	666	1,093	8,130	16,798	
..Cervical cancer (180)	127	71	91	1,243	2,063	
..Endometrial cancer (182)	135	24	59	220	628	
..Ovarian cancer (183)	522	156	302	1,630	3,875	
..Prostate cancer (185)	1,253	83	342	468	2,485	
..Bladder cancer (188)	555	65	192	523	1,730	5.5	5.5	0	17.2	17.5	0	
..Brain & other CNS cancer (191-192)	454	200	318	3,391	5,961	38.3	43.3	0	61.8	69.2	0	
..Leukemia (204-208)	797	225	416	4,255	7,362	49.9	62.7	0	78.3	93.2	0	
Diabetes mellitus (250)	1,991	431	903	4,393	10,918	43.7	37.5	0	106.3	85.0	1	
..Diabetes-related (250)	7,600	1,322	3,126	12,487	33,977	128.1	118.0	0	336.2	315.7	0	
..Diabetic ketoacidosis (DKA) (250.1)	39	19	26	373	585	3.6	2.5	0	5.3	3.6	0	
Alzheimer's diseases (331.0)	763	12	75	85	463	0.9	1.0	0	4.5	6.0	0	
Cardiovascular disease (390-459)	37,333	4,749	10,902	54,898	129,960	570.1	607.4	0	1281.2	1408.5	1	
..Diseases of the heart (390-398,402,404-429)	29,251	3,974	8,916	45,170	107,235	470.9	501.7	0	1060.9	1177.7	1	
....Heart disease-related (390-398,402,404-429)	49,091	7,089	15,749	88,123	197,993	929.1	1045.2	1	1965.3	2200.2	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	20,903	2,808	6,451	28,160	72,743	284.4	306.9	0	711.3	802.7	1	
....Congestive heart failure (CHF) (428.0)	1,693	64	245	592	1,965	6.5	8.4	0	19.5	19.2	0	
....Hypertension with or without renal disease (401,403)	458	63	134	700	1,647	7.2	5.4	0	16.3	13.0	0	
....Hypertension-related (401,403)	6,314	832	2,002	7,402	20,937	76.7	75.1	0	208.4	193.2	0	
..Cerebrovascular disease (430-438)	5,786	520	1,302	6,716	15,271	69.2	73.9	0	148.6	156.1	0	
..Atherosclerosis (440)	553	24	85	300	803	2.8	4.0	0	7.3	10.3	0	
....Atherosclerosis-related (440)	2,350	132	426	1,232	3,872	12.9	13.2	0	38.2	48.1	0	
..Aortic aneurysm (441)	680	67	241	728	2,178	6.9	8.1	0	20.5	22.5	0	
Pneumonia & influenza (480-487)	3,609	281	649	4,532	8,927	49.6	55.8	0	89.9	96.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	3,700	376	1,283	3,759	11,537	41.5	34.0	0	116.0	104.2	0	
..COPD-related (490-496)	8,538	891	2,906	8,297	26,039	89.3	75.1	0	259.9	238.5	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1970 U.S. standard population *****

	Both Sexes											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
..Asthma (493)	166	83	106	1,630	2,552	18.0	9.8	0	26.0	15.5	0	
Chronic liver disease and cirrhosis (571)	882	467	682	6,680	12,402	62.4	69.6	0	113.2	127.7	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,061	143	338	2,046	4,313	22.1	20.8	0	43.1	42.8	0	
..Nephritis-related (580-589)	4,710	812	1,746	10,920	23,105	111.4	134.1	0	223.9	268.6	1	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,265	186	429	2,792	5,695	29.6	21.5	0	56.2	45.2	0	
Unintentional injuries (E800-E949)	3,158	1,881	2,186	54,418	74,610	640.6	659.4	0	804.5	807.8	0	
..Motor vehicle accidents (E810-E825)	1,011	788	877	25,112	33,410	325.4	414.2	1	396.6	495.3	1	
..Falls and fall related injuries (E880-E888)	619	94	178	2,022	3,352	22.6	22.5	0	34.2	33.4	0	
..Drowning (E830,E832,E910)	84	73	77	2,718	3,468	37.3	49.2	0	43.7	58.7	0	
..Residential fires (E890-E899)	96	66	80	2,024	2,749	26.0	41.2	0	32.1	49.4	0	
Suicide (E950-E959)	835	687	755	18,178	25,408	198.9	218.3	0	256.2	280.6	0	
Homicide and legal intervention (E960-E978)	452	426	444	15,158	19,523	201.7	218.3	0	239.1	259.4	0	
..Homicide (E960-E969)	445	419	437	14,916	19,211	198.6	218.1	0	235.4	259.1	0	
All injury (E800-E999)	4,557	3,100	3,495	90,597	123,470	1068.5	1125.0	0	1334.8	1384.0	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	990	770	859	24,547	32,670	318.5	410.0	1	388.3	489.7	1	
..All falls (E880-E886,E888,E957,E968.1,E987)	460	106	175	2,302	3,685	25.3	25.5	0	37.2	37.1	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	626	559	593	17,777	23,542	224.1	281.2	1	272.7	340.4	1	
...Suicide (E955.0-.4)	317	253	284	6,673	9,355	72.5	98.3	1	93.9	125.2	1	
...Homicide (E965.0-.4)	289	286	289	10,489	13,372	143.7	164.0	0	169.2	193.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	881	818	847	21,349	29,682	202.5	88.5	1	261.7	115.6	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	478	350	432	5,545	9,490	49.3	59.6	0	82.8	99.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	768	733	746	19,627	27,009	184.7	52.7	1	236.0	67.9	1	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
All causes	42,173	11,717	20,815	217,687	377,037	4932.1	5692.6	1	7958.2	9056.0	1	
Infectious diseases and parasitic disease (1-139)	1,476	889	1,069	19,796	29,546	372.9	421.2	0	527.5	574.0	0	
..Septicemia (038)	509	102	202	1,466	2,941	31.5	49.0	0	60.4	81.6	0	
....Septicemia-related (038)	1,948	454	896	6,812	13,352	143.0	193.1	1	268.9	336.6	1	
...HIV infection (042-044)	551	539	550	12,719	18,186	220.5	318.5	1	297.8	417.8	1	
All cancer (140-208)	10,602	2,758	5,855	30,079	72,322	651.1	733.2	1	1511.3	1708.8	1	
..Oral cavity or pharynx (140.0-149.9)	175	76	123	780	1,793	16.5	28.4	1	37.4	63.9	1	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,068	241	559	2,518	6,438	51.4	57.2	0	130.7	152.0	0	
....Colon cancer (153)	866	187	442	1,883	5,015	38.5	45.0	0	102.4	123.5	0	
....Rectal cancer (154)	186	52	113	620	1,378	12.5	11.6	0	27.3	26.5	0	
..Pancreatic cancer (157)	579	158	350	1,475	4,025	30.4	28.0	0	82.9	78.1	0	
..Lung and other respiratory cancer (160-165)	3,233	895	2,001	7,513	21,698	161.7	207.2	1	457.9	554.1	1	
....Lung cancer (162.2-.9)	3,107	848	1,915	7,115	20,633	152.9	197.8	1	435.2	531.3	1	
..Malignant melanoma of skin (172)	161	61	107	873	1,718	17.2	21.2	0	33.2	38.7	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	1,253	83	342	468	2,485	11.1	13.8	0	53.9	72.3	1	
..Bladder cancer (188)	370	53	140	438	1,360	9.5	6.4	0	28.6	24.4	0	
..Brain & other CNS cancer (191-192)	244	121	178	2,100	3,617	47.9	54.4	0	76.9	87.2	0	
..Leukemia (204-208)	437	122	246	2,207	4,007	51.0	70.2	0	85.7	107.2	0	
Diabetes mellitus (250)	933	233	481	2,478	5,993	50.3	46.3	0	121.3	103.6	0	
..Diabetes-related (250)	3,651	778	1,741	7,512	19,775	156.8	142.3	0	408.3	374.8	0	
..Diabetic ketoacidosis (DKA) (250.1)	23	14	18	275	430	5.6	0	0	8.3	.	0	
Alzheimer's diseases (331.0)	222	5	32	33	220	0.6	1.2	0	4.5	6.7	0	
Cardiovascular disease (390-459)	16,747	3,239	6,891	37,048	86,188	777.7	851.2	0	1764.5	1986.6	1	
..Diseases of the heart (390-398,402,404-429)	13,582	2,775	5,782	31,458	73,125	661.3	731.1	1	1498.9	1716.6	1	
....Heart disease-related (390-398,402,404-429)	22,854	4,594	9,664	57,426	126,761	1218.7	1367.8	1	2599.4	2942.0	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	10,077	2,061	4,359	21,263	52,553	438.4	478.0	0	1071.6	1225.3	1	
....Congestive heart failure (CHF) (428.0)	566	28	113	210	858	4.6	10.9	0	18.1	24.7	0	
..Hypertension with or without renal disease (401,403)	158	36	66	385	885	7.9	7.5	0	18.0	18.3	0	
....Hypertension-related (401,403)	2,525	518	1,125	4,665	12,653	99.1	100.6	0	264.5	248.0	0	
..Cerebrovascular disease (430-438)	2,132	294	684	3,628	8,238	76.9	80.6	0	169.0	171.7	0	
..Atherosclerosis (440)	202	14	49	215	508	4.1	3.0	0	9.5	10.6	0	
....Atherosclerosis-related (440)	911	78	254	857	2,457	18.0	14.2	0	50.4	59.1	0	
..Aortic aneurysm (441)	400	56	178	590	1,715	11.6	12.1	0	34.4	35.1	0	
Pneumonia & influenza (480-487)	1,621	175	399	2,971	5,686	64.9	60.5	0	116.9	115.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,695	168	613	1,752	5,460	39.7	35.5	0	115.8	115.2	0	
..COPD-related (490-496)	4,202	448	1,555	3,997	13,360	90.1	85.8	0	283.9	282.3	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
..Asthma (493)	52	33	39	733	1,088	16.8	11.2	0	23.2	16.1	0	
Chronic liver disease and cirrhosis (571)	548	336	462	4,837	8,817	92.4	99.8	0	165.8	181.8	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	510	78	174	1,139	2,289	25.1	27.3	0	47.4	54.1	0	
..Nephritis-related (580-589)	2,480	469	978	6,404	13,316	131.8	168.1	1	266.0	335.1	1	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	624	102	223	1,516	3,024	32.8	27.9	0	62.1	56.7	0	
Unintentional injuries (E800-E949)	2,016	1,385	1,564	40,115	54,812	921.9	986.2	0	1160.1	1209.2	0	
..Motor vehicle accidents (E810-E825)	652	538	586	17,240	22,855	437.3	607.9	1	533.3	726.5	1	
..Falls and fall related injuries (E880-E888)	326	76	129	1,640	2,658	36.9	38.4	0	55.5	55.3	0	
..Drowning (E830,E832,E910)	70	64	66	2,381	3,031	64.1	83.6	0	75.1	100.7	0	
..Residential fires (E890-E899)	52	37	45	1,067	1,477	25.6	47.7	0	32.5	57.2	0	
Suicide (E950-E959)	647	535	585	14,273	19,883	313.6	361.2	0	404.4	463.0	0	
Homicide and legal intervention (E960-E978)	346	327	343	11,886	15,251	316.4	345.8	0	374.8	411.1	0	
..Homicide (E960-E969)	339	320	336	11,643	14,938	310.3	345.8	0	367.4	411.1	0	
All injury (E800-E999)	3,083	2,316	2,564	68,174	92,554	1589.0	1740.3	0	1986.4	2141.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	637	522	572	16,710	22,175	424.5	600.0	1	518.1	716.0	1	
..All falls (E880-E886,E888,E957,E968.1,E987)	268	84	134	1,815	2,895	40.0	43.2	0	59.5	60.8	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	555	490	523	15,749	20,817	393.2	490.7	1	479.2	594.6	1	
....Suicide (E955.0-.4)	289	226	257	6,040	8,453	131.5	172.5	0	170.9	220.8	0	
....Homicide (E965.0-.4)	247	245	247	9,122	11,587	246.4	283.3	0	289.7	332.8	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	639	601	618	15,885	21,982	300.8	334.6	1	387.6	174.0	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	347	264	315	4,210	7,113	76.6	84.7	0	127.3	141.8	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	547	533	538	14,505	19,847	272.9	75.8	1	347.0	96.5	1	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
All causes	46,393	7,334	14,584	127,657	233,217	2915.8	3166.7	1	4766.4	5065.5	1	
Infectious diseases and parasitic disease (1-139)	1,133	396	545	9,326	14,064	189.6	170.6	0	262.6	227.0	0	
..Septicemia (038)	638	71	151	1,127	2,227	24.3	38.6	0	43.5	60.8	0	
....Septicemia-related (038)	2,290	349	724	5,066	10,248	111.1	140.0	0	203.4	233.7	0	
..HIV infection (042-044)	204	203	204	5,392	7,424	99.2	104.5	0	126.9	128.8	0	
All cancer (140-208)	10,698	2,779	5,460	32,147	72,194	639.0	702.3	0	1359.2	1468.0	1	
..Oral cavity or pharynx (140.0-149.9)	104	26	57	175	568	3.6	8.3	0	11.2	19.0	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,169	189	455	1,938	5,038	37.6	46.2	0	93.7	113.9	0	
....Colon cancer (153)	975	157	377	1,618	4,183	31.2	40.9	0	77.4	98.2	0	
....Rectal cancer (154)	176	29	70	288	775	5.8	5.3	0	14.8	15.2	0	
..Pancreatic cancer (157)	658	116	292	1,185	3,095	23.6	16.9	0	57.9	46.9	0	
..Lung and other respiratory cancer (160-165)	2,554	689	1,464	5,978	16,545	120.2	130.8	0	316.8	326.5	0	
....Lung cancer (162.2-.9)	2,503	670	1,433	5,810	16,123	116.9	126.7	0	308.6	317.6	0	
..Malignant melanoma of skin (172)	120	43	64	638	1,155	11.3	14.3	0	20.0	26.0	0	
..Female breast cancer (174)	1,796	666	1,093	8,130	16,798	152.0	179.9	0	304.7	353.2	1	
..Cervical cancer (180)	127	71	91	1,243	2,063	22.1	26.5	0	35.4	42.1	0	
..Endometrial cancer (182)	135	24	59	220	628	4.4	3.5	0	11.8	12.7	0	
..Ovarian cancer (183)	522	156	302	1,630	3,875	31.9	42.2	0	72.7	89.8	0	
..Prostate cancer (185)	
..Bladder cancer (188)	185	12	52	85	370	1.7	4.7	0	6.8	11.6	0	
..Brain & other CNS cancer (191-192)	210	79	140	1,292	2,344	28.8	32.5	0	47.1	52.0	0	
..Leukemia (204-208)	360	103	170	2,048	3,355	49.2	55.2	0	72.1	80.0	0	
Diabetes mellitus (250)	1,058	198	422	1,915	4,925	37.3	29.0	0	92.5	67.9	1	
..Diabetes-related (250)	3,949	544	1,385	4,975	14,203	100.7	95.0	0	270.0	262.3	0	
..Diabetic ketoacidosis (DKA) (250.1)	16	5	8	98	155	1.6	.	0	2.4	.	0	
Alzheimer's diseases (331.0)	541	7	43	53	243	1.2	0.8	0	4.4	5.4	0	
Cardiovascular disease (390-459)	20,586	1,510	4,011	17,850	43,773	371.8	375.8	0	834.4	882.9	0	
..Diseases of the heart (390-398,402,404-429)	15,669	1,199	3,134	13,713	34,110	288.9	283.9	0	655.7	687.3	0	
....Heart disease-related (390-398,402,404-429)	26,237	2,495	6,085	30,697	71,232	649.4	738.1	1	1375.5	1524.4	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	10,826	747	2,092	6,898	20,190	137.5	145.8	0	378.5	420.2	0	
....Congestive heart failure (CHF) (428.0)	1,127	36	132	382	1,107	8.3	5.9	0	21.1	14.2	0	
..Hypertension with or without renal disease (401,403)	300	27	68	315	762	6.7	3.4	0	14.7	8.2	0	
....Hypertension-related (401,403)	3,789	314	877	2,737	8,285	55.5	51.0	0	156.8	142.8	0	
..Cerebrovascular disease (430-438)	3,654	226	618	3,088	7,033	61.7	67.2	0	129.8	142.0	0	
..Atherosclerosis (440)	351	10	36	85	295	1.6	5.0	0	5.3	10.3	0	
....Atherosclerosis-related (440)	1,439	54	172	375	1,415	7.9	12.4	0	27.1	39.0	0	
..Aortic aneurysm (441)	280	11	63	138	463	2.4	4.3	0	7.8	11.4	0	
Pneumonia & influenza (480-487)	1,988	106	250	1,561	3,241	34.3	52.2	0	64.1	80.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,005	208	670	2,007	6,077	43.0	32.5	0	116.6	95.0	0	
..COPD-related (490-496)	4,336	443	1,351	4,300	12,680	88.6	64.6	1	239.7	200.6	1	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
..Asthma (493)	114	50	67	897	1,465	19.0	8.3	0	28.6	14.7	0	
Chronic liver disease and cirrhosis (571)	334	131	220	1,843	3,585	33.5	40.8	0	63.5	77.0	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	551	65	164	907	2,024	19.1	14.5	0	38.9	32.1	0	
..Nephritis-related (580-589)	2,230	343	768	4,517	9,789	91.7	101.7	0	184.8	207.4	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	641	84	206	1,276	2,671	26.4	15.4	0	50.7	34.3	0	
Unintentional injuries (E800-E949)	1,142	496	622	14,303	19,798	356.2	326.2	0	447.4	401.3	0	
..Motor vehicle accidents (E810-E825)	359	250	291	7,872	10,555	211.2	215.4	0	257.6	259.1	0	
..Falls and fall related injuries (E880-E888)	293	18	49	382	695	8.3	6.5	0	13.3	11.8	0	
..Drowning (E830,E832,E910)	14	9	11	337	437	.	14.2	.	.	16.3	.	
..Residential fires (E890-E899)	44	29	35	958	1,273	26.7	34.4	0	32.1	41.3	0	
Suicide (E950-E959)	188	152	170	3,905	5,525	83.2	74.3	0	108.0	98.5	0	
Homicide and legal intervention (E960-E978)	106	99	101	3,273	4,273	82.9	87.4	0	99.0	104.2	0	
..Homicide (E960-E969)	106	99	101	3,273	4,273	82.9	87.0	0	99.0	103.6	0	
All injury (E800-E999)	1,474	784	931	22,423	30,916	539.7	498.6	0	677.3	617.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	353	248	287	7,837	10,495	210.4	215.1	0	256.4	258.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	192	22	41	487	790	10.5	7.6	0	15.4	13.5	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	71	69	70	2,028	2,725	50.6	66.9	0	62.1	81.9	0	
...Suicide (E955.0-.4)	28	27	27	633	903	12.9	23.5	0	16.9	29.8	0	
....Homicide (E965.0-.4)	42	41	42	1,368	1,785	37.4	41.1	0	44.7	49.3	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	242	217	229	5,465	7,700	104.9	42.7	1	137.1	57.7	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	131	86	117	1,335	2,378	23.1	35.5	0	40.4	58.7	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	221	200	208	5,122	7,162	96.9	29.8	1	125.8	39.6	1	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
All causes	88,566	19,051	35,399	345,341	610,254	4098.4	4575.7	1	6648.1	7306.8	1	
Infectious diseases and parasitic disease (1-139)	2,609	1,285	1,614	29,122	43,549	329.7	350.3	0	459.1	470.9	0	
..Septicemia (038)	1,147	173	353	2,593	5,168	30.5	47.4	1	55.8	76.8	1	
....Septicemia-related (038)	4,238	803	1,620	11,878	23,600	139.7	187.3	1	254.9	314.2	1	
..HIV infection (042-044)	755	742	754	18,110	25,610	200.8	260.7	1	265.0	335.8	1	
All cancer (140-208)	21,300	5,537	11,315	62,226	144,516	737.1	822.6	1	1566.2	1733.6	1	
..Oral cavity or pharynx (140.0-149.9)	279	102	180	955	2,360	11.4	21.4	1	25.8	45.1	1	
..Colorectal cancer (153.0-154.3,154.8,159.0)	2,237	430	1,014	4,455	11,475	52.4	61.1	0	123.2	146.0	1	
....Colon cancer (153)	1,841	344	819	3,500	9,198	41.2	50.8	0	98.7	121.8	1	
....Rectal cancer (154)	362	81	183	908	2,153	10.7	10.0	0	23.2	22.9	0	
..Pancreatic cancer (157)	1,237	274	642	2,660	7,120	31.6	25.9	0	76.8	67.2	0	
..Lung and other respiratory cancer (160-165)	5,787	1,584	3,465	13,490	38,243	161.4	193.5	1	415.0	472.0	1	
....Lung cancer (162.2-.9)	5,610	1,518	3,348	12,925	36,755	154.6	186.0	1	398.6	455.3	1	
..Malignant melanoma of skin (172)	281	104	171	1,510	2,873	17.4	22.4	0	30.8	38.5	0	
..Female breast cancer (174)	1,796	666	1,093	8,130	16,798	
..Cervical cancer (180)	127	71	91	1,243	2,063	
..Endometrial cancer (182)	135	24	59	220	628	
..Ovarian cancer (183)	522	156	302	1,630	3,875	
..Prostate cancer (185)	1,253	83	342	468	2,485	
..Bladder cancer (188)	555	65	192	523	1,730	6.3	6.3	0	18.6	18.7	0	
..Brain & other CNS cancer (191-192)	454	200	318	3,391	5,961	40.2	45.7	0	65.2	73.1	0	
..Leukemia (204-208)	797	225	416	4,255	7,362	50.7	63.4	0	80.5	95.6	0	
Diabetes mellitus (250)	1,991	431	903	4,393	10,918	51.6	45.0	0	117.6	95.7	1	
..Diabetes-related (250)	7,600	1,322	3,126	12,487	33,977	148.0	138.7	0	366.2	347.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	39	19	26	373	585	4.3	2.7	0	6.2	3.9	0	
Alzheimer's diseases (331.0)	763	12	75	85	463	1.0	1.0	0	4.8	6.3	0	
Cardiovascular disease (390-459)	37,333	4,749	10,902	54,898	129,960	649.6	695.5	0	1402.6	1543.8	1	
..Diseases of the heart (390-398,402,404-429)	29,251	3,974	8,916	45,170	107,235	535.6	571.9	0	1159.4	1285.9	1	
....Heart disease-related (390-398,402,404-429)	49,091	7,089	15,749	88,123	197,993	1040.6	1170.7	1	2136.9	2394.6	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	20,903	2,808	6,451	28,160	72,743	333.9	359.3	0	785.5	882.7	1	
....Congestive heart failure (CHF) (428.0)	1,693	64	245	592	1,965	7.1	8.2	0	20.9	19.5	0	
....Hypertension with or without renal disease (401,403)	458	63	134	700	1,647	8.3	6.4	0	17.8	14.6	0	
....Hypertension-related (401,403)	6,314	832	2,002	7,402	20,937	88.2	88.2	0	226.1	213.2	0	
..Cerebrovascular disease (430-438)	5,786	520	1,302	6,716	15,271	78.9	87.1	0	163.8	176.0	0	
..Atherosclerosis (440)	553	24	85	300	803	3.5	4.2	0	8.5	10.9	0	
....Atherosclerosis-related (440)	2,350	132	426	1,232	3,872	14.6	14.6	0	41.2	51.1	0	
..Aortic aneurysm (441)	680	67	241	728	2,178	8.3	8.7	0	22.7	23.6	0	
Pneumonia & influenza (480-487)	3,609	281	649	4,532	8,927	53.2	59.7	0	96.0	103.4	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	3,700	376	1,283	3,759	11,537	45.1	37.0	0	123.2	110.3	0	
..COPD-related (490-496)	8,538	891	2,906	8,297	26,039	99.3	81.9	1	278.2	252.2	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Both Sexes											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
..Asthma (493)	166	83	106	1,630	2,552	19.4	10.6	0	28.1	16.7	1	
Chronic liver disease and cirrhosis (571)	882	467	682	6,680	12,402	77.5	88.0	0	133.8	152.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,061	143	338	2,046	4,313	24.2	23.3	0	46.5	46.5	0	
..Nephritis-related (580-589)	4,710	812	1,746	10,920	23,105	127.9	155.0	1	248.5	299.2	1	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,265	186	429	2,792	5,695	32.8	24.4	0	61.2	49.3	0	
Unintentional injuries (E800-E949)	3,158	1,881	2,186	54,418	74,610	648.6	622.8	0	822.5	770.4	0	
..Motor vehicle accidents (E810-E825)	1,011	788	877	25,112	33,410	308.4	380.8	1	379.2	458.3	1	
..Falls and fall related injuries (E880-E888)	619	94	178	2,022	3,352	24.0	22.2	0	36.4	33.5	0	
..Drowning (E830,E832,E910)	84	73	77	2,718	3,468	33.3	45.9	0	39.4	55.4	0	
..Residential fires (E890-E899)	96	66	80	2,024	2,749	24.4	36.9	0	30.7	44.8	0	
Suicide (E950-E959)	835	687	755	18,178	25,408	213.5	228.9	0	276.5	295.9	0	
Homicide and legal intervention (E960-E978)	452	426	444	15,158	19,523	187.7	204.4	0	223.7	244.2	0	
..Homicide (E960-E969)	445	419	437	14,916	19,211	184.6	204.1	0	220.0	243.8	0	
All injury (E800-E999)	4,557	3,100	3,495	90,597	123,470	1081.9	1089.4	0	1364.1	1352.5	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	990	770	859	24,547	32,670	301.6	377.0	1	371.0	452.9	1	
..All falls (E880-E886,E888,E957,E968.1,E987)	460	106	175	2,302	3,685	27.1	25.6	0	40.0	37.6	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	626	559	593	17,777	23,542	217.5	269.4	1	266.4	328.5	1	
...Suicide (E955.0-.4)	317	253	284	6,673	9,355	78.1	102.0	1	101.4	130.7	1	
...Homicide (E965.0-.4)	289	286	289	10,489	13,372	131.8	150.4	0	155.6	177.7	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	881	818	847	21,349	29,682	241.7	100.6	1	312.5	131.5	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	478	350	432	5,545	9,490	63.3	75.6	0	101.4	120.3	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	768	733	746	19,627	27,009	221.6	62.9	1	283.5	81.0	1	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male												
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75				
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance		
*****Causes of Death*****													
All causes	42,173	11,717	20,815	217,687	377,037	5184.2	5934.0	1	8386.5	9484.1	1		
Infectious diseases and parasitic disease (1-139)	1,476	889	1,069	19,796	29,546	450.5	516.6	0	630.3	697.8	0		
..Septicemia (038)	509	102	202	1,466	2,941	34.9	54.8	0	65.6	90.5	0		
....Septicemia-related (038)	1,948	454	896	6,812	13,352	161.6	222.0	1	296.8	377.9	1		
...HIV infection (042-044)	551	539	550	12,719	18,186	285.1	405.5	1	381.4	528.9	1		
All cancer (140-208)	10,602	2,758	5,855	30,079	72,322	729.8	830.1	1	1632.6	1856.6	1		
..Oral cavity or pharynx (140.0-149.9)	175	76	123	780	1,793	18.9	33.7	1	40.6	71.2	1		
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,068	241	559	2,518	6,438	60.8	66.8	0	144.7	167.1	0		
....Colon cancer (153)	866	187	442	1,883	5,015	45.5	52.4	0	112.6	135.1	0		
....Rectal cancer (154)	186	52	113	620	1,378	14.9	13.7	0	31.0	29.7	0		
..Pancreatic cancer (157)	579	158	350	1,475	4,025	35.8	32.4	0	90.7	85.0	0		
..Lung and other respiratory cancer (160-165)	3,233	895	2,001	7,513	21,698	184.8	238.4	1	493.4	601.1	1		
....Lung cancer (162.2-.9)	3,107	848	1,915	7,115	20,633	175.0	228.2	1	468.9	577.1	1		
..Malignant melanoma of skin (172)	161	61	107	873	1,718	20.7	26.8	0	38.1	46.3	0		
..Female breast cancer (174)		
..Cervical cancer (180)		
..Endometrial cancer (182)		
..Ovarian cancer (183)		
..Prostate cancer (185)	1,253	83	342	468	2,485	11.8	14.5	0	56.1	75.3	1		
..Bladder cancer (188)	370	53	140	438	1,360	10.8	7.2	0	30.9	25.9	0		
..Brain & other CNS cancer (191-192)	244	121	178	2,100	3,617	50.0	58.5	0	80.6	93.5	0		
..Leukemia (204-208)	437	122	246	2,207	4,007	53.0	70.3	0	89.5	109.2	0		
Diabetes mellitus (250)	933	233	481	2,478	5,993	59.4	55.9	0	134.4	117.0	0		
..Diabetes-related (250)	3,651	778	1,741	7,512	19,775	182.2	168.5	0	446.3	413.8	0		
..Diabetic ketoacidosis (DKA) (250.1)	23	14	18	275	430	6.4	6.4	0	9.3	.	0		
Alzheimer's diseases (331.0)	222	5	32	33	220	0.8	1.2	0	4.8	6.9	0		
Cardiovascular disease (390-459)	16,747	3,239	6,891	37,048	86,188	893.9	984.7	1	1939.5	2187.5	1		
..Diseases of the heart (390-398,402,404-429)	13,582	2,775	5,782	31,458	73,125	760.5	843.6	1	1647.7	1885.7	1		
....Heart disease-related (390-398,402,404-429)	22,854	4,594	9,664	57,426	126,761	1377.4	1556.7	1	2840.9	3227.9	1		
....Coronary heart disease (CHD) (402,410-414,429.2)	10,077	2,061	4,359	21,263	52,553	516.4	564.9	0	1187.4	1354.8	1		
....Congestive heart failure (CHF) (428.0)	566	28	113	210	858	5.2	10.7	0	19.3	25.1	0		
....Hypertension with or without renal disease (401,403)	158	36	66	385	885	9.3	8.9	0	20.0	20.3	0		
....Hypertension-related (401,403)	2,525	518	1,125	4,665	12,653	114.1	118.8	0	287.1	274.7	0		
..Cerebrovascular disease (430-438)	2,132	294	684	3,628	8,238	86.7	95.5	0	184.3	193.9	0		
..Atherosclerosis (440)	202	14	49	215	508	5.2	3.3	0	11.3	11.2	0		
....Atherosclerosis-related (440)	911	78	254	857	2,457	20.6	15.9	0	54.8	62.8	0		
..Aortic aneurysm (441)	400	56	178	590	1,715	13.7	12.8	0	37.8	36.6	0		
Pneumonia & influenza (480-487)	1,621	175	399	2,971	5,686	70.2	68.9	0	125.8	128.4	0		
Chronic obstructive pulmonary disease (COPD) (490-496)	1,695	168	613	1,752	5,460	42.8	37.0	0	122.5	120.1	0		
..COPD-related (490-496)	4,202	448	1,555	3,997	13,360	98.5	91.4	0	301.5	296.4	0		

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
..Asthma (493)	52	33	39	733	1,088	17.5	11.6	0	24.2	16.8	0	
Chronic liver disease and cirrhosis (571)	548	336	462	4,837	8,817	115.0	125.8	0	196.6	216.8	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	510	78	174	1,139	2,289	27.4	31.0	0	51.4	59.2	0	
..Nephritis-related (580-589)	2,480	469	978	6,404	13,316	152.5	198.6	1	296.9	378.9	1	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	624	102	223	1,516	3,024	36.2	32.1	0	67.6	62.6	0	
Unintentional injuries (E800-E949)	2,016	1,385	1,564	40,115	54,812	949.3	938.8	0	1205.2	1162.1	0	
..Motor vehicle accidents (E810-E825)	652	538	586	17,240	22,855	418.5	560.4	1	514.7	673.5	1	
..Falls and fall related injuries (E880-E888)	326	76	129	1,640	2,658	39.0	38.0	0	58.9	55.6	0	
..Drowning (E830,E832,E910)	70	64	66	2,381	3,031	57.7	78.8	0	68.2	96.1	0	
..Residential fires (E890-E899)	52	37	45	1,067	1,477	25.6	42.0	0	32.9	51.1	0	
Suicide (E950-E959)	647	535	585	14,273	19,883	335.6	377.0	0	434.9	486.0	0	
Homicide and legal intervention (E960-E978)	346	327	343	11,886	15,251	293.0	321.5	0	348.5	384.2	0	
..Homicide (E960-E969)	339	320	336	11,643	14,938	287.0	321.5	0	341.3	384.2	0	
All injury (E800-E999)	3,083	2,316	2,564	68,174	92,554	1621.4	1690.7	0	2044.1	2099.0	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	637	522	572	16,710	22,175	406.0	553.2	1	499.7	663.8	1	
..All falls (E880-E886,E888,E957,E968.1,E987)	268	84	134	1,815	2,895	43.0	43.1	0	63.9	61.4	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	555	490	523	15,749	20,817	382.2	466.6	1	468.5	569.4	1	
...Suicide (E955.0-.4)	289	226	257	6,040	8,453	141.1	177.8	0	183.8	229.1	0	
...Homicide (E965.0-.4)	247	245	247	9,122	11,587	226.5	257.7	0	266.8	303.7	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	639	601	618	15,885	21,982	361.4	153.8	1	465.9	199.1	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	347	264	315	4,210	7,113	98.0	107.8	0	155.8	172.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	547	533	538	14,505	19,847	328.9	92.2	1	418.9	117.3	1	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
All causes	46,393	7,334	14,584	127,657	233,217	3021.3	3233.9	1	4972.6	5228.4	1	
Infectious diseases and parasitic disease (1-139)	1,133	396	545	9,326	14,064	212.1	188.6	0	293.6	251.6	0	
..Septicemia (038)	638	71	151	1,127	2,227	26.3	40.5	0	46.8	64.3	0	
....Septicemia-related (038)	2,290	349	724	5,066	10,248	118.8	154.1	0	216.0	255.2	0	
...HIV infection (042-044)	204	203	204	5,392	7,424	119.0	120.0	0	152.4	148.8	0	
All cancer (140-208)	10,698	2,779	5,460	32,147	72,194	743.4	816.0	0	1510.5	1631.3	1	
..Oral cavity or pharynx (140.0-149.9)	104	26	57	175	568	4.1	9.7	0	11.8	21.1	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,169	189	455	1,938	5,038	44.5	55.6	0	103.7	127.6	0	
....Colon cancer (153)	975	157	377	1,618	4,183	37.1	49.3	0	86.1	110.5	0	
....Rectal cancer (154)	176	29	70	288	775	6.6	6.3	0	15.9	16.7	0	
..Pancreatic cancer (157)	658	116	292	1,185	3,095	27.6	19.8	0	64.2	51.3	0	
..Lung and other respiratory cancer (160-165)	2,554	689	1,464	5,978	16,545	139.3	151.4	0	344.6	356.9	0	
....Lung cancer (162.2-.9)	2,503	670	1,433	5,810	16,123	135.4	146.4	0	335.7	346.9	0	
..Malignant melanoma of skin (172)	120	43	64	638	1,155	14.3	18.2	0	24.1	31.2	0	
..Female breast cancer (174)	1,796	666	1,093	8,130	16,798	186.9	223.1	0	353.4	411.8	1	
..Cervical cancer (180)	127	71	91	1,243	2,063	27.8	33.7	0	42.8	51.8	0	
..Endometrial cancer (182)	135	24	59	220	628	5.1	3.8	0	13.0	13.2	0	
..Ovarian cancer (183)	522	156	302	1,630	3,875	37.7	48.6	0	81.1	99.2	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	185	12	52	85	370	2.0	5.4	0	7.3	12.7	0	
..Brain & other CNS cancer (191-192)	210	79	140	1,292	2,344	30.4	33.3	0	50.2	53.6	0	
..Leukemia (204-208)	360	103	170	2,048	3,355	48.8	56.5	0	72.6	82.9	0	
Diabetes mellitus (250)	1,058	198	422	1,915	4,925	44.0	34.6	0	102.0	76.1	1	
..Diabetes-related (250)	3,949	544	1,385	4,975	14,203	115.4	110.5	0	292.4	286.4	0	
..Diabetic ketoacidosis (DKA) (250.1)	16	5	8	98	155	2.2	0	0	3.2	.	0	
Alzheimer's diseases (331.0)	541	7	43	53	243	1.2	0.8	0	4.8	5.7	0	
Cardiovascular disease (390-459)	20,586	1,510	4,011	17,850	43,773	416.1	420.5	0	905.5	956.8	0	
..Diseases of the heart (390-398,402,404-429)	15,669	1,199	3,134	13,713	34,110	320.6	313.8	0	707.0	738.5	0	
....Heart disease-related (390-398,402,404-429)	26,237	2,495	6,085	30,697	71,232	715.9	803.0	1	1481.8	1633.4	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	10,826	747	2,092	6,898	20,190	159.8	165.0	0	413.6	453.7	0	
....Congestive heart failure (CHF) (428.0)	1,127	36	132	382	1,107	9.0	5.7	0	22.6	14.4	0	
..Hypertension with or without renal disease (401,403)	300	27	68	315	762	7.4	4.1	0	15.8	9.4	0	
....Hypertension-related (401,403)	3,789	314	877	2,737	8,285	63.6	59.1	0	169.9	156.3	0	
..Cerebrovascular disease (430-438)	3,654	226	618	3,088	7,033	71.3	78.9	0	144.8	159.7	0	
..Atherosclerosis (440)	351	10	36	85	295	1.9	5.2	0	5.9	10.9	0	
....Atherosclerosis-related (440)	1,439	54	172	375	1,415	8.8	13.5	0	28.7	41.4	0	
..Aortic aneurysm (441)	280	11	63	138	463	3.1	4.7	0	9.0	12.1	0	
Pneumonia & influenza (480-487)	1,988	106	250	1,561	3,241	36.4	51.5	0	67.7	81.5	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,005	208	670	2,007	6,077	47.3	36.7	0	124.3	102.3	0	
..COPD-related (490-496)	4,336	443	1,351	4,300	12,680	100.1	72.4	1	258.9	214.3	1	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance	
*****Causes of Death*****												
..Asthma (493)	114	50	67	897	1,465	21.1	9.4	0	31.6	16.4	0	
Chronic liver disease and cirrhosis (571)	334	131	220	1,843	3,585	41.6	52.0	0	74.4	92.2	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	551	65	164	907	2,024	21.1	15.9	0	41.9	34.3	0	
..Nephritis-related (580-589)	2,230	343	768	4,517	9,789	104.3	113.2	0	203.5	225.3	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	641	84	206	1,276	2,671	29.4	17.0	0	55.3	36.8	0	
Unintentional injuries (E800-E949)	1,142	496	622	14,303	19,798	347.0	302.8	0	441.1	376.9	0	
..Motor vehicle accidents (E810-E825)	359	250	291	7,872	10,555	196.7	197.6	0	242.4	239.6	0	
..Falls and fall related injuries (E880-E888)	293	18	49	382	695	9.0	6.4	0	14.5	11.9	0	
..Drowning (E830,E832,E910)	14	9	11	337	437	.	12.6	.	.	14.5	.	
..Residential fires (E890-E899)	44	29	35	958	1,273	23.5	31.5	0	28.7	38.3	0	
Suicide (E950-E959)	188	152	170	3,905	5,525	91.2	80.9	0	119.2	107.5	0	
Homicide and legal intervention (E960-E978)	106	99	101	3,273	4,273	79.1	84.8	0	95.5	101.9	0	
..Homicide (E960-E969)	106	99	101	3,273	4,273	79.1	84.2	0	95.5	101.1	0	
All injury (E800-E999)	1,474	784	931	22,423	30,916	538.4	481.9	0	683.1	603.5	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	353	248	287	7,837	10,495	195.9	197.3	0	241.1	238.7	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	192	22	41	487	790	11.3	8.0	0	16.7	14.2	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	71	69	70	2,028	2,725	49.7	69.0	0	61.7	85.2	0	
....Suicide (E955.0-.4)	28	27	27	633	903	14.8	26.0	0	19.6	33.2	0	
....Homicide (E965.0-.4)	42	41	42	1,368	1,785	34.3	40.3	0	41.3	48.8	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	242	217	229	5,465	7,700	123.4	48.0	1	161.4	64.9	1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	131	86	117	1,335	2,378	29.9	44.7	0	49.4	71.1	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	221	200	208	5,122	7,162	115.3	34.1	1	149.7	45.3	1	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).