

**Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
All Residents, 1997-1998**

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, All Residents, 1997-1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, All Residents, 1997-1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes						Male						Female					
	*****1997-1998*****			1995-			*****1997-1998*****			1995-			*****1997-1998*****			1995-		
	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance	No. of deaths	Crude rate	Significance
*****Causes of Death*****																		
Chronic obstructive pulmonary disease (COPD) (490-496)	2,498	38.2	16.0	0	15.6	1,125	35.4	17.8	0	18.5	1,373	40.8	15.0	0	14.0			
..COPD-related (490-496)	5,725	87.5	36.5	0	36.4	2,783	87.6	44.5	0	46.5	2,942	87.4	31.3	0	29.8			
..Asthma (493)	117	1.8	1.1	0	1.2	35	1.1	0.9	0	0.8	82	2.4	1.3	0	1.5			
Chronic liver disease and cirrhosis (571)	580	8.9	6.3	0	6.9	354	11.1	8.7	0	9.6	226	6.7	4.0	0	4.3			
Nephritis, nephrotic syndrome/nephrosis (580-589)	719	11.0	4.3	0	4.5	348	10.9	5.3	0	5.7	371	11.0	3.7	0	3.6			
..Nephritis-related (580-589)	3,181	48.6	21.1	0	21.6	1,685	53.0	27.6	0	27.7	1,496	44.4	16.6	0	17.4			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	849	13.0	5.3	0	5.5	423	13.3	6.6	0	7.0	426	12.7	4.4	0	4.5			
Unintentional injuries (E800-E949)	2,158	33.0	25.2	0	24.8	1,367	43.0	36.2	0	36.4	791	23.5	14.7	0	13.8			
..Motor vehicle accidents (E810-E825)	690	10.5	10.3	0	10.4	434	13.7	13.8	0	14.5	256	7.6	6.8	0	6.3			
..Falls and fall related injuries (E880-E888)	401	6.1	2.4	0	2.5	215	6.8	3.6	0	3.5	186	5.5	1.4	0	1.8			
..Drowning (E830,E832,E910)	53	0.8	0.8	0	1.2	44	1.4	1.4	0	1.9	91	0.3	.	0	.			
..Residential fires (E890-E899)	58	0.9	0.8	0	0.9	28	0.9	0.8	0	1.2	30	0.9	0.8	0	0.7			
Suicide (E950-E959)	549	8.4	7.6	0	8.8	417	13.1	11.9	1	14.5	132	3.9	3.5	0	3.4			
Homicide and legal intervention (E960-E978)	282	4.3	5.1	0	5.7	215	6.8	7.9	0	9.0	67	2.0	2.2	0	2.3			
..Homicide (E960-E969)	278	4.2	5.0	0	5.6	211	6.6	7.8	0	8.9	67	2.0	2.2	0	2.3			
All injury (E800-E999)	3,064	46.8	38.9	0	40.1	2,050	64.5	57.5	0	60.9	1,014	30.1	21.0	0	20.0			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	677	10.3	10.1	0	10.2	425	13.4	13.5	0	14.2	252	7.5	6.7	0	6.3			
..All falls (E880-E886,E888,E957,E968.1,E987)	292	4.5	2.1	0	2.2	179	5.6	3.4	0	3.1	113	3.4	1.0	0	1.4			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	380	5.8	6.2	1	8.1	338	10.6	11.2	1	14.4	42	1.2	1.3	0	1.9			
....Suicide (E955.0-.4)	196	3.0	2.7	1	3.7	178	5.6	5.0	1	6.8	18	0.5	0.5	0	0.6			
....Homicide (E965.0-.4)	171	2.6	3.3	0	4.2	148	4.7	5.8	0	7.1	23	0.7	0.8	0	1.3			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	627	9.6	8.7	0	7.9	450	14.2	12.7	0	12.1	177	5.3	4.8	0	3.8			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	302	4.6	3.7	0	4.5	225	7.1	5.9	0	7.0	77	2.3	1.8	0	2.2			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	561	8.6	7.9	0	6.8	396	12.5	11.5	0	10.4	165	4.9	4.4	0	3.3			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.

0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	Significance	AAMR	No. of deaths	Crude rate	Significance	AAMR	No. of deaths	Crude rate	Significance	AAMR			
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	2,498	38.2	24.3	0	23.7	1,125	35.4	28.0	0	29.2	1,373	40.8	22.3	0	20.8
..COPD-related (490-496)	5,725	87.5	55.5	0	55.5	2,783	87.6	69.7	0	73.3	2,942	87.4	46.9	0	44.8
..Asthma (493)	117	1.8	1.3	0	1.3	35	1.1	1.0	0	1.0	82	2.4	1.6	0	1.6
Chronic liver disease and cirrhosis (571)	580	8.9	7.2	0	7.8	354	11.1	9.8	0	10.8	226	6.7	4.8	0	5.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	719	11.0	6.7	0	6.8	348	10.9	8.5	0	9.0	371	11.0	5.6	0	5.5
..Nephritis-related (580-589)	3,181	48.6	30.9	0	30.9	1,685	53.0	42.0	0	41.0	1,496	44.4	24.0	0	24.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	849	13.0	8.0	0	8.2	423	13.3	10.4	0	10.9	426	12.7	6.6	0	6.7
Unintentional injuries (E800-E949)	2,158	33.0	26.4	0	26.2	1,367	43.0	37.5	0	37.7	791	23.5	16.5	0	15.7
..Motor vehicle accidents (E810-E825)	690	10.5	10.0	0	10.1	434	13.7	13.3	0	14.1	256	7.6	6.9	0	6.4
..Falls and fall related injuries (E880-E888)	401	6.1	3.6	0	3.8	215	6.8	5.4	0	5.1	186	5.5	2.4	0	2.9
..Drowning (E830,E832,E910)	53	0.8	0.8	0	1.2	44	1.4	1.4	0	1.9	91	0.3	.1	0	.1
..Residential fires (E890-E899)	58	0.9	0.8	0	1.0	28	0.9	0.8	0	1.3	30	0.9	0.8	0	0.8
Suicide (E950-E959)	549	8.4	7.2	0	8.4	417	13.1	11.4	1	14.0	132	3.9	3.2	0	3.2
Homicide and legal intervention (E960-E978)	282	4.3	4.7	0	5.2	215	6.8	7.3	0	8.3	67	2.0	2.0	0	2.2
..Homicide (E960-E969)	278	4.2	4.6	0	5.2	211	6.6	7.1	0	8.2	67	2.0	2.0	0	2.2
All injury (E800-E999)	3,064	46.8	39.1	0	40.5	2,050	64.5	57.5	0	60.8	1,014	30.1	22.3	0	21.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	677	10.3	9.8	0	10.0	425	13.4	13.0	0	13.7	252	7.5	6.8	0	6.3
..All falls (E880-E886,E888,E957,E968.1,E987)	292	4.5	2.9	0	3.1	179	5.6	4.6	0	4.3	113	3.4	1.6	0	2.2
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	380	5.8	5.7	1	7.6	338	10.6	10.4	1	13.5	42	1.2	1.2	0	1.8
....Suicide (E955.0-.4)	196	3.0	2.5	1	3.5	178	5.6	4.9	1	6.8	18	0.5	0.4	0	0.6
....Homicide (E965.0-.4)	171	2.6	3.0	0	3.8	148	4.7	5.2	0	6.4	23	0.7	0.8	0	1.2
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	627	9.6	7.6	0	7.0	450	14.2	11.1	0	10.6	177	5.3	4.3	0	3.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	302	4.6	3.9	0	4.8	225	7.1	6.1	0	7.4	77	2.3	1.9	0	2.4
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	561	8.6	6.8	0	5.9	396	12.5	9.7	0	8.9	165	4.9	4.0	0	2.9

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.

0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1995-1996	
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****					
	No. of deaths	Crude rate	Significance	AAMR	No. of deaths	Crude rate	Significance	AAMR	No. of deaths	Crude rate	Significance	AAMR		
*****Causes of Death*****														
All causes	59,025	902.0	808.2		1 833.1	27,983	880.5	985.2	1 1039.9	31,042	922.3	681.2	0 688.8	
Infectious diseases and parasitic disease (1-139)	1,633	25.0	23.0		1 31.1	883	27.8	29.3	1 42.9	750	22.3	17.6	1 20.8	
..Septicemia (038)	784	12.0	10.6		0 11.0	334	10.5	12.0	0 13.7	450	13.4	9.6	0 9.3	
...Septicemia-related (038)	2,879	44.0	39.3		0 38.8	1,318	41.5	46.8	0 47.2	1,561	46.4	34.5	0 33.4	
...HIV infection (042-044)	364	5.6	5.4		1 14.6	261	8.2	7.9	1 22.0	103	3.1	3.0	1 7.5	
All cancer (140-208)	14,165	216.5	197.3		0 202.9	7,011	220.6	239.8	1 252.2	7,154	212.6	171.4	0 172.1	
..Oral cavity or pharynx (140.0-149.9)	183	2.8	2.6		0 2.9	113	3.6	3.8	0 4.6	70	2.1	1.7	0 1.5	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,501	22.9	20.6		0 21.0	701	22.1	24.1	0 25.7	800	23.8	18.2	0 17.6	
....Colon cancer (153)	1,237	18.9	17.0		0 16.9	570	17.9	19.6	0 20.6	667	19.8	15.1	0 14.4	
....Rectal cancer (154)	239	3.7	3.3		0 3.8	120	3.8	4.1	0 4.7	119	3.5	2.7	0 2.9	
...Pancreatic cancer (157)	815	12.5	11.3		0 11.2	384	12.1	12.9	0 12.3	431	12.8	10.0	0 10.3	
..Lung and other respiratory cancer (160-165)	3,847	58.8	54.1		0 54.8	2,140	67.3	71.8	0 75.6	1,707	50.7	42.0	0 40.9	
....Lung cancer (162.2-.9)	3,723	56.9	52.3		0 53.1	2,052	64.6	68.8	0 72.5	1,671	49.6	41.2	0 40.2	
..Malignant melanoma of skin (172)	176	2.7	2.5		0 2.9	89	2.8	3.0	0 4.3	87	2.6	2.1	0 1.8	
..Female breast cancer (174)	1,192	.-	.-		0 .	.-	.-	.-	0 .	1,192	35.4	29.6	0 31.4	
..Cervical cancer (180)	71	.-	.-		0 .	.-	.-	.-	0 .	71	2.1	1.9	0 2.5	
..Endometrial cancer (182)	84	.-	.-		0 .	.-	.-	.-	0 .	84	2.5	1.9	0 2.2	
..Ovarian cancer (183)	375	.-	.-		0 .	.-	.-	.-	0 .	375	11.1	9.2	0 8.2	
..Prostate cancer (185)	809	.-	.-		0 .	809	25.5	29.8	0 33.8	.-	.-	.-	0 .	
..Bladder cancer (188)	370	5.7	5.0		0 5.0	248	7.8	8.9	0 9.3	122	3.6	2.6	0 2.5	
..Brain & other CNS cancer (191-192)	295	4.5	4.2		0 4.3	160	5.0	5.3	0 5.3	135	4.0	3.4	0 3.6	
..Leukemia (204-208)	533	8.1	7.4		0 7.8	291	9.2	9.8	0 10.7	242	7.2	5.8	0 5.8	
Diabetes mellitus (250)	1,280	19.6	17.6		0 18.6	608	19.1	21.1	0 21.0	672	20.0	15.2	0 17.1	
..Diabetes-related (250)	5,036	77.0	68.9		0 70.3	2,468	77.7	85.7	0 83.0	2,568	76.3	57.4	1 62.0	
..Diabetic ketoacidosis (DKA) (250.1)	20	0.3	0.3		0 0.4	10	0.3	.-	0 0.6	10	0.3	.-	0 .	
Alzheimer's diseases (331.0)	523	8.0	6.8		0 6.6	153	4.8	5.9	0 6.4	370	11.0	7.2	0 6.7	
Cardiovascular disease (390-459)	24,740	378.1	332.8		1 348.7	111,128	350.1	400.3	1 425.8	13,612	404.4	280.3	1 293.1	
..Diseases of the heart (390-398,402,404-429)	19,353	295.7	260.9		1 275.1	9,024	283.9	323.5	1 343.9	10,329	306.9	212.9	1 225.9	
....Heart disease-related (390-398,402,404-429)	32,638	498.8	440.7		1 460.9	15,244	479.6	546.7	1 577.3	17,394	516.8	365.0	1 381.5	
....Coronary heart disease (CHD) (402,410-414,429.2)	13,829	211.3	186.5		1 197.1	6,675	210.0	238.5	1 256.8	7,154	212.6	147.2	1 154.7	
....Congestive heart failure (CHF) (428.0)	1,173	17.9	15.4		0 14.5	401	12.6	15.5	0 14.8	772	22.9	15.2	0 14.1	
..Hypertension with or without renal disease (401,403)	327	5.0	4.4		0 3.9	118	3.7	4.3	0 4.2	209	6.2	4.3	0 3.7	
....Hypertension-related (401,403)	4,331	66.2	58.5		1 53.7	1,728	54.4	61.2	0 56.0	2,603	77.3	55.0	1 50.3	
..Cerebrovascular disease (430-438)	3,846	58.8	51.2		0 52.9	1,411	44.4	51.9	0 56.0	2,435	72.3	49.8	0 50.0	
..Atherosclerosis (440)	342	5.2	4.5		0 5.3	125	3.9	4.9	0 6.2	217	6.4	4.3	0 4.7	
....Atherosclerosis-related (440)	1,480	22.6	19.5		1 23.1	568	17.9	21.5	1 26.0	912	27.1	18.1	1 20.9	
..Aortic aneurysm (441)	448	6.8	6.0		0 6.2	256	8.1	9.0	0 9.8	192	5.7	4.1	0 3.9	
Pneumonia & influenza (480-487)	2,462	37.6	32.6		0 31.3	1,118	35.2	42.9	0 40.7	1,344	39.9	26.7	0 26.3	

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.

0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female					
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****					
	No. of deaths	Crude rate	Significance	AAMR	No. of deaths	Crude rate	Significance	AAMR	No. of deaths	Crude rate	Significance	AAMR		
*****Causes of Death*****														
Chronic obstructive pulmonary disease (COPD) (490-496)	2,498	38.2	33.7	0	32.9	1,125	35.4	40.4	0	41.9	1,373	40.8	30.5	
..COPD-related (490-496)	5,725	87.5	77.3	0	77.1	2,783	87.6	99.4	0	105.0	2,942	87.4	64.9	
..Asthma (493)	117	1.8	1.7	0	1.5	35	1.1	1.2	0	1.1	82	2.4	2.0	
Chronic liver disease and cirrhosis (571)	580	8.9	8.4	0	9.3	354	11.1	11.4	0	12.8	226	6.7	5.8	
Nephritis, nephrotic syndrome/nephrosis (580-589)	719	11.0	9.7	0	9.9	348	10.9	12.9	0	13.4	371	11.0	8.0	
..Nephritis-related (580-589)	3,181	48.6	43.2	0	42.8	1,685	53.0	60.7	0	58.6	1,496	44.4	33.2	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	849	13.0	11.5	0	11.8	423	13.3	15.5	0	16.0	426	12.7	9.3	
Unintentional injuries (E800-E949)	2,158	33.0	31.3	0	30.9	1,367	43.0	44.9	0	44.6	791	23.5	19.9	
..Motor vehicle accidents (E810-E825)	690	10.5	10.5	0	10.4	434	13.7	13.9	0	14.6	256	7.6	7.3	
..Falls and fall related injuries (E880-E888)	401	6.1	5.4	0	5.8	215	6.8	7.9	0	7.6	186	5.5	3.8	
..Drowning (E830,E832,E910)	53	0.8	0.8	0	1.1	44	1.4	1.4	0	1.8	91	0.3	.	
..Residential fires (E890-E899)	58	0.9	0.9	0	1.1	28	0.9	0.9	0	1.4	30	0.9	0.9	
Suicide (E950-E959)	549	8.4	8.2	0	9.2	417	13.1	13.1	0	15.5	132	3.9	3.8	
Homicide and legal intervention (E960-E978)	282	4.3	4.5	0	5.0	215	6.8	6.9	0	7.9	67	2.0	2.0	
..Homicide (E960-E969)	278	4.2	4.4	0	5.0	211	6.6	6.8	0	7.8	67	2.0	2.0	
All injury (E800-E999)	3,064	46.8	45.0	0	45.8	2,050	64.5	66.4	0	69.0	1,014	30.1	26.4	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	677	10.3	10.3	0	10.2	425	13.4	13.6	0	14.2	252	7.5	7.2	
..All falls (E880-E886,E888,E957,E968.1,E987)	292	4.5	4.0	0	4.5	179	5.6	6.3	0	6.0	113	3.4	2.4	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	380	5.8	5.9	1	7.6	338	10.6	10.8	1	13.9	421	1.2	1.3	
....Suicide (E955.0-.4)	196	3.0	2.9	1	3.9	178	5.6	5.6	1	7.6	181	0.5	0.5	
....Homicide (E965.0-.4)	171	2.6	2.8	0	3.5	148	4.7	4.8	0	5.9	231	0.7	0.7	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	627	9.6	9.2	0	8.2	450	14.2	13.6	0	12.7	177	5.3	5.1	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	302	4.6	4.5	0	5.5	225	7.1	7.1	0	8.7	77	2.3	2.2	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	561	8.6	8.3	0	7.1	396	12.5	11.9	0	10.8	165	4.9	4.7	

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.

0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Resident DEATHS, 1997-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-	1995-	Signif-	1997-	1995-	Signif-	
						1998	1996	lance	1998	1996	lance	
*****Causes of Death*****												
All causes	59,025	12,469	23,177	224,892	398,492	3892.8	4298.9	1	6119.5	6686.1	1	
Infectious diseases and parasitic disease (1-139)	1,633	727	952	15,877	24,189	256.2	473.6	1	361.1	644.9	1	
..Septicemia (038)	784	121	240	1,841	3,598	29.2	31.9	0	51.3	54.5	0	
....Septicemia-related (038)	2,879	542	1,096	8,016	15,926	130.4	137.1	0	230.6	238.8	0	
...HIV infection (042-044)	364	355	364	8,530	12,137	132.1	362.9	1	176.9	483.2	1	
All cancer (140-208)	14,165	3,655	7,446	40,711	94,983	626.9	666.0	0	1321.6	1389.7	0	
..Oral cavity or pharynx (140.0-149.9)	183	64	106	675	1,545	10.4	12.8	0	21.8	27.0	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,501	291	669	3,048	7,753	45.2	46.3	0	104.6	109.1	0	
....Colon cancer (153)	1,237	235	543	2,393	6,253	35.1	34.6	0	83.9	82.6	0	
....Rectal cancer (154)	239	53	117	623	1,418	9.6	10.9	0	19.7	24.8	0	
...Pancreatic cancer (157)	815	183	420	1,728	4,695	25.7	26.2	0	63.5	63.3	0	
...Lung and other respiratory cancer (160-165)	3,847	1,052	2,291	8,915	25,328	132.4	137.3	0	343.5	352.0	0	
....Lung cancer (162.2-.9)	3,723	1,007	2,216	8,533	24,345	126.7	131.5	0	329.9	337.6	0	
..Malignant melanoma of skin (172)	176	60	100	800	1,585	11.5	17.9	0	21.4	31.0	0	
..Female breast cancer (174)	1,192	431	725	5,323	10,978	
..Cervical cancer (180)	71	42	51	755	1,233	
..Endometrial cancer (182)	84	16	34	140	380	
..Ovarian cancer (183)	375	114	223	1,195	2,853	
..Prostate cancer (185)	809	52	218	320	1,600	
..Bladder cancer (188)	370	42	117	330	1,093	4.9	5.3	0	14.5	16.7	0	
..Brain & other CNS cancer (191-192)	295	127	199	2,129	3,749	35.1	40.6	0	56.0	64.2	0	
..Leukemia (204-208)	533	148	277	2,804	4,882	50.1	53.0	0	77.0	81.1	0	
Diabetes mellitus (250)	1,280	268	578	2,680	6,830	39.5	48.0	0	92.4	104.5	0	
..Diabetic-related (250)	5,036	883	2,062	8,310	22,517	124.6	125.2	0	305.2	312.5	0	
..Diabetic ketoacidosis (DKA) (250.1)	20	8	10	125	215	1.7	6.1	0	2.9	8.3	0	
Alzheimer's diseases (331.0)	523	7	52	68	320	1.0	1.1	0	3.9	4.4	0	
Cardiovascular disease (390-459)	24,740	3,127	7,102	35,682	84,889	551.7	607.0	0	1174.1	1265.7	1	
..Diseases of the heart (390-398,402,404-429)	19,353	2,612	5,783	29,127	69,705	450.8	506.2	1	966.2	1055.5	1	
....Heart disease-related (390-398,402,404-429)	32,638	4,601	10,201	55,366	126,791	872.9	1063.7	1	1778.8	2047.9	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	13,829	1,867	4,214	18,643	48,085	278.3	291.1	0	652.0	682.5	0	
....Congestive heart failure (CHF) (428.0)	1,173	47	161	445	1,390	7.0	7.1	0	18.7	17.5	0	
....Hypertension with or without renal disease (401,403)	327	44	90	562	1,212	8.7	5.5	0	16.9	13.5	0	
....Hypertension-related (401,403)	4,331	567	1,357	5,095	14,255	75.9	73.4	0	192.1	184.7	0	
..Cerebrovascular disease (430-438)	3,846	335	852	4,416	9,948	68.2	70.0	0	136.5	145.2	0	
..Atherosclerosis (440)	342	17	57	193	553	2.8	3.4	0	7.1	6.5	0	
....Atherosclerosis-related (440)	1,480	84	256	847	2,492	13.1	12.0	0	33.4	34.4	0	
..Aortic aneurysm (441)	448	45	161	493	1,463	7.2	7.9	0	18.9	19.8	0	
Pneumonia & influenza (480-487)	2,462	184	421	3,026	5,909	49.5	52.5	0	85.4	90.9	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,498	253	850	2,557	7,719	41.6	40.4	0	105.2	102.1	0	
..COPD-related (490-496)	5,725	610	1,928	5,864	17,724	92.7	78.9	0	239.6	223.4	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1940 U.S. standard population *****

	Both Sexes											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
..Asthma (493)	117	59	69	1,115	1,735	19.1	21.4	0	27.3	29.7	0	
Chronic liver disease and cirrhosis (571)	580	307	443	4,290	8,035	62.6	74.1	0	110.5	125.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	719	94	218	1,331	2,776	21.6	20.4	0	39.6	39.6	0	
..Nephritis-related (580-589)	3,181	536	1,133	6,756	14,694	104.4	137.4	1	204.7	244.1	1	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	849	120	275	1,835	3,668	29.8	27.3	0	52.6	51.9	0	
Unintentional injuries (E800-E949)	2,158	1,275	1,488	37,100	50,872	697.8	694.3	0	884.8	879.5	0	
..Motor vehicle accidents (E810-E825)	690	527	593	16,918	22,508	344.2	351.8	0	425.0	434.8	0	
..Falls and fall related injuries (E880-E888)	401	55	106	1,173	1,980	21.2	24.0	0	31.6	34.9	0	
..Drowning (E830,E832,E910)	53	44	46	1,612	2,062	32.6	43.7	0	39.1	53.2	0	
..Residential fires (E890-E899)	58	39	48	1,127	1,569	21.0	31.8	0	26.9	38.7	0	
Suicide (E950-E959)	549	448	489	11,760	16,448	209.9	244.6	0	272.3	317.5	0	
Homicide and legal intervention (E960-E978)	282	269	277	9,613	12,353	202.9	228.3	0	244.2	274.3	0	
..Homicide (E960-E969)	278	265	273	9,468	12,168	199.6	226.4	0	240.2	272.0	0	
All injury (E800-E999)	3,064	2,065	2,328	60,350	82,287	1141.5	1191.8	0	1441.6	1502.4	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	677	515	581	16,493	21,968	335.2	346.7	0	414.2	428.2	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	292	64	106	1,410	2,270	25.6	24.9	0	36.9	36.1	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	380	339	358	10,558	14,050	215.5	283.7	1	266.7	349.5	1	
...Suicide (E955.0-.4)	196	157	174	3,988	5,645	70.2	100.2	0	92.2	129.8	1	
...Homicide (E965.0-.4)	171	169	171	6,188	7,893	137.3	175.7	0	164.5	210.1	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	627	578	597	15,152	21,020	248.0	227.3	0	322.3	295.6	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	302	229	277	3,693	6,248	52.8	59.1	0	85.1	97.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	561	531	542	14,240	19,592	234.6	200.9	0	302.5	260.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
All causes	27,983	7,616	13,599	140,280	244,303	4890.2	5531.5	1	7682.5	8573.4	1	
Infectious diseases and parasitic disease (1-139)	883	488	608	10,396	15,831	330.2	657.3	1	470.6	904.2	1	
..Septicemia (038)	334	68	129	1,056	2,009	34.0	37.0	0	59.2	65.9	0	
....Septicemia-related (038)	1,318	297	596	4,555	8,867	147.9	159.6	0	261.8	280.6	0	
..HIV infection (042-044)	261	253	261	5,693	8,278	172.5	520.8	1	237.4	700.5	1	
All cancer (140-208)	7,011	1,800	3,835	19,235	46,983	614.6	693.2	0	1364.7	1488.2	0	
..Oral cavity or pharynx (140.0-149.9)	113	47	71	548	1,163	17.2	22.4	0	34.1	46.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	701	157	358	1,653	4,185	50.1	57.8	0	117.7	137.3	0	
....Colon cancer (153)	570	124	285	1,260	3,313	38.0	40.5	0	92.9	99.8	0	
....Rectal cancer (154)	120	32	71	385	853	11.9	16.6	0	24.3	35.8	0	
..Pancreatic cancer (157)	384	106	230	875	2,575	26.6	33.1	0	73.0	76.1	0	
..Lung and other respiratory cancer (160-165)	2,140	587	1,317	4,933	14,328	150.9	154.4	0	405.9	418.0	0	
....Lung cancer (162.2-.9)	2,052	554	1,262	4,655	13,615	142.3	145.5	0	385.3	394.9	0	
..Malignant melanoma of skin (172)	89	34	59	440	903	13.0	24.6	0	25.3	43.0	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	809	52	218	320	1,600	10.1	10.0	0	43.7	48.9	0	
..Bladder cancer (188)	248	36	86	265	870	8.2	8.5	0	24.7	26.0	0	
..Brain & other CNS cancer (191-192)	160	80	114	1,392	2,387	46.7	49.0	0	73.7	76.9	0	
..Leukemia (204-208)	291	75	161	1,318	2,498	48.6	64.9	0	80.7	101.0	0	
Diabetes mellitus (250)	608	151	318	1,573	3,895	46.9	49.7	0	109.2	107.6	0	
..Diabetes-related (250)	2,468	533	1,165	5,145	13,355	157.0	139.9	0	378.2	354.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	10	5	6	78	135	8.4	8.4	0	11.9	.	.	
Alzheimer's diseases (331.0)	153	3	24	28	170	0.8	0.8	0	4.4	3.9	0	
Cardiovascular disease (390-459)	11,128	2,160	4,548	24,345	56,895	760.7	821.0	0	1633.3	1724.7	0	
..Diseases of the heart (390-398,402,404-429)	9,024	1,857	3,805	20,602	48,172	644.1	697.0	0	1385.6	1463.9	0	
....Heart disease-related (390-398,402,404-429)	15,244	3,011	6,325	36,315	81,800	1156.0	1382.5	1	2374.6	2682.7	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,675	1,379	2,870	14,153	34,905	432.1	451.1	0	990.2	1032.1	0	
....Congestive heart failure (CHF) (428.0)	401	21	76	178	625	5.4	6.9	0	17.1	19.4	0	
....Hypertension with or without renal disease (401,403)	118	23	47	288	633	8.9	8.1	0	18.1	17.5	0	
....Hypertension-related (401,403)	1,728	345	750	3,158	8,450	96.4	99.5	0	239.5	242.6	0	
..Cerebrovascular disease (430-438)	1,411	188	451	2,374	5,387	74.2	84.4	0	153.5	173.3	0	
..Atherosclerosis (440)	125	8	32	110	300	3.3	6.3	0	8.1	11.0	0	
....Atherosclerosis-related (440)	568	45	149	565	1,520	17.9	17.2	0	42.8	47.5	0	
..Aortic aneurysm (441)	256	37	116	388	1,130	11.7	13.1	0	31.2	33.5	0	
Pneumonia & influenza (480-487)	1,118	120	263	2,000	3,833	65.0	69.3	0	112.9	116.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,125	111	403	1,170	3,555	40.4	33.0	0	103.1	97.6	0	
..COPD-related (490-496)	2,783	303	1,027	2,755	8,910	91.6	78.0	0	254.0	245.4	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
..Asthma (493)	35	24	26	530	775	20.1	13.7	0	27.0	19.6	0	
Chronic liver disease and cirrhosis (571)	354	220	301	3,067	5,670	91.0	110.1	0	160.2	185.1	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	348	50	114	677	1,417	22.0	25.9	0	41.5	48.6	0	
..Nephritis-related (580-589)	1,685	307	639	3,978	8,483	124.6	156.5	0	244.0	281.8	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	423	67	146	972	1,954	31.6	31.8	0	57.4	60.0	0	
Unintentional injuries (E800-E949)	1,367	927	1,054	27,232	37,139	1815.1	1022.8	0	1287.0	1298.7	0	
..Motor vehicle accidents (E810-E825)	434	354	390	11,494	15,219	466.3	494.5	0	575.4	610.2	0	
..Falls and fall related injuries (E880-E888)	215	45	78	1,003	1,625	36.3	34.0	0	53.1	50.1	0	
..Drowning (E830,E832,E910)	44	38	40	1,420	1,810	56.2	72.9	0	67.3	88.9	0	
..Residential fires (E890-E899)	28	19	23	565	785	21.4	35.5	0	27.4	44.8	0	
Suicide (E950-E959)	417	341	371	9,053	12,618	325.7	395.0	0	422.4	513.6	0	
Homicide and legal intervention (E960-E978)	215	205	212	7,436	9,528	317.7	361.5	0	382.1	434.6	0	
..Homicide (E960-E969)	211	201	208	7,291	9,343	311.2	357.9	0	374.3	430.1	0	
All injury (E800-E999)	2,050	1,522	1,687	44,987	61,050	1700.6	1811.8	0	2146.4	2287.4	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	425	344	382	11,104	14,739	449.8	484.2	0	556.1	597.0	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	179	52	83	1,165	1,848	41.9	35.0	0	60.4	51.7	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	338	299	317	9,393	12,478	383.4	494.3	1	474.8	609.9	1	
...Suicide (E955.0-.4)	178	140	157	3,605	5,093	128.6	182.1	0	169.1	236.4	0	
...Homicide (E965.0-.4)	148	147	148	5,433	6,910	239.7	296.8	0	287.0	354.6	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	450	419	431	11,168	15,413	367.2	345.8	0	475.7	450.8	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	225	176	207	2,835	4,763	83.0	94.8	0	133.5	153.3	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	396	383	388	10,473	14,315	346.4	308.1	0	444.5	398.6	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
All causes	31,042	4,853	9,578	84,612	154,189	2896.8	3070.4	0	4598.5	4848.1	0	
Infectious diseases and parasitic disease (1-139)	750	239	344	5,481	8,358	184.3	294.7	1	255.7	393.5	1	
..Septicemia (038)	450	53	111	785	1,590	24.6	27.2	0	43.9	43.9	0	
....Septicemia-related (038)	1,561	245	500	3,462	7,059	113.6	115.3	0	201.4	199.3	0	
..HIV infection (042-044)	103	102	103	2,837	3,860	93.5	208.7	1	119.2	271.6	1	
All cancer (140-208)	7,154	1,855	3,611	21,476	48,001	638.2	637.7	0	1285.8	1299.9	0	
..Oral cavity or pharynx (140.0-149.9)	70	17	35	128	383	3.7	3.5	0	10.0	8.6	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	800	134	311	1,395	3,568	40.4	35.1	0	92.6	83.1	0	
....Colon cancer (153)	667	111	258	1,133	2,940	32.3	29.1	0	75.7	67.0	0	
....Rectal cancer (154)	119	21	46	238	565	7.4	5.4	0	15.4	14.3	0	
..Pancreatic cancer (157)	431	77	190	853	2,120	24.9	19.5	0	55.0	51.3	0	
..Lung and other respiratory cancer (160-165)	1,707	465	974	3,983	11,000	114.9	121.3	0	287.2	293.2	0	
....Lung cancer (162.2-.9)	1,671	453	954	3,878	10,730	111.9	118.4	0	280.0	286.6	0	
..Malignant melanoma of skin (172)	87	26	41	360	683	10.0	11.3	0	17.8	19.7	0	
..Female breast cancer (174)	1,192	431	725	5,323	10,978	149.8	165.1	0	287.6	316.2	0	
..Cervical cancer (180)	71	42	51	755	1,233	22.1	26.1	0	33.9	40.4	0	
..Endometrial cancer (182)	84	16	34	140	380	4.0	3.5	0	9.9	11.0	0	
..Ovarian cancer (183)	375	114	223	1,195	2,853	34.8	29.0	0	75.3	63.3	0	
..Prostate cancer (185)	
..Bladder cancer (188)	122	6	31	65	223	1.8	2.4	0	5.2	8.4	0	
..Brain & other CNS cancer (191-192)	135	47	85	737	1,362	23.5	32.1	0	38.8	51.7	0	
..Leukemia (204-208)	242	73	116	1,487	2,384	51.9	40.9	0	74.4	61.8	0	
Diabetes mellitus (250)	672	117	260	1,108	2,935	32.3	46.2	0	76.7	101.7	0	
..Diabetes-related (250)	2,568	350	897	3,165	9,163	93.6	111.4	0	237.4	274.8	0	
..Diabetic ketoacidosis (DKA) (250.1)	10	3	4	48	80	
Alzheimer's diseases (331.0)	370	4	28	40	150	1.2	1.3	0	3.4	4.8	0	
Cardiovascular disease (390-459)	13,612	967	2,554	11,337	27,994	351.9	401.6	0	746.8	838.7	0	
..Diseases of the heart (390-398,402,404-429)	10,329	755	1,978	8,526	21,533	265.9	323.4	0	575.7	675.8	1	
....Heart disease-related (390-398,402,404-429)	17,394	1,590	3,876	19,051	44,991	599.4	754.9	1	1221.4	1452.9	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	7,154	488	1,344	4,490	13,180	131.3	138.3	0	337.5	358.1	0	
....Congestive heart failure (CHF) (428.0)	772	26	85	267	765	8.7	7.4	0	20.3	15.8	0	
....Hypertension with or without renal disease (401,403)	209	21	43	275	580	8.6	3.0	0	15.9	9.6	0	
....Hypertension-related (401,403)	2,603	222	607	1,937	5,865	56.4	48.6	0	148.2	131.0	0	
..Cerebrovascular disease (430-438)	2,435	147	401	2,042	4,562	62.3	55.8	0	120.8	118.4	0	
..Atherosclerosis (440)	217	9	25	83	253	2.3	0.6	0	6.3	2.2	0	
....Atherosclerosis-related (440)	912	39	107	283	973	8.2	7.0	0	24.7	22.4	0	
..Aortic aneurysm (441)	192	8	45	105	333	2.9	2.9	0	7.7	7.3	0	
Pneumonia & influenza (480-487)	1,344	64	158	1,026	2,076	34.1	35.8	0	59.0	66.0	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,373	142	447	1,387	4,165	42.4	48.1	0	107.3	107.6	0	
..COPD-related (490-496)	2,942	307	901	3,110	8,815	93.7	80.4	0	227.6	205.5	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
..Asthma (493)	82	35	43	585	960	18.0	29.4	0	27.3	40.0	0	
Chronic liver disease and cirrhosis (571)	226	87	142	1,223	2,365	35.4	39.6	0	63.3	69.7	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	371	44	104	654	1,359	21.2	14.9	0	38.0	30.9	0	
..Nephritis-related (580-589)	1,496	229	494	2,779	6,211	84.8	119.4	0	167.8	209.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	426	53	129	864	1,714	28.1	22.8	0	48.2	44.3	0	
Unintentional injuries (E800-E949)	791	348	434	9,868	13,733	377.8	362.5	0	481.4	458.3	0	
..Motor vehicle accidents (E810-E825)	256	173	203	5,424	7,289	220.0	206.1	0	272.4	256.2	0	
..Falls and fall related injuries (E880-E888)	186	10	28	170	355	6.0	14.2	0	10.5	20.1	0	
..Drowning (E830,E832,E910)	9	6	6	192	252	
..Residential fires (E890-E899)	30	20	25	562	785	20.8	28.3	0	26.5	33.1	0	
Suicide (E950-E959)	132	107	118	2,708	3,830	93.4	92.5	0	122.2	120.9	0	
Homicide and legal intervention (E960-E978)	67	64	65	2,177	2,825	84.4	90.5	0	102.3	108.9	0	
..Homicide (E960-E969)	67	64	65	2,177	2,825	84.4	90.5	0	102.3	108.9	0	
All injury (E800-E999)	1,014	543	641	15,363	21,238	575.5	562.4	0	731.9	709.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	252	171	199	5,389	7,229	218.7	206.1	0	270.4	256.2	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	113	12	23	245	423	9.2	15.0	0	13.7	21.1	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	42	40	41	1,165	1,573	44.1	67.8	0	55.2	83.7	0	
....Suicide (E955.0-.4)	18	17	17	383	553	11.5	17.4	0	15.6	22.7	0	
....Homicide (E965.0-.4)	23	22	23	755	983	31.8	50.4	0	38.6	60.9	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	177	159	166	3,985	5,607	129.9	109.9	0	170.7	142.2	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	77	53	70	858	1,485	23.7	24.7	0	38.8	43.3	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	165	148	154	3,767	5,277	123.7	94.6	0	161.8	122.8	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
All causes	59,025	12,469	23,177	224,892	398,492	3842.9	4209.3	1	6218.0	6733.5	1	
Infectious diseases and parasitic disease (1-139)	1,633	727	952	15,877	24,189	235.9	419.4	1	336.2	572.5	1	
..Septicemia (038)	784	121	240	1,841	3,598	29.0	31.7	0	53.0	56.2	0	
....Septicemia-related (038)	2,879	542	1,096	8,016	15,926	129.1	133.8	0	238.7	243.5	0	
...HIV infection (042-044)	364	355	364	8,530	12,137	115.4	311.2	1	153.8	412.0	1	
All cancer (140-208)	14,165	3,655	7,446	40,711	94,983	627.3	666.4	0	1403.0	1473.2	0	
..Oral cavity or pharynx (140.0-149.9)	183	64	106	675	1,545	10.3	13.1	0	23.0	28.9	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,501	291	669	3,048	7,753	44.5	46.6	0	111.6	118.0	0	
....Colon cancer (153)	1,237	235	543	2,393	6,253	34.8	34.5	0	90.1	89.2	0	
....Rectal cancer (154)	239	53	117	623	1,418	9.1	11.3	0	20.3	26.9	0	
..Pancreatic cancer (157)	815	183	420	1,728	4,695	26.3	26.7	0	69.3	68.8	0	
..Lung and other respiratory cancer (160-165)	3,847	1,052	2,291	8,915	25,328	137.7	142.5	0	379.5	388.0	0	
....Lung cancer (162.2-.9)	3,723	1,007	2,216	8,533	24,345	131.7	136.5	0	364.6	372.2	0	
..Malignant melanoma of skin (172)	176	60	100	800	1,585	10.9	16.6	0	21.5	30.4	0	
..Female breast cancer (174)	1,192	431	725	5,323	10,978	
..Cervical cancer (180)	71	42	51	755	1,233	
..Endometrial cancer (182)	84	16	34	140	380	
..Ovarian cancer (183)	375	114	223	1,195	2,853	
..Prostate cancer (185)	809	52	218	320	1,600	
..Bladder cancer (188)	370	42	117	330	1,093	5.2	5.6	0	16.4	19.0	0	
..Brain & other CNS cancer (191-192)	295	127	199	2,129	3,749	34.7	42.2	0	56.6	67.2	0	
..Leukemia (204-208)	533	148	277	2,804	4,882	49.9	52.9	0	78.5	82.8	0	
Diabetes mellitus (250)	1,280	268	578	2,680	6,830	39.0	47.8	0	98.7	111.1	0	
..Diabetes-related (250)	5,036	883	2,062	8,310	22,517	125.9	127.4	0	332.1	341.7	0	
..Diabetic ketoacidosis (DKA) (250.1)	20	8	10	125	215	1.6	5.6	0	2.8	7.7	0	
Alzheimer's diseases (331.0)	523	7	52	68	320	1.0	1.2	0	4.5	5.2	0	
Cardiovascular disease (390-459)	24,740	3,127	7,102	35,682	84,889	549.5	603.7	0	1248.8	1342.4	1	
..Diseases of the heart (390-398,402,404-429)	19,353	2,612	5,783	29,127	69,705	450.3	504.3	1	1029.5	1119.8	1	
....Heart disease-related (390-398,402,404-429)	32,638	4,601	10,201	55,366	126,791	869.6	1050.8	1	1883.6	2141.2	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	13,829	1,867	4,214	18,643	48,085	280.4	293.7	0	703.6	737.2	0	
....Congestive heart failure (CHF) (428.0)	1,173	47	161	445	1,390	7.4	7.2	0	21.0	19.4	0	
....Hypertension with or without renal disease (401,403)	327	44	90	562	1,212	8.6	5.5	0	17.7	14.7	0	
....Hypertension-related (401,403)	4,331	567	1,357	5,095	14,255	77.7	76.0	0	211.1	203.5	0	
..Cerebrovascular disease (430-438)	3,846	335	852	4,416	9,948	67.3	69.7	0	143.8	154.3	0	
..Atherosclerosis (440)	342	17	57	193	553	2.7	3.2	0	7.8	6.6	0	
....Atherosclerosis-related (440)	1,480	84	256	847	2,492	13.1	12.3	0	36.7	38.6	0	
..Aortic aneurysm (441)	448	45	161	493	1,463	6.8	7.6	0	20.4	21.3	0	
Pneumonia & influenza (480-487)	2,462	184	421	3,026	5,909	48.8	51.7	0	88.2	93.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,498	253	850	2,557	7,719	42.4	41.1	0	116.7	113.3	0	
..COPD-related (490-496)	5,725	610	1,928	5,864	17,724	94.7	80.6	0	265.8	250.7	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
..Asthma (493)	117	59	69	1,115	1,735	18.4	20.8	0	26.5	29.1	0	
Chronic liver disease and cirrhosis (571)	580	307	443	4,290	8,035	59.8	70.2	0	109.9	123.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	719	94	218	1,331	2,776	21.3	19.3	0	41.3	40.6	0	
..Nephritis-related (580-589)	3,181	536	1,133	6,756	14,694	102.4	132.9	1	213.3	248.6	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	849	120	275	1,835	3,668	29.3	25.4	0	54.3	52.5	0	
Unintentional injuries (E800-E949)	2,158	1,275	1,488	37,100	50,872	650.3	654.5	0	816.9	820.7	0	
..Motor vehicle accidents (E810-E825)	690	527	593	16,918	22,508	326.0	335.9	0	397.2	410.0	0	
..Falls and fall related injuries (E880-E888)	401	55	106	1,173	1,980	20.2	22.6	0	30.9	33.7	0	
..Drowning (E830,E832,E910)	53	44	46	1,612	2,062	32.1	44.9	0	37.7	53.7	0	
..Residential fires (E890-E899)	58	39	48	1,127	1,569	21.6	33.6	0	27.3	40.3	0	
Suicide (E950-E959)	549	448	489	11,760	16,448	189.3	222.9	0	244.1	288.2	0	
Homicide and legal intervention (E960-E978)	282	269	277	9,613	12,353	192.3	216.5	0	227.5	255.9	0	
..Homicide (E960-E969)	278	265	273	9,468	12,168	189.2	214.9	0	224.0	253.9	0	
All injury (E800-E999)	3,064	2,065	2,328	60,350	82,287	1058.4	1116.0	0	1323.0	1392.3	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	677	515	581	16,493	21,968	317.4	331.5	0	387.2	404.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	292	64	106	1,410	2,270	24.1	23.2	0	35.4	34.4	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	380	339	358	10,558	14,050	197.5	263.1	1	241.6	320.1	1	
...Suicide (E955.0-.4)	196	157	174	3,988	5,645	62.2	90.7	1	81.6	117.0	1	
...Homicide (E965.0-.4)	171	169	171	6,188	7,893	128.0	165.2	0	150.8	194.2	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	627	578	597	15,152	21,020	213.6	198.9	0	275.3	256.6	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	302	229	277	3,693	6,248	48.5	55.1	0	80.5	93.3	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	561	531	542	14,240	19,592	201.7	173.2	0	257.5	222.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1970 U.S. standard population *****

	Male											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
All causes	27,983	7,616	13,599	140,280	244,303	4788.4	5363.8	1	7759.3	8562.5	1	
Infectious diseases and parasitic disease (1-139)	883	488	608	10,396	15,831	301.2	578.1	1	434.8	798.3	1	
...Septicemia (038)	334	68	129	1,056	2,009	33.5	36.1	0	60.7	67.5	0	
....Septicemia-related (038)	1,318	297	596	4,555	8,867	144.7	153.8	0	268.8	284.1	0	
...HIV infection (042-044)	261	253	261	5,693	8,278	148.9	447.5	1	205.4	599.4	1	
All cancer (140-208)	7,011	1,800	3,835	19,235	46,983	618.8	699.8	0	1467.2	1595.4	0	
...Oral cavity or pharynx (140.0-149.9)	113	47	71	548	1,163	16.8	22.8	0	35.4	49.5	0	
...Colorectal cancer (153.0-154.3,154.8,159.0)	701	157	358	1,653	4,185	49.3	58.7	0	125.9	149.2	0	
....Colon cancer (153)	570	124	285	1,260	3,313	37.7	40.7	0	100.2	108.6	0	
....Rectal cancer (154)	120	32	71	385	853	11.3	17.2	0	25.1	38.7	0	
...Pancreatic cancer (157)	384	106	230	875	2,575	27.7	33.1	0	81.1	81.4	0	
...Lung and other respiratory cancer (160-165)	2,140	587	1,317	4,933	14,328	156.9	161.8	0	450.8	465.8	0	
....Lung cancer (162.2-.9)	2,052	554	1,262	4,655	13,615	147.9	152.4	0	428.2	440.3	0	
...Malignant melanoma of skin (172)	89	34	59	440	903	12.6	22.7	0	25.8	42.0	0	
...Female breast cancer (174)	
...Cervical cancer (180)	
...Endometrial cancer (182)	
...Ovarian cancer (183)	
...Prostate cancer (185)	809	52	218	320	1,600	11.1	11.3	0	51.7	58.5	0	
...Bladder cancer (188)	248	36	86	265	870	8.8	8.9	0	28.0	29.5	0	
...Brain & other CNS cancer (191-192)	160	80	114	1,392	2,387	45.4	51.3	0	73.4	80.9	0	
...Leukemia (204-208)	291	75	161	1,318	2,498	46.2	65.8	0	81.0	104.5	0	
Diabetes mellitus (250)	608	151	318	1,573	3,895	46.1	49.7	0	116.3	114.6	0	
...Diabetes-related (250)	2,468	533	1,165	5,145	13,355	158.5	143.3	0	410.4	389.1	0	
...Diabetic ketoacidosis (DKA) (250.1)	10	5	6	78	135	8.1	8.1	0	11.5	11.5	0	
Alzheimer's diseases (331.0)	153	3	24	28	170	0.8	0.9	0	5.1	4.7	0	
Cardiovascular disease (390-459)	11,128	2,160	4,548	24,345	56,895	757.8	818.3	0	1737.1	1830.8	0	
...Diseases of the heart (390-398,402,404-429)	9,024	1,857	3,805	20,602	48,172	642.8	694.2	0	1473.9	1552.3	0	
....Heart disease-related (390-398,402,404-429)	15,244	3,011	6,325	36,315	81,800	1151.3	1362.5	1	2515.0	2802.3	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,675	1,379	2,870	14,153	34,905	434.9	454.7	0	1064.2	1110.1	0	
....Congestive heart failure (CHF) (428.0)	401	21	76	178	625	5.6	7.0	0	19.4	21.8	0	
...Hypertension with or without renal disease (401,403)	118	23	47	288	633	8.6	8.0	0	18.7	18.6	0	
....Hypertension-related (401,403)	1,728	345	750	3,158	8,450	98.3	103.7	0	261.8	266.6	0	
...Cerebrovascular disease (430-438)	1,411	188	451	2,374	5,387	73.9	85.5	0	163.3	185.9	0	
...Atherosclerosis (440)	125	8	32	110	300	3.3	5.8	0	8.8	10.8	0	
....Atherosclerosis-related (440)	568	45	149	565	1,520	17.5	17.5	0	46.2	52.9	0	
...Aortic aneurysm (441)	256	37	116	388	1,130	11.1	12.6	0	33.7	36.2	0	
Pneumonia & influenza (480-487)	1,118	120	263	2,000	3,833	64.1	67.0	0	116.6	118.4	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,125	111	403	1,170	3,555	41.0	33.2	0	114.8	109.9	0	
..COPD-related (490-496)	2,783	303	1,027	2,755	8,910	94.9	79.9	0	286.5	278.5	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
..Asthma (493)	35	24	26	530	775	19.1	12.9	0	25.7	18.8	0	
Chronic liver disease and cirrhosis (571)	354	220	301	3,067	5,670	87.6	104.5	0	160.0	181.1	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	348	50	114	677	1,417	22.1	24.7	0	43.6	49.8	0	
..Nephritis-related (580-589)	1,685	307	639	3,978	8,483	123.0	150.1	0	255.1	286.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	423	67	146	972	1,954	31.4	29.9	0	59.8	61.1	0	
Unintentional injuries (E800-E949)	1,367	927	1,054	27,232	37,139	935.8	954.0	0	1175.3	1198.8	0	
..Motor vehicle accidents (E810-E825)	434	354	390	11,494	15,219	436.0	469.5	0	531.2	571.6	0	
..Falls and fall related injuries (E880-E888)	215	45	78	1,003	1,625	34.3	31.4	0	51.4	47.6	0	
..Drowning (E830,E832,E910)	44	38	40	1,420	1,810	55.2	74.5	0	64.8	89.4	0	
..Residential fires (E890-E899)	28	19	23	565	785	21.1	36.7	0	26.8	45.6	0	
Suicide (E950-E959)	417	341	371	9,053	12,618	293.9	359.8	0	379.0	466.3	0	
Homicide and legal intervention (E960-E978)	215	205	212	7,436	9,528	299.5	340.3	0	354.4	402.5	0	
..Homicide (E960-E969)	211	201	208	7,291	9,343	293.6	337.0	0	347.3	398.6	0	
All injury (E800-E999)	2,050	1,522	1,687	44,987	61,050	1565.4	1683.0	0	1955.7	2103.2	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	425	344	382	11,104	14,739	420.3	460.7	0	513.3	560.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	179	52	83	1,165	1,848	39.5	31.7	0	58.1	48.4	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	338	299	317	9,393	12,478	350.6	456.5	1	429.4	556.7	1	
...Suicide (E955.0-.4)	178	140	157	3,605	5,093	113.7	165.0	0	149.7	213.8	1	
...Homicide (E965.0-.4)	148	147	148	5,433	6,910	222.9	277.2	0	262.4	325.6	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	450	419	431	11,168	15,413	314.5	299.5	0	403.7	387.8	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	225	176	207	2,835	4,763	76.0	88.6	0	126.1	147.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	396	383	388	10,473	14,315	296.0	264.1	0	375.6	338.4	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
All causes	31,042	4,853	9,578	84,612	154,189	2898.1	3058.2	0	4726.7	4962.7	0	
Infectious diseases and parasitic disease (1-139)	750	239	344	5,481	8,358	172.6	265.2	1	241.7	354.1	1	
..Septicemia (038)	450	53	111	785	1,590	24.7	27.6	0	45.8	45.9	0	
....Septicemia-related (038)	1,561	245	500	3,462	7,059	114.2	114.5	0	210.9	205.7	0	
..HIV infection (042-044)	103	102	103	2,837	3,860	83.6	178.4	1	104.9	229.8	1	
All cancer (140-208)	7,154	1,855	3,611	21,476	48,001	635.0	631.9	0	1348.7	1362.5	0	
..Oral cavity or pharynx (140.0-149.9)	70	17	35	128	383	4.0	3.6	0	11.3	9.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	800	134	311	1,395	3,568	39.9	35.0	0	98.7	89.5	0	
....Colon cancer (153)	667	111	258	1,133	2,940	32.1	28.6	0	81.1	71.7	0	
....Rectal cancer (154)	119	21	46	238	565	7.0	5.6	0	16.0	15.9	0	
..Pancreatic cancer (157)	431	77	190	853	2,120	25.0	20.6	0	58.7	57.1	0	
..Lung and other respiratory cancer (160-165)	1,707	465	974	3,983	11,000	119.5	124.4	0	315.6	318.9	0	
....Lung cancer (162.2-.9)	1,671	453	954	3,878	10,730	116.3	121.7	0	307.7	312.0	0	
..Malignant melanoma of skin (172)	87	26	41	360	683	9.3	10.7	0	17.5	19.5	0	
..Female breast cancer (174)	1,192	431	725	5,323	10,978	147.2	160.8	0	295.0	322.9	0	
..Cervical cancer (180)	71	42	51	755	1,233	19.5	23.6	0	30.9	37.6	0	
..Endometrial cancer (182)	84	16	34	140	380	4.2	3.7	0	10.9	12.4	0	
..Ovarian cancer (183)	375	114	223	1,195	2,853	34.8	29.4	0	79.7	67.5	0	
..Prostate cancer (185)	
..Bladder cancer (188)	122	6	31	65	223	1.8	2.5	0	5.9	9.6	0	
..Brain & other CNS cancer (191-192)	135	47	85	737	1,362	24.1	33.0	0	40.4	53.7	0	
..Leukemia (204-208)	242	73	116	1,487	2,384	54.0	39.9	0	77.4	61.8	0	
Diabetes mellitus (250)	672	117	260	1,108	2,935	32.2	45.8	0	82.5	107.8	0	
..Diabetes-related (250)	2,568	350	897	3,165	9,163	94.8	112.3	0	259.8	299.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	10	3	4	48	80	
Alzheimer's diseases (331.0)	370	4	28	40	150	1.3	1.5	0	4.0	5.6	0	
Cardiovascular disease (390-459)	13,612	967	2,554	11,337	27,994	350.8	398.3	0	797.4	891.2	0	
..Diseases of the heart (390-398,402,404-429)	10,329	755	1,978	8,526	21,533	266.7	322.8	0	618.3	720.5	1	
....Heart disease-related (390-398,402,404-429)	17,394	1,590	3,876	19,051	44,991	597.9	749.4	1	1296.9	1526.4	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	7,154	488	1,344	4,490	13,180	133.2	140.2	0	370.3	393.5	0	
....Congestive heart failure (CHF) (428.0)	772	26	85	267	765	9.2	7.5	0	22.7	17.3	0	
....Hypertension with or without renal disease (401,403)	209	21	43	275	580	8.7	3.1	0	16.9	10.9	0	
....Hypertension-related (401,403)	2,603	222	607	1,937	5,865	58.4	49.7	0	164.5	145.0	0	
..Cerebrovascular disease (430-438)	2,435	147	401	2,042	4,562	61.0	54.0	0	125.9	124.4	0	
..Atherosclerosis (440)	217	9	25	83	253	2.3	0.7	0	6.9	2.6	0	
....Atherosclerosis-related (440)	912	39	107	283	973	8.7	7.3	0	28.0	25.6	0	
..Aortic aneurysm (441)	192	8	45	105	333	2.7	2.8	0	8.4	7.8	0	
Pneumonia & influenza (480-487)	1,344	64	158	1,026	2,076	33.8	36.5	0	61.3	70.4	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,373	142	447	1,387	4,165	43.4	49.2	0	118.7	118.1	0	
..COPD-related (490-496)	2,942	307	901	3,110	8,815	94.3	81.8	0	248.3	227.9	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1970 U.S. standard population *****

	Female											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
..Asthma (493)	82	35	43	585	960	17.6	28.9	0	27.0	39.5	0	
Chronic liver disease and cirrhosis (571)	226	87	142	1,223	2,365	33.2	37.3	0	62.6	69.1	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	371	44	104	654	1,359	20.7	13.9	0	39.3	31.8	0	
..Nephritis-related (580-589)	1,496	229	494	2,779	6,211	82.3	116.5	0	174.3	214.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	426	53	129	864	1,714	27.3	20.9	0	49.3	44.4	0	
Unintentional injuries (E800-E949)	791	348	434	9,868	13,733	361.7	351.3	0	457.0	440.3	0	
..Motor vehicle accidents (E810-E825)	256	173	203	5,424	7,289	213.8	199.0	0	261.1	245.1	0	
..Falls and fall related injuries (E880-E888)	186	10	28	170	355	5.9	14.0	0	10.8	20.1	0	
..Drowning (E830,E832,E910)	9	6	6	192	252	
..Residential fires (E890-E899)	30	20	25	562	785	22.3	30.8	0	28.0	35.5	0	
Suicide (E950-E959)	132	107	118	2,708	3,830	83.9	84.3	0	109.2	109.8	0	
Homicide and legal intervention (E960-E978)	67	64	65	2,177	2,825	81.3	88.1	0	96.7	104.4	0	
..Homicide (E960-E969)	67	64	65	2,177	2,825	81.3	88.1	0	96.7	104.4	0	
All injury (E800-E999)	1,014	543	641	15,363	21,238	543.8	538.9	0	685.0	673.7	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	252	171	199	5,389	7,229	212.6	199.0	0	259.3	245.1	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	113	12	23	245	423	8.5	14.9	0	13.1	21.0	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-	42	40	41	1,165	1,573	40.8	64.2	0	50.4	78.3	0	
.4,E970,E985.0-.4)	18	17	17	383	553	10.3	15.3	0	13.8	20.0	0	
....Suicide (E955.0-.4)	23	22	23	755	983	30.0	48.9	0	35.8	58.2	0	
....Homicide (E965.0-.4)	177	159	166	3,985	5,607	113.5	99.1	0	148.3	127.0	0	
All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	177	159	166	3,985	5,607	113.5	99.1	0	148.3	127.0	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-	77	53	70	858	1,485	22.0	22.9	0	37.1	42.2	0	
.3,790.3,E860)	165	148	154	3,767	5,277	108.0	83.1	0	140.4	107.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-												
.5,E962.0,E980.0-.5)												

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
All causes	59,025	12,469	23,177	224,892	398,492	4004.4	4433.9	1	6510.4	7110.6	1	
Infectious diseases and parasitic disease (1-139)	1,633	727	952	15,877	24,189	272.6	514.1	1	386.0	696.3	1	
..Septicemia (038)	784	121	240	1,841	3,598	32.4	34.5	0	58.2	60.5	0	
....Septicemia-related (038)	2,879	542	1,096	8,016	15,926	141.6	150.6	0	258.2	268.4	0	
..HIV infection (042-044)	364	355	364	8,530	12,137	143.2	399.2	1	190.0	525.2	1	
All cancer (140-208)	14,165	3,655	7,446	40,711	94,983	718.1	760.1	0	1537.1	1612.0	0	
..Oral cavity or pharynx (140.0-149.9)	183	64	106	675	1,545	11.8	14.3	0	25.0	30.7	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,501	291	669	3,048	7,753	53.0	53.5	0	124.1	128.6	0	
....Colon cancer (153)	1,237	235	543	2,393	6,253	41.7	39.9	0	100.0	97.3	0	
....Rectal cancer (154)	239	53	117	623	1,418	10.8	12.8	0	22.7	29.2	0	
..Pancreatic cancer (157)	815	183	420	1,728	4,695	30.6	31.2	0	75.8	75.5	0	
..Lung and other respiratory cancer (160-165)	3,847	1,052	2,291	8,915	25,328	158.3	164.7	0	410.2	421.2	0	
....Lung cancer (162.2-.9)	3,723	1,007	2,216	8,533	24,345	151.5	157.7	0	394.1	404.1	0	
..Malignant melanoma of skin (172)	176	60	100	800	1,585	13.7	20.1	0	25.3	35.1	0	
..Female breast cancer (174)	1,192	431	725	5,323	10,978	
..Cervical cancer (180)	71	42	51	755	1,233	
..Endometrial cancer (182)	84	16	34	140	380	
..Ovarian cancer (183)	375	114	223	1,195	2,853	
..Prostate cancer (185)	809	52	218	320	1,600	
..Bladder cancer (188)	370	42	117	330	1,093	5.9	6.3	0	17.6	20.2	0	
..Brain & other CNS cancer (191-192)	295	127	199	2,129	3,749	37.4	43.5	0	60.9	70.1	0	
..Leukemia (204-208)	533	148	277	2,804	4,882	50.2	53.9	0	80.0	85.3	0	
Diabetes mellitus (250)	1,280	268	578	2,680	6,830	46.6	55.7	0	109.5	122.4	0	
..Diabetic-related (250)	5,036	883	2,062	8,310	22,517	146.1	146.5	0	362.3	370.3	0	
..Diabetic ketoacidosis (DKA) (250.1)	20	8	10	125	215	2.2	6.5	0	3.5	8.9	0	
Alzheimer's diseases (331.0)	523	7	52	68	320	1.2	1.3	0	5.0	5.4	0	
Cardiovascular disease (390-459)	24,740	3,127	7,102	35,682	84,889	628.3	690.2	1	1368.5	1474.6	1	
..Diseases of the heart (390-398,402,404-429)	19,353	2,612	5,783	29,127	69,705	513.8	575.8	1	1125.6	1228.7	1	
....Heart disease-related (390-398,402,404-429)	32,638	4,601	10,201	55,366	126,791	975.7	1184.0	1	2046.4	2343.9	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	13,829	1,867	4,214	18,643	48,085	328.5	346.6	0	775.4	816.9	0	
....Congestive heart failure (CHF) (428.0)	1,173	47	161	445	1,390	7.9	7.7	0	22.2	20.6	0	
....Hypertension with or without renal disease (401,403)	327	44	90	562	1,212	9.8	6.5	0	19.5	16.2	0	
....Hypertension-related (401,403)	4,331	567	1,357	5,095	14,255	89.8	86.9	0	229.6	220.8	0	
..Cerebrovascular disease (430-438)	3,846	335	852	4,416	9,948	77.3	79.3	0	159.4	169.4	0	
..Atherosclerosis (440)	342	17	57	193	553	3.4	3.9	0	8.8	7.8	0	
....Atherosclerosis-related (440)	1,480	84	256	847	2,492	14.9	14.1	0	39.7	41.9	0	
..Aortic aneurysm (441)	448	45	161	493	1,463	8.4	9.0	0	22.8	23.6	0	
Pneumonia & influenza (480-487)	2,462	184	421	3,026	5,909	53.0	55.8	0	94.9	100.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,498	253	850	2,557	7,719	45.9	43.2	0	123.8	118.2	0	
..COPD-related (490-496)	5,725	610	1,928	5,864	17,724	104.6	88.3	0	284.1	265.4	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
..Asthma (493)	117	59	69	1,115	1,735	19.8	20.7	0	28.6	29.4	0	
Chronic liver disease and cirrhosis (571)	580	307	443	4,290	8,035	74.3	87.6	0	129.5	147.5	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	719	94	218	1,331	2,776	23.5	22.3	0	44.9	44.9	0	
..Nephritis-related (580-589)	3,181	536	1,133	6,756	14,694	118.2	152.0	1	236.7	277.1	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	849	120	275	1,835	3,668	32.3	29.8	0	59.2	58.7	0	
Unintentional injuries (E800-E949)	2,158	1,275	1,488	37,100	50,872	662.8	658.1	0	840.1	833.7	0	
..Motor vehicle accidents (E810-E825)	690	527	593	16,918	22,508	311.1	316.6	0	382.3	389.7	0	
..Falls and fall related injuries (E880-E888)	401	55	106	1,173	1,980	20.9	24.1	0	32.3	36.1	0	
..Drowning (E830,E832,E910)	53	44	46	1,612	2,062	29.5	40.3	0	34.9	48.7	0	
..Residential fires (E890-E899)	58	39	48	1,127	1,569	20.5	30.2	0	26.3	36.7	0	
Suicide (E950-E959)	549	448	489	11,760	16,448	206.4	234.5	0	267.5	305.0	0	
Homicide and legal intervention (E960-E978)	282	269	277	9,613	12,353	179.2	199.9	0	213.1	237.4	0	
..Homicide (E960-E969)	278	265	273	9,468	12,168	176.4	198.2	0	209.8	235.3	0	
All injury (E800-E999)	3,064	2,065	2,328	60,350	82,287	1080.5	1117.2	0	1362.3	1406.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	677	515	581	16,493	21,968	303.2	311.5	0	373.0	383.2	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	292	64	106	1,410	2,270	25.1	25.4	0	37.1	37.7	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	380	339	358	10,558	14,050	194.0	252.8	1	238.6	309.6	1	
...Suicide (E955.0-.4)	196	157	174	3,988	5,645	69.2	95.2	0	90.9	123.6	0	
...Homicide (E965.0-.4)	171	169	171	6,188	7,893	117.7	150.6	0	139.0	177.4	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	627	578	597	15,152	21,020	257.5	233.1	0	331.9	301.1	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	302	229	277	3,693	6,248	62.7	69.9	0	99.4	113.3	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	561	531	542	14,240	19,592	242.1	207.9	0	309.4	266.7	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Male											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
All causes	27,983	7,616	13,599	140,280	244,303	5015.4	5706.0	1	8152.8	9111.5	1	
Infectious diseases and parasitic disease (1-139)	883	488	608	10,396	15,831	358.5	726.8	1	511.3	991.9	1	
..Septicemia (038)	334	68	129	1,056	2,009	37.5	40.7	0	66.9	74.2	0	
....Septicemia-related (038)	1,318	297	596	4,555	8,867	162.1	176.4	0	295.3	316.9	0	
..HIV infection (042-044)	261	253	261	5,693	8,278	192.7	581.6	1	262.2	772.4	1	
All cancer (140-208)	7,011	1,800	3,835	19,235	46,983	695.9	779.8	0	1585.0	1720.0	0	
..Oral cavity or pharynx (140.0-149.9)	113	47	71	548	1,163	19.4	24.6	0	38.8	52.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	701	157	358	1,653	4,185	58.8	67.4	0	139.8	162.6	0	
....Colon cancer (153)	570	124	285	1,260	3,313	45.0	47.3	0	110.8	118.6	0	
....Rectal cancer (154)	120	32	71	385	853	13.5	19.2	0	28.3	41.9	0	
..Pancreatic cancer (157)	384	106	230	875	2,575	31.9	39.4	0	87.2	90.8	0	
..Lung and other respiratory cancer (160-165)	2,140	587	1,317	4,933	14,328	179.9	184.6	0	485.7	501.3	0	
....Lung cancer (162.2-.9)	2,052	554	1,262	4,655	13,615	169.8	173.9	0	461.4	474.0	0	
..Malignant melanoma of skin (172)	89	34	59	440	903	15.6	27.1	0	30.1	48.0	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	809	52	218	320	1,600	11.9	11.7	0	54.1	60.5	0	
..Bladder cancer (188)	248	36	86	265	870	9.8	10.1	0	29.7	31.8	0	
..Brain & other CNS cancer (191-192)	160	80	114	1,392	2,387	49.2	52.3	0	79.0	83.7	0	
..Leukemia (204-208)	291	75	161	1,318	2,498	47.7	66.2	0	83.9	106.8	0	
Diabetes mellitus (250)	608	151	318	1,573	3,895	55.7	57.5	0	130.0	126.4	0	
..Diabetes-related (250)	2,468	533	1,165	5,145	13,355	185.0	165.1	0	449.8	422.7	0	
..Diabetic ketoacidosis (DKA) (250.1)	10	5	6	78	135	.	9.2	0	.	13.1	0	
Alzheimer's diseases (331.0)	153	3	24	28	170	1.0	1.0	0	5.6	4.8	0	
Cardiovascular disease (390-459)	11,128	2,160	4,548	24,345	56,895	874.7	940.2	0	1912.2	2015.8	0	
..Diseases of the heart (390-398,402,404-429)	9,024	1,857	3,805	20,602	48,172	741.8	800.0	0	1621.5	1711.5	0	
....Heart disease-related (390-398,402,404-429)	15,244	3,011	6,325	36,315	81,800	1301.8	1549.9	1	2743.9	3084.2	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,675	1,379	2,870	14,153	34,905	511.2	536.4	0	1177.2	1232.3	0	
....Congestive heart failure (CHF) (428.0)	401	21	76	178	625	6.4	7.5	0	21.0	22.9	0	
..Hypertension with or without renal disease (401,403)	118	23	47	288	633	10.2	9.6	0	21.1	20.8	0	
....Hypertension-related (401,403)	1,728	345	750	3,158	8,450	114.1	118.0	0	285.4	289.2	0	
..Cerebrovascular disease (430-438)	1,411	188	451	2,374	5,387	84.4	94.4	0	179.8	200.6	0	
..Atherosclerosis (440)	125	8	32	110	300	4.0	7.2	0	10.1	12.9	0	
....Atherosclerosis-related (440)	568	45	149	565	1,520	20.0	20.1	0	50.4	57.6	0	
..Aortic aneurysm (441)	256	37	116	388	1,130	13.4	14.6	0	37.2	39.6	0	
Pneumonia & influenza (480-487)	1,118	120	263	2,000	3,833	70.4	74.2	0	126.6	129.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,125	111	403	1,170	3,555	42.8	36.3	0	120.0	116.3	0	
..COPD-related (490-496)	2,783	303	1,027	2,755	8,910	101.4	88.6	0	302.0	295.6	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
..Asthma (493)	35	24	26	530	775	19.2	13.4	0	26.1	19.6	0	
Chronic liver disease and cirrhosis (571)	354	220	301	3,067	5,670	108.7	131.1	0	188.6	217.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	348	50	114	677	1,417	24.5	28.2	0	47.8	55.0	0	
..Nephritis-related (580-589)	1,685	307	639	3,978	8,483	142.1	176.3	0	283.9	324.5	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	423	67	146	972	1,954	34.9	34.4	0	65.6	67.6	0	
Unintentional injuries (E800-E949)	1,367	927	1,054	27,232	37,139	967.1	977.3	0	1224.6	1239.9	0	
..Motor vehicle accidents (E810-E825)	434	354	390	11,494	15,219	419.1	446.7	0	514.4	548.5	0	
..Falls and fall related injuries (E880-E888)	215	45	78	1,003	1,625	35.8	34.3	0	53.9	52.0	0	
..Drowning (E830,E832,E910)	44	38	40	1,420	1,810	51.2	66.3	0	60.6	80.4	0	
..Residential fires (E890-E899)	28	19	23	565	785	20.6	34.4	0	26.5	43.5	0	
Suicide (E950-E959)	417	341	371	9,053	12,618	318.7	378.6	0	413.0	493.3	0	
Homicide and legal intervention (E960-E978)	215	205	212	7,436	9,528	276.9	315.5	0	328.9	374.7	0	
..Homicide (E960-E969)	211	201	208	7,291	9,343	271.3	312.0	0	322.3	370.5	0	
All injury (E800-E999)	2,050	1,522	1,687	44,987	61,050	1606.5	1703.8	0	2023.2	2148.0	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	425	344	382	11,104	14,739	404.7	436.6	0	498.0	535.6	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	179	52	83	1,165	1,848	41.5	35.9	0	61.2	54.2	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	338	299	317	9,393	12,478	343.2	441.3	1	422.6	541.5	1	
...Suicide (E955.0-.4)	178	140	157	3,605	5,093	125.4	173.2	0	165.0	225.5	0	
...Homicide (E965.0-.4)	148	147	148	5,433	6,910	204.6	254.2	0	241.2	299.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	450	419	431	11,168	15,413	381.4	357.4	0	489.9	462.6	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	225	176	207	2,835	4,763	98.0	112.3	0	155.0	179.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	396	383	388	10,473	14,315	357.5	320.7	0	454.4	411.1	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
All causes	31,042	4,853	9,578	84,612	154,189	3001.4	3174.4	0	4929.4	5182.5	0	
Infectious diseases and parasitic disease (1-139)	750	239	344	5,481	8,358	189.4	307.2	1	265.4	410.1	1	
..Septicemia (038)	450	53	111	785	1,590	27.4	28.6	0	50.0	47.9	0	
....Septicemia-related (038)	1,561	245	500	3,462	7,059	122.0	125.8	0	223.5	223.0	0	
..HIV infection (042-044)	103	102	103	2,837	3,860	95.8	221.5	1	120.9	285.0	1	
All cancer (140-208)	7,154	1,855	3,611	21,476	48,001	738.9	739.5	0	1499.4	1516.5	0	
..Oral cavity or pharynx (140.0-149.9)	70	17	35	128	383	4.4	4.3	0	11.9	10.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	800	134	311	1,395	3,568	47.5	40.3	0	109.7	97.4	0	
....Colon cancer (153)	667	111	258	1,133	2,940	38.6	32.9	0	90.4	78.1	0	
....Rectal cancer (154)	119	21	46	238	565	8.1	6.5	0	17.4	17.3	0	
..Pancreatic cancer (157)	431	77	190	853	2,120	29.5	23.4	0	65.6	61.4	0	
..Lung and other respiratory cancer (160-165)	1,707	465	974	3,983	11,000	137.8	146.1	0	342.4	350.3	0	
....Lung cancer (162.2-.9)	1,671	453	954	3,878	10,730	134.2	142.7	0	333.9	342.5	0	
..Malignant melanoma of skin (172)	87	26	41	360	683	11.9	13.3	0	21.0	22.9	0	
..Female breast cancer (174)	1,192	431	725	5,323	10,978	181.7	197.8	0	343.6	373.7	0	
..Cervical cancer (180)	71	42	51	755	1,233	24.9	29.7	0	37.9	45.7	0	
..Endometrial cancer (182)	84	16	34	140	380	4.9	4.3	0	11.9	13.4	0	
..Ovarian cancer (183)	375	114	223	1,195	2,853	41.0	34.6	0	88.8	75.1	0	
..Prostate cancer (185)	
..Bladder cancer (188)	122	6	31	65	223	2.2	2.8	0	6.6	9.9	0	
..Brain & other CNS cancer (191-192)	135	47	85	737	1,362	25.8	34.7	0	43.3	56.9	0	
..Leukemia (204-208)	242	73	116	1,487	2,384	53.0	41.6	0	77.5	64.8	0	
Diabetes mellitus (250)	672	117	260	1,108	2,935	37.9	53.7	0	90.6	118.7	0	
..Diabetes-related (250)	2,568	350	897	3,165	9,163	109.0	128.9	0	281.5	323.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	10	3	4	48	80	
Alzheimer's diseases (331.0)	370	4	28	40	150	1.4	1.6	0	4.5	5.9	0	
Cardiovascular disease (390-459)	13,612	967	2,554	11,337	27,994	393.0	450.8	0	865.1	974.2	1	
..Diseases of the heart (390-398,402,404-429)	10,329	755	1,978	8,526	21,533	296.1	361.3	1	665.9	782.1	1	
....Heart disease-related (390-398,402,404-429)	17,394	1,590	3,876	19,051	44,991	661.6	830.9	1	1398.1	1654.7	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	7,154	488	1,344	4,490	13,180	154.3	165.4	0	403.4	433.1	0	
....Congestive heart failure (CHF) (428.0)	772	26	85	267	765	9.4	8.0	0	23.5	18.7	0	
....Hypertension with or without renal disease (401,403)	209	21	43	275	580	9.6	3.6	0	18.2	11.8	0	
....Hypertension-related (401,403)	2,603	222	607	1,937	5,865	66.9	57.4	0	178.1	157.4	0	
..Cerebrovascular disease (430-438)	2,435	147	401	2,042	4,562	70.4	64.5	0	140.8	140.1	0	
..Atherosclerosis (440)	217	9	25	83	253	2.8	0.8	0	7.6	2.9	0	
....Atherosclerosis-related (440)	912	39	107	283	973	9.8	8.4	0	29.8	27.6	0	
..Aortic aneurysm (441)	192	8	45	105	333	3.5	3.6	0	9.8	9.2	0	
Pneumonia & influenza (480-487)	1,344	64	158	1,026	2,076	35.8	37.7	0	64.9	72.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,373	142	447	1,387	4,165	48.6	50.3	0	127.6	121.6	0	
..COPD-related (490-496)	2,942	307	901	3,110	8,815	107.6	88.4	0	269.9	240.5	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1997-1998				Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance	
*****Causes of Death*****												
..Asthma (493)	82	35	43	585	960	20.3	28.1	0	30.8	39.2	0	
Chronic liver disease and cirrhosis (571)	226	87	142	1,223	2,365	41.3	45.9	0	73.5	80.8	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	371	44	104	654	1,359	22.7	16.4	0	42.3	35.4	0	
..Nephritis-related (580-589)	1,496	229	494	2,779	6,211	95.2	128.9	0	192.8	233.4	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	426	53	129	864	1,714	29.8	25.2	0	53.3	50.4	0	
Unintentional injuries (E800-E949)	791	348	434	9,868	13,733	357.5	337.7	0	456.8	428.3	0	
..Motor vehicle accidents (E810-E825)	256	173	203	5,424	7,289	201.6	184.2	0	249.0	228.9	0	
..Falls and fall related injuries (E880-E888)	186	10	28	170	355	6.1	14.1	0	11.3	20.7	0	
..Drowning (E830,E832,E910)	9	6	6	192	252	
..Residential fires (E890-E899)	30	20	25	562	785	20.4	26.3	0	26.2	30.4	0	
Suicide (E950-E959)	132	107	118	2,708	3,830	94.2	89.8	0	123.1	117.6	0	
Homicide and legal intervention (E960-E978)	67	64	65	2,177	2,825	78.7	80.9	0	94.4	96.4	0	
..Homicide (E960-E969)	67	64	65	2,177	2,825	78.7	80.9	0	94.4	96.4	0	
All injury (E800-E999)	1,014	543	641	15,363	21,238	550.9	525.1	0	700.8	663.7	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	252	171	199	5,389	7,229	200.3	184.2	0	247.0	228.9	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	113	12	23	245	423	8.7	15.2	0	13.6	21.8	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	42	40	41	1,165	1,573	42.3	60.4	0	52.6	74.4	0	
....Suicide (E955.0-.4)	18	17	17	383	553	13.0	16.8	0	17.5	22.0	0	
....Homicide (E965.0-.4)	23	22	23	755	983	28.4	43.6	0	34.1	52.1	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	177	159	166	3,985	5,607	135.1	110.5	0	176.4	142.3	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	77	53	70	858	1,485	28.8	29.2	0	46.2	50.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	165	148	154	3,767	5,277	128.0	96.6	0	166.3	124.6	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).