

**Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
All Residents, 1998**

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, All Residents, 1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, All Residents, 1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
<b>*****Causes of Death*****</b>												
All causes	29,619	904.7	416.9	0	422.4	13,937	877.3	513.5	0	529.4	15,682	930.4
Infectious diseases and parasitic disease (1-139)	825	25.2	15.0	0	15.2	437	27.5	19.2	0	20.3	388	23.0
..Septicemia (038)	418	12.8	5.2	0	4.5	186	11.7	6.2	0	5.0	232	13.8
....Septicemia-related (038)	1,484	45.3	20.1	0	19.3	691	43.5	24.1	0	22.2	793	47.0
...HIV infection (042-044)	166	5.1	4.6	0	5.5	117	7.4	6.5	0	8.0	49	2.9
All cancer (140-208)	7,067	215.8	116.8	0	117.6	3,536	222.6	135.8	0	134.7	3,531	209.5
..Oral cavity or pharynx (140.0-149.9)	95	2.9	1.8	0	1.6	59	3.7	2.6	0	2.3	36	2.1
..Colorectal cancer (153.0-154.3,154.8,159.0)	756	23.1	10.9	0	11.4	345	21.7	12.5	0	13.4	411	24.4
....Colon cancer (153)	617	18.8	8.8	0	9.5	283	17.8	10.2	0	10.9	334	19.8
....Rectal cancer (154)	127	3.9	2.0	0	1.7	59	3.7	2.3	0	2.4	68	4.0
...Pancreatic cancer (157)	419	12.8	6.7	0	6.5	204	12.8	8.1	0	7.4	215	12.8
..Lung and other respiratory cancer (160-165)	1,920	58.6	34.1	0	34.2	1,091	68.7	44.1	0	42.5	829	49.2
....Lung cancer (162.2-.9)	1,854	56.6	32.8	0	33.2	1,041	65.5	42.0	0	41.0	813	48.2
..Malignant melanoma of skin (172)	86	2.6	1.5	0	1.5	47	3.0	2.0	0	1.7	39	2.3
..Female breast cancer (174)	601	.	.	0	.	.	.	.	0	.	601	35.7
..Cervical cancer (180)	37	.	.	0	.	.	.	.	0	.	37	2.2
..Endometrial cancer (182)	44	.	.	0	.	.	.	.	0	.	44	2.6
..Ovarian cancer (183)	197	.	.	0	.	.	.	.	0	.	197	11.7
..Prostate cancer (185)	408	.	.	0	.	408	25.7	11.6	0	11.8	.	.
..Bladder cancer (188)	184	5.6	2.4	0	2.4	129	8.1	4.1	0	3.9	55	3.3
..Brain & other CNS cancer (191-192)	150	4.6	3.1	0	2.8	85	5.4	4.0	0	3.4	65	3.9
..Leukemia (204-208)	263	8.0	4.6	0	4.6	145	9.1	5.7	0	6.0	118	7.0
Diabetes mellitus (250)	659	20.1	9.5	0	9.5	303	19.1	10.9	0	11.8	356	21.1
..Diabetes-related (250)	2,576	78.7	36.0	0	35.7	1,236	77.8	44.2	0	44.8	1,340	79.5
...Diabetic ketoacidosis (DKA) (250.1)	11	0.3	.	0	.	4	0.3	.	0	.	7	0.4
Alzheimer's diseases (331.0)	262	8.0	2.0	0	2.1	81	5.1	1.9	0	1.9	181	10.7
Cardiovascular disease (390-459)	12,336	376.8	142.6	0	146.9	5,488	345.5	182.7	0	192.5	6,848	406.3
..Diseases of the heart (390-398,402,404-429)	9,611	293.5	113.3	0	117.8	4,433	279.0	150.2	0	158.7	5,178	307.2
....Heart disease-related (390-398,402,404-429)	16,340	499.1	198.5	0	202.0	7,529	473.9	253.2	0	265.2	8,811	522.8
....Coronary heart disease (CHD) (402,410-414,429.2)	6,802	207.8	80.7	1	85.7	3,234	203.6	110.0	1	119.9	3,568	211.7
....Congestive heart failure (CHF) (428.0)	593	18.1	5.1	0	4.9	200	12.6	5.3	0	5.1	393	23.3
..Hypertension with or without renal disease (401,403)	164	5.0	2.0	0	1.8	64	4.0	2.2	0	1.7	100	5.9
....Hypertension-related (401,403)	2,210	67.5	26.4	0	26.6	863	54.3	29.3	0	30.6	1,347	79.9
..Cerebrovascular disease (430-438)	1,939	59.2	20.1	0	20.0	711	44.8	21.5	0	21.7	1,228	72.9
..Atherosclerosis (440)	185	5.7	1.6	0	1.4	70	4.4	1.8	0	1.6	115	6.8
....Atherosclerosis-related (440)	698	21.3	6.4	0	7.4	255	16.1	7.1	0	9.0	443	26.3
..Aortic aneurysm (441)	214	6.5	2.7	0	3.1	117	7.4	3.8	0	5.0	97	5.8
Pneumonia & influenza (480-487)	1,228	37.5	11.1	0	12.2	542	34.1	14.2	0	16.7	686	40.7

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (&lt;15).

1 - The 1998 AAMR is significantly different (prob&lt;0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob&gt;0.05) from the 1997 AAMR.

CONNECTICUT Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes						Male						Female					
	*****1998*****			*****1998*****			*****1998*****			*****1998*****			*****1998*****			*****1998*****		
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate
<b>*****Causes of Death*****</b>																		
Chronic obstructive pulmonary disease (COPD) (490-496)	1,234	37.7	15.4	0	16.5	568	35.8	17.2	0	18.3	666	39.5	14.5	0	15.5			
..COPD-related (490-496)	2,816	86.0	35.8	0	37.2	1,368	86.1	43.2	0	45.8	1,448	85.9	31.0	0	31.6			
..Asthma (493)	54	1.6	1.1	0	1.2	181	1.1	0.9	0	0.9	36	2.1	1.2	0	1.4			
Chronic liver disease and cirrhosis (571)	284	8.7	6.1	0	6.4	172	10.8	8.4	0	9.0	112	6.6	4.0	0	4.1			
Nephritis, nephrotic syndrome/nephrosis (580-589)	370	11.3	4.6	0	4.1	169	10.6	5.3	0	5.3	201	11.9	4.1	0	3.3			
..Nephritis-related (580-589)	1,605	49.0	21.2	0	21.0	823	51.8	27.0	0	28.3	782	46.4	17.1	0	16.0			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	439	13.4	5.5	0	5.0	206	13.0	6.5	0	6.7	233	13.8	4.9	0	3.9			
Unintentional injuries (E800-E949)	1,110	33.9	25.4	0	24.9	695	43.7	37.0	0	35.4	415	24.6	14.4	0	15.0			
..Motor vehicle accidents (E810-E825)	339	10.4	10.0	0	10.6	218	13.7	14.0	0	13.6	121	7.2	5.9	0	7.8			
..Falls and fall related injuries (E880-E888)	212	6.5	2.4	0	2.3	101	6.4	3.3	0	3.9	111	6.6	1.7	0	1.1			
..Drowning (E830,E832,E910)	24	0.7	0.8	0	0.9	19	1.2	1.3	0	1.5	51	0.3	..	0	..			
..Residential fires (E890-E899)	33	1.0	0.9	0	0.6	15	0.9	0.9	0	..	18	1.1	0.9	0	..			
Suicide (E950-E959)	269	8.2	7.5	0	7.6	203	12.8	11.8	0	12.0	66	3.9	3.4	0	3.5			
Homicide and legal intervention (E960-E978)	149	4.6	5.3	0	4.8	112	7.1	8.0	0	7.8	37	2.2	2.6	0	1.8			
..Homicide (E960-E969)	146	4.5	5.2	0	4.8	109	6.9	7.8	0	7.7	37	2.2	2.6	0	1.8			
All injury (E800-E999)	1,559	47.6	39.2	0	38.6	1,031	64.9	58.1	0	56.9	528	31.3	21.0	0	21.1			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	332	10.1	9.7	0	10.4	214	13.5	13.8	0	13.2	118	7.0	5.7	0	7.7			
..All falls (E880-E886,E888,E957,E968.1,E987)	154	4.7	2.2	0	2.0	86	5.4	3.2	0	3.6	68	4.0	1.3	0	0.8			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	5.7	6.3	0	6.1	164	10.3	11.0	0	11.4	24	1.4	1.7	0	0.9			
....Suicide (E955.0-.4)	90	2.7	2.5	0	2.8	81	5.1	4.7	0	5.3	9	0.5	..	0	..			
....Homicide (E965.0-.4)	87	2.7	3.4	0	3.3	73	4.6	5.6	0	6.0	14	0.8	..	0	..			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	324	9.9	9.1	0	8.2	227	14.3	13.1	0	12.4	97	5.8	5.4	0	4.2			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	163	5.0	4.1	0	3.4	118	7.4	6.1	0	5.6	45	2.7	2.2	0	1.4			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	292	8.9	8.4	0	7.4	201	12.7	11.9	0	11.0	91	5.4	5.0	0	3.9			

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
<b>*****Causes of Death*****</b>												
All causes	29,619	904.7	586.4	0	593.1	13,937	877.3	713.8	0	737.2	15,682	930.4
Infectious diseases and parasitic disease (1-139)	825	25.2	17.8	0	17.6	437	27.5	22.4	0	22.8	388	23.0
..Septicemia (038)	418	12.8	7.8	0	6.8	186	11.7	9.2	0	7.5	232	13.8
....Septicemia-related (038)	1,484	45.3	29.0	0	27.8	691	43.5	34.7	0	32.3	793	47.0
...HIV infection (042-044)	166	5.1	4.1	0	4.8	117	7.4	5.9	0	7.0	49	2.9
All cancer (140-208)	7,067	215.8	155.5	0	157.0	3,536	222.6	186.0	0	186.2	3,531	209.5
..Oral cavity or pharynx (140.0-149.9)	95	2.9	2.2	0	2.1	59	3.7	3.2	0	3.0	36	2.1
..Colorectal cancer (153.0-154.3,154.8,159.0)	756	23.1	15.9	0	15.7	345	21.7	17.8	0	18.7	411	24.4
....Colon cancer (153)	617	18.8	12.6	0	13.1	283	17.8	14.5	0	15.2	334	19.8
....Rectal cancer (154)	127	3.9	2.7	0	2.3	59	3.7	3.1	0	3.2	68	4.0
...Pancreatic cancer (157)	419	12.8	9.1	0	8.8	204	12.8	10.9	0	9.9	215	12.8
..Lung and other respiratory cancer (160-165)	1,920	58.6	44.7	0	44.9	1,091	68.7	58.9	0	57.4	829	49.2
....Lung cancer (162.2-.9)	1,854	56.6	43.1	0	43.6	1,041	65.5	56.2	0	55.3	813	48.2
..Malignant melanoma of skin (172)	86	2.6	1.9	0	2.0	47	3.0	2.5	0	2.2	39	2.3
..Female breast cancer (174)	601	.-	.-	0	.-	.-	.-	.-	0	.-	601	35.7
..Cervical cancer (180)	37	.-	.-	0	.-	.-	.-	.-	0	.-	37	2.2
..Endometrial cancer (182)	44	.-	.-	0	.-	.-	.-	.-	0	.-	44	2.6
..Ovarian cancer (183)	197	.-	.-	0	.-	.-	.-	.-	0	.-	197	11.7
..Prostate cancer (185)	408	.-	.-	0	.-	408	25.7	19.5	0	19.9	.-	.-
..Bladder cancer (188)	184	5.6	3.6	0	3.6	129	8.1	6.4	0	6.1	55	3.3
..Brain & other CNS cancer (191-192)	150	4.6	3.7	0	3.4	85	5.4	4.7	0	4.1	65	3.9
..Leukemia (204-208)	263	8.0	5.9	0	6.0	145	9.1	7.6	0	7.9	118	7.0
Diabetes mellitus (250)	659	20.1	13.6	0	13.1	303	19.1	15.6	0	16.2	356	21.1
..Diabetes-related (250)	2,576	78.7	52.1	0	50.8	1,236	77.8	63.5	0	64.3	1,340	79.5
...Diabetic ketoacidosis (DKA) (250.1)	11	0.3	.-	0	.-	4	0.3	.-	0	0.4	.-	.-
Alzheimer's diseases (331.0)	262	8.0	4.0	0	4.1	81	5.1	3.6	0	3.5	181	10.7
Cardiovascular disease (390-459)	12,336	376.8	222.9	0	229.2	5,488	345.5	274.4	0	289.3	6,848	406.3
..Diseases of the heart (390-398,402,404-429)	9,611	293.5	175.5	0	181.9	4,433	279.0	223.0	0	236.3	5,178	307.2
....Heart disease-related (390-398,402,404-429)	16,340	499.1	302.8	0	308.2	7,529	473.9	377.4	1	396.6	8,811	522.8
....Coronary heart disease (CHD) (402,410-414,429.2)	6,802	207.8	124.8	1	132.0	3,234	203.6	163.2	1	177.5	3,568	211.7
....Congestive heart failure (CHF) (428.0)	593	18.1	9.3	0	9.2	200	12.6	9.4	0	9.6	393	23.3
..Hypertension with or without renal disease (401,403)	164	5.0	3.0	0	2.9	64	4.0	3.2	0	2.7	100	5.9
....Hypertension-related (401,403)	2,210	67.5	40.9	0	40.7	863	54.3	43.4	0	45.2	1,347	79.9
..Cerebrovascular disease (430-438)	1,939	59.2	33.2	0	33.2	711	44.8	34.4	0	34.9	1,228	72.9
..Atherosclerosis (440)	185	5.7	2.9	0	2.5	70	4.4	3.2	0	2.7	115	6.8
...Atherosclerosis-related (440)	698	21.3	11.3	0	13.0	255	16.1	12.1	1	15.5	443	26.3
..Aortic aneurysm (441)	214	6.5	4.1	0	4.6	117	7.4	5.8	0	7.3	97	5.8
Pneumonia & influenza (480-487)	1,228	37.5	19.7	0	20.8	542	34.1	25.2	0	28.3	686	40.7

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (&lt;15).

1 - The 1998 AAMR is significantly different (prob&lt;0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob&gt;0.05) from the 1997 AAMR.

CONNECTICUT Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
<b>*****Causes of Death*****</b>												
Chronic obstructive pulmonary disease (COPD) (490-496)	1,234	37.7	23.6	0	24.9	568	35.8	27.6	0	28.4	666	39.5
..COPD-related (490-496)	2,816	86.0	54.3	0	56.7	1,368	86.1	67.5	0	71.9	1,448	85.9
..Asthma (493)	54	1.6	1.3	0	1.4	181	1.1	1.1	0	0.9	36	2.1
Chronic liver disease and cirrhosis (571)	284	8.7	6.9	0	7.4	172	10.8	9.4	0	10.2	112	6.6
Nephritis, nephrotic syndrome/nephrosis (580-589)	370	11.3	7.0	0	6.4	169	10.6	8.3	0	8.8	201	11.9
..Nephritis-related (580-589)	1,605	49.0	31.1	0	30.7	823	51.8	40.8	0	43.4	782	46.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	439	13.4	8.3	0	7.7	206	13.0	10.1	0	10.8	233	13.8
Unintentional injuries (E800-E949)	1,110	33.9	26.7	0	26.1	695	43.7	38.1	0	37.0	415	24.6
..Motor vehicle accidents (E810-E825)	339	10.4	9.7	0	10.5	218	13.7	13.3	0	13.3	121	7.2
..Falls and fall related injuries (E880-E888)	212	6.5	3.7	0	3.6	101	6.4	4.8	0	5.9	111	6.6
..Drowning (E830,E832,E910)	24	0.7	0.8	0	0.9	19	1.2	1.3	0	1.5	51	0.3
..Residential fires (E890-E899)	33	1.0	1.0	0	0.7	15	0.9	0.9	0	.	18	1.1
Suicide (E950-E959)	269	8.2	7.1	0	7.3	203	12.8	11.2	0	11.7	66	3.9
Homicide and legal intervention (E960-E978)	149	4.6	4.8	0	4.5	112	7.1	7.3	0	7.2	37	2.2
..Homicide (E960-E969)	146	4.5	4.7	0	4.5	109	6.9	7.1	0	7.2	37	2.2
All injury (E800-E999)	1,559	47.6	39.3	0	39.0	1,031	64.9	57.7	0	57.3	528	31.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	332	10.1	9.5	0	10.2	214	13.5	13.1	0	12.9	118	7.0
..All falls (E880-E886,E888,E957,E968.1,E987)	154	4.7	2.9	0	2.8	86	5.4	4.3	0	4.9	68	4.0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	5.7	5.8	0	5.7	164	10.3	10.2	0	10.7	24	1.4
....Suicide (E955.0-.4)	90	2.7	2.4	0	2.6	81	5.1	4.6	0	5.1	9	0.5
....Homicide (E965.0-.4)	87	2.7	3.0	0	3.0	73	4.6	4.9	0	5.4	14	0.8
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	324	9.9	8.0	0	7.2	227	14.3	11.4	0	10.8	97	5.8
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	163	5.0	4.2	0	3.5	118	7.4	6.3	0	5.9	45	2.7
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	292	8.9	7.3	0	6.4	201	12.7	10.1	0	9.4	91	5.4

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
<b>*****Causes of Death*****</b>												
All causes	29,619	904.7	803.8	0	812.7	13,937	877.3	968.5	1	1002.7	15,682	930.4
Infectious diseases and parasitic disease (1-139)	825	25.2	23.1	0	22.9	437	27.5	29.0	0	29.5	388	23.0
..Septicemia (038)	418	12.8	11.2	0	10.0	186	11.7	13.1	0	10.9	232	13.8
....Septicemia-related (038)	1,484	45.3	40.1	0	38.4	691	43.5	48.1	0	45.4	793	47.0
...HIV infection (042-044)	166	5.1	4.9	0	5.8	117	7.4	7.1	0	8.6	49	2.9
All cancer (140-208)	7,067	215.8	195.9	0	198.9	3,536	222.6	238.6	0	241.3	3,531	209.5
..Oral cavity or pharynx (140.0-149.9)	95	2.9	2.7	0	2.5	59	3.7	3.8	0	3.7	36	2.1
..Colorectal cancer (153.0-154.3,154.8,159.0)	756	23.1	20.6	0	20.7	345	21.7	23.5	0	24.8	411	24.4
....Colon cancer (153)	617	18.8	16.7	0	17.2	283	17.8	19.3	0	20.0	334	19.8
....Rectal cancer (154)	127	3.9	3.5	0	3.1	59	3.7	4.0	0	4.2	68	4.0
...Pancreatic cancer (157)	419	12.8	11.6	0	11.1	204	12.8	13.7	0	12.1	215	12.8
..Lung and other respiratory cancer (160-165)	1,920	58.6	53.8	0	54.3	1,091	68.7	72.6	0	71.1	829	49.2
....Lung cancer (162.2-.9)	1,854	56.6	51.9	0	52.7	1,041	65.5	69.2	0	68.5	813	48.2
..Malignant melanoma of skin (172)	86	2.6	2.4	0	2.5	47	3.0	3.1	0	2.9	39	2.3
..Female breast cancer (174)	601	.-	.-	0	.-	.-	.-	.-	0	.-	601	35.7
..Cervical cancer (180)	37	.-	.-	0	.-	.-	.-	.-	0	.-	37	2.2
..Endometrial cancer (182)	44	.-	.-	0	.-	.-	.-	.-	0	44	2.6	2.1
..Ovarian cancer (183)	197	.-	.-	0	.-	.-	.-	.-	0	197	11.7	9.7
..Prostate cancer (185)	408	.-	.-	0	408	25.7	29.4	0	30.1	.-	.-	.-
..Bladder cancer (188)	184	5.6	4.9	0	5.1	129	8.1	9.0	0	8.7	55	3.3
..Brain & other CNS cancer (191-192)	150	4.6	4.3	0	4.1	85	5.4	5.6	0	4.9	65	3.9
..Leukemia (204-208)	263	8.0	7.3	0	7.6	145	9.1	9.6	0	10.1	118	7.0
Diabetes mellitus (250)	659	20.1	18.0	0	17.2	303	19.1	20.8	0	21.4	356	21.1
..Diabetes-related (250)	2,576	78.7	69.9	0	67.9	1,236	77.8	84.7	0	86.9	1,340	79.5
...Diabetic ketoacidosis (DKA) (250.1)	11	0.3	.-	0	.-	4	0.3	.-	0	7	0.4	.-
Alzheimer's diseases (331.0)	262	8.0	6.7	0	6.9	81	5.1	6.1	0	5.7	181	10.7
Cardiovascular disease (390-459)	12,336	376.8	328.1	0	337.5	5,488	345.5	389.0	1	412.0	6,848	406.3
..Diseases of the heart (390-398,402,404-429)	9,611	293.5	256.2	0	265.6	4,433	279.0	313.6	1	333.8	5,178	307.2
....Heart disease-related (390-398,402,404-429)	16,340	499.1	436.8	0	444.8	7,529	473.9	532.0	1	562.0	8,811	522.8
....Coronary heart disease (CHD) (402,410-414,429.2)	6,802	207.8	181.5	1	191.7	3,234	203.6	228.3	1	249.0	3,568	211.7
....Congestive heart failure (CHF) (428.0)	593	18.1	15.4	0	15.5	200	12.6	14.9	0	16.2	393	23.3
..Hypertension with or without renal disease (401,403)	164	5.0	4.4	0	4.4	64	4.0	4.5	0	4.1	100	5.9
....Hypertension-related (401,403)	2,210	67.5	59.0	0	57.9	863	54.3	60.3	0	62.2	1,347	79.9
..Cerebrovascular disease (430-438)	1,939	59.2	51.0	0	51.4	711	44.8	51.1	0	52.7	1,228	72.9
....Atherosclerosis (440)	185	5.7	4.8	0	4.2	70	4.4	5.4	0	4.4	115	6.8
....Atherosclerosis-related (440)	698	21.3	18.2	0	21.0	255	16.1	18.7	1	24.5	443	26.3
..Aortic aneurysm (441)	214	6.5	5.7	0	6.4	117	7.4	8.1	0	10.0	97	5.8
Pneumonia & influenza (480-487)	1,228	37.5	32.0	0	33.2	542	34.1	40.9	0	44.9	686	40.7

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (&lt;15).

1 - The 1998 AAMR is significantly different (prob&lt;0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob&gt;0.05) from the 1997 AAMR.

CONNECTICUT Resident DEATHS, 1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
<b>*****Causes of Death*****</b>												
Chronic obstructive pulmonary disease (COPD) (490-496)	1,234	37.7	33.0	0	34.4	568	35.8	40.3	0	40.4	666	39.5
..COPD-related (490-496)	2,816	86.0	75.5	0	79.1	1,368	86.1	96.1	0	102.9	1,448	85.9
..Asthma (493)	54	1.6	1.6	0	1.8	181	1.1	1.2	0	1.1	36	2.1
Chronic liver disease and cirrhosis (571)	284	8.7	8.2	0	8.7	172	10.8	11.0	0	11.8	112	6.6
Nephritis, nephrotic syndrome/nephrosis (580-589)	370	11.3	9.9	0	9.5	169	10.6	12.1	0	13.7	201	11.9
..Nephritis-related (580-589)	1,605	49.0	43.3	0	43.2	823	51.8	58.1	0	63.5	782	46.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	439	13.4	11.8	0	11.2	206	13.0	14.7	0	16.4	233	13.8
Unintentional injuries (E800-E949)	1,110	33.9	31.9	0	30.6	695	43.7	45.5	0	44.2	415	24.6
..Motor vehicle accidents (E810-E825)	339	10.4	10.2	0	10.8	218	13.7	13.9	0	13.9	121	7.2
..Falls and fall related injuries (E880-E888)	212	6.5	5.6	0	5.1	101	6.4	7.3	0	8.5	111	6.6
..Drowning (E830,E832,E910)	24	0.7	0.7	0	0.9	19	1.2	1.2	0	1.6	51	0.3
..Residential fires (E890-E899)	33	1.0	1.0	0	0.7	15	0.9	0.9	0	.	18	1.1
Suicide (E950-E959)	269	8.2	8.0	0	8.3	203	12.8	12.8	0	13.5	66	3.9
Homicide and legal intervention (E960-E978)	149	4.6	4.7	0	4.2	112	7.1	7.1	0	6.6	37	2.2
..Homicide (E960-E969)	146	4.5	4.6	0	4.2	109	6.9	7.0	0	6.6	37	2.2
All injury (E800-E999)	1,559	47.6	45.6	0	44.5	1,031	64.9	66.7	0	66.1	528	31.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	332	10.1	10.0	0	10.6	214	13.5	13.7	0	13.6	118	7.0
..All falls (E880-E886,E888,E957,E968.1,E987)	154	4.7	4.2	0	3.8	86	5.4	6.0	0	6.6	68	4.0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	5.7	5.9	0	5.9	164	10.3	10.5	0	11.1	241	1.4
....Suicide (E955.0-.4)	90	2.7	2.7	0	3.1	81	5.1	5.1	0	6.1	9	0.5
....Homicide (E965.0-.4)	87	2.7	2.8	0	2.7	73	4.6	4.7	0	4.9	141	0.8
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	324	9.9	9.6	0	8.9	227	14.3	13.8	0	13.5	97	5.8
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	163	5.0	4.8	0	4.1	118	7.4	7.3	0	6.8	45	2.7
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	292	8.9	8.7	0	7.9	201	12.7	12.1	0	11.6	91	5.4

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 1940 U.S. standard population \*\*\***

	Both Sexes											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
All causes	29,619	6,183	11,497	111,145	197,035	3854.2	3932.7	0	6054.9	6186.1	0	
Infectious diseases and parasitic disease (1-139)	825	359	472	7,648	11,720	247.5	264.6	0	350.2	371.7	0	
..Septicemia (038)	418	66	131	1,009	1,942	31.5	26.9	0	54.7	47.9	0	
....Septicemia-related (038)	1,484	276	561	4,141	8,119	133.1	127.5	0	233.1	227.8	0	
...HIV infection (042-044)	166	164	166	3,782	5,432	116.6	147.1	0	157.4	195.7	0	
All cancer (140-208)	7,067	1,824	3,716	20,399	47,464	623.6	630.7	0	1313.8	1329.9	0	
..Oral cavity or pharynx (140.0-149.9)	95	33	55	378	843	10.9	9.8	0	22.9	20.7	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	756	131	322	1,298	3,535	38.1	52.3	0	94.5	115.0	0	
....Colon cancer (153)	617	101	256	1,018	2,795	29.4	40.8	0	74.0	93.9	0	
....Rectal cancer (154)	127	27	62	248	670	7.7	11.5	0	18.5	20.8	0	
..Pancreatic cancer (157)	419	94	212	905	2,405	26.8	24.6	0	64.9	62.0	0	
..Lung and other respiratory cancer (160-165)	1,920	538	1,138	4,580	12,785	135.1	129.8	0	346.1	341.0	0	
....Lung cancer (162.2-.9)	1,854	512	1,093	4,335	12,183	127.9	125.5	0	329.7	330.1	0	
..Malignant melanoma of skin (172)	86	29	52	393	790	11.4	11.6	0	21.3	21.5	0	
..Female breast cancer (174)	601	212	368	2,515	5,340	..	..	..	..	..	..	
..Cervical cancer (180)	37	19	24	313	535	..	..	..	..	..	..	
..Endometrial cancer (182)	44	12	18	110	255	..	..	..	..	..	..	
..Ovarian cancer (183)	197	59	119	603	1,483	..	..	..	..	..	..	
..Prostate cancer (185)	408	23	105	148	768	..	..	..	..	..	..	
..Bladder cancer (188)	184	19	60	148	525	4.3	5.5	0	13.7	15.3	0	
..Brain & other CNS cancer (191-192)	150	70	107	1,182	2,065	39.2	30.8	0	62.0	49.9	0	
..Leukemia (204-208)	263	82	141	1,504	2,562	50.4	49.9	0	77.3	76.7	0	
Diabetes mellitus (250)	659	124	285	1,065	3,063	31.2	47.8	0	82.1	102.6	0	
..Diabetes-related (250)	2,576	426	1,035	3,762	10,750	112.8	136.4	0	290.1	320.5	0	
..Diabetic ketoacidosis (DKA) (250.1)	11	4	4	70	110	..	..	..	..	..	..	
Alzheimer's diseases (331.0)	262	3	27	381	168	1.0	0.9	0	3.9	3.8	0	
Cardiovascular disease (390-459)	12,336	1,549	3,489	17,596	41,761	545.7	558.2	0	1157.3	1191.7	0	
..Diseases of the heart (390-398,402,404-429)	9,611	1,284	2,838	14,259	34,114	443.5	458.6	0	948.0	985.5	0	
....Heart disease-related (390-398,402,404-429)	16,340	2,305	5,057	27,749	63,134	876.1	870.8	0	1773.7	1785.3	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,802	905	2,051	8,798	23,053	260.0	296.9	0	621.4	683.2	0	
....Congestive heart failure (CHF) (428.0)	593	28	85	225	733	6.7	7.3	0	19.4	17.9	0	
....Hypertension with or without renal disease (401,403)	164	30	49	315	698	8.9	8.3	0	18.7	14.8	0	
....Hypertension-related (401,403)	2,210	276	673	2,505	7,018	73.0	78.6	0	186.8	197.4	0	
..Cerebrovascular disease (430-438)	1,939	175	426	2,277	5,064	70.7	65.6	0	139.9	133.0	0	
..Atherosclerosis (440)	185	6	28	50	220	1.5	4.1	0	5.6	8.7	0	
....Atherosclerosis-related (440)	698	30	122	285	1,005	8.9	17.3	0	26.5	40.5	0	
..Aortic aneurysm (441)	214	16	72	220	630	6.3	8.1	0	16.0	22.0	0	
Pneumonia & influenza (480-487)	1,228	73	190	1,151	2,388	38.0	60.9	0	68.6	102.3	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,234	119	395	1,320	3,710	44.4	38.6	0	103.6	106.8	0	
..COPD-related (490-496)	2,816	315	925	3,155	8,965	100.7	84.6	0	245.7	233.3	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 1940 U.S. standard population \*\*\***

	Both Sexes											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	54	27	33	610	900	22.6	15.6	0	30.3	24.3	0	
Chronic liver disease and cirrhosis (571)	284	150	217	2,227	4,040	65.3	60.1	0	111.2	109.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	370	50	120	552	1,342	17.3	25.8	0	37.1	42.0	0	
..Nephritis-related (580-589)	1,605	261	583	3,059	7,079	93.1	115.6	0	194.2	215.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	439	63	150	780	1,762	24.2	35.2	0	48.7	56.3	0	
Unintentional injuries (E800-E949)	1,110	647	755	18,463	25,443	689.8	706.4	0	879.0	891.4	0	
..Motor vehicle accidents (E810-E825)	339	254	287	8,089	10,792	326.3	362.9	0	404.0	446.8	0	
..Falls and fall related injuries (E880-E888)	212	32	54	600	1,035	19.1	23.3	0	30.1	33.2	0	
..Drowning (E830,E832,E910)	24	20	20	704	904	29.1	36.1	0	35.0	43.1	0	
..Residential fires (E890-E899)	33	22	29	680	943	25.7	16.2	0	32.7	21.0	0	
Suicide (E950-E959)	269	222	237	6,020	8,333	218.9	200.8	0	281.0	263.5	0	
Homicide and legal intervention (E960-E978)	149	143	146	4,934	6,381	206.9	199.0	0	250.5	238.1	0	
..Homicide (E960-E969)	146	140	143	4,831	6,249	202.5	196.8	0	245.1	235.6	0	
All injury (E800-E999)	1,559	1,043	1,169	30,194	41,244	1142.0	1141.6	0	1444.9	1439.1	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	332	249	281	7,942	10,597	320.1	351.1	0	396.3	432.8	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	154	36	55	760	1,223	26.1	25.1	0	38.1	35.7	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	171	177	5,353	7,103	222.3	208.7	0	274.4	258.9	0	
....Suicide (E955.0-.4)	90	73	79	1,918	2,688	71.1	69.2	0	92.2	92.2	0	
....Homicide (E965.0-.4)	87	87	87	3,133	4,003	139.1	135.7	0	167.0	162.3	0	
All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	324	302	310	8,062	11,117	269.6	226.7	0	347.7	297.2	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	163	127	154	2,073	3,485	58.8	46.6	0	94.1	75.8	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	292	279	283	7,610	10,415	257.0	212.4	0	329.1	276.2	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 1940 U.S. standard population \*\*\***

	Male											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
All causes	13,937	3,747	6,702	68,332	119,479	4787.7	4992.3	0	7534.6	7830.7	0	
Infectious diseases and parasitic disease (1-139)	437	232	294	4,676	7,276	299.9	359.9	0	435.0	505.1	0	
..Septicemia (038)	186	38	72	537	1,067	34.1	33.8	0	62.1	56.0	0	
....Septicemia-related (038)	691	152	316	2,270	4,565	146.0	149.4	0	263.4	259.7	0	
...HIV infection (042-044)	117	115	117	2,453	3,613	149.7	194.6	0	208.3	265.5	0	
All cancer (140-208)	3,536	912	1,931	9,820	23,833	620.9	608.7	0	1375.9	1354.2	0	
..Oral cavity or pharynx (140.0-149.9)	59	25	38	308	640	18.2	16.2	0	36.1	32.2	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	345	69	172	678	1,870	41.4	59.0	0	105.0	130.7	0	
....Colon cancer (153)	283	52	137	505	1,458	30.0	46.0	0	80.6	105.3	0	
....Rectal cancer (154)	59	16	34	165	395	10.9	13.0	0	23.3	25.3	0	
..Pancreatic cancer (157)	204	55	119	473	1,353	28.2	25.1	0	75.9	70.1	0	
..Lung and other respiratory cancer (160-165)	1,091	315	668	2,673	7,485	162.8	139.0	0	424.3	387.4	0	
....Lung cancer (162.2-.9)	1,041	296	633	2,500	7,043	152.5	132.3	0	399.3	371.2	0	
..Malignant melanoma of skin (172)	47	18	33	245	503	14.4	11.5	0	27.9	22.6	0	
..Female breast cancer (174)	..	..	..	..	..	..	..	..	..	..	..	
..Cervical cancer (180)	..	..	..	..	..	..	..	..	..	..	..	
..Endometrial cancer (182)	..	..	..	..	..	..	..	..	..	..	..	
..Ovarian cancer (183)	..	..	..	..	..	..	..	..	..	..	..	
..Prostate cancer (185)	408	23	105	148	768	9.1	11.2	0	41.7	46.0	0	
..Bladder cancer (188)	129	18	43	125	433	7.7	8.7	0	24.5	24.9	0	
..Brain & other CNS cancer (191-192)	85	46	61	837	1,400	57.1	36.3	0	87.6	59.6	0	
..Leukemia (204-208)	145	38	80	595	1,150	40.0	56.9	0	69.6	91.5	0	
Diabetes mellitus (250)	303	63	149	598	1,628	35.8	58.0	0	90.8	127.5	0	
..Diabetes-related (250)	1,236	256	591	2,392	6,435	146.9	167.2	0	363.9	392.7	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	3	3	48	78	..	..	..	..	..	..	
Alzheimer's diseases (331.0)	81	1	10	23	85	1.2	0.3	0	4.3	4.4	0	
Cardiovascular disease (390-459)	5,488	1,061	2,225	11,883	27,818	747.5	774.5	0	1602.3	1665.3	0	
..Diseases of the heart (390-398,402,404-429)	4,433	919	1,867	10,146	23,671	641.2	648.1	0	1369.6	1402.8	0	
....Heart disease-related (390-398,402,404-429)	7,529	1,487	3,115	17,858	40,173	1143.9	1169.6	0	2339.5	2411.5	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,234	670	1,389	6,590	16,608	400.7	463.9	0	939.9	1040.8	0	
....Congestive heart failure (CHF) (428.0)	200	12	42	90	345	5.4	5.5	0	18.8	15.4	0	
....Hypertension with or without renal disease (401,403)	64	18	28	200	425	11.5	6.0	0	23.5	12.2	0	
....Hypertension-related (401,403)	863	167	367	1,608	4,193	96.1	96.6	0	234.5	244.5	0	
..Cerebrovascular disease (430-438)	711	94	222	1,147	2,662	71.7	76.5	0	151.6	155.1	0	
..Atherosclerosis (440)	70	2	16	25	110	1.5	5.0	0	5.8	10.4	0	
....Atherosclerosis-related (440)	255	15	67	193	578	12.5	23.5	0	32.4	53.4	0	
..Aortic aneurysm (441)	117	10	49	140	428	8.3	15.2	0	22.9	39.8	0	
Pneumonia & influenza (480-487)	542	46	115	756	1,514	51.1	79.1	0	90.7	135.5	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	568	51	180	583	1,655	41.3	39.2	0	97.8	108.0	0	
..COPD-related (490-496)	1,368	152	486	1,455	4,430	98.2	84.8	0	255.9	251.8	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male												
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
					All	< 65	< 75	< 65	< 75	1998	1997	Significance	
<b>*****Causes of Death*****</b>													
..Asthma (493)		18		12		295		415		24.0		15.9	0
Chronic liver disease and cirrhosis (571)		172		107		147		1,570		2,815		93.6	88.7
Nephritis, nephrotic syndrome/nephrosis (580-589)		169		25		63		223		618		13.4	30.5
..Nephritis-related (580-589)		823		147		329		1,812		4,052		113.1	136.1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)		206		32		79		340		843		21.0	42.1
Unintentional injuries (E800-E949)		695		475		535		13,802		18,842		1039.8	991.1
..Motor vehicle accidents (E810-E825)		218		180		194		5,930		7,800		485.4	448.1
..Falls and fall related injuries (E880-E888)		101		23		38		443		755		27.3	45.3
..Drowning (E830,E832,E910)		19		18		18		664		844		54.2	58.2
..Residential fires (E890-E899)		15		10		13		350		473		27.4	.
Suicide (E950-E959)		203		169		180		4,613		6,370		339.5	311.8
Homicide and legal intervention (E960-E978)		112		107		110		3,648		4,735		305.7	329.6
..Homicide (E960-E969)		109		104		107		3,545		4,603		296.9	325.3
All injury (E800-E999)		1,031		772		846		22,614		30,709		1723.1	1678.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)		214		176		191		5,785		7,623		473.0	427.4
..All falls (E880-E886,E888,E957,E968.1,E987)		86		26		41		565		908		38.0	45.8
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)		164		148		154		4,615		6,135		378.9	387.6
....Suicide (E955.0-.4)		81		65		71		1,733		2,423		129.4	127.6
....Homicide (E965.0-.4)		73		73		73		2,608		3,338		226.9	252.6
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)		227		212		218		5,705		7,850		384.3	350.3
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)		118		94		110		1,560		2,575		90.2	75.5
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)		201		195		197		5,408		7,363		368.1	324.9
												0	469.6
												0	419.7

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75		< 65	< 75	1998	1997	Significance	1998	1997	Significance
<b>*****Causes of Death*****</b>												
All causes	15,682	2,436	4,795	42,813	77,556	2927.1	2869.7	0	4621.6	4579.5	0	
Infectious diseases and parasitic disease (1-139)	388	127	178	2,972	4,444	197.5	171.3	0	269.7	241.9	0	
..Septicemia (038)	232	28	59	472	875	29.3	20.0	0	48.2	39.8	0	
....Septicemia-related (038)	793	124	245	1,871	3,614	120.9	106.2	0	205.5	197.2	0	
...HIV infection (042-044)	49	49	49	1,330	1,820	85.1	101.7	0	109.0	129.0	0	
All cancer (140-208)	3,531	912	1,785	10,579	23,632	625.7	650.9	0	1260.1	1311.8	0	
..Oral cavity or pharynx (140.0-149.9)	36	8	17	70	203	3.9	3.4	0	10.4	9.6	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	411	62	150	620	1,665	35.0	45.9	0	84.9	100.4	0	
....Colon cancer (153)	334	49	119	513	1,338	28.9	35.8	0	68.2	83.3	0	
....Rectal cancer (154)	68	11	28	83	275	4.6	10.0	0	13.9	16.8	0	
..Pancreatic cancer (157)	215	39	93	433	1,053	25.7	24.2	0	55.2	54.8	0	
..Lung and other respiratory cancer (160-165)	829	223	470	1,998	5,300	108.7	121.2	0	274.7	299.9	0	
....Lung cancer (162.2-.9)	813	216	460	1,835	5,140	104.7	119.2	0	266.2	294.1	0	
..Malignant melanoma of skin (172)	39	11	19	148	288	8.4	11.7	0	15.2	20.6	0	
..Female breast cancer (174)	601	212	368	2,515	5,340	141.1	158.9	0	278.3	297.4	0	
..Cervical cancer (180)	37	19	24	313	535	17.8	26.3	0	28.6	39.0	0	
..Endometrial cancer (182)	44	12	18	110	255	6.2	1.8	0	13.6	6.1	0	
..Ovarian cancer (183)	197	59	119	603	1,483	33.8	35.5	0	76.4	74.0	0	
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	.	
..Bladder cancer (188)	55	1	17	23	93	1.1	2.5	0	3.8	6.7	0	
..Brain & other CNS cancer (191-192)	65	24	46	345	665	21.3	25.6	0	36.8	40.7	0	
..Leukemia (204-208)	118	44	61	909	1,412	61.2	42.9	0	86.1	62.8	0	
Diabetes mellitus (250)	356	61	136	468	1,435	26.7	37.9	0	74.2	79.4	0	
..Diabetes-related (250)	1,340	170	444	1,370	4,315	80.1	107.1	0	221.5	253.6	0	
..Diabetic ketoacidosis (DKA) (250.1)	7	1	1	23	33	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	181	2	17	15	83	0.9	1.5	0	3.6	3.2	0	
Cardiovascular disease (390-459)	6,848	488	1,264	5,713	13,943	352.2	351.9	0	742.9	751.4	0	
..Diseases of the heart (390-398,402,404-429)	5,178	365	971	4,114	10,444	253.8	278.2	0	554.3	597.9	0	
....Heart disease-related (390-398,402,404-429)	8,811	818	1,942	9,891	22,961	617.0	582.4	0	1244.2	1199.5	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,568	235	662	2,208	6,445	126.1	136.9	0	325.7	350.0	0	
....Congestive heart failure (CHF) (428.0)	393	16	43	135	388	8.0	9.3	0	20.1	20.5	0	
..Hypertension with or without renal disease (401,403)	100	12	21	115	273	6.4	10.7	0	14.1	17.6	0	
....Hypertension-related (401,403)	1,347	109	306	898	2,825	51.1	61.7	0	142.3	154.1	0	
..Cerebrovascular disease (430-438)	1,228	81	204	1,130	2,402	69.7	55.1	0	129.3	112.2	0	
..Atherosclerosis (440)	115	4	12	25	110	1.5	3.2	0	5.6	7.1	0	
....Atherosclerosis-related (440)	443	15	55	93	428	5.4	11.1	0	21.1	28.5	0	
..Aortic aneurysm (441)	97	6	23	80	203	4.5	1.3	0	9.8	5.6	0	
Pneumonia & influenza (480-487)	686	27	75	395	875	25.0	43.0	0	47.4	70.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	666	68	215	737	2,055	47.4	37.5	0	109.0	105.6	0	
..COPD-related (490-496)	1,448	163	439	1,700	4,535	103.1	84.2	0	237.5	217.5	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 1940 U.S. standard population \*\*\***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	36	15	21	315	485	21.0	15.1	0	29.2	25.5	0	
Chronic liver disease and cirrhosis (571)	112	43	70	658	1,225	38.1	32.8	0	65.5	61.1	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	201	25	57	330	725	21.3	21.0	0	40.3	35.6	0	
..Nephritis-related (580-589)	782	114	254	1,247	3,027	73.6	95.8	0	159.3	176.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	233	31	71	440	920	27.6	28.4	0	50.5	45.7	0	
Unintentional injuries (E800-E949)	415	172	220	4,661	6,601	337.8	419.0	0	438.5	525.9	0	
..Motor vehicle accidents (E810-E825)	121	74	93	2,159	2,992	164.7	276.4	1	209.1	336.9	0	
..Falls and fall related injuries (E880-E888)	111	9	16	158	280	11.3	0.7	0	17.5	3.3	0	
..Drowning (E830,E832,E910)	5	2	2	40	60	.	.	.	.	.	.	
..Residential fires (E890-E899)	18	12	16	330	470	24.2	.	0	31.3	.	0	
Suicide (E950-E959)	66	53	57	1,408	1,963	97.6	89.2	0	126.3	118.4	0	
Homicide and legal intervention (E960-E978)	37	36	36	1,286	1,646	106.3	62.7	0	127.5	77.3	0	
..Homicide (E960-E969)	37	36	36	1,286	1,646	106.3	62.7	0	127.5	77.3	0	
All injury (E800-E999)	528	271	323	7,580	10,535	556.5	595.7	0	712.1	753.3	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	118	73	90	2,157	2,974	164.6	273.9	0	208.3	333.8	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	68	10	14	195	315	14.5	3.8	0	20.9	6.5	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-	4	24	23	738	968	63.7	24.4	0	77.8	32.6	0	
..4,E970,E985.0-.4)	9	23	23	185	265	.	.	.	.	.	.	
....Suicide (E955.0-.4)	9	8	8	185	265	.	.	.	.	.	.	
....Homicide (E965.0-.4)	14	14	14	525	665	.	.	.	.	.	.	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	97	90	92	2,357	3,267	156.6	103.5	0	202.6	139.2	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-	1	45	33	44	513	910	28.4	18.8	0	47.6	29.8	0
.3,790.3,E860)	45	33	44	513	910	28.4	18.8	0	47.6	29.8	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-	1	91	84	86	2,202	3,052	147.3	100.3	0	190.4	133.4	0
.5,E962.0,E980.0-.5)	91	84	86	2,202	3,052	147.3	100.3	0	190.4	133.4	0	

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 1970 U.S. standard population \*\*\***

	Both Sexes											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
All causes	29,619	6,183	11,497	111,145	197,035	3801.8	3885.2	0	6149.6	6288.3	0	
Infectious diseases and parasitic disease (1-139)	825	359	472	7,648	11,720	230.9	240.7	0	330.0	342.1	0	
..Septicemia (038)	418	66	131	1,009	1,942	31.3	26.6	0	56.5	49.5	0	
....Septicemia-related (038)	1,484	276	561	4,141	8,119	131.8	126.2	0	240.9	236.2	0	
...HIV infection (042-044)	166	164	166	3,782	5,432	103.7	126.6	0	139.3	167.8	0	
All cancer (140-208)	7,067	1,824	3,716	20,399	47,464	626.7	628.4	0	1398.0	1408.5	0	
..Oral cavity or pharynx (140.0-149.9)	95	33	55	378	843	10.5	10.2	0	23.7	22.4	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	756	131	322	1,298	3,535	38.0	51.0	0	102.4	121.2	0	
....Colon cancer (153)	617	101	256	1,018	2,795	29.3	40.4	0	80.2	100.2	0	
....Rectal cancer (154)	127	27	62	248	670	7.7	10.6	0	20.1	20.6	0	
..Pancreatic cancer (157)	419	94	212	905	2,405	27.3	25.2	0	70.6	67.9	0	
..Lung and other respiratory cancer (160-165)	1,920	538	1,138	4,580	12,785	140.5	134.9	0	381.9	377.2	0	
....Lung cancer (162.2-.9)	1,854	512	1,093	4,335	12,183	133.2	130.2	0	364.2	365.0	0	
..Malignant melanoma of skin (172)	86	29	52	393	790	10.7	11.1	0	21.4	21.6	0	
..Female breast cancer (174)	601	212	368	2,515	5,340	..	..	..	..	..	..	
..Cervical cancer (180)	37	19	24	313	535	..	..	..	..	..	..	
..Endometrial cancer (182)	44	12	18	110	255	..	..	..	..	..	..	
..Ovarian cancer (183)	197	59	119	603	1,483	..	..	..	..	..	..	
..Prostate cancer (185)	408	23	105	148	768	..	..	..	..	..	..	
..Bladder cancer (188)	184	19	60	148	525	4.6	5.8	0	15.6	17.2	0	
..Brain & other CNS cancer (191-192)	150	70	107	1,182	2,065	39.3	30.0	0	63.1	50.0	0	
..Leukemia (204-208)	263	82	141	1,504	2,562	51.3	48.6	0	79.9	77.1	0	
Diabetes mellitus (250)	659	124	285	1,065	3,063	31.9	46.1	0	90.5	107.0	0	
..Diabetes-related (250)	2,576	426	1,035	3,762	10,750	115.8	136.0	0	320.2	344.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	11	4	4	70	110	..	..	..	..	..	..	
Alzheimer's diseases (331.0)	262	3	27	381	168	1.1	1.0	0	4.6	4.4	0	
Cardiovascular disease (390-459)	12,336	1,549	3,489	17,596	41,761	542.9	556.5	0	1230.6	1267.7	0	
..Diseases of the heart (390-398,402,404-429)	9,611	1,284	2,838	14,259	34,114	443.3	457.9	0	1011.2	1048.8	0	
....Heart disease-related (390-398,402,404-429)	16,340	2,305	5,057	27,749	63,134	871.5	868.7	0	1876.1	1892.4	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,802	905	2,051	8,798	23,053	262.4	298.9	0	673.0	734.9	0	
....Congestive heart failure (CHF) (428.0)	593	28	85	225	733	6.8	7.9	0	21.6	20.3	0	
....Hypertension with or without renal disease (401,403)	164	30	49	315	698	8.9	8.1	0	19.7	15.4	0	
....Hypertension-related (401,403)	2,210	276	673	2,505	7,018	74.8	80.6	0	205.3	216.8	0	
..Cerebrovascular disease (430-438)	1,939	175	426	2,277	5,064	69.6	65.0	0	146.8	140.6	0	
..Atherosclerosis (440)	185	6	28	50	220	1.6	4.0	0	6.5	9.1	0	
....Atherosclerosis-related (440)	698	30	122	285	1,005	8.5	17.8	0	29.3	44.3	0	
..Aortic aneurysm (441)	214	16	72	220	630	5.7	7.9	0	16.9	24.1	0	
Pneumonia & influenza (480-487)	1,228	73	190	1,151	2,388	38.3	59.4	0	72.6	104.1	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,234	119	395	1,320	3,710	45.5	39.2	0	114.4	119.0	0	
..COPD-related (490-496)	2,816	315	925	3,155	8,965	102.8	86.5	0	270.8	260.5	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	54	27	33	610	900	22.6	14.2	0	30.2	22.7	0	
Chronic liver disease and cirrhosis (571)	284	150	217	2,227	4,040	61.6	58.2	0	109.2	110.8	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	370	50	120	552	1,342	17.6	25.0	0	40.1	42.4	0	
..Nephritis-related (580-589)	1,605	261	583	3,059	7,079	92.5	112.1	0	205.8	220.9	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	439	63	150	780	1,762	23.9	34.5	0	51.3	57.1	0	
Unintentional injuries (E800-E949)	1,110	647	755	18,463	25,443	636.1	665.0	0	804.0	830.4	0	
..Motor vehicle accidents (E810-E825)	339	254	287	8,089	10,792	304.5	348.3	0	372.3	423.0	0	
..Falls and fall related injuries (E880-E888)	212	32	54	600	1,035	17.2	23.0	0	28.4	33.4	0	
..Drowning (E830,E832,E910)	24	20	20	704	904	28.9	35.2	0	34.1	41.3	0	
..Residential fires (E890-E899)	33	22	29	680	943	27.2	15.9	0	34.1	20.4	0	
Suicide (E950-E959)	269	222	237	6,020	8,333	197.3	181.3	0	251.2	237.0	0	
Homicide and legal intervention (E960-E978)	149	143	146	4,934	6,381	193.1	191.5	0	229.9	225.2	0	
..Homicide (E960-E969)	146	140	143	4,831	6,249	189.1	189.4	0	225.2	222.8	0	
All injury (E800-E999)	1,559	1,043	1,169	30,194	41,244	1049.6	1067.7	0	1315.2	1331.3	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	332	249	281	7,942	10,597	299.0	336.6	0	365.7	409.5	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	154	36	55	760	1,223	23.9	24.2	0	35.6	35.1	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	171	177	5,353	7,103	203.8	191.3	0	248.5	234.6	0	
....Suicide (E955.0-.4)	90	73	79	1,918	2,688	64.1	60.1	0	82.8	80.4	0	
....Homicide (E965.0-.4)	87	87	87	3,133	4,003	128.3	127.8	0	151.5	150.3	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	324	302	310	8,062	11,117	233.3	194.0	0	298.0	252.8	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	163	127	154	2,073	3,485	54.2	42.6	0	89.1	71.7	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	292	279	283	7,610	10,415	222.9	180.7	0	282.1	233.2	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 1970 U.S. standard population \*\*\***

	Male											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
All causes	13,937	3,747	6,702	68,332	119,479	4675.4	4900.9	0	7598.1	7920.5	0	
Infectious diseases and parasitic disease (1-139)	437	232	294	4,676	7,276	277.6	324.3	0	408.4	460.3	0	
..Septicemia (038)	186	38	72	537	1,067	33.7	33.0	0	64.1	57.0	0	
....Septicemia-related (038)	691	152	316	2,270	4,565	143.3	145.7	0	271.8	265.3	0	
...HIV infection (042-044)	117	115	117	2,453	3,613	132.6	164.7	0	184.5	225.6	0	
All cancer (140-208)	3,536	912	1,931	9,820	23,833	625.3	612.8	0	1478.9	1456.4	0	
..Oral cavity or pharynx (140.0-149.9)	59	25	38	308	640	17.1	16.6	0	36.5	34.4	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	345	69	172	678	1,870	41.3	57.4	0	114.3	137.8	0	
....Colon cancer (153)	283	52	137	505	1,458	30.1	45.3	0	88.5	112.1	0	
....Rectal cancer (154)	59	16	34	165	395	10.6	12.1	0	24.7	25.6	0	
..Pancreatic cancer (157)	204	55	119	473	1,353	29.2	26.2	0	84.1	78.2	0	
..Lung and other respiratory cancer (160-165)	1,091	315	668	2,673	7,485	169.1	144.8	0	469.1	432.3	0	
....Lung cancer (162.2-.9)	1,041	296	633	2,500	7,043	158.4	137.4	0	441.9	414.3	0	
..Malignant melanoma of skin (172)	47	18	33	245	503	14.0	11.2	0	28.5	23.1	0	
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.	
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.	
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.	
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.	
..Prostate cancer (185)	408	23	105	148	768	9.9	12.4	0	49.2	54.4	0	
..Bladder cancer (188)	129	18	43	125	433	8.4	9.2	0	28.0	28.0	0	
..Brain & other CNS cancer (191-192)	85	46	61	837	1,400	56.9	33.8	0	88.5	58.2	0	
..Leukemia (204-208)	145	38	80	595	1,150	37.8	54.3	0	69.9	91.7	0	
Diabetes mellitus (250)	303	63	149	598	1,628	36.4	55.8	0	99.3	133.2	0	
..Diabetes-related (250)	1,236	256	591	2,392	6,435	150.3	166.8	0	399.4	421.7	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	3	3	48	78	.	.	.	.	.	.	
Alzheimer's diseases (331.0)	81	1	10	23	85	1.1	0.4	0	4.8	5.5	0	
Cardiovascular disease (390-459)	5,488	1,061	2,225	11,883	27,818	746.7	769.5	0	1707.8	1767.3	0	
..Diseases of the heart (390-398,402,404-429)	4,433	919	1,867	10,146	23,671	641.3	645.2	0	1459.1	1489.8	0	
....Heart disease-related (390-398,402,404-429)	7,529	1,487	3,115	17,858	40,173	1140.3	1163.8	0	2479.7	2551.9	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,234	670	1,389	6,590	16,608	405.2	465.1	0	1015.8	1112.9	0	
....Congestive heart failure (CHF) (428.0)	200	12	42	90	345	5.5	5.7	0	21.5	17.4	0	
..Hypertension with or without renal disease (401,403)	64	18	28	200	425	11.8	5.2	0	24.9	12.2	0	
....Hypertension-related (401,403)	863	167	367	1,608	4,193	97.4	99.1	0	255.0	268.5	0	
..Cerebrovascular disease (430-438)	711	94	222	1,147	2,662	72.5	75.1	0	163.0	163.3	0	
..Atherosclerosis (440)	70	2	16	25	110	1.6	5.0	0	6.7	11.0	0	
....Atherosclerosis-related (440)	255	15	67	193	578	11.1	24.0	0	34.4	58.3	0	
..Aortic aneurysm (441)	117	10	49	140	428	7.3	14.9	0	24.4	43.3	0	
Pneumonia & influenza (480-487)	542	46	115	756	1,514	50.5	77.8	0	94.6	138.9	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	568	51	180	583	1,655	42.6	39.2	0	108.9	120.4	0	
..COPD-related (490-496)	1,368	152	486	1,455	4,430	101.4	88.3	0	286.3	286.5	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 1970 U.S. standard population \*\*\***

	Male												
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
					All	< 65	< 75	< 65	< 75	1998	1997	Significance	
<b>*****Causes of Death*****</b>													
..Asthma (493)		18		12		295		415		24.3		13.7	0
Chronic liver disease and cirrhosis (571)		172		107		147		1,570		2,815		89.1	86.4
Nephritis, nephrotic syndrome/nephrosis (580-589)		169		25		63		223		618		14.0	30.1
..Nephritis-related (580-589)		823		147		329		1,812		4,052		112.6	133.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)		206		32		79		340		843		20.9	41.8
Unintentional injuries (E800-E949)		695		475		535		13,802		18,842		952.2	919.6
..Motor vehicle accidents (E810-E825)		218		180		194		5,930		7,800		448.9	423.7
..Falls and fall related injuries (E880-E888)		101		23		38		443		755		23.9	44.7
..Drowning (E830,E832,E910)		19		18		18		664		844		54.2	56.2
..Residential fires (E890-E899)		15		10		13		350		473		27.0	.
Suicide (E950-E959)		203		169		180		4,613		6,370		306.2	281.5
Homicide and legal intervention (E960-E978)		112		107		110		3,648		4,735		283.4	315.5
..Homicide (E960-E969)		109		104		107		3,545		4,603		275.5	311.4
All injury (E800-E999)		1,031		772		846		22,614		30,709		1575.0	1556.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)		214		176		191		5,785		7,623		438.3	402.9
..All falls (E880-E886,E888,E957,E968.1,E987)		86		26		41		565		908		34.3	44.7
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)		164		148		154		4,615		6,135		346.2	354.9
....Suicide (E955.0-.4)		81		65		71		1,733		2,423		116.6	110.7
....Homicide (E965.0-.4)		73		73		73		2,608		3,338		208.4	237.6
All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)		227		212		218		5,705		7,850		331.2	297.8
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)		118		94		110		1,560		2,575		82.4	69.5
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)		201		195		197		5,408		7,363		317.5	274.7

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 1970 U.S. standard population \*\*\***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
All causes	15,682	2,436	4,795	42,813	77,556	2934.2	2865.5	0	4755.2	4702.6	0	
Infectious diseases and parasitic disease (1-139)	388	127	178	2,972	4,444	186.7	158.8	0	256.1	227.4	0	
..Septicemia (038)	232	28	59	472	875	29.4	20.1	0	49.8	42.0	0	
....Septicemia-related (038)	793	124	245	1,871	3,614	121.1	107.3	0	213.0	208.6	0	
..HIV infection (042-044)	49	49	49	1,330	1,820	76.5	90.5	0	96.4	113.0	0	
All cancer (140-208)	3,531	912	1,785	10,579	23,632	627.8	642.5	0	1328.4	1369.5	0	
..Oral cavity or pharynx (140.0-149.9)	36	8	17	70	203	4.2	3.7	0	11.5	10.9	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	411	62	150	620	1,665	34.8	45.0	0	91.7	105.9	0	
....Colon cancer (153)	334	49	119	513	1,338	28.5	35.8	0	73.0	89.3	0	
....Rectal cancer (154)	68	11	28	83	275	4.9	9.2	0	15.7	16.3	0	
..Pancreatic cancer (157)	215	39	93	433	1,053	25.7	24.4	0	58.6	58.7	0	
..Lung and other respiratory cancer (160-165)	829	223	470	1,998	5,300	113.4	125.6	0	302.7	328.7	0	
....Lung cancer (162.2-.9)	813	216	460	1,835	5,140	109.3	123.4	0	293.7	322.0	0	
..Malignant melanoma of skin (172)	39	11	19	148	288	7.6	11.1	0	14.8	20.4	0	
..Female breast cancer (174)	601	212	368	2,515	5,340	139.0	155.6	0	287.4	303.0	0	
..Cervical cancer (180)	37	19	24	313	535	16.0	23.1	0	26.7	35.1	0	
..Endometrial cancer (182)	44	12	18	110	255	6.5	1.9	0	14.6	7.1	0	
..Ovarian cancer (183)	197	59	119	603	1,483	34.4	35.1	0	81.9	77.5	0	
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.	
..Bladder cancer (188)	55	1	17	23	93	1.0	2.6	0	4.3	7.4	0	
..Brain & other CNS cancer (191-192)	65	24	46	345	665	21.6	26.4	0	38.1	42.5	0	
..Leukemia (204-208)	118	44	61	909	1,412	65.4	42.9	0	91.4	63.6	0	
Diabetes mellitus (250)	356	61	136	468	1,435	27.6	36.9	0	82.4	82.8	0	
..Diabetic-related (250)	1,340	170	444	1,370	4,315	82.8	106.8	0	247.0	272.9	0	
..Diabetic ketoacidosis (DKA) (250.1)	7	1	1	23	33	.	.	.	.	.	.	
Alzheimer's diseases (331.0)	181	2	17	15	83	1.0	1.5	0	4.4	3.6	0	
Cardiovascular disease (390-459)	6,848	488	1,264	5,713	13,943	347.7	354.1	0	788.8	806.7	0	
..Diseases of the heart (390-398,402,404-429)	5,178	365	971	4,114	10,444	253.8	279.9	0	595.4	642.1	0	
....Heart disease-related (390-398,402,404-429)	8,811	818	1,942	9,891	22,961	611.7	584.6	0	1314.9	1279.8	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,568	235	662	2,208	6,445	126.6	140.1	0	356.5	385.1	0	
....Congestive heart failure (CHF) (428.0)	393	16	43	135	388	8.1	10.2	0	22.0	23.3	0	
..Hypertension with or without renal disease (401,403)	100	12	21	115	273	6.3	11.0	0	14.9	18.7	0	
....Hypertension-related (401,403)	1,347	109	306	898	2,825	53.3	63.4	0	159.3	169.7	0	
..Cerebrovascular disease (430-438)	1,228	81	204	1,130	2,402	66.7	55.3	0	132.1	119.6	0	
..Atherosclerosis (440)	115	4	12	25	110	1.5	3.0	0	6.4	7.4	0	
....Atherosclerosis-related (440)	443	15	55	93	428	5.9	11.5	0	24.6	31.4	0	
..Aortic aneurysm (441)	97	6	23	80	203	4.2	1.3	0	10.3	6.4	0	
Pneumonia & influenza (480-487)	686	27	75	395	875	26.3	41.2	0	51.7	71.0	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	666	68	215	737	2,055	48.3	38.7	0	119.7	117.8	0	
..COPD-related (490-496)	1,448	163	439	1,700	4,535	104.1	84.4	0	258.1	238.3	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 1970 U.S. standard population \*\*\***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	36	15	21	315	485	20.8	14.5	0	29.0	25.0	0	
Chronic liver disease and cirrhosis (571)	112	43	70	658	1,225	35.2	31.3	0	63.6	61.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	201	25	57	330	725	21.4	19.9	0	42.6	35.8	0	
..Nephritis-related (580-589)	782	114	254	1,247	3,027	72.9	91.5	0	169.2	179.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	233	31	71	440	920	27.1	27.4	0	52.2	46.1	0	
Unintentional injuries (E800-E949)	415	172	220	4,661	6,601	317.3	407.2	0	409.8	505.8	0	
..Motor vehicle accidents (E810-E825)	121	74	93	2,159	2,992	157.2	271.6	1	197.8	325.9	0	
..Falls and fall related injuries (E880-E888)	111	9	16	158	280	11.1	0.7	0	17.6	3.8	0	
..Drowning (E830,E832,E910)	5	2	2	40	60	.	.	.	.	.	.	
..Residential fires (E890-E899)	18	12	16	330	470	27.7	.	0	35.1	.	0	
Suicide (E950-E959)	66	53	57	1,408	1,963	87.6	80.3	0	112.3	106.3	0	
Homicide and legal intervention (E960-E978)	37	36	36	1,286	1,646	100.8	62.0	0	118.7	74.8	0	
..Homicide (E960-E969)	37	36	36	1,286	1,646	100.8	62.0	0	118.7	74.8	0	
All injury (E800-E999)	528	271	323	7,580	10,535	518.9	570.0	0	658.5	713.0	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	118	73	90	2,157	2,974	157.0	269.4	1	196.7	323.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	68	10	14	195	315	13.7	3.3	0	20.0	6.1	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-	4	24	23	738	968	59.1	22.5	0	71.2	29.5	0	
..4,E970,E985.0-.4)	9	23	23	185	265	.	.	.	.	.	.	
....Suicide (E955.0-.4)	14	14	14	525	665	.	.	.	.	.	.	
....Homicide (E965.0-.4)	14	14	14	525	665	.	.	.	.	.	.	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	97	90	92	2,357	3,267	136.8	90.5	0	175.4	121.7	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-	1	45	33	44	513	910	27.1	16.8	0	46.5	27.6	0
..3,790.3,E860)	45	33	44	513	910	27.1	16.8	0	46.5	27.6	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-	1	91	84	86	2,202	3,052	129.2	87.1	0	165.5	115.6	0
..5,E962.0,E980.0-.5)	91	84	86	2,202	3,052	129.2	87.1	0	165.5	115.6	0	

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 2000 U.S. standard population \*\*\***

	Both Sexes											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
All causes	29,619	6,183	11,497	111,145	197,035	3958.1	4052.2	0	6435.0	6587.9	0	
Infectious diseases and parasitic disease (1-139)	825	359	472	7,648	11,720	264.0	281.0	0	375.4	396.1	0	
..Septicemia (038)	418	66	131	1,009	1,942	35.2	29.5	0	62.4	53.8	0	
....Septicemia-related (038)	1,484	276	561	4,141	8,119	145.2	137.9	0	261.8	254.2	0	
...HIV infection (042-044)	166	164	166	3,782	5,432	128.0	157.9	0	171.2	208.1	0	
All cancer (140-208)	7,067	1,824	3,716	20,399	47,464	714.2	722.3	0	1528.9	1546.0	0	
..Oral cavity or pharynx (140.0-149.9)	95	33	55	378	843	12.8	10.9	0	26.7	23.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	756	131	322	1,298	3,535	45.0	61.2	0	112.7	135.7	0	
....Colon cancer (153)	617	101	256	1,018	2,795	35.1	48.4	0	88.8	111.5	0	
....Rectal cancer (154)	127	27	62	248	670	8.7	12.8	0	21.6	23.8	0	
..Pancreatic cancer (157)	419	94	212	905	2,405	31.8	29.4	0	77.4	74.2	0	
..Lung and other respiratory cancer (160-165)	1,920	538	1,138	4,580	12,785	161.2	155.5	0	412.6	407.7	0	
....Lung cancer (162.2-.9)	1,854	512	1,093	4,335	12,183	152.6	150.5	0	393.2	395.0	0	
..Malignant melanoma of skin (172)	86	29	52	393	790	13.3	14.2	0	25.0	25.7	0	
..Female breast cancer (174)	601	212	368	2,515	5,340	..	..	..	..	..	..	
..Cervical cancer (180)	37	19	24	313	535	..	..	..	..	..	..	
..Endometrial cancer (182)	44	12	18	110	255	..	..	..	..	..	..	
..Ovarian cancer (183)	197	59	119	603	1,483	..	..	..	..	..	..	
..Prostate cancer (185)	408	23	105	148	768	..	..	..	..	..	..	
..Bladder cancer (188)	184	19	60	148	525	5.2	6.6	0	16.7	18.5	0	
..Brain & other CNS cancer (191-192)	150	70	107	1,182	2,065	41.8	32.9	0	67.3	54.4	0	
..Leukemia (204-208)	263	82	141	1,504	2,562	52.6	47.8	0	82.8	77.3	0	
Diabetes mellitus (250)	659	124	285	1,065	3,063	37.1	56.1	0	98.2	120.8	0	
..Diabetes-related (250)	2,576	426	1,035	3,762	10,750	132.2	160.1	0	345.4	379.6	0	
..Diabetic ketoacidosis (DKA) (250.1)	11	4	4	70	110	..	..	..	..	..	..	
Alzheimer's diseases (331.0)	262	3	27	381	168	1.3	1.1	0	5.2	4.8	0	
Cardiovascular disease (390-459)	12,336	1,549	3,489	17,596	41,761	615.6	641.6	0	1341.7	1396.3	0	
..Diseases of the heart (390-398,402,404-429)	9,611	1,284	2,838	14,259	34,114	500.0	528.3	0	1097.9	1154.4	0	
....Heart disease-related (390-398,402,404-429)	16,340	2,305	5,057	27,749	63,134	972.9	979.6	0	2032.3	2061.9	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,802	905	2,051	8,798	23,053	306.8	350.8	0	739.3	812.3	0	
....Congestive heart failure (CHF) (428.0)	593	28	85	225	733	7.7	8.0	0	23.2	21.1	0	
....Hypertension with or without renal disease (401,403)	164	30	49	315	698	10.9	8.6	0	22.4	16.4	0	
....Hypertension-related (401,403)	2,210	276	673	2,505	7,018	87.3	92.3	0	224.6	234.6	0	
..Cerebrovascular disease (430-438)	1,939	175	426	2,277	5,064	79.3	75.2	0	162.0	156.7	0	
..Atherosclerosis (440)	185	6	28	50	220	1.8	5.0	0	7.0	10.6	0	
....Atherosclerosis-related (440)	698	30	122	285	1,005	9.8	20.1	0	31.5	48.0	0	
..Aortic aneurysm (441)	214	16	72	220	630	7.4	9.4	0	19.5	26.3	0	
Pneumonia & influenza (480-487)	1,228	73	190	1,151	2,388	40.7	65.3	0	77.0	113.1	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,234	119	395	1,320	3,710	47.7	43.9	0	119.8	127.7	0	
..COPD-related (490-496)	2,816	315	925	3,155	8,965	112.2	96.9	0	288.2	279.8	0	

(CONTINUED)

- \* - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	54	27	33	610	900	22.4	17.2	0	30.4	26.8	0	
Chronic liver disease and cirrhosis (571)	284	150	217	2,227	4,040	76.2	72.5	0	128.9	130.3	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	370	50	120	552	1,342	19.5	27.5	0	43.3	46.4	0	
..Nephritis-related (580-589)	1,605	261	583	3,059	7,079	107.0	129.3	0	227.6	245.8	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	439	63	150	780	1,762	27.3	37.2	0	56.6	61.6	0	
Unintentional injuries (E800-E949)	1,110	647	755	18,463	25,443	657.5	668.6	0	837.6	843.2	0	
..Motor vehicle accidents (E810-E825)	339	254	287	8,089	10,792	296.1	326.7	0	364.9	400.5	0	
..Falls and fall related injuries (E880-E888)	212	32	54	600	1,035	20.5	21.4	0	32.8	31.8	0	
..Drowning (E830,E832,E910)	24	20	20	704	904	26.1	32.9	0	31.0	38.8	0	
..Residential fires (E890-E899)	33	22	29	680	943	24.8	16.1	0	31.7	20.8	0	
Suicide (E950-E959)	269	222	237	6,020	8,333	212.8	200.0	0	272.5	262.5	0	
Homicide and legal intervention (E960-E978)	149	143	146	4,934	6,381	183.4	175.1	0	219.5	206.9	0	
..Homicide (E960-E969)	146	140	143	4,831	6,249	179.6	173.4	0	214.9	204.8	0	
All injury (E800-E999)	1,559	1,043	1,169	30,194	41,244	1080.9	1080.7	0	1364.9	1360.3	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	332	249	281	7,942	10,597	290.7	316.2	0	358.3	388.4	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	154	36	55	760	1,223	26.6	23.5	0	39.6	34.6	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	171	177	5,353	7,103	198.6	189.4	0	243.4	233.8	0	
....Suicide (E955.0-.4)	90	73	79	1,918	2,688	68.2	70.1	0	88.4	93.3	0	
....Homicide (E965.0-.4)	87	87	87	3,133	4,003	119.3	116.2	0	141.1	137.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	324	302	310	8,062	11,117	276.1	239.0	0	353.4	310.7	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	163	127	154	2,073	3,485	70.1	55.1	0	110.3	88.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	292	279	283	7,610	10,415	261.4	222.9	0	331.9	287.1	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 2000 U.S. standard population \*\*\***

	Male											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
All causes	13,937	3,747	6,702	68,332	119,479	4897.7	5133.0	0	7983.7	8322.4	0	
Infectious diseases and parasitic disease (1-139)	437	232	294	4,676	7,276	326.0	390.3	0	474.3	547.4	0	
..Septicemia (038)	186	38	72	537	1,067	38.2	36.6	0	71.1	62.3	0	
....Septicemia-related (038)	691	152	316	2,270	4,565	161.1	162.7	0	299.4	290.8	0	
...HIV infection (042-044)	117	115	117	2,453	3,613	168.4	216.4	0	231.7	291.8	0	
All cancer (140-208)	3,536	912	1,931	9,820	23,833	704.6	687.8	0	1600.0	1570.8	0	
..Oral cavity or pharynx (140.0-149.9)	59	25	38	308	640	21.1	17.8	0	41.7	36.0	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	345	69	172	678	1,870	48.2	69.5	0	125.0	155.0	0	
....Colon cancer (153)	283	52	137	505	1,458	35.8	54.3	0	97.1	124.7	0	
....Rectal cancer (154)	59	16	34	165	395	11.9	15.3	0	26.7	30.1	0	
..Pancreatic cancer (157)	204	55	119	473	1,353	34.1	29.6	0	91.1	83.3	0	
..Lung and other respiratory cancer (160-165)	1,091	315	668	2,673	7,485	193.3	166.6	0	505.8	465.5	0	
....Lung cancer (162.2-.9)	1,041	296	633	2,500	7,043	180.9	158.7	0	476.1	446.5	0	
..Malignant melanoma of skin (172)	47	18	33	245	503	17.3	13.9	0	33.3	26.8	0	
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.	
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.	
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.	
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.	
..Prostate cancer (185)	408	23	105	148	768	10.9	13.1	0	51.8	56.7	0	
..Bladder cancer (188)	129	18	43	125	433	9.2	10.5	0	29.4	30.0	0	
..Brain & other CNS cancer (191-192)	85	46	61	837	1,400	60.0	38.3	0	93.5	64.3	0	
..Leukemia (204-208)	145	38	80	595	1,150	41.8	53.4	0	76.0	91.5	0	
Diabetes mellitus (250)	303	63	149	598	1,628	42.6	68.8	0	109.0	150.8	0	
..Diabetes-related (250)	1,236	256	591	2,392	6,435	172.0	198.2	0	433.1	466.6	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	3	3	48	78	.	.	.	.	.	.	
Alzheimer's diseases (331.0)	81	1	10	23	85	1.6	0.4	0	5.5	5.6	0	
Cardiovascular disease (390-459)	5,488	1,061	2,225	11,883	27,818	849.2	901.0	0	1863.4	1962.1	0	
..Diseases of the heart (390-398,402,404-429)	4,433	919	1,867	10,146	23,671	727.0	757.8	0	1588.5	1655.8	0	
....Heart disease-related (390-398,402,404-429)	7,529	1,487	3,115	17,858	40,173	1276.3	1328.8	0	2689.6	2799.9	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,234	670	1,389	6,590	16,608	472.3	550.7	0	1115.6	1239.4	0	
....Congestive heart failure (CHF) (428.0)	200	12	42	90	345	6.4	6.6	0	23.1	19.1	0	
..Hypertension with or without renal disease (401,403)	64	18	28	200	425	14.3	6.0	0	28.4	13.4	0	
....Hypertension-related (401,403)	863	167	367	1,608	4,193	114.4	113.5	0	280.6	290.1	0	
..Cerebrovascular disease (430-438)	711	94	222	1,147	2,662	81.4	87.3	0	177.3	182.0	0	
..Atherosclerosis (440)	70	2	16	25	110	1.8	6.2	0	7.4	12.9	0	
....Atherosclerosis-related (440)	255	15	67	193	578	13.2	27.1	0	37.8	63.3	0	
..Aortic aneurysm (441)	117	10	49	140	428	9.4	17.5	0	27.7	47.0	0	
Pneumonia & influenza (480-487)	542	46	115	756	1,514	53.9	87.1	0	100.9	152.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	568	51	180	583	1,655	43.2	42.1	0	112.6	127.0	0	
..COPD-related (490-496)	1,368	152	486	1,455	4,430	107.3	95.3	0	300.8	302.8	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 2000 U.S. standard population \*\*\***

	Male											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	18	12	12	295	415	22.3	15.8	0	29.1	22.9	0	
Chronic liver disease and cirrhosis (571)	172	107	147	1,570	2,815	109.8	107.9	0	185.1	192.3	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	169	25	63	223	618	16.2	32.8	0	41.9	53.7	0	
..Nephritis-related (580-589)	823	147	329	1,812	4,052	129.6	154.6	0	271.4	296.7	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	206	32	79	340	843	24.4	45.3	0	56.7	74.5	0	
Unintentional injuries (E800-E949)	695	475	535	13,802	18,842	985.9	948.7	0	1248.9	1200.6	0	
..Motor vehicle accidents (E810-E825)	218	180	194	5,930	7,800	434.3	404.6	0	529.4	500.4	0	
..Falls and fall related injuries (E880-E888)	101	23	38	443	755	30.1	41.4	0	48.4	59.4	0	
..Drowning (E830,E832,E910)	19	18	18	664	844	48.8	53.6	0	57.6	63.6	0	
..Residential fires (E890-E899)	15	10	13	350	473	25.6	.	0	32.0	.	0	
Suicide (E950-E959)	203	169	180	4,613	6,370	328.5	308.8	0	420.9	405.0	0	
Homicide and legal intervention (E960-E978)	112	107	110	3,648	4,735	270.5	283.3	0	325.3	332.3	0	
..Homicide (E960-E969)	109	104	107	3,545	4,603	262.7	279.8	0	316.0	328.3	0	
All injury (E800-E999)	1,031	772	846	22,614	30,709	1623.6	1589.6	0	2044.8	2001.7	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	214	176	191	5,785	7,623	423.7	386.3	0	517.4	479.4	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	86	26	41	565	908	39.7	43.3	0	59.4	63.0	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	164	148	154	4,615	6,135	339.6	346.6	0	418.1	426.7	0	
....Suicide (E955.0-.4)	81	65	71	1,733	2,423	123.4	127.2	0	160.2	169.6	0	
....Homicide (E965.0-.4)	73	73	73	2,608	3,338	195.9	213.4	0	232.4	250.2	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	227	212	218	5,705	7,850	393.8	369.1	0	503.6	476.1	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	118	94	110	1,560	2,575	107.1	88.5	0	166.3	143.2	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	201	195	197	5,408	7,363	373.9	341.1	0	472.8	436.1	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 2000 U.S. standard population \*\*\***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
All causes	15,682	2,436	4,795	42,813	77,556	3031.2	2974.9	0	4951.0	4911.9	0	
Infectious diseases and parasitic disease (1-139)	388	127	178	2,972	4,444	204.8	174.2	0	281.7	249.2	0	
..Septicemia (038)	232	28	59	472	875	32.6	22.3	0	54.7	45.3	0	
....Septicemia-related (038)	793	124	245	1,871	3,614	130.1	113.8	0	227.6	219.3	0	
...HIV infection (042-044)	49	49	49	1,330	1,820	89.5	101.8	0	113.6	127.9	0	
All cancer (140-208)	3,531	912	1,785	10,579	23,632	723.3	755.0	0	1469.2	1530.0	0	
..Oral cavity or pharynx (140.0-149.9)	36	8	17	70	203	4.8	4.1	0	12.4	11.4	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	411	62	150	620	1,665	41.9	53.2	0	101.7	117.9	0	
....Colon cancer (153)	334	49	119	513	1,338	34.5	42.7	0	81.6	99.3	0	
....Rectal cancer (154)	68	11	28	83	275	5.6	10.5	0	16.8	18.1	0	
..Pancreatic cancer (157)	215	39	93	433	1,053	29.7	29.2	0	65.0	66.2	0	
..Lung and other respiratory cancer (160-165)	829	223	470	1,998	5,300	130.7	145.0	0	328.1	357.0	0	
....Lung cancer (162.2-.9)	813	216	460	1,835	5,140	125.8	142.7	0	318.0	350.1	0	
..Malignant melanoma of skin (172)	39	11	19	148	288	9.6	14.4	0	17.4	24.8	0	
..Female breast cancer (174)	601	212	368	2,515	5,340	170.2	193.6	0	331.6	356.2	0	
..Cervical cancer (180)	37	19	24	313	535	20.5	29.2	0	32.7	43.0	0	
..Endometrial cancer (182)	44	12	18	110	255	7.6	2.1	0	16.1	7.5	0	
..Ovarian cancer (183)	197	59	119	603	1,483	41.0	40.9	0	91.7	85.9	0	
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	.	
..Bladder cancer (188)	55	1	17	23	93	1.5	3.0	0	5.2	8.1	0	
..Brain & other CNS cancer (191-192)	65	24	46	345	665	23.6	27.9	0	41.6	45.1	0	
..Leukemia (204-208)	118	44	61	909	1,412	63.8	42.4	0	90.9	64.1	0	
Diabetes mellitus (250)	356	61	136	468	1,435	31.9	43.9	0	88.3	93.1	0	
..Diabetic-related (250)	1,340	170	444	1,370	4,315	94.1	123.9	0	264.4	299.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	7	1	1	23	33	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	181	2	17	15	83	1.0	1.8	0	4.8	4.1	0	
Cardiovascular disease (390-459)	6,848	488	1,264	5,713	13,943	392.1	394.3	0	858.5	872.4	0	
..Diseases of the heart (390-398,402,404-429)	5,178	365	971	4,114	10,444	282.8	309.7	0	642.3	690.4	0	
....Heart disease-related (390-398,402,404-429)	8,811	818	1,942	9,891	22,961	680.4	643.4	0	1421.7	1375.4	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,568	235	662	2,208	6,445	149.4	159.5	0	391.6	416.0	0	
....Congestive heart failure (CHF) (428.0)	393	16	43	135	388	9.1	9.7	0	23.6	23.3	0	
..Hypertension with or without renal disease (401,403)	100	12	21	115	273	7.7	11.4	0	16.8	19.5	0	
....Hypertension-related (401,403)	1,347	109	306	898	2,825	61.4	72.3	0	172.5	183.8	0	
..Cerebrovascular disease (430-438)	1,228	81	204	1,130	2,402	77.3	63.6	0	148.3	133.1	0	
..Atherosclerosis (440)	115	4	12	25	110	1.7	3.8	0	6.7	8.6	0	
....Atherosclerosis-related (440)	443	15	55	93	428	6.4	13.2	0	25.7	34.0	0	
..Aortic aneurysm (441)	97	6	23	80	203	5.4	1.7	0	12.2	7.3	0	
Pneumonia & influenza (480-487)	686	27	75	395	875	27.6	43.9	0	54.5	75.5	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	666	68	215	737	2,055	52.0	45.3	0	126.8	128.6	0	
..COPD-related (490-496)	1,448	163	439	1,700	4,535	117.0	98.1	0	278.6	260.8	0	

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

**CONNECTICUT Resident DEATHS, 1998**  
**Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)**  
**for selected causes of death by sex of decedent**  
**\*\*\* Age-adjusted using 2000 U.S. standard population \*\*\***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
<b>*****Causes of Death*****</b>												
..Asthma (493)	36	15	21	315	485	22.3	18.5	0	31.4	30.3	0	
Chronic liver disease and cirrhosis (571)	112	43	70	658	1,225	44.0	38.7	0	75.6	71.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	201	25	57	330	725	23.0	22.2	0	45.3	39.3	0	
..Nephritis-related (580-589)	782	114	254	1,247	3,027	85.1	105.0	0	186.9	198.5	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	233	31	71	440	920	30.3	29.2	0	57.2	49.2	0	
Unintentional injuries (E800-E949)	415	172	220	4,661	6,601	328.8	387.2	0	428.1	486.8	0	
..Motor vehicle accidents (E810-E825)	121	74	93	2,159	2,992	156.2	247.9	0	198.6	300.4	0	
..Falls and fall related injuries (E880-E888)	111	9	16	158	280	11.4	0.9	0	18.2	4.2	0	
..Drowning (E830,E832,E910)	5	2	2	40	60	.	.	.	.	.	.	
..Residential fires (E890-E899)	18	12	16	330	470	24.2	.	0	31.5	.	0	
Suicide (E950-E959)	66	53	57	1,408	1,963	97.2	91.3	0	125.3	121.1	0	
Homicide and legal intervention (E960-E978)	37	36	36	1,286	1,646	95.2	62.4	0	112.6	76.3	0	
..Homicide (E960-E969)	37	36	36	1,286	1,646	95.2	62.4	0	112.6	76.3	0	
All injury (E800-E999)	528	271	323	7,580	10,535	536.9	566.1	0	687.0	716.3	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	118	73	90	2,157	2,974	156.0	245.6	0	197.5	297.6	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	68	10	14	195	315	14.0	3.4	0	20.6	6.4	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-	4	24	23	738	968	56.3	28.2	0	68.1	37.1	0	
..4,E970,E985.0-.4)	9	23	23	185	265	.	.	.	.	.	.	
....Suicide (E955.0-.4)	14	14	14	525	665	.	.	.	.	.	.	
....Homicide (E965.0-.4)	14	14	14	525	665	.	.	.	.	.	.	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	97	90	92	2,357	3,267	160.6	110.0	0	206.3	147.1	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-	1	45	33	44	513	910	34.5	22.9	0	56.7	35.5	0
..3,790.3,E860)	45	33	44	513	910	34.5	22.9	0	56.7	35.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-	1	91	84	86	2,202	3,052	150.7	105.5	0	193.4	139.5	0
..5,E962.0,E980.0-.5)	91	84	86	2,202	3,052	150.7	105.5	0	193.4	139.5	0	

\* - Age-adjusted YPLL are calculated per 100,000 population.  
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).