

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
Asian/Pacific Islander Residents, 1994-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables  
by Cause of Death and Sex, Asian/Pacific Islander Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables  
by Cause of Death and Sex, Asian/Pacific Islander Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
All causes	469	128.5	162.8	0	160.0	260	145.4	196.2	0	223.9	209	112.2	134.6	0	105.9
Infectious diseases and parasitic disease (1-139)	11	3.0	.	.	.	7	3.9	.	.	.	4	2.1	.	.	.
..Septicemia (038)	3	0.8	.	.	.	2	1.1	.	.	.	1	0.5	.	.	.
....Septicemia-related (038)	22	6.0	7.6	0	.	11	6.2	.	.	.	11	5.9	.	.	.
..HIV infection (042-044)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
All cancer (140-208)	134	36.7	48.4	0	46.4	69	38.6	56.4	0	61.6	65	34.9	42.2	0	33.8
..Oral cavity or pharynx (140.0-149.9)	3	0.8	.	.	.	2	1.1	.	.	.	1	0.5	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	4.1	5.7	0	.	8	4.5	.	.	.	7	3.8	.	.	.
....Colon cancer (153)	14	3.8	.	.	.	8	4.5	.	.	.	6	3.2	.	.	.
....Rectal cancer (154)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
..Pancreatic cancer (157)	7	1.9	.	.	.	3	1.7	.	.	.	4	2.1	.	.	.
..Lung and other respiratory cancer (160-165)	27	7.4	10.3	0	.	16	8.9	14.1	0	.	11	5.9	.	.	.
....Lung cancer (162.2-.9)	24	6.6	9.1	0	.	15	8.4	13.1	0	.	9	4.8	.	.	.
..Female breast cancer (174)	14	.	.	.	.	.	.	.	.	.	14	7.5	.	.	.
..Cervical cancer (180)	2	.	.	.	.	.	.	.	.	.	2	1.1	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	0.5	.	.	.
..Prostate cancer (185)	7	.	.	.	.	7	3.9	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	4	1.1	.	.	.	2	1.1	.	.	.	2	1.1	.	.	.
..Leukemia (204-208)	6	1.6	.	.	.	4	2.2	.	.	.	2	1.1	.	.	.
Diabetes mellitus (250)	7	1.9	.	.	.	5	2.8	.	.	.	2	1.1	.	.	.
..Diabetes-related (250)	37	10.1	15.3	0	13.2	22	12.3	19.5	0	.	15	8.1	11.3	0	.
Alzheimer's diseases (331.0)	2	0.5	.	.	.	.	.	.	.	.	2	1.1	.	.	.
Cardiovascular disease (390-459)	165	45.2	59.9	0	60.5	91	50.9	73.4	0	83.4	74	39.7	48.1	0	42.4
..Diseases of the heart (390-398,402,404-429)	110	30.1	39.2	0	46.0	65	36.4	51.9	0	67.6	45	24.2	28.5	0	28.4
....Heart disease-related (390-398,402,404-429)	219	60.0	79.0	0	72.5	121	67.7	96.7	0	106.2	98	52.6	64.4	0	45.7
....Coronary heart disease (CHD) (402,410-414,429.2)	75	20.5	28.5	0	36.2	47	26.3	38.8	0	56.1	28	15.0	19.7	0	20.2
....Congestive heart failure (CHF) (428.0)	3	0.8	.	.	.	1	0.6	.	.	.	2	1.1	.	.	.
....Hypertension with or without renal disease (401,403)	4	1.1	.	.	.	1	0.6	.	.	.	3	1.6	.	.	.
....Hypertension-related (401,403)	35	9.6	14.2	0	17.1	16	8.9	13.4	0	24.0	19	10.2	14.5	0	.
..Cerebrovascular disease (430-438)	45	12.3	17.1	0	13.3	21	11.7	17.5	0	.	24	12.9	16.5	0	.
..Atherosclerosis (440)	1	0.3	.	.	.	1	0.6	.	.	.	.	.	.	.	.
....Atherosclerosis-related (440)	3	0.8	.	.	.	3	1.7	.	.	.	.	.	.	.	.
..Aortic aneurysm (441)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
Pneumonia & influenza (480-487)	15	4.1	5.4	0	.	10	5.6	.	.	.	5	2.7	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	2.5	.	.	.	6	3.4	.	.	.	3	1.6	.	.	.
..COPD-related (490-496)	21	5.8	7.9	0	.	12	6.7	.	.	.	9	4.8	.	.	.
..Asthma (493)	5	1.4	.	.	.	3	1.7	.	.	.	2	1.1	.	.	.
Chronic liver disease and cirrhosis (571)	4	1.1	.	.	.	2	1.1	.	.	.	2	1.1	.	.	.

(CONTINUED)

- \* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.  
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	2.2	.	.	.	4	2.2	.	.	.	4	2.1	.	.	.
..Nephritis-related (580-589)	27	7.4	10.4	0	.	16	8.9	13.2	0	.	11	5.9	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	2.5	.	.	.	5	2.8	.	.	.	4	2.1	.	.	.
Unintentional injuries (E800-E949)	36	9.9	10.9	0	9.6	23	12.9	13.6	0	14.4	13	7.0	.	.	.
..Motor vehicle accidents (E810-E825)	23	6.3	7.2	0	.	14	7.8	.	.	.	9	4.8	.	.	.
..Falls and fall related injuries (E880-E888)	2	0.5	.	.	.	.	.	.	.	.	2	1.1	.	.	.
..Drowning (E830,E832,E910)	4	1.1	.	.	.	4	2.2	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
Suicide (E950-E959)	11	3.0	.	.	.	9	5.0	.	.	.	2	1.1	.	.	.
Homicide and legal intervention (E960-E978)	9	2.5	.	.	.	8	4.5	.	.	.	1	0.5	.	.	.
..Homicide (E960-E969)	9	2.5	.	.	.	8	4.5	.	.	.	1	0.5	.	.	.
All injury (E800-E999)	57	15.6	16.2	0	17.2	40	22.4	22.3	0	26.5	17	9.1	10.4	0	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	6.3	7.2	0	.	14	7.8	.	.	.	9	4.8	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	7	1.9	.	.	.	7	3.9	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	3	0.8	.	.	.	3	1.7	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	4	1.1	.	.	.	4	2.2	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	5	1.4	.	.	.	4	2.2	.	.	.	1	0.5	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	5	1.4	.	.	.	4	2.2	.	.	.	1	0.5	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.  
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR
*****Causes of Death*****															
All causes	469	128.5	227.8	0	228.6	260	145.4	277.6	0	315.3	209	112.2	188.4	0	158.8
Infectious diseases and parasitic disease (1-139)	11	3.0	.	.	.	7	3.9	.	.	.	4	2.1	.	.	.
..Septicemia (038)	3	0.8	.	.	.	2	1.1	.	.	.	1	0.5	.	.	.
....Septicemia-related (038)	22	6.0	11.0	0	.	11	6.2	.	.	.	11	5.9	.	.	.
..HIV infection (042-044)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
All cancer (140-208)	134	36.7	65.0	0	63.1	69	38.6	79.3	0	84.0	65	34.9	53.9	0	46.2
..Oral cavity or pharynx (140.0-149.9)	3	0.8	.	.	.	2	1.1	.	.	.	1	0.5	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	4.1	8.0	0	.	8	4.5	.	.	.	7	3.8	.	.	.
....Colon cancer (153)	14	3.8	.	.	.	8	4.5	.	.	.	6	3.2	.	.	.
....Rectal cancer (154)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
..Pancreatic cancer (157)	7	1.9	.	.	.	3	1.7	.	.	.	4	2.1	.	.	.
..Lung and other respiratory cancer (160-165)	27	7.4	14.0	0	.	16	8.9	18.5	0	.	11	5.9	.	.	.
....Lung cancer (162.2-.9)	24	6.6	12.5	0	.	15	8.4	16.9	0	.	9	4.8	.	.	.
..Female breast cancer (174)	14	.	.	.	.	.	.	.	.	.	14	7.5	.	.	.
..Cervical cancer (180)	2	.	.	.	.	.	.	.	.	.	2	1.1	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	0.5	.	.	.
..Prostate cancer (185)	7	.	.	.	.	7	3.9	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	4	1.1	.	.	.	2	1.1	.	.	.	2	1.1	.	.	.
..Leukemia (204-208)	6	1.6	.	.	.	4	2.2	.	.	.	2	1.1	.	.	.
Diabetes mellitus (250)	7	1.9	.	.	.	5	2.8	.	.	.	2	1.1	.	.	.
..Diabetes-related (250)	37	10.1	21.9	0	20.1	22	12.3	27.7	0	.	15	8.1	16.4	0	.
Alzheimer's diseases (331.0)	2	0.5	.	.	.	.	.	.	.	.	2	1.1	.	.	.
Cardiovascular disease (390-459)	165	45.2	91.5	0	95.2	91	50.9	110.0	0	130.4	74	39.7	76.3	0	69.0
..Diseases of the heart (390-398,402,404-429)	110	30.1	59.1	0	73.6	65	36.4	77.9	0	105.5	45	24.2	44.2	0	49.0
....Heart disease-related (390-398,402,404-429)	219	60.0	119.1	0	114.1	121	67.7	149.1	0	164.1	98	52.6	96.1	0	76.2
....Coronary heart disease (CHD) (402,410-414,429.2)	75	20.5	41.5	0	55.7	47	26.3	55.4	0	84.4	28	15.0	30.0	0	33.6
....Congestive heart failure (CHF) (428.0)	3	0.8	.	.	.	1	0.6	.	.	.	2	1.1	.	.	.
....Hypertension with or without renal disease (401,403)	4	1.1	.	.	.	1	0.6	.	.	.	3	1.6	.	.	.
....Hypertension-related (401,403)	35	9.6	21.2	0	29.3	16	8.9	20.5	0	40.1	19	10.2	21.6	0	.
..Cerebrovascular disease (430-438)	45	12.3	26.7	0	19.6	21	11.7	26.4	0	.	24	12.9	26.8	0	.
..Atherosclerosis (440)	1	0.3	.	.	.	1	0.6	.	.	.	.	.	.	.	.
....Atherosclerosis-related (440)	3	0.8	.	.	.	3	1.7	.	.	.	.	.	.	.	.
..Aortic aneurysm (441)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
Pneumonia & influenza (480-487)	15	4.1	9.5	0	.	10	5.6	.	.	.	5	2.7	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	2.5	.	.	.	6	3.4	.	.	.	3	1.6	.	.	.
..COPD-related (490-496)	21	5.8	12.7	0	.	12	6.7	.	.	.	9	4.8	.	.	.
..Asthma (493)	5	1.4	.	.	.	3	1.7	.	.	.	2	1.1	.	.	.
Chronic liver disease and cirrhosis (571)	4	1.1	.	.	.	2	1.1	.	.	.	2	1.1	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.  
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	2.2	.	.	.	4	2.2	.	.	.	4	2.1	.	.	.
..Nephritis-related (580-589)	27	7.4	15.3	0	.	16	8.9	20.5	0	.	11	5.9	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	2.5	.	.	.	5	2.8	.	.	.	4	2.1	.	.	.
Unintentional injuries (E800-E949)	36	9.9	12.2	0	11.7	23	12.9	14.9	0	16.9	13	7.0	.	.	.
..Motor vehicle accidents (E810-E825)	23	6.3	7.7	0	.	14	7.8	.	.	.	9	4.8	.	.	.
..Falls and fall related injuries (E880-E888)	2	0.5	.	.	.	.	.	.	.	.	2	1.1	.	.	.
..Drowning (E830,E832,E910)	4	1.1	.	.	.	4	2.2	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
Suicide (E950-E959)	11	3.0	.	.	.	9	5.0	.	.	.	2	1.1	.	.	.
Homicide and legal intervention (E960-E978)	9	2.5	.	.	.	8	4.5	.	.	.	1	0.5	.	.	.
..Homicide (E960-E969)	9	2.5	.	.	.	8	4.5	.	.	.	1	0.5	.	.	.
All injury (E800-E999)	57	15.6	16.8	0	19.9	40	22.4	22.3	0	29.5	17	9.1	11.7	0	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	6.3	7.7	0	.	14	7.8	.	.	.	9	4.8	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	7	1.9	.	.	.	7	3.9	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	3	0.8	.	.	.	3	1.7	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	4	1.1	.	.	.	4	2.2	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	5	1.4	.	.	.	4	2.2	.	.	.	1	0.5	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	5	1.4	.	.	.	4	2.2	.	.	.	1	0.5	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.

0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
All causes	469	128.5	306.2	0	314.5	260	145.4	378.4	0	425.3	209	112.2	252.4	0	228.8
Infectious diseases and parasitic disease (1-139)	11	3.0	.	.	.	7	3.9	.	.	.	4	2.1	.	.	.
..Septicemia (038)	3	0.8	.	.	.	2	1.1	.	.	.	1	0.5	.	.	.
....Septicemia-related (038)	22	6.0	15.2	0	.	11	6.2	.	.	.	11	5.9	.	.	.
..HIV infection (042-044)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
All cancer (140-208)	134	36.7	84.1	0	86.0	69	38.6	104.6	0	112.4	65	34.9	68.3	0	65.3
..Oral cavity or pharynx (140.0-149.9)	3	0.8	.	.	.	2	1.1	.	.	.	1	0.5	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	4.1	10.4	0	.	8	4.5	.	.	.	7	3.8	.	.	.
....Colon cancer (153)	14	3.8	.	.	.	8	4.5	.	.	.	6	3.2	.	.	.
....Rectal cancer (154)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
..Pancreatic cancer (157)	7	1.9	.	.	.	3	1.7	.	.	.	4	2.1	.	.	.
..Lung and other respiratory cancer (160-165)	27	7.4	17.8	0	.	16	8.9	22.1	0	.	11	5.9	.	.	.
....Lung cancer (162.2-.9)	24	6.6	16.0	0	.	15	8.4	19.8	0	.	9	4.8	.	.	.
..Female breast cancer (174)	14	.	.	.	.	.	.	.	.	.	14	7.5	.	.	.
..Cervical cancer (180)	2	.	.	.	.	.	.	.	.	.	2	1.1	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	0.5	.	.	.
..Prostate cancer (185)	7	.	.	.	.	7	3.9	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	4	1.1	.	.	.	2	1.1	.	.	.	2	1.1	.	.	.
..Leukemia (204-208)	6	1.6	.	.	.	4	2.2	.	.	.	2	1.1	.	.	.
Diabetes mellitus (250)	7	1.9	.	.	.	5	2.8	.	.	.	2	1.1	.	.	.
..Diabetes-related (250)	37	10.1	27.9	0	27.2	22	12.3	35.2	0	.	15	8.1	21.2	0	.
Alzheimer's diseases (331.0)	2	0.5	.	.	.	.	.	.	.	.	2	1.1	.	.	.
Cardiovascular disease (390-459)	165	45.2	130.9	0	138.6	91	50.9	155.7	0	188.4	74	39.7	111.7	0	102.7
..Diseases of the heart (390-398,402,404-429)	110	30.1	84.4	0	109.1	65	36.4	110.8	0	153.1	45	24.2	64.5	0	76.4
....Heart disease-related (390-398,402,404-429)	219	60.0	168.9	0	166.6	121	67.7	216.1	0	235.6	98	52.6	134.8	0	115.9
....Coronary heart disease (CHD) (402,410-414,429.2)	75	20.5	55.7	0	80.0	47	26.3	74.0	0	118.1	28	15.0	41.2	0	51.7
....Congestive heart failure (CHF) (428.0)	3	0.8	.	.	.	1	0.6	.	.	.	2	1.1	.	.	.
....Hypertension with or without renal disease (401,403)	4	1.1	.	.	.	1	0.6	.	.	.	3	1.6	.	.	.
....Hypertension-related (401,403)	35	9.6	28.3	0	45.2	16	8.9	28.7	0	60.7	19	10.2	28.3	0	.
..Cerebrovascular disease (430-438)	45	12.3	38.1	0	26.0	21	11.7	37.2	0	.	24	12.9	39.0	0	.
..Atherosclerosis (440)	1	0.3	.	.	.	1	0.6	.	.	.	.	.	.	.	.
....Atherosclerosis-related (440)	3	0.8	.	.	.	3	1.7	.	.	.	.	.	.	.	.
..Aortic aneurysm (441)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
Pneumonia & influenza (480-487)	15	4.1	14.8	0	.	10	5.6	.	.	.	5	2.7	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	2.5	.	.	.	6	3.4	.	.	.	3	1.6	.	.	.
..COPD-related (490-496)	21	5.8	18.5	0	.	12	6.7	.	.	.	9	4.8	.	.	.
..Asthma (493)	5	1.4	.	.	.	3	1.7	.	.	.	2	1.1	.	.	.
Chronic liver disease and cirrhosis (571)	4	1.1	.	.	.	2	1.1	.	.	.	2	1.1	.	.	.

(CONTINUED)

- \* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
- . - The AAMR is not reported due to a small number of deaths (<15).
- 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
- 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	2.2	.	.	.	4	2.2	.	.	.	4	2.1	.	.	.
..Nephritis-related (580-589)	27	7.4	20.8	0	.	16	8.9	29.5	0	.	11	5.9	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	2.5	.	.	.	5	2.8	.	.	.	4	2.1	.	.	.
Unintentional injuries (E800-E949)	36	9.9	13.7	0	14.3	23	12.9	17.1	0	19.2	13	7.0	.	.	.
..Motor vehicle accidents (E810-E825)	23	6.3	8.3	0	.	14	7.8	.	.	.	9	4.8	.	.	.
..Falls and fall related injuries (E880-E888)	2	0.5	.	.	.	.	.	.	.	.	2	1.1	.	.	.
..Drowning (E830,E832,E910)	4	1.1	.	.	.	4	2.2	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
Suicide (E950-E959)	11	3.0	.	.	.	9	5.0	.	.	.	2	1.1	.	.	.
Homicide and legal intervention (E960-E978)	9	2.5	.	.	.	8	4.5	.	.	.	1	0.5	.	.	.
..Homicide (E960-E969)	9	2.5	.	.	.	8	4.5	.	.	.	1	0.5	.	.	.
All injury (E800-E999)	57	15.6	18.4	0	23.6	40	22.4	24.8	0	32.8	17	9.1	12.7	0	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	6.3	8.3	0	.	14	7.8	.	.	.	9	4.8	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	7	1.9	.	.	.	7	3.9	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	3	0.8	.	.	.	3	1.7	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	4	1.1	.	.	.	4	2.2	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	5	1.4	.	.	.	4	2.2	.	.	.	1	0.5	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	0.3	.	.	.	.	.	.	.	.	1	0.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	5	1.4	.	.	.	4	2.2	.	.	.	1	0.5	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.  
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	469	230	320	5,375	8,085	1521.9	1639.7	0	2355.3	2408.2	0
Infectious diseases and parasitic disease (1-139)	11	8	9	147	230	.	.	.	.	.	.
..Septicemia (038)	3	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	22	12	14	210	345	66.4	.	0	110.9	.	0
..HIV infection (042-044)	1	1	1	28	38	.	.	.	.	.	.
All cancer (140-208)	134	69	99	1,098	1,928	320.4	350.6	0	591.0	592.0	0
..Oral cavity or pharynx (140.0-149.9)	3	3	3	43	73	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	6	10	110	190	30.2	.	0	57.1	.	0
...Colon cancer (153)	14	6	10	110	190	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	7	2	3	20	48	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	27	13	20	128	285	42.6	.	0	100.5	.	0
...Lung cancer (162.2-.9)	24	11	18	113	250	36.9	.	0	87.4	.	0
..Female breast cancer (174)	14	10	14	170	295	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	7	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	4	2	4	80	110	.	.	.	.	.	.
..Leukemia (204-208)	6	5	5	113	163	.	.	.	.	.	.
Diabetes mellitus (250)	7	3	5	18	53	.	.	.	.	.	.
..Diabetes-related (250)	37	11	24	78	250	28.6	23.8	0	99.5	73.8	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	165	52	92	722	1,412	208.3	255.7	0	452.4	488.2	0
..Diseases of the heart (390-398,402,404-429)	110	39	65	545	1,040	154.8	204.8	0	327.5	379.7	0
...Heart disease-related (390-398,402,404-429)	219	76	127	1,084	2,052	307.2	339.7	0	641.5	625.4	0
...Coronary heart disease (CHD) (402,410-414,429.2)	75	27	49	263	618	83.1	150.2	0	217.7	307.2	0
...Congestive heart failure (CHF) (428.0)	3	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	4	.	3	0	18	.	.	.	.	.	.
...Hypertension-related (401,403)	35	8	21	40	193	16.3	28.3	0	82.7	72.7	0
..Cerebrovascular disease (430-438)	45	11	22	123	280	38.9	50.9	0	97.4	106.6	0
...Atherosclerosis (440)	1	1	1	38	48	.	.	.	.	.	.
...Atherosclerosis-related (440)	3	1	1	38	48	.	.	.	.	.	.
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	15	2	5	5	43	2.2	.	0	19.1	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	9	3	5	58	93	.	.	.	.	.	.
..COPD-related (490-496)	21	5	8	63	125	17.3	.	0	39.4	.	0
..Asthma (493)	5	3	3	58	88	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	4	2	3	25	48	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	1	4	3	30	.	.	.	.	.	.
..Nephritis-related (580-589)	27	8	16	105	215	29.4	.	0	68.2	.	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).



CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	1	4	3	30	.	.	.	.	.	.
Unintentional injuries (E800-E949)	36	29	32	1,013	1,325	299.0	175.8	0	377.3	240.5	0
..Motor vehicle accidents (E810-E825)	23	18	21	605	808	173.3	.	0	225.8	.	0
..Falls and fall related injuries (E880-E888)	2	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	175	215	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	58	68	.	.	.	.	.	.
Suicide (E950-E959)	11	11	11	403	513	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	9	9	9	293	383	.	.	.	.	.	.
..Homicide (E960-E969)	9	9	9	293	383	.	.	.	.	.	.
All injury (E800-E999)	57	50	53	1,750	2,273	503.1	367.2	0	625.4	484.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	18	21	605	808	173.3	.	0	225.8	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	7	7	7	233	303	.	.	.	.	.	.
....Suicide (E955.0-.4)	3	3	3	108	138	.	.	.	.	.	.
....Homicide (E965.0-.4)	4	4	4	125	165	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	5	4	4	150	190	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	23	33	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	5	4	4	150	190	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	260	137	182	3,200	4,757	1861.0	2394.6	0	2847.4	3515.9	0
Infectious diseases and parasitic disease (1-139)	7	5	6	53	105	.	.	.	.	.	.
..Septicemia (038)	2	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	11	7	7	138	208	.	.	.	.	.	.
..HIV infection (042-044)	.	.	.	.	.	.	.	.	.	.	.
All cancer (140-208)	69	31	49	483	858	293.9	445.7	0	555.5	750.5	0
..Oral cavity or pharynx (140.0-149.9)	2	2	2	40	60	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	3	5	53	88	.	.	.	.	.	.
...Colon cancer (153)	8	3	5	53	88	.	.	.	.	.	.
...Rectal cancer (154)	.	.	.	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	3	1	2	3	20	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	16	7	13	73	168	47.0	.	0	123.1	.	0
...Lung cancer (162.2-.9)	15	7	13	73	168	47.0	.	0	123.1	.	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	7	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	.	2	0	10	.	.	.	.	.	.
..Leukemia (204-208)	4	3	3	78	108	.	.	.	.	.	.
Diabetes mellitus (250)	5	3	3	18	48	.	.	.	.	.	.
..Diabetes-related (250)	22	10	14	65	185	48.8	.	0	147.5	.	0
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	91	37	56	510	962	310.0	383.2	0	641.8	725.7	0
..Diseases of the heart (390-398,402,404-429)	65	27	41	380	710	224.1	319.4	0	465.8	613.2	0
...Heart disease-related (390-398,402,404-429)	121	47	70	615	1,172	365.3	538.2	0	766.9	996.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	47	21	33	233	493	145.0	254.7	0	343.7	514.8	0
...Congestive heart failure (CHF) (428.0)	1	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	1	0	3	.	.	.	.	.	.
...Hypertension-related (401,403)	16	6	10	35	110	27.5	46.8	0	89.1	123.8	0
..Cerebrovascular disease (430-438)	21	8	12	75	175	54.9	.	0	132.9	.	0
...Atherosclerosis (440)	1	1	1	38	48	.	.	.	.	.	.
...Atherosclerosis-related (440)	3	1	1	38	48	.	.	.	.	.	.
..Aortic aneurysm (441)	.	.	.	.	.	.	.	.	.	.	.
Pneumonia & influenza (480-487)	10	2	4	5	35	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	6	2	3	25	48	.	.	.	.	.	.
..COPD-related (490-496)	12	2	3	25	48	.	.	.	.	.	.
..Asthma (493)	3	2	2	25	45	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	2	3	15	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	1	2	3	20	.	.	.	.	.	.
..Nephritis-related (580-589)	16	5	9	73	138	38.4	.	0	85.0	.	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	1	2	3	20	.	.	.	.	.	.
Unintentional injuries (E800-E949)	23	20	21	735	943	436.9	287.3	0	536.0	388.2	0
..Motor vehicle accidents (E810-E825)	14	12	13	475	603	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	175	215	.	.	.	.	.	.
..Residential fires (E890-E899)	.	.	.	.	.	.	.	.	.	.	.
Suicide (E950-E959)	9	9	9	318	408	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	8	8	8	275	355	.	.	.	.	.	.
..Homicide (E960-E969)	8	8	8	275	355	.	.	.	.	.	.
All injury (E800-E999)	40	37	38	1,328	1,705	768.5	604.1	0	939.6	793.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	14	12	13	475	603	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	7	7	7	233	303	.	.	.	.	.	.
....Suicide (E955.0-.4)	3	3	3	108	138	.	.	.	.	.	.
....Homicide (E965.0-.4)	4	4	4	125	165	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	3	3	108	138	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	.	.	.	.	.	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	3	3	108	138	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	209	93	138	2,176	3,328	1197.7	869.6	0	1882.7	1307.0	0
Infectious diseases and parasitic disease (1-139)	4	3	3	95	125	.	.	.	.	.	.
..Septicemia (038)	1	.	.	0	0	.	.	.	.	.	.
...Septicemia-related (038)	11	5	7	73	138	.	.	.	.	.	.
..HIV infection (042-044)	1	1	1	28	38	.	.	.	.	.	.
All cancer (140-208)	65	38	50	615	1,070	345.0	254.2	0	623.1	437.7	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	3	13	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	3	5	58	103	.	.	.	.	.	.
...Colon cancer (153)	6	3	5	58	103	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	4	1	1	18	28	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	11	6	7	55	118	.	.	.	.	.	.
...Lung cancer (162.2-.9)	9	4	5	40	83	.	.	.	.	.	.
..Female breast cancer (174)	14	10	14	170	295	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	80	100	.	.	.	.	.	.
..Leukemia (204-208)	2	2	2	35	55	.	.	.	.	.	.
Diabetes mellitus (250)	2	.	2	0	5	.	.	.	.	.	.
..Diabetes-related (250)	15	1	10	13	65	8.8	.	0	50.7	.	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	74	15	36	213	450	111.3	127.8	0	272.3	259.2	0
..Diseases of the heart (390-398,402,404-429)	45	12	24	165	330	88.5	90.8	0	197.9	157.3	0
...Heart disease-related (390-398,402,404-429)	98	29	57	470	880	250.2	142.5	0	517.0	274.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	28	6	16	30	125	23.6	46.4	0	98.9	108.5	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	.	2	0	15	.	.	.	.	.	.
...Hypertension-related (401,403)	19	2	11	5	83	4.4	.	0	69.5	.	0
..Cerebrovascular disease (430-438)	24	3	10	48	105	22.8	.	0	61.7	.	0
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
...Atherosclerosis-related (440)	.	.	.	.	.	.	.	.	.	.	.
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	5	.	1	0	8	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1	2	33	45	.	.	.	.	.	.
..COPD-related (490-496)	9	3	5	38	78	.	.	.	.	.	.
..Asthma (493)	2	1	1	33	43	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	1	23	33	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	.	2	0	10	.	.	.	.	.	.
..Nephritis-related (580-589)	11	3	7	33	78	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	.	2	0	10	.	.	.	.	.	.
Unintentional injuries (E800-E949)	13	9	11	278	383	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	9	6	8	130	205	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	.	.	.	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	58	68	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	85	105	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	1	1	1	18	28	.	.	.	.	.	.
..Homicide (E960-E969)	1	1	1	18	28	.	.	.	.	.	.
All injury (E800-E999)	17	13	15	423	568	246.9	.	0	321.6	.	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	9	6	8	130	205	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	.	.	.	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	43	53	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	23	33	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	43	53	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	469	230	320	5,375	8,085	1520.3	1651.9	0	2414.1	2463.9	0
Infectious diseases and parasitic disease (1-139)	11	8	9	147	230	.	.	.	.	.	.
..Septicemia (038)	3	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	22	12	14	210	345	66.2	.	0	114.0	.	0
..HIV infection (042-044)	1	1	1	28	38	.	.	.	.	.	.
All cancer (140-208)	134	69	99	1,098	1,928	317.5	326.2	0	612.0	578.5	0
..Oral cavity or pharynx (140.0-149.9)	3	3	3	43	73	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	6	10	110	190	27.3	.	0	56.7	.	0
...Colon cancer (153)	14	6	10	110	190	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	7	2	3	20	48	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	27	13	20	128	285	43.8	.	0	109.2	.	0
...Lung cancer (162.2-.9)	24	11	18	113	250	37.8	.	0	95.0	.	0
..Female breast cancer (174)	14	10	14	170	295	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	7	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	4	2	4	80	110	.	.	.	.	.	.
..Leukemia (204-208)	6	5	5	113	163	.	.	.	.	.	.
Diabetes mellitus (250)	7	3	5	18	53	.	.	.	.	.	.
..Diabetes-related (250)	37	11	24	78	250	31.2	26.6	0	115.1	85.0	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	165	52	92	722	1,412	204.3	264.3	0	480.8	526.6	0
..Diseases of the heart (390-398,402,404-429)	110	39	65	545	1,040	151.4	211.7	0	346.0	406.6	0
...Heart disease-related (390-398,402,404-429)	219	76	127	1,084	2,052	301.5	345.7	0	677.6	665.0	0
...Coronary heart disease (CHD) (402,410-414,429.2)	75	27	49	263	618	84.1	155.2	0	240.3	330.7	0
...Congestive heart failure (CHF) (428.0)	3	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	4	.	3	0	18	.	.	.	.	.	.
...Hypertension-related (401,403)	35	8	21	40	193	18.8	28.6	0	99.0	79.4	0
..Cerebrovascular disease (430-438)	45	11	22	123	280	40.2	52.7	0	107.6	117.4	0
...Atherosclerosis (440)	1	1	1	38	48	.	.	.	.	.	.
...Atherosclerosis-related (440)	3	1	1	38	48	.	.	.	.	.	.
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	15	2	5	5	43	2.7	.	0	23.4	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	9	3	5	58	93	.	.	.	.	.	.
..COPD-related (490-496)	21	5	8	63	125	16.3	.	0	41.5	.	0
..Asthma (493)	5	3	3	58	88	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	4	2	3	25	48	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	1	4	3	30	.	.	.	.	.	.
..Nephritis-related (580-589)	27	8	16	105	215	28.3	.	0	72.7	.	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	1	4	3	30	.	.	.	.	.	.
Unintentional injuries (E800-E949)	36	29	32	1,013	1,325	293.3	175.1	0	367.4	240.2	0
..Motor vehicle accidents (E810-E825)	23	18	21	605	808	160.2	.	0	209.9	.	0
..Falls and fall related injuries (E880-E888)	2	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	175	215	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	58	68	.	.	.	.	.	.
Suicide (E950-E959)	11	11	11	403	513	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	9	9	9	293	383	.	.	.	.	.	.
..Homicide (E960-E969)	9	9	9	293	383	.	.	.	.	.	.
All injury (E800-E999)	57	50	53	1,750	2,273	478.0	355.1	0	588.2	468.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	18	21	605	808	160.2	.	0	209.9	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	7	7	7	233	303	.	.	.	.	.	.
....Suicide (E955.0-.4)	3	3	3	108	138	.	.	.	.	.	.
....Homicide (E965.0-.4)	4	4	4	125	165	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	5	4	4	150	190	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	23	33	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	5	4	4	150	190	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	260	137	182	3,200	4,757	1835.8	2414.7	0	2888.9	3604.2	0
Infectious diseases and parasitic disease (1-139)	7	5	6	53	105	.	.	.	.	.	.
..Septicemia (038)	2	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	11	7	7	138	208	.	.	.	.	.	.
..HIV infection (042-044)	.	.	.	.	.	.	.	.	.	.	.
All cancer (140-208)	69	31	49	483	858	288.2	412.4	0	579.1	733.8	0
..Oral cavity or pharynx (140.0-149.9)	2	2	2	40	60	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	3	5	53	88	.	.	.	.	.	.
...Colon cancer (153)	8	3	5	53	88	.	.	.	.	.	.
...Rectal cancer (154)	.	.	.	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	3	1	2	3	20	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	16	7	13	73	168	47.4	.	0	135.2	.	0
...Lung cancer (162.2-.9)	15	7	13	73	168	47.4	.	0	135.2	.	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	7	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	.	2	0	10	.	.	.	.	.	.
..Leukemia (204-208)	4	3	3	78	108	.	.	.	.	.	.
Diabetes mellitus (250)	5	3	3	18	48	.	.	.	.	.	.
..Diabetes-related (250)	22	10	14	65	185	53.7	.	0	168.4	.	0
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	91	37	56	510	962	308.7	396.8	0	680.5	780.8	0
..Diseases of the heart (390-398,402,404-429)	65	27	41	380	710	222.8	327.6	0	494.7	654.4	0
...Heart disease-related (390-398,402,404-429)	121	47	70	615	1,172	362.3	546.1	0	813.2	1059.2	0
...Coronary heart disease (CHD) (402,410-414,429.2)	47	21	33	233	493	143.7	263.2	0	370.3	552.2	0
...Congestive heart failure (CHF) (428.0)	1	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	1	0	3	.	.	.	.	.	.
...Hypertension-related (401,403)	16	6	10	35	110	31.7	45.9	0	104.6	133.9	0
..Cerebrovascular disease (430-438)	21	8	12	75	175	58.9	.	0	147.1	.	0
..Atherosclerosis (440)	1	1	1	38	48	.	.	.	.	.	.
...Atherosclerosis-related (440)	3	1	1	38	48	.	.	.	.	.	.
..Aortic aneurysm (441)	.	.	.	.	.	.	.	.	.	.	.
Pneumonia & influenza (480-487)	10	2	4	5	35	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	6	2	3	25	48	.	.	.	.	.	.
..COPD-related (490-496)	12	2	3	25	48	.	.	.	.	.	.
..Asthma (493)	3	2	2	25	45	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	2	3	15	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	1	2	3	20	.	.	.	.	.	.
..Nephritis-related (580-589)	16	5	9	73	138	35.5	.	0	88.6	.	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	1	2	3	20	.	.	.	.	.	.
Unintentional injuries (E800-E949)	23	20	21	735	943	420.8	289.1	0	510.3	390.8	0
..Motor vehicle accidents (E810-E825)	14	12	13	475	603	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	175	215	.	.	.	.	.	.
..Residential fires (E890-E899)	.	.	.	.	.	.	.	.	.	.	.
Suicide (E950-E959)	9	9	9	318	408	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	8	8	8	275	355	.	.	.	.	.	.
..Homicide (E960-E969)	8	8	8	275	355	.	.	.	.	.	.
All injury (E800-E999)	40	37	38	1,328	1,705	716.5	589.4	0	863.9	772.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	14	12	13	475	603	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	7	7	7	233	303	.	.	.	.	.	.
....Suicide (E955.0-.4)	3	3	3	108	138	.	.	.	.	.	.
....Homicide (E965.0-.4)	4	4	4	125	165	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	3	3	108	138	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	.	.	.	.	.	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	3	3	108	138	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	209	93	138	2,176	3,328	1217.7	872.8	0	1957.3	1335.1	0
Infectious diseases and parasitic disease (1-139)	4	3	3	95	125	.	.	.	.	.	.
..Septicemia (038)	1	.	.	0	0	.	.	.	.	.	.
...Septicemia-related (038)	11	5	7	73	138	.	.	.	.	.	.
..HIV infection (042-044)	1	1	1	28	38	.	.	.	.	.	.
All cancer (140-208)	65	38	50	615	1,070	345.2	238.9	0	642.3	429.0	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	3	13	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	3	5	58	103	.	.	.	.	.	.
...Colon cancer (153)	6	3	5	58	103	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	4	1	1	18	28	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	11	6	7	55	118	.	.	.	.	.	.
...Lung cancer (162.2-.9)	9	4	5	40	83	.	.	.	.	.	.
..Female breast cancer (174)	14	10	14	170	295	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	80	100	.	.	.	.	.	.
..Leukemia (204-208)	2	2	2	35	55	.	.	.	.	.	.
Diabetes mellitus (250)	2	.	2	0	5	.	.	.	.	.	.
..Diabetes-related (250)	15	1	10	13	65	9.0	.	0	60.7	.	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	74	15	36	213	450	104.1	131.5	0	290.2	282.9	0
..Diseases of the heart (390-398,402,404-429)	45	12	24	165	330	82.6	96.6	0	206.7	172.1	0
...Heart disease-related (390-398,402,404-429)	98	29	57	470	880	241.5	146.9	0	542.3	295.4	0
...Coronary heart disease (CHD) (402,410-414,429.2)	28	6	16	30	125	26.5	48.1	0	118.1	119.7	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	.	2	0	15	.	.	.	.	.	.
...Hypertension-related (401,403)	19	2	11	5	83	5.3	.	0	85.4	.	0
..Cerebrovascular disease (430-438)	24	3	10	48	105	21.5	.	0	67.8	.	0
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
...Atherosclerosis-related (440)	.	.	.	.	.	.	.	.	.	.	.
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	5	.	1	0	8	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1	2	33	45	.	.	.	.	.	.
..COPD-related (490-496)	9	3	5	38	78	.	.	.	.	.	.
..Asthma (493)	2	1	1	33	43	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	1	23	33	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	.	2	0	10	.	.	.	.	.	.
..Nephritis-related (580-589)	11	3	7	33	78	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	.	2	0	10	.	.	.	.	.	.
Unintentional injuries (E800-E949)	13	9	11	278	383	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	9	6	8	130	205	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	.	.	.	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	58	68	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	85	105	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	1	1	1	18	28	.	.	.	.	.	.
..Homicide (E960-E969)	1	1	1	18	28	.	.	.	.	.	.
All injury (E800-E999)	17	13	15	423	568	246.7	.	0	320.2	.	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	9	6	8	130	205	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	.	.	.	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	43	53	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	23	33	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	43	53	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	469	230	320	5,375	8,085	1537.1	1650.0	0	2472.3	2506.7	0
Infectious diseases and parasitic disease (1-139)	11	8	9	147	230	.	.	.	.	.	.
..Septicemia (038)	3	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	22	12	14	210	345	66.5	.	0	115.0	.	0
..HIV infection (042-044)	1	1	1	28	38	.	.	.	.	.	.
All cancer (140-208)	134	69	99	1,098	1,928	365.6	397.2	0	683.7	681.9	0
..Oral cavity or pharynx (140.0-149.9)	3	3	3	43	73	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	15	6	10	110	190	31.0	.	0	62.3	.	0
...Colon cancer (153)	14	6	10	110	190	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	7	2	3	20	48	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	27	13	20	128	285	50.9	.	0	120.1	.	0
...Lung cancer (162.2-.9)	24	11	18	113	250	44.1	.	0	104.9	.	0
..Female breast cancer (174)	14	10	14	170	295	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	7	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	4	2	4	80	110	.	.	.	.	.	.
..Leukemia (204-208)	6	5	5	113	163	.	.	.	.	.	.
Diabetes mellitus (250)	7	3	5	18	53	.	.	.	.	.	.
..Diabetes-related (250)	37	11	24	78	250	33.9	27.9	0	120.8	87.5	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	165	52	92	722	1,412	239.6	273.8	0	535.2	548.8	0
..Diseases of the heart (390-398,402,404-429)	110	39	65	545	1,040	178.1	221.3	0	385.8	424.7	0
...Heart disease-related (390-398,402,404-429)	219	76	127	1,084	2,052	354.9	363.5	0	757.9	696.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	75	27	49	263	618	95.4	172.1	0	258.6	356.9	0
...Congestive heart failure (CHF) (428.0)	3	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	4	.	3	0	18	.	.	.	.	.	.
...Hypertension-related (401,403)	35	8	21	40	193	18.8	33.4	0	100.2	87.5	0
..Cerebrovascular disease (430-438)	45	11	22	123	280	47.5	52.5	0	119.9	120.9	0
...Atherosclerosis (440)	1	1	1	38	48	.	.	.	.	.	.
...Atherosclerosis-related (440)	3	1	1	38	48	.	.	.	.	.	.
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	15	2	5	5	43	2.6	.	0	23.1	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	9	3	5	58	93	.	.	.	.	.	.
..COPD-related (490-496)	21	5	8	63	125	19.0	.	0	45.2	.	0
..Asthma (493)	5	3	3	58	88	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	4	2	3	25	48	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	1	4	3	30	.	.	.	.	.	.
..Nephritis-related (580-589)	27	8	16	105	215	35.9	.	0	84.5	.	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	1	4	3	30	.	.	.	.	.	.
Unintentional injuries (E800-E949)	36	29	32	1,013	1,325	270.2	168.7	0	342.4	234.8	0
..Motor vehicle accidents (E810-E825)	23	18	21	605	808	153.3	.	0	202.7	.	0
..Falls and fall related injuries (E880-E888)	2	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	175	215	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	58	68	.	.	.	.	.	.
Suicide (E950-E959)	11	11	11	403	513	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	9	9	9	293	383	.	.	.	.	.	.
..Homicide (E960-E969)	9	9	9	293	383	.	.	.	.	.	.
All injury (E800-E999)	57	50	53	1,750	2,273	452.3	343.4	0	561.1	458.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	18	21	605	808	153.3	.	0	202.7	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	7	7	7	233	303	.	.	.	.	.	.
....Suicide (E955.0-.4)	3	3	3	108	138	.	.	.	.	.	.
....Homicide (E965.0-.4)	4	4	4	125	165	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	5	4	4	150	190	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	23	33	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	5	4	4	150	190	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	260	137	182	3,200	4,757	1840.2	2373.2	0	2934.7	3611.4	0
Infectious diseases and parasitic disease (1-139)	7	5	6	53	105	.	.	.	.	.	.
..Septicemia (038)	2	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	11	7	7	138	208	.	.	.	.	.	.
..HIV infection (042-044)	.	.	.	.	.	.	.	.	.	.	.
All cancer (140-208)	69	31	49	483	858	323.0	487.5	0	636.2	843.0	0
..Oral cavity or pharynx (140.0-149.9)	2	2	2	40	60	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	3	5	53	88	.	.	.	.	.	.
...Colon cancer (153)	8	3	5	53	88	.	.	.	.	.	.
...Rectal cancer (154)	.	.	.	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	3	1	2	3	20	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	16	7	13	73	168	55.8	.	0	149.3	.	0
...Lung cancer (162.2-.9)	15	7	13	73	168	55.8	.	0	149.3	.	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	7	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	.	2	0	10	.	.	.	.	.	.
..Leukemia (204-208)	4	3	3	78	108	.	.	.	.	.	.
Diabetes mellitus (250)	5	3	3	18	48	.	.	.	.	.	.
..Diabetes-related (250)	22	10	14	65	185	57.7	.	0	173.3	.	0
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	91	37	56	510	962	347.6	410.6	0	741.0	808.9	0
..Diseases of the heart (390-398,402,404-429)	65	27	41	380	710	252.5	346.2	0	539.6	682.6	0
...Heart disease-related (390-398,402,404-429)	121	47	70	615	1,172	418.2	569.5	0	896.5	1100.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	47	21	33	233	493	165.6	288.9	0	402.9	587.9	0
...Congestive heart failure (CHF) (428.0)	1	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	1	0	3	.	.	.	.	.	.
...Hypertension-related (401,403)	16	6	10	35	110	31.8	55.4	0	106.1	148.9	0
..Cerebrovascular disease (430-438)	21	8	12	75	175	65.4	.	0	158.3	.	0
..Atherosclerosis (440)	1	1	1	38	48	.	.	.	.	.	.
...Atherosclerosis-related (440)	3	1	1	38	48	.	.	.	.	.	.
..Aortic aneurysm (441)	.	.	.	.	.	.	.	.	.	.	.
Pneumonia & influenza (480-487)	10	2	4	5	35	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	6	2	3	25	48	.	.	.	.	.	.
..COPD-related (490-496)	12	2	3	25	48	.	.	.	.	.	.
..Asthma (493)	3	2	2	25	45	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	2	3	15	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	1	2	3	20	.	.	.	.	.	.
..Nephritis-related (580-589)	16	5	9	73	138	47.1	.	0	105.1	.	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	1	2	3	20	.	.	.	.	.	.
Unintentional injuries (E800-E949)	23	20	21	735	943	388.4	269.9	0	474.2	372.0	0
..Motor vehicle accidents (E810-E825)	14	12	13	475	603	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	175	215	.	.	.	.	.	.
..Residential fires (E890-E899)	.	.	.	.	.	.	.	.	.	.	.
Suicide (E950-E959)	9	9	9	318	408	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	8	8	8	275	355	.	.	.	.	.	.
..Homicide (E960-E969)	8	8	8	275	355	.	.	.	.	.	.
All injury (E800-E999)	40	37	38	1,328	1,705	687.4	556.2	0	833.4	740.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	14	12	13	475	603	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	7	7	7	233	303	.	.	.	.	.	.
....Suicide (E955.0-.4)	3	3	3	108	138	.	.	.	.	.	.
....Homicide (E965.0-.4)	4	4	4	125	165	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	3	3	108	138	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	.	.	.	.	.	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	3	3	108	138	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Signif-icance	1994-1998	1989-1993	Signif-icance
*****Causes of Death*****											
All causes	209	93	138	2,176	3,328	1245.9	914.5	0	2027.6	1418.1	0
Infectious diseases and parasitic disease (1-139)	4	3	3	95	125	.	.	.	.	.	.
..Septicemia (038)	1	.	.	0	0	.	.	.	.	.	.
...Septicemia-related (038)	11	5	7	73	138	.	.	.	.	.	.
..HIV infection (042-044)	1	1	1	28	38	.	.	.	.	.	.
All cancer (140-208)	65	38	50	615	1,070	405.2	306.6	0	727.8	527.8	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	3	13	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	3	5	58	103	.	.	.	.	.	.
...Colon cancer (153)	6	3	5	58	103	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	4	1	1	18	28	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	11	6	7	55	118	.	.	.	.	.	.
...Lung cancer (162.2-.9)	9	4	5	40	83	.	.	.	.	.	.
..Female breast cancer (174)	14	10	14	170	295	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	80	100	.	.	.	.	.	.
..Leukemia (204-208)	2	2	2	35	55	.	.	.	.	.	.
Diabetes mellitus (250)	2	.	2	0	5	.	.	.	.	.	.
..Diabetes-related (250)	15	1	10	13	65	10.6	.	0	67.1	.	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	74	15	36	213	450	136.2	137.0	0	339.4	299.2	0
..Diseases of the heart (390-398,402,404-429)	45	12	24	165	330	106.7	97.5	0	242.3	180.1	0
...Heart disease-related (390-398,402,404-429)	98	29	57	470	880	292.4	159.9	0	619.8	318.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	28	6	16	30	125	27.7	56.6	0	123.0	136.1	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	.	2	0	15	.	.	.	.	.	.
...Hypertension-related (401,403)	19	2	11	5	83	5.0	.	0	86.2	.	0
..Cerebrovascular disease (430-438)	24	3	10	48	105	29.5	.	0	81.1	.	0
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
...Atherosclerosis-related (440)	.	.	.	.	.	.	.	.	.	.	.
..Aortic aneurysm (441)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	5	.	1	0	8	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1	2	33	45	.	.	.	.	.	.
..COPD-related (490-496)	9	3	5	38	78	.	.	.	.	.	.
..Asthma (493)	2	1	1	33	43	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	1	23	33	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	.	2	0	10	.	.	.	.	.	.
..Nephritis-related (580-589)	11	3	7	33	78	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	.	2	0	10	.	.	.	.	.	.
Unintentional injuries (E800-E949)	13	9	11	278	383	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	9	6	8	130	205	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	.	.	.	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	58	68	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	85	105	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	1	1	1	18	28	.	.	.	.	.	.
..Homicide (E960-E969)	1	1	1	18	28	.	.	.	.	.	.
All injury (E800-E999)	17	13	15	423	568	224.8	.	0	296.8	.	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	9	6	8	130	205	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	.	.	.	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	43	53	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	23	33	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	43	53	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).