

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1990

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1990

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1990

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1990*****				*****1990*****				*****1990*****						
	No. of deaths	Crude rate	AAMR	Significance	1989 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989 AAMR
*****Causes of Death*****															
All causes	1,826	635.7	664.6	0	724.7	1,005	729.4	896.1	0	1013.5	821	549.3	492.1	0	503.0
Infectious diseases and parasitic disease (1-139)	161	56.0	56.3	0	62.3	104	75.5	82.1	0	89.2	57	38.1	35.7	0	39.5
..Septicemia (038)	33	11.5	12.1	0	16.1	20	14.5	18.3	0	20.2	13	8.7	.	.	13.5
....Septicemia-related (038)	119	41.4	43.5	0	44.7	69	50.1	62.2	0	56.9	50	33.5	29.5	0	35.8
..HIV infection (042-044)	108	37.6	37.3	0	40.3	77	55.9	58.5	0	63.4	31	20.7	19.6	0	20.3
All cancer (140-208)	376	130.9	151.3	0	162.8	221	160.4	220.6	0	237.6	155	103.7	103.7	0	108.2
..Oral cavity or pharynx (140.0-149.9)	11	3.8	.	.	.	8	5.8	.	.	.	3	2.0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	48	16.7	18.3	0	13.5	30	21.8	29.5	0	16.3	18	12.0	10.8	0	11.8
....Colon cancer (153)	43	15.0	16.1	0	12.1	26	18.9	25.3	0	.	17	11.4	9.9	0	10.9
....Rectal cancer (154)	4	1.4	.	.	.	3	2.2	.	.	.	1	0.7	.	.	.
..Pancreatic cancer (157)	17	5.9	7.2	0	10.5	9	6.5	.	.	15.6	8	5.4	.	.	.
..Lung and other respiratory cancer (160-165)	99	34.5	42.9	0	47.0	71	51.5	72.2	0	81.6	28	18.7	21.5	0	20.8
....Lung cancer (162.2-.9)	90	31.3	39.2	0	43.6	65	47.2	66.3	0	74.8	25	16.7	19.2	0	20.2
..Malignant melanoma of skin (172)	1	0.3	.	.	.	1	0.7
..Female breast cancer (174)	33	33	22.1	23.2	0	21.8
..Cervical cancer (180)	6	6	4.0	.	.	.
..Endometrial cancer (182)	2	2	1.3	.	.	.
..Ovarian cancer (183)	7	7	4.7	.	.	.
..Prostate cancer (185)	35	35	25.4	33.6	0	25.6
..Bladder cancer (188)	5	1.7	5	3.3	.	.	.
..Brain & other CNS cancer (191-192)	2	0.7	2	1.3	.	.	.
..Leukemia (204-208)	8	2.8	.	.	6.1	3	2.2	.	.	.	5	3.3	.	.	.
Diabetes mellitus (250)	43	15.0	16.6	0	20.0	14	10.2	.	.	25.1	29	19.4	17.6	0	17.3
..Diabetes-related (250)	164	57.1	63.3	0	77.2	57	41.4	57.9	0	89.7	107	71.6	65.9	0	69.6
Alzheimer's diseases (331.0)	5	1.7	.	.	.	1	0.7	.	.	.	4	2.7	.	.	.
Cardiovascular disease (390-459)	606	211.0	221.8	0	243.4	304	220.6	289.3	0	320.6	302	202.0	171.8	0	188.3
..Diseases of the heart (390-398,402,404-429)	481	167.4	179.9	0	189.4	251	182.2	239.7	0	253.4	230	153.9	136.4	0	144.2
....Heart disease-related (390-398,402,404-429)	916	318.9	336.2	0	356.1	470	341.1	441.2	0	472.8	446	298.4	261.8	0	272.3
....Coronary heart disease (CHD) (402,410-414,429.2)	304	105.8	114.1	0	132.7	156	113.2	152.3	0	184.6	148	99.0	85.1	0	96.5
....Congestive heart failure (CHF) (428.0)	9	3.1	.	.	.	7	5.1	.	.	.	2	1.3	.	.	.
..Hypertension with or without renal disease (401,403)	11	3.8	.	.	.	3	2.2	.	.	.	8	5.4	.	.	.
....Hypertension-related (401,403)	147	51.2	56.3	0	68.7	57	41.4	55.6	0	87.7	90	60.2	54.5	0	54.2
..Cerebrovascular disease (430-438)	88	30.6	28.9	0	39.1	40	29.0	37.3	0	50.5	48	32.1	21.8	0	30.9
..Atherosclerosis (440)	3	1.0	.	.	.	1	0.7	.	.	.	2	1.3	.	.	.
....Atherosclerosis-related (440)	28	9.7	9.0	1	19.8	9	6.5	.	.	26.7	19	12.7	9.3	0	15.8
..Aortic aneurysm (441)	7	2.4	.	.	.	2	1.5	.	.	.	5	3.3	.	.	.
Pneumonia & influenza (480-487)	48	16.7	16.0	0	20.7	27	19.6	25.0	0	30.0	21	14.0	10.2	0	13.5
Chronic obstructive pulmonary disease (COPD) (490-496)	40	13.9	15.2	0	12.6	20	14.5	19.7	0	16.5	20	13.4	13.2	0	10.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.
 0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT Black Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1990*****				*****1990*****				*****1990*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	97	33.8	37.0	0	32.3	54	39.2	52.8	0	51.6	43	28.8	27.5	0	19.8
..Asthma (493)	8	2.8	.	.	.	1	0.7	.	.	.	7	4.7	.	.	.
Chronic liver disease and cirrhosis (571)	23	8.0	9.5	0	9.5	14	10.2	.	.	15.5	9	6.0	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	48	16.7	17.1	0	8.9	20	14.5	19.0	0	.	28	18.7	15.2	0	.
..Nephritis-related (580-589)	194	67.5	70.5	0	63.7	88	63.9	80.8	0	84.3	106	70.9	63.4	0	47.1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	52	18.1	18.4	0	9.4	23	16.7	21.4	0	.	29	19.4	16.0	0	.
Unintentional injuries (E800-E949)	70	24.4	24.9	0	30.2	55	39.9	44.0	0	41.9	15	10.0	9.0	0	20.0
..Motor vehicle accidents (E810-E825)	27	9.4	9.5	0	15.3	21	15.2	15.4	0	18.9	6	4.0	.	.	11.9
..Falls and fall related injuries (E880-E888)	13	4.5	.	.	.	9	6.5	.	.	.	4	2.7	.	.	.
..Drowning (E830,E832,E910)	5	1.7	.	.	.	5	3.6
..Residential fires (E890-E899)	3	1.0	.	.	.	2	1.5	.	.	.	1	0.7	.	.	.
Suicide (E950-E959)	11	3.8	.	.	6.6	6	4.4	.	.	12.7	5	3.3	.	.	.
Homicide and legal intervention (E960-E978)	73	25.4	23.9	0	27.4	58	42.1	38.3	0	53.1	15	10.0	9.6	0	.
..Homicide (E960-E969)	73	25.4	23.9	0	27.4	58	42.1	38.3	0	53.1	15	10.0	9.6	0	.
All injury (E800-E999)	157	54.7	53.5	0	66.0	121	87.8	88.1	0	111.2	36	24.1	22.8	0	25.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	9.1	9.1	0	15.3	21	15.2	15.4	0	18.9	5	3.3	.	.	11.9
..All falls (E880-E886,E888,E957,E968.1,E987)	12	4.2	.	.	.	9	6.5	.	.	.	3	2.0	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	61	21.2	20.0	0	27.7	53	38.5	35.1	0	55.1	8	5.4	.	.	.
....Suicide (E955.0-.4)	3	1.0	.	.	.	2	1.5	.	.	.	1	0.7	.	.	.
....Homicide (E965.0-.4)	56	19.5	18.2	0	23.0	49	35.6	32.0	0	45.2	7	4.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	3.8	.	.	.	9	6.5	.	.	.	2	1.3	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	11.1	13.3	0	10.3	17	12.3	16.5	0	17.0	15	10.0	11.0	0	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	3.8	.	.	.	7	5.1	.	.	.	4	2.7	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.
 0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT Black Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1990*****				*****1990*****				*****1990*****						
	No. of deaths	Crude rate	AAMR	Significance	1989 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989 AAMR
*****Causes of Death*****															
All causes	1,826	635.7	822.4	0	894.2	1,005	729.4	1102.8	0	1232.2	821	549.3	623.8	0	647.4
Infectious diseases and parasitic disease (1-139)	161	56.0	53.4	0	61.9	104	75.5	77.8	0	85.6	57	38.1	35.0	0	42.1
..Septicemia (038)	33	11.5	15.0	0	21.1	20	14.5	24.1	0	26.4	13	8.7	.	.	17.8
....Septicemia-related (038)	119	41.4	52.8	0	56.0	69	50.1	74.5	0	70.0	50	33.5	37.6	0	46.0
..HIV infection (042-044)	108	37.6	31.0	0	33.3	77	55.9	48.7	0	52.8	31	20.7	16.3	0	16.6
All cancer (140-208)	376	130.9	190.8	0	207.0	221	160.4	285.2	0	303.9	155	103.7	128.5	0	139.9
..Oral cavity or pharynx (140.0-149.9)	11	3.8	.	.	.	8	5.8	.	.	.	3	2.0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	48	16.7	23.8	0	20.1	30	21.8	38.8	0	25.0	18	12.0	14.0	0	17.5
....Colon cancer (153)	43	15.0	21.2	0	18.0	26	18.9	33.9	0	.	17	11.4	13.1	0	15.7
....Rectal cancer (154)	4	1.4	.	.	.	3	2.2	.	.	.	1	0.7	.	.	.
..Pancreatic cancer (157)	17	5.9	8.8	0	14.2	9	6.5	.	.	21.7	8	5.4	.	.	.
..Lung and other respiratory cancer (160-165)	99	34.5	52.0	0	56.5	71	51.5	89.0	0	99.2	28	18.7	25.7	0	25.2
....Lung cancer (162.2-.9)	90	31.3	47.5	0	52.4	65	47.2	81.4	0	91.0	25	16.7	23.2	0	24.2
..Malignant melanoma of skin (172)	1	0.3	.	.	.	1	0.7
..Female breast cancer (174)	33	33	22.1	26.3	0	26.5
..Cervical cancer (180)	6	6	4.0	.	.	.
..Endometrial cancer (182)	2	2	1.3	.	.	.
..Ovarian cancer (183)	7	7	4.7	.	.	.
..Prostate cancer (185)	35	35	25.4	54.2	0	40.4
..Bladder cancer (188)	5	1.7	5	3.3	.	.	.
..Brain & other CNS cancer (191-192)	2	0.7	2	1.3	.	.	.
..Leukemia (204-208)	8	2.8	.	.	7.3	3	2.2	.	.	.	5	3.3	.	.	.
Diabetes mellitus (250)	43	15.0	22.6	0	24.6	14	10.2	.	.	32.9	29	19.4	24.5	0	20.4
..Diabetes-related (250)	164	57.1	86.8	0	101.0	57	41.4	75.7	0	120.1	107	71.6	91.5	0	90.6
Alzheimer's diseases (331.0)	5	1.7	.	.	.	1	0.7	.	.	.	4	2.7	.	.	.
Cardiovascular disease (390-459)	606	211.0	301.6	0	337.0	304	220.6	385.2	0	432.8	302	202.0	242.8	0	270.7
..Diseases of the heart (390-398,402,404-429)	481	167.4	240.9	0	260.9	251	182.2	318.1	0	342.1	230	153.9	188.4	0	205.5
....Heart disease-related (390-398,402,404-429)	916	318.9	444.3	0	474.3	470	341.1	581.4	0	620.0	446	298.4	353.3	0	374.0
....Coronary heart disease (CHD) (402,410-414,429.2)	304	105.8	156.1	0	187.9	156	113.2	202.0	0	256.7	148	99.0	122.2	0	142.2
....Congestive heart failure (CHF) (428.0)	9	3.1	.	.	.	7	5.1	.	.	.	2	1.3	.	.	.
..Hypertension with or without renal disease (401,403)	11	3.8	.	.	.	3	2.2	.	.	.	8	5.4	.	.	.
....Hypertension-related (401,403)	147	51.2	74.8	0	93.5	57	41.4	68.4	1	113.1	90	60.2	75.6	0	78.0
..Cerebrovascular disease (430-438)	88	30.6	42.2	0	55.4	40	29.0	49.3	0	68.1	48	32.1	35.3	0	45.8
..Atherosclerosis (440)	3	1.0	.	.	.	1	0.7	.	.	.	2	1.3	.	.	.
....Atherosclerosis-related (440)	28	9.7	14.2	1	32.7	9	6.5	.	.	42.7	19	12.7	14.6	0	26.3
..Aortic aneurysm (441)	7	2.4	.	.	.	2	1.5	.	.	.	5	3.3	.	.	.
Pneumonia & influenza (480-487)	48	16.7	22.7	0	27.5	27	19.6	34.6	0	37.7	21	14.0	15.3	0	19.6
Chronic obstructive pulmonary disease (COPD) (490-496)	40	13.9	20.4	0	18.5	20	14.5	29.3	0	27.1	20	13.4	16.0	0	14.5

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.
 0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT Black Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1990*****				*****1990*****				*****1990*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	97	33.8	50.3	0	45.4	54	39.2	75.4	0	75.0	43	28.8	35.9	0	27.7
..Asthma (493)	8	2.8	.	.	.	1	0.7	.	.	.	7	4.7	.	.	.
Chronic liver disease and cirrhosis (571)	23	8.0	9.9	0	9.3	14	10.2	.	.	15.7	9	6.0	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	48	16.7	24.2	0	12.6	20	14.5	25.0	0	.	28	18.7	22.6	0	.
..Nephritis-related (580-589)	194	67.5	94.4	0	77.8	88	63.9	108.6	0	98.0	106	70.9	86.2	0	61.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	52	18.1	26.0	0	13.6	23	16.7	29.0	0	.	29	19.4	23.6	0	.
Unintentional injuries (E800-E949)	70	24.4	27.0	0	31.7	55	39.9	47.1	0	43.0	15	10.0	11.0	0	21.6
..Motor vehicle accidents (E810-E825)	27	9.4	9.6	0	15.8	21	15.2	15.3	0	19.1	6	4.0	.	.	12.4
..Falls and fall related injuries (E880-E888)	13	4.5	.	.	.	9	6.5	.	.	.	4	2.7	.	.	.
..Drowning (E830,E832,E910)	5	1.7	.	.	.	5	3.6
..Residential fires (E890-E899)	3	1.0	.	.	.	2	1.5	.	.	.	1	0.7	.	.	.
Suicide (E950-E959)	11	3.8	.	.	5.4	6	4.4	.	.	10.5	5	3.3	.	.	.
Homicide and legal intervention (E960-E978)	73	25.4	22.0	0	25.0	58	42.1	35.4	0	49.1	15	10.0	8.7	0	.
..Homicide (E960-E969)	73	25.4	22.0	0	25.0	58	42.1	35.4	0	49.1	15	10.0	8.7	0	.
All injury (E800-E999)	157	54.7	53.2	0	63.5	121	87.8	87.6	0	105.4	36	24.1	23.4	0	26.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	9.1	9.0	0	15.8	21	15.2	15.3	0	19.1	5	3.3	.	.	12.4
..All falls (E880-E886,E888,E957,E968.1,E987)	12	4.2	.	.	.	9	6.5	.	.	.	3	2.0	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	61	21.2	18.6	0	25.1	53	38.5	32.8	0	50.6	8	5.4	.	.	.
....Suicide (E955.0-.4)	3	1.0	.	.	.	2	1.5	.	.	.	1	0.7	.	.	.
....Homicide (E965.0-.4)	56	19.5	16.8	0	20.8	49	35.6	29.5	0	41.7	7	4.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	3.8	.	.	.	9	6.5	.	.	.	2	1.3	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	11.1	13.6	0	10.2	17	12.3	17.2	0	17.7	15	10.0	11.0	0	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	3.8	.	.	.	7	5.1	.	.	.	4	2.7	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.
 0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT Black Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1990*****				*****1990*****				*****1990*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR
*****Causes of Death*****															
All causes	1,826	635.7	1029.1	0	1125.0	1,005	729.4	1370.4	0	1531.5	821	549.3	796.4	0	839.1
Infectious diseases and parasitic disease (1-139)	161	56.0	67.9	0	80.4	104	75.5	100.9	0	109.5	57	38.1	43.3	0	55.8
..Septicemia (038)	33	11.5	19.4	0	28.8	20	14.5	32.0	0	36.1	13	8.7	.	.	24.2
....Septicemia-related (038)	119	41.4	68.1	0	72.4	69	50.1	96.1	0	89.7	50	33.5	49.5	0	60.0
..HIV infection (042-044)	108	37.6	39.1	0	41.6	77	55.9	62.1	0	66.0	31	20.7	19.9	0	20.6
All cancer (140-208)	376	130.9	228.6	0	252.9	221	160.4	344.9	0	370.1	155	103.7	155.0	0	176.4
..Oral cavity or pharynx (140.0-149.9)	11	3.8	.	.	.	8	5.8	.	.	.	3	2.0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	48	16.7	30.9	0	27.3	30	21.8	49.8	0	35.6	18	12.0	18.9	0	23.3
....Colon cancer (153)	43	15.0	28.0	0	24.3	26	18.9	44.3	0	.	17	11.4	18.0	0	20.1
....Rectal cancer (154)	4	1.4	.	.	.	3	2.2	.	.	.	1	0.7	.	.	.
..Pancreatic cancer (157)	17	5.9	9.7	0	18.1	9	6.5	.	.	29.2	8	5.4	.	.	.
..Lung and other respiratory cancer (160-165)	99	34.5	57.0	0	64.8	71	51.5	99.9	0	112.2	28	18.7	27.7	0	31.3
....Lung cancer (162.2-.9)	90	31.3	51.7	0	60.0	65	47.2	90.7	0	102.9	25	16.7	24.7	0	29.9
..Malignant melanoma of skin (172)	1	0.3	.	.	.	1	0.7
..Female breast cancer (174)	33	33	22.1	30.6	0	35.5
..Cervical cancer (180)	6	6	4.0	.	.	.
..Endometrial cancer (182)	2	2	1.3	.	.	.
..Ovarian cancer (183)	7	7	4.7	.	.	.
..Prostate cancer (185)	35	35	25.4	77.6	0	56.1
..Bladder cancer (188)	5	1.7	5	3.3	.	.	.
..Brain & other CNS cancer (191-192)	2	0.7	2	1.3	.	.	.
..Leukemia (204-208)	8	2.8	.	.	8.0	3	2.2	.	.	.	5	3.3	.	.	.
Diabetes mellitus (250)	43	15.0	28.5	0	29.2	14	10.2	.	.	43.3	29	19.4	32.0	0	22.0
..Diabetes-related (250)	164	57.1	110.0	0	126.5	57	41.4	89.8	1	157.3	107	71.6	118.3	0	109.6
Alzheimer's diseases (331.0)	5	1.7	.	.	.	1	0.7	.	.	.	4	2.7	.	.	.
Cardiovascular disease (390-459)	606	211.0	398.9	0	453.9	304	220.6	499.7	0	568.7	302	202.0	332.2	0	375.3
..Diseases of the heart (390-398,402,404-429)	481	167.4	311.7	0	348.7	251	182.2	408.6	0	447.2	230	153.9	250.5	0	283.1
....Heart disease-related (390-398,402,404-429)	916	318.9	580.5	0	628.0	470	341.1	757.0	0	806.9	446	298.4	469.5	0	506.7
....Coronary heart disease (CHD) (402,410-414,429.2)	304	105.8	202.5	0	253.0	156	113.2	253.6	0	340.3	148	99.0	166.2	0	197.8
....Congestive heart failure (CHF) (428.0)	9	3.1	.	.	.	7	5.1	.	.	.	2	1.3	.	.	.
..Hypertension with or without renal disease (401,403)	11	3.8	.	.	.	3	2.2	.	.	.	8	5.4	.	.	.
....Hypertension-related (401,403)	147	51.2	95.4	0	122.5	57	41.4	82.1	1	141.9	90	60.2	99.0	0	105.7
..Cerebrovascular disease (430-438)	88	30.6	62.0	0	77.3	40	29.0	66.4	0	90.3	48	32.1	55.9	0	66.3
..Atherosclerosis (440)	3	1.0	.	.	.	1	0.7	.	.	.	2	1.3	.	.	.
....Atherosclerosis-related (440)	28	9.7	21.2	1	49.9	9	6.5	.	.	60.7	19	12.7	22.1	0	42.2
..Aortic aneurysm (441)	7	2.4	.	.	.	2	1.5	.	.	.	5	3.3	.	.	.
Pneumonia & influenza (480-487)	48	16.7	32.4	0	36.1	27	19.6	47.7	0	47.2	21	14.0	22.2	0	27.0
Chronic obstructive pulmonary disease (COPD) (490-496)	40	13.9	26.4	0	24.9	20	14.5	39.7	0	40.0	20	13.4	19.9	0	18.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.
 0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT Black Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1990*****				*****1990*****				*****1990*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	97	33.8	64.8	0	59.3	54	39.2	99.9	0	100.2	43	28.8	45.8	0	36.7
..Asthma (493)	8	2.8	.	.	.	1	0.7	.	.	.	7	4.7	.	.	.
Chronic liver disease and cirrhosis (571)	23	8.0	11.6	0	11.0	14	10.2	.	.	18.3	9	6.0	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	48	16.7	32.5	0	17.6	20	14.5	31.7	0	.	28	18.7	31.4	0	.
..Nephritis-related (580-589)	194	67.5	125.9	0	98.2	88	63.9	149.3	0	122.5	106	70.9	113.8	0	78.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	52	18.1	35.3	0	19.0	23	16.7	38.6	0	.	29	19.4	32.6	0	.
Unintentional injuries (E800-E949)	70	24.4	31.3	0	34.0	55	39.9	54.9	0	44.6	15	10.0	13.2	0	24.2
..Motor vehicle accidents (E810-E825)	27	9.4	10.7	0	16.5	21	15.2	17.9	0	18.6	6	4.0	.	.	13.8
..Falls and fall related injuries (E880-E888)	13	4.5	.	.	.	9	6.5	.	.	.	4	2.7	.	.	.
..Drowning (E830,E832,E910)	5	1.7	.	.	.	5	3.6
..Residential fires (E890-E899)	3	1.0	.	.	.	2	1.5	.	.	.	1	0.7	.	.	.
Suicide (E950-E959)	11	3.8	.	.	6.0	6	4.4	.	.	11.9	5	3.3	.	.	.
Homicide and legal intervention (E960-E978)	73	25.4	20.0	0	25.0	58	42.1	32.6	0	50.4	15	10.0	7.8	0	.
..Homicide (E960-E969)	73	25.4	20.0	0	25.0	58	42.1	32.6	0	50.4	15	10.0	7.8	0	.
All injury (E800-E999)	157	54.7	56.0	0	66.6	121	87.8	93.5	0	110.2	36	24.1	24.8	0	29.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	9.1	10.0	0	16.5	21	15.2	17.9	0	18.6	5	3.3	.	.	13.8
..All falls (E880-E886,E888,E957,E968.1,E987)	12	4.2	.	.	.	9	6.5	.	.	.	3	2.0	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	61	21.2	16.9	0	24.6	53	38.5	30.4	0	50.7	8	5.4	.	.	.
....Suicide (E955.0-.4)	3	1.0	.	.	.	2	1.5	.	.	.	1	0.7	.	.	.
....Homicide (E965.0-.4)	56	19.5	15.0	0	20.4	49	35.6	26.8	0	41.7	7	4.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	3.8	.	.	.	9	6.5	.	.	.	2	1.3	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	11.1	15.1	0	12.0	17	12.3	19.2	0	20.6	15	10.0	12.1	0	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	3.8	.	.	.	7	5.1	.	.	.	4	2.7	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.
 0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
All causes	1,826	1,021	1,369	25,255	37,270	9085.1	10746.5	1	13450.0	15431.9	1
Infectious diseases and parasitic disease (1-139)	161	137	149	3,744	5,179	1332.0	1535.1	0	1784.8	2011.4	0
..Septicemia (038)	33	15	25	308	513	117.4	208.0	0	195.3	299.4	0
...Septicemia-related (038)	119	69	91	1,377	2,172	517.9	568.4	0	813.8	843.1	0
..HIV infection (042-044)	108	107	108	2,980	4,057	1057.7	1258.9	0	1385.5	1608.0	0
All cancer (140-208)	376	177	297	1,995	4,370	873.2	1149.1	0	1889.7	2213.5	0
..Oral cavity or pharynx (140.0-149.9)	11	6	9	80	153	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	48	22	34	275	555	125.6	54.2	0	244.7	114.4	0
...Colon cancer (153)	43	19	29	243	483	109.1	26.7	1	210.2	79.9	0
...Rectal cancer (154)	4	3	4	33	70	.	.	0	.	.	.
..Pancreatic cancer (157)	17	8	15	75	193	32.5	43.9	0	82.8	104.1	0
..Lung and other respiratory cancer (160-165)	99	52	90	420	1,135	203.7	312.1	0	520.6	665.5	0
...Lung cancer (162.2-.9)	90	48	83	355	1,013	174.9	284.1	0	468.1	612.6	0
..Malignant melanoma of skin (172)	1	.	1	0	3	.	.	0	.	.	.
..Female breast cancer (174)	33	22	29	310	568	.	.	0	.	.	.
..Cervical cancer (180)	6	5	6	108	160	.	.	0	.	.	.
..Endometrial cancer (182)	2	.	.	0	0	.	.	0	.	.	.
..Ovarian cancer (183)	7	2	6	20	60	.	.	0	.	.	.
..Prostate cancer (185)	35	4	15	10	93	.	.	0	.	.	.
..Bladder cancer (188)	5	1	3	8	28	.	.	0	.	.	.
..Brain & other CNS cancer (191-192)	2	.	1	0	3	.	.	0	.	.	.
..Leukemia (204-208)	8	5	6	110	167	.	104.8	0	.	145.5	.
Diabetes mellitus (250)	43	11	29	103	313	48.4	133.2	0	140.7	267.0	0
..Diabetes-related (250)	164	48	104	455	1,230	209.3	405.6	1	547.4	873.2	1
Alzheimer's diseases (331.0)	5	.	3	0	13	.	.	0	.	.	.
Cardiovascular disease (390-459)	606	243	375	3,309	6,429	1373.1	1429.2	0	2668.0	2775.7	0
..Diseases of the heart (390-398,402,404-429)	481	199	311	2,679	5,249	1110.0	1110.6	0	2179.9	2167.8	0
...Heart disease-related (390-398,402,404-429)	916	407	603	6,650	11,715	2620.3	2939.9	0	4648.3	5032.2	0
...Coronary heart disease (CHD) (402,410-414,429.2)	304	115	191	1,153	2,673	513.5	578.1	0	1166.7	1272.0	0
....Congestive heart failure (CHF) (428.0)	9	1	2	8	25	.	.	0	.	.	.
..Hypertension with or without renal disease (401,403)	11	2	5	15	48	.	.	0	.	.	.
...Hypertension-related (401,403)	147	59	99	720	1,510	314.3	344.5	0	650.4	724.3	0
..Cerebrovascular disease (430-438)	88	31	43	473	848	197.1	241.5	0	348.5	454.6	0
..Atherosclerosis (440)	3	1	1	3	13	.	.	0	.	.	.
...Atherosclerosis-related (440)	28	6	12	50	140	25.2	51.8	0	65.6	131.8	0
..Aortic aneurysm (441)	7	3	5	28	73	.	.	0	.	.	.
Pneumonia & influenza (480-487)	48	19	25	390	610	145.0	205.2	0	227.5	318.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	40	15	25	203	403	88.6	33.3	0	172.6	95.6	0
..COPD-related (490-496)	97	31	60	378	845	168.5	143.1	0	368.2	317.1	0
..Asthma (493)	8	8	8	115	195	.	.	0	.	.	.

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	23	19	22	293	505	124.9	161.5	0	210.8	244.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	48	18	28	200	430	81.6	52.7	0	177.2	103.2	0
..Nephritis-related (580-589)	194	74	128	1,252	2,267	498.1	625.1	0	903.8	1051.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	52	19	30	228	470	91.8	40.7	0	191.6	89.9	0
Unintentional injuries (E800-E949)	70	55	62	1,656	2,233	583.7	887.1	0	770.1	1116.9	0
..Motor vehicle accidents (E810-E825)	27	23	25	775	1,015	272.6	483.1	0	345.4	603.3	0
..Falls and fall related injuries (E880-E888)	13	6	8	152	222
..Drowning (E830,E832,E910)	5	4	5	125	168
..Residential fires (E890-E899)	3	2	3	45	68
Suicide (E950-E959)	11	11	11	378	488	.	243.7	.	.	299.1	.
Homicide and legal intervention (E960-E978)	73	72	73	2,917	3,645	1014.5	1041.2	0	1207.5	1265.5	0
..Homicide (E960-E969)	73	72	73	2,917	3,645	1014.5	1041.2	0	1207.5	1265.5	0
All injury (E800-E999)	157	140	149	5,010	6,453	1753.3	2234.7	0	2172.7	2758.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	23	24	775	1,012	272.6	483.1	0	344.4	603.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	12	6	8	152	222
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	61	60	61	2,487	3,090	872.9	1114.6	0	1031.0	1339.7	0
...Suicide (E955.0-.4)	3	3	3	118	148
...Homicide (E965.0-.4)	56	56	56	2,322	2,882	812.3	913.8	0	958.3	1099.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	11	11	333	443
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	27	32	468	770	188.5	170.3	0	307.3	260.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	11	11	348	458

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
All causes	1,005	626	821	14,873	22,181	11396.4	15076.2	1	17341.9	21736.2	1
Infectious diseases and parasitic disease (1-139)	104	90	99	2,417	3,370	1874.8	2225.5	0	2537.9	2930.5	0
..Septicemia (038)	20	8	16	170	295	142.1	212.0	0	251.1	322.4	0
...Septicemia-related (038)	69	43	59	813	1,328	690.1	658.5	0	1126.7	1010.0	0
..HIV infection (042-044)	77	76	77	2,072	2,840	1600.0	1939.4	0	2115.7	2490.9	0
All cancer (140-208)	221	105	177	1,008	2,423	1034.1	1568.7	0	2439.4	3152.7	0
..Oral cavity or pharynx (140.0-149.9)	8	5	8	63	125
..Colorectal cancer (153.0-154.3,154.8,159.0)	30	12	23	160	338	164.5	87.4	0	338.1	156.6	0
...Colon cancer (153)	26	10	19	135	283	135.5	.	0	277.8	.	0
...Rectal cancer (154)	3	2	3	25	53
..Pancreatic cancer (157)	9	4	8	55	120	.	70.9	.	.	169.8	0
..Lung and other respiratory cancer (160-165)	71	41	62	318	840	344.0	470.2	0	869.7	1096.7	0
...Lung cancer (162.2-.9)	65	39	58	288	775	316.1	409.4	0	808.5	980.6	0
..Malignant melanoma of skin (172)	1	.	1	0	3
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	35	4	15	10	93	10.6	8.1	0	95.8	93.9	0
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)
..Leukemia (204-208)	3	2	3	10	38
Diabetes mellitus (250)	14	5	12	28	120	.	176.8	.	.	310.0	.
..Diabetes-related (250)	57	21	44	183	515	192.4	547.3	1	528.2	1037.9	1
Alzheimer's diseases (331.0)	1	.	1	0	3
Cardiovascular disease (390-459)	304	152	223	1,957	3,880	1817.4	1950.9	0	3635.7	3772.6	0
..Diseases of the heart (390-398,402,404-429)	251	127	185	1,600	3,195	1482.3	1506.1	0	2993.6	2947.9	0
...Heart disease-related (390-398,402,404-429)	470	244	344	3,812	6,782	3326.4	3955.1	0	6026.8	6735.4	0
...Coronary heart disease (CHD) (402,410-414,429.2)	156	77	117	713	1,698	725.0	872.1	0	1693.4	1880.1	0
...Congestive heart failure (CHF) (428.0)	7	.	1	0	8
..Hypertension with or without renal disease (401,403)	3	1	3	3	23
...Hypertension-related (401,403)	57	37	49	460	880	432.6	530.6	0	829.8	1047.6	0
..Cerebrovascular disease (430-438)	40	21	29	308	568	286.5	315.7	0	528.1	596.0	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	9	2	5	10	48	.	31.1	.	.	116.0	.
..Aortic aneurysm (441)	2	.	1	0	8
Pneumonia & influenza (480-487)	27	10	16	230	360	192.2	323.5	0	300.0	503.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	4	10	45	115	45.0	16.7	0	115.4	79.7	0
..COPD-related (490-496)	54	15	33	168	418	169.5	198.4	0	418.4	452.2	0
..Asthma (493)	1	1	1	23	33

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	14	13	14	203	340	.	221.4	.	.	354.0	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	12	15	135	268	121.7	.	0	244.4	.	0
..Nephritis-related (580-589)	88	44	64	745	1,285	652.7	989.8	0	1132.1	1587.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	23	13	16	163	305	144.1	.	0	273.5	.	0
Unintentional injuries (E800-E949)	55	46	51	1,411	1,889	1033.7	1202.7	0	1360.4	1528.0	0
..Motor vehicle accidents (E810-E825)	21	19	19	668	858	479.2	590.7	0	592.9	742.6	0
..Falls and fall related injuries (E880-E888)	9	5	7	145	205
..Drowning (E830,E832,E910)	5	4	5	125	168
..Residential fires (E890-E899)	2	1	2	3	15
Suicide (E950-E959)	6	6	6	205	265	.	461.8	.	.	569.0	.
Homicide and legal intervention (E960-E978)	58	57	58	2,325	2,902	1607.0	1948.4	0	1916.6	2380.7	0
..Homicide (E960-E969)	58	57	58	2,325	2,902	1607.0	1948.4	0	1916.6	2380.7	0
All injury (E800-E999)	121	110	117	3,963	5,096	2801.2	3743.7	0	3485.8	4638.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	21	19	19	668	858	479.2	590.7	0	592.9	742.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	5	7	145	205
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	53	52	53	2,147	2,670	1494.3	2198.9	0	1771.0	2642.3	0
...Suicide (E955.0-.4)	2	2	2	70	90
...Homicide (E965.0-.4)	49	49	49	2,030	2,520	1410.8	1786.3	0	1668.3	2148.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	9	9	253	343
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	17	14	17	210	368	200.6	240.6	0	345.6	385.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	7	7	7	223	293

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
All causes	821	395	548	10,382	15,089	7068.2	6831.2	0	10153.5	9882.8	0
Infectious diseases and parasitic disease (1-139)	57	47	50	1,327	1,809	878.4	931.7	0	1158.1	1214.0	0
..Septicemia (038)	13	7	9	138	218	.	210.6	.	.	288.2	.
...Septicemia-related (038)	50	26	32	564	844	382.5	501.4	0	567.7	715.7	0
..HIV infection (042-044)	31	31	31	908	1,218	598.9	658.2	0	769.9	833.4	0
All cancer (140-208)	155	72	120	987	1,947	756.4	791.4	0	1472.8	1444.1	0
..Oral cavity or pharynx (140.0-149.9)	3	1	1	18	28
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	10	11	115	218	94.2	23.0	0	172.7	74.2	0
...Colon cancer (153)	17	9	10	108	200	87.3	23.0	0	157.5	74.2	0
...Rectal cancer (154)	1	1	1	8	18
..Pancreatic cancer (157)	8	4	7	20	73
..Lung and other respiratory cancer (160-165)	28	11	28	103	295	90.7	183.0	0	241.1	320.0	0
...Lung cancer (162.2-.9)	25	9	25	68	238	60.9	183.0	0	194.7	320.0	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	33	22	29	310	568	235.5	253.7	0	424.7	405.9	0
..Cervical cancer (180)	6	5	6	108	160
..Endometrial cancer (182)	2	.	.	0	0
..Ovarian cancer (183)	7	2	6	20	60
..Prostate cancer (185)
..Bladder cancer (188)	5	1	3	8	28
..Brain & other CNS cancer (191-192)	2	.	1	0	3
..Leukemia (204-208)	5	3	3	100	130
Diabetes mellitus (250)	29	6	17	75	193	62.6	97.0	0	152.3	231.7	0
..Diabetes-related (250)	107	27	60	273	715	222.9	287.6	0	562.8	735.6	0
Alzheimer's diseases (331.0)	4	.	2	0	10
Cardiovascular disease (390-459)	302	91	152	1,352	2,549	1015.2	999.8	0	1896.1	1970.5	0
..Diseases of the heart (390-398,402,404-429)	230	72	126	1,079	2,054	810.0	785.4	0	1529.0	1538.7	0
...Heart disease-related (390-398,402,404-429)	446	163	259	2,838	4,933	2048.4	2072.3	0	3542.4	3612.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	148	38	74	440	975	343.6	336.6	0	746.7	781.7	0
...Congestive heart failure (CHF) (428.0)	2	1	1	8	18
..Hypertension with or without renal disease (401,403)	8	1	2	13	25
...Hypertension-related (401,403)	90	22	50	260	630	213.5	189.1	0	496.2	462.0	0
..Cerebrovascular disease (430-438)	48	10	14	165	280	124.0	181.8	0	204.8	342.3	0
..Atherosclerosis (440)	2	1	1	3	13
...Atherosclerosis-related (440)	19	4	7	40	93	36.0	69.3	0	77.6	146.6	0
..Aortic aneurysm (441)	5	3	4	28	65
Pneumonia & influenza (480-487)	21	9	9	160	250	110.1	102.4	0	173.9	161.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	11	15	158	288	125.2	46.4	0	221.7	108.4	0
..COPD-related (490-496)	43	16	27	210	428	168.3	89.6	0	331.9	202.5	0
..Asthma (493)	7	7	7	93	163

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	9	6	8	90	165
Nephritis, nephrotic syndrome/nephrosis (580-589)	28	6	13	65	163	48.0	.	0	120.7	.	0
..Nephritis-related (580-589)	106	30	64	507	982	371.5	318.4	0	715.3	602.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	29	6	14	65	165	48.0	.	0	122.5	.	0
Unintentional injuries (E800-E949)	15	9	11	245	345	164.2	587.4	1	228.9	733.8	1
..Motor vehicle accidents (E810-E825)	6	4	6	107	157	.	376.1	.	.	467.8	.
..Falls and fall related injuries (E880-E888)	4	1	1	8	18
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	1	1	1	43	53
Suicide (E950-E959)	5	5	5	173	223
Homicide and legal intervention (E960-E978)	15	15	15	593	743	408.9	.	0	487.3	.	0
..Homicide (E960-E969)	15	15	15	593	743	408.9	.	0	487.3	.	0
All injury (E800-E999)	36	30	32	1,047	1,357	726.7	823.4	0	903.9	1014.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	5	4	5	107	155	.	376.1	.	.	467.8	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	1	8	18
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	340	420
...Suicide (E955.0-.4)	1	1	1	48	58
...Homicide (E965.0-.4)	7	7	7	293	363
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	80	100
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	13	15	258	403	184.1	.	0	283.1	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	4	4	125	165

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
All causes	1,826	1,021	1,369	25,255	37,270	8821.7	10422.5	1	13313.7	15177.1	1
Infectious diseases and parasitic disease (1-139)	161	137	149	3,744	5,179	1118.8	1338.8	0	1505.2	1743.3	0
..Septicemia (038)	33	15	25	308	513	103.5	200.5	0	184.0	292.3	0
...Septicemia-related (038)	119	69	91	1,377	2,172	468.0	534.6	0	766.9	812.5	0
..HIV infection (042-044)	108	107	108	2,980	4,057	874.9	1076.3	0	1139.8	1354.2	0
All cancer (140-208)	376	177	297	1,995	4,370	873.7	1156.7	0	2007.4	2324.3	0
..Oral cavity or pharynx (140.0-149.9)	11	6	9	80	153	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	48	22	34	275	555	126.1	58.1	0	254.6	126.6	0
...Colon cancer (153)	43	19	29	243	483	108.8	30.1	1	217.7	92.0	0
...Rectal cancer (154)	4	3	4	33	70	.	.	0	.	.	.
..Pancreatic cancer (157)	17	8	15	75	193	33.3	46.1	0	91.1	113.7	0
..Lung and other respiratory cancer (160-165)	99	52	90	420	1,135	215.8	307.9	0	577.2	697.0	0
...Lung cancer (162.2-.9)	90	48	83	355	1,013	187.5	281.0	0	523.7	642.9	0
..Malignant melanoma of skin (172)	1	.	1	0	3	.	.	0	.	.	.
..Female breast cancer (174)	33	22	29	310	568	.	.	0	.	.	.
..Cervical cancer (180)	6	5	6	108	160	.	.	0	.	.	.
..Endometrial cancer (182)	2	.	.	0	0	.	.	0	.	.	.
..Ovarian cancer (183)	7	2	6	20	60	.	.	0	.	.	.
..Prostate cancer (185)	35	4	15	10	93	.	.	0	.	.	.
..Bladder cancer (188)	5	1	3	8	28	.	.	0	.	.	.
..Brain & other CNS cancer (191-192)	2	.	1	0	3	.	.	0	.	.	.
..Leukemia (204-208)	8	5	6	110	167	.	115.7	0	.	159.0	.
Diabetes mellitus (250)	43	11	29	103	313	50.7	131.6	0	158.0	277.4	0
..Diabetes-related (250)	164	48	104	455	1,230	212.8	402.8	1	601.1	921.9	1
Alzheimer's diseases (331.0)	5	.	3	0	13	.	.	0	.	.	.
Cardiovascular disease (390-459)	606	243	375	3,309	6,429	1346.7	1378.1	0	2761.2	2850.9	0
..Diseases of the heart (390-398,402,404-429)	481	199	311	2,679	5,249	1096.3	1067.9	0	2270.6	2227.9	0
...Heart disease-related (390-398,402,404-429)	916	407	603	6,650	11,715	2507.0	2809.7	0	4679.4	5036.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	304	115	191	1,153	2,673	518.0	564.8	0	1252.3	1343.8	0
....Congestive heart failure (CHF) (428.0)	9	1	2	8	25	.	.	0	.	.	.
..Hypertension with or without renal disease (401,403)	11	2	5	15	48	.	.	0	.	.	.
...Hypertension-related (401,403)	147	59	99	720	1,510	316.0	341.1	0	688.3	761.5	0
..Cerebrovascular disease (430-438)	88	31	43	473	848	185.2	237.3	0	343.8	466.8	0
..Atherosclerosis (440)	3	1	1	3	13	.	.	0	.	.	.
...Atherosclerosis-related (440)	28	6	12	50	140	26.7	53.6	0	72.7	144.9	0
..Aortic aneurysm (441)	7	3	5	28	73	.	.	0	.	.	.
Pneumonia & influenza (480-487)	48	19	25	390	610	136.4	194.2	0	221.3	314.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	40	15	25	203	403	87.2	36.8	0	178.5	109.2	0
..COPD-related (490-496)	97	31	60	378	845	167.6	152.2	0	390.5	351.2	0
..Asthma (493)	8	8	8	115	195	.	.	0	.	.	.

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	23	19	22	293	505	118.7	144.4	0	205.8	223.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	48	18	28	200	430	76.9	52.0	0	183.6	107.3	0
..Nephritis-related (580-589)	194	74	128	1,252	2,267	459.0	577.4	0	892.7	1020.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	52	19	30	228	470	84.8	42.3	0	195.3	97.3	0
Unintentional injuries (E800-E949)	70	55	62	1,656	2,233	555.2	880.9	0	732.3	1097.1	0
..Motor vehicle accidents (E810-E825)	27	23	25	775	1,015	257.5	479.0	0	322.8	591.9	0
..Falls and fall related injuries (E880-E888)	13	6	8	152	222
..Drowning (E830,E832,E910)	5	4	5	125	168
..Residential fires (E890-E899)	3	2	3	45	68
Suicide (E950-E959)	11	11	11	378	488	.	211.0	.	.	254.1	.
Homicide and legal intervention (E960-E978)	73	72	73	2,917	3,645	976.4	961.6	0	1141.6	1150.9	0
..Homicide (E960-E969)	73	72	73	2,917	3,645	976.4	961.6	0	1141.6	1150.9	0
All injury (E800-E999)	157	140	149	5,010	6,453	1668.5	2107.3	0	2044.4	2566.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	23	24	775	1,012	257.5	479.0	0	321.3	591.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	12	6	8	152	222
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	61	60	61	2,487	3,090	848.4	1035.7	0	983.5	1223.2	0
...Suicide (E955.0-.4)	3	3	3	118	148
...Homicide (E965.0-.4)	56	56	56	2,322	2,882	789.5	841.5	0	913.7	996.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	11	11	333	443
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	27	32	468	770	177.8	153.1	0	297.7	239.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	11	11	348	458

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
All causes	1,005	626	821	14,873	22,181	10966.6	14524.7	1	17108.9	21257.6	1
Infectious diseases and parasitic disease (1-139)	104	90	99	2,417	3,370	1547.5	1930.6	0	2112.2	2527.9	0
..Septicemia (038)	20	8	16	170	295	128.2	198.4	0	244.6	310.2	0
...Septicemia-related (038)	69	43	59	813	1,328	611.7	606.6	0	1054.8	962.9	0
..HIV infection (042-044)	77	76	77	2,072	2,840	1312.9	1665.6	0	1731.7	2108.3	0
All cancer (140-208)	221	105	177	1,008	2,423	1059.4	1594.4	0	2646.2	3349.5	0
..Oral cavity or pharynx (140.0-149.9)	8	5	8	63	125	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	30	12	23	160	338	164.0	91.8	0	354.5	167.8	0
...Colon cancer (153)	26	10	19	135	283	134.3	.	0	290.9	.	0
...Rectal cancer (154)	3	2	3	25	53	.	.	0	.	.	0
..Pancreatic cancer (157)	9	4	8	55	120	.	74.9	0	.	185.7	0
..Lung and other respiratory cancer (160-165)	71	41	62	318	840	365.4	476.7	0	962.9	1180.1	0
...Lung cancer (162.2-.9)	65	39	58	288	775	338.0	418.1	0	898.5	1061.2	0
..Malignant melanoma of skin (172)	1	.	1	0	3	.	.	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	35	4	15	10	93	12.8	9.8	0	119.8	116.5	0
..Bladder cancer (188)	0	.	.	0
..Brain & other CNS cancer (191-192)	0	.	.	0
..Leukemia (204-208)	3	2	3	10	38	.	.	0	.	.	0
Diabetes mellitus (250)	14	5	12	28	120	.	170.8	0	.	310.3	0
..Diabetes-related (250)	57	21	44	183	515	199.3	533.7	1	587.2	1062.1	0
Alzheimer's diseases (331.0)	1	.	1	0	3	.	.	0	.	.	0
Cardiovascular disease (390-459)	304	152	223	1,957	3,880	1793.2	1877.0	0	3785.5	3857.4	0
..Diseases of the heart (390-398,402,404-429)	251	127	185	1,600	3,195	1474.3	1450.3	0	3136.3	3025.5	0
...Heart disease-related (390-398,402,404-429)	470	244	344	3,812	6,782	3192.7	3793.5	0	6088.5	6735.0	0
...Coronary heart disease (CHD) (402,410-414,429.2)	156	77	117	713	1,698	747.3	864.2	0	1838.1	1986.6	0
...Congestive heart failure (CHF) (428.0)	7	.	1	0	8	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	3	1	3	3	23	.	.	0	.	.	0
...Hypertension-related (401,403)	57	37	49	460	880	435.2	515.6	0	867.3	1078.7	0
..Cerebrovascular disease (430-438)	40	21	29	308	568	270.6	308.6	0	526.3	609.1	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	0	.	.	0
...Atherosclerosis-related (440)	9	2	5	10	48	.	35.8	0	.	137.0	0
..Aortic aneurysm (441)	2	.	1	0	8	.	.	0	.	.	0
Pneumonia & influenza (480-487)	27	10	16	230	360	169.5	301.4	0	277.3	487.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	4	10	45	115	46.9	19.6	0	128.3	95.5	0
..COPD-related (490-496)	54	15	33	168	418	171.2	210.0	0	455.2	504.8	0
..Asthma (493)	1	1	1	23	33	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	14	13	14	203	340	.	206.7	.	338.0	.	
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	12	15	135	268	115.4	.	0	249.7	0	
..Nephritis-related (580-589)	88	44	64	745	1,285	594.6	892.2	0	1095.1	1492.6	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	23	13	16	163	305	132.8	.	0	272.0	0	
Unintentional injuries (E800-E949)	55	46	51	1,411	1,889	972.4	1187.9	0	1277.9	1496.4	
..Motor vehicle accidents (E810-E825)	21	19	19	668	858	445.0	585.0	0	540.2	730.7	
..Falls and fall related injuries (E880-E888)	9	5	7	145	205	
..Drowning (E830,E832,E910)	5	4	5	125	168	
..Residential fires (E890-E899)	2	1	2	3	15	
Suicide (E950-E959)	6	6	6	205	265	.	401.2	.	484.7	.	
Homicide and legal intervention (E960-E978)	58	57	58	2,325	2,902	1549.7	1787.4	0	1816.0	2153.5	
..Homicide (E960-E969)	58	57	58	2,325	2,902	1549.7	1787.4	0	1816.0	2153.5	
All injury (E800-E999)	121	110	117	3,963	5,096	2656.6	3488.1	0	3269.2	4268.8	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	21	19	19	668	858	445.0	585.0	0	540.2	730.7	
..All falls (E880-E886,E888,E957,E968.1,E987)	9	5	7	145	205	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	53	52	53	2,147	2,670	1449.0	2040.8	0	1685.6	2410.2	
....Suicide (E955.0-.4)	2	2	2	70	90	
....Homicide (E965.0-.4)	49	49	49	2,030	2,520	1370.5	1643.9	0	1589.8	1945.6	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	9	9	253	343	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	17	14	17	210	368	190.8	221.6	0	339.3	365.8	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	7	7	7	223	293	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
All causes	821	395	548	10,382	15,089	6950.2	6698.9	0	10119.0	9836.8	0
Infectious diseases and parasitic disease (1-139)	57	47	50	1,327	1,809	763.9	821.0	0	1005.4	1063.3	0
..Septicemia (038)	13	7	9	138	218	.	209.1	.	.	286.6	.
...Septicemia-related (038)	50	26	32	564	844	357.3	485.0	0	543.7	701.9	0
..HIV infection (042-044)	31	31	31	908	1,218	506.0	554.0	0	643.3	690.8	0
All cancer (140-208)	155	72	120	987	1,947	736.5	782.6	0	1520.7	1487.1	0
..Oral cavity or pharynx (140.0-149.9)	3	1	1	18	28
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	10	11	115	218	95.5	26.3	0	178.2	86.9	0
...Colon cancer (153)	17	9	10	108	200	87.7	26.3	0	161.2	86.9	0
...Rectal cancer (154)	1	1	1	8	18
..Pancreatic cancer (157)	8	4	7	20	73
..Lung and other respiratory cancer (160-165)	28	11	28	103	295	95.3	170.1	0	268.8	311.0	0
...Lung cancer (162.2-.9)	25	9	25	68	238	66.0	170.1	0	223.1	311.0	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	33	22	29	310	568	221.2	233.1	0	420.6	384.5	0
..Cervical cancer (180)	6	5	6	108	160
..Endometrial cancer (182)	2	.	.	0	0
..Ovarian cancer (183)	7	2	6	20	60
..Prostate cancer (185)
..Bladder cancer (188)	5	1	3	8	28
..Brain & other CNS cancer (191-192)	2	.	1	0	3
..Leukemia (204-208)	5	3	3	100	130
Diabetes mellitus (250)	29	6	17	75	193	64.1	99.2	0	166.5	251.0	0
..Diabetes-related (250)	107	27	60	273	715	223.7	294.6	0	612.0	805.5	0
Alzheimer's diseases (331.0)	4	.	2	0	10
Cardiovascular disease (390-459)	302	91	152	1,352	2,549	986.9	970.1	0	1945.9	2044.3	0
..Diseases of the heart (390-398,402,404-429)	230	72	126	1,079	2,054	791.6	755.7	0	1579.0	1589.7	0
...Heart disease-related (390-398,402,404-429)	446	163	259	2,838	4,933	1953.0	1967.1	0	3553.2	3625.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	148	38	74	440	975	333.2	319.7	0	785.0	827.9	0
...Congestive heart failure (CHF) (428.0)	2	1	1	8	18
..Hypertension with or without renal disease (401,403)	8	1	2	13	25
...Hypertension-related (401,403)	90	22	50	260	630	214.3	196.3	0	533.5	507.2	0
..Cerebrovascular disease (430-438)	48	10	14	165	280	115.9	179.9	0	198.8	354.5	0
..Atherosclerosis (440)	2	1	1	3	13
...Atherosclerosis-related (440)	19	4	7	40	93	37.3	68.5	0	82.9	153.4	0
..Aortic aneurysm (441)	5	3	4	28	65
Pneumonia & influenza (480-487)	21	9	9	160	250	113.9	101.1	0	182.8	166.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	11	15	158	288	120.8	50.4	0	222.0	120.1	0
..COPD-related (490-496)	43	16	27	210	428	165.1	96.0	0	343.2	222.4	0
..Asthma (493)	7	7	7	93	163

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	9	6	8	90	165
Nephritis, nephrotic syndrome/nephrosis (580-589)	28	6	13	65	163	44.8	.	0	128.1	.	0
..Nephritis-related (580-589)	106	30	64	507	982	349.4	315.1	0	727.0	628.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	29	6	14	65	165	44.8	.	0	130.7	.	0
Unintentional injuries (E800-E949)	15	9	11	245	345	162.5	587.8	1	229.4	724.4	1
..Motor vehicle accidents (E810-E825)	6	4	6	107	157	.	374.2	.	.	458.4	.
..Falls and fall related injuries (E880-E888)	4	1	1	8	18
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	1	1	1	43	53
Suicide (E950-E959)	5	5	5	173	223
Homicide and legal intervention (E960-E978)	15	15	15	593	743	386.8	.	0	452.8	.	0
..Homicide (E960-E969)	15	15	15	593	743	386.8	.	0	452.8	.	0
All injury (E800-E999)	36	30	32	1,047	1,357	692.0	808.2	0	853.3	981.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	5	4	5	107	155	.	374.2	.	.	458.4	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	1	8	18
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	340	420
...Suicide (E955.0-.4)	1	1	1	48	58
...Homicide (E965.0-.4)	7	7	7	293	363
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	80	100
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	13	15	258	403	172.2	.	0	270.4	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	4	4	125	165

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
All causes	1,826	1,021	1,369	25,255	37,270	9373.3	10982.0	1	14169.1	16084.0	1
Infectious diseases and parasitic disease (1-139)	161	137	149	3,744	5,179	1431.4	1622.2	0	1902.5	2112.8	0
..Septicemia (038)	33	15	25	308	513	129.3	218.9	0	219.0	321.1	0
...Septicemia-related (038)	119	69	91	1,377	2,172	574.3	596.4	0	907.4	902.2	0
..HIV infection (042-044)	108	107	108	2,980	4,057	1142.4	1329.7	0	1476.4	1678.9	0
All cancer (140-208)	376	177	297	1,995	4,370	1021.2	1308.6	0	2221.5	2550.4	0
..Oral cavity or pharynx (140.0-149.9)	11	6	9	80	153	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	48	22	34	275	555	155.0	57.3	0	296.8	127.0	0
...Colon cancer (153)	43	19	29	243	483	135.2	31.3	1	255.5	94.3	0
...Rectal cancer (154)	4	3	4	33	70	.	.	0	.	.	.
..Pancreatic cancer (157)	17	8	15	75	193	40.2	52.7	0	100.6	124.1	0
..Lung and other respiratory cancer (160-165)	99	52	90	420	1,135	244.5	370.1	0	620.7	780.3	0
...Lung cancer (162.2-.9)	90	48	83	355	1,013	208.7	341.4	0	556.4	724.6	0
..Malignant melanoma of skin (172)	1	.	1	0	3	.	.	0	.	.	.
..Female breast cancer (174)	33	22	29	310	568	.	.	0	.	.	.
..Cervical cancer (180)	6	5	6	108	160	.	.	0	.	.	.
..Endometrial cancer (182)	2	.	.	0	0	.	.	0	.	.	.
..Ovarian cancer (183)	7	2	6	20	60	.	.	0	.	.	.
..Prostate cancer (185)	35	4	15	10	93	.	.	0	.	.	.
..Bladder cancer (188)	5	1	3	8	28	.	.	0	.	.	.
..Brain & other CNS cancer (191-192)	2	.	1	0	3	.	.	0	.	.	.
..Leukemia (204-208)	8	5	6	110	167	.	108.6	0	.	153.9	.
Diabetes mellitus (250)	43	11	29	103	313	58.6	159.2	0	171.6	317.6	0
..Diabetes-related (250)	164	48	104	455	1,230	251.4	484.2	1	660.2	1041.7	1
Alzheimer's diseases (331.0)	5	.	3	0	13	.	.	0	.	.	.
Cardiovascular disease (390-459)	606	243	375	3,309	6,429	1586.4	1651.6	0	3098.1	3241.2	0
..Diseases of the heart (390-398,402,404-429)	481	199	311	2,679	5,249	1276.2	1274.3	0	2526.2	2521.4	0
...Heart disease-related (390-398,402,404-429)	916	407	603	6,650	11,715	2936.4	3252.4	0	5273.5	5667.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	304	115	191	1,153	2,673	618.2	673.0	0	1393.3	1504.1	0
....Congestive heart failure (CHF) (428.0)	9	1	2	8	25	.	.	0	.	.	.
..Hypertension with or without renal disease (401,403)	11	2	5	15	48	.	.	0	.	.	.
...Hypertension-related (401,403)	147	59	99	720	1,510	371.4	411.1	0	769.6	867.3	0
..Cerebrovascular disease (430-438)	88	31	43	473	848	233.8	286.2	0	409.3	537.2	0
..Atherosclerosis (440)	3	1	1	3	13	.	.	0	.	.	.
...Atherosclerosis-related (440)	28	6	12	50	140	30.2	58.7	0	78.9	152.5	0
..Aortic aneurysm (441)	7	3	5	28	73	.	.	0	.	.	.
Pneumonia & influenza (480-487)	48	19	25	390	610	156.2	215.7	0	248.3	345.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	40	15	25	203	403	105.9	39.2	0	205.4	113.8	0
..COPD-related (490-496)	97	31	60	378	845	202.4	159.1	0	441.7	366.7	0
..Asthma (493)	8	8	8	115	195	.	.	0	.	.	.

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	23	19	22	293	505	153.0	193.4	0	251.5	288.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	48	18	28	200	430	96.2	59.2	0	208.0	117.9	0
..Nephritis-related (580-589)	194	74	128	1,252	2,267	577.4	710.3	0	1056.0	1201.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	52	19	30	228	470	108.3	49.4	0	225.2	108.3	0
Unintentional injuries (E800-E949)	70	55	62	1,656	2,233	563.8	840.3	0	749.9	1060.9	0
..Motor vehicle accidents (E810-E825)	27	23	25	775	1,015	260.0	447.6	0	329.4	559.6	0
..Falls and fall related injuries (E880-E888)	13	6	8	152	222
..Drowning (E830,E832,E910)	5	4	5	125	168
..Residential fires (E890-E899)	3	2	3	45	68
Suicide (E950-E959)	11	11	11	378	488	.	229.3	.	.	277.5	.
Homicide and legal intervention (E960-E978)	73	72	73	2,917	3,645	871.6	913.9	0	1021.9	1099.3	0
..Homicide (E960-E969)	73	72	73	2,917	3,645	871.6	913.9	0	1021.9	1099.3	0
All injury (E800-E999)	157	140	149	5,010	6,453	1586.0	2044.3	0	1960.4	2511.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	26	23	24	775	1,012	260.0	447.6	0	327.5	559.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	12	6	8	152	222
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	61	60	61	2,487	3,090	751.9	969.3	0	873.3	1148.5	0
...Suicide (E955.0-.4)	3	3	3	118	148
...Homicide (E965.0-.4)	56	56	56	2,322	2,882	698.5	784.6	0	809.4	931.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	11	11	333	443
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	27	32	468	770	217.2	202.0	0	351.4	303.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	11	11	348	458

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
All causes	1,005	626	821	14,873	22,181	11934.2	15452.7	1	18521.6	22702.2	1
Infectious diseases and parasitic disease (1-139)	104	90	99	2,417	3,370	2061.4	2383.4	0	2763.3	3116.0	0
..Septicemia (038)	20	8	16	170	295	161.7	238.1	0	292.1	367.4	0
...Septicemia-related (038)	69	43	59	813	1,328	794.1	724.0	0	1294.9	1125.5	0
..HIV infection (042-044)	77	76	77	2,072	2,840	1759.9	2066.6	0	2293.9	2624.0	0
All cancer (140-208)	221	105	177	1,008	2,423	1234.2	1780.0	0	2905.9	3627.4	0
..Oral cavity or pharynx (140.0-149.9)	8	5	8	63	125
..Colorectal cancer (153.0-154.3,154.8,159.0)	30	12	23	160	338	203.2	90.8	0	414.6	167.7	0
...Colon cancer (153)	26	10	19	135	283	168.0	.	0	341.2	.	0
...Rectal cancer (154)	3	2	3	25	53
..Pancreatic cancer (157)	9	4	8	55	120	.	85.0	.	.	201.2	.
..Lung and other respiratory cancer (160-165)	71	41	62	318	840	412.7	557.1	0	1030.1	1285.9	0
...Lung cancer (162.2-.9)	65	39	58	288	775	377.5	494.2	0	954.9	1163.3	0
..Malignant melanoma of skin (172)	1	.	1	0	3
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	35	4	15	10	93	12.1	9.3	0	123.2	119.0	0
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)
..Leukemia (204-208)	3	2	3	10	38
Diabetes mellitus (250)	14	5	12	28	120	.	212.5	.	.	373.6	.
..Diabetes-related (250)	57	21	44	183	515	229.5	652.5	1	635.2	1239.5	1
Alzheimer's diseases (331.0)	1	.	1	0	3
Cardiovascular disease (390-459)	304	152	223	1,957	3,880	2128.0	2274.0	0	4246.9	4418.0	0
..Diseases of the heart (390-398,402,404-429)	251	127	185	1,600	3,195	1731.1	1730.9	0	3491.1	3423.8	0
...Heart disease-related (390-398,402,404-429)	470	244	344	3,812	6,782	3801.9	4425.2	0	6920.4	7636.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	156	77	117	713	1,698	882.6	1015.5	0	2023.6	2210.4	0
...Congestive heart failure (CHF) (428.0)	7	.	1	0	8
..Hypertension with or without renal disease (401,403)	3	1	3	3	23
...Hypertension-related (401,403)	57	37	49	460	880	509.4	627.5	0	971.1	1247.0	0
..Cerebrovascular disease (430-438)	40	21	29	308	568	336.6	390.8	0	615.1	724.2	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	9	2	5	10	48	.	36.0	.	.	139.0	.
..Aortic aneurysm (441)	2	.	1	0	8
Pneumonia & influenza (480-487)	27	10	16	230	360	214.5	349.8	0	339.3	553.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	4	10	45	115	55.1	19.2	0	142.2	95.0	0
..COPD-related (490-496)	54	15	33	168	418	204.5	213.6	0	506.3	518.8	0
..Asthma (493)	1	1	1	23	33

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	14	13	14	203	340	.	268.7	.	.	422.5	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	20	12	15	135	268	141.4	.	0	281.5	.	0
..Nephritis-related (580-589)	88	44	64	745	1,285	757.9	1130.7	0	1315.6	1810.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	23	13	16	163	305	168.1	.	0	315.3	.	0
Unintentional injuries (E800-E949)	55	46	51	1,411	1,889	1012.8	1136.8	0	1341.4	1452.2	0
..Motor vehicle accidents (E810-E825)	21	19	19	668	858	454.6	538.1	0	557.8	680.4	0
..Falls and fall related injuries (E880-E888)	9	5	7	145	205
..Drowning (E830,E832,E910)	5	4	5	125	168
..Residential fires (E890-E899)	2	1	2	3	15
Suicide (E950-E959)	6	6	6	205	265	.	442.5	.	.	537.6	.
Homicide and legal intervention (E960-E978)	58	57	58	2,325	2,902	1394.0	1704.6	0	1639.8	2064.3	0
..Homicide (E960-E969)	58	57	58	2,325	2,902	1394.0	1704.6	0	1639.8	2064.3	0
All injury (E800-E999)	121	110	117	3,963	5,096	2570.7	3411.4	0	3193.6	4208.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	21	19	19	668	858	454.6	538.1	0	557.8	680.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	5	7	145	205
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	53	52	53	2,147	2,670	1301.4	1907.0	0	1519.5	2258.8	0
...Suicide (E955.0-.4)	2	2	2	70	90
...Homicide (E965.0-.4)	49	49	49	2,030	2,520	1225.0	1526.3	0	1424.6	1809.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	9	9	253	343
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	17	14	17	210	368	240.2	286.0	0	407.0	450.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	7	7	7	223	293

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
All causes	821	395	548	10,382	15,089	7173.5	6990.2	0	10536.1	10345.2	0
Infectious diseases and parasitic disease (1-139)	57	47	50	1,327	1,809	905.5	961.4	0	1187.5	1248.4	0
..Septicemia (038)	13	7	9	138	218	.	208.3	.	.	290.4	.
...Septicemia-related (038)	50	26	32	564	844	399.0	497.5	0	600.5	728.0	0
..HIV infection (042-044)	31	31	31	908	1,218	621.7	684.2	0	789.6	855.9	0
All cancer (140-208)	155	72	120	987	1,947	861.4	910.8	0	1699.4	1676.7	0
..Oral cavity or pharynx (140.0-149.9)	3	1	1	18	28
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	10	11	115	218	116.1	26.6	0	206.4	88.7	0
...Colon cancer (153)	17	9	10	108	200	108.2	26.6	0	189.2	88.7	0
...Rectal cancer (154)	1	1	1	8	18
..Pancreatic cancer (157)	8	4	7	20	73
..Lung and other respiratory cancer (160-165)	28	11	28	103	295	108.9	217.6	0	293.6	376.6	0
...Lung cancer (162.2-.9)	25	9	25	68	238	72.3	217.6	0	237.1	376.6	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	33	22	29	310	568	272.7	301.5	0	488.9	477.3	0
..Cervical cancer (180)	6	5	6	108	160
..Endometrial cancer (182)	2	.	.	0	0
..Ovarian cancer (183)	7	2	6	20	60
..Prostate cancer (185)
..Bladder cancer (188)	5	1	3	8	28
..Brain & other CNS cancer (191-192)	2	.	1	0	3
..Leukemia (204-208)	5	3	3	100	130
Diabetes mellitus (250)	29	6	17	75	193	76.6	115.1	0	187.6	272.4	0
..Diabetes-related (250)	107	27	60	273	715	269.1	344.7	0	680.2	878.1	0
Alzheimer's diseases (331.0)	4	.	2	0	10
Cardiovascular disease (390-459)	302	91	152	1,352	2,549	1147.8	1139.6	0	2180.3	2292.8	0
..Diseases of the heart (390-398,402,404-429)	230	72	126	1,079	2,054	907.8	899.9	0	1753.3	1796.8	0
...Heart disease-related (390-398,402,404-429)	446	163	259	2,838	4,933	2232.6	2257.5	0	3950.6	4040.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	148	38	74	440	975	404.9	393.0	0	890.0	937.3	0
...Congestive heart failure (CHF) (428.0)	2	1	1	8	18
..Hypertension with or without renal disease (401,403)	8	1	2	13	25
...Hypertension-related (401,403)	90	22	50	260	630	254.9	230.8	0	596.9	561.1	0
..Cerebrovascular disease (430-438)	48	10	14	165	280	150.1	200.7	0	245.0	387.2	0
..Atherosclerosis (440)	2	1	1	3	13
...Atherosclerosis-related (440)	19	4	7	40	93	43.6	77.7	0	93.7	165.9	0
..Aortic aneurysm (441)	5	3	4	28	65
Pneumonia & influenza (480-487)	21	9	9	160	250	111.3	100.2	0	179.4	169.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	11	15	158	288	148.4	55.1	0	260.0	128.9	0
..COPD-related (490-496)	43	16	27	210	428	201.2	106.8	0	394.8	240.9	0
..Asthma (493)	7	7	7	93	163

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Signif- icance	1990	1989	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	9	6	8	90	165
Nephritis, nephrotic syndrome/nephrosis (580-589)	28	6	13	65	163	58.5	.	0	146.0	.	0
..Nephritis-related (580-589)	106	30	64	507	982	429.7	357.5	0	841.8	692.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	29	6	14	65	165	58.5	.	0	149.1	.	0
Unintentional injuries (E800-E949)	15	9	11	245	345	152.0	562.1	1	217.8	702.2	1
..Motor vehicle accidents (E810-E825)	6	4	6	107	157	.	358.3	.	.	444.2	.
..Falls and fall related injuries (E880-E888)	4	1	1	8	18
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	1	1	1	43	53
Suicide (E950-E959)	5	5	5	173	223
Homicide and legal intervention (E960-E978)	15	15	15	593	743	343.8	.	0	402.8	.	0
..Homicide (E960-E969)	15	15	15	593	743	343.8	.	0	402.8	.	0
All injury (E800-E999)	36	30	32	1,047	1,357	638.0	776.6	.	792.6	953.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	5	4	5	107	155	.	358.3	.	.	444.2	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	1	8	18
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	340	420
...Suicide (E955.0-.4)	1	1	1	48	58
...Homicide (E965.0-.4)	7	7	7	293	363
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	80	100
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	13	15	258	403	202.9	.	0	312.2	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	4	4	125	165

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).