

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
Black Residents, 1991-1992

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables
by Cause of Death and Sex, Black Residents, 1991-1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables
by Cause of Death and Sex, Black Residents, 1991-1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
All causes	3,843	666.7	695.8	0	693.5	2,191	797.6	958.9	0	952.8	1,652	547.5	495.8	0	496.9
Infectious diseases and parasitic disease (1-139)	410	71.1	71.7	0	59.1	283	103.0	111.8	1	85.5	127	42.1	38.9	0	37.4
..Septicemia (038)	84	14.6	14.9	0	14.0	49	17.8	21.6	0	19.2	35	11.6	9.9	0	10.6
....Septicemia-related (038)	285	49.4	52.0	0	44.0	157	57.2	70.0	0	59.5	128	42.4	38.0	0	32.6
..HIV infection (042-044)	292	50.7	50.5	1	38.7	212	77.2	81.0	0	60.8	80	26.5	24.9	0	20.0
All cancer (140-208)	833	144.5	163.7	0	156.8	451	164.2	218.1	0	228.9	382	126.6	126.8	0	105.7
..Oral cavity or pharynx (140.0-149.9)	24	4.2	5.1	0	4.7	21	7.6	10.4	0	9.3	3	1.0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	68	11.8	12.6	0	16.0	28	10.2	13.6	0	23.0	40	13.3	12.3	0	11.3
....Colon cancer (153)	58	10.1	10.6	0	14.1	23	8.4	11.3	0	20.0	35	11.6	10.3	0	10.4
....Rectal cancer (154)	10	1.7	.	.	.	5	1.8	.	.	.	5	1.7	.	.	.
..Pancreatic cancer (157)	34	5.9	6.4	0	8.7	12	4.4	.	.	12.0	22	7.3	6.4	0	6.4
..Lung and other respiratory cancer (160-165)	240	41.6	49.1	0	44.9	158	57.5	78.1	0	76.8	82	27.2	28.5	0	21.1
....Lung cancer (162.2-.9)	225	39.0	45.9	0	41.4	149	54.2	73.5	0	70.5	76	25.2	26.3	0	19.6
..Malignant melanoma of skin (172)	2	0.3	.	.	.	2	0.7
..Female breast cancer (174)	72	72	23.9	25.5	0	22.4
..Cervical cancer (180)	12	12	4.0	.	.	.
..Endometrial cancer (182)	6	6	2.0	.	.	.
..Ovarian cancer (183)	11	11	3.6	.	.	.
..Prostate cancer (185)	67	67	24.4	32.6	0	29.8
..Bladder cancer (188)	16	2.8	3.1	0	.	7	2.5	.	.	.	9	3.0	.	.	.
..Brain & other CNS cancer (191-192)	10	1.7	.	.	.	5	1.8	.	.	.	5	1.7	.	.	.
..Leukemia (204-208)	27	4.7	5.4	0	4.4	10	3.6	.	.	.	17	5.6	5.9	0	.
Diabetes mellitus (250)	117	20.3	22.7	0	18.3	49	17.8	23.4	0	19.5	68	22.5	21.7	0	17.6
..Diabetes-related (250)	387	67.1	73.5	0	70.1	157	57.2	76.5	0	73.2	230	76.2	70.5	0	67.9
..Diabetic ketoacidosis (DKA) (250.1)	2	0.3	2	0.7	.	.	.
Alzheimer's diseases (331.0)	11	1.9	.	.	.	3	1.1	.	.	.	8	2.7	.	.	.
Cardiovascular disease (390-459)	1,278	221.7	232.1	0	231.9	661	240.6	312.4	0	304.1	617	204.5	175.2	0	179.4
..Diseases of the heart (390-398,402,404-429)	1,019	176.8	186.7	0	184.1	533	194.0	253.0	0	246.0	486	161.1	139.7	0	139.7
....Heart disease-related (390-398,402,404-429)	1,895	328.7	348.4	0	345.5	1,024	372.8	479.0	0	456.4	871	288.7	254.6	0	266.4
....Coronary heart disease (CHD) (402,410-414,429.2)	642	111.4	118.1	0	122.8	338	123.1	162.9	0	167.4	304	100.7	86.4	0	90.4
....Congestive heart failure (CHF) (428.0)	35	6.1	5.9	0	3.7	14	5.1	.	.	.	21	7.0	5.8	0	.
..Hypertension with or without renal disease (401,403)	29	5.0	5.5	0	4.7	13	4.7	.	.	.	16	5.3	5.3	0	.
....Hypertension-related (401,403)	272	47.2	51.1	0	62.2	125	45.5	59.1	0	71.1	147	48.7	45.9	0	54.2
..Cerebrovascular disease (430-438)	170	29.5	29.8	0	33.9	87	31.7	40.6	0	43.6	83	27.5	22.2	0	26.3
..Atherosclerosis (440)	14	2.4	.	.	.	4	1.5	.	.	.	10	3.3	.	.	.
....Atherosclerosis-related (440)	82	14.2	13.1	0	14.1	28	10.2	13.0	0	17.1	54	17.9	13.4	0	12.3
..Aortic aneurysm (441)	21	3.6	3.8	0	2.9	12	4.4	.	.	.	9	3.0	.	.	.
Pneumonia & influenza (480-487)	80	13.9	13.5	0	18.4	43	15.7	19.0	0	27.6	37	12.3	10.0	0	11.8

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Black Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	58	10.1	11.0	0	13.9	36	13.1	17.2	0	18.1	22	7.3	7.3	0	12.0
..COPD-related (490-496)	163	28.3	30.4	0	34.7	96	34.9	46.7	0	52.2	67	22.2	20.0	0	23.7
..Asthma (493)	12	2.1	.	.	.	6	2.2	.	.	.	6	2.0	.	.	.
Chronic liver disease and cirrhosis (571)	42	7.3	8.2	0	9.5	27	9.8	12.4	0	14.4	15	5.0	5.1	0	5.6
Nephritis, nephrotic syndrome/nephrosis (580-589)	74	12.8	13.4	0	13.2	40	14.6	18.2	0	14.6	34	11.3	9.6	0	11.7
..Nephritis-related (580-589)	355	61.6	65.7	0	67.5	179	65.2	81.9	0	82.9	176	58.3	54.0	0	55.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	85	14.7	15.4	0	14.1	47	17.1	21.7	0	16.1	38	12.6	10.8	0	12.3
Unintentional injuries (E800-E949)	184	31.9	31.6	0	27.5	135	49.1	51.0	0	42.9	49	16.2	14.7	0	14.4
..Motor vehicle accidents (E810-E825)	66	11.4	11.2	0	12.3	51	18.6	18.7	0	17.1	15	5.0	4.8	0	8.1
..Falls and fall related injuries (E880-E888)	12	2.1	.	.	3.0	9	3.3	.	.	3	1.0	.	.	.	
..Drowning (E830,E832,E910)	15	2.6	2.5	0	.	14	5.1	.	.	1	0.3	.	.	.	
..Residential fires (E890-E899)	15	2.6	2.3	0	.	9	3.3	.	.	6	2.0	.	.	.	
Suicide (E950-E959)	31	5.4	5.3	0	5.1	27	9.8	10.0	0	8.2	4	1.3	.	.	.
Homicide and legal intervention (E960-E978)	155	26.9	26.7	0	25.6	130	47.3	46.8	0	45.3	25	8.3	7.6	0	7.0
..Homicide (E960-E969)	154	26.7	26.5	0	25.6	129	47.0	46.4	0	45.3	25	8.3	7.6	0	7.0
All injury (E800-E999)	396	68.7	68.0	0	59.6	313	113.9	115.5	0	99.2	83	27.5	25.2	0	24.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	11.1	10.8	0	12.1	49	17.8	17.8	0	17.1	15	5.0	4.8	0	7.7
..All falls (E880-E886,E888,E957,E968.1,E987)	12	2.1	.	.	3.0	9	3.3	.	.	3	1.0	.	.	.	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	127	22.0	22.0	0	23.8	119	43.3	42.4	0	44.6	8	2.7	.	.	.
....Suicide (E955.0-.4)	19	3.3	3.2	0	.	19	6.9	7.1	0	
....Homicide (E965.0-.4)	107	18.6	18.6	0	20.5	99	36.0	34.9	0	38.2	8	2.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	75	13.0	12.9	1	3.3	58	21.1	21.9	1	6.5	17	5.6	5.2	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	41	7.1	8.1	0	11.8	30	10.9	13.9	0	16.7	11	3.6	.	.	8.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	12.8	12.8	1	3.8	58	21.1	22.1	1	5.6	16	5.3	4.9	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Black Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
All causes	3,843	666.7	872.1	0	856.5	2,191	797.6	1185.1	0	1164.8	1,652	547.5	648.7	0	634.2
Infectious diseases and parasitic disease (1-139)	410	71.1	70.6	0	57.3	283	103.0	109.6	1	81.5	127	42.1	39.7	0	38.1
..Septicemia (038)	84	14.6	19.9	0	17.9	49	17.8	28.2	0	25.2	35	11.6	14.2	0	13.4
....Septicemia-related (038)	285	49.4	65.8	0	54.3	157	57.2	85.8	0	72.3	128	42.4	50.9	0	41.6
..HIV infection (042-044)	292	50.7	44.2	1	32.1	212	77.2	71.5	1	50.6	80	26.5	21.4	0	16.4
All cancer (140-208)	833	144.5	208.6	0	198.4	451	164.2	284.8	0	294.1	382	126.6	160.4	0	133.7
..Oral cavity or pharynx (140.0-149.9)	24	4.2	5.7	0	5.6	21	7.6	11.5	0	10.8	3	1.0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	68	11.8	17.7	0	21.9	28	10.2	19.8	0	32.0	40	13.3	16.8	0	15.7
....Colon cancer (153)	58	10.1	15.3	0	19.7	23	8.4	16.6	0	28.6	35	11.6	14.6	0	14.4
....Rectal cancer (154)	10	1.7	.	.	.	5	1.8	.	.	.	5	1.7	.	.	.
..Pancreatic cancer (157)	34	5.9	9.2	0	11.3	12	4.4	.	.	15.8	22	7.3	9.6	0	8.5
..Lung and other respiratory cancer (160-165)	240	41.6	60.8	0	54.1	158	57.5	98.4	0	94.0	82	27.2	35.2	0	25.3
....Lung cancer (162.2-.9)	225	39.0	57.1	0	49.8	149	54.2	93.2	0	86.0	76	25.2	32.6	0	23.6
..Malignant melanoma of skin (172)	2	0.3	.	.	.	2	0.7
..Female breast cancer (174)	72	72	23.9	29.2	0	26.1
..Cervical cancer (180)	12	12	4.0	.	.	.
..Endometrial cancer (182)	6	6	2.0	.	.	.
..Ovarian cancer (183)	11	11	3.6	.	.	.
..Prostate cancer (185)	67	67	24.4	53.0	0	47.7
..Bladder cancer (188)	16	2.8	4.3	0	.	7	2.5	.	.	.	9	3.0	.	.	.
..Brain & other CNS cancer (191-192)	10	1.7	.	.	.	5	1.8	.	.	.	5	1.7	.	.	.
..Leukemia (204-208)	27	4.7	6.6	0	5.4	10	3.6	.	.	.	17	5.6	7.2	0	.
Diabetes mellitus (250)	117	20.3	29.7	0	23.7	49	17.8	29.5	0	25.2	68	22.5	29.1	0	22.8
..Diabetes-related (250)	387	67.1	100.6	0	93.7	157	57.2	101.4	0	96.7	230	76.2	98.2	0	91.4
..Diabetic ketoacidosis (DKA) (250.1)	2	0.3	2	0.7	.	.	.
Alzheimer's diseases (331.0)	11	1.9	.	.	.	3	1.1	.	.	.	8	2.7	.	.	.
Cardiovascular disease (390-459)	1,278	221.7	323.6	0	317.8	661	240.6	427.2	0	407.7	617	204.5	254.3	0	255.2
..Diseases of the heart (390-398,402,404-429)	1,019	176.8	257.5	0	249.7	533	194.0	343.0	0	329.3	486	161.1	199.9	0	195.5
....Heart disease-related (390-398,402,404-429)	1,895	328.7	467.6	0	458.0	1,024	372.8	633.7	0	599.9	871	288.7	355.0	0	362.1
....Coronary heart disease (CHD) (402,410-414,429.2)	642	111.4	166.5	0	170.6	338	123.1	224.2	0	227.4	304	100.7	127.7	0	131.2
....Congestive heart failure (CHF) (428.0)	35	6.1	9.3	0	5.5	14	5.1	.	.	.	21	7.0	8.9	0	.
..Hypertension with or without renal disease (401,403)	29	5.0	7.4	0	6.8	13	4.7	.	.	.	16	5.3	7.2	0	.
....Hypertension-related (401,403)	272	47.2	69.5	0	83.6	125	45.5	81.2	0	89.9	147	48.7	62.7	0	76.4
..Cerebrovascular disease (430-438)	170	29.5	43.3	0	48.6	87	31.7	57.1	0	58.3	83	27.5	34.3	0	40.5
..Atherosclerosis (440)	14	2.4	.	.	.	4	1.5	.	.	.	10	3.3	.	.	.
....Atherosclerosis-related (440)	82	14.2	22.6	0	22.7	28	10.2	22.9	0	27.2	54	17.9	22.7	0	19.8
..Aortic aneurysm (441)	21	3.6	5.4	0	3.9	12	4.4	.	.	.	9	3.0	.	.	.
Pneumonia & influenza (480-487)	80	13.9	19.6	0	25.2	43	15.7	28.4	0	36.3	37	12.3	14.5	0	17.5

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Black Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	58	10.1	14.7	0	19.3	36	13.1	25.0	0	28.1	22	7.3	8.9	0	15.2
..COPD-related (490-496)	163	28.3	42.5	0	47.8	96	34.9	66.9	0	75.1	67	22.2	27.9	0	31.8
..Asthma (493)	12	2.1	.	.	.	6	2.2	.	.	.	6	2.0	.	.	.
Chronic liver disease and cirrhosis (571)	42	7.3	9.0	0	9.6	27	9.8	13.6	0	14.5	15	5.0	5.5	0	5.7
Nephritis, nephrotic syndrome/nephrosis (580-589)	74	12.8	18.0	0	18.6	40	14.6	23.2	0	19.2	34	11.3	13.9	0	17.5
..Nephritis-related (580-589)	355	61.6	87.1	0	86.9	179	65.2	106.9	0	104.3	176	58.3	73.8	0	74.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	85	14.7	20.8	0	20.1	47	17.1	28.3	0	21.9	38	12.6	15.5	0	18.4
Unintentional injuries (E800-E949)	184	31.9	32.1	0	29.4	135	49.1	51.5	0	45.2	49	16.2	15.9	0	16.3
..Motor vehicle accidents (E810-E825)	66	11.4	10.9	0	12.6	51	18.6	18.7	0	17.2	15	5.0	4.5	0	8.5
..Falls and fall related injuries (E880-E888)	12	2.1	.	.	3.9	9	3.3	.	.	.	3	1.0	.	.	.
..Drowning (E830,E832,E910)	15	2.6	2.5	0	.	14	5.1	.	.	.	1	0.3	.	.	.
..Residential fires (E890-E899)	15	2.6	2.9	0	.	9	3.3	.	.	.	6	2.0	.	.	.
Suicide (E950-E959)	31	5.4	5.1	0	4.3	27	9.8	9.6	0	6.7	4	1.3	.	.	.
Homicide and legal intervention (E960-E978)	155	26.9	24.7	0	23.4	130	47.3	43.5	0	41.8	25	8.3	7.0	0	6.4
..Homicide (E960-E969)	154	26.7	24.5	0	23.4	129	47.0	43.0	0	41.8	25	8.3	7.0	0	6.4
All injury (E800-E999)	396	68.7	66.1	0	58.3	313	113.9	111.7	0	96.1	83	27.5	25.8	0	24.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	11.1	10.4	0	12.3	49	17.8	17.7	0	17.2	15	5.0	4.5	0	8.0
..All falls (E880-E886,E888,E957,E968.1,E987)	12	2.1	.	.	3.8	9	3.3	.	.	.	3	1.0	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	127	22.0	20.3	0	21.7	119	43.3	39.3	0	41.2	8	2.7	.	.	.
....Suicide (E955.0-.4)	19	3.3	3.1	0	.	19	6.9	7.1	0
....Homicide (E965.0-.4)	107	18.6	16.9	0	18.7	99	36.0	31.8	0	35.1	8	2.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	75	13.0	11.3	1	2.8	58	21.1	19.0	1	5.7	17	5.6	4.6	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	41	7.1	8.8	0	11.9	30	10.9	15.0	0	17.4	11	3.6	.	.	7.7
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	12.8	11.2	1	3.1	58	21.1	19.4	1	4.5	16	5.3	4.2	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Black Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1991-1992*****				*****1991-1992*****				*****1991-1992*****						
	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1990 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1990 AAMR
*****Causes of Death*****															
All causes	3,843	666.7	1115.9	0	1074.2	2,191	797.6	1506.0	0	1447.4	1,652	547.5	851.6	0	815.4
Infectious diseases and parasitic disease (1-139)	410	71.1	88.9	0	73.5	283	103.0	138.6	0	104.9	127	42.1	50.5	0	48.8
..Septicemia (038)	84	14.6	27.1	0	23.6	49	17.8	38.1	0	33.9	35	11.6	20.1	0	17.7
....Septicemia-related (038)	285	49.4	86.8	0	70.1	157	57.2	111.5	0	93.1	128	42.4	69.0	0	54.4
..HIV infection (042-044)	292	50.7	54.4	1	40.3	212	77.2	88.4	1	63.9	80	26.5	25.8	0	20.2
All cancer (140-208)	833	144.5	257.2	0	240.0	451	164.2	358.4	0	356.6	382	126.6	197.1	0	165.1
..Oral cavity or pharynx (140.0-149.9)	24	4.2	6.2	0	6.4	21	7.6	12.3	0	11.5	3	1.0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	68	11.8	23.9	0	29.1	28	10.2	27.4	0	42.7	40	13.3	22.4	0	21.1
....Colon cancer (153)	58	10.1	21.0	0	26.3	23	8.4	22.8	0	39.1	35	11.6	20.0	0	19.2
....Rectal cancer (154)	10	1.7	.	.	.	5	1.8	.	.	.	5	1.7	.	.	.
..Pancreatic cancer (157)	34	5.9	12.3	0	13.5	12	4.4	.	.	19.9	22	7.3	13.0	0	10.0
..Lung and other respiratory cancer (160-165)	240	41.6	70.5	0	60.6	158	57.5	116.1	0	105.8	82	27.2	40.8	0	29.3
....Lung cancer (162.2-.9)	225	39.0	66.5	0	55.6	149	54.2	110.5	0	96.5	76	25.2	38.0	0	27.1
..Malignant melanoma of skin (172)	2	0.3	.	.	.	2	0.7
..Female breast cancer (174)	72	72	23.9	34.2	0	32.5
..Cervical cancer (180)	12	12	4.0	.	.	.
..Endometrial cancer (182)	6	6	2.0	.	.	.
..Ovarian cancer (183)	11	11	3.6	.	.	.
..Prostate cancer (185)	67	67	24.4	77.3	0	67.6
..Bladder cancer (188)	16	2.8	5.6	0	.	7	2.5	.	.	.	9	3.0	.	.	.
..Brain & other CNS cancer (191-192)	10	1.7	.	.	.	5	1.8	.	.	.	5	1.7	.	.	.
..Leukemia (204-208)	27	4.7	7.7	0	6.2	10	3.6	.	.	.	17	5.6	8.3	0	.
Diabetes mellitus (250)	117	20.3	37.5	0	29.1	49	17.8	36.3	0	31.2	68	22.5	37.6	0	27.7
..Diabetes-related (250)	387	67.1	130.9	0	118.0	157	57.2	127.1	0	121.4	230	76.2	129.8	0	114.7
..Diabetic ketoacidosis (DKA) (250.1)	2	0.3	2	0.7	.	.	.
Alzheimer's diseases (331.0)	11	1.9	.	.	.	3	1.1	.	.	.	8	2.7	.	.	.
Cardiovascular disease (390-459)	1,278	221.7	440.7	0	423.8	661	240.6	571.3	0	532.5	617	204.5	357.2	0	350.9
..Diseases of the heart (390-398,402,404-429)	1,019	176.8	346.1	0	327.8	533	194.0	452.5	0	426.7	486	161.1	277.7	0	263.9
....Heart disease-related (390-398,402,404-429)	1,895	328.7	622.0	0	601.9	1,024	372.8	831.4	0	781.2	871	288.7	486.7	0	485.0
....Coronary heart disease (CHD) (402,410-414,429.2)	642	111.4	225.9	0	225.2	338	123.1	297.5	0	293.7	304	100.7	179.9	0	179.9
....Congestive heart failure (CHF) (428.0)	35	6.1	13.5	0	7.5	14	5.1	.	.	.	21	7.0	12.4	0	.
..Hypertension with or without renal disease (401,403)	29	5.0	9.5	0	9.3	13	4.7	.	.	.	16	5.3	8.9	0	.
....Hypertension-related (401,403)	272	47.2	91.4	0	107.9	125	45.5	109.0	0	110.6	147	48.7	81.9	0	101.6
..Cerebrovascular disease (430-438)	170	29.5	62.0	0	69.4	87	31.7	80.0	0	77.9	83	27.5	50.7	0	60.9
..Atherosclerosis (440)	14	2.4	.	.	.	4	1.5	.	.	.	10	3.3	.	.	.
....Atherosclerosis-related (440)	82	14.2	35.4	0	34.2	28	10.2	36.8	0	38.6	54	17.9	35.1	0	30.8
..Aortic aneurysm (441)	21	3.6	7.2	0	5.0	12	4.4	.	.	.	9	3.0	.	.	.
Pneumonia & influenza (480-487)	80	13.9	28.2	0	34.4	43	15.7	41.2	0	47.8	37	12.3	21.4	0	24.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Black Resident DEATHS, 1991-1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1991-1992*****					*****1991-1992*****					*****1991-1992*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	58	10.1	18.4	0	25.5	36	13.1	33.7	0	39.4	22	7.3	10.7	0	19.2
..COPD-related (490-496)	163	28.3	55.7	0	61.9	96	34.9	89.0	0	99.8	67	22.2	36.9	0	41.2
..Asthma (493)	12	2.1	.	.	.	6	2.2	.	.	.	6	2.0	.	.	.
Chronic liver disease and cirrhosis (571)	42	7.3	10.8	0	11.3	27	9.8	16.1	0	16.7	15	5.0	6.7	0	6.9
Nephritis, nephrotic syndrome/nephrosis (580-589)	74	12.8	24.4	0	25.4	40	14.6	29.9	0	24.7	34	11.3	19.7	0	24.6
..Nephritis-related (580-589)	355	61.6	115.0	0	113.5	179	65.2	141.7	0	137.9	176	58.3	97.4	0	97.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	85	14.7	28.2	0	27.6	47	17.1	37.0	0	29.1	38	12.6	21.8	0	25.9
Unintentional injuries (E800-E949)	184	31.9	36.8	0	32.8	135	49.1	58.7	0	50.1	49	16.2	19.2	0	18.7
..Motor vehicle accidents (E810-E825)	66	11.4	10.6	0	13.5	51	18.6	19.1	0	18.3	15	5.0	4.0	0	9.2
..Falls and fall related injuries (E880-E888)	12	2.1	.	.	5.2	9	3.3	.	.	.	3	1.0	.	.	.
..Drowning (E830,E832,E910)	15	2.6	2.3	0	.	14	5.1	.	.	.	1	0.3	.	.	.
..Residential fires (E890-E899)	15	2.6	3.7	0	.	9	3.3	.	.	.	6	2.0	.	.	.
Suicide (E950-E959)	31	5.4	5.9	0	4.7	27	9.8	10.9	0	7.7	4	1.3	.	.	.
Homicide and legal intervention (E960-E978)	155	26.9	24.0	0	22.3	130	47.3	41.3	0	41.0	25	8.3	7.8	0	5.9
..Homicide (E960-E969)	154	26.7	23.8	0	22.3	129	47.0	40.8	0	41.0	25	8.3	7.8	0	5.9
All injury (E800-E999)	396	68.7	71.7	0	61.3	313	113.9	119.8	0	101.6	83	27.5	30.7	0	27.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	11.1	10.2	0	13.1	49	17.8	18.2	0	18.3	15	5.0	4.0	0	8.6
..All falls (E880-E886,E888,E957,E968.1,E987)	12	2.1	.	.	4.7	9	3.3	.	.	.	3	1.0	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	127	22.0	19.0	0	20.6	119	43.3	36.9	0	40.0	8	2.7	.	.	.
....Suicide (E955.0-.4)	19	3.3	3.5	0	.	19	6.9	8.0	0
....Homicide (E965.0-.4)	107	18.6	15.2	0	17.5	99	36.0	28.3	0	33.7	8	2.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	75	13.0	14.0	1	3.5	58	21.1	23.6	1	7.1	17	5.6	5.8	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	41	7.1	10.6	0	13.6	30	10.9	18.3	0	19.8	11	3.6	.	.	8.9
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	12.8	14.0	1	3.8	58	21.1	23.9	1	5.9	16	5.3	5.5	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1991-1992 AAMR is significantly different (prob<0.05) from the 1989-1990 AAMR.
 0 - The 1991-1992 AAMR is not significantly different (prob>0.05) from the 1989-1990 AAMR.

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	3,843	2,169	2,890	53,002	78,264	9435.0	9899.6	0	13907.2	14421.3	0
Infectious diseases and parasitic disease (1-139)	410	355	380	8,929	12,596	1566.7	1430.2	0	2150.2	1894.1	0
..Septicemia (038)	84	41	56	814	1,291	143.9	161.9	0	231.1	246.4	0
...Septicemia-related (038)	285	152	207	3,025	4,793	557.5	542.0	0	879.3	827.2	0
..HIV infection (042-044)	292	286	291	7,416	10,304	1299.4	1155.4	0	1744.5	1493.3	0
All cancer (140-208)	833	409	638	5,100	10,337	1055.1	1009.3	0	2128.2	2049.5	0
..Oral cavity or pharynx (140.0-149.9)	24	18	23	205	413	46.0	33.4	0	89.5	69.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	68	24	41	280	623	61.7	90.7	0	133.6	180.9	0
...Colon cancer (153)	58	19	32	213	485	46.6	68.7	0	104.0	146.3	0
...Rectal cancer (154)	10	5	9	68	138	.	.	0	.	.	0
..Pancreatic cancer (157)	34	8	19	90	223	20.0	38.1	0	47.9	93.4	0
..Lung and other respiratory cancer (160-165)	240	128	202	1,280	2,920	274.7	257.1	0	619.4	592.1	0
...Lung cancer (162.2-.9)	225	118	187	1,185	2,703	252.6	228.7	0	571.1	539.3	0
..Malignant melanoma of skin (172)	2	1	2	28	40	.	.	0	.	.	0
..Female breast cancer (174)	72	50	62	655	1,210	.	.	0	.	.	0
..Cervical cancer (180)	12	9	10	128	225	.	.	0	.	.	0
..Endometrial cancer (182)	6	.	2	0	10	.	.	0	.	.	0
..Ovarian cancer (183)	11	4	8	40	95	.	.	0	.	.	0
..Prostate cancer (185)	67	6	33	25	213	.	.	0	.	.	0
..Bladder cancer (188)	16	6	11	50	133	12.2	.	0	30.4	.	0
..Brain & other CNS cancer (191-192)	10	9	9	118	208	.	.	0	.	.	0
..Leukemia (204-208)	27	18	22	290	485	58.4	70.5	0	97.1	101.4	0
Diabetes mellitus (250)	117	53	86	633	1,310	133.0	90.2	0	272.6	203.0	0
..Diabetes-related (250)	387	139	257	1,593	3,538	332.6	306.2	0	735.6	708.2	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	35	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	11	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,278	487	803	7,468	13,908	1462.3	1400.8	0	2743.6	2720.9	0
..Diseases of the heart (390-398,402,404-429)	1,019	401	656	6,041	11,353	1185.6	1110.9	0	2247.3	2174.4	0
...Heart disease-related (390-398,402,404-429)	1,895	829	1,281	13,656	24,201	2618.0	2777.5	0	4676.3	4836.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	642	226	402	2,640	5,785	561.2	545.5	0	1215.2	1218.6	0
....Congestive heart failure (CHF) (428.0)	35	10	18	167	307	30.5	12.7	0	58.7	32.1	0
..Hypertension with or without renal disease (401,403)	29	10	19	145	293	28.8	18.5	0	58.4	40.0	0
...Hypertension-related (401,403)	272	107	181	1,353	2,798	278.4	329.3	0	573.5	686.9	0
..Cerebrovascular disease (430-438)	170	57	99	990	1,735	191.9	218.4	0	336.7	400.0	0
..Atherosclerosis (440)	14	2	4	15	45	.	.	0	.	.	0
...Atherosclerosis-related (440)	82	10	27	80	273	18.0	38.5	0	59.3	98.5	0
..Aortic aneurysm (441)	21	7	14	88	190	16.9	12.1	0	37.6	31.4	0
Pneumonia & influenza (480-487)	80	30	45	785	1,168	139.4	174.7	0	207.7	272.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	58	24	40	310	640	58.6	61.4	0	125.0	134.7	0
..COPD-related (490-496)	163	52	107	597	1,410	117.2	156.0	0	285.7	343.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	12	9	11	188	293
Chronic liver disease and cirrhosis (571)	42	33	37	528	883	104.8	142.9	0	172.3	227.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	74	31	48	575	962	106.3	67.2	0	178.7	140.6	0
..Nephritis-related (580-589)	355	150	240	2,650	4,575	500.9	560.4	0	870.7	976.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	85	35	55	630	1,070	116.9	66.5	0	199.8	141.3	0
Unintentional injuries (E800-E949)	184	158	171	5,328	6,976	948.6	732.3	0	1194.0	939.8	0
..Motor vehicle accidents (E810-E825)	66	61	65	2,390	3,020	430.2	375.6	0	518.5	471.6	0
..Falls and fall related injuries (E880-E888)	12	8	9	140	223	.	33.4	.	.	53.1	.
..Drowning (E830,E832,E910)	15	14	15	600	743	108.3	.	0	127.4	.	0
..Residential fires (E890-E899)	15	10	12	512	622	80.7	.	0	94.6	.	0
Suicide (E950-E959)	31	27	29	858	1,133	148.7	187.9	0	188.6	231.0	0
Homicide and legal intervention (E960-E978)	155	148	152	5,676	7,181	1042.0	1026.1	0	1254.7	1234.2	0
..Homicide (E960-E969)	154	147	151	5,659	7,154	1038.0	1026.1	0	1248.8	1234.2	0
All injury (E800-E999)	396	357	377	12,571	16,246	2259.7	1987.7	0	2794.8	2457.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	60	63	2,342	2,955	419.8	375.6	0	504.9	471.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	12	8	8	175	255	.	39.2	.	.	60.2	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	127	123	126	4,895	6,137	913.6	989.4	0	1087.7	1180.1	0
....Suicide (E955.0-.4)	19	16	18	535	700	92.0	.	0	115.4	.	0
....Homicide (E965.0-.4)	107	106	107	4,342	5,410	817.6	860.0	0	966.4	1025.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	75	73	74	1,960	2,697	346.5	96.2	1	459.0	123.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	41	32	37	540	888	109.3	179.8	0	175.7	284.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	72	73	1,912	2,640	339.2	115.3	1	450.7	148.4	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	2,191	1,409	1,811	34,778	50,863	13151.0	13187.3	0	19419.1	19480.7	0
Infectious diseases and parasitic disease (1-139)	283	254	272	6,188	8,818	2355.4	2042.7	0	3284.1	2725.4	0
..Septicemia (038)	49	29	39	592	927	222.8	176.6	0	357.8	286.4	0
...Septicemia-related (038)	157	101	131	1,994	3,139	797.0	672.8	0	1260.9	1067.3	0
..HIV infection (042-044)	212	208	212	5,194	7,299	1979.0	1762.7	0	2700.9	2295.0	0
All cancer (140-208)	451	229	360	2,850	5,757	1304.8	1297.1	0	2661.2	2790.5	0
..Oral cavity or pharynx (140.0-149.9)	21	16	21	170	358	87.0	55.3	0	177.2	128.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	28	10	17	110	253	56.2	126.6	0	125.5	248.9	0
...Colon cancer (153)	23	8	13	75	188	40.3	84.4	0	96.1	183.6	0
...Rectal cancer (154)	5	2	4	35	65
..Pancreatic cancer (157)	12	5	9	63	128	.	60.4	.	.	140.2	.
..Lung and other respiratory cancer (160-165)	158	89	137	853	1,948	412.0	406.2	0	937.9	981.7	0
...Lung cancer (162.2-.9)	149	82	128	790	1,810	379.4	362.3	0	869.0	893.6	0
..Malignant melanoma of skin (172)	2	1	2	28	40
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	67	6	33	25	213	13.8	9.3	0	110.4	94.9	0
..Bladder cancer (188)	7	3	6	28	75
..Brain & other CNS cancer (191-192)	5	5	5	58	108
..Leukemia (204-208)	10	7	9	128	203
Diabetes mellitus (250)	49	28	41	340	693	156.0	103.0	0	319.4	217.0	0
..Diabetes-related (250)	157	69	120	833	1,760	378.0	368.1	0	812.1	780.5	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	3	1	1	3	13
Cardiovascular disease (390-459)	661	305	481	4,596	8,521	1986.0	1882.0	0	3761.8	3701.2	0
..Diseases of the heart (390-398,402,404-429)	533	248	396	3,616	6,846	1574.3	1493.5	0	3048.4	2970.0	0
...Heart disease-related (390-398,402,404-429)	1,024	526	784	8,434	14,984	3555.1	3633.3	0	6454.5	6371.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	338	144	249	1,700	3,673	798.6	797.3	0	1733.8	1784.8	0
....Congestive heart failure (CHF) (428.0)	14	4	8	40	100
..Hypertension with or without renal disease (401,403)	13	6	10	105	185
...Hypertension-related (401,403)	125	56	89	800	1,533	351.0	481.9	0	683.9	938.2	0
..Cerebrovascular disease (430-438)	87	40	59	677	1,160	286.4	300.0	0	498.2	560.2	0
...Atherosclerosis (440)	4	1	1	13	23
...Atherosclerosis-related (440)	28	2	9	35	103	15.9	21.1	0	48.5	82.7	0
..Aortic aneurysm (441)	12	4	8	75	135
Pneumonia & influenza (480-487)	43	19	27	506	741	181.7	257.2	0	275.6	401.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	36	13	23	143	328	59.9	31.0	0	147.2	97.7	0
..COPD-related (490-496)	96	31	65	303	788	139.0	183.8	0	374.5	435.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	6	4	5	80	128
Chronic liver disease and cirrhosis (571)	27	22	24	345	575	152.3	207.4	0	250.5	335.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	40	21	30	425	682	167.5	100.6	0	272.7	192.3	0
..Nephritis-related (580-589)	179	88	135	1,724	2,822	690.5	818.6	0	1145.8	1356.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	23	35	445	735	178.6	99.6	0	300.3	193.5	0
Unintentional injuries (E800-E949)	135	121	130	4,045	5,307	1498.3	1112.9	0	1903.9	1437.9	0
..Motor vehicle accidents (E810-E825)	51	46	50	1,755	2,235	648.4	532.2	0	792.4	664.4	0
..Falls and fall related injuries (E880-E888)	9	8	8	140	220
..Drowning (E830,E832,E910)	14	14	14	600	740
..Residential fires (E890-E899)	9	5	7	276	336
Suicide (E950-E959)	27	24	26	775	1,020	279.8	296.9	0	354.7	366.2	0
Homicide and legal intervention (E960-E978)	130	125	129	4,815	6,090	1809.5	1765.5	0	2185.5	2133.9	0
..Homicide (E960-E969)	129	124	128	4,797	6,062	1800.7	1765.5	0	2172.3	2133.9	0
All injury (E800-E999)	313	290	305	10,248	13,231	3804.7	3249.7	0	4723.9	4034.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	49	45	48	1,708	2,170	628.2	532.2	0	765.3	664.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	8	8	175	255
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	115	118	4,588	5,750	1730.8	1827.3	0	2064.2	2183.9	0
...Suicide (E955.0-.4)	19	16	18	535	700	191.0	.	0	240.7	.	0
...Homicide (E965.0-.4)	99	98	99	4,035	5,023	1530.9	1583.2	0	1810.3	1890.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	57	58	1,505	2,082	573.1	178.1	1	767.2	231.8	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	30	23	27	403	658	181.3	220.4	0	290.5	365.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	58	57	58	1,475	2,052	563.6	171.1	1	760.0	220.2	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	1,652	760	1,079	18,224	27,402	6091.3	6951.0	0	9082.3	10019.3	0
Infectious diseases and parasitic disease (1-139)	127	101	108	2,741	3,778	888.6	904.5	0	1184.9	1185.3	0
..Septicemia (038)	35	12	17	222	365	75.3	152.7	0	123.9	218.5	0
...Septicemia-related (038)	128	51	76	1,032	1,654	354.5	441.9	0	561.2	641.3	0
..HIV infection (042-044)	80	78	79	2,222	3,005	715.2	627.8	0	928.6	800.8	0
All cancer (140-208)	382	180	278	2,250	4,580	849.5	773.5	0	1702.4	1458.3	0
..Oral cavity or pharynx (140.0-149.9)	3	2	2	35	55
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	14	24	170	370	66.4	59.3	0	140.5	124.5	0
...Colon cancer (153)	35	11	19	138	298	52.3	55.9	0	111.0	116.8	0
...Rectal cancer (154)	5	3	5	33	73
..Pancreatic cancer (157)	22	3	10	28	95	9.8	20.1	0	34.6	56.2	0
..Lung and other respiratory cancer (160-165)	82	39	65	428	973	163.6	136.0	0	366.2	279.8	0
...Lung cancer (162.2-.9)	76	36	59	395	893	149.9	120.9	0	334.7	256.2	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	72	50	62	655	1,210	247.0	244.3	0	448.3	415.1	0
..Cervical cancer (180)	12	9	10	128	225
..Endometrial cancer (182)	6	.	2	0	10
..Ovarian cancer (183)	11	4	8	40	95
..Prostate cancer (185)
..Bladder cancer (188)	9	3	5	23	58
..Brain & other CNS cancer (191-192)	5	4	4	60	100
..Leukemia (204-208)	11	11	13	163	283	61.9	.	0	105.8	.	0
Diabetes mellitus (250)	68	25	45	293	618	113.8	79.6	0	234.1	191.7	0
..Diabetes-related (250)	230	70	137	760	1,778	293.4	254.9	0	671.4	648.3	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	35	55
Alzheimer's diseases (331.0)	8	.	.	0	0
Cardiovascular disease (390-459)	617	182	322	2,872	5,387	1031.3	1007.6	0	1924.2	1932.7	0
..Diseases of the heart (390-398,402,404-429)	486	153	260	2,425	4,507	867.8	797.7	0	1607.4	1533.6	0
...Heart disease-related (390-398,402,404-429)	871	303	497	5,222	9,217	1840.7	2060.2	0	3234.5	3577.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	304	82	153	940	2,113	371.1	340.4	0	806.9	764.2	0
....Congestive heart failure (CHF) (428.0)	21	6	10	127	207	43.0	.	0	71.1	.	0
..Hypertension with or without renal disease (401,403)	16	4	9	40	108	17.0	.	0	42.6	.	0
...Hypertension-related (401,403)	147	51	92	553	1,265	216.1	201.2	0	480.7	479.1	0
..Cerebrovascular disease (430-438)	83	17	40	313	575	113.4	152.8	0	204.5	272.9	0
..Atherosclerosis (440)	10	1	3	3	23
...Atherosclerosis-related (440)	54	8	18	45	170	19.5	52.6	0	67.9	112.0	0
..Aortic aneurysm (441)	9	3	6	13	55
Pneumonia & influenza (480-487)	37	11	18	280	427	99.9	106.3	0	147.5	167.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	22	11	17	168	313	57.8	86.5	0	108.6	166.0	0
..COPD-related (490-496)	67	21	42	295	622	102.0	129.6	0	219.8	268.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	6	5	6	108	165
Chronic liver disease and cirrhosis (571)	15	11	13	183	308	65.5	90.4	0	108.2	139.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	10	18	150	280	52.7	38.9	0	98.3	96.5	0
..Nephritis-related (580-589)	176	62	105	926	1,754	337.5	345.5	0	637.0	660.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	38	12	20	185	335	63.5	38.9	0	115.5	97.5	0
Unintentional injuries (E800-E949)	49	37	41	1,284	1,669	431.7	372.8	0	536.2	477.7	0
..Motor vehicle accidents (E810-E825)	15	15	15	635	785	219.0	222.6	0	257.0	284.9	0
..Falls and fall related injuries (E880-E888)	3	.	1	0	3
..Drowning (E830,E832,E910)	1	.	1	0	3
..Residential fires (E890-E899)	6	5	5	237	287
Suicide (E950-E959)	4	3	3	83	113
Homicide and legal intervention (E960-E978)	25	23	23	862	1,092	284.6	299.8	0	343.1	356.9	0
..Homicide (E960-E969)	25	23	23	862	1,092	284.6	299.8	0	343.1	356.9	0
All injury (E800-E999)	83	67	72	2,323	3,015	776.5	772.7	0	963.0	956.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	15	15	15	635	785	219.0	222.6	0	257.0	284.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	307	387
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	8	8	8	307	387
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	17	16	16	455	615	148.5	.	.	191.8	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	10	138	230	.	148.2	.	.	220.9	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	16	15	15	438	588	143.1	.	0	182.9	.	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	3,843	2,169	2,890	53,002	78,264	9109.3	9606.5	0	13680.6	14226.7	0
Infectious diseases and parasitic disease (1-139)	410	355	380	8,929	12,596	1358.4	1225.6	0	1877.3	1620.5	0
..Septicemia (038)	84	41	56	814	1,291	133.6	151.2	0	224.1	237.2	0
...Septicemia-related (038)	285	152	207	3,025	4,793	513.2	500.2	0	840.4	788.6	0
..HIV infection (042-044)	292	286	291	7,416	10,304	1111.7	972.8	0	1491.0	1243.7	0
All cancer (140-208)	833	409	638	5,100	10,337	1035.9	1013.4	0	2214.1	2163.9	0
..Oral cavity or pharynx (140.0-149.9)	24	18	23	205	413	46.9	33.8	0	93.5	73.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	68	24	41	280	623	62.3	92.8	0	141.6	191.9	0
...Colon cancer (153)	58	19	32	213	485	47.1	70.2	0	110.8	156.1	0
...Rectal cancer (154)	10	5	9	68	138	.	.	0	.	.	0
..Pancreatic cancer (157)	34	8	19	90	223	20.4	39.6	0	52.3	102.3	0
..Lung and other respiratory cancer (160-165)	240	128	202	1,280	2,920	274.7	261.2	0	660.5	636.3	0
...Lung cancer (162.2-.9)	225	118	187	1,185	2,703	251.9	233.5	0	608.7	582.5	0
..Malignant melanoma of skin (172)	2	1	2	28	40	.	.	0	.	.	0
..Female breast cancer (174)	72	50	62	655	1,210	.	.	0	.	.	0
..Cervical cancer (180)	12	9	10	128	225	.	.	0	.	.	0
..Endometrial cancer (182)	6	.	2	0	10	.	.	0	.	.	0
..Ovarian cancer (183)	11	4	8	40	95	.	.	0	.	.	0
..Prostate cancer (185)	67	6	33	25	213	.	.	0	.	.	0
..Bladder cancer (188)	16	6	11	50	133	13.3	.	0	33.9	.	0
..Brain & other CNS cancer (191-192)	10	9	9	118	208	.	.	0	.	.	0
..Leukemia (204-208)	27	18	22	290	485	62.3	75.9	0	104.1	109.1	0
Diabetes mellitus (250)	117	53	86	633	1,310	130.5	90.6	0	284.1	217.0	0
..Diabetes-related (250)	387	139	257	1,593	3,538	326.7	306.6	0	779.1	759.4	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	35	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	11	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,278	487	803	7,468	13,908	1406.3	1362.2	0	2801.3	2805.0	0
..Diseases of the heart (390-398,402,404-429)	1,019	401	656	6,041	11,353	1147.6	1082.7	0	2307.5	2249.8	0
...Heart disease-related (390-398,402,404-429)	1,895	829	1,281	13,656	24,201	2501.1	2655.9	0	4710.5	4854.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	642	226	402	2,640	5,785	554.9	541.2	0	1284.3	1297.2	0
....Congestive heart failure (CHF) (428.0)	35	10	18	167	307	32.0	13.5	0	64.3	35.7	0
..Hypertension with or without renal disease (401,403)	29	10	19	145	293	26.7	17.6	0	59.4	41.7	0
...Hypertension-related (401,403)	272	107	181	1,353	2,798	268.4	328.5	0	593.6	724.5	0
..Cerebrovascular disease (430-438)	170	57	99	990	1,735	181.5	210.4	0	336.1	403.8	0
...Atherosclerosis (440)	14	2	4	15	45	.	.	0	.	.	0
...Atherosclerosis-related (440)	82	10	27	80	273	18.8	40.2	0	67.3	108.6	0
..Aortic aneurysm (441)	21	7	14	88	190	15.8	12.5	0	39.3	34.3	0
Pneumonia & influenza (480-487)	80	30	45	785	1,168	142.6	165.0	0	214.3	267.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	58	24	40	310	640	54.4	62.4	0	128.6	144.4	0
..COPD-related (490-496)	163	52	107	597	1,410	115.4	160.0	0	308.8	371.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	12	9	11	188	293
Chronic liver disease and cirrhosis (571)	42	33	37	528	883	97.8	131.3	0	165.6	214.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	74	31	48	575	962	96.6	64.5	0	172.1	145.9	0
..Nephritis-related (580-589)	355	150	240	2,650	4,575	468.3	517.1	0	860.6	955.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	85	35	55	630	1,070	106.3	63.8	0	193.5	146.9	0
Unintentional injuries (E800-E949)	184	158	171	5,328	6,976	908.2	714.8	0	1128.5	911.0	0
..Motor vehicle accidents (E810-E825)	66	61	65	2,390	3,020	418.9	366.0	0	497.0	454.6	0
..Falls and fall related injuries (E880-E888)	12	8	9	140	223	.	33.7	.	.	54.7	.
..Drowning (E830,E832,E910)	15	14	15	600	743	110.8	.	0	127.7	.	0
..Residential fires (E890-E899)	15	10	12	512	622	86.0	.	0	99.3	.	0
Suicide (E950-E959)	31	27	29	858	1,133	131.3	164.1	0	165.4	197.9	0
Homicide and legal intervention (E960-E978)	155	148	152	5,676	7,181	976.9	967.5	0	1158.0	1144.4	0
..Homicide (E960-E969)	154	147	151	5,659	7,154	973.1	967.5	0	1152.3	1144.4	0
All injury (E800-E999)	396	357	377	12,571	16,246	2122.9	1881.9	0	2590.3	2298.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	60	63	2,342	2,955	408.1	366.0	0	482.7	453.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	12	8	8	175	255	.	38.5	.	.	60.4	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	127	123	126	4,895	6,137	865.9	938.1	0	1013.2	1098.7	0
....Suicide (E955.0-.4)	19	16	18	535	700	81.0	.	0	100.8	.	0
....Homicide (E965.0-.4)	107	106	107	4,342	5,410	781.1	812.8	0	906.7	951.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	75	73	74	1,960	2,697	298.4	80.6	1	392.9	102.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	41	32	37	540	888	103.9	165.8	0	169.8	269.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	72	73	1,912	2,640	293.2	94.9	1	387.4	121.0	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	2,191	1,409	1,811	34,778	50,863	12606.0	12698.5	0	18977.5	19127.8	0
Infectious diseases and parasitic disease (1-139)	283	254	272	6,188	8,818	2045.2	1732.2	0	2878.7	2312.2	0
..Septicemia (038)	49	29	39	592	927	205.5	162.8	0	345.3	277.1	0
...Septicemia-related (038)	157	101	131	1,994	3,139	735.6	607.9	0	1205.7	1008.2	0
..HIV infection (042-044)	212	208	212	5,194	7,299	1705.0	1482.9	0	2329.2	1912.6	0
All cancer (140-208)	451	229	360	2,850	5,757	1287.3	1322.7	0	2784.9	2992.6	0
..Oral cavity or pharynx (140.0-149.9)	21	16	21	170	358	89.7	57.3	0	187.8	139.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	28	10	17	110	253	57.7	128.5	0	134.4	262.8	0
...Colon cancer (153)	23	8	13	75	188	42.4	85.4	0	104.8	195.8	0
...Rectal cancer (154)	5	2	4	35	65
..Pancreatic cancer (157)	12	5	9	63	128	.	61.5	.	.	151.1	.
..Lung and other respiratory cancer (160-165)	158	89	137	853	1,948	417.2	420.3	0	1008.8	1070.1	0
...Lung cancer (162.2-.9)	149	82	128	790	1,810	383.3	377.7	0	934.7	979.0	0
..Malignant melanoma of skin (172)	2	1	2	28	40
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	67	6	33	25	213	16.1	11.3	0	136.2	118.2	0
..Bladder cancer (188)	7	3	6	28	75
..Brain & other CNS cancer (191-192)	5	5	5	58	108
..Leukemia (204-208)	10	7	9	128	203
Diabetes mellitus (250)	49	28	41	340	693	153.2	101.7	0	332.5	227.7	0
..Diabetes-related (250)	157	69	120	833	1,760	369.6	364.8	0	855.2	822.2	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	3	1	1	3	13
Cardiovascular disease (390-459)	661	305	481	4,596	8,521	1912.0	1833.1	0	3843.3	3818.5	0
..Diseases of the heart (390-398,402,404-429)	533	248	396	3,616	6,846	1531.5	1461.6	0	3146.1	3080.2	0
...Heart disease-related (390-398,402,404-429)	1,024	526	784	8,434	14,984	3397.9	3485.9	0	6513.4	6402.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	338	144	249	1,700	3,673	787.5	804.5	0	1829.3	1910.3	0
....Congestive heart failure (CHF) (428.0)	14	4	8	40	100
..Hypertension with or without renal disease (401,403)	13	6	10	105	185
...Hypertension-related (401,403)	125	56	89	800	1,533	333.0	475.7	0	695.5	972.3	0
..Cerebrovascular disease (430-438)	87	40	59	677	1,160	268.6	288.6	0	491.8	565.9	0
..Atherosclerosis (440)	4	1	1	13	23
...Atherosclerosis-related (440)	28	2	9	35	103	15.3	24.4	0	53.1	97.9	0
..Aortic aneurysm (441)	12	4	8	75	135
Pneumonia & influenza (480-487)	43	19	27	506	741	190.3	234.8	0	290.8	381.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	36	13	23	143	328	57.7	33.4	0	157.7	112.0	0
..COPD-related (490-496)	96	31	65	303	788	139.1	190.3	0	411.9	479.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	6	4	5	80	128
Chronic liver disease and cirrhosis (571)	27	22	24	345	575	144.3	194.1	0	243.5	321.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	40	21	30	425	682	152.3	96.0	0	260.5	195.5	0
..Nephritis-related (580-589)	179	88	135	1,724	2,822	623.0	741.1	0	1095.3	1291.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	23	35	445	735	164.1	94.8	0	291.3	196.9	0
Unintentional injuries (E800-E949)	135	121	130	4,045	5,307	1427.2	1074.7	0	1793.4	1380.9	0
..Motor vehicle accidents (E810-E825)	51	46	50	1,755	2,235	624.8	512.1	0	753.9	631.9	0
..Falls and fall related injuries (E880-E888)	9	8	8	140	220
..Drowning (E830,E832,E910)	14	14	14	600	740
..Residential fires (E890-E899)	9	5	7	276	336
Suicide (E950-E959)	27	24	26	775	1,020	246.3	254.8	0	309.9	308.3	0
Homicide and legal intervention (E960-E978)	130	125	129	4,815	6,090	1702.3	1657.6	0	2026.7	1971.6	0
..Homicide (E960-E969)	129	124	128	4,797	6,062	1693.7	1657.6	0	2014.0	1971.6	0
All injury (E800-E999)	313	290	305	10,248	13,231	3567.6	3051.3	0	4374.6	3744.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	49	45	48	1,708	2,170	603.8	512.1	0	725.4	631.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	8	8	175	255
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	115	118	4,588	5,750	1636.8	1727.2	0	1919.7	2027.3	0
....Suicide (E955.0-.4)	19	16	18	535	700	167.8	.	0	210.4	.	0
....Homicide (E965.0-.4)	99	98	99	4,035	5,023	1460.3	1493.3	0	1696.6	1751.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	57	58	1,505	2,082	495.5	147.6	1	660.3	191.1	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	30	23	27	403	658	172.4	206.0	0	280.0	352.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	58	57	58	1,475	2,052	489.0	141.5	1	657.9	179.7	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	1,652	760	1,079	18,224	27,402	5955.9	6826.2	0	9062.3	9979.3	0
Infectious diseases and parasitic disease (1-139)	127	101	108	2,741	3,778	769.0	791.9	0	1028.7	1033.6	0
..Septicemia (038)	35	12	17	222	365	71.1	145.0	0	122.3	210.3	0
...Septicemia-related (038)	128	51	76	1,032	1,654	324.8	421.0	0	537.6	622.4	0
..HIV infection (042-044)	80	78	79	2,222	3,005	602.3	529.3	0	778.0	666.3	0
All cancer (140-208)	382	180	278	2,250	4,580	829.6	759.1	0	1762.0	1503.8	0
..Oral cavity or pharynx (140.0-149.9)	3	2	2	35	55
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	14	24	170	370	66.2	61.6	0	147.6	133.5	0
...Colon cancer (153)	35	11	19	138	298	51.3	57.7	0	116.0	124.9	0
...Rectal cancer (154)	5	3	5	33	73
..Pancreatic cancer (157)	22	3	10	28	95	9.6	21.9	0	39.2	63.7	0
..Lung and other respiratory cancer (160-165)	82	39	65	428	973	159.7	132.0	0	385.3	289.4	0
...Lung cancer (162.2-.9)	76	36	59	395	893	145.8	117.1	0	351.4	266.2	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	72	50	62	655	1,210	236.3	226.9	0	447.7	402.5	0
..Cervical cancer (180)	12	9	10	128	225
..Endometrial cancer (182)	6	.	2	0	10
..Ovarian cancer (183)	11	4	8	40	95
..Prostate cancer (185)
..Bladder cancer (188)	9	3	5	23	58
..Brain & other CNS cancer (191-192)	5	4	4	60	100
..Leukemia (204-208)	11	11	13	163	283	67.0	.	0	114.4	.	0
Diabetes mellitus (250)	68	25	45	293	618	111.6	81.5	0	244.2	208.5	0
..Diabetes-related (250)	230	70	137	760	1,778	289.8	258.8	0	715.6	707.8	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	35	55
Alzheimer's diseases (331.0)	8	.	.	0	0
Cardiovascular disease (390-459)	617	182	322	2,872	5,387	992.8	978.7	0	1970.5	1994.4	0
..Diseases of the heart (390-398,402,404-429)	486	153	260	2,425	4,507	834.9	773.8	0	1642.7	1584.2	0
...Heart disease-related (390-398,402,404-429)	871	303	497	5,222	9,217	1761.0	1960.0	0	3261.0	3588.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	304	82	153	940	2,113	369.8	326.8	0	858.9	806.4	0
....Congestive heart failure (CHF) (428.0)	21	6	10	127	207	45.3	.	0	77.2	.	0
..Hypertension with or without renal disease (401,403)	16	4	9	40	108	17.7	.	0	46.9	.	0
...Hypertension-related (401,403)	147	51	92	553	1,265	213.4	205.2	0	509.2	520.3	0
..Cerebrovascular disease (430-438)	83	17	40	313	575	110.2	147.7	0	210.3	275.8	0
..Atherosclerosis (440)	10	1	3	3	23
...Atherosclerosis-related (440)	54	8	18	45	170	21.4	52.9	0	78.6	118.1	0
..Aortic aneurysm (441)	9	3	6	13	55
Pneumonia & influenza (480-487)	37	11	18	280	427	97.6	107.6	0	146.4	174.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	22	11	17	168	313	52.0	86.2	0	106.8	171.9	0
..COPD-related (490-496)	67	21	42	295	622	98.9	131.2	0	232.6	283.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	6	5	6	108	165
Chronic liver disease and cirrhosis (571)	15	11	13	183	308	59.4	80.3	0	102.0	128.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	10	18	150	280	47.7	38.1	0	96.8	103.8	0
..Nephritis-related (580-589)	176	62	105	926	1,754	335.4	332.7	0	663.5	678.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	38	12	20	185	335	56.2	38.1	0	111.8	105.1	0
Unintentional injuries (E800-E949)	49	37	41	1,284	1,669	416.4	372.1	0	509.5	473.2	0
..Motor vehicle accidents (E810-E825)	15	15	15	635	785	218.4	222.3	0	250.8	281.9	0
..Falls and fall related injuries (E880-E888)	3	.	1	0	3
..Drowning (E830,E832,E910)	1	.	1	0	3
..Residential fires (E890-E899)	6	5	5	237	287
Suicide (E950-E959)	4	3	3	83	113
Homicide and legal intervention (E960-E978)	25	23	23	862	1,092	256.4	285.2	0	302.7	333.1	0
..Homicide (E960-E969)	25	23	23	862	1,092	256.4	285.2	0	302.7	333.1	0
All injury (E800-E999)	83	67	72	2,323	3,015	726.3	747.6	0	887.4	914.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	15	15	15	635	785	218.4	222.3	0	250.8	280.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	307	387
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	8	8	8	307	387
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	17	16	16	455	615	126.2	.	.	161.5	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	10	138	230	.	134.5	.	.	204.0	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	16	15	15	438	588	122.2	.	0	153.8	.	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	3,843	2,169	2,890	53,002	78,264	9813.4	10162.7	0	14736.4	15108.3	0
Infectious diseases and parasitic disease (1-139)	410	355	380	8,929	12,596	1714.6	1523.7	0	2335.1	2003.9	0
..Septicemia (038)	84	41	56	814	1,291	160.7	173.3	0	259.9	269.1	0
...Septicemia-related (038)	285	152	207	3,025	4,793	630.2	584.6	0	997.9	904.0	0
..HIV infection (042-044)	292	286	291	7,416	10,304	1424.2	1233.3	0	1890.6	1574.4	0
All cancer (140-208)	833	409	638	5,100	10,337	1239.7	1163.0	0	2498.7	2383.8	0
..Oral cavity or pharynx (140.0-149.9)	24	18	23	205	413	56.3	41.1	0	106.8	83.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	68	24	41	280	623	75.2	107.1	0	160.5	213.6	0
...Colon cancer (153)	58	19	32	213	485	56.6	84.3	0	124.3	176.5	0
...Rectal cancer (154)	10	5	9	68	138	.	.	0	.	.	0
..Pancreatic cancer (157)	34	8	19	90	223	24.5	46.4	0	58.9	112.2	0
..Lung and other respiratory cancer (160-165)	240	128	202	1,280	2,920	326.9	306.4	0	732.6	699.5	0
...Lung cancer (162.2-.9)	225	118	187	1,185	2,703	300.2	274.0	0	675.0	639.3	0
..Malignant melanoma of skin (172)	2	1	2	28	40	.	.	0	.	.	0
..Female breast cancer (174)	72	50	62	655	1,210	.	.	0	.	.	0
..Cervical cancer (180)	12	9	10	128	225	.	.	0	.	.	0
..Endometrial cancer (182)	6	.	2	0	10	.	.	0	.	.	0
..Ovarian cancer (183)	11	4	8	40	95	.	.	0	.	.	0
..Prostate cancer (185)	67	6	33	25	213	.	.	0	.	.	0
..Bladder cancer (188)	16	6	11	50	133	14.5	.	0	36.3	.	0
..Brain & other CNS cancer (191-192)	10	9	9	118	208	.	.	0	.	.	0
..Leukemia (204-208)	27	18	22	290	485	64.2	71.9	0	107.8	105.7	0
Diabetes mellitus (250)	117	53	86	633	1,310	159.4	108.2	0	325.0	243.7	0
..Diabetes-related (250)	387	139	257	1,593	3,538	394.4	366.2	0	877.4	848.4	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	35	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	11	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,278	487	803	7,468	13,908	1657.1	1618.7	0	3157.3	3168.3	0
..Diseases of the heart (390-398,402,404-429)	1,019	401	656	6,041	11,353	1338.0	1275.9	0	2578.4	2524.3	0
...Heart disease-related (390-398,402,404-429)	1,895	829	1,281	13,656	24,201	2961.4	3092.1	0	5352.8	5467.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	642	226	402	2,640	5,785	661.3	645.5	0	1439.1	1447.8	0
....Congestive heart failure (CHF) (428.0)	35	10	18	167	307	31.0	15.4	0	63.7	38.5	0
..Hypertension with or without renal disease (401,403)	29	10	19	145	293	32.4	21.1	0	67.4	47.2	0
...Hypertension-related (401,403)	272	107	181	1,353	2,798	328.2	391.1	0	677.2	817.8	0
..Cerebrovascular disease (430-438)	170	57	99	990	1,735	219.4	259.1	0	391.1	471.6	0
..Atherosclerosis (440)	14	2	4	15	45	.	.	0	.	.	0
...Atherosclerosis-related (440)	82	10	27	80	273	22.0	44.5	0	72.7	115.6	0
..Aortic aneurysm (441)	21	7	14	88	190	19.5	14.9	0	44.4	37.7	0
Pneumonia & influenza (480-487)	80	30	45	785	1,168	151.4	185.6	0	229.8	296.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	58	24	40	310	640	63.8	73.1	0	140.8	160.4	0
..COPD-related (490-496)	163	52	107	597	1,410	131.9	181.1	0	333.1	404.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	12	9	11	188	293
Chronic liver disease and cirrhosis (571)	42	33	37	528	883	126.6	172.9	0	203.6	269.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	74	31	48	575	962	123.8	77.9	0	208.5	163.4	0
..Nephritis-related (580-589)	355	150	240	2,650	4,575	571.4	642.6	0	1003.7	1127.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	85	35	55	630	1,070	135.3	79.2	0	232.4	167.4	0
Unintentional injuries (E800-E949)	184	158	171	5,328	6,976	915.8	699.2	0	1151.1	902.1	0
..Motor vehicle accidents (E810-E825)	66	61	65	2,390	3,020	379.3	351.8	0	452.8	442.1	0
..Falls and fall related injuries (E880-E888)	12	8	9	140	223	.	35.1	.	.	57.0	.
..Drowning (E830,E832,E910)	15	14	15	600	743	96.0	.	0	111.1	.	0
..Residential fires (E890-E899)	15	10	12	512	622	76.9	.	0	89.9	.	0
Suicide (E950-E959)	31	27	29	858	1,133	140.7	178.4	0	178.2	216.4	0
Homicide and legal intervention (E960-E978)	155	148	152	5,676	7,181	907.9	891.2	0	1080.0	1058.7	0
..Homicide (E960-E969)	154	147	151	5,659	7,154	903.1	891.2	0	1072.9	1058.7	0
All injury (E800-E999)	396	357	377	12,571	16,246	2091.0	1809.5	0	2573.5	2229.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	60	63	2,342	2,955	370.7	351.8	0	441.1	441.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	12	8	8	175	255	.	39.9	.	.	62.6	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	127	123	126	4,895	6,137	786.6	857.0	0	922.5	1006.7	0
....Suicide (E955.0-.4)	19	16	18	535	700	85.4	.	0	106.8	.	0
....Homicide (E965.0-.4)	107	106	107	4,342	5,410	696.4	739.1	0	808.6	867.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	75	73	74	1,960	2,697	378.9	99.6	1	496.5	126.6	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	41	32	37	540	888	130.6	210.0	0	206.8	328.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	72	73	1,912	2,640	372.9	120.1	1	490.1	152.6	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	2,191	1,409	1,811	34,778	50,863	13734.6	13650.8	0	20635.8	20561.4	0
Infectious diseases and parasitic disease (1-139)	283	254	272	6,188	8,818	2634.8	2215.7	0	3638.8	2932.0	0
..Septicemia (038)	49	29	39	592	927	249.3	199.5	0	403.7	329.5	0
...Septicemia-related (038)	157	101	131	1,994	3,139	916.9	758.0	0	1449.4	1209.8	0
..HIV infection (042-044)	212	208	212	5,194	7,299	2226.4	1907.0	0	2998.9	2451.6	0
All cancer (140-208)	451	229	360	2,850	5,757	1536.3	1503.0	0	3139.5	3261.5	0
..Oral cavity or pharynx (140.0-149.9)	21	16	21	170	358	105.7	67.2	0	210.6	154.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	28	10	17	110	253	68.6	147.9	0	151.1	293.4	0
...Colon cancer (153)	23	8	13	75	188	48.4	103.8	0	114.1	222.8	0
...Rectal cancer (154)	5	2	4	35	65	.	.	0	.	.	0
..Pancreatic cancer (157)	12	5	9	63	128	.	74.3	0	.	169.3	0
..Lung and other respiratory cancer (160-165)	158	89	137	853	1,948	492.9	483.9	0	1115.6	1156.4	0
...Lung cancer (162.2-.9)	149	82	128	790	1,810	453.6	435.3	0	1033.9	1058.0	0
..Malignant melanoma of skin (172)	2	1	2	28	40	.	.	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	67	6	33	25	213	16.0	10.7	0	141.8	121.2	0
..Bladder cancer (188)	7	3	6	28	75	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	5	5	5	58	108	.	.	0	.	.	0
..Leukemia (204-208)	10	7	9	128	203	.	.	0	.	.	0
Diabetes mellitus (250)	49	28	41	340	693	189.0	123.5	0	380.7	261.2	0
..Diabetes-related (250)	157	69	120	833	1,760	447.7	438.7	0	967.5	934.1	0
..Diabetic ketoacidosis (DKA) (250.1)	0	.	.	0
Alzheimer's diseases (331.0)	3	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	661	305	481	4,596	8,521	2269.9	2199.2	0	4352.8	4329.5	0
..Diseases of the heart (390-398,402,404-429)	533	248	396	3,616	6,846	1797.0	1731.0	0	3527.8	3457.3	0
...Heart disease-related (390-398,402,404-429)	1,024	526	784	8,434	14,984	4079.0	4107.0	0	7460.7	7269.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	338	144	249	1,700	3,673	948.3	948.2	0	2063.7	2115.2	0
....Congestive heart failure (CHF) (428.0)	14	4	8	40	100	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	13	6	10	105	185	.	.	0	.	.	0
...Hypertension-related (401,403)	125	56	89	800	1,533	405.5	568.7	0	796.3	1108.0	0
..Cerebrovascular disease (430-438)	87	40	59	677	1,160	327.2	362.3	0	574.0	667.4	0
..Atherosclerosis (440)	4	1	1	13	23	.	.	0	.	.	0
...Atherosclerosis-related (440)	28	2	9	35	103	20.2	24.5	0	60.9	99.1	0
..Aortic aneurysm (441)	12	4	8	75	135	.	.	0	.	.	0
Pneumonia & influenza (480-487)	43	19	27	506	741	195.6	281.6	0	302.7	445.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	36	13	23	143	328	64.8	37.4	0	167.1	118.9	0
..COPD-related (490-496)	96	31	65	303	788	159.8	209.0	0	443.9	512.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	6	4	5	80	128
Chronic liver disease and cirrhosis (571)	27	22	24	345	575	183.1	251.2	0	295.1	398.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	40	21	30	425	682	195.9	114.5	0	318.1	219.5	0
..Nephritis-related (580-589)	179	88	135	1,724	2,822	795.2	941.7	0	1328.5	1559.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	23	35	445	735	209.1	117.9	0	352.0	227.1	0
Unintentional injuries (E800-E949)	135	121	130	4,045	5,307	1452.7	1070.3	0	1845.4	1391.6	0
..Motor vehicle accidents (E810-E825)	51	46	50	1,755	2,235	572.2	494.0	0	696.1	616.1	0
..Falls and fall related injuries (E880-E888)	9	8	8	140	220
..Drowning (E830,E832,E910)	14	14	14	600	740
..Residential fires (E890-E899)	9	5	7	276	336
Suicide (E950-E959)	27	24	26	775	1,020	267.6	286.7	0	338.7	348.6	0
Homicide and legal intervention (E960-E978)	130	125	129	4,815	6,090	1565.5	1539.4	0	1870.5	1840.2	0
..Homicide (E960-E969)	129	124	128	4,797	6,062	1554.7	1539.4	0	1854.7	1840.2	0
All injury (E800-E999)	313	290	305	10,248	13,231	3509.7	2972.3	0	4340.8	3679.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	49	45	48	1,708	2,170	555.6	494.0	0	672.6	616.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	8	8	175	255
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	115	118	4,588	5,750	1483.6	1588.8	0	1744.0	1871.3	0
...Suicide (E955.0-.4)	19	16	18	535	700	178.2	.	0	224.6	.	0
...Homicide (E965.0-.4)	99	98	99	4,035	5,023	1294.6	1363.5	0	1503.6	1603.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	57	58	1,505	2,082	634.8	191.5	1	840.1	246.7	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	30	23	27	403	658	219.4	262.7	0	345.7	428.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	58	57	58	1,475	2,052	625.8	184.8	1	834.3	234.4	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
All causes	1,652	760	1,079	18,224	27,402	6337.2	7082.7	0	9657.0	10441.1	0
Infectious diseases and parasitic disease (1-139)	127	101	108	2,741	3,778	926.4	932.7	0	1229.8	1216.9	0
..Septicemia (038)	35	12	17	222	365	84.2	154.4	0	139.5	224.8	0
...Septicemia-related (038)	128	51	76	1,032	1,654	388.2	448.2	0	623.2	663.9	0
..HIV infection (042-044)	80	78	79	2,222	3,005	736.9	652.1	0	948.0	821.6	0
All cancer (140-208)	382	180	278	2,250	4,580	996.0	885.5	0	1990.9	1687.8	0
..Oral cavity or pharynx (140.0-149.9)	3	2	2	35	55	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	14	24	170	370	80.9	72.3	0	168.5	148.7	0
...Colon cancer (153)	35	11	19	138	298	64.0	68.3	0	133.3	140.1	0
...Rectal cancer (154)	5	3	5	33	73	.	.	0	.	.	0
..Pancreatic cancer (157)	22	3	10	28	95	12.5	23.8	0	43.5	66.9	0
..Lung and other respiratory cancer (160-165)	82	39	65	428	973	192.5	162.3	0	429.8	334.4	0
...Lung cancer (162.2-.9)	76	36	59	395	893	175.9	143.7	0	391.7	305.6	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	72	50	62	655	1,210	294.3	286.8	0	524.9	482.9	0
..Cervical cancer (180)	12	9	10	128	225	.	.	0	.	.	0
..Endometrial cancer (182)	6	.	2	0	10	.	.	0	.	.	0
..Ovarian cancer (183)	11	4	8	40	95	.	.	0	.	.	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	9	3	5	23	58	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	5	4	4	60	100	.	.	0	.	.	0
..Leukemia (204-208)	11	11	13	163	283	69.2	.	0	118.3	.	0
Diabetes mellitus (250)	68	25	45	293	618	134.7	95.7	0	279.0	229.8	0
..Diabetes-related (250)	230	70	137	760	1,778	348.9	306.5	0	802.5	778.2	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	35	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	8	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	617	182	322	2,872	5,387	1154.0	1143.9	0	2200.5	2235.6	0
..Diseases of the heart (390-398,402,404-429)	486	153	260	2,425	4,507	963.3	903.8	0	1824.0	1774.5	0
...Heart disease-related (390-398,402,404-429)	871	303	497	5,222	9,217	2036.1	2245.0	0	3651.1	3994.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	304	82	153	940	2,113	430.2	399.3	0	948.0	913.5	0
....Congestive heart failure (CHF) (428.0)	21	6	10	127	207	40.0	.	0	71.1	.	0
..Hypertension with or without renal disease (401,403)	16	4	9	40	108	20.5	.	0	51.5	.	0
...Hypertension-related (401,403)	147	51	92	553	1,265	262.4	242.8	0	578.3	578.9	0
..Cerebrovascular disease (430-438)	83	17	40	313	575	130.2	175.3	0	241.9	315.4	0
...Atherosclerosis (440)	10	1	3	3	23	.	.	0	.	.	0
...Atherosclerosis-related (440)	54	8	18	45	170	23.1	60.6	0	81.9	129.7	0
..Aortic aneurysm (441)	9	3	6	13	55	.	.	0	.	.	0
Pneumonia & influenza (480-487)	37	11	18	280	427	110.5	105.9	0	165.9	174.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	22	11	17	168	313	63.5	102.5	0	121.4	195.5	0
..COPD-related (490-496)	67	21	42	295	622	111.7	154.9	0	250.7	319.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1991-1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1991-1992			Years of life lost, 1991-1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991-1992	1989-1990	Significance	1991-1992	1989-1990	Significance
*****Causes of Death*****											
..Asthma (493)	6	5	6	108	165
Chronic liver disease and cirrhosis (571)	15	11	13	183	308	80.1	109.1	0	128.9	165.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	10	18	150	280	61.3	47.0	0	115.4	116.0	0
..Nephritis-related (580-589)	176	62	105	926	1,754	379.0	394.3	0	729.6	768.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	38	12	20	185	335	72.0	47.0	0	132.6	117.6	0
Unintentional injuries (E800-E949)	49	37	41	1,284	1,669	418.0	354.0	0	517.8	456.2	0
..Motor vehicle accidents (E810-E825)	15	15	15	635	785	194.2	214.9	0	223.6	276.3	0
..Falls and fall related injuries (E880-E888)	3	.	1	0	3
..Drowning (E830,E832,E910)	1	.	1	0	3
..Residential fires (E890-E899)	6	5	5	237	287
Suicide (E950-E959)	4	3	3	83	113
Homicide and legal intervention (E960-E978)	25	23	23	862	1,092	263.0	260.6	0	312.3	305.3	0
..Homicide (E960-E969)	25	23	23	862	1,092	263.0	260.6	0	312.3	305.3	0
All injury (E800-E999)	83	67	72	2,323	3,015	744.8	704.7	0	918.7	870.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	15	15	15	635	785	194.2	214.9	0	223.6	274.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	307	387
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	8	8	8	307	387
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	17	16	16	455	615	157.0	.	.	200.6	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	10	138	230	.	168.0	.	.	248.3	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	16	15	15	438	588	153.7	.	0	194.2	.	0

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).