

# Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1993-1994

Page

## Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1993-1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

## Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1993-1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female				1991-1992 AAMR		
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
All causes	4,269	729.4	742.8	1	695.8	2,425	870.7	1011.1	0	958.9	1,844	601.0	533.2	0	495.8
Infectious diseases and parasitic disease (1-139)	579	98.9	96.5	1	71.7	404	145.1	149.5	1	111.8	175	57.0	52.6	0	38.9
..Septicemia (038)	71	12.1	12.0	0	14.9	28	10.1	12.2	0	21.6	43	14.0	12.0	0	9.9
....Septicemia-related (038)	259	44.3	44.5	0	52.0	125	44.9	54.3	0	70.0	134	43.7	37.8	0	38.0
..HIV infection (042-044)	454	77.6	75.0	1	50.5	340	122.1	123.1	1	81.0	114	37.2	34.8	0	24.9
All cancer (140-208)	871	148.8	164.1	0	163.7	476	170.9	222.6	0	218.1	395	128.7	123.8	0	126.8
..Oral cavity or pharynx (140.0-149.9)	23	3.9	4.4	0	5.1	16	5.7	7.2	0	10.4	7	2.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	82	14.0	15.3	0	12.6	41	14.7	19.5	0	13.6	41	13.4	12.1	0	12.3
....Colon cancer (153)	70	12.0	13.0	0	10.6	33	11.8	15.6	0	11.3	37	12.1	11.0	0	10.3
....Rectal cancer (154)	12	2.1	.	.	.	8	2.9	.	.	.	4	1.3	.	.	.
..Pancreatic cancer (157)	67	11.4	12.3	1	6.4	34	12.2	16.0	1	33	10.8	9.3	.	0	6.4
..Lung and other respiratory cancer (160-165)	215	36.7	42.2	0	49.1	142	51.0	67.2	0	78.1	73	23.8	24.3	0	28.5
....Lung cancer (162.2-.9)	200	34.2	39.2	0	45.9	130	46.7	61.6	0	73.5	70	22.8	23.3	0	26.3
..Malignant melanoma of skin (172)	2	0.3	.	.	.	1	0.4	.	.	.	1	0.3	.	.	.
..Female breast cancer (174)	82	.	.	.	.	.	.	.	.	.	82	26.7	26.2	0	25.5
..Cervical cancer (180)	11	.	.	.	.	.	.	.	.	.	11	3.6	.	.	.
..Endometrial cancer (182)	9	.	.	.	.	.	.	.	.	.	9	2.9	.	.	.
..Ovarian cancer (183)	17	.	.	.	.	.	.	.	.	.	17	5.5	5.7	0	.
..Prostate cancer (185)	72	.	.	.	.	72	25.9	33.3	0	32.6	.	.	.	.	.
..Bladder cancer (188)	17	2.9	2.9	0	3.1	11	3.9	.	.	.	6	2.0	.	.	.
..Brain & other CNS cancer (191-192)	6	1.0	.	.	.	1	0.4	.	.	.	5	1.6	.	.	.
..Leukemia (204-208)	24	4.1	4.1	0	5.4	10	3.6	.	.	.	14	4.6	.	.	5.9
Diabetes mellitus (250)	125	21.4	22.4	0	22.7	57	20.5	25.7	0	23.4	68	22.2	20.4	0	21.7
..Diabetes-related (250)	409	69.9	74.6	0	73.5	182	65.4	83.6	0	76.5	227	74.0	69.1	0	70.5
..Diabetic ketoacidosis (DKA) (250.1)	7	1.2	.	.	.	5	1.8	.	.	.	2	0.7	.	.	.
Alzheimer's diseases (331.0)	14	2.4	.	.	.	5	1.8	.	.	.	9	2.9	.	.	.
Cardiovascular disease (390-459)	1,349	230.5	233.8	0	232.1	668	239.9	301.4	0	312.4	681	222.0	184.4	0	175.2
..Diseases of the heart (390-398,402,404-429)	1,045	178.5	182.0	0	186.7	519	186.4	234.8	0	253.0	526	171.4	144.1	0	139.7
....Heart disease-related (390-398,402,404-429)	2,089	356.9	365.3	0	348.4	1,060	380.6	466.8	0	479.0	1,029	335.4	289.9	0	254.6
....Coronary heart disease (CHD) (402,410-414,429.2)	677	115.7	117.5	0	118.1	338	121.4	155.2	0	162.9	339	110.5	89.8	0	86.4
....Congestive heart failure (CHF) (428.0)	31	5.3	5.3	0	5.9	15	5.4	6.8	0	.	16	5.2	4.5	0	5.8
..Hypertension with or without renal disease (401,403)	22	3.8	4.0	0	5.5	13	4.7	.	.	.	9	2.9	.	.	5.3
....Hypertension-related (401,403)	322	55.0	57.4	0	51.1	143	51.3	65.8	0	59.1	179	58.3	49.9	0	45.9
..Cerebrovascular disease (430-438)	220	37.6	37.6	0	29.8	107	38.4	48.2	0	40.6	113	36.8	29.1	0	22.2
..Atherosclerosis (440)	16	2.7	2.3	0	.	8	2.9	.	.	.	8	2.6	.	.	.
....Atherosclerosis-related (440)	93	15.9	14.4	0	13.1	45	16.2	20.3	0	13.0	48	15.6	10.7	0	13.4
..Aortic aneurysm (441)	18	3.1	3.1	0	3.8	10	3.6	.	.	.	8	2.6	.	.	.
Pneumonia & influenza (480-487)	95	16.2	15.2	0	13.5	55	19.7	22.6	0	19.0	40	13.0	9.6	0	10.0

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.  
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1993-1994*****					*****1993-1994*****					*****1993-1994*****				
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	87	14.9	15.8	0	11.0	51	18.3	22.7	0	17.2	36	11.7	11.2	0	7.3
..COPD-related (490-496)	216	36.9	38.0	0	30.4	120	43.1	53.1	0	46.7	96	31.3	27.9	0	20.0
..Asthma (493)	19	3.2	3.6	0	.	13	4.7	.	0	.	6	2.0	.	0	.
Chronic liver disease and cirrhosis (571)	43	7.3	8.5	0	8.2	22	7.9	10.1	0	12.4	21	6.8	7.4	0	5.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	12.5	12.3	0	13.4	32	11.5	13.6	0	18.2	41	13.4	10.7	0	9.6
..Nephritis-related (580-589)	327	55.9	56.8	0	65.7	170	61.0	71.9	0	81.9	157	51.2	45.4	0	54.0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	87	14.9	14.6	0	15.4	39	14.0	16.4	0	21.7	48	15.6	12.4	0	10.8
Unintentional injuries (E800-E949)	202	34.5	34.8	0	31.6	145	52.1	54.4	0	51.0	57	18.6	17.5	0	14.7
..Motor vehicle accidents (E810-E825)	63	10.8	11.1	0	11.2	48	17.2	18.2	0	18.7	15	4.9	4.9	0	4.8
..Falls and fall related injuries (E880-E888)	13	2.2	.	.	2.5	8	2.9	.	.	5	1.6	.	.	.	
..Drowning (E830,E832,E910)	14	2.4	.	.	2.3	10	3.6	.	.	4	1.3	.	.	.	
..Residential fires (E890-E899)	14	2.4	.	.	5.3	8	2.9	.	.	6	2.0	.	.	.	
Suicide (E950-E959)	37	6.3	6.6	0	5.3	33	11.8	12.4	0	10.0	4	1.3	.	.	.
Homicide and legal intervention (E960-E978)	191	32.6	32.6	0	26.7	153	54.9	54.3	0	46.8	38	12.4	11.6	0	7.6
..Homicide (E960-E969)	190	32.5	32.5	0	26.5	152	54.6	54.0	0	46.4	38	12.4	11.6	0	7.6
All injury (E800-E999)	440	75.2	75.6	0	68.0	339	121.7	124.1	0	115.5	101	32.9	31.1	0	25.2
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	63	10.8	11.1	0	10.8	48	17.2	18.2	0	17.8	15	4.9	4.9	0	4.8
..All falls (E880-E886,E888,E957,E968.1,E987)	13	2.2	.	.	2.3	9	3.2	.	.	4	1.3	.	.	.	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	171	29.2	29.8	0	22.0	153	54.9	55.2	0	42.4	18	5.9	5.5	0	.
....Suicide (E955.0-.4)	19	3.2	3.6	0	3.2	18	6.5	6.9	0	7.1	1	0.3	.	.	.
....Homicide (E965.0-.4)	145	24.8	25.0	0	18.6	128	46.0	45.8	0	34.9	17	5.5	5.1	0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	76	13.0	12.8	0	12.9	56	20.1	20.2	0	21.9	20	6.5	6.4	0	5.2
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	42	7.2	8.1	0	8.1	31	11.1	13.5	0	13.9	11	3.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	12.6	12.2	0	12.8	54	19.4	19.0	0	22.1	20	6.5	6.3	0	4.9

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.  
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1993-1994*****					*****1993-1994*****					*****1993-1994*****				
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
All causes	4,269	729.4	917.3	0	872.1	2,425	870.7	1218.7	0	1185.1	1,844	601.0	692.3	0	648.7
Infectious diseases and parasitic disease (1-139)	579	98.9	91.3	1	70.6	404	145.1	139.0	1	109.6	175	57.0	52.6	0	39.7
..Septicemia (038)	71	12.1	16.6	0	19.9	28	10.1	17.0	0	28.2	43	14.0	16.4	0	14.2
....Septicemia-related (038)	259	44.3	58.4	0	65.8	125	44.9	71.5	0	85.8	134	43.7	49.9	0	50.9
..HIV infection (042-044)	454	77.6	64.6	1	44.2	340	122.1	106.6	1	71.5	114	37.2	29.8	0	21.4
All cancer (140-208)	871	148.8	210.4	0	208.6	476	170.9	289.8	0	284.8	395	128.7	157.5	0	160.4
..Oral cavity or pharynx (140.0-149.9)	23	3.9	4.9	0	5.7	16	5.7	8.0	0	11.5	7	2.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	82	14.0	20.1	0	17.7	41	14.7	24.1	0	19.8	41	13.4	16.6	0	16.8
....Colon cancer (153)	70	12.0	17.1	0	15.3	33	11.8	19.7	0	16.6	37	12.1	15.0	0	14.6
....Rectal cancer (154)	12	2.1	.	.	.	8	2.9	.	.	.	4	1.3	.	.	.
..Pancreatic cancer (157)	67	11.4	16.6	1	9.2	34	12.2	19.9	1	.	33	10.8	13.5	0	9.6
..Lung and other respiratory cancer (160-165)	215	36.7	52.5	0	60.8	142	51.0	84.8	0	98.4	73	23.8	30.2	0	35.2
....Lung cancer (162.2-.9)	200	34.2	48.9	0	57.1	130	46.7	77.9	0	93.2	70	22.8	28.9	0	32.6
..Malignant melanoma of skin (172)	2	0.3	.	.	.	1	0.4	.	.	.	1	0.3	.	.	.
..Female breast cancer (174)	82	.	.	.	.	.	.	.	.	.	82	26.7	30.8	0	29.2
..Cervical cancer (180)	11	.	.	.	.	.	.	.	.	.	11	3.6	.	.	.
..Endometrial cancer (182)	9	.	.	.	.	.	.	.	.	.	9	2.9	.	.	.
..Ovarian cancer (183)	17	.	.	.	.	.	.	.	.	.	17	5.5	7.3	0	.
..Prostate cancer (185)	72	.	.	.	.	72	25.9	52.6	0	53.0	.	.	.	.	.
..Bladder cancer (188)	17	2.9	4.4	0	4.3	11	3.9	.	.	.	6	2.0	.	.	.
..Brain & other CNS cancer (191-192)	6	1.0	.	.	.	1	0.4	.	.	.	5	1.6	.	.	.
..Leukemia (204-208)	24	4.1	5.2	0	6.6	10	3.6	.	.	.	14	4.6	.	.	7.2
Diabetes mellitus (250)	125	21.4	30.9	0	29.7	57	20.5	35.3	0	29.5	68	22.2	28.5	0	29.1
..Diabetes-related (250)	409	69.9	102.2	0	100.6	182	65.4	116.0	0	101.4	227	74.0	94.3	0	98.2
..Diabetic ketoacidosis (DKA) (250.1)	7	1.2	.	.	.	5	1.8	.	.	.	2	0.7	.	.	.
Alzheimer's diseases (331.0)	14	2.4	.	.	.	5	1.8	.	.	.	9	2.9	.	.	.
Cardiovascular disease (390-459)	1,349	230.5	327.5	0	323.6	668	239.9	409.9	0	427.2	681	222.0	269.4	0	254.3
..Diseases of the heart (390-398,402,404-429)	1,045	178.5	254.7	0	257.5	519	186.4	320.7	0	343.0	526	171.4	209.2	0	199.9
....Heart disease-related (390-398,402,404-429)	2,089	356.9	488.4	0	467.6	1,060	380.6	607.8	0	633.7	1,029	335.4	403.0	0	355.0
....Coronary heart disease (CHD) (402,410-414,429.2)	677	115.7	168.7	0	166.5	338	121.4	214.5	0	224.2	339	110.5	136.1	0	127.7
....Congestive heart failure (CHF) (428.0)	31	5.3	7.9	0	9.3	15	5.4	10.7	0	.	16	5.2	6.5	0	8.9
..Hypertension with or without renal disease (401,403)	22	3.8	5.3	0	7.4	13	4.7	.	.	.	9	2.9	.	.	7.2
....Hypertension-related (401,403)	322	55.0	78.0	0	69.5	143	51.3	83.8	0	81.2	179	58.3	71.2	0	62.7
..Cerebrovascular disease (430-438)	220	37.6	52.9	0	43.3	107	38.4	63.5	0	57.1	113	36.8	43.9	0	34.3
..Atherosclerosis (440)	16	2.7	4.2	0	.	8	2.9	.	.	.	8	2.6	.	.	.
....Atherosclerosis-related (440)	93	15.9	24.4	0	22.6	45	16.2	33.7	0	22.9	48	15.6	18.9	0	22.7
..Aortic aneurysm (441)	18	3.1	4.3	0	5.4	10	3.6	.	.	.	8	2.6	.	.	.
Pneumonia & influenza (480-487)	95	16.2	20.2	0	19.6	55	19.7	29.3	0	28.4	40	13.0	13.9	0	14.5

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.  
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1993-1994*****					*****1993-1994*****					*****1993-1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1991- 1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991- 1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991- 1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	87	14.9	21.3	0	14.7	51	18.3	32.0	0	25.0	36	11.7	14.8	0	8.9
..COPD-related (490-496)	216	36.9	53.0	0	42.5	120	43.1	75.9	0	66.9	96	31.3	39.3	0	27.9
..Asthma (493)	19	3.2	3.8	0	.	13	4.7	.	0	.	6	2.0	.	0	.
Chronic liver disease and cirrhosis (571)	43	7.3	9.3	0	9.0	22	7.9	11.5	0	13.6	21	6.8	7.9	0	5.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	12.5	17.2	0	18.0	32	11.5	16.8	0	23.2	41	13.4	16.5	0	13.9
..Nephritis-related (580-589)	327	55.9	73.5	0	87.1	170	61.0	90.6	0	106.9	157	51.2	61.7	0	73.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	87	14.9	20.0	0	20.8	39	14.0	19.6	0	28.3	48	15.6	19.0	0	15.5
Unintentional injuries (E800-E949)	202	34.5	34.9	0	32.1	145	52.1	53.2	0	51.5	57	18.6	18.8	0	15.9
..Motor vehicle accidents (E810-E825)	63	10.8	10.8	0	10.9	48	17.2	17.6	0	18.7	15	4.9	4.7	0	4.5
..Falls and fall related injuries (E880-E888)	13	2.2	.	.	.	8	2.9	.	.	.	5	1.6	.	.	.
..Drowning (E830,E832,E910)	14	2.4	.	.	2.5	10	3.6	.	.	.	4	1.3	.	.	.
..Residential fires (E890-E899)	14	2.4	.	.	2.9	8	2.9	.	.	.	6	2.0	.	.	.
Suicide (E950-E959)	37	6.3	6.2	0	5.1	33	11.8	11.7	0	9.6	4	1.3	.	.	.
Homicide and legal intervention (E960-E978)	191	32.6	29.5	0	24.7	153	54.9	49.0	0	43.5	38	12.4	10.5	0	7.0
..Homicide (E960-E969)	190	32.5	29.4	0	24.5	152	54.6	48.7	0	43.0	38	12.4	10.5	0	7.0
All injury (E800-E999)	440	75.2	71.9	0	66.1	339	121.7	116.5	0	111.7	101	32.9	30.9	0	25.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	63	10.8	10.8	0	10.4	48	17.2	17.6	0	17.7	15	4.9	4.7	0	4.5
..All falls (E880-E886,E888,E957,E968.1,E987)	13	2.2	.	.	.	9	3.2	.	.	.	4	1.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	171	29.2	27.1	0	20.3	153	54.9	50.5	0	39.3	18	5.9	4.7	0	.
....Suicide (E955.0-.4)	19	3.2	3.3	0	3.1	18	6.5	6.5	0	7.1	1	0.3	.	.	.
....Homicide (E965.0-.4)	145	24.8	22.5	0	16.9	128	46.0	41.5	0	31.8	17	5.5	4.2	0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	76	13.0	11.2	0	11.3	56	20.1	17.6	0	19.0	20	6.5	5.7	0	4.6
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	42	7.2	8.3	0	8.8	31	11.1	13.8	0	15.0	11	3.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	12.6	10.3	0	11.2	54	19.4	15.9	0	19.4	20	6.5	5.5	0	4.2

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.  
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1993-1994*****					*****1993-1994*****					*****1993-1994*****				
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
All causes	4,269	729.4	1166.8	0	1115.9	2,425	870.7	1529.7	0	1506.0	1,844	601.0	904.3	0	851.6
Infectious diseases and parasitic disease (1-139)	579	98.9	116.1	1	88.9	404	145.1	177.3	1	138.6	175	57.0	66.3	0	50.5
..Septicemia (038)	71	12.1	22.8	0	27.1	28	10.1	23.6	0	38.1	43	14.0	22.4	0	20.1
....Septicemia-related (038)	259	44.3	79.1	0	86.8	125	44.9	96.6	0	111.5	134	43.7	68.1	0	69.0
..HIV infection (042-044)	454	77.6	80.9	1	54.4	340	122.1	134.3	1	88.4	114	37.2	36.5	0	25.8
All cancer (140-208)	871	148.8	258.3	0	257.2	476	170.9	354.5	0	358.4	395	128.7	196.4	0	197.1
..Oral cavity or pharynx (140.0-149.9)	23	3.9	6.0	0	6.2	16	5.7	9.5	0	12.3	7	2.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	82	14.0	25.3	0	23.9	41	14.7	28.5	0	27.4	41	13.4	21.9	0	22.4
....Colon cancer (153)	70	12.0	21.6	0	21.0	33	11.8	23.6	0	22.8	37	12.1	19.5	0	20.0
....Rectal cancer (154)	12	2.1	.	.	.	8	2.9	.	.	.	4	1.3	.	.	.
..Pancreatic cancer (157)	67	11.4	21.1	0	12.3	34	12.2	23.2	0	.	33	10.8	18.2	0	13.0
..Lung and other respiratory cancer (160-165)	215	36.7	61.0	0	70.5	142	51.0	99.2	0	116.1	73	23.8	35.6	0	40.8
....Lung cancer (162.2-.9)	200	34.2	56.8	0	66.5	130	46.7	91.1	0	110.5	70	22.8	34.1	0	38.0
..Malignant melanoma of skin (172)	2	0.3	.	.	.	1	0.4	.	.	.	1	0.3	.	.	.
..Female breast cancer (174)	82	.	.	.	.	.	.	.	.	.	82	26.7	38.9	0	34.2
..Cervical cancer (180)	11	.	.	.	.	.	.	.	.	.	11	3.6	.	.	.
..Endometrial cancer (182)	9	.	.	.	.	.	.	.	.	.	9	2.9	.	.	.
..Ovarian cancer (183)	17	.	.	.	.	.	.	.	.	.	17	5.5	8.3	0	.
..Prostate cancer (185)	72	.	.	.	.	72	25.9	74.2	0	77.3	.	.	.	.	.
..Bladder cancer (188)	17	2.9	5.9	0	5.6	11	3.9	.	.	.	6	2.0	.	.	.
..Brain & other CNS cancer (191-192)	6	1.0	.	.	.	1	0.4	.	.	.	5	1.6	.	.	.
..Leukemia (204-208)	24	4.1	6.7	0	7.7	10	3.6	.	.	.	14	4.6	.	.	8.3
Diabetes mellitus (250)	125	21.4	40.2	0	37.5	57	20.5	47.4	0	36.3	68	22.2	36.3	0	37.6
..Diabetes-related (250)	409	69.9	131.5	0	130.9	182	65.4	152.6	0	127.1	227	74.0	120.0	0	129.8
..Diabetic ketoacidosis (DKA) (250.1)	7	1.2	.	.	.	5	1.8	.	.	.	2	0.7	.	.	.
Alzheimer's diseases (331.0)	14	2.4	.	.	.	5	1.8	.	.	.	9	2.9	.	.	.
Cardiovascular disease (390-459)	1,349	230.5	444.3	0	440.7	668	239.9	542.5	0	571.3	681	222.0	377.1	0	357.2
..Diseases of the heart (390-398,402,404-429)	1,045	178.5	343.5	0	346.1	519	186.4	424.7	0	452.5	526	171.4	289.7	0	277.7
....Heart disease-related (390-398,402,404-429)	2,089	356.9	648.4	0	622.0	1,060	380.6	793.9	0	831.4	1,029	335.4	546.6	0	486.7
....Coronary heart disease (CHD) (402,410-414,429.2)	677	115.7	230.3	0	225.9	338	121.4	283.5	0	297.5	339	110.5	193.4	0	179.9
....Congestive heart failure (CHF) (428.0)	31	5.3	11.0	0	13.5	15	5.4	15.6	0	.	16	5.2	8.8	0	12.4
..Hypertension with or without renal disease (401,403)	22	3.8	6.6	0	9.5	13	4.7	.	.	.	9	2.9	.	.	8.9
....Hypertension-related (401,403)	322	55.0	102.8	0	91.4	143	51.3	103.8	0	109.0	179	58.3	98.0	0	81.9
..Cerebrovascular disease (430-438)	220	37.6	73.1	0	62.0	107	38.4	82.3	0	80.0	113	36.8	64.3	0	50.7
..Atherosclerosis (440)	16	2.7	6.9	0	.	8	2.9	.	.	.	8	2.6	.	.	.
....Atherosclerosis-related (440)	93	15.9	37.1	0	35.4	45	16.2	50.3	0	36.8	48	15.6	29.9	0	35.1
..Aortic aneurysm (441)	18	3.1	5.7	0	7.2	10	3.6	.	.	.	8	2.6	.	.	.
Pneumonia & influenza (480-487)	95	16.2	29.4	0	28.2	55	19.7	41.6	0	41.2	40	13.0	21.4	0	21.4

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.  
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1993-1994*****				*****1993-1994*****				*****1993-1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991-1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	87	14.9	26.9	0	18.4	51	18.3	42.2	0	33.7	36	11.7	18.3	0	10.7
..COPD-related (490-496)	216	36.9	70.2	0	55.7	120	43.1	103.5	0	89.0	96	31.3	52.1	0	36.9
..Asthma (493)	19	3.2	4.1	0	.	13	4.7	.	0	.	6	2.0	.	0	.
Chronic liver disease and cirrhosis (571)	43	7.3	10.8	0	10.8	22	7.9	13.6	0	16.1	21	6.8	9.2	0	6.7
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	12.5	23.6	0	24.4	32	11.5	21.4	0	29.9	41	13.4	23.4	0	19.7
..Nephritis-related (580-589)	327	55.9	97.0	0	115.0	170	61.0	121.1	0	141.7	157	51.2	81.2	0	97.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	87	14.9	27.5	0	28.2	39	14.0	25.0	0	37.0	48	15.6	27.0	0	21.8
Unintentional injuries (E800-E949)	202	34.5	39.5	0	36.8	145	52.1	59.4	0	58.7	57	18.6	22.0	0	19.2
..Motor vehicle accidents (E810-E825)	63	10.8	10.8	0	10.6	48	17.2	17.6	0	19.1	15	4.9	4.8	0	4.0
..Falls and fall related injuries (E880-E888)	13	2.2	.	.	.	8	2.9	.	.	.	5	1.6	.	.	.
..Drowning (E830,E832,E910)	14	2.4	.	.	2.3	10	3.6	.	.	.	4	1.3	.	.	.
..Residential fires (E890-E899)	14	2.4	.	.	3.7	8	2.9	.	.	.	6	2.0	.	.	.
Suicide (E950-E959)	37	6.3	6.2	0	5.9	33	11.8	12.0	0	10.9	4	1.3	.	.	.
Homicide and legal intervention (E960-E978)	191	32.6	28.3	0	24.0	153	54.9	46.3	0	41.3	38	12.4	11.1	0	7.8
..Homicide (E960-E969)	190	32.5	28.2	0	23.8	152	54.6	46.1	0	40.8	38	12.4	11.1	0	7.8
All injury (E800-E999)	440	75.2	75.8	0	71.7	339	121.7	121.1	0	119.8	101	32.9	34.8	0	30.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	63	10.8	10.8	0	10.2	48	17.2	17.6	0	18.2	15	4.9	4.8	0	4.0
..All falls (E880-E886,E888,E957,E968.1,E987)	13	2.2	.	.	.	9	3.2	.	.	.	4	1.3	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	171	29.2	25.4	0	19.0	153	54.9	47.4	0	36.9	18	5.9	4.8	0	.
....Suicide (E955.0-.4)	19	3.2	3.0	0	3.5	18	6.5	5.9	0	8.0	1	0.3	.	.	.
....Homicide (E965.0-.4)	145	24.8	21.3	0	15.2	128	46.0	39.2	0	28.3	17	5.5	4.5	0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	76	13.0	13.8	0	14.0	56	20.1	21.9	0	23.6	20	6.5	7.0	0	5.8
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	42	7.2	9.5	0	10.6	31	11.1	16.1	0	18.3	11	3.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	12.6	13.2	0	14.0	54	19.4	20.7	0	23.9	20	6.5	6.8	0	5.5

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993-1994 AAMR is significantly different (prob<0.05) from the 1991-1992 AAMR.  
 0 - The 1993-1994 AAMR is not significantly different (prob>0.05) from the 1991-1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	4,269	2,442	3,214	60,845	89,150	10775.0	9435.0	1	15597.6	13907.2	1
Infectious diseases and parasitic disease (1-139)	579	518	547	13,416	18,744	2294.1	1566.7	1	3095.4	2150.2	1
..Septicemia (038)	71	29	45	473	843	86.8	143.9	0	155.8	231.1	0
...Septicemia-related (038)	259	122	176	2,257	3,737	416.8	557.5	0	684.0	879.3	0
..HIV infection (042-044)	454	446	454	11,850	16,355	2018.5	1299.4	1	2678.1	1744.5	1
All cancer (140-208)	871	411	649	5,307	10,617	1072.3	1055.1	0	2124.7	2128.2	0
..Oral cavity or pharynx (140.0-149.9)	23	16	20	285	465	59.9	46.0	0	93.7	89.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	82	36	58	395	860	83.1	61.7	0	176.7	133.6	0
...Colon cancer (153)	70	30	49	335	728	69.5	46.6	0	148.3	104.0	0
...Rectal cancer (154)	12	6	9	60	133	.	.	.	.	.	.
..Pancreatic cancer (157)	67	30	48	280	655	58.3	20.0	0	135.2	47.9	1
..Lung and other respiratory cancer (160-165)	215	103	173	1,033	2,463	217.6	274.7	0	509.4	619.4	0
...Lung cancer (162.2-.9)	200	95	161	943	2,273	198.3	252.6	0	470.0	571.1	0
..Malignant melanoma of skin (172)	2	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	82	51	64	793	1,355	.	.	.	.	.	.
..Cervical cancer (180)	11	6	8	110	180	.	.	.	.	.	.
..Endometrial cancer (182)	9	5	6	23	75	.	.	.	.	.	.
..Ovarian cancer (183)	17	8	13	90	198	.	.	.	.	.	.
..Prostate cancer (185)	72	9	33	68	278	.	.	.	.	.	.
..Bladder cancer (188)	17	2	10	15	80	3.5	12.2	0	17.0	30.4	0
..Brain & other CNS cancer (191-192)	6	2	5	115	148	.	.	.	.	.	.
..Leukemia (204-208)	24	12	15	387	525	70.0	58.4	0	91.6	97.1	0
Diabetes mellitus (250)	125	43	84	523	1,155	104.1	133.0	0	230.4	272.6	0
..Diabetes-related (250)	409	138	275	1,545	3,578	318.4	332.6	0	728.4	735.6	0
..Diabetic ketoacidosis (DKA) (250.1)	7	4	5	70	118	.	.	.	.	.	.
Alzheimer's diseases (331.0)	14	2	4	45	70	.	.	.	.	.	.
Cardiovascular disease (390-459)	1,349	499	818	7,166	13,813	1401.2	1462.3	0	2699.5	2743.6	0
..Diseases of the heart (390-398,402,404-429)	1,045	392	634	5,436	10,631	1066.3	1185.6	0	2087.3	2247.3	0
...Heart disease-related (390-398,402,404-429)	2,089	919	1,380	16,032	27,559	2985.1	2618.0	0	5137.4	4676.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	677	222	390	2,442	5,522	501.6	561.2	0	1124.2	1215.2	0
....Congestive heart failure (CHF) (428.0)	31	10	15	127	250	24.2	30.5	0	49.2	58.7	0
..Hypertension with or without renal disease (401,403)	22	10	16	115	250	22.8	28.8	0	49.9	58.4	0
...Hypertension-related (401,403)	322	126	206	1,575	3,290	315.6	278.4	0	655.3	573.5	0
..Cerebrovascular disease (430-438)	220	75	133	1,240	2,270	240.5	191.9	0	436.7	336.7	0
..Atherosclerosis (440)	16	1	4	3	20	0.6	.	0	4.4	.	0
...Atherosclerosis-related (440)	93	9	35	43	238	9.6	18.0	0	50.7	59.3	0
..Aortic aneurysm (441)	18	4	12	70	165	13.7	16.9	0	32.6	37.6	0
Pneumonia & influenza (480-487)	95	48	58	1,151	1,676	199.8	139.4	0	285.6	207.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	87	31	58	575	1,027	110.1	58.6	0	197.2	125.0	0
..COPD-related (490-496)	216	72	131	1,207	2,215	229.1	117.2	1	422.0	285.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).



CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Signif-icance	1993-1994	1991-1992	Signif-icance
*****Causes of Death*****											
..Asthma (493)	19	15	18	403	565	75.7	.	0	103.1	.	0
Chronic liver disease and cirrhosis (571)	43	33	40	453	815	92.1	104.8	0	162.1	172.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	27	44	542	894	94.8	106.3	0	158.5	178.7	0
..Nephritis-related (580-589)	327	154	229	3,146	5,029	553.3	500.9	0	885.9	870.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	87	36	53	759	1,197	132.5	116.9	0	209.5	199.8	0
Unintentional injuries (E800-E949)	202	175	190	5,609	7,431	995.1	948.6	0	1268.8	1194.0	0
..Motor vehicle accidents (E810-E825)	63	58	60	2,075	2,670	387.9	430.2	0	476.2	518.5	0
..Falls and fall related injuries (E880-E888)	13	7	10	188	275	.	.	.	.	.	.
..Drowning (E830,E832,E910)	14	14	14	593	733	.	108.3	.	.	127.4	.
..Residential fires (E890-E899)	14	10	13	284	392	.	80.7	.	.	94.6	.
Suicide (E950-E959)	37	36	36	1,210	1,570	230.6	148.7	0	285.0	188.6	0
Homicide and legal intervention (E960-E978)	191	186	189	7,302	9,170	1347.5	1042.0	0	1606.2	1254.7	0
..Homicide (E960-E969)	190	185	188	7,270	9,127	1342.6	1038.0	0	1600.0	1248.8	0
All injury (E800-E999)	440	406	425	14,368	18,516	2614.8	2259.7	0	3215.6	2794.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	63	58	60	2,075	2,670	387.9	419.8	0	476.2	504.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	13	7	10	178	265	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	171	169	170	6,575	8,267	1243.1	913.6	0	1483.4	1087.7	0
....Suicide (E955.0-.4)	19	19	19	718	908	143.4	92.0	0	172.6	115.4	0
....Homicide (E965.0-.4)	145	143	144	5,560	6,992	1042.9	817.6	0	1244.1	966.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	76	74	76	1,966	2,721	336.4	346.5	0	449.2	459.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	42	35	42	625	1,017	119.8	109.3	0	191.3	175.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	74	74	1,920	2,660	329.0	339.2	0	437.3	450.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	2,425	1,583	2,019	40,043	58,108	15024.3	13151.0	1	21767.3	19419.1	1
Infectious diseases and parasitic disease (1-139)	404	375	392	9,534	13,361	3512.5	2355.4	1	4767.8	3284.1	1
..Septicemia (038)	28	13	20	193	350	76.0	222.8	1	142.3	357.8	1
...Septicemia-related (038)	125	67	94	1,130	1,912	449.9	797.0	1	770.5	1260.9	1
..HIV infection (042-044)	340	333	340	8,612	11,979	3166.0	1979.0	1	4250.3	2700.9	1
All cancer (140-208)	476	220	369	2,622	5,615	1199.4	1304.8	0	2575.8	2661.2	0
..Oral cavity or pharynx (140.0-149.9)	16	11	14	208	335	94.8	87.0	0	148.2	177.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	22	34	245	520	118.2	56.2	0	245.4	125.5	0
...Colon cancer (153)	33	17	26	188	400	89.0	40.3	0	186.9	96.1	0
...Rectal cancer (154)	8	5	8	58	120	.	.	.	.	.	.
..Pancreatic cancer (157)	34	19	29	208	443	93.3	.	0	201.1	.	1
..Lung and other respiratory cancer (160-165)	142	67	118	648	1,615	312.5	412.0	0	767.0	937.9	0
...Lung cancer (162.2-.9)	130	61	108	578	1,465	278.9	379.4	0	696.9	869.0	0
..Malignant melanoma of skin (172)	1	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	72	9	33	68	278	36.0	13.8	0	138.2	110.4	0
..Bladder cancer (188)	11	1	9	3	58	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	58	68	.	.	.	.	.	.
..Leukemia (204-208)	10	5	6	175	232	.	.	.	.	.	.
Diabetes mellitus (250)	57	24	42	345	665	145.5	156.0	0	285.5	319.4	0
..Diabetes-related (250)	182	64	130	780	1,735	347.6	378.0	0	781.9	812.1	0
..Diabetic ketoacidosis (DKA) (250.1)	5	3	4	68	105	.	.	.	.	.	.
Alzheimer's diseases (331.0)	5	1	2	8	20	.	.	.	.	.	.
Cardiovascular disease (390-459)	668	305	483	4,393	8,373	1885.5	1986.0	0	3649.5	3761.8	0
..Diseases of the heart (390-398,402,404-429)	519	238	370	3,213	6,293	1388.5	1574.3	0	2766.1	3048.4	0
...Heart disease-related (390-398,402,404-429)	1,060	559	805	9,902	16,762	3973.7	3555.1	0	6839.0	6454.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	338	146	239	1,610	3,543	743.6	798.6	0	1635.9	1733.8	0
....Congestive heart failure (CHF) (428.0)	15	5	7	33	93	17.3	.	0	46.8	.	0
..Hypertension with or without renal disease (401,403)	13	7	11	93	188	.	.	.	.	.	.
...Hypertension-related (401,403)	143	74	116	885	1,870	407.2	351.0	0	855.3	683.9	0
..Cerebrovascular disease (430-438)	107	48	83	852	1,500	358.5	286.4	0	636.4	498.2	0
..Atherosclerosis (440)	8	.	1	0	3	.	.	.	.	.	.
...Atherosclerosis-related (440)	45	6	22	20	145	10.8	15.9	0	73.0	48.5	0
..Aortic aneurysm (441)	10	3	8	63	125	.	.	.	.	.	.
Pneumonia & influenza (480-487)	55	34	41	779	1,147	299.9	181.7	0	437.0	275.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	51	18	33	385	648	155.4	59.9	0	266.5	147.2	0
..COPD-related (490-496)	120	45	78	813	1,440	330.3	139.0	1	598.7	374.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	13	10	12	325	435	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	22	16	21	210	393	94.7	152.3	0	175.3	250.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	32	18	26	367	597	138.5	167.5	0	230.0	272.7	0
..Nephritis-related (580-589)	170	99	134	2,086	3,233	795.6	690.5	0	1239.1	1145.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	39	24	32	507	797	191.7	178.6	0	303.9	300.3	0
Unintentional injuries (E800-E949)	145	132	142	4,206	5,576	1552.3	1498.3	0	1993.5	1903.9	0
..Motor vehicle accidents (E810-E825)	48	45	47	1,558	2,023	596.1	648.4	0	745.0	792.4	0
..Falls and fall related injuries (E880-E888)	8	5	7	113	173	.	.	.	.	.	.
..Drowning (E830,E832,E910)	10	10	10	389	489	.	.	.	.	.	.
..Residential fires (E890-E899)	8	7	8	180	252	.	.	.	.	.	.
Suicide (E950-E959)	33	32	32	1,080	1,400	419.6	279.8	0	521.0	354.7	0
Homicide and legal intervention (E960-E978)	153	151	152	5,954	7,466	2259.7	1809.5	0	2694.4	2185.5	0
..Homicide (E960-E969)	152	150	151	5,921	7,424	2249.2	1800.7	0	2681.2	2172.3	0
All injury (E800-E999)	339	322	334	11,422	14,702	4300.3	3804.7	0	5303.0	4723.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	48	45	47	1,558	2,023	596.1	628.2	0	745.0	765.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	6	8	140	210	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	153	151	152	5,893	7,405	2270.0	1730.8	0	2713.8	2064.2	0
....Suicide (E955.0-.4)	18	18	18	670	850	267.4	191.0	0	324.3	240.7	0
....Homicide (E965.0-.4)	128	126	127	4,925	6,188	1889.1	1530.9	0	2255.6	1810.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	56	54	56	1,501	2,056	542.8	573.1	0	719.7	767.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	31	25	31	470	755	195.7	181.3	0	310.9	290.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	54	54	54	1,425	1,965	521.9	563.6	0	690.6	760.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Signif-icance	1993-1994	1991-1992	Signif-icance
*****Causes of Death*****											
All causes	1,844	859	1,195	20,803	31,043	6970.7	6091.3	0	10204.9	9082.3	0
Infectious diseases and parasitic disease (1-139)	175	143	155	3,883	5,383	1257.1	888.6	0	1678.1	1184.9	0
..Septicemia (038)	43	16	25	280	493	97.7	75.3	0	169.4	123.9	0
...Septicemia-related (038)	134	55	82	1,128	1,825	397.0	354.5	0	623.9	561.2	0
..HIV infection (042-044)	114	113	114	3,239	4,376	1039.2	715.2	0	1342.3	928.6	0
All cancer (140-208)	395	191	280	2,685	5,002	980.1	849.5	0	1785.7	1702.4	0
..Oral cavity or pharynx (140.0-149.9)	7	5	6	78	130	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	14	24	150	340	55.6	66.4	0	123.8	140.5	0
...Colon cancer (153)	37	13	23	148	328	54.6	52.3	0	118.7	111.0	0
...Rectal cancer (154)	4	1	1	3	13	.	.	.	.	.	.
..Pancreatic cancer (157)	33	11	19	73	213	29.5	9.8	0	82.2	34.6	0
..Lung and other respiratory cancer (160-165)	73	36	55	385	848	142.9	163.6	0	309.1	366.2	0
...Lung cancer (162.2-.9)	70	34	53	365	808	135.2	149.9	0	294.2	334.7	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	82	51	64	793	1,355	284.9	247.0	0	473.2	448.3	0
..Cervical cancer (180)	11	6	8	110	180	.	.	.	.	.	.
..Endometrial cancer (182)	9	5	6	23	75	.	.	.	.	.	.
..Ovarian cancer (183)	17	8	13	90	198	38.9	.	0	79.0	.	0
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	6	1	1	13	23	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	5	1	4	58	80	.	.	.	.	.	.
..Leukemia (204-208)	14	7	9	213	293	.	61.9	.	.	105.8	.
Diabetes mellitus (250)	68	19	42	178	490	70.9	113.8	0	186.3	234.1	0
..Diabetes-related (250)	227	74	145	765	1,843	297.5	293.4	0	689.2	671.4	0
...Diabetic ketoacidosis (DKA) (250.1)	2	1	1	3	13	.	.	.	.	.	.
Alzheimer's diseases (331.0)	9	1	2	38	50	.	.	.	.	.	.
Cardiovascular disease (390-459)	681	194	335	2,773	5,441	1007.4	1031.3	0	1941.7	1924.2	0
..Diseases of the heart (390-398,402,404-429)	526	154	264	2,223	4,338	814.9	867.8	0	1558.4	1607.4	0
...Heart disease-related (390-398,402,404-429)	1,029	360	575	6,130	10,798	2168.1	1840.7	0	3755.9	3234.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	339	76	151	832	1,980	306.7	371.1	0	719.0	806.9	0
....Congestive heart failure (CHF) (428.0)	16	5	8	95	157	32.1	43.0	0	53.8	71.1	0
..Hypertension with or without renal disease (401,403)	9	3	5	23	63	.	17.0	.	.	42.6	.
...Hypertension-related (401,403)	179	52	90	690	1,420	243.4	216.1	0	498.6	480.7	0
..Cerebrovascular disease (430-438)	113	27	50	388	770	137.1	113.4	0	268.6	204.5	0
..Atherosclerosis (440)	8	1	3	3	18	.	.	.	.	.	.
...Atherosclerosis-related (440)	48	3	13	23	93	8.8	19.5	0	34.1	67.9	0
..Aortic aneurysm (441)	8	1	4	8	40	.	.	.	.	.	.
Pneumonia & influenza (480-487)	40	14	17	372	530	114.7	99.9	0	159.3	147.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	36	13	25	190	380	66.6	57.8	0	133.7	108.6	0
..COPD-related (490-496)	96	27	53	395	775	138.5	102.0	0	270.7	219.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	6	5	6	78	130	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	21	17	19	243	423	90.1	65.5	0	152.2	108.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	41	9	18	175	297	59.3	52.7	0	100.5	98.3	0
..Nephritis-related (580-589)	157	55	95	1,061	1,796	351.0	337.5	0	593.3	637.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	48	12	21	252	400	84.4	63.5	0	132.6	115.5	0
Unintentional injuries (E800-E949)	57	43	48	1,403	1,855	477.5	431.7	0	605.4	536.2	0
..Motor vehicle accidents (E810-E825)	15	13	13	518	648	189.1	219.0	0	223.8	257.0	0
..Falls and fall related injuries (E880-E888)	5	2	3	75	103	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	204	244	.	.	.	.	.	.
..Residential fires (E890-E899)	6	3	5	105	140	.	.	.	.	.	.
Suicide (E950-E959)	4	4	4	130	170	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	38	35	37	1,349	1,704	448.7	284.6	0	537.7	343.1	0
..Homicide (E960-E969)	38	35	37	1,349	1,704	448.7	284.6	0	537.7	343.1	0
All injury (E800-E999)	101	84	91	2,946	3,814	993.1	776.5	0	1225.9	963.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	15	13	13	518	648	189.1	219.0	0	223.8	257.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	1	2	38	55	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	18	18	18	682	862	230.6	.	0	276.0	.	0
....Suicide (E955.0-.4)	1	1	1	48	58	.	.	.	.	.	.
....Homicide (E965.0-.4)	17	17	17	635	805	209.3	.	0	251.4	.	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	20	20	20	465	665	153.2	148.5	0	211.2	191.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	10	11	155	263	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	20	20	20	495	695	161.4	143.1	0	217.7	182.9	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	4,269	2,442	3,214	60,845	89,150	10373.2	9109.3	1	15243.7	13680.6	1
Infectious diseases and parasitic disease (1-139)	579	518	547	13,416	18,744	1992.4	1358.4	1	2686.7	1877.3	1
..Septicemia (038)	71	29	45	473	843	81.3	133.6	0	155.3	224.1	0
...Septicemia-related (038)	259	122	176	2,257	3,737	384.5	513.2	0	660.3	840.4	0
..HIV infection (042-044)	454	446	454	11,850	16,355	1731.5	1111.7	1	2283.3	1491.0	1
All cancer (140-208)	871	411	649	5,307	10,617	1077.0	1035.9	0	2235.9	2214.1	0
..Oral cavity or pharynx (140.0-149.9)	23	16	20	285	465	59.3	46.9	0	92.8	93.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	82	36	58	395	860	84.0	62.3	0	187.7	141.6	0
...Colon cancer (153)	70	30	49	335	728	69.8	47.1	0	157.0	110.8	0
...Rectal cancer (154)	12	6	9	60	133	.	.	.	.	.	.
..Pancreatic cancer (157)	67	30	48	280	655	59.1	20.4	0	145.8	52.3	1
..Lung and other respiratory cancer (160-165)	215	103	173	1,033	2,463	221.3	274.7	0	549.1	660.5	0
...Lung cancer (162.2-.9)	200	95	161	943	2,273	201.8	251.9	0	507.6	608.7	0
..Malignant melanoma of skin (172)	2	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	82	51	64	793	1,355	.	.	.	.	.	.
..Cervical cancer (180)	11	6	8	110	180	.	.	.	.	.	.
..Endometrial cancer (182)	9	5	6	23	75	.	.	.	.	.	.
..Ovarian cancer (183)	17	8	13	90	198	.	.	.	.	.	.
..Prostate cancer (185)	72	9	33	68	278	.	.	.	.	.	.
..Bladder cancer (188)	17	2	10	15	80	3.7	13.3	0	20.0	33.9	0
..Brain & other CNS cancer (191-192)	6	2	5	115	148	.	.	.	.	.	.
..Leukemia (204-208)	24	12	15	387	525	65.8	62.3	0	85.8	104.1	0
Diabetes mellitus (250)	125	43	84	523	1,155	103.7	130.5	0	246.4	284.1	0
..Diabetes-related (250)	409	138	275	1,545	3,578	320.5	326.7	0	785.2	779.1	0
..Diabetic ketoacidosis (DKA) (250.1)	7	4	5	70	118	.	.	.	.	.	.
Alzheimer's diseases (331.0)	14	2	4	45	70	.	.	.	.	.	.
Cardiovascular disease (390-459)	1,349	499	818	7,166	13,813	1380.1	1406.3	0	2804.1	2801.3	0
..Diseases of the heart (390-398,402,404-429)	1,045	392	634	5,436	10,631	1060.3	1147.6	0	2184.7	2307.5	0
...Heart disease-related (390-398,402,404-429)	2,089	919	1,380	16,032	27,559	2875.1	2501.1	0	5166.5	4710.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	677	222	390	2,442	5,522	508.4	554.9	0	1206.7	1284.3	0
....Congestive heart failure (CHF) (428.0)	31	10	15	127	250	26.3	32.0	0	54.5	64.3	0
..Hypertension with or without renal disease (401,403)	22	10	16	115	250	22.3	26.7	0	52.7	59.4	0
...Hypertension-related (401,403)	322	126	206	1,575	3,290	306.5	268.4	0	679.6	593.6	0
..Cerebrovascular disease (430-438)	220	75	133	1,240	2,270	230.7	181.5	0	442.3	336.1	0
...Atherosclerosis (440)	16	1	4	3	20	0.7	.	0	5.5	.	0
...Atherosclerosis-related (440)	93	9	35	43	238	10.7	18.8	0	61.3	67.3	0
..Aortic aneurysm (441)	18	4	12	70	165	13.0	15.8	0	34.3	39.3	0
Pneumonia & influenza (480-487)	95	48	58	1,151	1,676	185.8	142.6	0	267.5	214.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	87	31	58	575	1,027	112.5	54.4	0	209.6	128.6	0
..COPD-related (490-496)	216	72	131	1,207	2,215	223.0	115.4	1	435.3	308.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	19	15	18	403	565	75.1	.	0	102.1	.	0
Chronic liver disease and cirrhosis (571)	43	33	40	453	815	89.6	97.8	0	161.9	165.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	27	44	542	894	89.3	96.6	0	157.6	172.1	0
..Nephritis-related (580-589)	327	154	229	3,146	5,029	509.4	468.3	0	853.3	860.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	87	36	53	759	1,197	121.6	106.3	0	201.5	193.5	0
Unintentional injuries (E800-E949)	202	175	190	5,609	7,431	949.9	908.2	0	1197.6	1128.5	0
..Motor vehicle accidents (E810-E825)	63	58	60	2,075	2,670	373.1	418.9	0	451.5	497.0	0
..Falls and fall related injuries (E880-E888)	13	7	10	188	275	.	.	.	.	.	.
..Drowning (E830,E832,E910)	14	14	14	593	733	.	110.8	.	.	127.7	.
..Residential fires (E890-E899)	14	10	13	284	392	.	86.0	.	.	99.3	.
Suicide (E950-E959)	37	36	36	1,210	1,570	215.7	131.3	0	262.9	165.4	0
Homicide and legal intervention (E960-E978)	191	186	189	7,302	9,170	1257.0	976.9	0	1471.0	1158.0	0
..Homicide (E960-E969)	190	185	188	7,270	9,127	1253.4	973.1	0	1466.5	1152.3	0
All injury (E800-E999)	440	406	425	14,368	18,516	2457.2	2122.9	0	2977.9	2590.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	63	58	60	2,075	2,670	373.1	408.1	0	451.5	482.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	13	7	10	178	265	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	171	169	170	6,575	8,267	1170.9	865.9	0	1372.5	1013.2	0
....Suicide (E955.0-.4)	19	19	19	718	908	139.5	81.0	0	165.4	100.8	0
....Homicide (E965.0-.4)	145	143	144	5,560	6,992	971.5	781.1	0	1138.1	906.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	76	74	76	1,966	2,721	293.9	298.4	0	390.5	392.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	42	35	42	625	1,017	115.1	103.9	0	186.3	169.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	74	74	1,920	2,660	277.8	293.2	0	366.7	387.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	2,425	1,583	2,019	40,043	58,108	14321.0	12606.0	1	21075.7	18977.5	1
Infectious diseases and parasitic disease (1-139)	404	375	392	9,534	13,361	3013.9	2045.2	1	4096.0	2878.7	1
..Septicemia (038)	28	13	20	193	350	68.6	205.5	1	140.4	345.3	1
...Septicemia-related (038)	125	67	94	1,130	1,912	413.8	735.6	1	748.7	1205.7	1
..HIV infection (042-044)	340	333	340	8,612	11,979	2698.4	1705.0	1	3612.8	2329.2	1
All cancer (140-208)	476	220	369	2,622	5,615	1233.9	1287.3	0	2773.2	2784.9	0
..Oral cavity or pharynx (140.0-149.9)	16	11	14	208	335	93.7	89.7	0	146.9	187.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	22	34	245	520	121.4	57.7	0	261.3	134.4	0
...Colon cancer (153)	33	17	26	188	400	90.8	42.4	0	198.9	104.8	0
...Rectal cancer (154)	8	5	8	58	120	.	.	.	.	.	.
..Pancreatic cancer (157)	34	19	29	208	443	92.6	.	0	212.4	.	1
..Lung and other respiratory cancer (160-165)	142	67	118	648	1,615	322.2	417.2	0	836.7	1008.8	0
...Lung cancer (162.2-.9)	130	61	108	578	1,465	288.3	383.3	0	762.5	934.7	0
..Malignant melanoma of skin (172)	1	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	72	9	33	68	278	39.7	16.1	0	162.3	136.2	0
..Bladder cancer (188)	11	1	9	3	58	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	58	68	.	.	.	.	.	.
..Leukemia (204-208)	10	5	6	175	232	.	.	.	.	.	.
Diabetes mellitus (250)	57	24	42	345	665	136.2	153.2	0	289.1	332.5	0
..Diabetes-related (250)	182	64	130	780	1,735	339.1	369.6	0	829.0	855.2	0
..Diabetic ketoacidosis (DKA) (250.1)	5	3	4	68	105	.	.	.	.	.	.
Alzheimer's diseases (331.0)	5	1	2	8	20	.	.	.	.	.	.
Cardiovascular disease (390-459)	668	305	483	4,393	8,373	1855.6	1912.0	0	3784.6	3843.3	0
..Diseases of the heart (390-398,402,404-429)	519	238	370	3,213	6,293	1376.7	1531.5	0	2889.5	3146.1	0
...Heart disease-related (390-398,402,404-429)	1,060	559	805	9,902	16,762	3812.4	3397.9	0	6844.0	6513.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	338	146	239	1,610	3,543	754.5	787.5	0	1749.9	1829.3	0
....Congestive heart failure (CHF) (428.0)	15	5	7	33	93	19.2	.	0	52.9	.	0
..Hypertension with or without renal disease (401,403)	13	7	11	93	188	.	.	.	.	.	.
...Hypertension-related (401,403)	143	74	116	885	1,870	404.7	333.0	0	897.6	695.5	0
..Cerebrovascular disease (430-438)	107	48	83	852	1,500	346.6	268.6	0	646.1	491.8	0
..Atherosclerosis (440)	8	.	1	0	3	.	.	.	.	.	.
...Atherosclerosis-related (440)	45	6	22	20	145	12.8	15.3	0	90.1	53.1	0
..Aortic aneurysm (441)	10	3	8	63	125	.	.	.	.	.	.
Pneumonia & influenza (480-487)	55	34	41	779	1,147	286.8	190.3	0	419.6	290.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	51	18	33	385	648	157.9	57.7	0	281.5	157.7	0
..COPD-related (490-496)	120	45	78	813	1,440	321.0	139.1	1	615.6	411.9	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	13	10	12	325	435	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	22	16	21	210	393	92.5	144.3	0	177.8	243.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	32	18	26	367	597	127.0	152.3	0	222.1	260.5	0
..Nephritis-related (580-589)	170	99	134	2,086	3,233	723.3	623.0	0	1168.8	1095.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	39	24	32	507	797	173.3	164.1	0	286.6	291.3	0
Unintentional injuries (E800-E949)	145	132	142	4,206	5,576	1480.8	1427.2	0	1880.0	1793.4	0
..Motor vehicle accidents (E810-E825)	48	45	47	1,558	2,023	577.0	624.8	0	712.4	753.9	0
..Falls and fall related injuries (E880-E888)	8	5	7	113	173	.	.	.	.	.	.
..Drowning (E830,E832,E910)	10	10	10	389	489	.	.	.	.	.	.
..Residential fires (E890-E899)	8	7	8	180	252	.	.	.	.	.	.
Suicide (E950-E959)	33	32	32	1,080	1,400	391.9	246.3	0	480.6	309.9	0
Homicide and legal intervention (E960-E978)	153	151	152	5,954	7,466	2111.2	1702.3	0	2472.3	2026.7	0
..Homicide (E960-E969)	152	150	151	5,921	7,424	2103.3	1693.7	0	2462.7	2014.0	0
All injury (E800-E999)	339	322	334	11,422	14,702	4042.7	3567.6	0	4914.0	4374.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	48	45	47	1,558	2,023	577.0	603.8	0	712.4	725.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	6	8	140	210	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	153	151	152	5,893	7,405	2144.6	1636.8	0	2519.6	1919.7	0
....Suicide (E955.0-.4)	18	18	18	670	850	258.4	167.8	0	309.0	210.4	0
....Homicide (E965.0-.4)	128	126	127	4,925	6,188	1766.7	1460.3	0	2072.6	1696.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	56	54	56	1,501	2,056	474.8	495.5	0	624.6	660.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	31	25	31	470	755	188.3	172.4	0	303.3	280.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	54	54	54	1,425	1,965	438.4	489.0	0	575.3	657.9	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	1,844	859	1,195	20,803	31,043	6833.5	5955.9	0	10165.7	9062.3	0
Infectious diseases and parasitic disease (1-139)	175	143	155	3,883	5,383	1129.6	769.0	0	1502.2	1028.7	1
..Septicemia (038)	43	16	25	280	493	94.2	71.1	0	170.6	122.3	0
...Septicemia-related (038)	134	55	82	1,128	1,825	368.2	324.8	0	599.7	537.6	0
..HIV infection (042-044)	114	113	114	3,239	4,376	911.5	602.3	0	1161.6	778.0	0
All cancer (140-208)	395	191	280	2,685	5,002	959.9	829.6	0	1829.1	1762.0	0
..Oral cavity or pharynx (140.0-149.9)	7	5	6	78	130	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	14	24	150	340	54.9	66.2	0	131.0	147.6	0
...Colon cancer (153)	37	13	23	148	328	53.6	51.3	0	124.9	116.0	0
...Rectal cancer (154)	4	1	1	3	13	.	.	.	.	.	.
..Pancreatic cancer (157)	33	11	19	73	213	31.9	9.6	0	92.9	39.2	0
..Lung and other respiratory cancer (160-165)	73	36	55	385	848	142.0	159.7	0	326.2	385.3	0
...Lung cancer (162.2-.9)	70	34	53	365	808	134.2	145.8	0	310.5	351.4	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	82	51	64	793	1,355	272.3	236.3	0	462.6	447.7	0
..Cervical cancer (180)	11	6	8	110	180	.	.	.	.	.	.
..Endometrial cancer (182)	9	5	6	23	75	.	.	.	.	.	.
..Ovarian cancer (183)	17	8	13	90	198	41.8	.	0	87.6	.	0
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	6	1	1	13	23	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	5	1	4	58	80	.	.	.	.	.	.
..Leukemia (204-208)	14	7	9	213	293	.	67.0	.	.	114.4	.
Diabetes mellitus (250)	68	19	42	178	490	78.6	111.6	0	213.4	244.2	0
..Diabetes-related (250)	227	74	145	765	1,843	308.9	289.8	0	755.3	715.6	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	3	13	.	.	.	.	.	.
Alzheimer's diseases (331.0)	9	1	2	38	50	.	.	.	.	.	.
Cardiovascular disease (390-459)	681	194	335	2,773	5,441	995.6	992.8	0	2027.5	1970.5	0
..Diseases of the heart (390-398,402,404-429)	526	154	264	2,223	4,338	815.6	834.9	0	1639.4	1642.7	0
...Heart disease-related (390-398,402,404-429)	1,029	360	575	6,130	10,798	2103.4	1761.0	0	3813.8	3261.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	339	76	151	832	1,980	310.8	369.8	0	778.8	858.9	0
....Congestive heart failure (CHF) (428.0)	16	5	8	95	157	34.6	45.3	0	58.8	77.2	0
..Hypertension with or without renal disease (401,403)	9	3	5	23	63	.	17.7	.	.	46.9	.
...Hypertension-related (401,403)	179	52	90	690	1,420	228.8	213.4	0	508.5	509.2	0
..Cerebrovascular disease (430-438)	113	27	50	388	770	129.0	110.2	0	271.9	210.3	0
..Atherosclerosis (440)	8	1	3	3	18	.	.	.	.	.	.
...Atherosclerosis-related (440)	48	3	13	23	93	9.1	21.4	0	40.0	78.6	0
..Aortic aneurysm (441)	8	1	4	8	40	.	.	.	.	.	.
Pneumonia & influenza (480-487)	40	14	17	372	530	99.3	97.6	0	140.2	146.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	36	13	25	190	380	68.7	52.0	0	144.2	106.8	0
..COPD-related (490-496)	96	27	53	395	775	135.2	98.9	0	282.0	232.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	6	5	6	78	130	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	21	17	19	243	423	87.4	59.4	0	149.9	102.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	41	9	18	175	297	59.0	47.7	0	105.6	96.8	0
..Nephritis-related (580-589)	157	55	95	1,061	1,796	332.1	335.4	0	594.2	663.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	48	12	21	252	400	79.9	56.2	0	132.6	111.8	0
Unintentional injuries (E800-E949)	57	43	48	1,403	1,855	453.1	416.4	0	569.9	509.5	0
..Motor vehicle accidents (E810-E825)	15	13	13	518	648	177.8	218.4	0	206.2	250.8	0
..Falls and fall related injuries (E880-E888)	5	2	3	75	103	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	204	244	.	.	.	.	.	.
..Residential fires (E890-E899)	6	3	5	105	140	.	.	.	.	.	.
Suicide (E950-E959)	4	4	4	130	170	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	38	35	37	1,349	1,704	410.7	256.4	0	482.3	302.7	0
..Homicide (E960-E969)	38	35	37	1,349	1,704	410.7	256.4	0	482.3	302.7	0
All injury (E800-E999)	101	84	91	2,946	3,814	922.6	726.3	0	1123.7	887.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	15	13	13	518	648	177.8	218.4	0	206.2	250.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	1	2	38	55	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	18	18	18	682	862	205.8	.	0	241.0	.	0
....Suicide (E955.0-.4)	1	1	1	48	58	.	.	.	.	.	.
....Homicide (E965.0-.4)	17	17	17	635	805	183.7	.	0	216.0	.	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	20	20	20	465	665	132.9	126.2	0	184.1	161.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	10	11	155	263	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	20	20	20	495	695	138.5	122.2	0	186.5	153.8	0

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	4,269	2,442	3,214	60,845	89,150	11157.6	9813.4	1	16427.7	14736.4	1
Infectious diseases and parasitic disease (1-139)	579	518	547	13,416	18,744	2535.8	1714.6	1	3388.5	2335.1	1
..Septicemia (038)	71	29	45	473	843	99.0	160.7	0	179.2	259.9	0
...Septicemia-related (038)	259	122	176	2,257	3,737	474.1	630.2	0	781.9	997.9	0
..HIV infection (042-044)	454	446	454	11,850	16,355	2230.5	1424.2	1	2924.0	1890.6	1
All cancer (140-208)	871	411	649	5,307	10,617	1235.7	1239.7	0	2467.9	2498.7	0
..Oral cavity or pharynx (140.0-149.9)	23	16	20	285	465	69.1	56.3	0	107.9	106.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	82	36	58	395	860	101.4	75.2	0	212.7	160.5	0
...Colon cancer (153)	70	30	49	335	728	85.2	56.6	0	178.8	124.3	0
...Rectal cancer (154)	12	6	9	60	133	.	.	.	.	.	.
..Pancreatic cancer (157)	67	30	48	280	655	68.8	24.5	0	159.6	58.9	1
..Lung and other respiratory cancer (160-165)	215	103	173	1,033	2,463	261.4	326.9	0	605.7	732.6	0
...Lung cancer (162.2-.9)	200	95	161	943	2,273	237.9	300.2	0	558.6	675.0	0
..Malignant melanoma of skin (172)	2	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	82	51	64	793	1,355	.	.	.	.	.	.
..Cervical cancer (180)	11	6	8	110	180	.	.	.	.	.	.
..Endometrial cancer (182)	9	5	6	23	75	.	.	.	.	.	.
..Ovarian cancer (183)	17	8	13	90	198	.	.	.	.	.	.
..Prostate cancer (185)	72	9	33	68	278	.	.	.	.	.	.
..Bladder cancer (188)	17	2	10	15	80	4.2	14.5	0	21.3	36.3	0
..Brain & other CNS cancer (191-192)	6	2	5	115	148	.	.	.	.	.	.
..Leukemia (204-208)	24	12	15	387	525	68.0	64.2	0	89.8	107.8	0
Diabetes mellitus (250)	125	43	84	523	1,155	119.6	159.4	0	270.6	325.0	0
..Diabetes-related (250)	409	138	275	1,545	3,578	375.9	394.4	0	870.0	877.4	0
..Diabetic ketoacidosis (DKA) (250.1)	7	4	5	70	118	.	.	.	.	.	.
Alzheimer's diseases (331.0)	14	2	4	45	70	.	.	.	.	.	.
Cardiovascular disease (390-459)	1,349	499	818	7,166	13,813	1581.2	1657.1	0	3098.6	3157.3	0
..Diseases of the heart (390-398,402,404-429)	1,045	392	634	5,436	10,631	1204.6	1338.0	0	2396.1	2578.4	0
...Heart disease-related (390-398,402,404-429)	2,089	919	1,380	16,032	27,559	3327.8	2961.4	0	5808.6	5352.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	677	222	390	2,442	5,522	594.2	661.3	0	1333.5	1439.1	0
....Congestive heart failure (CHF) (428.0)	31	10	15	127	250	26.2	31.0	0	55.1	63.7	0
..Hypertension with or without renal disease (401,403)	22	10	16	115	250	25.3	32.4	0	56.7	67.4	0
...Hypertension-related (401,403)	322	126	206	1,575	3,290	371.0	328.2	0	770.0	677.2	0
..Cerebrovascular disease (430-438)	220	75	133	1,240	2,270	272.8	219.4	0	504.8	391.1	0
..Atherosclerosis (440)	16	1	4	3	20	0.7	.	0	5.8	.	0
...Atherosclerosis-related (440)	93	9	35	43	238	11.3	22.0	0	64.2	72.7	0
..Aortic aneurysm (441)	18	4	12	70	165	14.1	19.5	0	36.5	44.4	0
Pneumonia & influenza (480-487)	95	48	58	1,151	1,676	224.9	151.4	0	320.7	229.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	87	31	58	575	1,027	110.8	63.8	0	211.2	140.8	0
..COPD-related (490-496)	216	72	131	1,207	2,215	243.5	131.9	0	468.4	333.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	19	15	18	403	565	72.7	.	0	100.6	.	0
Chronic liver disease and cirrhosis (571)	43	33	40	453	815	111.8	126.6	0	192.7	203.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	27	44	542	894	103.3	123.8	0	177.1	208.5	0
..Nephritis-related (580-589)	327	154	229	3,146	5,029	614.3	571.4	0	996.2	1003.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	87	36	53	759	1,197	141.8	135.3	0	228.9	232.4	0
Unintentional injuries (E800-E949)	202	175	190	5,609	7,431	975.8	915.8	0	1244.4	1151.1	0
..Motor vehicle accidents (E810-E825)	63	58	60	2,075	2,670	347.4	379.3	0	423.9	452.8	0
..Falls and fall related injuries (E880-E888)	13	7	10	188	275	.	.	.	.	.	.
..Drowning (E830,E832,E910)	14	14	14	593	733	.	96.0	.	.	111.1	.
..Residential fires (E890-E899)	14	10	13	284	392	.	76.9	.	.	89.9	.
Suicide (E950-E959)	37	36	36	1,210	1,570	208.1	140.7	0	255.5	178.2	0
Homicide and legal intervention (E960-E978)	191	186	189	7,302	9,170	1170.7	907.9	0	1373.3	1080.0	0
..Homicide (E960-E969)	190	185	188	7,270	9,127	1165.9	903.1	0	1367.5	1072.9	0
All injury (E800-E999)	440	406	425	14,368	18,516	2401.5	2091.0	0	2935.4	2573.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	63	58	60	2,075	2,670	347.4	370.7	0	423.9	441.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	13	7	10	178	265	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	171	169	170	6,575	8,267	1072.7	786.6	0	1260.2	922.5	0
....Suicide (E955.0-.4)	19	19	19	718	908	122.5	85.4	0	145.9	106.8	0
....Homicide (E965.0-.4)	145	143	144	5,560	6,992	899.7	696.4	0	1055.8	808.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	76	74	76	1,966	2,721	371.6	378.9	0	491.2	496.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	42	35	42	625	1,017	145.3	130.6	0	228.3	206.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	74	74	74	1,920	2,660	368.9	372.9	0	483.4	490.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	2,425	1,583	2,019	40,043	58,108	15660.5	13734.6	1	23037.7	20635.8	1
Infectious diseases and parasitic disease (1-139)	404	375	392	9,534	13,361	3938.9	2634.8	1	5286.2	3638.8	1
..Septicemia (038)	28	13	20	193	350	91.2	249.3	0	169.9	403.7	1
...Septicemia-related (038)	125	67	94	1,130	1,912	536.7	916.9	1	912.7	1449.4	1
..HIV infection (042-044)	340	333	340	8,612	11,979	3545.4	2226.4	1	4699.4	2998.9	1
All cancer (140-208)	476	220	369	2,622	5,615	1393.3	1536.3	0	3020.3	3139.5	0
..Oral cavity or pharynx (140.0-149.9)	16	11	14	208	335	107.2	105.7	0	168.3	210.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	22	34	245	520	144.6	68.6	0	296.0	151.1	0
...Colon cancer (153)	33	17	26	188	400	109.4	48.4	0	225.7	114.1	0
...Rectal cancer (154)	8	5	8	58	120	.	.	.	.	.	.
..Pancreatic cancer (157)	34	19	29	208	443	110.0	.	0	236.7	.	0
..Lung and other respiratory cancer (160-165)	142	67	118	648	1,615	374.8	492.9	0	914.2	1115.6	0
...Lung cancer (162.2-.9)	130	61	108	578	1,465	333.9	453.6	0	829.7	1033.9	0
..Malignant melanoma of skin (172)	1	1	1	3	13	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	72	9	33	68	278	42.4	16.0	0	171.5	141.8	0
..Bladder cancer (188)	11	1	9	3	58	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	58	68	.	.	.	.	.	.
..Leukemia (204-208)	10	5	6	175	232	.	.	.	.	.	.
Diabetes mellitus (250)	57	24	42	345	665	170.9	189.0	0	338.7	380.7	0
..Diabetes-related (250)	182	64	130	780	1,735	419.1	447.7	0	948.5	967.5	0
..Diabetic ketoacidosis (DKA) (250.1)	5	3	4	68	105	.	.	.	.	.	.
Alzheimer's diseases (331.0)	5	1	2	8	20	.	.	.	.	.	.
Cardiovascular disease (390-459)	668	305	483	4,393	8,373	2151.2	2269.9	0	4218.2	4352.8	0
..Diseases of the heart (390-398,402,404-429)	519	238	370	3,213	6,293	1602.9	1797.0	0	3216.4	3527.8	0
...Heart disease-related (390-398,402,404-429)	1,060	559	805	9,902	16,762	4518.6	4079.0	0	7834.9	7460.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	338	146	239	1,610	3,543	882.6	948.3	0	1939.3	2063.7	0
....Congestive heart failure (CHF) (428.0)	15	5	7	33	93	20.4	.	0	54.6	.	0
..Hypertension with or without renal disease (401,403)	13	7	11	93	188	.	.	.	.	.	.
...Hypertension-related (401,403)	143	74	116	885	1,870	482.9	405.5	0	1009.6	796.3	0
..Cerebrovascular disease (430-438)	107	48	83	852	1,500	399.1	327.2	0	727.6	574.0	0
..Atherosclerosis (440)	8	.	1	0	3	.	.	.	.	.	.
...Atherosclerosis-related (440)	45	6	22	20	145	12.4	20.2	0	92.5	60.9	0
..Aortic aneurysm (441)	10	3	8	63	125	.	.	.	.	.	.
Pneumonia & influenza (480-487)	55	34	41	779	1,147	346.5	195.6	0	503.2	302.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	51	18	33	385	648	151.9	64.8	0	278.7	167.1	0
..COPD-related (490-496)	120	45	78	813	1,440	346.9	159.8	1	657.3	443.9	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	13	10	12	325	435	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	22	16	21	210	393	114.7	183.1	0	208.7	295.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	32	18	26	367	597	156.8	195.9	0	261.9	318.1	0
..Nephritis-related (580-589)	170	99	134	2,086	3,233	898.7	795.2	0	1406.4	1328.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	39	24	32	507	797	216.6	209.1	0	343.8	352.0	0
Unintentional injuries (E800-E949)	145	132	142	4,206	5,576	1545.9	1452.7	0	1985.6	1845.4	0
..Motor vehicle accidents (E810-E825)	48	45	47	1,558	2,023	543.5	572.2	0	678.4	696.1	0
..Falls and fall related injuries (E880-E888)	8	5	7	113	173	.	.	.	.	.	.
..Drowning (E830,E832,E910)	10	10	10	389	489	.	.	.	.	.	.
..Residential fires (E890-E899)	8	7	8	180	252	.	.	.	.	.	.
Suicide (E950-E959)	33	32	32	1,080	1,400	378.8	267.6	0	467.9	338.7	0
Homicide and legal intervention (E960-E978)	153	151	152	5,954	7,466	1949.1	1565.5	0	2287.1	1870.5	0
..Homicide (E960-E969)	152	150	151	5,921	7,424	1938.8	1554.7	0	2274.6	1854.7	0
All injury (E800-E999)	339	322	334	11,422	14,702	3954.9	3509.7	0	4850.5	4340.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	48	45	47	1,558	2,023	543.5	555.6	0	678.4	672.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	6	8	140	210	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	153	151	152	5,893	7,405	1955.9	1483.6	0	2304.0	1744.0	0
....Suicide (E955.0-.4)	18	18	18	670	850	230.2	178.2	0	276.8	224.6	0
....Homicide (E965.0-.4)	128	126	127	4,925	6,188	1624.4	1294.6	0	1909.5	1503.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	56	54	56	1,501	2,056	600.0	634.8	0	787.7	840.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	31	25	31	470	755	239.0	219.4	0	374.0	345.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	54	54	54	1,425	1,965	589.3	625.8	0	768.2	834.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
All causes	1,844	859	1,195	20,803	31,043	7188.6	6337.2	0	10745.4	9657.0	0
Infectious diseases and parasitic disease (1-139)	175	143	155	3,883	5,383	1345.9	926.4	0	1786.8	1229.8	1
..Septicemia (038)	43	16	25	280	493	107.2	84.2	0	189.2	139.5	0
...Septicemia-related (038)	134	55	82	1,128	1,825	428.2	388.2	0	684.2	623.2	0
..HIV infection (042-044)	114	113	114	3,239	4,376	1112.9	736.9	0	1422.1	948.0	0
All cancer (140-208)	395	191	280	2,685	5,002	1119.3	996.0	0	2051.8	1990.9	0
..Oral cavity or pharynx (140.0-149.9)	7	5	6	78	130	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	41	14	24	150	340	67.7	80.9	0	148.6	168.5	0
...Colon cancer (153)	37	13	23	148	328	66.5	64.0	0	142.9	133.3	0
...Rectal cancer (154)	4	1	1	3	13	.	.	.	.	.	.
..Pancreatic cancer (157)	33	11	19	73	213	35.2	12.5	0	97.8	43.5	0
..Lung and other respiratory cancer (160-165)	73	36	55	385	848	171.9	192.5	0	366.5	429.8	0
...Lung cancer (162.2-.9)	70	34	53	365	808	162.6	175.9	0	348.9	391.7	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	.	.	.	.
..Female breast cancer (174)	82	51	64	793	1,355	348.6	294.3	0	567.9	524.9	0
..Cervical cancer (180)	11	6	8	110	180	.	.	.	.	.	.
..Endometrial cancer (182)	9	5	6	23	75	.	.	.	.	.	.
..Ovarian cancer (183)	17	8	13	90	198	38.2	.	0	83.7	.	0
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	6	1	1	13	23	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	5	1	4	58	80	.	.	.	.	.	.
..Leukemia (204-208)	14	7	9	213	293	.	69.2	.	.	118.3	.
Diabetes mellitus (250)	68	19	42	178	490	78.1	134.7	0	215.8	279.0	0
..Diabetes-related (250)	227	74	145	765	1,843	342.6	348.9	0	810.4	802.5	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	3	13	.	.	.	.	.	.
Alzheimer's diseases (331.0)	9	1	2	38	50	.	.	.	.	.	.
Cardiovascular disease (390-459)	681	194	335	2,773	5,441	1119.0	1154.0	0	2209.4	2200.5	0
..Diseases of the heart (390-398,402,404-429)	526	154	264	2,223	4,338	890.1	963.3	0	1754.3	1824.0	0
...Heart disease-related (390-398,402,404-429)	1,029	360	575	6,130	10,798	2343.7	2036.1	0	4166.6	3651.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	339	76	151	832	1,980	362.0	430.2	0	855.1	948.0	0
....Congestive heart failure (CHF) (428.0)	16	5	8	95	157	33.1	40.0	0	58.0	71.1	0
..Hypertension with or without renal disease (401,403)	9	3	5	23	63	.	20.5	.	.	51.5	.
...Hypertension-related (401,403)	179	52	90	690	1,420	282.9	262.4	0	582.4	578.3	0
..Cerebrovascular disease (430-438)	113	27	50	388	770	164.2	130.2	0	321.3	241.9	0
..Atherosclerosis (440)	8	1	3	3	18	.	.	.	.	.	.
...Atherosclerosis-related (440)	48	3	13	23	93	10.6	23.1	0	43.5	81.9	0
..Aortic aneurysm (441)	8	1	4	8	40	.	.	.	.	.	.
Pneumonia & influenza (480-487)	40	14	17	372	530	122.3	110.5	0	169.7	165.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	36	13	25	190	380	72.1	63.5	0	151.0	121.4	0
..COPD-related (490-496)	96	27	53	395	775	152.4	111.7	0	309.6	250.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Black Resident DEATHS, 1993-1994  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993-1994			Years of life lost, 1993-1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993-1994	1991-1992	Significance	1993-1994	1991-1992	Significance
*****Causes of Death*****											
..Asthma (493)	6	5	6	78	130	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	21	17	19	243	423	109.5	80.1	0	180.7	128.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	41	9	18	175	297	59.6	61.3	0	107.7	115.4	0
..Nephritis-related (580-589)	157	55	95	1,061	1,796	377.2	379.0	0	657.3	729.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	48	12	21	252	400	80.5	72.0	0	134.5	132.6	0
Unintentional injuries (E800-E949)	57	43	48	1,403	1,855	454.5	418.0	0	577.2	517.8	0
..Motor vehicle accidents (E810-E825)	15	13	13	518	648	163.1	194.2	0	189.2	223.6	0
..Falls and fall related injuries (E880-E888)	5	2	3	75	103	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	204	244	.	.	.	.	.	.
..Residential fires (E890-E899)	6	3	5	105	140	.	.	.	.	.	.
Suicide (E950-E959)	4	4	4	130	170	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	38	35	37	1,349	1,704	408.3	263.0	0	482.2	312.3	0
..Homicide (E960-E969)	38	35	37	1,349	1,704	408.3	263.0	0	482.2	312.3	0
All injury (E800-E999)	101	84	91	2,946	3,814	926.3	744.8	0	1137.2	918.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	15	13	13	518	648	163.1	194.2	0	189.2	223.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	1	2	38	55	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	18	18	18	682	862	207.9	.	0	244.1	.	0
....Suicide (E955.0-.4)	1	1	1	48	58	.	.	.	.	.	.
....Homicide (E965.0-.4)	17	17	17	635	805	190.4	.	0	224.4	.	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	20	20	20	465	665	170.5	157.0	0	232.5	200.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	10	11	155	263	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	20	20	20	495	695	178.4	153.7	0	237.8	194.2	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).