

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1993

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1993

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1993

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1993*****				*****1993*****				*****1993*****						
	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR
*****Causes of Death*****															
All causes	2,030	695.1	711.7	0	720.5	1,159	834.5	967.4	0	992.4	871	568.8	511.3	0	510.8
Infectious diseases and parasitic disease (1-139)	288	98.6	96.5	0	78.7	199	143.3	147.9	0	121.1	89	58.1	54.1	0	43.2
..Septicemia (038)	33	11.3	11.4	0	18.4	15	10.8	12.8	0	23.5	18	11.8	10.7	0	14.1
....Septicemia-related (038)	115	39.4	39.7	0	52.1	58	41.8	50.3	0	66.5	57	37.2	33.0	0	40.2
..HIV infection (042-044)	224	76.7	74.1	1	54.0	164	118.1	119.0	0	88.2	60	39.2	36.3	0	25.2
All cancer (140-208)	410	140.4	154.9	0	171.8	230	165.6	214.7	0	218.7	180	117.5	114.9	0	140.0
..Oral cavity or pharynx (140.0-149.9)	11	3.8	.	.	.	8	5.8	.	.	.	3	2.0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	36	12.3	14.2	0	15.5	16	11.5	15.4	0	16.5	20	13.1	13.3	0	14.7
....Colon cancer (153)	31	10.6	12.4	0	13.2	14	10.1	.	.	.	17	11.1	11.8	0	12.5
....Rectal cancer (154)	5	1.7	.	.	.	2	1.4	.	.	.	3	2.0	.	.	.
..Pancreatic cancer (157)	31	10.6	11.5	0	6.9	17	12.2	16.1	0	.	14	9.1	.	.	.
..Lung and other respiratory cancer (160-165)	97	33.2	38.3	0	47.7	66	47.5	62.6	0	71.6	31	20.2	21.0	0	31.1
....Lung cancer (162.2-.9)	92	31.5	36.1	0	45.1	62	44.6	58.8	0	69.5	30	19.6	20.2	0	28.1
..Female breast cancer (174)	33	33	21.5	21.0	0	31.5
..Cervical cancer (180)	4	4	2.6	.	.	.
..Endometrial cancer (182)	6	6	3.9	.	.	.
..Ovarian cancer (183)	10	10	6.5	.	.	.
..Prostate cancer (185)	39	39	28.1	36.0	0	36.8
..Bladder cancer (188)	11	3.8	.	.	.	6	4.3	.	.	.	5	3.3	.	.	.
..Brain & other CNS cancer (191-192)	4	1.4	.	.	.	1	0.7	.	.	.	3	2.0	.	.	.
..Leukemia (204-208)	12	4.1	.	.	6	4.3	6	3.9	.	.	.
Diabetes mellitus (250)	56	19.2	20.7	0	24.4	24	17.3	22.2	0	26.3	32	20.9	20.4	0	22.8
..Diabetes-related (250)	201	68.8	75.3	0	74.2	84	60.5	78.8	0	78.1	117	76.4	73.8	0	70.4
..Diabetic ketoacidosis (DKA) (250.1)	4	1.4	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
Alzheimer's diseases (331.0)	5	1.7	.	.	.	2	1.4	.	.	.	3	2.0	.	.	.
Cardiovascular disease (390-459)	630	215.7	220.8	0	232.5	297	213.8	269.0	0	316.5	333	217.4	185.0	0	172.2
..Diseases of the heart (390-398,402,404-429)	482	165.0	170.0	0	190.3	233	167.8	211.8	0	264.5	249	162.6	139.8	0	137.7
....Heart disease-related (390-398,402,404-429)	970	332.2	343.0	0	353.9	484	348.5	428.5	0	496.1	486	317.4	279.9	0	250.6
....Coronary heart disease (CHD) (402,410-414,429.2)	298	102.0	105.0	0	120.8	147	105.8	136.3	0	175.0	151	98.6	80.5	0	82.9
....Congestive heart failure (CHF) (428.0)	21	7.2	7.3	0	6.7	10	7.2	.	.	.	11	7.2	.	.	.
..Hypertension with or without renal disease (401,403)	15	5.1	5.8	0	.	10	7.2	.	.	.	5	3.3	.	.	.
....Hypertension-related (401,403)	147	50.3	53.5	0	51.1	58	41.8	54.5	0	54.4	89	58.1	50.6	0	48.6
..Cerebrovascular disease (430-438)	100	34.2	33.3	0	28.2	38	27.4	34.2	0	37.1	62	40.5	31.8	0	21.3
..Atherosclerosis (440)	4	1.4	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
....Atherosclerosis-related (440)	35	12.0	10.4	0	14.4	15	10.8	13.2	0	19.1	20	13.1	8.8	0	11.7
..Aortic aneurysm (441)	15	5.1	5.3	0	.	8	5.8	.	.	.	7	4.6	.	.	.
Pneumonia & influenza (480-487)	33	11.3	10.2	0	14.9	17	12.2	14.0	0	20.3	16	10.4	7.1	0	11.2
Chronic obstructive pulmonary disease (COPD) (490-496)	47	16.1	17.9	0	11.4	25	18.0	23.6	0	14.9	22	14.4	14.0	0	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993*****					*****1993*****					*****1993*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	105	36.0	37.7	0	35.9	56	40.3	51.4	0	48.5	49	32.0	28.7	0	27.7
..Asthma (493)	11	3.8	.	.	.	6	4.3	.	.	.	5	3.3	.	.	.
Chronic liver disease and cirrhosis (571)	23	7.9	9.5	0	8.3	13	9.4	.	.	.	10	6.5	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	12.7	11.8	0	15.4	16	11.5	13.5	0	24.0	21	13.7	9.9	0	9.0
..Nephritis-related (580-589)	159	54.4	54.7	0	68.8	78	56.2	65.7	0	94.1	81	52.9	46.2	0	50.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	40	13.7	12.6	0	17.2	18	13.0	14.8	0	27.8	22	14.4	10.2	0	9.8
Unintentional injuries (E800-E949)	94	32.2	32.3	0	34.7	70	50.4	51.5	0	59.6	24	15.7	15.0	0	13.8
..Motor vehicle accidents (E810-E825)	32	11.0	11.4	0	11.5	23	16.6	17.3	0	19.8	9	5.9	.	.	.
..Falls and fall related injuries (E880-E888)	4	1.4	.	.	.	3	2.2	.	.	.	1	0.7	.	.	.
..Drowning (E830,E832,E910)	6	2.1	.	.	.	4	2.9	.	.	.	2	1.3	.	.	.
..Residential fires (E890-E899)	6	2.1	.	.	.	5	3.6	.	.	.	1	0.7	.	.	.
Suicide (E950-E959)	16	5.5	6.0	0	5.4	15	10.8	11.9	0	11.2	1	0.7	.	.	.
Homicide and legal intervention (E960-E978)	99	33.9	33.7	0	27.7	80	57.6	56.8	0	48.8	19	12.4	11.6	0	.
..Homicide (E960-E969)	98	33.6	33.4	0	27.3	79	56.9	56.2	0	47.9	19	12.4	11.6	0	.
All injury (E800-E999)	218	74.6	74.9	0	71.4	173	124.6	126.2	0	126.0	45	29.4	27.9	0	23.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	32	11.0	11.4	0	11.5	23	16.6	17.3	0	19.8	9	5.9	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	4	1.4	.	.	.	3	2.2	.	.	.	1	0.7	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	84	28.8	29.2	0	23.9	76	54.7	54.9	0	45.5	8	5.2	.	.	.
....Suicide (E955.0-.4)	8	2.7	.	.	.	8	5.8
....Homicide (E965.0-.4)	73	25.0	25.2	0	20.8	65	46.8	46.6	0	38.5	8	5.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	15.8	15.5	0	16.1	37	26.6	26.4	0	28.8	9	5.9	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	28	9.6	11.2	0	7.6	21	15.1	19.3	0	.	7	4.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	42	14.4	13.8	0	15.5	33	23.8	22.9	0	27.5	9	5.9	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1993*****				*****1993*****				*****1993*****						
	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR
*****Causes of Death*****															
All causes	2,030	695.1	876.2	0	901.7	1,159	834.5	1164.3	0	1213.5	871	568.8	661.9	0	672.0
Infectious diseases and parasitic disease (1-139)	288	98.6	90.5	0	77.1	199	143.3	137.5	0	115.7	89	58.1	52.8	0	44.8
..Septicemia (038)	33	11.3	15.5	0	22.9	15	10.8	18.5	0	28.1	18	11.8	14.1	0	18.6
....Septicemia-related (038)	115	39.4	52.8	0	64.9	58	41.8	70.0	0	79.2	57	37.2	43.3	0	53.4
..HIV infection (042-044)	224	76.7	63.1	0	48.0	164	118.1	102.1	0	78.1	60	39.2	30.6	0	22.7
All cancer (140-208)	410	140.4	199.5	0	219.8	230	165.6	284.5	0	282.4	180	117.5	145.7	0	179.5
..Oral cavity or pharynx (140.0-149.9)	11	3.8	.	.	.	8	5.8	.	.	.	3	2.0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	36	12.3	17.3	0	21.2	16	11.5	18.3	0	22.3	20	13.1	16.5	0	20.2
....Colon cancer (153)	31	10.6	14.7	0	18.4	14	10.1	.	.	.	17	11.1	14.0	0	17.7
....Rectal cancer (154)	5	1.7	.	.	.	2	1.4	.	.	.	3	2.0	.	.	.
..Pancreatic cancer (157)	31	10.6	15.4	0	10.2	17	12.2	20.1	0	.	14	9.1	.	.	.
..Lung and other respiratory cancer (160-165)	97	33.2	47.2	0	59.2	66	47.5	79.7	0	90.0	31	20.2	25.2	0	38.7
....Lung cancer (162.2-.9)	92	31.5	44.9	0	56.1	62	44.6	75.7	0	87.4	30	19.6	24.3	0	35.2
..Female breast cancer (174)	33	33	21.5	25.0	0	36.7
..Cervical cancer (180)	4	4	2.6	.	.	.
..Endometrial cancer (182)	6	6	3.9	.	.	.
..Ovarian cancer (183)	10	10	6.5	.	.	.
..Prostate cancer (185)	39	39	28.1	60.5	0	59.4
..Bladder cancer (188)	11	3.8	.	.	.	6	4.3	.	.	.	5	3.3	.	.	.
..Brain & other CNS cancer (191-192)	4	1.4	.	.	.	1	0.7	.	.	.	3	2.0	.	.	.
..Leukemia (204-208)	12	4.1	.	.	7.2	6	4.3	.	.	.	6	3.9	.	.	.
Diabetes mellitus (250)	56	19.2	28.5	0	32.2	24	17.3	31.9	0	33.8	32	20.9	27.3	0	30.7
..Diabetes-related (250)	201	68.8	102.9	0	103.9	84	60.5	110.4	0	104.6	117	76.4	99.8	0	100.7
..Diabetic ketoacidosis (DKA) (250.1)	4	1.4	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
Alzheimer's diseases (331.0)	5	1.7	.	.	.	2	1.4	.	.	.	3	2.0	.	.	.
Cardiovascular disease (390-459)	630	215.7	310.3	0	325.7	297	213.8	368.8	0	428.8	333	217.4	268.5	0	253.6
..Diseases of the heart (390-398,402,404-429)	482	165.0	237.5	0	264.8	233	167.8	291.2	0	358.6	249	162.6	201.0	0	200.5
....Heart disease-related (390-398,402,404-429)	970	332.2	459.0	0	471.6	484	348.5	563.2	0	644.2	486	317.4	386.1	0	350.4
....Coronary heart disease (CHD) (402,410-414,429.2)	298	102.0	150.7	0	172.4	147	105.8	185.2	0	243.3	151	98.6	123.6	0	125.3
....Congestive heart failure (CHF) (428.0)	21	7.2	10.6	0	9.2	10	7.2	.	.	.	11	7.2	.	.	.
..Hypertension with or without renal disease (401,403)	15	5.1	7.4	0	.	10	7.2	.	.	.	5	3.3	.	.	.
....Hypertension-related (401,403)	147	50.3	73.0	0	70.3	58	41.8	67.8	0	73.9	89	58.1	72.6	0	67.7
..Cerebrovascular disease (430-438)	100	34.2	49.9	0	41.3	38	27.4	47.4	0	50.7	62	40.5	49.4	0	33.9
..Atherosclerosis (440)	4	1.4	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
....Atherosclerosis-related (440)	35	12.0	18.2	0	25.0	15	10.8	23.4	0	32.7	20	13.1	15.6	0	20.9
..Aortic aneurysm (441)	15	5.1	7.2	0	.	8	5.8	.	.	.	7	4.6	.	.	.
Pneumonia & influenza (480-487)	33	11.3	14.2	0	21.5	17	12.2	18.2	0	30.6	16	10.4	11.1	0	16.1
Chronic obstructive pulmonary disease (COPD) (490-496)	47	16.1	23.3	0	14.6	25	18.0	30.9	0	19.3	22	14.4	18.0	0	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993*****					*****1993*****					*****1993*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	105	36.0	52.8	0	50.0	56	40.3	73.4	0	67.5	49	32.0	40.3	0	39.0
..Asthma (493)	11	3.8	.	.	.	6	4.3	.	.	.	5	3.3	.	.	.
Chronic liver disease and cirrhosis (571)	23	7.9	10.3	0	8.7	13	9.4	.	.	.	10	6.5	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	12.7	17.8	0	21.4	16	11.5	18.2	0	31.3	21	13.7	16.7	0	14.2
..Nephritis-related (580-589)	159	54.4	72.1	0	92.7	78	56.2	84.2	0	125.0	81	52.9	64.0	0	71.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	40	13.7	18.8	0	24.1	18	13.0	19.2	0	37.8	22	14.4	17.4	0	15.1
Unintentional injuries (E800-E949)	94	32.2	32.8	0	35.3	70	50.4	50.0	0	60.9	24	15.7	16.9	0	14.8
..Motor vehicle accidents (E810-E825)	32	11.0	11.4	0	10.8	23	16.6	16.9	0	18.7	9	5.9	.	.	.
..Falls and fall related injuries (E880-E888)	4	1.4	.	.	.	3	2.2	.	.	.	1	0.7	.	.	.
..Drowning (E830,E832,E910)	6	2.1	.	.	.	4	2.9	.	.	.	2	1.3	.	.	.
..Residential fires (E890-E899)	6	2.1	.	.	.	5	3.6	.	.	.	1	0.7	.	.	.
Suicide (E950-E959)	16	5.5	5.6	0	5.4	15	10.8	11.2	0	10.8	1	0.7	.	.	.
Homicide and legal intervention (E960-E978)	99	33.9	30.4	0	25.4	80	57.6	51.4	0	45.6	19	12.4	10.4	0	.
..Homicide (E960-E969)	98	33.6	30.2	0	25.0	79	56.9	51.0	0	44.7	19	12.4	10.4	0	.
All injury (E800-E999)	218	74.6	71.4	0	69.4	173	124.6	117.9	0	123.1	45	29.4	28.4	0	23.2
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	32	11.0	11.4	0	10.8	23	16.6	16.9	0	18.7	9	5.9	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	4	1.4	.	.	.	3	2.2	.	.	.	1	0.7	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	84	28.8	26.6	0	22.3	76	54.7	50.6	0	42.8	8	5.2	.	.	.
....Suicide (E955.0-.4)	8	2.7	.	.	.	8	5.8
....Homicide (E965.0-.4)	73	25.0	22.7	0	19.1	65	46.8	42.5	0	35.5	8	5.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	15.8	13.8	0	14.4	37	26.6	23.2	0	25.6	9	5.9	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	28	9.6	11.9	0	8.0	21	15.1	20.9	0	.	7	4.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	42	14.4	11.5	0	14.0	33	23.8	18.6	0	24.6	9	5.9	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female									
	*****1993*****				*****1993*****				*****1993*****									
	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1992 AAMR			
*****Causes of Death*****																		
All causes	2,030	695.1	1111.1		0	1148.0	1,159	834.5	1464.6		0	1520.7	871	568.8	858.8		0	882.2
Infectious diseases and parasitic disease (1-139)	288	98.6	115.7		0	93.9	199	143.3	177.5		0	140.4	89	58.1	67.1		0	54.8
..Septicemia (038)	33	11.3	21.0		0	28.3	15	10.8	27.1		0	33.3	18	11.8	18.7		0	23.9
....Septicemia-related (038)	115	39.4	72.0		0	83.6	58	41.8	99.3		0	100.8	57	37.2	58.3		0	70.1
..HIV infection (042-044)	224	76.7	80.0		1	58.6	164	118.1	129.7		0	96.3	60	39.2	38.5		0	26.8
All cancer (140-208)	410	140.4	247.0		0	270.4	230	165.6	358.4		0	351.9	180	117.5	179.7		0	219.8
..Oral cavity or pharynx (140.0-149.9)	11	3.8	.		.	.	8	5.8	.		.	.	3	2.0	.		.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	36	12.3	20.5		0	27.6	16	11.5	21.2		0	28.2	20	13.1	19.6		0	26.7
....Colon cancer (153)	31	10.6	17.0		0	23.9	14	10.1	.		.	.	17	11.1	16.1		0	23.8
....Rectal cancer (154)	5	1.7	.		.	.	2	1.4	.		.	.	3	2.0	.		.	.
..Pancreatic cancer (157)	31	10.6	19.7		0	14.2	17	12.2	24.0		0	.	14	9.1	.		.	.
..Lung and other respiratory cancer (160-165)	97	33.2	54.6		0	69.3	66	47.5	94.2		0	107.7	31	20.2	29.3		0	44.4
....Lung cancer (162.2-.9)	92	31.5	52.2		0	65.9	62	44.6	90.1		0	104.8	30	19.6	28.5		0	40.6
..Female breast cancer (174)	33	33	21.5	32.2		0	43.0
..Cervical cancer (180)	4	4	2.6	.		.	.
..Endometrial cancer (182)	6	6	3.9	.		.	.
..Ovarian cancer (183)	10	10	6.5	.		.	.
..Prostate cancer (185)	39	39	28.1	89.8		0	85.5
..Bladder cancer (188)	11	3.8	.		.	.	6	4.3	.		.	.	5	3.3	.		.	.
..Brain & other CNS cancer (191-192)	4	1.4	.		.	.	1	0.7	.		.	.	3	2.0	.		.	.
..Leukemia (204-208)	12	4.1	.		.	8.0	6	4.3	.		.	.	6	3.9	.		.	.
Diabetes mellitus (250)	56	19.2	36.1		0	40.3	24	17.3	43.2		0	41.6	32	20.9	33.2		0	38.7
..Diabetes-related (250)	201	68.8	130.6		0	137.0	84	60.5	144.9		0	131.3	117	76.4	124.4		0	135.5
..Diabetic ketoacidosis (DKA) (250.1)	4	1.4	.		.	.	2	1.4	.		.	.	2	1.3	.		.	.
Alzheimer's diseases (331.0)	5	1.7	.		.	.	2	1.4	.		.	.	3	2.0	.		.	.
Cardiovascular disease (390-459)	630	215.7	419.0		0	445.0	297	213.8	488.4		0	565.4	333	217.4	371.4		0	361.7
..Diseases of the heart (390-398,402,404-429)	482	165.0	318.3		0	359.2	233	167.8	386.0		0	471.9	249	162.6	275.1		0	284.0
....Heart disease-related (390-398,402,404-429)	970	332.2	606.1		0	622.6	484	348.5	737.8		0	829.5	486	317.4	517.9		0	480.2
....Coronary heart disease (CHD) (402,410-414,429.2)	298	102.0	204.9		0	236.1	147	105.8	240.4		0	324.9	151	98.6	176.7		0	179.9
....Congestive heart failure (CHF) (428.0)	21	7.2	14.5		0	11.9	10	7.2	.		.	.	11	7.2	.		.	.
..Hypertension with or without renal disease (401,403)	15	5.1	8.6		0	.	10	7.2	.		.	.	5	3.3	.		.	.
....Hypertension-related (401,403)	147	50.3	95.5		0	92.1	58	41.8	80.2		0	95.7	89	58.1	99.4		0	89.4
..Cerebrovascular disease (430-438)	100	34.2	71.4		0	59.0	38	27.4	62.9		0	67.7	62	40.5	72.8		0	51.5
..Atherosclerosis (440)	4	1.4	.		.	.	2	1.4	.		.	.	2	1.3	.		.	.
....Atherosclerosis-related (440)	35	12.0	29.0		0	39.9	15	10.8	37.3		0	51.6	20	13.1	25.2		0	33.9
..Aortic aneurysm (441)	15	5.1	9.3		0	.	8	5.8	.		.	.	7	4.6	.		.	.
Pneumonia & influenza (480-487)	33	11.3	21.5		0	30.7	17	12.2	27.0		0	44.2	16	10.4	17.6		0	23.9
Chronic obstructive pulmonary disease (COPD) (490-496)	47	16.1	27.9		0	17.5	25	18.0	36.5		0	22.6	22	14.4	21.9		0	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1992 AAMR		
	*****1993*****				*****1993*****				*****1993*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
..COPD-related (490-496)	105	36.0	69.5	0	64.7	56	40.3	98.5	0	87.4	49	32.0	53.2	0	50.8
..Asthma (493)	11	3.8	.	.	.	6	4.3	.	.	.	5	3.3	.	.	.
Chronic liver disease and cirrhosis (571)	23	7.9	11.4	0	10.7	13	9.4	.	.	.	10	6.5	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	12.7	26.2	0	30.3	16	11.5	25.5	0	41.6	21	13.7	25.3	0	21.7
..Nephritis-related (580-589)	159	54.4	97.6	0	124.5	78	56.2	116.6	0	168.1	81	52.9	85.8	0	96.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	40	13.7	27.8	0	34.0	18	13.0	26.7	0	51.6	22	14.4	26.7	0	22.5
Unintentional injuries (E800-E949)	94	32.2	36.5	0	41.2	70	50.4	54.2	0	71.7	24	15.7	19.8	0	18.2
..Motor vehicle accidents (E810-E825)	32	11.0	11.1	0	10.5	23	16.6	16.0	0	18.4	9	5.9	.	.	.
..Falls and fall related injuries (E880-E888)	4	1.4	.	.	.	3	2.2	.	.	.	1	0.7	.	.	.
..Drowning (E830,E832,E910)	6	2.1	.	.	.	4	2.9	.	.	.	2	1.3	.	.	.
..Residential fires (E890-E899)	6	2.1	.	.	.	5	3.6	.	.	.	1	0.7	.	.	.
Suicide (E950-E959)	16	5.5	5.8	0	6.7	15	10.8	11.5	0	13.1	1	0.7	.	.	.
Homicide and legal intervention (E960-E978)	99	33.9	29.6	0	23.8	80	57.6	49.7	0	42.0	19	12.4	10.8	0	.
..Homicide (E960-E969)	98	33.6	29.3	0	23.4	79	56.9	49.2	0	40.9	19	12.4	10.8	0	.
All injury (E800-E999)	218	74.6	75.3	0	75.7	173	124.6	122.2	0	133.5	45	29.4	31.9	0	28.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	32	11.0	11.1	0	10.5	23	16.6	16.0	0	18.4	9	5.9	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	4	1.4	.	.	.	3	2.2	.	.	.	1	0.7	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	84	28.8	25.6	0	20.5	76	54.7	48.8	0	39.4	8	5.2	.	.	.
....Suicide (E955.0-.4)	8	2.7	.	.	.	8	5.8
....Homicide (E965.0-.4)	73	25.0	21.9	0	16.8	65	46.8	41.0	0	30.6	8	5.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	15.8	16.9	0	18.1	37	26.6	28.7	0	31.8	9	5.9	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	28	9.6	13.2	0	9.4	21	15.1	23.0	0	.	7	4.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	42	14.4	15.0	0	17.7	33	23.8	24.8	0	30.5	9	5.9	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	2,030	1,179	1,536	29,584	43,206	10446.3	9785.2	0	15105.2	14402.3	0
Infectious diseases and parasitic disease (1-139)	288	259	272	6,672	9,324	2289.7	1670.7	1	3089.5	2319.6	1
..Septicemia (038)	33	15	21	233	408	84.0	192.0	0	148.7	311.8	0
...Septicemia-related (038)	115	53	78	955	1,592	350.1	559.4	0	582.8	889.2	0
..HIV infection (042-044)	224	220	224	5,865	8,090	2005.0	1347.0	1	2656.3	1821.4	1
All cancer (140-208)	410	196	303	2,617	5,110	1067.5	1053.2	0	2060.6	2142.0	0
..Oral cavity or pharynx (140.0-149.9)	11	9	11	163	263
..Colorectal cancer (153.0-154.3,154.8,159.0)	36	19	30	228	465	94.8	71.5	0	189.9	165.4	0
...Colon cancer (153)	31	17	27	218	433	90.0	51.3	0	175.4	129.4	0
...Rectal cancer (154)	5	2	3	10	33
..Pancreatic cancer (157)	31	16	21	145	328	60.5	18.6	0	136.1	46.2	0
..Lung and other respiratory cancer (160-165)	97	49	79	503	1,178	210.4	254.7	0	486.7	570.3	0
...Lung cancer (162.2-.9)	92	44	74	460	1,085	191.9	245.0	0	447.4	543.4	0
..Female breast cancer (174)	33	19	25	303	523
..Cervical cancer (180)	4	1	2	23	35
..Endometrial cancer (182)	6	3	4	13	45
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)	39	3	13	23	93
..Bladder cancer (188)	11	1	5	3	33
..Brain & other CNS cancer (191-192)	4	2	3	115	138
..Leukemia (204-208)	12	6	7	222	290	.	60.6	.	.	105.3	.
Diabetes mellitus (250)	56	22	37	225	523	95.1	114.1	0	217.8	256.3	0
..Diabetes-related (250)	201	69	134	683	1,680	297.2	281.9	0	709.9	670.2	0
..Diabetic ketoacidosis (DKA) (250.1)	4	2	2	25	45
Alzheimer's diseases (331.0)	5	2	2	45	65
Cardiovascular disease (390-459)	630	225	380	3,377	6,459	1309.7	1505.2	0	2523.2	2783.6	0
..Diseases of the heart (390-398,402,404-429)	482	180	292	2,617	5,032	1012.1	1270.2	0	1966.1	2330.6	0
...Heart disease-related (390-398,402,404-429)	970	432	641	7,693	13,086	2843.0	2700.6	0	4871.9	4811.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	298	95	169	1,028	2,388	431.2	559.8	0	989.4	1211.0	0
....Congestive heart failure (CHF) (428.0)	21	7	12	110	202	40.1	39.7	0	77.0	78.7	0
..Hypertension with or without renal disease (401,403)	15	8	12	75	175	30.0	.	0	71.5	.	0
...Hypertension-related (401,403)	147	55	94	638	1,405	264.1	227.6	0	575.9	507.1	0
..Cerebrovascular disease (430-438)	100	23	53	475	850	186.4	163.6	0	329.8	307.7	0
..Atherosclerosis (440)	4	.	2	0	5
...Atherosclerosis-related (440)	35	3	13	28	98	12.2	23.8	0	41.3	71.0	0
..Aortic aneurysm (441)	15	4	11	70	158	27.5	.	0	62.4	.	0
Pneumonia & influenza (480-487)	33	15	19	407	582	139.4	180.3	0	196.3	257.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	47	19	34	320	587	120.7	60.6	0	225.5	134.4	0
..COPD-related (490-496)	105	34	64	532	1,007	203.2	134.6	0	388.7	341.6	0
..Asthma (493)	11	9	10	193	285

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	23	18	22	215	420	91.7	127.3	0	174.2	198.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	11	18	265	407	91.4	128.6	0	141.3	205.1	0
..Nephritis-related (580-589)	159	75	106	1,494	2,386	529.2	506.0	0	846.7	883.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	40	13	20	330	492	112.7	133.5	0	167.8	220.0	0
Unintentional injuries (E800-E949)	94	83	88	2,729	3,581	953.4	969.2	0	1207.0	1244.6	0
..Motor vehicle accidents (E810-E825)	32	29	30	1,113	1,410	417.9	423.5	0	505.5	515.4	0
..Falls and fall related injuries (E880-E888)	4	2	2	55	75
..Drowning (E830,E832,E910)	6	6	6	313	373
..Residential fires (E890-E899)	6	5	6	110	162
Suicide (E950-E959)	16	16	16	475	635	186.4	139.9	0	238.6	178.0	0
Homicide and legal intervention (E960-E978)	99	97	97	3,732	4,702	1372.3	1107.5	0	1641.5	1330.2	0
..Homicide (E960-E969)	98	96	96	3,699	4,659	1362.3	1099.7	0	1629.1	1318.6	0
All injury (E800-E999)	218	204	210	7,150	9,220	2585.6	2298.1	0	3186.5	2867.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	32	29	30	1,113	1,410	417.9	423.5	0	505.5	515.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	2	2	55	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	84	83	83	3,123	3,953	1168.7	1009.5	0	1405.4	1195.9	0
....Suicide (E955.0-.4)	8	8	8	240	320
....Homicide (E965.0-.4)	73	72	72	2,740	3,460	1025.4	931.3	0	1228.6	1096.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	44	46	1,186	1,641	401.2	381.8	0	537.9	522.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	28	21	28	350	602	135.7	101.1	0	232.4	169.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	42	42	42	1,085	1,505	369.0	360.5	0	491.3	496.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	1,159	774	963	19,778	28,506	14751.0	13978.6	0	21252.9	20466.1	0
Infectious diseases and parasitic disease (1-139)	199	185	192	4,715	6,597	3496.0	2572.1	0	4735.4	3604.0	0
..Septicemia (038)	15	8	10	120	205	93.7	266.9	0	163.8	434.6	0
...Septicemia-related (038)	58	31	41	525	865	411.5	801.8	0	691.7	1270.8	0
..HIV infection (042-044)	164	161	164	4,193	5,820	3105.5	2150.0	1	4155.0	2933.8	1
All cancer (140-208)	230	111	171	1,390	2,810	1250.7	1334.1	0	2550.6	2647.0	0
..Oral cavity or pharynx (140.0-149.9)	8	6	8	105	175	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	16	10	14	120	235	115.4	67.5	0	221.2	167.0	0
...Colon cancer (153)	14	9	12	113	215	.	.	0	.	.	.
...Rectal cancer (154)	2	1	2	8	20	.	.	0	.	.	.
..Pancreatic cancer (157)	17	12	13	120	243	108.9	.	0	221.8	.	0
..Lung and other respiratory cancer (160-165)	66	33	54	298	760	288.6	390.6	0	727.0	833.5	0
...Lung cancer (162.2-.9)	62	29	50	258	680	250.2	382.0	0	652.1	811.9	0
..Female breast cancer (174)	0	.	.	.
..Cervical cancer (180)	0	.	.	.
..Endometrial cancer (182)	0	.	.	.
..Ovarian cancer (183)	0	.	.	.
..Prostate cancer (185)	39	3	13	23	93	24.0	11.2	0	93.3	103.4	0
..Bladder cancer (188)	6	1	5	3	33	.	.	0	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	58	68	.	.	0	.	.	.
..Leukemia (204-208)	6	2	3	107	135	.	.	0	.	.	.
Diabetes mellitus (250)	24	9	16	93	215	85.6	141.6	0	199.3	305.5	0
..Diabetes-related (250)	84	27	59	288	713	275.9	321.4	0	675.4	744.1	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	23	33	.	.	0	.	.	.
Alzheimer's diseases (331.0)	2	1	1	8	18	.	.	0	.	.	.
Cardiovascular disease (390-459)	297	133	211	2,051	3,811	1705.5	1999.8	0	3264.8	3825.3	0
..Diseases of the heart (390-398,402,404-429)	233	106	164	1,491	2,881	1254.1	1675.3	0	2502.1	3202.0	0
...Heart disease-related (390-398,402,404-429)	484	259	360	4,752	7,869	3742.1	3846.2	0	6349.2	6882.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	147	65	106	748	1,630	682.3	797.4	0	1500.8	1787.4	0
....Congestive heart failure (CHF) (428.0)	10	3	5	18	58	.	.	0	.	.	.
..Hypertension with or without renal disease (401,403)	10	5	8	53	120	.	.	0	.	.	.
...Hypertension-related (401,403)	58	31	48	348	765	320.8	255.0	0	708.0	561.2	0
..Cerebrovascular disease (430-438)	38	13	26	345	532	275.3	217.8	0	427.6	442.7	0
..Atherosclerosis (440)	2	.	.	0	0	.	.	0	.	.	.
...Atherosclerosis-related (440)	15	1	7	8	43	8.2	31.7	0	43.1	88.6	0
..Aortic aneurysm (441)	8	3	7	63	118	.	.	0	.	.	.
Pneumonia & influenza (480-487)	17	11	13	250	370	197.4	269.1	0	289.5	370.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	25	9	19	153	293	126.7	59.4	0	252.7	152.0	0
..COPD-related (490-496)	56	18	37	280	553	239.9	155.5	0	485.0	417.5	0
..Asthma (493)	6	4	5	115	158	.	.	0	.	.	.

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	10	13	110	228
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	8	11	150	253	115.2	226.5	0	197.4	350.3	0
..Nephritis-related (580-589)	78	48	59	982	1,510	760.7	765.8	0	1167.8	1267.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	18	10	13	215	338	160.1	235.0	0	253.3	371.9	0
Unintentional injuries (E800-E949)	70	65	69	2,190	2,860	1567.2	1567.0	0	1986.1	2047.9	0
..Motor vehicle accidents (E810-E825)	23	22	23	825	1,053	628.0	681.2	0	771.1	838.9	0
..Falls and fall related injuries (E880-E888)	3	2	2	55	75
..Drowning (E830,E832,E910)	4	4	4	184	224
..Residential fires (E890-E899)	5	5	5	110	160
Suicide (E950-E959)	15	15	15	458	608	367.8	293.8	0	470.9	375.4	0
Homicide and legal intervention (E960-E978)	80	79	79	3,040	3,830	2301.4	1931.4	0	2758.9	2321.9	0
..Homicide (E960-E969)	79	78	78	3,007	3,787	2280.2	1914.1	0	2732.6	2296.0	0
All injury (E800-E999)	173	166	171	5,869	7,557	4374.6	3933.4	0	5405.7	4944.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	22	23	825	1,053	628.0	681.2	0	771.1	838.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	55	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	76	75	75	2,833	3,583	2161.8	1885.6	0	2606.4	2236.4	0
...Suicide (E955.0-.4)	8	8	8	240	320
...Homicide (E965.0-.4)	65	64	64	2,450	3,090	1870.4	1721.9	0	2244.3	2027.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	37	35	37	1,024	1,389	726.2	657.7	0	955.6	916.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	21	15	21	255	440	216.0	.	0	376.9	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	33	33	33	893	1,223	646.1	616.1	0	847.8	864.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	871	405	573	9,806	14,701	6579.0	5983.3	0	9702.7	9057.7	0
Infectious diseases and parasitic disease (1-139)	89	74	80	1,957	2,727	1258.6	892.8	0	1689.0	1222.4	0
..Septicemia (038)	18	7	11	113	203	75.9	124.7	0	136.3	205.7	0
...Septicemia-related (038)	57	22	37	430	728	300.1	354.4	0	495.5	571.2	0
..HIV infection (042-044)	60	59	60	1,673	2,270	1064.8	654.6	0	1381.1	869.4	0
All cancer (140-208)	180	85	132	1,228	2,300	930.6	818.0	0	1687.5	1734.3	0
..Oral cavity or pharynx (140.0-149.9)	3	3	3	58	88
..Colorectal cancer (153.0-154.3,154.8,159.0)	20	9	16	108	230	79.2	74.7	0	166.4	164.5	0
...Colon cancer (153)	17	8	15	105	218	77.1	53.5	0	156.3	126.4	0
...Rectal cancer (154)	3	1	1	3	13
..Pancreatic cancer (157)	14	4	8	25	85
..Lung and other respiratory cancer (160-165)	31	16	25	205	418	149.4	144.7	0	299.9	362.7	0
...Lung cancer (162.2-.9)	30	15	24	203	405	147.2	134.1	0	289.8	331.7	0
..Female breast cancer (174)	33	19	25	303	523	223.3	286.8	0	373.8	527.8	0
..Cervical cancer (180)	4	1	2	23	35
..Endometrial cancer (182)	6	3	4	13	45
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)
..Bladder cancer (188)	5	.	.	0	0
..Brain & other CNS cancer (191-192)	3	1	2	58	70
..Leukemia (204-208)	6	4	4	115	155
Diabetes mellitus (250)	32	13	21	133	308	106.6	92.9	0	237.1	217.8	0
..Diabetes-related (250)	117	42	75	395	968	317.8	250.8	0	742.6	612.5	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	3	13
Alzheimer's diseases (331.0)	3	1	1	38	48
Cardiovascular disease (390-459)	333	92	169	1,326	2,649	975.1	1113.3	0	1914.6	1967.6	0
..Diseases of the heart (390-398,402,404-429)	249	74	128	1,126	2,151	820.4	948.0	0	1544.0	1647.2	0
...Heart disease-related (390-398,402,404-429)	486	173	281	2,942	5,217	2081.0	1747.9	0	3646.3	3130.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	151	30	63	280	758	222.1	378.7	0	574.8	768.8	0
...Congestive heart failure (CHF) (428.0)	11	4	7	92	145
..Hypertension with or without renal disease (401,403)	5	3	4	23	55
...Hypertension-related (401,403)	89	24	46	290	640	218.8	203.2	0	470.9	462.9	0
..Cerebrovascular disease (430-438)	62	10	27	130	318	99.7	124.2	0	234.1	205.7	0
..Atherosclerosis (440)	2	.	2	0	5
...Atherosclerosis-related (440)	20	2	6	20	55	15.7	17.0	0	41.0	57.7	0
..Aortic aneurysm (441)	7	1	4	8	40
Pneumonia & influenza (480-487)	16	4	6	157	212	92.9	89.6	0	122.0	145.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	22	10	15	167	295	115.0	.	0	203.9	.	0
..COPD-related (490-496)	49	16	27	252	455	173.7	123.6	0	313.9	289.6	0
..Asthma (493)	5	5	5	78	128

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	10	8	9	105	193
Nephritis, nephrotic syndrome/nephrosis (580-589)	21	3	7	115	155	76.6	41.6	0	100.4	79.3	0
..Nephritis-related (580-589)	81	27	47	512	877	338.0	280.1	0	581.1	555.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	22	3	7	115	155	76.6	43.7	0	100.4	89.5	0
Unintentional injuries (E800-E949)	24	18	19	539	722	378.4	418.9	0	487.0	517.4	0
..Motor vehicle accidents (E810-E825)	9	7	7	288	358
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
..Drowning (E830,E832,E910)	2	2	2	129	149
..Residential fires (E890-E899)	1	.	1	0	3
Suicide (E950-E959)	1	1	1	18	28
Homicide and legal intervention (E960-E978)	19	18	18	692	872	464.4	.	0	554.8	.	0
..Homicide (E960-E969)	19	18	18	692	872	464.4	.	0	554.8	.	0
All injury (E800-E999)	45	38	39	1,281	1,664	875.1	731.6	0	1085.5	904.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	9	7	7	288	358
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	290	370
...Suicide (E955.0-.4)
...Homicide (E965.0-.4)	8	8	8	290	370
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	9	9	163	253
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	7	6	7	95	163
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	9	9	193	283

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	2,030	1,179	1,536	29,584	43,206	10055.9	9502.8	0	14759.1	14235.4	0
Infectious diseases and parasitic disease (1-139)	288	259	272	6,672	9,324	1965.5	1457.3	1	2652.0	2044.9	0
..Septicemia (038)	33	15	21	233	408	74.9	181.7	0	143.0	308.6	0
...Septicemia-related (038)	115	53	78	955	1,592	321.7	517.9	0	563.7	857.9	0
..HIV infection (042-044)	224	220	224	5,865	8,090	1704.5	1155.7	1	2243.5	1564.8	1
All cancer (140-208)	410	196	303	2,617	5,110	1077.0	1035.6	0	2167.4	2236.0	0
..Oral cavity or pharynx (140.0-149.9)	11	9	11	163	263
..Colorectal cancer (153.0-154.3,154.8,159.0)	36	19	30	228	465	94.4	74.1	0	198.4	179.3	0
...Colon cancer (153)	31	17	27	218	433	88.9	54.3	0	181.3	143.1	0
...Rectal cancer (154)	5	2	3	10	33
..Pancreatic cancer (157)	31	16	21	145	328	61.1	19.4	0	145.3	51.2	0
..Lung and other respiratory cancer (160-165)	97	49	79	503	1,178	211.3	255.1	0	520.7	609.3	0
...Lung cancer (162.2-.9)	92	44	74	460	1,085	192.3	244.9	0	478.9	579.0	0
..Female breast cancer (174)	33	19	25	303	523
..Cervical cancer (180)	4	1	2	23	35
..Endometrial cancer (182)	6	3	4	13	45
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)	39	3	13	23	93
..Bladder cancer (188)	11	1	5	3	33
..Brain & other CNS cancer (191-192)	4	2	3	115	138
..Leukemia (204-208)	12	6	7	222	290	.	63.8	.	.	112.7	.
Diabetes mellitus (250)	56	22	37	225	523	102.0	113.8	0	242.3	274.0	0
..Diabetes-related (250)	201	69	134	683	1,680	311.3	278.8	0	782.0	720.8	0
..Diabetic ketoacidosis (DKA) (250.1)	4	2	2	25	45
Alzheimer's diseases (331.0)	5	2	2	45	65
Cardiovascular disease (390-459)	630	225	380	3,377	6,459	1298.1	1474.1	0	2636.9	2867.8	0
..Diseases of the heart (390-398,402,404-429)	482	180	292	2,617	5,032	1007.8	1242.1	0	2060.6	2397.2	0
...Heart disease-related (390-398,402,404-429)	970	432	641	7,693	13,086	2762.3	2587.9	0	4929.7	4854.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	298	95	169	1,028	2,388	441.6	555.7	0	1069.1	1282.6	0
....Congestive heart failure (CHF) (428.0)	21	7	12	110	202	43.0	40.5	0	84.8	84.5	0
..Hypertension with or without renal disease (401,403)	15	8	12	75	175	29.9	.	0	77.2	.	0
...Hypertension-related (401,403)	147	55	94	638	1,405	261.3	220.1	0	607.5	533.8	0
..Cerebrovascular disease (430-438)	100	23	53	475	850	183.9	164.5	0	341.9	322.0	0
..Atherosclerosis (440)	4	.	2	0	5
...Atherosclerosis-related (440)	35	3	13	28	98	12.9	24.1	0	48.0	79.0	0
..Aortic aneurysm (441)	15	4	11	70	158	26.0	.	0	65.3	.	0
Pneumonia & influenza (480-487)	33	15	19	407	582	130.8	187.5	0	185.1	267.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	47	19	34	320	587	124.9	58.5	0	242.1	141.4	0
..COPD-related (490-496)	105	34	64	532	1,007	203.4	135.1	0	410.2	373.9	0
..Asthma (493)	11	9	10	193	285

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	23	18	22	215	420	91.7	115.9	0	179.2	185.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	11	18	265	407	85.6	115.5	0	137.8	194.0	0
..Nephritis-related (580-589)	159	75	106	1,494	2,386	482.5	466.6	0	808.4	866.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	40	13	20	330	492	102.6	121.1	0	158.7	211.5	0
Unintentional injuries (E800-E949)	94	83	88	2,729	3,581	926.7	919.3	0	1158.5	1168.3	0
..Motor vehicle accidents (E810-E825)	32	29	30	1,113	1,410	415.0	406.8	0	493.9	487.7	0
..Falls and fall related injuries (E880-E888)	4	2	2	55	75
..Drowning (E830,E832,E910)	6	6	6	313	373
..Residential fires (E890-E899)	6	5	6	110	162
Suicide (E950-E959)	16	16	16	475	635	178.9	121.7	0	226.2	153.3	0
Homicide and legal intervention (E960-E978)	99	97	97	3,732	4,702	1278.9	1043.6	0	1501.5	1234.3	0
..Homicide (E960-E969)	98	96	96	3,699	4,659	1271.5	1036.0	0	1492.4	1223.1	0
All injury (E800-E999)	218	204	210	7,150	9,220	2446.4	2156.0	0	2970.1	2657.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	32	29	30	1,113	1,410	415.0	406.8	0	493.9	487.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	2	2	55	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	84	83	83	3,123	3,953	1103.7	963.6	0	1303.8	1121.8	0
....Suicide (E955.0-.4)	8	8	8	240	320
....Homicide (E965.0-.4)	73	72	72	2,740	3,460	957.8	894.7	0	1126.8	1035.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	44	46	1,186	1,641	353.7	327.5	0	472.5	448.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	28	21	28	350	602	133.3	97.2	0	233.7	166.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	42	42	42	1,085	1,505	306.8	312.6	0	406.6	431.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	1,159	774	963	19,778	28,506	14051.3	13500.9	0	20541.3	20091.8	0
Infectious diseases and parasitic disease (1-139)	199	185	192	4,715	6,597	2983.4	2247.1	0	4044.8	3183.3	0
..Septicemia (038)	15	8	10	120	205	83.8	250.5	0	157.7	428.5	0
...Septicemia-related (038)	58	31	41	525	865	381.2	743.5	0	673.6	1221.1	0
..HIV infection (042-044)	164	161	164	4,193	5,820	2633.4	1856.6	0	3509.7	2535.7	0
All cancer (140-208)	230	111	171	1,390	2,810	1278.9	1306.4	0	2718.4	2749.6	0
..Oral cavity or pharynx (140.0-149.9)	8	6	8	105	175
..Colorectal cancer (153.0-154.3,154.8,159.0)	16	10	14	120	235	117.7	70.0	0	231.9	182.4	0
...Colon cancer (153)	14	9	12	113	215
...Rectal cancer (154)	2	1	2	8	20
..Pancreatic cancer (157)	17	12	13	120	243	108.0	.	0	230.8	.	0
..Lung and other respiratory cancer (160-165)	66	33	54	298	760	298.3	389.9	0	795.5	883.8	0
...Lung cancer (162.2-.9)	62	29	50	258	680	259.2	380.1	0	717.2	858.8	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	39	3	13	23	93	26.1	12.9	0	110.4	127.7	0
..Bladder cancer (188)	6	1	5	3	33
..Brain & other CNS cancer (191-192)	1	1	1	58	68
..Leukemia (204-208)	6	2	3	107	135
Diabetes mellitus (250)	24	9	16	93	215	85.9	143.7	0	214.8	325.8	0
..Diabetes-related (250)	84	27	59	288	713	280.1	320.6	0	736.7	800.5	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	23	33
Alzheimer's diseases (331.0)	2	1	1	8	18
Cardiovascular disease (390-459)	297	133	211	2,051	3,811	1681.6	1972.6	0	3393.8	3966.9	0
..Diseases of the heart (390-398,402,404-429)	233	106	164	1,491	2,881	1247.9	1661.2	0	2624.5	3332.2	0
...Heart disease-related (390-398,402,404-429)	484	259	360	4,752	7,869	3613.7	3699.7	0	6374.9	6949.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	147	65	106	748	1,630	693.1	796.2	0	1606.0	1902.2	0
....Congestive heart failure (CHF) (428.0)	10	3	5	18	58
..Hypertension with or without renal disease (401,403)	10	5	8	53	120
...Hypertension-related (401,403)	58	31	48	348	765	319.8	240.9	0	749.3	584.4	0
..Cerebrovascular disease (430-438)	38	13	26	345	532	270.1	215.2	0	433.3	461.7	0
..Atherosclerosis (440)	2	.	.	0	0
...Atherosclerosis-related (440)	15	1	7	8	43	9.4	30.5	0	52.7	96.0	0
..Aortic aneurysm (441)	8	3	7	63	118
Pneumonia & influenza (480-487)	17	11	13	250	370	190.1	292.8	0	278.8	399.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	25	9	19	153	293	132.5	62.8	0	276.6	169.1	0
..COPD-related (490-496)	56	18	37	280	553	242.4	158.2	0	518.4	459.7	0
..Asthma (493)	6	4	5	115	158

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	10	13	110	228
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	8	11	150	253	99.8	202.4	0	184.5	327.4	0
..Nephritis-related (580-589)	78	48	59	982	1,510	682.0	685.1	0	1082.8	1205.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	18	10	13	215	338	135.7	212.2	0	228.4	352.5	0
Unintentional injuries (E800-E949)	70	65	69	2,190	2,860	1518.7	1468.8	0	1897.7	1907.5	0
..Motor vehicle accidents (E810-E825)	23	22	23	825	1,053	635.0	638.9	0	767.4	778.2	0
..Falls and fall related injuries (E880-E888)	3	2	2	55	75
..Drowning (E830,E832,E910)	4	4	4	184	224
..Residential fires (E890-E899)	5	5	5	110	160
Suicide (E950-E959)	15	15	15	458	608	352.3	255.4	0	445.8	323.5	0
Homicide and legal intervention (E960-E978)	80	79	79	3,040	3,830	2148.8	1831.1	0	2529.9	2170.9	0
..Homicide (E960-E969)	79	78	78	3,007	3,787	2132.9	1814.1	0	2510.5	2145.9	0
All injury (E800-E999)	173	166	171	5,869	7,557	4138.3	3676.9	0	5036.9	4575.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	22	23	825	1,053	635.0	638.9	0	767.4	778.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	55	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	76	75	75	2,833	3,583	2049.6	1795.4	0	2428.4	2094.6	0
...Suicide (E955.0-.4)	8	8	8	240	320
...Homicide (E965.0-.4)	65	64	64	2,450	3,090	1753.7	1651.4	0	2066.9	1912.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	37	35	37	1,024	1,389	637.0	565.0	0	831.2	791.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	21	15	21	255	440	216.3	.	0	385.6	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	33	33	33	893	1,223	532.2	533.3	0	692.0	752.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	871	405	573	9,806	14,701	6456.0	5866.4	0	9688.9	9087.5	0
Infectious diseases and parasitic disease (1-139)	89	74	80	1,957	2,727	1100.4	775.9	0	1474.5	1075.8	0
..Septicemia (038)	18	7	11	113	203	67.5	119.5	0	131.1	205.7	0
...Septicemia-related (038)	57	22	37	430	728	273.7	326.9	0	476.4	555.9	0
..HIV infection (042-044)	60	59	60	1,673	2,270	915.5	551.3	0	1173.0	735.4	0
All cancer (140-208)	180	85	132	1,228	2,300	925.1	808.8	0	1746.9	1825.2	0
..Oral cavity or pharynx (140.0-149.9)	3	3	3	58	88
..Colorectal cancer (153.0-154.3,154.8,159.0)	20	9	16	108	230	76.7	77.3	0	173.0	177.2	0
...Colon cancer (153)	17	8	15	105	218	74.1	55.5	0	160.9	138.0	0
...Rectal cancer (154)	3	1	1	3	13
..Pancreatic cancer (157)	14	4	8	25	85
..Lung and other respiratory cancer (160-165)	31	16	25	205	418	143.2	146.6	0	307.1	394.8	0
...Lung cancer (162.2-.9)	30	15	24	203	405	140.6	135.7	0	295.0	360.4	0
..Female breast cancer (174)	33	19	25	303	523	215.1	279.0	0	367.3	534.4	0
..Cervical cancer (180)	4	1	2	23	35
..Endometrial cancer (182)	6	3	4	13	45
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)
..Bladder cancer (188)	5	.	.	0	0
..Brain & other CNS cancer (191-192)	3	1	2	58	70
..Leukemia (204-208)	6	4	4	115	155
Diabetes mellitus (250)	32	13	21	133	308	119.7	90.2	0	269.7	233.0	0
..Diabetes-related (250)	117	42	75	395	968	340.8	245.1	0	824.5	658.1	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	3	13
Alzheimer's diseases (331.0)	3	1	1	38	48
Cardiovascular disease (390-459)	333	92	169	1,326	2,649	974.7	1080.7	0	2019.8	2011.9	0
..Diseases of the heart (390-398,402,404-429)	249	74	128	1,126	2,151	818.5	908.4	0	1618.7	1666.1	0
...Heart disease-related (390-398,402,404-429)	486	173	281	2,942	5,217	2041.9	1666.4	0	3737.3	3165.2	0
...Coronary heart disease (CHD) (402,410-414,429.2)	151	30	63	280	758	232.3	373.1	0	635.8	809.4	0
...Congestive heart failure (CHF) (428.0)	11	4	7	92	145
..Hypertension with or without renal disease (401,403)	5	3	4	23	55
...Hypertension-related (401,403)	89	24	46	290	640	214.7	201.7	0	495.0	493.8	0
..Cerebrovascular disease (430-438)	62	10	27	130	318	98.9	129.5	0	251.2	218.2	0
..Atherosclerosis (440)	2	.	2	0	5
...Atherosclerosis-related (440)	20	2	6	20	55	16.0	18.7	0	45.6	66.5	0
..Aortic aneurysm (441)	7	1	4	8	40
Pneumonia & influenza (480-487)	16	4	6	157	212	83.2	80.7	0	110.2	137.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	22	10	15	167	295	117.6	.	0	214.8	.	0
..COPD-related (490-496)	49	16	27	252	455	171.7	122.5	0	326.3	314.8	0
..Asthma (493)	5	5	5	78	128

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	10	8	9	105	193
Nephritis, nephrotic syndrome/nephrosis (580-589)	21	3	7	115	155	79.3	37.8	0	105.4	79.0	0
..Nephritis-related (580-589)	81	27	47	512	877	319.9	276.6	0	583.8	581.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	22	3	7	115	155	79.3	40.4	0	105.4	91.2	0
Unintentional injuries (E800-E949)	24	18	19	539	722	366.3	411.4	0	469.8	498.8	0
..Motor vehicle accidents (E810-E825)	9	7	7	288	358
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
..Drowning (E830,E832,E910)	2	2	2	129	149
..Residential fires (E890-E899)	1	.	1	0	3
Suicide (E950-E959)	1	1	1	18	28
Homicide and legal intervention (E960-E978)	19	18	18	692	872	423.5	.	0	495.4	.	0
..Homicide (E960-E969)	19	18	18	692	872	423.5	.	0	495.4	.	0
All injury (E800-E999)	45	38	39	1,281	1,664	817.3	690.9	0	1002.1	838.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	9	7	7	288	358
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	290	370
...Suicide (E955.0-.4)
...Homicide (E965.0-.4)	8	8	8	290	370
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	9	9	163	253
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	7	6	7	95	163
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	9	9	193	283

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	2,030	1,179	1,536	29,584	43,206	10792.4	10177.5	0	15867.6	15275.1	0
Infectious diseases and parasitic disease (1-139)	288	259	272	6,672	9,324	2542.2	1834.4	1	3393.8	2527.4	1
..Septicemia (038)	33	15	21	233	408	98.5	211.0	0	173.5	346.3	0
...Septicemia-related (038)	115	53	78	955	1,592	400.3	631.1	0	670.1	1010.2	0
..HIV infection (042-044)	224	220	224	5,865	8,090	2225.8	1480.8	1	2911.3	1979.9	1
All cancer (140-208)	410	196	303	2,617	5,110	1218.3	1228.7	0	2377.2	2515.8	0
..Oral cavity or pharynx (140.0-149.9)	11	9	11	163	263
..Colorectal cancer (153.0-154.3,154.8,159.0)	36	19	30	228	465	116.1	87.1	0	229.5	198.6	0
...Colon cancer (153)	31	17	27	218	433	110.6	61.8	0	212.4	154.0	0
...Rectal cancer (154)	5	2	3	10	33
..Pancreatic cancer (157)	31	16	21	145	328	70.7	22.4	0	157.7	56.8	0
..Lung and other respiratory cancer (160-165)	97	49	79	503	1,178	252.3	302.6	0	576.1	681.6	0
...Lung cancer (162.2-.9)	92	44	74	460	1,085	229.9	291.1	0	530.4	648.6	0
..Female breast cancer (174)	33	19	25	303	523
..Cervical cancer (180)	4	1	2	23	35
..Endometrial cancer (182)	6	3	4	13	45
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)	39	3	13	23	93
..Bladder cancer (188)	11	1	5	3	33
..Brain & other CNS cancer (191-192)	4	2	3	115	138
..Leukemia (204-208)	12	6	7	222	290	.	66.5	.	.	117.0	.
Diabetes mellitus (250)	56	22	37	225	523	108.8	135.7	0	253.2	307.1	0
..Diabetes-related (250)	201	69	134	683	1,680	354.1	335.2	0	851.2	806.0	0
..Diabetic ketoacidosis (DKA) (250.1)	4	2	2	25	45
Alzheimer's diseases (331.0)	5	2	2	45	65
Cardiovascular disease (390-459)	630	225	380	3,377	6,459	1442.4	1697.1	0	2855.8	3194.8	0
..Diseases of the heart (390-398,402,404-429)	482	180	292	2,617	5,032	1118.4	1420.8	0	2225.0	2658.9	0
...Heart disease-related (390-398,402,404-429)	970	432	641	7,693	13,086	3126.9	3052.6	0	5453.3	5508.2	0
...Coronary heart disease (CHD) (402,410-414,429.2)	298	95	169	1,028	2,388	505.4	658.6	0	1165.4	1433.6	0
....Congestive heart failure (CHF) (428.0)	21	7	12	110	202	42.8	41.8	0	86.2	87.7	0
..Hypertension with or without renal disease (401,403)	15	8	12	75	175	30.8	.	0	78.2	.	0
...Hypertension-related (401,403)	147	55	94	638	1,405	305.7	268.3	0	672.3	604.0	0
..Cerebrovascular disease (430-438)	100	23	53	475	850	200.2	191.2	0	372.4	362.7	0
..Atherosclerosis (440)	4	.	2	0	5
...Atherosclerosis-related (440)	35	3	13	28	98	14.7	29.4	0	52.6	87.1	0
..Aortic aneurysm (441)	15	4	11	70	158	28.3	.	0	69.7	.	0
Pneumonia & influenza (480-487)	33	15	19	407	582	154.2	195.1	0	217.6	282.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	47	19	34	320	587	126.3	66.1	0	247.9	151.4	0
..COPD-related (490-496)	105	34	64	532	1,007	222.9	149.6	0	442.8	395.9	0
..Asthma (493)	11	9	10	193	285

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	23	18	22	215	420	111.3	151.0	0	206.4	231.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	37	11	18	265	407	94.4	147.8	0	150.8	237.1	0
..Nephritis-related (580-589)	159	75	106	1,494	2,386	587.2	572.8	0	948.7	1012.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	40	13	20	330	492	115.2	153.5	0	176.3	254.6	0
Unintentional injuries (E800-E949)	94	83	88	2,729	3,581	932.3	958.7	0	1178.9	1230.2	0
..Motor vehicle accidents (E810-E825)	32	29	30	1,113	1,410	367.7	375.9	0	441.2	454.4	0
..Falls and fall related injuries (E880-E888)	4	2	2	55	75
..Drowning (E830,E832,E910)	6	6	6	313	373
..Residential fires (E890-E899)	6	5	6	110	162
Suicide (E950-E959)	16	16	16	475	635	175.6	138.6	0	225.2	175.7	0
Homicide and legal intervention (E960-E978)	99	97	97	3,732	4,702	1199.5	957.6	0	1412.6	1136.0	0
..Homicide (E960-E969)	98	96	96	3,699	4,659	1189.8	948.1	0	1400.8	1122.1	0
All injury (E800-E999)	218	204	210	7,150	9,220	2392.2	2145.3	0	2929.8	2667.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	32	29	30	1,113	1,410	367.7	375.9	0	441.2	454.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	2	2	55	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	84	83	83	3,123	3,953	1026.1	861.0	0	1217.3	1003.4	0
...Suicide (E955.0-.4)	8	8	8	240	320
...Homicide (E965.0-.4)	73	72	72	2,740	3,460	894.3	785.0	0	1055.4	907.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	46	44	46	1,186	1,641	447.0	435.4	0	593.3	587.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	28	21	28	350	602	158.5	119.2	0	270.4	197.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	42	42	42	1,085	1,505	419.5	415.5	0	549.6	564.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	1,159	774	963	19,778	28,506	15340.8	14581.5	0	22408.8	21731.4	0
Infectious diseases and parasitic disease (1-139)	199	185	192	4,715	6,597	3916.9	2881.6	0	5243.2	3998.0	0
..Septicemia (038)	15	8	10	120	205	110.7	293.2	0	191.4	483.1	0
...Septicemia-related (038)	58	31	41	525	865	474.9	928.0	0	799.1	1468.0	1
..HIV infection (042-044)	164	161	164	4,193	5,820	3482.8	2417.5	1	4598.6	3255.8	1
All cancer (140-208)	230	111	171	1,390	2,810	1453.7	1567.1	0	2979.7	3131.6	0
..Oral cavity or pharynx (140.0-149.9)	8	6	8	105	175	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	16	10	14	120	235	141.8	82.3	0	267.3	200.2	0
...Colon cancer (153)	14	9	12	113	215	.	.	0	.	.	.
...Rectal cancer (154)	2	1	2	8	20	.	.	0	.	.	.
..Pancreatic cancer (157)	17	12	13	120	243	127.0	.	0	254.5	.	0
..Lung and other respiratory cancer (160-165)	66	33	54	298	760	348.3	471.1	0	863.6	1008.6	0
...Lung cancer (162.2-.9)	62	29	50	258	680	301.5	461.2	0	775.7	982.5	0
..Female breast cancer (174)	0	.	.	.
..Cervical cancer (180)	0	.	.	.
..Endometrial cancer (182)	0	.	.	.
..Ovarian cancer (183)	0	.	.	.
..Prostate cancer (185)	39	3	13	23	93	28.5	12.9	0	119.6	133.9	0
..Bladder cancer (188)	6	1	5	3	33	.	.	0	.	.	.
..Brain & other CNS cancer (191-192)	1	1	1	58	68	.	.	0	.	.	.
..Leukemia (204-208)	6	2	3	107	135	.	.	0	.	.	.
Diabetes mellitus (250)	24	9	16	93	215	106.5	173.8	0	243.8	369.6	0
..Diabetes-related (250)	84	27	59	288	713	339.3	394.3	0	830.3	912.4	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	23	33	.	.	0	.	.	.
Alzheimer's diseases (331.0)	2	1	1	8	18	.	.	0	.	.	.
Cardiovascular disease (390-459)	297	133	211	2,051	3,811	1883.2	2307.8	0	3693.3	4459.0	0
..Diseases of the heart (390-398,402,404-429)	233	106	164	1,491	2,881	1409.3	1924.3	0	2858.1	3721.7	0
...Heart disease-related (390-398,402,404-429)	484	259	360	4,752	7,869	4158.8	4413.1	0	7142.1	7955.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	147	65	106	748	1,630	794.7	963.2	0	1756.3	2145.7	0
....Congestive heart failure (CHF) (428.0)	10	3	5	18	58	.	.	0	.	.	.
..Hypertension with or without renal disease (401,403)	10	5	8	53	120	.	.	0	.	.	.
...Hypertension-related (401,403)	58	31	48	348	765	371.3	293.0	0	821.8	659.8	0
..Cerebrovascular disease (430-438)	38	13	26	345	532	283.7	257.9	0	463.3	522.0	0
..Atherosclerosis (440)	2	.	.	0	0	.	.	0	.	.	.
...Atherosclerosis-related (440)	15	1	7	8	43	9.5	40.3	0	56.5	111.4	0
..Aortic aneurysm (441)	8	3	7	63	118	.	.	0	.	.	.
Pneumonia & influenza (480-487)	17	11	13	250	370	231.3	274.0	0	336.9	383.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	25	9	19	153	293	130.2	72.2	0	279.8	182.0	0
..COPD-related (490-496)	56	18	37	280	553	269.4	188.3	0	564.7	504.5	0
..Asthma (493)	6	4	5	115	158	.	.	0	.	.	.

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	10	13	110	228
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	8	11	150	253	130.7	257.5	0	223.7	400.3	0
..Nephritis-related (580-589)	78	48	59	982	1,510	857.5	868.2	0	1315.5	1454.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	18	10	13	215	338	174.6	267.4	0	277.3	426.3	0
Unintentional injuries (E800-E949)	70	65	69	2,190	2,860	1554.1	1553.6	0	1965.6	2032.6	0
..Motor vehicle accidents (E810-E825)	23	22	23	825	1,053	566.9	600.8	0	693.9	737.5	0
..Falls and fall related injuries (E880-E888)	3	2	2	55	75
..Drowning (E830,E832,E910)	4	4	4	184	224
..Residential fires (E890-E899)	5	5	5	110	160
Suicide (E950-E959)	15	15	15	458	608	345.5	293.1	0	443.2	373.5	0
Homicide and legal intervention (E960-E978)	80	79	79	3,040	3,830	2007.8	1647.9	0	2371.8	1959.0	0
..Homicide (E960-E969)	79	78	78	3,007	3,787	1987.1	1626.7	0	2346.7	1927.9	0
All injury (E800-E999)	173	166	171	5,869	7,557	4070.9	3646.2	0	5002.4	4576.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	22	23	825	1,053	566.9	600.8	0	693.9	737.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	55	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	76	75	75	2,833	3,583	1899.7	1591.5	0	2261.9	1857.6	0
....Suicide (E955.0-.4)	8	8	8	240	320
....Homicide (E965.0-.4)	65	64	64	2,450	3,090	1630.0	1431.4	0	1927.8	1653.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	37	35	37	1,024	1,389	800.9	757.0	0	1043.9	1039.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	21	15	21	255	440	253.5	.	0	441.7	.	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	33	33	33	893	1,223	730.8	712.1	0	943.3	983.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	871	405	573	9,806	14,701	6765.1	6247.7	0	10206.6	9684.4	0
Infectious diseases and parasitic disease (1-139)	89	74	80	1,957	2,727	1372.9	934.6	0	1828.2	1276.8	0
..Septicemia (038)	18	7	11	113	203	88.3	137.8	0	158.8	229.5	0
...Septicemia-related (038)	57	22	37	430	728	338.8	380.4	0	566.2	629.2	0
..HIV infection (042-044)	60	59	60	1,673	2,270	1157.1	676.1	0	1482.6	891.7	0
All cancer (140-208)	180	85	132	1,228	2,300	1038.1	946.5	0	1914.5	2022.7	0
..Oral cavity or pharynx (140.0-149.9)	3	3	3	58	88
..Colorectal cancer (153.0-154.3,154.8,159.0)	20	9	16	108	230	96.5	91.0	0	200.9	197.5	0
...Colon cancer (153)	17	8	15	105	218	94.1	65.2	0	189.6	151.4	0
...Rectal cancer (154)	3	1	1	3	13
..Pancreatic cancer (157)	14	4	8	25	85
..Lung and other respiratory cancer (160-165)	31	16	25	205	418	177.1	165.9	0	352.7	424.8	0
...Lung cancer (162.2-.9)	30	15	24	203	405	174.7	153.0	0	341.4	386.3	0
..Female breast cancer (174)	33	19	25	303	523	269.8	337.1	0	445.1	614.6	0
..Cervical cancer (180)	4	1	2	23	35
..Endometrial cancer (182)	6	3	4	13	45
..Ovarian cancer (183)	10	6	8	80	150
..Prostate cancer (185)
..Bladder cancer (188)	5	.	.	0	0
..Brain & other CNS cancer (191-192)	3	1	2	58	70
..Leukemia (204-208)	6	4	4	115	155
Diabetes mellitus (250)	32	13	21	133	308	113.9	105.7	0	264.6	257.4	0
..Diabetes-related (250)	117	42	75	395	968	368.8	287.8	0	872.7	722.2	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	1	3	13
Alzheimer's diseases (331.0)	3	1	1	38	48
Cardiovascular disease (390-459)	333	92	169	1,326	2,649	1072.8	1210.6	0	2174.2	2204.5	0
..Diseases of the heart (390-398,402,404-429)	249	74	128	1,126	2,151	885.8	1018.6	0	1724.8	1825.8	0
...Heart disease-related (390-398,402,404-429)	486	173	281	2,942	5,217	2256.9	1925.7	0	4059.9	3531.4	0
...Coronary heart disease (CHD) (402,410-414,429.2)	151	30	63	280	758	265.7	421.4	0	689.0	883.3	0
....Congestive heart failure (CHF) (428.0)	11	4	7	92	145
..Hypertension with or without renal disease (401,403)	5	3	4	23	55
...Hypertension-related (401,403)	89	24	46	290	640	253.5	246.3	0	553.4	559.2	0
..Cerebrovascular disease (430-438)	62	10	27	130	318	120.0	141.7	0	285.4	241.3	0
..Atherosclerosis (440)	2	.	2	0	5
...Atherosclerosis-related (440)	20	2	6	20	55	19.1	20.2	0	51.2	68.6	0
..Aortic aneurysm (441)	7	1	4	8	40
Pneumonia & influenza (480-487)	16	4	6	157	212	92.1	114.2	0	121.9	182.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	22	10	15	167	295	122.6	123.6	0	223.9	.	0
..COPD-related (490-496)	49	16	27	252	455	185.7	123.6	0	348.7	317.6	0
..Asthma (493)	5	5	5	78	128

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	10	8	9	105	193
Nephritis, nephrotic syndrome/nephrosis (580-589)	21	3	7	115	155	68.4	51.0	0	94.9	97.1	0
..Nephritis-related (580-589)	81	27	47	512	877	364.1	317.1	0	645.4	639.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	22	3	7	115	155	68.4	53.5	0	94.9	108.5	0
Unintentional injuries (E800-E949)	24	18	19	539	722	356.8	419.0	0	461.6	515.4	0
..Motor vehicle accidents (E810-E825)	9	7	7	288	358
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
..Drowning (E830,E832,E910)	2	2	2	129	149
..Residential fires (E890-E899)	1	.	1	0	3
Suicide (E950-E959)	1	1	1	18	28
Homicide and legal intervention (E960-E978)	19	18	18	692	872	415.9	.	0	488.0	.	0
..Homicide (E960-E969)	19	18	18	692	872	415.9	.	0	488.0	.	0
All injury (E800-E999)	45	38	39	1,281	1,664	807.6	726.0	0	996.2	891.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	9	7	7	288	358
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	290	370
...Suicide (E955.0-.4)
...Homicide (E965.0-.4)	8	8	8	290	370
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	9	9	9	163	253
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	7	6	7	95	163
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	9	9	9	193	283

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).