

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1994-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Both Sexes | | | | Male | | | | Female | | | | 1989-1993 AAMR | | |
|--|---------------------|------------|-------|--------------|---------------------|------------|-------|--------------|---------------------|------------|-------|--------------|----------------|------|-------|
| | *****1994-1998***** | | | | *****1994-1998***** | | | | *****1994-1998***** | | | | | | |
| | No. of deaths | Crude rate | AAMR | Significance | No. of deaths | Crude rate | AAMR | Significance | No. of deaths | Crude rate | AAMR | Significance | | | |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| All causes | 10,199 | 685.3 | 674.6 | 0 | 698.0 | 5,535 | 783.3 | 890.1 | 1 | 957.8 | 4,664 | 596.7 | 506.6 | 0 | 499.4 |
| Infectious diseases and parasitic disease (1-139) | 1,086 | 73.0 | 70.3 | 0 | 72.0 | 701 | 99.2 | 102.2 | 0 | 109.1 | 385 | 49.3 | 44.2 | 0 | 41.5 |
| ..Septicemia (038) | 179 | 12.0 | 11.4 | 0 | 13.8 | 75 | 10.6 | 12.4 | 0 | 18.8 | 104 | 13.3 | 10.5 | 0 | 10.3 |
|Septicemia-related (038) | 666 | 44.8 | 43.6 | 0 | 46.3 | 317 | 44.9 | 51.8 | 0 | 61.9 | 349 | 44.7 | 37.6 | 0 | 34.9 |
| ..HIV infection (042-044) | 792 | 53.2 | 51.1 | 0 | 50.9 | 552 | 78.1 | 78.6 | 0 | 81.1 | 240 | 30.7 | 28.5 | 0 | 25.4 |
| All cancer (140-208) | 2,175 | 146.1 | 153.0 | 0 | 159.1 | 1,183 | 167.4 | 205.7 | 0 | 221.6 | 992 | 126.9 | 116.5 | 0 | 116.1 |
| ..Oral cavity or pharynx (140.0-149.9) | 47 | 3.2 | 3.4 | 0 | 4.8 | 38 | 5.4 | 6.5 | 0 | 9.4 | 9 | 1.2 | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 207 | 13.9 | 14.3 | 0 | 14.3 | 104 | 14.7 | 18.1 | 0 | 17.6 | 103 | 13.2 | 11.5 | 0 | 12.1 |
|Colon cancer (153) | 181 | 12.2 | 12.5 | 0 | 12.3 | 85 | 12.0 | 14.7 | 0 | 15.1 | 96 | 12.3 | 10.9 | 0 | 10.7 |
|Rectal cancer (154) | 25 | 1.7 | 1.8 | 0 | 1.8 | 19 | 2.7 | 3.4 | 0 | . | 6 | 0.8 | . | . | . |
| ..Pancreatic cancer (157) | 146 | 9.8 | 10.1 | 0 | 8.3 | 69 | 9.8 | 12.3 | 0 | 10.4 | 77 | 9.9 | 8.3 | 0 | 6.7 |
| ..Lung and other respiratory cancer (160-165) | 568 | 38.2 | 41.4 | 0 | 45.2 | 369 | 52.2 | 65.7 | 0 | 74.4 | 199 | 25.5 | 24.3 | 0 | 24.0 |
|Lung cancer (162.2-.9) | 524 | 35.2 | 38.1 | 0 | 42.1 | 336 | 47.5 | 59.7 | 0 | 69.3 | 188 | 24.1 | 22.9 | 0 | 22.4 |
| ..Malignant melanoma of skin (172) | 4 | 0.3 | . | . | . | 3 | 0.4 | . | . | . | 1 | 0.1 | . | . | . |
| ..Female breast cancer (174) | 219 | . | . | . | . | . | . | . | . | 219 | 28.0 | 26.7 | 0 | 23.4 | |
| ..Cervical cancer (180) | 33 | . | . | . | . | . | . | . | . | 33 | 4.2 | 4.0 | 0 | 4.0 | |
| ..Endometrial cancer (182) | 15 | . | . | . | . | . | . | . | . | 15 | 1.9 | 1.8 | 0 | 1.7 | |
| ..Ovarian cancer (183) | 26 | . | . | . | . | . | . | . | . | 26 | 3.3 | 3.3 | 0 | 4.6 | |
| ..Prostate cancer (185) | 189 | . | . | . | . | 189 | 26.7 | 31.6 | 0 | 32.3 | . | . | . | . | |
| ..Bladder cancer (188) | 26 | 1.7 | 1.6 | 0 | 2.5 | 15 | 2.1 | 2.5 | 0 | 11 | 1.4 | . | . | 2.2 | |
| ..Brain & other CNS cancer (191-192) | 26 | 1.7 | 1.8 | 0 | 1.9 | 14 | 2.0 | . | . | 12 | 1.5 | . | . | . | |
| ..Leukemia (204-208) | 63 | 4.2 | 4.3 | 0 | 4.7 | 32 | 4.5 | 5.4 | 0 | 5.1 | 31 | 4.0 | 3.6 | 0 | 4.4 |
| Diabetes mellitus (250) | 346 | 23.2 | 23.5 | 0 | 20.6 | 153 | 21.7 | 25.9 | 0 | 21.6 | 193 | 24.7 | 21.8 | 0 | 19.9 |
| ..Diabetes-related (250) | 1,121 | 75.3 | 75.8 | 0 | 72.6 | 469 | 66.4 | 80.6 | 0 | 75.7 | 652 | 83.4 | 71.9 | 0 | 70.3 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 12 | 0.8 | . | . | . | 8 | 1.1 | . | . | . | 4 | 0.5 | . | . | . |
| Alzheimer's diseases (331.0) | 30 | 2.0 | 1.2 | 0 | 1.4 | 5 | 0.7 | . | . | . | 25 | 3.2 | 1.4 | 0 | 1.4 |
| Cardiovascular disease (390-459) | 3,421 | 229.9 | 221.2 | 0 | 229.6 | 1,612 | 228.1 | 272.2 | 0 | 300.0 | 1,809 | 231.4 | 182.6 | 0 | 178.8 |
| ..Diseases of the heart (390-398,402,404-429) | 2,714 | 182.4 | 176.5 | 0 | 182.1 | 1,305 | 184.7 | 220.9 | 0 | 241.7 | 1,409 | 180.3 | 143.6 | 0 | 139.6 |
|Heart disease-related (390-398,402,404-429) | 5,066 | 340.4 | 331.9 | 0 | 346.1 | 2,514 | 355.8 | 419.4 | 1 | 459.5 | 2,552 | 326.5 | 266.5 | 0 | 264.5 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 1,818 | 122.2 | 118.3 | 0 | 117.2 | 880 | 124.5 | 150.5 | 0 | 159.2 | 938 | 120.0 | 94.9 | 0 | 86.6 |
|Congestive heart failure (CHF) (428.0) | 94 | 6.3 | 5.3 | 0 | 5.3 | 33 | 4.7 | 5.3 | 0 | 6.3 | 61 | 7.8 | 5.2 | 0 | 5.0 |
| ..Hypertension with or without renal disease (401,403) | 70 | 4.7 | 4.6 | 0 | 5.3 | 27 | 3.8 | 4.7 | 0 | 6.4 | 43 | 5.5 | 4.3 | 0 | 4.4 |
|Hypertension-related (401,403) | 897 | 60.3 | 60.1 | 0 | 55.9 | 395 | 55.9 | 68.5 | 0 | 62.7 | 502 | 64.2 | 53.4 | 0 | 50.1 |
| ..Cerebrovascular disease (430-438) | 502 | 33.7 | 31.9 | 0 | 32.1 | 216 | 30.6 | 36.2 | 0 | 40.4 | 286 | 36.6 | 28.1 | 0 | 25.8 |
| ..Atherosclerosis (440) | 42 | 2.8 | 2.4 | 0 | 2.1 | 18 | 2.5 | 2.8 | 0 | . | 24 | 3.1 | 2.2 | 0 | 2.3 |
|Atherosclerosis-related (440) | 221 | 14.8 | 13.0 | 0 | 12.9 | 91 | 12.9 | 14.7 | 0 | 14.6 | 130 | 16.6 | 11.9 | 0 | 12.0 |
| ..Aortic aneurysm (441) | 31 | 2.1 | 1.9 | 1 | 3.8 | 17 | 2.4 | 2.8 | 0 | 4.7 | 14 | 1.8 | . | . | 3.3 |
| Pneumonia & influenza (480-487) | 285 | 19.1 | 17.1 | 0 | 14.7 | 151 | 21.4 | 23.6 | 0 | 21.3 | 134 | 17.1 | 12.3 | 0 | 10.1 |

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Both Sexes | | | | Male | | | | Female | | | | | | |
|---|---------------------|------------|------|--------------|---------------------|---------------|------------|-------|---------------------|----------------|---------------|------------|------|--------------|----------------|
| | *****1994-1998***** | | | | *****1994-1998***** | | | | *****1994-1998***** | | | | | | |
| | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 167 | 11.2 | 11.1 | 0 | 13.6 | 90 | 12.7 | 15.0 | 0 | 18.9 | 77 | 9.9 | 8.6 | 0 | 10.5 |
| ..COPD-related (490-496) | 490 | 32.9 | 32.1 | 0 | 33.6 | 277 | 39.2 | 46.7 | 0 | 49.8 | 213 | 27.3 | 22.7 | 0 | 23.2 |
| ..Asthma (493) | 41 | 2.8 | 2.8 | 0 | 2.7 | 20 | 2.8 | 3.2 | 0 | . | 21 | 2.7 | 2.6 | 0 | 3.1 |
| Chronic liver disease and cirrhosis (571) | 100 | 6.7 | 7.2 | 0 | 9.0 | 60 | 8.5 | 10.0 | 0 | 13.1 | 40 | 5.1 | 5.2 | 0 | 5.7 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 178 | 12.0 | 11.9 | 0 | 13.0 | 81 | 11.5 | 13.4 | 0 | 15.9 | 97 | 12.4 | 10.6 | 0 | 10.5 |
| ..Nephritis-related (580-589) | 792 | 53.2 | 53.1 | 1 | 64.1 | 388 | 54.9 | 62.9 | 1 | 78.9 | 404 | 51.7 | 45.9 | 0 | 53.0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 232 | 15.6 | 15.5 | 0 | 14.3 | 111 | 15.7 | 18.4 | 0 | 18.1 | 121 | 15.5 | 13.2 | 0 | 11.3 |
| Unintentional injuries (E800-E949) | 501 | 33.7 | 33.8 | 0 | 30.1 | 362 | 51.2 | 54.2 | 0 | 48.0 | 139 | 17.8 | 16.6 | 0 | 14.6 |
| ..Motor vehicle accidents (E810-E825) | 166 | 11.2 | 11.4 | 0 | 11.6 | 124 | 17.5 | 18.3 | 0 | 17.7 | 42 | 5.4 | 5.2 | 0 | 6.2 |
| ..Falls and fall related injuries (E880-E888) | 28 | 1.9 | 1.8 | 0 | 2.2 | 19 | 2.7 | 3.1 | 0 | 4.2 | 9 | 1.2 | . | . | . |
| ..Drowning (E830,E832,E910) | 23 | 1.5 | 1.6 | 0 | 2.1 | 18 | 2.5 | 2.7 | 0 | 4.0 | 5 | 0.6 | . | . | . |
| ..Residential fires (E890-E899) | 29 | 1.9 | 2.0 | 0 | 2.4 | 14 | 2.0 | . | . | 3.6 | 15 | 1.9 | 1.9 | 0 | . |
| Suicide (E950-E959) | 101 | 6.8 | 7.0 | 0 | 5.3 | 82 | 11.6 | 11.9 | 0 | 9.6 | 19 | 2.4 | 2.4 | 0 | . |
| Homicide and legal intervention (E960-E978) | 383 | 25.7 | 26.9 | 0 | 27.6 | 311 | 44.0 | 45.4 | 0 | 48.1 | 72 | 9.2 | 9.3 | 0 | 8.2 |
| ..Homicide (E960-E969) | 379 | 25.5 | 26.6 | 0 | 27.4 | 307 | 43.4 | 44.8 | 0 | 47.8 | 72 | 9.2 | 9.3 | 0 | 8.2 |
| All injury (E800-E999) | 995 | 66.9 | 68.4 | 0 | 66.0 | 764 | 108.1 | 112.7 | 0 | 111.1 | 231 | 29.6 | 28.5 | 0 | 25.3 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 165 | 11.1 | 11.3 | 0 | 11.4 | 123 | 17.4 | 18.2 | 0 | 17.3 | 42 | 5.4 | 5.2 | 0 | 6.1 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 29 | 1.9 | 1.9 | 0 | 2.2 | 21 | 3.0 | 3.3 | 0 | 4.1 | 8 | 1.0 | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 339 | 22.8 | 24.3 | 0 | 24.1 | 301 | 42.6 | 44.3 | 0 | 45.7 | 38 | 4.9 | 5.2 | 0 | 3.6 |
|Suicide (E955.0-.4) | 41 | 2.8 | 3.0 | 0 | 2.8 | 39 | 5.5 | 5.8 | 0 | 5.8 | 2 | 0.3 | . | . | . |
|Homicide (E965.0-.4) | 286 | 19.2 | 20.4 | 0 | 20.6 | 250 | 35.4 | 36.7 | 0 | 38.5 | 36 | 4.6 | 4.9 | 0 | 3.4 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 163 | 11.0 | 10.8 | 0 | 9.8 | 124 | 17.5 | 17.9 | 0 | 17.0 | 39 | 5.0 | 4.8 | 0 | 3.6 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 81 | 5.4 | 5.8 | 1 | 10.2 | 60 | 8.5 | 9.8 | 1 | 16.1 | 21 | 2.7 | 2.6 | 1 | 5.7 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 163 | 11.0 | 10.6 | 0 | 9.5 | 125 | 17.7 | 17.8 | 0 | 15.9 | 38 | 4.9 | 4.6 | 0 | 4.0 |

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Both Sexes | | | | | Male | | | | | Female | | | | |
|--|---------------------|------------|-------|--------------|----------------|---------------------|------------|--------|--------------|----------------|---------------------|------------|-------|--------------|----------------|
| | *****1994-1998***** | | | | | *****1994-1998***** | | | | | *****1994-1998***** | | | | |
| | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| All causes | 10,199 | 685.3 | 847.2 | 0 | 866.5 | 5,535 | 783.3 | 1089.6 | 1 | 1172.1 | 4,664 | 596.7 | 664.1 | 0 | 645.6 |
| Infectious diseases and parasitic disease (1-139) | 1,086 | 73.0 | 68.9 | 0 | 69.6 | 701 | 99.2 | 98.2 | 0 | 104.5 | 385 | 49.3 | 45.0 | 0 | 41.9 |
| ..Septicemia (038) | 179 | 12.0 | 15.4 | 0 | 18.2 | 75 | 10.6 | 15.8 | 1 | 24.9 | 104 | 13.3 | 14.6 | 0 | 13.9 |
|Septicemia-related (038) | 666 | 44.8 | 57.0 | 0 | 58.6 | 317 | 44.9 | 66.5 | 0 | 77.3 | 349 | 44.7 | 50.2 | 0 | 45.7 |
| ..HIV infection (042-044) | 792 | 53.2 | 45.2 | 0 | 43.5 | 552 | 78.1 | 70.3 | 0 | 69.8 | 240 | 30.7 | 24.7 | 0 | 21.4 |
| All cancer (140-208) | 2,175 | 146.1 | 197.5 | 0 | 202.7 | 1,183 | 167.4 | 270.1 | 0 | 288.4 | 992 | 126.9 | 149.2 | 0 | 147.0 |
| ..Oral cavity or pharynx (140.0-149.9) | 47 | 3.2 | 4.1 | 0 | 5.4 | 38 | 5.4 | 7.9 | 0 | 10.4 | 9 | 1.2 | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 207 | 13.9 | 18.8 | 0 | 19.2 | 104 | 14.7 | 23.3 | 0 | 24.2 | 103 | 13.2 | 15.5 | 0 | 16.3 |
|Colon cancer (153) | 181 | 12.2 | 16.5 | 0 | 16.8 | 85 | 12.0 | 19.6 | 0 | 21.1 | 96 | 12.3 | 14.5 | 0 | 14.4 |
|Rectal cancer (154) | 25 | 1.7 | 2.2 | 0 | 2.2 | 19 | 2.7 | 3.8 | 0 | . | 6 | 0.8 | . | . | . |
| ..Pancreatic cancer (157) | 146 | 9.8 | 13.6 | 0 | 11.3 | 69 | 9.8 | 15.6 | 0 | 13.6 | 77 | 9.9 | 11.8 | 0 | 9.5 |
| ..Lung and other respiratory cancer (160-165) | 568 | 38.2 | 52.6 | 0 | 55.3 | 369 | 52.2 | 84.3 | 0 | 92.8 | 199 | 25.5 | 30.9 | 0 | 29.2 |
|Lung cancer (162.2-.9) | 524 | 35.2 | 48.5 | 0 | 51.7 | 336 | 47.5 | 76.9 | 0 | 86.8 | 188 | 24.1 | 29.2 | 0 | 27.3 |
| ..Malignant melanoma of skin (172) | 4 | 0.3 | . | . | . | 3 | 0.4 | . | . | . | 1 | 0.1 | . | . | . |
| ..Female breast cancer (174) | 219 | . | . | . | . | . | . | . | . | . | 219 | 28.0 | 31.8 | 0 | 27.2 |
| ..Cervical cancer (180) | 33 | . | . | . | . | . | . | . | . | . | 33 | 4.2 | 4.4 | 0 | 4.6 |
| ..Endometrial cancer (182) | 15 | . | . | . | . | . | . | . | . | . | 15 | 1.9 | 2.4 | 0 | 2.7 |
| ..Ovarian cancer (183) | 26 | . | . | . | . | . | . | . | . | . | 26 | 3.3 | 4.3 | 0 | 5.8 |
| ..Prostate cancer (185) | 189 | . | . | . | . | 189 | 26.7 | 49.1 | 0 | 52.6 | . | . | . | . | . |
| ..Bladder cancer (188) | 26 | 1.7 | 2.4 | 0 | 3.8 | 15 | 2.1 | 3.6 | 0 | 11 | 1.4 | . | . | . | 3.6 |
| ..Brain & other CNS cancer (191-192) | 26 | 1.7 | 2.4 | 0 | 2.2 | 14 | 2.0 | . | . | . | 12 | 1.5 | . | . | . |
| ..Leukemia (204-208) | 63 | 4.2 | 5.3 | 0 | 5.8 | 32 | 4.5 | 6.8 | 0 | 6.4 | 31 | 4.0 | 4.5 | 0 | 5.4 |
| Diabetes mellitus (250) | 346 | 23.2 | 31.7 | 0 | 27.1 | 153 | 21.7 | 34.8 | 0 | 28.3 | 193 | 24.7 | 29.7 | 0 | 26.3 |
| ..Diabetes-related (250) | 1,121 | 75.3 | 103.5 | 0 | 98.5 | 469 | 66.4 | 107.5 | 0 | 101.5 | 652 | 83.4 | 99.7 | 0 | 96.0 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 12 | 0.8 | . | . | . | 8 | 1.1 | . | . | . | 4 | 0.5 | . | . | . |
| Alzheimer's diseases (331.0) | 30 | 2.0 | 2.6 | 0 | 2.6 | 5 | 0.7 | . | . | . | 25 | 3.2 | 3.2 | 0 | 2.6 |
| Cardiovascular disease (390-459) | 3,421 | 229.9 | 308.7 | 0 | 318.4 | 1,612 | 228.1 | 365.9 | 1 | 407.2 | 1,809 | 231.4 | 265.2 | 0 | 257.4 |
| ..Diseases of the heart (390-398,402,404-429) | 2,714 | 182.4 | 244.9 | 0 | 250.1 | 1,305 | 184.7 | 296.5 | 0 | 326.8 | 1,409 | 180.3 | 206.7 | 0 | 198.2 |
|Heart disease-related (390-398,402,404-429) | 5,066 | 340.4 | 446.0 | 0 | 461.9 | 2,514 | 355.8 | 547.2 | 1 | 605.5 | 2,552 | 326.5 | 371.3 | 0 | 364.2 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 1,818 | 122.2 | 166.9 | 0 | 164.7 | 880 | 124.5 | 206.2 | 0 | 217.3 | 938 | 120.0 | 138.8 | 0 | 128.1 |
|Congestive heart failure (CHF) (428.0) | 94 | 6.3 | 8.6 | 0 | 8.0 | 33 | 4.7 | 8.1 | 0 | 10.5 | 61 | 7.8 | 8.6 | 0 | 7.1 |
| ..Hypertension with or without renal disease (401,403) | 70 | 4.7 | 6.2 | 0 | 7.2 | 27 | 3.8 | 5.7 | 0 | 8.5 | 43 | 5.5 | 6.3 | 0 | 6.2 |
|Hypertension-related (401,403) | 897 | 60.3 | 81.9 | 0 | 75.6 | 395 | 55.9 | 90.2 | 0 | 81.6 | 502 | 64.2 | 74.9 | 0 | 70.1 |
| ..Cerebrovascular disease (430-438) | 502 | 33.7 | 45.3 | 0 | 46.8 | 216 | 30.6 | 48.1 | 0 | 55.5 | 286 | 36.6 | 42.0 | 0 | 39.8 |
| ..Atherosclerosis (440) | 42 | 2.8 | 4.0 | 0 | 3.3 | 18 | 2.5 | 4.9 | 0 | . | 24 | 3.1 | 3.6 | 0 | 3.5 |
|Atherosclerosis-related (440) | 221 | 14.8 | 20.9 | 0 | 21.7 | 91 | 12.9 | 23.5 | 0 | 24.7 | 130 | 16.6 | 19.3 | 0 | 20.1 |
| ..Aortic aneurysm (441) | 31 | 2.1 | 2.8 | 0 | 5.2 | 17 | 2.4 | 3.9 | 0 | 6.5 | 14 | 1.8 | . | . | 4.5 |
| Pneumonia & influenza (480-487) | 285 | 19.1 | 24.3 | 0 | 20.6 | 151 | 21.4 | 31.8 | 0 | 29.3 | 134 | 17.1 | 18.9 | 0 | 15.0 |

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Both Sexes | | | | Male | | | | Female | | | | | | |
|---|---------------------|------------|------|--------------|---------------------|---------------|------------|-------|---------------------|----------------|---------------|------------|------|--------------|----------------|
| | *****1994-1998***** | | | | *****1994-1998***** | | | | *****1994-1998***** | | | | | | |
| | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 167 | 11.2 | 15.1 | 0 | 18.3 | 90 | 12.7 | 21.2 | 0 | 27.4 | 77 | 9.9 | 11.5 | 0 | 13.3 |
| ..COPD-related (490-496) | 490 | 32.9 | 45.0 | 0 | 46.7 | 277 | 39.2 | 67.1 | 0 | 71.5 | 213 | 27.3 | 31.4 | 0 | 32.0 |
| ..Asthma (493) | 41 | 2.8 | 3.2 | 0 | 3.0 | 20 | 2.8 | 3.8 | 0 | . | 21 | 2.7 | 2.9 | 0 | 3.2 |
| Chronic liver disease and cirrhosis (571) | 100 | 6.7 | 8.0 | 0 | 9.5 | 60 | 8.5 | 11.6 | 0 | 13.9 | 40 | 5.1 | 5.6 | 0 | 6.0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 178 | 12.0 | 15.9 | 0 | 18.2 | 81 | 11.5 | 17.3 | 0 | 20.6 | 97 | 12.4 | 14.7 | 0 | 15.9 |
| ..Nephritis-related (580-589) | 792 | 53.2 | 68.1 | 1 | 83.9 | 388 | 54.9 | 80.4 | 1 | 101.1 | 404 | 51.7 | 59.9 | 0 | 72.1 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 232 | 15.6 | 20.4 | 0 | 20.2 | 111 | 15.7 | 23.7 | 0 | 23.9 | 121 | 15.5 | 17.9 | 0 | 17.1 |
| Unintentional injuries (E800-E949) | 501 | 33.7 | 34.1 | 0 | 31.2 | 362 | 51.2 | 54.0 | 0 | 48.7 | 139 | 17.8 | 17.6 | 0 | 16.2 |
| ..Motor vehicle accidents (E810-E825) | 166 | 11.2 | 10.9 | 0 | 11.6 | 124 | 17.5 | 17.5 | 0 | 17.7 | 42 | 5.4 | 5.2 | 0 | 6.3 |
| ..Falls and fall related injuries (E880-E888) | 28 | 1.9 | 2.4 | 0 | 2.9 | 19 | 2.7 | 4.0 | 0 | 5.0 | 9 | 1.2 | . | . | . |
| ..Drowning (E830,E832,E910) | 23 | 1.5 | 1.6 | 0 | 2.2 | 18 | 2.5 | 2.9 | 0 | 4.0 | 5 | 0.6 | . | . | . |
| ..Residential fires (E890-E899) | 29 | 1.9 | 2.2 | 0 | 2.7 | 14 | 2.0 | . | . | 4.3 | 15 | 1.9 | 2.1 | 0 | . |
| Suicide (E950-E959) | 101 | 6.8 | 6.6 | 0 | 4.9 | 82 | 11.6 | 11.1 | 0 | 8.7 | 19 | 2.4 | 2.4 | 0 | . |
| Homicide and legal intervention (E960-E978) | 383 | 25.7 | 24.5 | 0 | 25.3 | 311 | 44.0 | 41.3 | 0 | 44.3 | 72 | 9.2 | 8.5 | 0 | 7.4 |
| ..Homicide (E960-E969) | 379 | 25.5 | 24.2 | 0 | 25.2 | 307 | 43.4 | 40.7 | 0 | 44.0 | 72 | 9.2 | 8.5 | 0 | 7.4 |
| All injury (E800-E999) | 995 | 66.9 | 65.7 | 0 | 64.0 | 764 | 108.1 | 107.4 | 0 | 106.6 | 231 | 29.6 | 28.6 | 0 | 26.0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 165 | 11.1 | 10.8 | 0 | 11.3 | 123 | 17.4 | 17.4 | 0 | 17.3 | 42 | 5.4 | 5.2 | 0 | 6.1 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 29 | 1.9 | 2.3 | 0 | 2.8 | 21 | 3.0 | 4.2 | 0 | 4.9 | 8 | 1.0 | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 339 | 22.8 | 22.0 | 0 | 22.1 | 301 | 42.6 | 40.1 | 0 | 42.2 | 38 | 4.9 | 4.8 | 0 | 3.1 |
|Suicide (E955.0-.4) | 41 | 2.8 | 2.8 | 0 | 2.6 | 39 | 5.5 | 5.5 | 0 | 5.5 | 2 | 0.3 | . | . | . |
|Homicide (E965.0-.4) | 286 | 19.2 | 18.4 | 0 | 18.7 | 250 | 35.4 | 32.9 | 0 | 35.2 | 36 | 4.6 | 4.4 | 0 | 3.0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 163 | 11.0 | 9.5 | 0 | 8.6 | 124 | 17.5 | 15.8 | 0 | 14.8 | 39 | 5.0 | 4.2 | 0 | 3.3 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 81 | 5.4 | 6.0 | 1 | 10.6 | 60 | 8.5 | 10.2 | 1 | 17.2 | 21 | 2.7 | 2.7 | 0 | 5.7 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 163 | 11.0 | 9.3 | 0 | 8.1 | 125 | 17.7 | 15.6 | 0 | 13.5 | 38 | 4.9 | 4.0 | 0 | 3.5 |

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Both Sexes | | | | Male | | | | Female | | | | | | |
|--|---------------------|---------------|-----------------|-----------------------|---------------------|---------------|-----------------|-----------------------|---------------------|---------------|-----------------|-----------------------|-------|------|-------|
| | *****1994-1998***** | | | | *****1994-1998***** | | | | *****1994-1998***** | | | | | | |
| | No. of deaths | Crude rate | Signif- AAMR | 1989- 1993 AAMR | No. of deaths | Crude rate | Signif- AAMR | 1989- 1993 AAMR | No. of deaths | Crude rate | Signif- AAMR | 1989- 1993 AAMR | | | |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| All causes | 10,199 | 685.3 | 1077.0 | 0 | 1098.1 | 5,535 | 783.3 | 1356.0 | 1 | 1473.4 | 4,664 | 596.7 | 869.8 | 0 | 838.8 |
| Infectious diseases and parasitic disease (1-139) | 1,086 | 73.0 | 86.5 | 0 | 88.6 | 701 | 99.2 | 122.7 | 0 | 133.6 | 385 | 49.3 | 56.6 | 0 | 53.4 |
| ..Septicemia (038) | 179 | 12.0 | 20.7 | 0 | 24.5 | 75 | 10.6 | 19.9 | 1 | 34.1 | 104 | 13.3 | 20.3 | 0 | 18.9 |
|Septicemia-related (038) | 666 | 44.8 | 74.8 | 0 | 77.2 | 317 | 44.9 | 86.2 | 0 | 101.8 | 349 | 44.7 | 66.4 | 0 | 61.1 |
| ..HIV infection (042-044) | 792 | 53.2 | 56.1 | 0 | 54.3 | 552 | 78.1 | 87.7 | 0 | 87.6 | 240 | 30.7 | 30.2 | 0 | 26.3 |
| All cancer (140-208) | 2,175 | 146.1 | 242.9 | 0 | 248.3 | 1,183 | 167.4 | 332.6 | 0 | 357.7 | 992 | 126.9 | 186.1 | 0 | 181.1 |
| ..Oral cavity or pharynx (140.0-149.9) | 47 | 3.2 | 4.7 | 0 | 6.1 | 38 | 5.4 | 9.3 | 0 | 11.3 | 9 | 1.2 | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 207 | 13.9 | 23.5 | 0 | 25.2 | 104 | 14.7 | 28.4 | 0 | 32.0 | 103 | 13.2 | 20.0 | 0 | 21.3 |
|Colon cancer (153) | 181 | 12.2 | 20.8 | 0 | 22.2 | 85 | 12.0 | 24.4 | 0 | 28.2 | 96 | 12.3 | 18.5 | 0 | 18.8 |
|Rectal cancer (154) | 25 | 1.7 | 2.6 | 0 | 2.7 | 19 | 2.7 | 4.0 | 0 | . | 6 | 0.8 | . | . | . |
| ..Pancreatic cancer (157) | 146 | 9.8 | 17.1 | 0 | 14.3 | 69 | 9.8 | 18.0 | 0 | 17.1 | 77 | 9.9 | 15.7 | 0 | 12.3 |
| ..Lung and other respiratory cancer (160-165) | 568 | 38.2 | 62.4 | 0 | 63.3 | 369 | 52.2 | 100.3 | 0 | 107.6 | 199 | 25.5 | 37.2 | 0 | 33.8 |
|Lung cancer (162.2-.9) | 524 | 35.2 | 57.8 | 0 | 59.2 | 336 | 47.5 | 92.2 | 0 | 100.8 | 188 | 24.1 | 35.2 | 0 | 31.7 |
| ..Malignant melanoma of skin (172) | 4 | 0.3 | . | . | . | 3 | 0.4 | . | . | . | 1 | 0.1 | . | . | . |
| ..Female breast cancer (174) | 219 | . | . | . | . | . | . | . | . | 219 | 28.0 | 38.9 | 0 | 33.2 | . |
| ..Cervical cancer (180) | 33 | . | . | . | . | . | . | . | . | 33 | 4.2 | 5.4 | 0 | 5.7 | . |
| ..Endometrial cancer (182) | 15 | . | . | . | . | . | . | . | . | 15 | 1.9 | 2.9 | 0 | 3.6 | . |
| ..Ovarian cancer (183) | 26 | . | . | . | . | . | . | . | . | 26 | 3.3 | 4.9 | 0 | 6.6 | . |
| ..Prostate cancer (185) | 189 | . | . | . | . | 189 | 26.7 | 68.7 | 0 | 76.3 | . | . | . | . | . |
| ..Bladder cancer (188) | 26 | 1.7 | 3.3 | 0 | 5.3 | 15 | 2.1 | 4.6 | 0 | 11 | 1.4 | . | . | . | 5.3 |
| ..Brain & other CNS cancer (191-192) | 26 | 1.7 | 2.9 | 0 | 2.4 | 14 | 2.0 | . | . | 12 | 1.5 | . | . | . | . |
| ..Leukemia (204-208) | 63 | 4.2 | 6.6 | 0 | 6.9 | 32 | 4.5 | 8.6 | 0 | 7.2 | 31 | 4.0 | 5.4 | 0 | 6.6 |
| Diabetes mellitus (250) | 346 | 23.2 | 40.5 | 0 | 34.0 | 153 | 21.7 | 44.9 | 0 | 35.8 | 193 | 24.7 | 37.7 | 0 | 32.8 |
| ..Diabetes-related (250) | 1,121 | 75.3 | 133.0 | 0 | 125.8 | 469 | 66.4 | 135.3 | 0 | 128.7 | 652 | 83.4 | 129.5 | 0 | 122.8 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 12 | 0.8 | . | . | . | 8 | 1.1 | . | . | 4 | 0.5 | . | . | . | . |
| Alzheimer's diseases (331.0) | 30 | 2.0 | 4.9 | 0 | 4.2 | 5 | 0.7 | . | . | 25 | 3.2 | 5.9 | 0 | 4.5 | . |
| Cardiovascular disease (390-459) | 3,421 | 229.9 | 416.2 | 0 | 429.2 | 1,612 | 228.1 | 474.4 | 1 | 538.4 | 1,809 | 231.4 | 369.9 | 0 | 357.3 |
| ..Diseases of the heart (390-398,402,404-429) | 2,714 | 182.4 | 328.2 | 0 | 332.9 | 1,305 | 184.7 | 383.3 | 0 | 428.3 | 1,409 | 180.3 | 286.4 | 0 | 271.4 |
|Heart disease-related (390-398,402,404-429) | 5,066 | 340.4 | 589.6 | 0 | 610.6 | 2,514 | 355.8 | 702.4 | 1 | 791.7 | 2,552 | 326.5 | 505.5 | 0 | 492.4 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 1,818 | 122.2 | 224.5 | 0 | 221.1 | 880 | 124.5 | 268.3 | 0 | 283.9 | 938 | 120.0 | 193.2 | 0 | 179.0 |
|Congestive heart failure (CHF) (428.0) | 94 | 6.3 | 12.9 | 0 | 11.3 | 33 | 4.7 | 11.6 | 0 | 16.3 | 61 | 7.8 | 13.2 | 0 | 9.5 |
| ..Hypertension with or without renal disease (401,403) | 70 | 4.7 | 8.2 | 0 | 9.2 | 27 | 3.8 | 6.6 | 0 | 11.0 | 43 | 5.5 | 8.6 | 0 | 8.2 |
|Hypertension-related (401,403) | 897 | 60.3 | 106.5 | 0 | 98.6 | 395 | 55.9 | 112.5 | 0 | 103.3 | 502 | 64.2 | 100.3 | 0 | 93.3 |
| ..Cerebrovascular disease (430-438) | 502 | 33.7 | 62.2 | 0 | 66.9 | 216 | 30.6 | 62.5 | 0 | 75.5 | 286 | 36.6 | 59.9 | 0 | 59.3 |
| ..Atherosclerosis (440) | 42 | 2.8 | 6.0 | 0 | 5.0 | 18 | 2.5 | 7.7 | 0 | . | 24 | 3.1 | 5.2 | 0 | 4.9 |
|Atherosclerosis-related (440) | 221 | 14.8 | 30.7 | 0 | 33.6 | 91 | 12.9 | 34.4 | 0 | 37.6 | 130 | 16.6 | 28.6 | 0 | 31.3 |
| ..Aortic aneurysm (441) | 31 | 2.1 | 4.0 | 0 | 6.8 | 17 | 2.4 | 5.3 | 0 | 8.9 | 14 | 1.8 | . | . | 5.7 |
| Pneumonia & influenza (480-487) | 285 | 19.1 | 34.7 | 0 | 29.2 | 151 | 21.4 | 44.3 | 0 | 40.6 | 134 | 17.1 | 28.1 | 0 | 21.9 |

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Both Sexes | | | | Male | | | | Female | | | | | | |
|---|---------------------|------------|------|--------------|---------------------|---------------|------------|-------|---------------------|----------------|---------------|------------|------|--------------|----------------|
| | *****1994-1998***** | | | | *****1994-1998***** | | | | *****1994-1998***** | | | | | | |
| | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1989-1993 AAMR |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 167 | 11.2 | 19.6 | 0 | 23.2 | 90 | 12.7 | 28.1 | 0 | 36.5 | 77 | 9.9 | 14.8 | 0 | 16.3 |
| ..COPD-related (490-496) | 490 | 32.9 | 59.9 | 0 | 61.0 | 277 | 39.2 | 90.3 | 0 | 95.2 | 213 | 27.3 | 42.4 | 0 | 41.9 |
| ..Asthma (493) | 41 | 2.8 | 3.8 | 0 | 3.4 | 20 | 2.8 | 4.7 | 0 | . | 21 | 2.7 | 3.4 | 0 | 3.5 |
| Chronic liver disease and cirrhosis (571) | 100 | 6.7 | 9.3 | 0 | 11.1 | 60 | 8.5 | 14.1 | 0 | 15.9 | 40 | 5.1 | 6.3 | 0 | 7.3 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 178 | 12.0 | 20.6 | 0 | 25.2 | 81 | 11.5 | 22.1 | 0 | 27.0 | 97 | 12.4 | 19.3 | 0 | 22.9 |
| ..Nephritis-related (580-589) | 792 | 53.2 | 87.4 | 1 | 110.8 | 388 | 54.9 | 105.1 | 1 | 134.9 | 404 | 51.7 | 76.1 | 1 | 95.0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 232 | 15.6 | 26.4 | 0 | 27.9 | 111 | 15.7 | 30.3 | 0 | 31.8 | 121 | 15.5 | 23.5 | 0 | 24.5 |
| Unintentional injuries (E800-E949) | 501 | 33.7 | 39.1 | 0 | 35.2 | 362 | 51.2 | 62.2 | 0 | 54.4 | 139 | 17.8 | 20.6 | 0 | 19.1 |
| ..Motor vehicle accidents (E810-E825) | 166 | 11.2 | 11.6 | 0 | 11.8 | 124 | 17.5 | 18.8 | 0 | 18.1 | 42 | 5.4 | 5.6 | 0 | 6.5 |
| ..Falls and fall related injuries (E880-E888) | 28 | 1.9 | 3.2 | 0 | 4.0 | 19 | 2.7 | 5.4 | 0 | 6.3 | 9 | 1.2 | . | . | . |
| ..Drowning (E830,E832,E910) | 23 | 1.5 | 1.6 | 0 | 2.0 | 18 | 2.5 | 2.9 | 0 | 3.7 | 5 | 0.6 | . | . | . |
| ..Residential fires (E890-E899) | 29 | 1.9 | 2.3 | 0 | 3.1 | 14 | 2.0 | . | . | 5.0 | 15 | 1.9 | 2.2 | 0 | . |
| Suicide (E950-E959) | 101 | 6.8 | 6.8 | 0 | 5.4 | 82 | 11.6 | 11.4 | 0 | 9.7 | 19 | 2.4 | 2.6 | 0 | . |
| Homicide and legal intervention (E960-E978) | 383 | 25.7 | 23.3 | 0 | 24.4 | 311 | 44.0 | 39.2 | 0 | 42.8 | 72 | 9.2 | 8.5 | 0 | 7.7 |
| ..Homicide (E960-E969) | 379 | 25.5 | 23.1 | 0 | 24.3 | 307 | 43.4 | 38.7 | 0 | 42.4 | 72 | 9.2 | 8.5 | 0 | 7.7 |
| All injury (E800-E999) | 995 | 66.9 | 69.8 | 0 | 68.3 | 764 | 108.1 | 113.9 | 0 | 113.0 | 231 | 29.6 | 31.8 | 0 | 29.5 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 165 | 11.1 | 11.5 | 0 | 11.5 | 123 | 17.4 | 18.7 | 0 | 17.7 | 42 | 5.4 | 5.6 | 0 | 6.3 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 29 | 1.9 | 3.1 | 0 | 3.8 | 21 | 3.0 | 5.7 | 0 | 6.2 | 8 | 1.0 | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 339 | 22.8 | 20.3 | 0 | 20.9 | 301 | 42.6 | 37.3 | 0 | 40.5 | 38 | 4.9 | 4.4 | 0 | 3.1 |
|Suicide (E955.0-.4) | 41 | 2.8 | 2.7 | 0 | 2.8 | 39 | 5.5 | 5.4 | 0 | 6.0 | 2 | 0.3 | . | . | . |
|Homicide (E965.0-.4) | 286 | 19.2 | 16.9 | 0 | 17.5 | 250 | 35.4 | 30.4 | 0 | 33.0 | 36 | 4.6 | 4.1 | 0 | 3.0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 163 | 11.0 | 11.7 | 0 | 10.6 | 124 | 17.5 | 19.6 | 0 | 18.4 | 39 | 5.0 | 5.1 | 0 | 4.0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 81 | 5.4 | 7.2 | 1 | 12.3 | 60 | 8.5 | 12.1 | 1 | 19.9 | 21 | 2.7 | 3.3 | 0 | 6.6 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 163 | 11.0 | 11.6 | 0 | 10.3 | 125 | 17.7 | 19.5 | 0 | 17.2 | 38 | 4.9 | 5.0 | 0 | 4.4 |

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|--|-----------------------------|-------|-------|-------------------------------|---------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 10,199 | 5,519 | 7,402 | 126,987 | 191,354 | 9068.8 | 9819.9 | 1 | 13392.1 | 14349.3 | 1 |
| Infectious diseases and parasitic disease (1-139) | 1,086 | 947 | 1,008 | 23,050 | 32,837 | 1549.1 | 1665.2 | 0 | 2130.8 | 2247.5 | 0 |
| ..Septicemia (038) | 179 | 80 | 113 | 1,401 | 2,379 | 98.4 | 138.8 | 0 | 167.1 | 220.2 | 0 |
| ...Septicemia-related (038) | 666 | 309 | 451 | 5,574 | 9,369 | 396.9 | 509.9 | 0 | 661.9 | 799.3 | 0 |
| ..HIV infection (042-044) | 792 | 774 | 790 | 19,372 | 27,197 | 1294.8 | 1391.0 | 0 | 1746.1 | 1837.7 | 0 |
| All cancer (140-208) | 2,175 | 1,012 | 1,576 | 12,140 | 25,090 | 937.6 | 1039.3 | 0 | 1917.0 | 2082.8 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 47 | 30 | 40 | 440 | 795 | 36.2 | 45.6 | 0 | 62.9 | 84.8 | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 207 | 93 | 147 | 1,003 | 2,213 | 77.9 | 80.2 | 0 | 170.5 | 164.1 | 0 |
| ...Colon cancer (153) | 181 | 79 | 127 | 813 | 1,843 | 63.3 | 64.3 | 0 | 142.3 | 135.3 | 0 |
| ...Rectal cancer (154) | 25 | 14 | 20 | 190 | 370 | 14.7 | 15.9 | 0 | 28.2 | 28.6 | 0 |
| ..Pancreatic cancer (157) | 146 | 58 | 100 | 545 | 1,325 | 42.5 | 35.4 | 0 | 102.9 | 83.8 | 0 |
| ..Lung and other respiratory cancer (160-165) | 568 | 277 | 434 | 2,633 | 6,160 | 210.4 | 254.7 | 0 | 484.0 | 581.4 | 0 |
| ...Lung cancer (162.2-.9) | 524 | 252 | 397 | 2,400 | 5,618 | 191.4 | 230.7 | 0 | 440.9 | 533.1 | 0 |
| ..Malignant melanoma of skin (172) | 4 | 2 | 2 | 20 | 40 | . | . | . | . | . | . |
| ..Female breast cancer (174) | 219 | 133 | 171 | 1,798 | 3,303 | . | . | . | . | . | . |
| ..Cervical cancer (180) | 33 | 22 | 27 | 410 | 668 | . | . | . | . | . | . |
| ..Endometrial cancer (182) | 15 | 4 | 11 | 35 | 113 | . | . | . | . | . | . |
| ..Ovarian cancer (183) | 26 | 10 | 21 | 45 | 188 | . | . | . | . | . | . |
| ..Prostate cancer (185) | 189 | 35 | 96 | 183 | 840 | . | . | . | . | . | . |
| ..Bladder cancer (188) | 26 | 5 | 15 | 48 | 143 | 4.0 | 5.9 | 0 | 11.4 | 17.9 | 0 |
| ..Brain & other CNS cancer (191-192) | 26 | 10 | 17 | 190 | 328 | 15.7 | 24.1 | 0 | 26.0 | 36.8 | 0 |
| ..Leukemia (204-208) | 63 | 31 | 47 | 747 | 1,142 | 54.7 | 66.5 | 0 | 81.8 | 98.3 | 0 |
| Diabetes mellitus (250) | 346 | 135 | 235 | 1,463 | 3,298 | 112.5 | 108.5 | 0 | 252.8 | 234.0 | 0 |
| ..Diabetes-related (250) | 1,121 | 406 | 736 | 4,310 | 10,010 | 333.5 | 314.9 | 0 | 770.9 | 719.4 | 0 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 12 | 8 | 9 | 215 | 303 | . | . | . | . | . | . |
| Alzheimer's diseases (331.0) | 30 | . | 3 | 0 | 13 | 0.0 | 3.4 | 0 | 1.0 | 7.2 | 0 |
| Cardiovascular disease (390-459) | 3,421 | 1,257 | 2,058 | 16,945 | 33,377 | 1276.7 | 1404.5 | 0 | 2498.2 | 2686.6 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 2,714 | 1,010 | 1,658 | 13,598 | 26,848 | 1030.6 | 1119.3 | 0 | 2017.4 | 2159.2 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 5,066 | 2,145 | 3,292 | 33,539 | 60,536 | 2456.5 | 2725.6 | 0 | 4406.4 | 4778.0 | 0 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 1,818 | 620 | 1,081 | 6,787 | 15,180 | 528.0 | 528.5 | 0 | 1168.3 | 1170.4 | 0 |
|Congestive heart failure (CHF) (428.0) | 94 | 23 | 36 | 345 | 637 | 25.2 | 25.4 | 0 | 46.8 | 52.0 | 0 |
| ..Hypertension with or without renal disease (401,403) | 70 | 31 | 46 | 363 | 755 | 27.2 | 24.8 | 0 | 56.7 | 53.6 | 0 |
| ...Hypertension-related (401,403) | 897 | 349 | 581 | 3,738 | 8,398 | 288.9 | 294.8 | 0 | 644.6 | 617.5 | 0 |
| ..Cerebrovascular disease (430-438) | 502 | 178 | 287 | 2,454 | 4,742 | 180.0 | 200.4 | 0 | 348.2 | 359.3 | 0 |
| ..Atherosclerosis (440) | 42 | 6 | 17 | 40 | 148 | 3.1 | 5.1 | 0 | 11.6 | 12.7 | 0 |
| ...Atherosclerosis-related (440) | 221 | 39 | 89 | 385 | 1,010 | 29.0 | 24.8 | 0 | 77.5 | 70.9 | 0 |
| ..Aortic aneurysm (441) | 31 | 9 | 15 | 153 | 268 | 10.8 | 17.1 | 0 | 18.9 | 40.2 | 0 |
| Pneumonia & influenza (480-487) | 285 | 114 | 159 | 2,235 | 3,563 | 153.7 | 154.1 | 0 | 243.2 | 231.9 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 167 | 66 | 107 | 1,102 | 1,960 | 84.5 | 72.4 | 0 | 147.4 | 149.5 | 0 |
| ..COPD-related (490-496) | 490 | 164 | 287 | 2,382 | 4,615 | 179.7 | 149.8 | 0 | 345.0 | 328.9 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| ..Asthma (493) | 41 | 28 | 36 | 757 | 1,067 | 56.2 | 37.8 | 0 | 76.2 | 59.9 | 0 |
| Chronic liver disease and cirrhosis (571) | 100 | 74 | 91 | 1,130 | 1,953 | 82.7 | 116.6 | 0 | 140.7 | 193.8 | 0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 178 | 69 | 119 | 1,042 | 1,977 | 75.1 | 87.9 | 0 | 143.4 | 156.1 | 0 |
| ..Nephritis-related (580-589) | 792 | 373 | 561 | 6,512 | 11,142 | 462.9 | 529.3 | 0 | 787.5 | 905.9 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 232 | 95 | 157 | 1,587 | 2,827 | 112.1 | 96.1 | 0 | 200.1 | 170.1 | 0 |
| Unintentional injuries (E800-E949) | 501 | 427 | 468 | 12,427 | 16,894 | 892.9 | 865.4 | 0 | 1162.5 | 1097.9 | 0 |
| ..Motor vehicle accidents (E810-E825) | 166 | 151 | 160 | 5,033 | 6,590 | 370.6 | 403.8 | 0 | 462.3 | 494.4 | 0 |
| ..Falls and fall related injuries (E880-E888) | 28 | 11 | 20 | 243 | 385 | 17.8 | 27.2 | 0 | 27.4 | 42.1 | 0 |
| ..Drowning (E830,E832,E910) | 23 | 22 | 22 | 802 | 1,022 | 59.8 | 92.1 | 0 | 72.7 | 108.2 | 0 |
| ..Residential fires (E890-E899) | 29 | 21 | 27 | 754 | 999 | 52.6 | 65.3 | 0 | 67.2 | 81.5 | 0 |
| Suicide (E950-E959) | 101 | 94 | 98 | 3,220 | 4,185 | 243.8 | 170.6 | 0 | 300.8 | 214.1 | 0 |
| Homicide and legal intervention (E960-E978) | 383 | 372 | 382 | 14,372 | 18,142 | 1090.8 | 1099.3 | 0 | 1307.3 | 1321.1 | 0 |
| ..Homicide (E960-E969) | 379 | 368 | 378 | 14,207 | 17,937 | 1077.2 | 1095.6 | 0 | 1291.2 | 1316.2 | 0 |
| All injury (E800-E999) | 995 | 903 | 958 | 30,376 | 39,678 | 2252.2 | 2215.8 | 0 | 2800.4 | 2738.5 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 165 | 150 | 159 | 5,000 | 6,548 | 368.6 | 399.8 | 0 | 459.9 | 489.0 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 29 | 14 | 23 | 315 | 488 | 22.5 | 31.7 | 0 | 33.8 | 46.5 | 0 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 339 | 334 | 338 | 13,093 | 16,453 | 1019.2 | 992.9 | 0 | 1214.9 | 1186.0 | 0 |
|Suicide (E955.0-.4) | 41 | 38 | 40 | 1,425 | 1,815 | 112.0 | 88.8 | 0 | 135.3 | 110.6 | 0 |
|Homicide (E965.0-.4) | 286 | 284 | 286 | 11,178 | 14,028 | 867.0 | 874.1 | 0 | 1032.2 | 1040.2 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 163 | 163 | 163 | 3,928 | 5,558 | 271.0 | 261.5 | 0 | 367.5 | 346.3 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 81 | 68 | 77 | 1,145 | 1,868 | 82.4 | 142.2 | 1 | 131.2 | 229.8 | 1 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 163 | 163 | 163 | 3,988 | 5,618 | 273.8 | 259.4 | 0 | 369.1 | 343.1 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Male | | | | | | | | | | |
|--|-----------------------------|-------|-------|-------------------------------|---------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 5,535 | 3,444 | 4,468 | 80,445 | 120,015 | 12155.3 | 13484.5 | 1 | 18048.9 | 19808.9 | 1 |
| Infectious diseases and parasitic disease (1-139) | 701 | 641 | 673 | 15,118 | 21,688 | 2187.8 | 2472.6 | 0 | 3049.1 | 3370.4 | 0 |
| ..Septicemia (038) | 75 | 42 | 57 | 712 | 1,205 | 108.6 | 178.7 | 0 | 187.2 | 290.1 | 0 |
| ...Septicemia-related (038) | 317 | 169 | 238 | 3,018 | 5,035 | 461.1 | 670.7 | 1 | 777.5 | 1069.6 | 1 |
| ..HIV infection (042-044) | 552 | 537 | 550 | 12,935 | 18,377 | 1867.4 | 2130.7 | 0 | 2563.7 | 2847.6 | 0 |
| All cancer (140-208) | 1,183 | 547 | 893 | 6,122 | 13,422 | 1068.0 | 1290.9 | 0 | 2356.5 | 2688.9 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 38 | 26 | 32 | 400 | 695 | 69.5 | 77.0 | 0 | 119.5 | 154.3 | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 104 | 51 | 83 | 533 | 1,218 | 92.1 | 96.2 | 0 | 213.3 | 193.7 | 0 |
| ...Colon cancer (153) | 85 | 39 | 65 | 373 | 898 | 65.0 | 71.1 | 0 | 158.6 | 151.5 | 0 |
| ...Rectal cancer (154) | 19 | 12 | 18 | 160 | 320 | 27.1 | . | 0 | 54.7 | . | 0 |
| ..Pancreatic cancer (157) | 69 | 33 | 58 | 293 | 765 | 51.9 | 59.1 | 0 | 137.3 | 126.1 | 0 |
| ..Lung and other respiratory cancer (160-165) | 369 | 182 | 289 | 1,690 | 4,053 | 307.2 | 384.5 | 0 | 731.9 | 912.2 | 0 |
| ...Lung cancer (162.2-.9) | 336 | 163 | 260 | 1,533 | 3,655 | 277.0 | 346.0 | 0 | 657.8 | 834.2 | 0 |
| ..Malignant melanoma of skin (172) | 3 | 2 | 2 | 20 | 40 | . | . | . | . | . | . |
| ..Female breast cancer (174) | . | . | . | . | . | . | . | . | . | . | . |
| ..Cervical cancer (180) | . | . | . | . | . | . | . | . | . | . | . |
| ..Endometrial cancer (182) | . | . | . | . | . | . | . | . | . | . | . |
| ..Ovarian cancer (183) | . | . | . | . | . | . | . | . | . | . | . |
| ..Prostate cancer (185) | 189 | 35 | 96 | 183 | 840 | 36.8 | 14.3 | 0 | 160.3 | 101.0 | 0 |
| ..Bladder cancer (188) | 15 | 3 | 11 | 33 | 103 | 6.1 | . | 0 | 18.6 | . | 0 |
| ..Brain & other CNS cancer (191-192) | 14 | 8 | 11 | 140 | 238 | . | . | . | . | . | . |
| ..Leukemia (204-208) | 32 | 16 | 27 | 245 | 463 | 40.9 | 69.9 | 0 | 77.4 | 102.3 | 0 |
| Diabetes mellitus (250) | 153 | 69 | 111 | 893 | 1,783 | 146.1 | 120.6 | 0 | 298.5 | 253.9 | 0 |
| ..Diabetes-related (250) | 469 | 199 | 346 | 2,308 | 5,045 | 387.4 | 352.3 | 0 | 864.3 | 770.5 | 0 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 8 | 6 | 7 | 165 | 233 | . | . | . | . | . | . |
| Alzheimer's diseases (331.0) | 5 | . | 1 | 0 | 3 | . | . | . | . | . | . |
| Cardiovascular disease (390-459) | 1,612 | 737 | 1,151 | 10,151 | 19,566 | 1680.8 | 1884.5 | 0 | 3277.8 | 3632.3 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 1,305 | 592 | 931 | 8,116 | 15,719 | 1346.0 | 1476.6 | 0 | 2637.9 | 2905.2 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 2,514 | 1,266 | 1,878 | 19,922 | 35,607 | 3165.4 | 3623.3 | 1 | 5734.4 | 6398.8 | 1 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 880 | 372 | 610 | 4,030 | 8,915 | 705.3 | 775.8 | 0 | 1565.0 | 1708.5 | 0 |
|Congestive heart failure (CHF) (428.0) | 33 | 11 | 16 | 143 | 280 | 24.2 | 13.8 | 0 | 48.0 | 40.7 | 0 |
| ..Hypertension with or without renal disease (401,403) | 27 | 19 | 24 | 233 | 445 | 39.4 | 38.2 | 0 | 75.9 | 79.3 | 0 |
| ...Hypertension-related (401,403) | 395 | 189 | 300 | 1,993 | 4,450 | 351.8 | 394.6 | 0 | 785.7 | 786.5 | 0 |
| ..Cerebrovascular disease (430-438) | 216 | 104 | 159 | 1,482 | 2,795 | 242.2 | 287.2 | 0 | 462.0 | 505.3 | 0 |
| ..Atherosclerosis (440) | 18 | 2 | 7 | 30 | 73 | 4.9 | . | 0 | 12.1 | . | 0 |
| ...Atherosclerosis-related (440) | 91 | 21 | 43 | 260 | 575 | 41.2 | 16.6 | 0 | 96.6 | 61.3 | 0 |
| ..Aortic aneurysm (441) | 17 | 7 | 11 | 108 | 198 | 16.9 | 26.6 | 0 | 31.9 | 51.6 | 0 |
| Pneumonia & influenza (480-487) | 151 | 81 | 104 | 1,676 | 2,583 | 247.1 | 215.4 | 0 | 382.0 | 328.7 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 90 | 36 | 58 | 565 | 1,030 | 93.7 | 62.4 | 0 | 172.6 | 149.8 | 0 |
| ..COPD-related (490-496) | 277 | 95 | 169 | 1,208 | 2,518 | 205.9 | 177.0 | 0 | 434.5 | 420.5 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Male | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| ..Asthma (493) | 20 | 13 | 17 | 388 | 533 | 60.8 | . | 0 | 81.0 | . | 0 |
| Chronic liver disease and cirrhosis (571) | 60 | 44 | 54 | 625 | 1,110 | 102.8 | 163.3 | 0 | 181.6 | 275.3 | 0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 81 | 41 | 64 | 682 | 1,194 | 104.2 | 131.5 | 0 | 187.4 | 227.1 | 0 |
| ..Nephritis-related (580-589) | 388 | 210 | 293 | 3,901 | 6,394 | 597.4 | 754.4 | 0 | 983.4 | 1231.6 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 111 | 54 | 85 | 914 | 1,592 | 139.0 | 144.4 | 0 | 247.5 | 249.7 | 0 |
| Unintentional injuries (E800-E949) | 362 | 323 | 348 | 9,206 | 12,553 | 1395.8 | 1363.4 | 0 | 1836.0 | 1740.9 | 0 |
| ..Motor vehicle accidents (E810-E825) | 124 | 115 | 120 | 3,861 | 5,038 | 592.6 | 596.0 | 0 | 740.3 | 734.6 | 0 |
| ..Falls and fall related injuries (E880-E888) | 19 | 9 | 16 | 168 | 280 | 27.5 | 56.7 | 0 | 45.1 | 87.1 | 0 |
| ..Drowning (E830,E832,E910) | 18 | 17 | 17 | 578 | 748 | 87.9 | 169.4 | 0 | 109.5 | 200.5 | 0 |
| ..Residential fires (E890-E899) | 14 | 10 | 14 | 305 | 430 | . | 76.9 | . | . | 101.9 | . |
| Suicide (E950-E959) | 82 | 77 | 80 | 2,758 | 3,545 | 426.2 | 300.5 | 0 | 521.5 | 378.4 | 0 |
| Homicide and legal intervention (E960-E978) | 311 | 302 | 310 | 11,726 | 14,791 | 1825.6 | 1884.9 | 0 | 2191.3 | 2273.2 | 0 |
| ..Homicide (E960-E969) | 307 | 298 | 306 | 11,561 | 14,586 | 1798.1 | 1877.0 | 0 | 2158.8 | 2262.4 | 0 |
| All injury (E800-E999) | 764 | 711 | 747 | 24,014 | 31,304 | 3694.1 | 3694.7 | 0 | 4605.2 | 4583.1 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 123 | 114 | 119 | 3,828 | 4,996 | 588.4 | 588.2 | 0 | 735.1 | 724.1 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 21 | 11 | 18 | 223 | 355 | 34.5 | 61.1 | 0 | 54.3 | 90.6 | 0 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 301 | 296 | 300 | 11,599 | 14,579 | 1834.3 | 1850.8 | 0 | 2191.0 | 2215.3 | 0 |
|Suicide (E955.0-.4) | 39 | 36 | 38 | 1,375 | 1,745 | 217.8 | 174.9 | 0 | 262.8 | 219.8 | 0 |
|Homicide (E965.0-.4) | 250 | 248 | 250 | 9,734 | 12,224 | 1536.5 | 1615.8 | 0 | 1833.5 | 1924.7 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 124 | 124 | 124 | 2,930 | 4,170 | 435.2 | 452.8 | 0 | 596.5 | 600.5 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 60 | 50 | 58 | 845 | 1,385 | 134.2 | 203.6 | 0 | 216.5 | 337.8 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 125 | 125 | 125 | 3,038 | 4,288 | 447.2 | 430.2 | 0 | 606.6 | 571.1 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Female | | | | | | | | | | |
|--|-----------------------------|-------|-------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 4,664 | 2,075 | 2,934 | 46,542 | 71,339 | 6307.4 | 6527.6 | 0 | 9350.8 | 9576.2 | 0 |
| Infectious diseases and parasitic disease (1-139) | 385 | 306 | 335 | 7,932 | 11,150 | 1011.8 | 972.3 | 0 | 1363.3 | 1290.6 | 0 |
| ..Septicemia (038) | 104 | 38 | 56 | 689 | 1,174 | 91.1 | 105.6 | 0 | 152.3 | 163.2 | 0 |
| ...Septicemia-related (038) | 349 | 140 | 213 | 2,556 | 4,334 | 347.7 | 378.3 | 0 | 572.9 | 580.0 | 0 |
| ..HIV infection (042-044) | 240 | 237 | 240 | 6,438 | 8,820 | 811.3 | 754.1 | 0 | 1060.1 | 973.3 | 0 |
| All cancer (140-208) | 992 | 465 | 683 | 6,019 | 11,669 | 834.6 | 835.4 | 0 | 1579.9 | 1602.7 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 9 | 4 | 8 | 40 | 100 | . | . | 0 | . | . | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 103 | 42 | 64 | 470 | 995 | 66.7 | 66.5 | 0 | 137.4 | 139.8 | 0 |
| ...Colon cancer (153) | 96 | 40 | 62 | 440 | 945 | 62.3 | 59.0 | 0 | 130.4 | 122.8 | 0 |
| ...Rectal cancer (154) | 6 | 2 | 2 | 30 | 50 | . | . | 0 | . | . | 0 |
| ..Pancreatic cancer (157) | 77 | 25 | 42 | 253 | 560 | 35.2 | 16.2 | 0 | 76.5 | 49.7 | 0 |
| ..Lung and other respiratory cancer (160-165) | 199 | 95 | 145 | 943 | 2,108 | 134.1 | 149.9 | 0 | 292.5 | 318.8 | 0 |
| ...Lung cancer (162.2-.9) | 188 | 89 | 137 | 868 | 1,963 | 123.7 | 138.2 | 0 | 273.0 | 294.9 | 0 |
| ..Malignant melanoma of skin (172) | 1 | . | . | 0 | 0 | . | . | 0 | . | . | 0 |
| ..Female breast cancer (174) | 219 | 133 | 171 | 1,798 | 3,303 | 245.1 | 241.1 | 0 | 439.8 | 420.1 | 0 |
| ..Cervical cancer (180) | 33 | 22 | 27 | 410 | 668 | 52.5 | 47.7 | 0 | 83.6 | 77.6 | 0 |
| ..Endometrial cancer (182) | 15 | 4 | 11 | 35 | 113 | 4.8 | 2.2 | 0 | 15.3 | 9.3 | 0 |
| ..Ovarian cancer (183) | 26 | 10 | 21 | 45 | 188 | 6.9 | 34.6 | 0 | 27.2 | 64.4 | 0 |
| ..Prostate cancer (185) | . | . | . | . | . | . | . | 0 | . | . | 0 |
| ..Bladder cancer (188) | 11 | 2 | 4 | 15 | 40 | . | 5.3 | 0 | . | 14.3 | 0 |
| ..Brain & other CNS cancer (191-192) | 12 | 2 | 6 | 50 | 90 | . | . | 0 | . | . | 0 |
| ..Leukemia (204-208) | 31 | 15 | 20 | 502 | 679 | 71.4 | 62.0 | 0 | 92.0 | 93.3 | 0 |
| Diabetes mellitus (250) | 193 | 66 | 124 | 570 | 1,515 | 82.8 | 99.1 | 0 | 213.0 | 218.3 | 0 |
| ..Diabetes-related (250) | 652 | 207 | 390 | 2,003 | 4,965 | 289.3 | 283.9 | 0 | 695.6 | 677.8 | 0 |
| ...Diabetic ketoacidosis (DKA) (250.1) | 4 | 2 | 2 | 50 | 70 | . | . | 0 | . | . | 0 |
| Alzheimer's diseases (331.0) | 25 | . | 2 | 0 | 10 | 0.0 | 4.6 | 0 | 1.4 | 7.3 | 0 |
| Cardiovascular disease (390-459) | 1,809 | 520 | 907 | 6,794 | 13,812 | 940.6 | 1008.8 | 0 | 1870.1 | 1923.6 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 1,409 | 418 | 727 | 5,482 | 11,130 | 768.7 | 828.2 | 0 | 1518.6 | 1562.6 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 2,552 | 879 | 1,414 | 13,617 | 24,929 | 1871.1 | 1974.7 | 0 | 3338.2 | 3452.0 | 0 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 938 | 248 | 471 | 2,757 | 6,265 | 386.3 | 327.5 | 0 | 858.1 | 741.4 | 0 |
|Congestive heart failure (CHF) (428.0) | 61 | 12 | 20 | 202 | 357 | 26.5 | 37.1 | 0 | 46.3 | 63.6 | 0 |
| ..Hypertension with or without renal disease (401,403) | 43 | 12 | 22 | 130 | 310 | 17.2 | 13.0 | 0 | 41.4 | 32.0 | 0 |
| ...Hypertension-related (401,403) | 502 | 160 | 281 | 1,745 | 3,948 | 239.6 | 210.9 | 0 | 535.6 | 478.0 | 0 |
| ..Cerebrovascular disease (430-438) | 286 | 74 | 128 | 972 | 1,947 | 128.1 | 126.6 | 0 | 255.6 | 238.1 | 0 |
| ..Atherosclerosis (440) | 24 | 4 | 10 | 10 | 75 | 1.6 | 6.6 | 0 | 11.0 | 16.8 | 0 |
| ...Atherosclerosis-related (440) | 130 | 18 | 46 | 125 | 435 | 18.0 | 31.4 | 0 | 61.1 | 79.3 | 0 |
| ..Aortic aneurysm (441) | 14 | 2 | 4 | 45 | 70 | . | 8.8 | 0 | . | 30.4 | 0 |
| Pneumonia & influenza (480-487) | 134 | 33 | 55 | 560 | 980 | 71.8 | 101.6 | 0 | 124.4 | 150.9 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 77 | 30 | 49 | 537 | 930 | 77.1 | 80.6 | 0 | 127.9 | 150.4 | 0 |
| ..COPD-related (490-496) | 213 | 69 | 118 | 1,175 | 2,097 | 159.6 | 127.1 | 0 | 277.3 | 257.6 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Female | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| ..Asthma (493) | 21 | 15 | 19 | 370 | 535 | 51.6 | 40.8 | 0 | 71.2 | 68.2 | 0 |
| Chronic liver disease and cirrhosis (571) | 40 | 30 | 37 | 505 | 843 | 67.7 | 78.4 | 0 | 109.8 | 127.7 | 0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 97 | 28 | 55 | 360 | 783 | 50.1 | 51.4 | 0 | 106.6 | 97.1 | 0 |
| ..Nephritis-related (580-589) | 404 | 163 | 268 | 2,611 | 4,748 | 349.6 | 340.1 | 0 | 624.3 | 633.4 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 121 | 41 | 72 | 673 | 1,235 | 89.6 | 55.8 | 0 | 161.8 | 104.4 | 0 |
| Unintentional injuries (E800-E949) | 139 | 104 | 120 | 3,221 | 4,341 | 436.1 | 396.7 | 0 | 559.9 | 502.1 | 0 |
| ..Motor vehicle accidents (E810-E825) | 42 | 36 | 40 | 1,172 | 1,552 | 160.5 | 216.9 | 0 | 201.8 | 263.9 | 0 |
| ..Falls and fall related injuries (E880-E888) | 9 | 2 | 4 | 75 | 105 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 5 | 5 | 5 | 225 | 275 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 15 | 11 | 13 | 449 | 569 | 59.9 | . | 0 | 72.5 | . | 0 |
| Suicide (E950-E959) | 19 | 17 | 18 | 463 | 640 | 66.6 | . | 0 | 87.6 | . | 0 |
| Homicide and legal intervention (E960-E978) | 72 | 70 | 72 | 2,646 | 3,351 | 373.2 | 327.5 | 0 | 448.1 | 392.0 | 0 |
| ..Homicide (E960-E969) | 72 | 70 | 72 | 2,646 | 3,351 | 373.2 | 327.5 | 0 | 448.1 | 392.0 | 0 |
| All injury (E800-E999) | 231 | 192 | 211 | 6,362 | 8,375 | 879.5 | 796.0 | 0 | 1100.1 | 986.5 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 42 | 36 | 40 | 1,172 | 1,552 | 160.5 | 216.9 | 0 | 201.8 | 263.6 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 8 | 3 | 5 | 93 | 133 | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 38 | 38 | 38 | 1,494 | 1,874 | 221.7 | 147.7 | 0 | 263.7 | 177.1 | 0 |
|Suicide (E955.0-.4) | 2 | 2 | 2 | 50 | 70 | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 36 | 36 | 36 | 1,444 | 1,804 | 213.2 | 139.5 | 0 | 252.5 | 167.6 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 39 | 39 | 39 | 998 | 1,388 | 130.6 | 93.3 | 0 | 172.9 | 124.6 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 21 | 18 | 19 | 300 | 483 | 39.6 | 92.0 | 0 | 61.7 | 142.8 | 1 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 38 | 38 | 38 | 950 | 1,330 | 123.6 | 110.4 | 0 | 164.7 | 145.2 | 0 |

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|--|-----------------------------|-------|-------|-------------------------------|---------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 10,199 | 5,519 | 7,402 | 126,987 | 191,354 | 8850.5 | 9492.9 | 1 | 13290.1 | 14109.7 | 1 |
| Infectious diseases and parasitic disease (1-139) | 1,086 | 947 | 1,008 | 23,050 | 32,837 | 1378.0 | 1433.9 | 0 | 1898.5 | 1939.6 | 0 |
| ..Septicemia (038) | 179 | 80 | 113 | 1,401 | 2,379 | 95.8 | 128.5 | 0 | 168.8 | 212.4 | 0 |
| ...Septicemia-related (038) | 666 | 309 | 451 | 5,574 | 9,369 | 380.3 | 469.5 | 0 | 659.6 | 764.2 | 0 |
| ..HIV infection (042-044) | 792 | 774 | 790 | 19,372 | 27,197 | 1131.6 | 1181.7 | 0 | 1519.2 | 1552.4 | 0 |
| All cancer (140-208) | 2,175 | 1,012 | 1,576 | 12,140 | 25,090 | 943.5 | 1034.9 | 0 | 2027.2 | 2183.9 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 47 | 30 | 40 | 440 | 795 | 37.3 | 45.5 | 0 | 66.3 | 87.0 | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 207 | 93 | 147 | 1,003 | 2,213 | 77.9 | 81.2 | 0 | 180.9 | 173.4 | 0 |
| ...Colon cancer (153) | 181 | 79 | 127 | 813 | 1,843 | 63.7 | 64.8 | 0 | 152.3 | 143.1 | 0 |
| ...Rectal cancer (154) | 25 | 14 | 20 | 190 | 370 | 14.1 | 16.4 | 0 | 28.6 | 30.0 | 0 |
| ..Pancreatic cancer (157) | 146 | 58 | 100 | 545 | 1,325 | 43.0 | 36.3 | 0 | 111.6 | 90.9 | 0 |
| ..Lung and other respiratory cancer (160-165) | 568 | 277 | 434 | 2,633 | 6,160 | 216.6 | 256.4 | 0 | 523.5 | 622.2 | 0 |
| ...Lung cancer (162.2-.9) | 524 | 252 | 397 | 2,400 | 5,618 | 196.6 | 232.4 | 0 | 476.6 | 571.6 | 0 |
| ..Malignant melanoma of skin (172) | 4 | 2 | 2 | 20 | 40 | . | . | . | . | . | . |
| ..Female breast cancer (174) | 219 | 133 | 171 | 1,798 | 3,303 | . | . | . | . | . | . |
| ..Cervical cancer (180) | 33 | 22 | 27 | 410 | 668 | . | . | . | . | . | . |
| ..Endometrial cancer (182) | 15 | 4 | 11 | 35 | 113 | . | . | . | . | . | . |
| ..Ovarian cancer (183) | 26 | 10 | 21 | 45 | 188 | . | . | . | . | . | . |
| ..Prostate cancer (185) | 189 | 35 | 96 | 183 | 840 | . | . | . | . | . | . |
| ..Bladder cancer (188) | 26 | 5 | 15 | 48 | 143 | 4.2 | 6.5 | 0 | 12.9 | 20.5 | 0 |
| ..Brain & other CNS cancer (191-192) | 26 | 10 | 17 | 190 | 328 | 15.1 | 26.7 | 0 | 26.4 | 40.5 | 0 |
| ..Leukemia (204-208) | 63 | 31 | 47 | 747 | 1,142 | 54.3 | 69.9 | 0 | 82.6 | 103.5 | 0 |
| Diabetes mellitus (250) | 346 | 135 | 235 | 1,463 | 3,298 | 112.8 | 109.1 | 0 | 270.7 | 249.1 | 0 |
| ..Diabetes-related (250) | 1,121 | 406 | 736 | 4,310 | 10,010 | 334.1 | 315.7 | 0 | 828.3 | 771.9 | 0 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 12 | 8 | 9 | 215 | 303 | . | . | . | . | . | . |
| Alzheimer's diseases (331.0) | 30 | . | 3 | 0 | 13 | 0.0 | 3.1 | 0 | 1.3 | 7.5 | 0 |
| Cardiovascular disease (390-459) | 3,421 | 1,257 | 2,058 | 16,945 | 33,377 | 1259.5 | 1364.4 | 0 | 2602.5 | 2766.2 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 2,714 | 1,010 | 1,658 | 13,598 | 26,848 | 1020.7 | 1091.9 | 0 | 2106.2 | 2232.3 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 5,066 | 2,145 | 3,292 | 33,539 | 60,536 | 2379.9 | 2614.4 | 0 | 4479.5 | 4810.7 | 0 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 1,818 | 620 | 1,081 | 6,787 | 15,180 | 529.3 | 526.3 | 0 | 1246.1 | 1245.5 | 0 |
|Congestive heart failure (CHF) (428.0) | 94 | 23 | 36 | 345 | 637 | 24.8 | 27.0 | 0 | 48.6 | 57.3 | 0 |
| ..Hypertension with or without renal disease (401,403) | 70 | 31 | 46 | 363 | 755 | 26.3 | 23.6 | 0 | 58.9 | 55.8 | 0 |
| ...Hypertension-related (401,403) | 897 | 349 | 581 | 3,738 | 8,398 | 289.3 | 290.0 | 0 | 687.1 | 646.9 | 0 |
| ..Cerebrovascular disease (430-438) | 502 | 178 | 287 | 2,454 | 4,742 | 175.5 | 192.6 | 0 | 359.4 | 363.1 | 0 |
| ..Atherosclerosis (440) | 42 | 6 | 17 | 40 | 148 | 3.2 | 5.5 | 0 | 13.5 | 14.0 | 0 |
| ...Atherosclerosis-related (440) | 221 | 39 | 89 | 385 | 1,010 | 29.7 | 25.9 | 0 | 86.4 | 79.5 | 0 |
| ..Aortic aneurysm (441) | 31 | 9 | 15 | 153 | 268 | 9.8 | 16.5 | 0 | 18.4 | 42.7 | 0 |
| Pneumonia & influenza (480-487) | 285 | 114 | 159 | 2,235 | 3,563 | 145.9 | 149.8 | 0 | 238.2 | 230.0 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 167 | 66 | 107 | 1,102 | 1,960 | 84.5 | 72.0 | 0 | 153.3 | 158.2 | 0 |
| ..COPD-related (490-496) | 490 | 164 | 287 | 2,382 | 4,615 | 175.5 | 150.7 | 0 | 357.7 | 353.8 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| ..Asthma (493) | 41 | 28 | 36 | 757 | 1,067 | 55.1 | 35.5 | 0 | 74.6 | 58.0 | 0 |
| Chronic liver disease and cirrhosis (571) | 100 | 74 | 91 | 1,130 | 1,953 | 78.4 | 109.4 | 0 | 138.4 | 187.1 | 0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 178 | 69 | 119 | 1,042 | 1,977 | 72.1 | 81.7 | 0 | 147.0 | 154.7 | 0 |
| ..Nephritis-related (580-589) | 792 | 373 | 561 | 6,512 | 11,142 | 437.4 | 489.6 | 0 | 780.3 | 885.8 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 232 | 95 | 157 | 1,587 | 2,827 | 104.2 | 88.7 | 0 | 198.9 | 167.9 | 0 |
| Unintentional injuries (E800-E949) | 501 | 427 | 468 | 12,427 | 16,894 | 845.8 | 836.6 | 0 | 1091.9 | 1050.0 | 0 |
| ..Motor vehicle accidents (E810-E825) | 166 | 151 | 160 | 5,033 | 6,590 | 347.9 | 395.2 | 0 | 428.6 | 477.1 | 0 |
| ..Falls and fall related injuries (E880-E888) | 28 | 11 | 20 | 243 | 385 | 16.1 | 25.2 | 0 | 25.9 | 40.3 | 0 |
| ..Drowning (E830,E832,E910) | 23 | 22 | 22 | 802 | 1,022 | 61.5 | 95.5 | 0 | 73.5 | 110.3 | 0 |
| ..Residential fires (E890-E899) | 29 | 21 | 27 | 754 | 999 | 55.2 | 67.6 | 0 | 69.6 | 83.7 | 0 |
| Suicide (E950-E959) | 101 | 94 | 98 | 3,220 | 4,185 | 226.9 | 152.9 | 0 | 276.4 | 189.5 | 0 |
| Homicide and legal intervention (E960-E978) | 383 | 372 | 382 | 14,372 | 18,142 | 1024.2 | 1030.8 | 0 | 1207.1 | 1218.1 | 0 |
| ..Homicide (E960-E969) | 379 | 368 | 378 | 14,207 | 17,937 | 1011.6 | 1027.7 | 0 | 1192.5 | 1213.9 | 0 |
| All injury (E800-E999) | 995 | 903 | 958 | 30,376 | 39,678 | 2119.3 | 2090.4 | 0 | 2601.8 | 2548.9 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 165 | 150 | 159 | 5,000 | 6,548 | 346.5 | 391.0 | 0 | 426.9 | 471.3 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 29 | 14 | 23 | 315 | 488 | 20.0 | 28.8 | 0 | 31.1 | 43.2 | 0 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 339 | 334 | 338 | 13,093 | 16,453 | 957.6 | 940.0 | 0 | 1122.4 | 1103.0 | 0 |
| ...Suicide (E955.0-.4) | 41 | 38 | 40 | 1,425 | 1,815 | 106.0 | 81.2 | 0 | 126.3 | 99.9 | 0 |
| ...Homicide (E965.0-.4) | 286 | 284 | 286 | 11,178 | 14,028 | 812.5 | 826.7 | 0 | 950.7 | 966.0 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 163 | 163 | 163 | 3,928 | 5,558 | 239.2 | 225.9 | 0 | 322.6 | 297.5 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 81 | 68 | 77 | 1,145 | 1,868 | 77.3 | 134.1 | 1 | 125.3 | 221.8 | 1 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 163 | 163 | 163 | 3,988 | 5,618 | 240.1 | 219.8 | 0 | 321.5 | 288.9 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Male | | | | | | | | | | |
|--|-----------------------------|-------|-------|-------------------------------|---------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 5,535 | 3,444 | 4,468 | 80,445 | 120,015 | 11761.6 | 12928.7 | 1 | 17787.9 | 19345.2 | 1 |
| Infectious diseases and parasitic disease (1-139) | 701 | 641 | 673 | 15,118 | 21,688 | 1937.9 | 2119.8 | 0 | 2709.5 | 2902.0 | 0 |
| ..Septicemia (038) | 75 | 42 | 57 | 712 | 1,205 | 105.0 | 164.2 | 0 | 188.6 | 279.9 | 0 |
| ...Septicemia-related (038) | 317 | 169 | 238 | 3,018 | 5,035 | 438.2 | 614.1 | 1 | 770.0 | 1020.1 | 1 |
| ..HIV infection (042-044) | 552 | 537 | 550 | 12,935 | 18,377 | 1632.2 | 1813.0 | 0 | 2238.5 | 2414.4 | 0 |
| All cancer (140-208) | 1,183 | 547 | 893 | 6,122 | 13,422 | 1094.6 | 1299.4 | 0 | 2543.2 | 2852.1 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 38 | 26 | 32 | 400 | 695 | 71.4 | 77.8 | 0 | 125.5 | 161.8 | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 104 | 51 | 83 | 533 | 1,218 | 92.3 | 98.1 | 0 | 228.7 | 205.0 | 0 |
| ...Colon cancer (153) | 85 | 39 | 65 | 373 | 898 | 66.3 | 72.6 | 0 | 172.7 | 161.4 | 0 |
| ...Rectal cancer (154) | 19 | 12 | 18 | 160 | 320 | 26.0 | . | 0 | 56.0 | . | 0 |
| ..Pancreatic cancer (157) | 69 | 33 | 58 | 293 | 765 | 53.0 | 59.8 | 0 | 150.7 | 133.7 | 0 |
| ..Lung and other respiratory cancer (160-165) | 369 | 182 | 289 | 1,690 | 4,053 | 318.6 | 394.1 | 0 | 798.1 | 989.5 | 0 |
| ...Lung cancer (162.2-.9) | 336 | 163 | 260 | 1,533 | 3,655 | 286.1 | 355.4 | 0 | 716.0 | 907.5 | 0 |
| ..Malignant melanoma of skin (172) | 3 | 2 | 2 | 20 | 40 | . | . | . | . | . | . |
| ..Female breast cancer (174) | . | . | . | . | . | . | . | . | . | . | . |
| ..Cervical cancer (180) | . | . | . | . | . | . | . | . | . | . | . |
| ..Endometrial cancer (182) | . | . | . | . | . | . | . | . | . | . | . |
| ..Ovarian cancer (183) | . | . | . | . | . | . | . | . | . | . | . |
| ..Prostate cancer (185) | 189 | 35 | 96 | 183 | 840 | 41.6 | 16.4 | 0 | 190.3 | 124.0 | 0 |
| ..Bladder cancer (188) | 15 | 3 | 11 | 33 | 103 | 6.4 | . | 0 | 21.2 | . | 0 |
| ..Brain & other CNS cancer (191-192) | 14 | 8 | 11 | 140 | 238 | . | . | . | . | . | . |
| ..Leukemia (204-208) | 32 | 16 | 27 | 245 | 463 | 38.7 | 76.8 | 0 | 78.2 | 112.1 | 0 |
| Diabetes mellitus (250) | 153 | 69 | 111 | 893 | 1,783 | 142.3 | 118.9 | 0 | 310.6 | 266.5 | 0 |
| ..Diabetes-related (250) | 469 | 199 | 346 | 2,308 | 5,045 | 382.5 | 348.6 | 0 | 917.4 | 817.0 | 0 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 8 | 6 | 7 | 165 | 233 | . | . | . | . | . | . |
| Alzheimer's diseases (331.0) | 5 | . | 1 | 0 | 3 | . | . | . | . | . | . |
| Cardiovascular disease (390-459) | 1,612 | 737 | 1,151 | 10,151 | 19,566 | 1661.0 | 1830.8 | 0 | 3412.6 | 3737.8 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 1,305 | 592 | 931 | 8,116 | 15,719 | 1331.0 | 1445.5 | 0 | 2749.7 | 3012.7 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 2,514 | 1,266 | 1,878 | 19,922 | 35,607 | 3067.0 | 3476.1 | 0 | 5830.7 | 6440.1 | 0 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 880 | 372 | 610 | 4,030 | 8,915 | 709.3 | 776.3 | 0 | 1670.4 | 1817.7 | 0 |
|Congestive heart failure (CHF) (428.0) | 33 | 11 | 16 | 143 | 280 | 23.8 | 14.7 | 0 | 50.1 | 46.0 | 0 |
| ..Hypertension with or without renal disease (401,403) | 27 | 19 | 24 | 233 | 445 | 38.6 | 35.0 | 0 | 78.0 | 80.7 | 0 |
| ...Hypertension-related (401,403) | 395 | 189 | 300 | 1,993 | 4,450 | 356.9 | 384.9 | 0 | 842.2 | 813.2 | 0 |
| ..Cerebrovascular disease (430-438) | 216 | 104 | 159 | 1,482 | 2,795 | 239.6 | 274.6 | 0 | 479.2 | 506.3 | 0 |
| ..Atherosclerosis (440) | 18 | 2 | 7 | 30 | 73 | 4.8 | . | 0 | 13.2 | . | 0 |
| ...Atherosclerosis-related (440) | 91 | 21 | 43 | 260 | 575 | 41.8 | 17.9 | 0 | 105.6 | 71.1 | 0 |
| ..Aortic aneurysm (441) | 17 | 7 | 11 | 108 | 198 | 15.4 | 24.1 | 0 | 31.9 | 51.4 | 0 |
| Pneumonia & influenza (480-487) | 151 | 81 | 104 | 1,676 | 2,583 | 236.5 | 208.8 | 0 | 373.6 | 325.2 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 90 | 36 | 58 | 565 | 1,030 | 92.6 | 63.7 | 0 | 180.0 | 164.7 | 0 |
| ..COPD-related (490-496) | 277 | 95 | 169 | 1,208 | 2,518 | 204.9 | 180.2 | 0 | 462.3 | 460.0 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Male | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| ..Asthma (493) | 20 | 13 | 17 | 388 | 533 | 57.9 | . | 0 | 77.3 | . | 0 |
| Chronic liver disease and cirrhosis (571) | 60 | 44 | 54 | 625 | 1,110 | 99.0 | 155.3 | 0 | 181.0 | 269.1 | 0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 81 | 41 | 64 | 682 | 1,194 | 100.4 | 120.3 | 0 | 190.1 | 220.7 | 0 |
| ..Nephritis-related (580-589) | 388 | 210 | 293 | 3,901 | 6,394 | 564.8 | 680.7 | 0 | 964.5 | 1168.1 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 111 | 54 | 85 | 914 | 1,592 | 132.0 | 131.6 | 0 | 248.2 | 242.2 | 0 |
| Unintentional injuries (E800-E949) | 362 | 323 | 348 | 9,206 | 12,553 | 1310.7 | 1309.6 | 0 | 1712.1 | 1655.5 | 0 |
| ..Motor vehicle accidents (E810-E825) | 124 | 115 | 120 | 3,861 | 5,038 | 550.7 | 580.7 | 0 | 680.0 | 706.4 | 0 |
| ..Falls and fall related injuries (E880-E888) | 19 | 9 | 16 | 168 | 280 | 25.9 | 52.1 | 0 | 44.2 | 82.8 | 0 |
| ..Drowning (E830,E832,E910) | 18 | 17 | 17 | 578 | 748 | 92.3 | 174.1 | 0 | 113.0 | 202.5 | 0 |
| ..Residential fires (E890-E899) | 14 | 10 | 14 | 305 | 430 | . | 78.6 | . | . | 104.2 | . |
| Suicide (E950-E959) | 82 | 77 | 80 | 2,758 | 3,545 | 396.2 | 267.6 | 0 | 478.0 | 332.9 | 0 |
| Homicide and legal intervention (E960-E978) | 311 | 302 | 310 | 11,726 | 14,791 | 1705.7 | 1767.9 | 0 | 2014.5 | 2098.4 | 0 |
| ..Homicide (E960-E969) | 307 | 298 | 306 | 11,561 | 14,586 | 1680.3 | 1761.1 | 0 | 1985.1 | 2089.3 | 0 |
| All injury (E800-E999) | 764 | 711 | 747 | 24,014 | 31,304 | 3455.3 | 3472.5 | 0 | 4255.1 | 4252.4 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 123 | 114 | 119 | 3,828 | 4,996 | 547.6 | 572.6 | 0 | 676.2 | 695.4 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 21 | 11 | 18 | 223 | 355 | 31.4 | 55.5 | 0 | 51.2 | 84.6 | 0 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 301 | 296 | 300 | 11,599 | 14,579 | 1714.8 | 1750.3 | 0 | 2014.3 | 2058.8 | 0 |
|Suicide (E955.0-.4) | 39 | 36 | 38 | 1,375 | 1,745 | 204.6 | 158.5 | 0 | 243.2 | 197.2 | 0 |
|Homicide (E965.0-.4) | 250 | 248 | 250 | 9,734 | 12,224 | 1432.3 | 1527.7 | 0 | 1680.3 | 1787.6 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 124 | 124 | 124 | 2,930 | 4,170 | 383.1 | 390.6 | 0 | 523.3 | 515.0 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 60 | 50 | 58 | 845 | 1,385 | 126.2 | 194.5 | 0 | 207.9 | 330.3 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 125 | 125 | 125 | 3,038 | 4,288 | 392.3 | 364.4 | 0 | 529.0 | 481.0 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Female | | | | | | | | | | |
|--|-----------------------------|-------|-------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 4,664 | 2,075 | 2,934 | 46,542 | 71,339 | 6245.7 | 6398.2 | 0 | 9409.5 | 9548.8 | 0 |
| Infectious diseases and parasitic disease (1-139) | 385 | 306 | 335 | 7,932 | 11,150 | 910.4 | 847.3 | 0 | 1225.8 | 1123.7 | 0 |
| ..Septicemia (038) | 104 | 38 | 56 | 689 | 1,174 | 89.4 | 99.1 | 0 | 154.5 | 158.2 | 0 |
| ...Septicemia-related (038) | 349 | 140 | 213 | 2,556 | 4,334 | 337.0 | 352.2 | 0 | 576.2 | 558.5 | 0 |
| ..HIV infection (042-044) | 240 | 237 | 240 | 6,438 | 8,820 | 711.7 | 639.2 | 0 | 920.0 | 817.0 | 0 |
| All cancer (140-208) | 992 | 465 | 683 | 6,019 | 11,669 | 824.1 | 820.4 | 0 | 1631.8 | 1656.4 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 9 | 4 | 8 | 40 | 100 | . | . | 0 | . | . | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 103 | 42 | 64 | 470 | 995 | 66.5 | 66.7 | 0 | 144.4 | 147.5 | 0 |
| ...Colon cancer (153) | 96 | 40 | 62 | 440 | 945 | 62.1 | 58.7 | 0 | 137.4 | 128.9 | 0 |
| ...Rectal cancer (154) | 6 | 2 | 2 | 30 | 50 | . | . | 0 | . | . | 0 |
| ..Pancreatic cancer (157) | 77 | 25 | 42 | 253 | 560 | 35.2 | 17.2 | 0 | 81.5 | 56.4 | 0 |
| ..Lung and other respiratory cancer (160-165) | 199 | 95 | 145 | 943 | 2,108 | 136.6 | 145.5 | 0 | 312.4 | 331.6 | 0 |
| ...Lung cancer (162.2-.9) | 188 | 89 | 137 | 868 | 1,963 | 126.1 | 133.7 | 0 | 292.2 | 306.5 | 0 |
| ..Malignant melanoma of skin (172) | 1 | . | . | 0 | 0 | . | . | 0 | . | . | 0 |
| ..Female breast cancer (174) | 219 | 133 | 171 | 1,798 | 3,303 | 237.5 | 228.3 | 0 | 441.4 | 413.6 | 0 |
| ..Cervical cancer (180) | 33 | 22 | 27 | 410 | 668 | 47.8 | 44.2 | 0 | 78.5 | 74.7 | 0 |
| ..Endometrial cancer (182) | 15 | 4 | 11 | 35 | 113 | 4.8 | 2.6 | 0 | 17.3 | 11.1 | 0 |
| ..Ovarian cancer (183) | 26 | 10 | 21 | 45 | 188 | 8.1 | 37.9 | 0 | 32.4 | 71.5 | 0 |
| ..Prostate cancer (185) | . | . | . | . | . | . | . | 0 | . | . | 0 |
| ..Bladder cancer (188) | 11 | 2 | 4 | 15 | 40 | . | 5.8 | 0 | . | 16.3 | 0 |
| ..Brain & other CNS cancer (191-192) | 12 | 2 | 6 | 50 | 90 | . | . | 0 | . | . | 0 |
| ..Leukemia (204-208) | 31 | 15 | 20 | 502 | 679 | 73.0 | 61.9 | 0 | 93.4 | 94.3 | 0 |
| Diabetes mellitus (250) | 193 | 66 | 124 | 570 | 1,515 | 86.7 | 101.7 | 0 | 235.8 | 235.7 | 0 |
| ..Diabetes-related (250) | 652 | 207 | 390 | 2,003 | 4,965 | 294.6 | 288.7 | 0 | 757.2 | 735.8 | 0 |
| ...Diabetic ketoacidosis (DKA) (250.1) | 4 | 2 | 2 | 50 | 70 | . | . | 0 | . | . | 0 |
| Alzheimer's diseases (331.0) | 25 | . | 2 | 0 | 10 | 0.0 | 3.7 | 0 | 1.7 | 6.8 | 0 |
| Cardiovascular disease (390-459) | 1,809 | 520 | 907 | 6,794 | 13,812 | 926.9 | 981.8 | 0 | 1954.7 | 1987.9 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 1,409 | 418 | 727 | 5,482 | 11,130 | 764.3 | 805.2 | 0 | 1593.4 | 1611.9 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 2,552 | 879 | 1,414 | 13,617 | 24,929 | 1815.0 | 1895.4 | 0 | 3401.3 | 3485.9 | 0 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 938 | 248 | 471 | 2,757 | 6,265 | 386.5 | 323.9 | 0 | 916.9 | 791.5 | 0 |
|Congestive heart failure (CHF) (428.0) | 61 | 12 | 20 | 202 | 357 | 26.1 | 39.2 | 0 | 47.9 | 69.0 | 0 |
| ..Hypertension with or without renal disease (401,403) | 43 | 12 | 22 | 130 | 310 | 16.4 | 13.7 | 0 | 43.8 | 35.2 | 0 |
| ...Hypertension-related (401,403) | 502 | 160 | 281 | 1,745 | 3,948 | 236.4 | 210.5 | 0 | 567.6 | 510.6 | 0 |
| ..Cerebrovascular disease (430-438) | 286 | 74 | 128 | 972 | 1,947 | 121.8 | 123.1 | 0 | 262.3 | 245.1 | 0 |
| ..Atherosclerosis (440) | 24 | 4 | 10 | 10 | 75 | 1.9 | 7.1 | 0 | 13.4 | 18.7 | 0 |
| ...Atherosclerosis-related (440) | 130 | 18 | 46 | 125 | 435 | 18.9 | 32.4 | 0 | 70.0 | 86.9 | 0 |
| ..Aortic aneurysm (441) | 14 | 2 | 4 | 45 | 70 | . | 9.9 | 0 | . | 35.2 | 0 |
| Pneumonia & influenza (480-487) | 134 | 33 | 55 | 560 | 980 | 66.0 | 99.1 | 0 | 122.4 | 150.6 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 77 | 30 | 49 | 537 | 930 | 78.3 | 78.7 | 0 | 133.1 | 154.2 | 0 |
| ..COPD-related (490-496) | 213 | 69 | 118 | 1,175 | 2,097 | 153.2 | 126.1 | 0 | 279.1 | 271.4 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Female | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| ..Asthma (493) | 21 | 15 | 19 | 370 | 535 | 52.3 | 37.7 | 0 | 71.7 | 65.7 | 0 |
| Chronic liver disease and cirrhosis (571) | 40 | 30 | 37 | 505 | 843 | 63.1 | 71.9 | 0 | 106.1 | 121.0 | 0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 97 | 28 | 55 | 360 | 783 | 47.7 | 49.6 | 0 | 111.2 | 100.4 | 0 |
| ..Nephritis-related (580-589) | 404 | 163 | 268 | 2,611 | 4,748 | 330.2 | 330.4 | 0 | 627.2 | 651.8 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 121 | 41 | 72 | 673 | 1,235 | 80.9 | 53.1 | 0 | 159.0 | 107.0 | 0 |
| Unintentional injuries (E800-E949) | 139 | 104 | 120 | 3,221 | 4,341 | 422.5 | 387.7 | 0 | 537.0 | 485.9 | 0 |
| ..Motor vehicle accidents (E810-E825) | 42 | 36 | 40 | 1,172 | 1,552 | 155.2 | 213.8 | 0 | 192.5 | 256.2 | 0 |
| ..Falls and fall related injuries (E880-E888) | 9 | 2 | 4 | 75 | 105 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 5 | 5 | 5 | 225 | 275 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 15 | 11 | 13 | 449 | 569 | 64.7 | . | 0 | 77.0 | . | 0 |
| Suicide (E950-E959) | 19 | 17 | 18 | 463 | 640 | 61.2 | . | 0 | 80.3 | . | 0 |
| Homicide and legal intervention (E960-E978) | 72 | 70 | 72 | 2,646 | 3,351 | 354.4 | 301.9 | 0 | 417.8 | 354.1 | 0 |
| ..Homicide (E960-E969) | 72 | 70 | 72 | 2,646 | 3,351 | 354.4 | 301.9 | 0 | 417.8 | 354.1 | 0 |
| All injury (E800-E999) | 231 | 192 | 211 | 6,362 | 8,375 | 840.8 | 753.8 | 0 | 1038.4 | 922.1 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 42 | 36 | 40 | 1,172 | 1,552 | 155.2 | 213.8 | 0 | 192.5 | 255.7 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 8 | 3 | 5 | 93 | 133 | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 38 | 38 | 38 | 1,494 | 1,874 | 212.4 | 136.3 | 0 | 248.3 | 160.0 | 0 |
|Suicide (E955.0-.4) | 2 | 2 | 2 | 50 | 70 | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 36 | 36 | 36 | 1,444 | 1,804 | 203.5 | 127.7 | 0 | 236.5 | 150.3 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 39 | 39 | 39 | 998 | 1,388 | 116.8 | 80.7 | 0 | 153.1 | 107.7 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 21 | 18 | 19 | 300 | 483 | 37.1 | 84.8 | 0 | 58.5 | 134.6 | 1 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 38 | 38 | 38 | 950 | 1,330 | 108.7 | 93.5 | 0 | 143.6 | 122.3 | 0 |

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|--|-----------------------------|-------|-------|-------------------------------|---------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 10,199 | 5,519 | 7,402 | 126,987 | 191,354 | 9390.3 | 10148.7 | 1 | 14146.8 | 15111.8 | 1 |
| Infectious diseases and parasitic disease (1-139) | 1,086 | 947 | 1,008 | 23,050 | 32,837 | 1726.3 | 1814.3 | 0 | 2354.3 | 2428.8 | 0 |
| ..Septicemia (038) | 179 | 80 | 113 | 1,401 | 2,379 | 110.0 | 152.9 | 0 | 188.4 | 245.6 | 0 |
| ...Septicemia-related (038) | 666 | 309 | 451 | 5,574 | 9,369 | 440.6 | 566.1 | 1 | 744.1 | 895.0 | 0 |
| ..HIV infection (042-044) | 792 | 774 | 790 | 19,372 | 27,197 | 1448.6 | 1518.3 | 0 | 1931.3 | 1982.1 | 0 |
| All cancer (140-208) | 2,175 | 1,012 | 1,576 | 12,140 | 25,090 | 1077.8 | 1205.1 | 0 | 2221.9 | 2428.4 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 47 | 30 | 40 | 440 | 795 | 37.4 | 56.0 | 0 | 67.3 | 101.9 | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 207 | 93 | 147 | 1,003 | 2,213 | 91.0 | 96.4 | 0 | 199.4 | 195.8 | 0 |
| ...Colon cancer (153) | 181 | 79 | 127 | 813 | 1,843 | 74.8 | 78.6 | 0 | 167.8 | 163.0 | 0 |
| ...Rectal cancer (154) | 25 | 14 | 20 | 190 | 370 | 16.2 | 17.8 | 0 | 31.6 | 32.5 | 0 |
| ..Pancreatic cancer (157) | 146 | 58 | 100 | 545 | 1,325 | 50.6 | 42.6 | 0 | 122.3 | 100.1 | 0 |
| ..Lung and other respiratory cancer (160-165) | 568 | 277 | 434 | 2,633 | 6,160 | 251.7 | 303.6 | 0 | 573.8 | 687.4 | 0 |
| ...Lung cancer (162.2-.9) | 524 | 252 | 397 | 2,400 | 5,618 | 228.8 | 275.4 | 0 | 522.7 | 631.2 | 0 |
| ..Malignant melanoma of skin (172) | 4 | 2 | 2 | 20 | 40 | . | . | . | . | . | . |
| ..Female breast cancer (174) | 219 | 133 | 171 | 1,798 | 3,303 | . | . | . | . | . | . |
| ..Cervical cancer (180) | 33 | 22 | 27 | 410 | 668 | . | . | . | . | . | . |
| ..Endometrial cancer (182) | 15 | 4 | 11 | 35 | 113 | . | . | . | . | . | . |
| ..Ovarian cancer (183) | 26 | 10 | 21 | 45 | 188 | . | . | . | . | . | . |
| ..Prostate cancer (185) | 189 | 35 | 96 | 183 | 840 | . | . | . | . | . | . |
| ..Bladder cancer (188) | 26 | 5 | 15 | 48 | 143 | 4.7 | 7.0 | 0 | 14.0 | 21.7 | 0 |
| ..Brain & other CNS cancer (191-192) | 26 | 10 | 17 | 190 | 328 | 14.4 | 25.1 | 0 | 25.7 | 39.2 | 0 |
| ..Leukemia (204-208) | 63 | 31 | 47 | 747 | 1,142 | 55.0 | 68.6 | 0 | 84.9 | 103.3 | 0 |
| Diabetes mellitus (250) | 346 | 135 | 235 | 1,463 | 3,298 | 129.8 | 129.0 | 0 | 295.6 | 278.3 | 0 |
| ..Diabetes-related (250) | 1,121 | 406 | 736 | 4,310 | 10,010 | 386.6 | 375.0 | 0 | 905.6 | 860.5 | 0 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 12 | 8 | 9 | 215 | 303 | . | . | . | . | . | . |
| Alzheimer's diseases (331.0) | 30 | . | 3 | 0 | 13 | 0.0 | 3.1 | 0 | 1.4 | 7.7 | 0 |
| Cardiovascular disease (390-459) | 3,421 | 1,257 | 2,058 | 16,945 | 33,377 | 1458.8 | 1595.6 | 0 | 2893.0 | 3096.8 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 2,714 | 1,010 | 1,658 | 13,598 | 26,848 | 1175.0 | 1267.2 | 0 | 2333.4 | 2482.8 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 5,066 | 2,145 | 3,292 | 33,539 | 60,536 | 2760.6 | 3045.6 | 0 | 5022.2 | 5417.1 | 0 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 1,818 | 620 | 1,081 | 6,787 | 15,180 | 625.2 | 623.2 | 0 | 1386.9 | 1386.5 | 0 |
|Congestive heart failure (CHF) (428.0) | 94 | 23 | 36 | 345 | 637 | 26.9 | 27.3 | 0 | 51.7 | 58.5 | 0 |
| ..Hypertension with or without renal disease (401,403) | 70 | 31 | 46 | 363 | 755 | 31.4 | 27.4 | 0 | 65.7 | 61.4 | 0 |
| ...Hypertension-related (401,403) | 897 | 349 | 581 | 3,738 | 8,398 | 342.5 | 347.6 | 0 | 762.6 | 730.3 | 0 |
| ..Cerebrovascular disease (430-438) | 502 | 178 | 287 | 2,454 | 4,742 | 209.0 | 230.2 | 0 | 406.9 | 418.0 | 0 |
| ...Atherosclerosis (440) | 42 | 6 | 17 | 40 | 148 | 3.8 | 6.2 | 0 | 14.4 | 15.1 | 0 |
| ...Atherosclerosis-related (440) | 221 | 39 | 89 | 385 | 1,010 | 33.0 | 29.2 | 0 | 91.9 | 85.3 | 0 |
| ..Aortic aneurysm (441) | 31 | 9 | 15 | 153 | 268 | 11.8 | 19.4 | 0 | 21.1 | 47.0 | 0 |
| Pneumonia & influenza (480-487) | 285 | 114 | 159 | 2,235 | 3,563 | 171.9 | 166.2 | 0 | 274.1 | 254.3 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 167 | 66 | 107 | 1,102 | 1,960 | 88.8 | 80.3 | 0 | 160.9 | 170.5 | 0 |
| ..COPD-related (490-496) | 490 | 164 | 287 | 2,382 | 4,615 | 197.3 | 169.6 | 0 | 390.9 | 383.4 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| ..Asthma (493) | 41 | 28 | 36 | 757 | 1,067 | 56.1 | 40.0 | 0 | 77.2 | 64.0 | 0 |
| Chronic liver disease and cirrhosis (571) | 100 | 74 | 91 | 1,130 | 1,953 | 98.0 | 141.1 | 0 | 164.6 | 229.4 | 0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 178 | 69 | 119 | 1,042 | 1,977 | 84.7 | 99.8 | 0 | 164.9 | 179.1 | 0 |
| ..Nephritis-related (580-589) | 792 | 373 | 561 | 6,512 | 11,142 | 520.7 | 601.8 | 0 | 896.0 | 1039.5 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 232 | 95 | 157 | 1,587 | 2,827 | 125.2 | 109.1 | 0 | 227.8 | 195.3 | 0 |
| Unintentional injuries (E800-E949) | 501 | 427 | 468 | 12,427 | 16,894 | 889.3 | 835.3 | 0 | 1160.2 | 1060.5 | 0 |
| ..Motor vehicle accidents (E810-E825) | 166 | 151 | 160 | 5,033 | 6,590 | 344.2 | 363.9 | 0 | 427.9 | 443.5 | 0 |
| ..Falls and fall related injuries (E880-E888) | 28 | 11 | 20 | 243 | 385 | 18.9 | 29.3 | 0 | 30.1 | 45.6 | 0 |
| ..Drowning (E830,E832,E910) | 23 | 22 | 22 | 802 | 1,022 | 54.2 | 82.4 | 0 | 65.5 | 95.5 | 0 |
| ..Residential fires (E890-E899) | 29 | 21 | 27 | 754 | 999 | 52.1 | 62.1 | 0 | 67.1 | 78.1 | 0 |
| Suicide (E950-E959) | 101 | 94 | 98 | 3,220 | 4,185 | 220.0 | 161.6 | 0 | 270.0 | 201.7 | 0 |
| Homicide and legal intervention (E960-E978) | 383 | 372 | 382 | 14,372 | 18,142 | 950.9 | 957.9 | 0 | 1124.4 | 1136.1 | 0 |
| ..Homicide (E960-E969) | 379 | 368 | 378 | 14,207 | 17,937 | 939.9 | 953.9 | 0 | 1111.7 | 1130.8 | 0 |
| All injury (E800-E999) | 995 | 903 | 958 | 30,376 | 39,678 | 2084.3 | 2039.8 | 0 | 2583.4 | 2508.8 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 165 | 150 | 159 | 5,000 | 6,548 | 342.3 | 360.6 | 0 | 425.6 | 438.7 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 29 | 14 | 23 | 315 | 488 | 24.5 | 32.9 | 0 | 37.6 | 48.5 | 0 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 339 | 334 | 338 | 13,093 | 16,453 | 870.7 | 861.3 | 0 | 1021.6 | 1013.8 | 0 |
|Suicide (E955.0-.4) | 41 | 38 | 40 | 1,425 | 1,815 | 96.9 | 82.3 | 0 | 116.0 | 102.1 | 0 |
|Homicide (E965.0-.4) | 286 | 284 | 286 | 11,178 | 14,028 | 739.9 | 751.7 | 0 | 866.3 | 880.0 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 163 | 163 | 163 | 3,928 | 5,558 | 302.0 | 285.8 | 0 | 405.0 | 374.6 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 81 | 68 | 77 | 1,145 | 1,868 | 101.5 | 167.2 | 1 | 157.9 | 267.1 | 1 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 163 | 163 | 163 | 3,988 | 5,618 | 307.2 | 285.8 | 0 | 409.1 | 373.2 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Male | | | | | | | | | | |
|--|-----------------------------|-------|-------|-------------------------------|---------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 5,535 | 3,444 | 4,468 | 80,445 | 120,015 | 12629.7 | 14026.8 | 1 | 19111.4 | 20965.0 | 1 |
| Infectious diseases and parasitic disease (1-139) | 701 | 641 | 673 | 15,118 | 21,688 | 2493.4 | 2741.1 | 0 | 3435.3 | 3700.6 | 0 |
| ..Septicemia (038) | 75 | 42 | 57 | 712 | 1,205 | 122.6 | 201.7 | 0 | 212.6 | 330.9 | 0 |
| ...Septicemia-related (038) | 317 | 169 | 238 | 3,018 | 5,035 | 526.3 | 765.4 | 1 | 891.9 | 1223.3 | 1 |
| ..HIV infection (042-044) | 552 | 537 | 550 | 12,935 | 18,377 | 2133.4 | 2366.1 | 0 | 2890.5 | 3122.2 | 0 |
| All cancer (140-208) | 1,183 | 547 | 893 | 6,122 | 13,422 | 1223.7 | 1506.5 | 1 | 2736.4 | 3154.1 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 38 | 26 | 32 | 400 | 695 | 71.6 | 93.5 | 0 | 127.0 | 184.5 | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 104 | 51 | 83 | 533 | 1,218 | 107.1 | 114.8 | 0 | 249.3 | 230.6 | 0 |
| ...Colon cancer (153) | 85 | 39 | 65 | 373 | 898 | 77.6 | 87.0 | 0 | 188.4 | 182.6 | 0 |
| ...Rectal cancer (154) | 19 | 12 | 18 | 160 | 320 | 29.5 | . | 0 | 60.9 | . | 0 |
| ..Pancreatic cancer (157) | 69 | 33 | 58 | 293 | 765 | 61.3 | 71.0 | 0 | 162.2 | 149.6 | 0 |
| ..Lung and other respiratory cancer (160-165) | 369 | 182 | 289 | 1,690 | 4,053 | 367.1 | 459.8 | 0 | 868.1 | 1080.3 | 0 |
| ...Lung cancer (162.2-.9) | 336 | 163 | 260 | 1,533 | 3,655 | 331.1 | 414.9 | 0 | 780.7 | 990.4 | 0 |
| ..Malignant melanoma of skin (172) | 3 | 2 | 2 | 20 | 40 | . | . | . | . | . | . |
| ..Female breast cancer (174) | . | . | . | . | . | . | . | . | . | . | . |
| ..Cervical cancer (180) | . | . | . | . | . | . | . | . | . | . | . |
| ..Endometrial cancer (182) | . | . | . | . | . | . | . | . | . | . | . |
| ..Ovarian cancer (183) | . | . | . | . | . | . | . | . | . | . | . |
| ..Prostate cancer (185) | 189 | 35 | 96 | 183 | 840 | 43.0 | 16.6 | 0 | 194.8 | 129.4 | 0 |
| ..Bladder cancer (188) | 15 | 3 | 11 | 33 | 103 | 7.3 | . | 0 | 23.1 | . | 0 |
| ..Brain & other CNS cancer (191-192) | 14 | 8 | 11 | 140 | 238 | . | . | . | . | . | . |
| ..Leukemia (204-208) | 32 | 16 | 27 | 245 | 463 | 45.3 | 70.0 | 0 | 87.9 | 105.7 | 0 |
| Diabetes mellitus (250) | 153 | 69 | 111 | 893 | 1,783 | 166.1 | 146.1 | 0 | 344.9 | 305.0 | 0 |
| ..Diabetes-related (250) | 469 | 199 | 346 | 2,308 | 5,045 | 451.6 | 421.1 | 0 | 1016.6 | 925.2 | 0 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 8 | 6 | 7 | 165 | 233 | . | . | . | . | . | . |
| Alzheimer's diseases (331.0) | 5 | . | 1 | 0 | 3 | . | . | . | . | . | . |
| Cardiovascular disease (390-459) | 1,612 | 737 | 1,151 | 10,151 | 19,566 | 1922.5 | 2159.5 | 0 | 3793.2 | 4204.3 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 1,305 | 592 | 931 | 8,116 | 15,719 | 1538.4 | 1691.1 | 0 | 3052.3 | 3362.0 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 2,514 | 1,266 | 1,878 | 19,922 | 35,607 | 3606.0 | 4105.5 | 1 | 6592.3 | 7318.8 | 1 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 880 | 372 | 610 | 4,030 | 8,915 | 834.9 | 918.3 | 0 | 1852.8 | 2023.2 | 0 |
|Congestive heart failure (CHF) (428.0) | 33 | 11 | 16 | 143 | 280 | 26.3 | 16.7 | 0 | 53.6 | 48.8 | 0 |
| ..Hypertension with or without renal disease (401,403) | 27 | 19 | 24 | 233 | 445 | 44.7 | 40.9 | 0 | 86.3 | 88.8 | 0 |
| ...Hypertension-related (401,403) | 395 | 189 | 300 | 1,993 | 4,450 | 415.7 | 460.8 | 0 | 926.6 | 921.4 | 0 |
| ..Cerebrovascular disease (430-438) | 216 | 104 | 159 | 1,482 | 2,795 | 282.3 | 329.7 | 0 | 540.6 | 585.1 | 0 |
| ..Atherosclerosis (440) | 18 | 2 | 7 | 30 | 73 | 6.1 | . | 0 | 15.5 | . | 0 |
| ...Atherosclerosis-related (440) | 91 | 21 | 43 | 260 | 575 | 46.3 | 20.0 | 0 | 112.8 | 75.6 | 0 |
| ..Aortic aneurysm (441) | 17 | 7 | 11 | 108 | 198 | 17.1 | 29.9 | 0 | 34.1 | 60.0 | 0 |
| Pneumonia & influenza (480-487) | 151 | 81 | 104 | 1,676 | 2,583 | 278.7 | 237.3 | 0 | 432.2 | 366.6 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 90 | 36 | 58 | 565 | 1,030 | 96.5 | 67.7 | 0 | 186.9 | 171.8 | 0 |
| ..COPD-related (490-496) | 277 | 95 | 169 | 1,208 | 2,518 | 224.2 | 201.3 | 0 | 493.0 | 495.2 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Male | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| ..Asthma (493) | 20 | 13 | 17 | 388 | 533 | 56.9 | . | 0 | 77.3 | . | 0 |
| Chronic liver disease and cirrhosis (571) | 60 | 44 | 54 | 625 | 1,110 | 126.0 | 197.0 | 0 | 217.6 | 325.3 | 0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 81 | 41 | 64 | 682 | 1,194 | 118.7 | 151.7 | 0 | 216.2 | 261.6 | 0 |
| ..Nephritis-related (580-589) | 388 | 210 | 293 | 3,901 | 6,394 | 683.3 | 864.5 | 0 | 1129.5 | 1414.8 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 111 | 54 | 85 | 914 | 1,592 | 160.9 | 167.0 | 0 | 288.7 | 288.9 | 0 |
| Unintentional injuries (E800-E949) | 362 | 323 | 348 | 9,206 | 12,553 | 1400.7 | 1326.5 | 0 | 1846.9 | 1696.0 | 0 |
| ..Motor vehicle accidents (E810-E825) | 124 | 115 | 120 | 3,861 | 5,038 | 546.0 | 538.1 | 0 | 680.0 | 661.5 | 0 |
| ..Falls and fall related injuries (E880-E888) | 19 | 9 | 16 | 168 | 280 | 32.0 | 61.1 | 0 | 53.6 | 94.3 | 0 |
| ..Drowning (E830,E832,E910) | 18 | 17 | 17 | 578 | 748 | 81.7 | 151.4 | 0 | 101.8 | 176.8 | 0 |
| ..Residential fires (E890-E899) | 14 | 10 | 14 | 305 | 430 | . | 73.9 | . | . | 99.8 | . |
| Suicide (E950-E959) | 82 | 77 | 80 | 2,758 | 3,545 | 383.3 | 287.6 | 0 | 465.4 | 360.2 | 0 |
| Homicide and legal intervention (E960-E978) | 311 | 302 | 310 | 11,726 | 14,791 | 1579.8 | 1639.5 | 0 | 1871.3 | 1953.9 | 0 |
| ..Homicide (E960-E969) | 307 | 298 | 306 | 11,561 | 14,586 | 1557.5 | 1630.8 | 0 | 1845.6 | 1942.3 | 0 |
| All injury (E800-E999) | 764 | 711 | 747 | 24,014 | 31,304 | 3409.5 | 3408.0 | 0 | 4238.4 | 4210.5 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 123 | 114 | 119 | 3,828 | 4,996 | 542.0 | 531.7 | 0 | 675.1 | 652.3 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 21 | 11 | 18 | 223 | 355 | 40.4 | 64.6 | 0 | 64.3 | 96.3 | 0 |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 301 | 296 | 300 | 11,599 | 14,579 | 1567.4 | 1605.4 | 0 | 1843.8 | 1894.9 | 0 |
|Suicide (E955.0-.4) | 39 | 36 | 38 | 1,375 | 1,745 | 189.5 | 164.2 | 0 | 226.4 | 205.8 | 0 |
|Homicide (E965.0-.4) | 250 | 248 | 250 | 9,734 | 12,224 | 1310.0 | 1386.4 | 0 | 1538.5 | 1625.1 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 124 | 124 | 124 | 2,930 | 4,170 | 491.7 | 499.3 | 0 | 665.6 | 655.0 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 60 | 50 | 58 | 845 | 1,385 | 165.6 | 243.3 | 0 | 261.1 | 398.1 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 125 | 125 | 125 | 3,038 | 4,288 | 505.9 | 479.1 | 0 | 677.5 | 627.4 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Female | | | | | | | | | | |
|--|-----------------------------|-------|-------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 4,664 | 2,075 | 2,934 | 46,542 | 71,339 | 6538.5 | 6716.7 | 0 | 9910.6 | 10076.6 | 0 |
| Infectious diseases and parasitic disease (1-139) | 385 | 306 | 335 | 7,932 | 11,150 | 1081.2 | 1022.6 | 0 | 1451.1 | 1350.2 | 0 |
| ..Septicemia (038) | 104 | 38 | 56 | 689 | 1,174 | 100.5 | 112.3 | 0 | 170.2 | 176.5 | 0 |
| ...Septicemia-related (038) | 349 | 140 | 213 | 2,556 | 4,334 | 372.7 | 402.2 | 0 | 628.3 | 628.2 | 0 |
| ..HIV infection (042-044) | 240 | 237 | 240 | 6,438 | 8,820 | 871.0 | 791.9 | 0 | 1127.1 | 1010.9 | 0 |
| All cancer (140-208) | 992 | 465 | 683 | 6,019 | 11,669 | 964.4 | 960.8 | 0 | 1830.4 | 1856.0 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 9 | 4 | 8 | 40 | 100 | . | . | 0 | . | . | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 103 | 42 | 64 | 470 | 995 | 78.3 | 81.0 | 0 | 161.0 | 167.7 | 0 |
| ...Colon cancer (153) | 96 | 40 | 62 | 440 | 945 | 72.9 | 72.1 | 0 | 152.7 | 147.8 | 0 |
| ...Rectal cancer (154) | 6 | 2 | 2 | 30 | 50 | . | . | 0 | . | . | 0 |
| ..Pancreatic cancer (157) | 77 | 25 | 42 | 253 | 560 | 42.3 | 19.5 | 0 | 91.6 | 60.1 | 0 |
| ..Lung and other respiratory cancer (160-165) | 199 | 95 | 145 | 943 | 2,108 | 160.6 | 177.6 | 0 | 346.9 | 376.6 | 0 |
| ...Lung cancer (162.2-.9) | 188 | 89 | 137 | 868 | 1,963 | 147.8 | 163.3 | 0 | 323.4 | 347.9 | 0 |
| ..Malignant melanoma of skin (172) | 1 | . | . | 0 | 0 | . | . | 0 | . | . | 0 |
| ..Female breast cancer (174) | 219 | 133 | 171 | 1,798 | 3,303 | 295.1 | 286.3 | 0 | 520.6 | 492.1 | 0 |
| ..Cervical cancer (180) | 33 | 22 | 27 | 410 | 668 | 61.2 | 54.0 | 0 | 96.3 | 87.8 | 0 |
| ..Endometrial cancer (182) | 15 | 4 | 11 | 35 | 113 | 5.9 | 2.5 | 0 | 18.9 | 11.2 | 0 |
| ..Ovarian cancer (183) | 26 | 10 | 21 | 45 | 188 | 8.0 | 35.5 | 0 | 32.5 | 69.8 | 0 |
| ..Prostate cancer (185) | . | . | . | . | . | . | . | 0 | . | . | 0 |
| ..Bladder cancer (188) | 11 | 2 | 4 | 15 | 40 | . | 6.3 | 0 | . | 17.3 | 0 |
| ..Brain & other CNS cancer (191-192) | 12 | 2 | 6 | 50 | 90 | . | . | 0 | . | . | 0 |
| ..Leukemia (204-208) | 31 | 15 | 20 | 502 | 679 | 67.8 | 65.8 | 0 | 88.5 | 100.1 | 0 |
| Diabetes mellitus (250) | 193 | 66 | 124 | 570 | 1,515 | 98.0 | 115.3 | 0 | 253.1 | 256.9 | 0 |
| ..Diabetes-related (250) | 652 | 207 | 390 | 2,003 | 4,965 | 333.0 | 336.9 | 0 | 815.9 | 808.3 | 0 |
| ..Diabetic ketoacidosis (DKA) (250.1) | 4 | 2 | 2 | 50 | 70 | . | . | 0 | . | . | 0 |
| Alzheimer's diseases (331.0) | 25 | . | 2 | 0 | 10 | 0.0 | 3.7 | 0 | 1.9 | 7.0 | 0 |
| Cardiovascular disease (390-459) | 1,809 | 520 | 907 | 6,794 | 13,812 | 1076.1 | 1131.9 | 0 | 2173.0 | 2207.0 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 1,409 | 418 | 727 | 5,482 | 11,130 | 875.1 | 922.0 | 0 | 1759.3 | 1781.6 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 2,552 | 879 | 1,414 | 13,617 | 24,929 | 2063.7 | 2162.3 | 0 | 3762.6 | 3868.7 | 0 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 938 | 248 | 471 | 2,757 | 6,265 | 457.9 | 383.4 | 0 | 1023.6 | 880.1 | 0 |
|Congestive heart failure (CHF) (428.0) | 61 | 12 | 20 | 202 | 357 | 27.8 | 37.9 | 0 | 50.5 | 68.4 | 0 |
| ..Hypertension with or without renal disease (401,403) | 43 | 12 | 22 | 130 | 310 | 20.7 | 15.6 | 0 | 49.4 | 38.6 | 0 |
| ...Hypertension-related (401,403) | 502 | 160 | 281 | 1,745 | 3,948 | 285.3 | 253.0 | 0 | 636.4 | 573.5 | 0 |
| ..Cerebrovascular disease (430-438) | 286 | 74 | 128 | 972 | 1,947 | 148.4 | 146.2 | 0 | 299.0 | 280.2 | 0 |
| ..Atherosclerosis (440) | 24 | 4 | 10 | 10 | 75 | 1.8 | 7.9 | 0 | 13.3 | 20.1 | 0 |
| ...Atherosclerosis-related (440) | 130 | 18 | 46 | 125 | 435 | 21.3 | 36.7 | 0 | 74.1 | 93.9 | 0 |
| ..Aortic aneurysm (441) | 14 | 2 | 4 | 45 | 70 | . | 10.3 | 0 | . | 36.0 | 0 |
| Pneumonia & influenza (480-487) | 134 | 33 | 55 | 560 | 980 | 79.1 | 105.5 | 0 | 140.2 | 160.9 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 77 | 30 | 49 | 537 | 930 | 82.8 | 90.7 | 0 | 141.3 | 171.2 | 0 |
| ..COPD-related (490-496) | 213 | 69 | 118 | 1,175 | 2,097 | 177.4 | 143.4 | 0 | 314.8 | 297.1 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Female | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1994-1998 | | | Years of life lost, 1994-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1994-1998 | 1989-1993 | Significance | 1994-1998 | 1989-1993 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| ..Asthma (493) | 21 | 15 | 19 | 370 | 535 | 54.9 | 45.1 | 0 | 76.5 | 75.3 | 0 |
| Chronic liver disease and cirrhosis (571) | 40 | 30 | 37 | 505 | 843 | 76.3 | 95.5 | 0 | 123.7 | 151.8 | 0 |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 97 | 28 | 55 | 360 | 783 | 55.7 | 56.4 | 0 | 122.3 | 110.6 | 0 |
| ..Nephritis-related (580-589) | 404 | 163 | 268 | 2,611 | 4,748 | 384.1 | 381.2 | 0 | 702.0 | 726.4 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 121 | 41 | 72 | 673 | 1,235 | 95.3 | 60.8 | 0 | 178.4 | 118.2 | 0 |
| Unintentional injuries (E800-E949) | 139 | 104 | 120 | 3,221 | 4,341 | 432.2 | 379.6 | 0 | 556.0 | 481.3 | 0 |
| ..Motor vehicle accidents (E810-E825) | 42 | 36 | 40 | 1,172 | 1,552 | 155.5 | 196.7 | 0 | 195.1 | 237.7 | 0 |
| ..Falls and fall related injuries (E880-E888) | 9 | 2 | 4 | 75 | 105 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 5 | 5 | 5 | 225 | 275 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 15 | 11 | 13 | 449 | 569 | 58.3 | . | 0 | 70.5 | . | 0 |
| Suicide (E950-E959) | 19 | 17 | 18 | 463 | 640 | 63.0 | . | 0 | 83.3 | . | 0 |
| Homicide and legal intervention (E960-E978) | 72 | 70 | 72 | 2,646 | 3,351 | 340.5 | 293.6 | 0 | 403.9 | 345.9 | 0 |
| ..Homicide (E960-E969) | 72 | 70 | 72 | 2,646 | 3,351 | 340.5 | 293.6 | 0 | 403.9 | 345.9 | 0 |
| All injury (E800-E999) | 231 | 192 | 211 | 6,362 | 8,375 | 839.2 | 742.8 | 0 | 1047.5 | 916.6 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 42 | 36 | 40 | 1,172 | 1,552 | 155.5 | 196.7 | 0 | 195.1 | 237.1 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 8 | 3 | 5 | 93 | 133 | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 38 | 38 | 38 | 1,494 | 1,874 | 193.2 | 133.5 | 0 | 226.1 | 157.6 | 0 |
|Suicide (E955.0-.4) | 2 | 2 | 2 | 50 | 70 | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 36 | 36 | 36 | 1,444 | 1,804 | 186.1 | 126.7 | 0 | 216.5 | 150.0 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 39 | 39 | 39 | 998 | 1,388 | 140.5 | 99.6 | 0 | 184.4 | 131.9 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 21 | 18 | 19 | 300 | 483 | 48.6 | 104.9 | 0 | 73.9 | 161.5 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 38 | 38 | 38 | 950 | 1,330 | 136.2 | 118.4 | 0 | 179.6 | 154.0 | 0 |

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).