

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1995-1996

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1995-1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1995-1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Signif- 1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- 1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- 1993-1994 AAMR			
*****Causes of Death*****															
All causes	4,068	687.7	688.5	1	742.8	2,261	805.6	923.8	1	1011.1	1,807	581.3	505.6	0	533.2
Infectious diseases and parasitic disease (1-139)	539	91.1	88.6	0	96.5	348	124.0	128.2	0	149.5	191	61.4	56.1	0	52.6
..Septicemia (038)	72	12.2	12.1	0	12.0	34	12.1	14.5	0	12.2	38	12.2	10.0	0	12.0
....Septicemia-related (038)	264	44.6	44.2	0	44.5	124	44.2	51.7	0	54.3	140	45.0	38.4	0	37.8
..HIV infection (042-044)	418	70.7	68.1	0	75.0	285	101.5	103.1	0	123.1	133	42.8	39.5	0	34.8
All cancer (140-208)	817	138.1	146.6	0	164.1	464	165.3	205.4	0	222.6	353	113.6	105.5	0	123.8
..Oral cavity or pharynx (140.0-149.9)	16	2.7	3.0	0	4.4	15	5.3	6.5	0	7.2	1	0.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	72	12.2	13.0	0	15.3	35	12.5	15.8	0	19.5	37	11.9	11.1	0	12.1
....Colon cancer (153)	63	10.7	11.4	0	13.0	29	10.3	13.0	0	15.6	34	10.9	10.5	0	11.0
....Rectal cancer (154)	8	1.4	.	.	.	6	2.1	.	.	.	2	0.6	.	.	.
..Pancreatic cancer (157)	53	9.0	9.4	0	12.3	26	9.3	11.9	0	16.0	27	8.7	7.3	0	9.3
..Lung and other respiratory cancer (160-165)	200	33.8	37.1	0	42.2	135	48.1	61.2	0	67.2	65	20.9	19.5	0	24.3
....Lung cancer (162.2-.9)	187	31.6	34.4	0	39.2	125	44.5	56.4	0	61.6	62	19.9	18.5	0	23.3
..Malignant melanoma of skin (172)	2	0.3	.	.	.	2	0.7
..Female breast cancer (174)	73	73	23.5	22.9	0	26.2
..Cervical cancer (180)	14	14	4.5	.	.	.
..Endometrial cancer (182)	4	4	1.3	.	.	.
..Ovarian cancer (183)	8	8	2.6	.	.	5.7
..Prostate cancer (185)	79	79	28.1	34.5	0	33.3
..Bladder cancer (188)	10	1.7	.	.	2.9	4	1.4	.	.	.	6	1.9	.	.	.
..Brain & other CNS cancer (191-192)	15	2.5	2.7	0	.	10	3.6	.	.	.	5	1.6	.	.	.
..Leukemia (204-208)	31	5.2	5.3	0	4.1	16	5.7	6.9	0	.	15	4.8	4.5	0	.
Diabetes mellitus (250)	143	24.2	25.4	0	22.4	57	20.3	24.7	0	25.7	86	27.7	25.8	0	20.4
..Diabetes-related (250)	444	75.1	77.9	0	74.6	177	63.1	78.3	0	83.6	267	85.9	76.8	0	69.1
..Diabetic ketoacidosis (DKA) (250.1)	6	1.0	.	.	.	5	1.8	.	.	.	1	0.3	.	.	.
Alzheimer's diseases (331.0)	10	1.7	10	3.2	.	.	.
Cardiovascular disease (390-459)	1,348	227.9	224.9	0	233.8	645	229.8	277.7	0	301.4	703	226.1	185.9	0	184.4
..Diseases of the heart (390-398,402,404-429)	1,082	182.9	181.3	0	182.0	531	189.2	228.9	0	234.8	551	177.3	146.6	0	144.1
....Heart disease-related (390-398,402,404-429)	2,020	341.5	340.8	0	365.3	1,029	366.6	437.4	0	466.8	991	318.8	269.2	0	289.9
....Coronary heart disease (CHD) (402,410-414,429.2)	701	118.5	117.5	0	117.5	347	123.6	151.9	0	155.2	354	113.9	93.5	0	89.8
....Congestive heart failure (CHF) (428.0)	36	6.1	5.2	0	5.3	13	4.6	.	.	6.8	23	7.4	4.8	0	4.5
..Hypertension with or without renal disease (401,403)	30	5.1	5.4	0	4.0	12	4.3	.	.	.	18	5.8	5.1	0	.
....Hypertension-related (401,403)	326	55.1	56.9	0	57.4	142	50.6	64.1	0	65.8	184	59.2	50.7	0	49.9
..Cerebrovascular disease (430-438)	190	32.1	30.9	0	37.6	80	28.5	33.9	0	48.2	110	35.4	28.3	0	29.1
..Atherosclerosis (440)	16	2.7	2.4	0	2.3	5	1.8	.	.	.	11	3.5	.	.	.
....Atherosclerosis-related (440)	85	14.4	13.1	0	14.4	34	12.1	14.2	0	20.3	51	16.4	12.5	0	10.7
..Aortic aneurysm (441)	14	2.4	.	.	3.1	10	3.6	.	.	.	4	1.3	.	.	.
Pneumonia & influenza (480-487)	109	18.4	16.9	0	15.2	57	20.3	23.3	0	22.6	52	16.7	12.0	0	9.6

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995-1996*****				1993-	*****1995-1996*****				1993-	*****1995-1996*****				1993-
	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	62	10.5	10.5	0	15.8	34	12.1	15.1	0	22.7	28	9.0	7.7	0	11.2
..COPD-related (490-496)	180	30.4	30.7	0	38.0	109	38.8	47.7	0	53.1	71	22.8	20.2	0	27.9
..Asthma (493)	16	2.7	2.8	0	3.6	6	2.1	.	0	.	10	3.2	.	0	.
Chronic liver disease and cirrhosis (571)	44	7.4	8.1	0	8.5	28	10.0	12.0	0	10.1	16	5.1	5.2	0	7.4
Nephritis, nephrotic syndrome/nephrosis (580-589)	69	11.7	11.9	0	12.3	31	11.0	13.2	0	13.6	38	12.2	11.0	0	10.7
..Nephritis-related (580-589)	336	56.8	57.1	0	56.8	156	55.6	63.6	0	71.9	180	57.9	53.1	0	45.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	90	15.2	15.5	0	14.6	43	15.3	18.4	0	16.4	47	15.1	13.4	0	12.4
Unintentional injuries (E800-E949)	211	35.7	36.7	0	34.8	164	58.4	62.9	0	54.4	47	15.1	15.1	0	17.5
..Motor vehicle accidents (E810-E825)	71	12.0	12.4	0	11.1	56	20.0	20.5	0	18.2	15	4.8	5.2	0	4.9
..Falls and fall related injuries (E880-E888)	9	1.5	.	.	.	7	2.5	.	.	.	2	0.6	.	.	.
..Drowning (E830,E832,E910)	10	1.7	.	.	.	9	3.2	.	.	.	1	0.3	.	.	.
..Residential fires (E890-E899)	11	1.9	.	.	.	7	2.5	.	.	.	4	1.3	.	.	.
Suicide (E950-E959)	38	6.4	6.7	0	6.6	31	11.0	11.3	0	12.4	7	2.3	.	.	.
Homicide and legal intervention (E960-E978)	148	25.0	26.6	0	32.6	128	45.6	47.5	0	54.3	20	6.4	7.1	0	11.6
..Homicide (E960-E969)	147	24.9	26.4	0	32.5	127	45.2	47.1	0	54.0	20	6.4	7.1	0	11.6
All injury (E800-E999)	400	67.6	70.5	0	75.6	326	116.2	122.8	0	124.1	74	23.8	24.6	0	31.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	70	11.8	12.2	0	11.1	55	19.6	20.2	0	18.2	15	4.8	5.2	0	4.9
..All falls (E880-E886,E888,E957,E968.1,E987)	9	1.5	.	.	.	7	2.5	.	.	.	2	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	133	22.5	24.1	0	29.8	119	42.4	44.1	0	55.2	14	4.5	.	.	5.5
....Suicide (E955.0-.4)	17	2.9	3.0	0	3.6	16	5.7	5.8	0	6.9	1	0.3	.	.	.
....Homicide (E965.0-.4)	113	19.1	20.5	0	25.0	100	35.6	37.1	0	45.8	13	4.2	.	.	5.1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	69	11.7	11.8	0	12.8	58	20.7	21.7	0	20.2	11	3.5	.	.	6.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	35	5.9	6.6	0	8.1	24	8.6	10.6	0	13.5	11	3.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	70	11.8	11.7	0	12.2	59	21.0	21.5	0	19.0	11	3.5	.	.	6.3

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995-1996*****					*****1995-1996*****					*****1995-1996*****				
	No. of deaths	Crude rate	AAMR	Signif-icance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1993-1994 AAMR
*****Causes of Death*****															
All causes	4,068	687.7	851.2	1	917.3	2,261	805.6	1113.3	1	1218.7	1,807	581.3	654.2	0	692.3
Infectious diseases and parasitic disease (1-139)	539	91.1	84.4	0	91.3	348	124.0	120.4	0	139.0	191	61.4	54.8	0	52.6
..Septicemia (038)	72	12.2	15.5	0	16.6	34	12.1	17.2	0	17.0	38	12.2	13.6	0	16.4
....Septicemia-related (038)	264	44.6	56.7	0	58.4	124	44.2	63.9	0	71.5	140	45.0	50.9	0	49.9
..HIV infection (042-044)	418	70.7	60.3	0	64.6	285	101.5	92.8	0	106.6	133	42.8	34.1	0	29.8
All cancer (140-208)	817	138.1	188.0	0	210.4	464	165.3	267.1	0	289.8	353	113.6	135.1	0	157.5
..Oral cavity or pharynx (140.0-149.9)	16	2.7	3.4	0	4.9	15	5.3	7.6	0	8.0	1	0.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	72	12.2	16.5	0	20.1	35	12.5	20.5	0	24.1	37	11.9	13.9	0	16.6
....Colon cancer (153)	63	10.7	14.4	0	17.1	29	10.3	17.2	0	19.7	34	10.9	12.8	0	15.0
....Rectal cancer (154)	8	1.4	.	.	.	6	2.1	.	.	.	2	0.6	.	.	.
..Pancreatic cancer (157)	53	9.0	12.5	0	16.6	26	9.3	14.6	0	19.9	27	8.7	10.4	0	13.5
..Lung and other respiratory cancer (160-165)	200	33.8	46.5	0	52.5	135	48.1	76.5	0	84.8	65	20.9	25.3	0	30.2
....Lung cancer (162.2-.9)	187	31.6	43.5	0	48.9	125	44.5	71.1	0	77.9	62	19.9	24.1	0	28.9
..Malignant melanoma of skin (172)	2	0.3	.	.	.	2	0.7
..Female breast cancer (174)	73	73	23.5	27.0	0	30.8
..Cervical cancer (180)	14	14	4.5	.	.	.
..Endometrial cancer (182)	4	4	1.3	.	.	.
..Ovarian cancer (183)	8	8	2.6	.	.	7.3
..Prostate cancer (185)	79	79	28.1	52.3	0	52.6
..Bladder cancer (188)	10	1.7	.	.	4.4	4	1.4	.	.	.	6	1.9	.	.	.
..Brain & other CNS cancer (191-192)	15	2.5	3.5	0	.	10	3.6	.	.	.	5	1.6	.	.	.
..Leukemia (204-208)	31	5.2	6.7	0	5.2	16	5.7	9.4	0	.	15	4.8	5.3	0	.
Diabetes mellitus (250)	143	24.2	33.5	0	30.9	57	20.3	32.5	0	35.3	86	27.7	34.1	0	28.5
..Diabetes-related (250)	444	75.1	104.7	0	102.2	177	63.1	102.4	0	116.0	267	85.9	104.9	0	94.3
..Diabetic ketoacidosis (DKA) (250.1)	6	1.0	.	.	.	5	1.8	.	.	.	1	0.3	.	.	.
Alzheimer's diseases (331.0)	10	1.7	10	3.2	.	.	.
Cardiovascular disease (390-459)	1,348	227.9	309.8	0	327.5	645	229.8	372.4	0	409.9	703	226.1	264.1	0	269.4
..Diseases of the heart (390-398,402,404-429)	1,082	182.9	248.2	0	254.7	531	189.2	305.8	0	320.7	551	177.3	207.0	0	209.2
....Heart disease-related (390-398,402,404-429)	2,020	341.5	448.8	0	488.4	1,029	366.6	562.0	0	607.8	991	318.8	366.8	0	403.0
....Coronary heart disease (CHD) (402,410-414,429.2)	701	118.5	164.9	0	168.7	347	123.6	209.0	0	214.5	354	113.9	134.9	0	136.1
....Congestive heart failure (CHF) (428.0)	36	6.1	7.9	0	7.9	13	4.6	.	.	10.7	23	7.4	7.8	0	6.5
....Hypertension with or without renal disease (401,403)	30	5.1	7.2	0	5.3	12	4.3	.	.	.	18	5.8	7.1	0	.
....Hypertension-related (401,403)	326	55.1	76.5	0	78.0	142	50.6	81.9	0	83.8	184	59.2	70.6	0	71.2
..Cerebrovascular disease (430-438)	190	32.1	43.9	0	52.9	80	28.5	46.9	0	63.5	110	35.4	41.1	0	43.9
..Atherosclerosis (440)	16	2.7	3.8	0	4.2	5	1.8	.	.	.	11	3.5	.	.	.
....Atherosclerosis-related (440)	85	14.4	20.2	0	24.4	34	12.1	21.7	0	33.7	51	16.4	19.3	0	18.9
..Aortic aneurysm (441)	14	2.4	.	.	4.3	10	3.6	.	.	.	4	1.3	.	.	.
Pneumonia & influenza (480-487)	109	18.4	24.1	0	20.2	57	20.3	30.7	0	29.3	52	16.7	19.2	0	13.9

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995-1996*****					*****1995-1996*****					*****1995-1996*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993- 1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993- 1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993- 1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	62	10.5	14.6	0	21.3	34	12.1	21.1	0	32.0	28	9.0	10.6	0	14.8
..COPD-related (490-496)	180	30.4	42.6	0	53.0	109	38.8	69.2	0	75.9	71	22.8	26.8	0	39.3
..Asthma (493)	16	2.7	3.4	0	3.8	6	2.1	.	.	.	10	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	44	7.4	9.1	0	9.3	28	10.0	14.1	0	11.5	16	5.1	5.7	0	7.9
Nephritis, nephrotic syndrome/nephrosis (580-589)	69	11.7	15.8	0	17.2	31	11.0	17.0	0	16.8	38	12.2	14.9	0	16.5
..Nephritis-related (580-589)	336	56.8	71.7	0	73.5	156	55.6	81.0	0	90.6	180	57.9	66.7	0	61.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	90	15.2	20.3	0	20.0	43	15.3	23.9	0	19.6	47	15.1	17.8	0	19.0
Unintentional injuries (E800-E949)	211	35.7	36.4	0	34.9	164	58.4	62.4	0	53.2	47	15.1	15.6	0	18.8
..Motor vehicle accidents (E810-E825)	71	12.0	11.5	0	10.8	56	20.0	18.9	0	17.6	15	4.8	5.0	0	4.7
..Falls and fall related injuries (E880-E888)	9	1.5	.	.	.	7	2.5	.	.	.	2	0.6	.	.	.
..Drowning (E830,E832,E910)	10	1.7	.	.	.	9	3.2	.	.	.	1	0.3	.	.	.
..Residential fires (E890-E899)	11	1.9	.	.	.	7	2.5	.	.	.	4	1.3	.	.	.
Suicide (E950-E959)	38	6.4	6.2	0	6.2	31	11.0	10.3	0	11.7	7	2.3	.	.	.
Homicide and legal intervention (E960-E978)	148	25.0	24.7	0	29.5	128	45.6	44.0	0	49.0	20	6.4	6.8	0	10.5
..Homicide (E960-E969)	147	24.9	24.5	0	29.4	127	45.2	43.6	0	48.7	20	6.4	6.8	0	10.5
All injury (E800-E999)	400	67.6	67.8	0	71.9	326	116.2	117.6	0	116.5	74	23.8	24.8	0	30.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	70	11.8	11.4	0	10.8	55	19.6	18.7	0	17.6	15	4.8	5.0	0	4.7
..All falls (E880-E886,E888,E957,E968.1,E987)	9	1.5	.	.	.	7	2.5	.	.	.	2	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	133	22.5	22.1	0	27.1	119	42.4	40.0	0	50.5	14	4.5	.	.	4.7
....Suicide (E955.0-.4)	17	2.9	2.8	0	3.3	16	5.7	5.4	0	6.5	1	0.3	.	.	.
....Homicide (E965.0-.4)	113	19.1	18.7	0	22.5	100	35.6	33.5	0	41.5	13	4.2	.	.	4.2
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	69	11.7	10.8	0	11.2	58	20.7	19.6	0	17.6	11	3.5	.	.	5.7
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	35	5.9	7.3	0	8.3	24	8.6	12.1	0	13.8	11	3.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	70	11.8	10.4	0	10.3	59	21.0	19.0	0	15.9	11	3.5	.	.	5.5

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.

0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****				
	No. of deaths	Crude rate	Signif- AAMR	1993- 1994 AAMR	No. of deaths	Crude rate	Signif- AAMR	1993- 1994 AAMR	No. of deaths	Crude rate	Signif- AAMR	1993- 1994 AAMR	
*****Causes of Death*****													
All causes	4,068	687.7	1075.9	1 1166.8	2,261	805.6	1381.1	1 1529.7	1,807	581.3	850.4	0 904.3	
Infectious diseases and parasitic disease (1-139)	539	91.1	105.2	0 116.1	348	124.0	149.2	0 177.3	191	61.4	68.3	0 66.3	
..Septicemia (038)	72	12.2	19.9	0 22.8	34	12.1	20.0	0 23.6	38	12.2	18.6	0 22.4	
....Septicemia-related (038)	264	44.6	73.4	0 79.1	124	44.2	80.7	0 96.6	140	45.0	67.2	0 68.1	
..HIV infection (042-044)	418	70.7	75.7	0 80.9	285	101.5	116.8	0 134.3	133	42.8	42.3	0 36.5	
All cancer (140-208)	817	138.1	230.5	0 258.3	464	165.3	328.7	0 354.5	353	113.6	168.3	0 196.4	
..Oral cavity or pharynx (140.0-149.9)	16	2.7	3.7	0 6.0	15	5.3	8.5	0 9.5	1	0.3	.	.	
..Colorectal cancer (153.0-154.3,154.8,159.0)	72	12.2	20.2	0 25.3	35	12.5	24.9	0 28.5	37	11.9	17.3	0 21.9	
....Colon cancer (153)	63	10.7	17.4	0 21.6	29	10.3	21.3	0 23.6	34	10.9	15.4	0 19.5	
....Rectal cancer (154)	8	1.4	.	.	6	2.1	.	.	2	0.6	.	.	
..Pancreatic cancer (157)	53	9.0	15.8	0 21.1	26	9.3	16.8	0 23.2	27	8.7	14.3	0 18.2	
..Lung and other respiratory cancer (160-165)	200	33.8	55.3	0 61.0	135	48.1	89.8	0 99.2	65	20.9	31.5	0 35.6	
....Lung cancer (162.2-.9)	187	31.6	52.2	0 56.8	125	44.5	84.3	0 91.1	62	19.9	30.2	0 34.1	
..Malignant melanoma of skin (172)	2	0.3	.	.	2	0.7	
..Female breast cancer (174)	73	73	23.5	32.2	0 38.9	
..Cervical cancer (180)	14	14	4.5	.	.	
..Endometrial cancer (182)	4	4	1.3	.	.	
..Ovarian cancer (183)	8	8	2.6	.	8.3	
..Prostate cancer (185)	79	.	.	.	79	28.1	70.9	0 74.2	
..Bladder cancer (188)	10	1.7	.	5.9	4	1.4	.	.	6	1.9	.	.	
..Brain & other CNS cancer (191-192)	15	2.5	4.2	0 .	10	3.6	.	.	5	1.6	.	.	
..Leukemia (204-208)	31	5.2	8.3	0 6.7	16	5.7	12.3	0 .	15	4.8	6.3	0 .	
Diabetes mellitus (250)	143	24.2	41.5	0 40.2	57	20.3	41.1	0 47.4	86	27.7	41.8	0 36.3	
..Diabetes-related (250)	444	75.1	132.6	0 131.5	177	63.1	126.6	0 152.6	267	85.9	134.4	0 120.0	
..Diabetic ketoacidosis (DKA) (250.1)	6	1.0	.	.	5	1.8	.	.	1	0.3	.	.	
Alzheimer's diseases (331.0)	10	1.7	10	3.2	.	.	
Cardiovascular disease (390-459)	1,348	227.9	413.8	0 444.3	645	229.8	482.7	0 542.5	703	226.1	362.9	0 377.1	
..Diseases of the heart (390-398,402,404-429)	1,082	182.9	329.7	0 343.5	531	189.2	394.4	0 424.7	551	177.3	283.3	0 289.7	
....Heart disease-related (390-398,402,404-429)	2,020	341.5	587.1	1 648.4	1,029	366.6	716.4	0 793.9	991	318.8	493.3	0 546.6	
....Coronary heart disease (CHD) (402,410-414,429.2)	701	118.5	220.8	0 230.3	347	123.6	273.4	0 283.5	354	113.9	185.6	0 193.4	
....Congestive heart failure (CHF) (428.0)	36	6.1	12.1	0 11.0	13	4.6	.	15.6	23	7.4	12.6	0 8.8	
..Hypertension with or without renal disease (401,403)	30	5.1	8.9	0 6.6	12	4.3	.	.	18	5.8	9.2	0 .	
....Hypertension-related (401,403)	326	55.1	97.7	0 102.8	142	50.6	98.3	0 103.8	184	59.2	93.9	0 98.0	
..Cerebrovascular disease (430-438)	190	32.1	60.3	0 73.1	80	28.5	63.3	0 82.3	110	35.4	57.3	0 64.3	
..Atherosclerosis (440)	16	2.7	5.6	0 6.9	5	1.8	.	.	11	3.5	.	.	
....Atherosclerosis-related (440)	85	14.4	29.1	0 37.1	34	12.1	31.5	0 50.3	51	16.4	27.9	0 29.9	
..Aortic aneurysm (441)	14	2.4	.	5.7	10	3.6	.	.	4	1.3	.	.	
Pneumonia & influenza (480-487)	109	18.4	34.5	0 29.4	57	20.3	42.4	0 41.6	52	16.7	28.7	0 21.4	

(CONTINUED)

- * - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AMR	Signif- icance	1993- 1994 AAMR	No. of deaths	Crude rate	AMR	Signif- icance	1993- 1994 AAMR	No. of deaths	Crude rate	AMR	Signif- icance	1993- 1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	62	10.5	19.2	0	26.9	34	12.1	27.7	0	42.2	28	9.0	14.1	0	18.3
..COPD-related (490-496)	180	30.4	55.8	0	70.2	109	38.8	93.0	0	103.5	71	22.8	34.6	0	52.1
..Asthma (493)	16	2.7	4.2	0	4.1	6	2.1	.	.	.	10	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	44	7.4	10.6	0	10.8	28	10.0	17.3	0	13.6	16	5.1	6.3	0	9.2
Nephritis, nephrotic syndrome/nephrosis (580-589)	69	11.7	20.2	0	23.6	31	11.0	22.0	0	21.4	38	12.2	19.0	0	23.4
..Nephritis-related (580-589)	336	56.8	92.3	0	97.0	156	55.6	108.6	0	121.1	180	57.9	83.5	0	81.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	90	15.2	25.9	0	27.5	43	15.3	30.3	0	25.0	47	15.1	22.9	0	27.0
Unintentional injuries (E800-E949)	211	35.7	40.8	0	39.5	164	58.4	71.2	0	59.4	47	15.1	17.0	0	22.0
..Motor vehicle accidents (E810-E825)	71	12.0	11.9	0	10.8	56	20.0	19.9	0	17.6	15	4.8	4.9	0	4.8
..Falls and fall related injuries (E880-E888)	9	1.5	.	.	.	7	2.5	.	.	.	2	0.6	.	.	.
..Drowning (E830,E832,E910)	10	1.7	.	.	.	9	3.2	.	.	.	1	0.3	.	.	.
..Residential fires (E890-E899)	11	1.9	.	.	.	7	2.5	.	.	.	4	1.3	.	.	.
Suicide (E950-E959)	38	6.4	6.4	0	6.2	31	11.0	10.8	0	12.0	7	2.3	.	.	.
Homicide and legal intervention (E960-E978)	148	25.0	23.1	0	28.3	128	45.6	41.8	0	46.3	20	6.4	6.0	0	11.1
..Homicide (E960-E969)	147	24.9	22.9	0	28.2	127	45.2	41.5	0	46.1	20	6.4	6.0	0	11.1
All injury (E800-E999)	400	67.6	70.6	0	75.8	326	116.2	124.7	0	121.1	74	23.8	25.4	0	34.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	70	11.8	11.7	0	10.8	55	19.6	19.6	0	17.6	15	4.8	4.9	0	4.8
..All falls (E880-E886,E888,E957,E968.1,E987)	9	1.5	.	.	.	7	2.5	.	.	.	2	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	133	22.5	20.3	0	25.4	119	42.4	37.4	0	47.4	14	4.5	.	.	4.8
....Suicide (E955.0-.4)	17	2.9	2.9	0	3.0	16	5.7	5.6	0	5.9	1	0.3	.	.	.
....Homicide (E965.0-.4)	113	19.1	17.0	0	21.3	100	35.6	30.9	0	39.2	13	4.2	.	.	4.5
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	69	11.7	12.7	0	13.8	58	20.7	23.5	0	21.9	11	3.5	.	.	7.0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	35	5.9	8.5	0	9.5	24	8.6	14.0	0	16.1	11	3.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	70	11.8	12.8	0	13.2	59	21.0	23.5	0	20.7	11	3.5	.	.	6.8

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	4,068	2,317	3,038	52,535	79,272	9420.2	10775.0	1	13958.3	15597.6	1
Infectious diseases and parasitic disease (1-139)	539	487	515	11,912	16,922	2006.2	2294.1	0	2754.3	3095.4	0
..Septicemia (038)	72	37	52	697	1,144	120.7	86.8	0	199.6	155.8	0
...Septicemia-related (038)	264	135	189	2,482	4,082	440.1	416.8	0	720.2	684.0	0
..HIV infection (042-044)	418	408	416	10,087	14,207	1694.0	2018.5	0	2295.3	2678.1	0
All cancer (140-208)	817	389	603	4,697	9,702	917.0	1072.3	0	1878.3	2124.7	0
..Oral cavity or pharynx (140.0-149.9)	16	13	15	198	338	40.1	59.9	0	66.3	93.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	72	38	55	395	868	78.6	83.1	0	170.9	176.7	0
...Colon cancer (153)	63	35	50	373	800	73.6	69.5	0	156.8	148.3	0
...Rectal cancer (154)	8	3	5	23	68
..Pancreatic cancer (157)	53	21	36	208	490	42.3	58.3	0	98.0	135.2	0
..Lung and other respiratory cancer (160-165)	200	102	156	1,020	2,305	206.1	217.6	0	457.7	509.4	0
...Lung cancer (162.2-.9)	187	91	143	943	2,113	189.8	198.3	0	418.0	470.0	0
..Malignant melanoma of skin (172)	2	1	1	18	28
..Female breast cancer (174)	73	46	59	615	1,143
..Cervical cancer (180)	14	8	11	145	248
..Endometrial cancer (182)	4	1	4	3	30
..Ovarian cancer (183)	8	3	5	13	53
..Prostate cancer (185)	79	17	45	78	393
..Bladder cancer (188)	10	1	3	3	18	.	3.5	.	.	17.0	.
..Brain & other CNS cancer (191-192)	15	6	10	125	210	25.5	.	0	41.3	.	0
..Leukemia (204-208)	31	15	24	357	554	64.6	70.0	0	99.5	91.6	0
Diabetes mellitus (250)	143	66	102	695	1,525	138.0	104.1	0	300.0	230.4	0
..Diabetes-related (250)	444	182	299	1,840	4,263	372.1	318.4	0	849.2	728.4	0
..Diabetic ketoacidosis (DKA) (250.1)	6	5	5	153	203
Alzheimer's diseases (331.0)	10	.	1	0	8
Cardiovascular disease (390-459)	1,348	521	841	7,555	14,305	1429.7	1401.2	0	2692.9	2699.5	0
..Diseases of the heart (390-398,402,404-429)	1,082	424	686	6,290	11,795	1196.4	1066.3	0	2225.8	2087.3	0
...Heart disease-related (390-398,402,404-429)	2,020	925	1,377	15,268	26,668	2805.8	2985.1	0	4871.6	5137.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	701	242	425	2,605	5,923	520.3	501.6	0	1165.1	1124.2	0
....Congestive heart failure (CHF) (428.0)	36	12	17	252	390	45.5	24.2	0	69.5	49.2	0
..Hypertension with or without renal disease (401,403)	30	13	22	113	285	22.7	22.8	0	57.3	49.9	0
...Hypertension-related (401,403)	326	133	222	1,338	3,135	271.0	315.6	0	623.8	655.3	0
..Cerebrovascular disease (430-438)	190	70	107	937	1,815	171.2	240.5	0	334.6	436.7	0
...Atherosclerosis (440)	16	3	8	33	80	6.2	0.6	0	15.3	4.4	0
...Atherosclerosis-related (440)	85	22	40	230	530	44.8	9.6	1	102.8	50.7	0
..Aortic aneurysm (441)	14	6	9	90	163	.	13.7	.	.	32.6	.
Pneumonia & influenza (480-487)	109	44	62	732	1,237	131.4	199.8	0	220.5	285.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	62	28	36	360	680	71.1	110.1	0	132.3	197.2	0
..COPD-related (490-496)	180	65	109	778	1,653	150.6	229.1	0	318.7	422.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	16	10	13	215	328	41.8	75.7	0	61.6	103.1	0
Chronic liver disease and cirrhosis (571)	44	31	39	503	853	94.6	92.1	0	157.2	162.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	69	31	47	403	793	75.9	94.8	0	149.5	158.5	0
..Nephritis-related (580-589)	336	178	246	3,123	5,238	560.8	553.3	0	933.2	885.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	90	40	62	595	1,105	108.0	132.5	0	201.7	209.5	0
Unintentional injuries (E800-E949)	211	187	202	5,272	7,204	957.3	995.1	0	1255.3	1268.8	0
..Motor vehicle accidents (E810-E825)	71	68	71	2,266	2,959	419.1	387.9	0	521.5	476.2	0
..Falls and fall related injuries (E880-E888)	9	4	6	75	120
..Drowning (E830,E832,E910)	10	9	9	325	415
..Residential fires (E890-E899)	11	8	10	324	419
Suicide (E950-E959)	38	35	37	1,183	1,548	226.5	230.6	0	281.6	285.0	0
Homicide and legal intervention (E960-E978)	148	143	148	5,539	6,996	1064.1	1347.5	0	1278.6	1606.2	0
..Homicide (E960-E969)	147	142	147	5,496	6,944	1054.9	1342.6	0	1267.8	1600.0	0
All injury (E800-E999)	400	368	390	12,142	15,927	2274.9	2614.8	0	2846.4	3215.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	70	67	70	2,234	2,916	414.3	387.9	0	515.5	476.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	5	7	93	148
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	133	131	132	5,139	6,456	1007.0	1243.1	0	1201.8	1483.4	0
....Suicide (E955.0-.4)	17	16	16	565	725	109.5	143.4	0	133.4	172.6	0
....Homicide (E965.0-.4)	113	112	113	4,436	5,564	868.3	1042.9	0	1034.6	1244.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	69	69	69	1,588	2,278	282.1	336.4	0	389.2	449.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	35	26	32	355	645	68.2	119.8	0	121.6	191.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	70	70	70	1,640	2,340	286.8	329.0	0	392.6	437.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	2,261	1,471	1,866	33,670	50,377	12830.1	15024.3	1	19113.5	21767.3	1
Infectious diseases and parasitic disease (1-139)	348	325	341	7,663	10,998	2799.1	3512.5	1	3905.1	4767.8	0
..Septicemia (038)	34	22	30	360	625	138.4	76.0	0	247.0	142.3	0
...Septicemia-related (038)	124	75	101	1,308	2,188	506.5	449.9	0	856.5	770.5	0
..HIV infection (042-044)	285	277	283	6,616	9,416	2417.2	3166.0	1	3327.1	4250.3	1
All cancer (140-208)	464	229	361	2,533	5,523	1126.5	1199.4	0	2462.8	2575.8	0
..Oral cavity or pharynx (140.0-149.9)	15	12	14	190	320	81.4	94.8	0	136.5	148.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	35	18	29	145	383	68.7	118.2	0	178.8	245.4	0
...Colon cancer (153)	29	15	24	123	315	57.2	89.0	0	146.3	186.9	0
...Rectal cancer (154)	6	3	5	23	68
..Pancreatic cancer (157)	26	14	22	115	310	57.2	93.3	0	147.8	201.1	0
..Lung and other respiratory cancer (160-165)	135	75	110	718	1,655	332.7	312.5	0	757.6	767.0	0
...Lung cancer (162.2-.9)	125	66	100	650	1,495	300.5	278.9	0	682.2	696.9	0
..Malignant melanoma of skin (172)	2	1	1	18	28
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	79	17	45	78	393	39.3	36.0	0	189.7	138.2	0
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	10	5	8	83	150
..Leukemia (204-208)	16	7	13	63	163	30.5	.	0	76.7	.	0
Diabetes mellitus (250)	57	28	42	385	740	160.2	145.5	0	313.2	285.5	0
..Diabetes-related (250)	177	84	136	930	2,060	409.1	347.6	0	913.3	781.9	0
..Diabetic ketoacidosis (DKA) (250.1)	5	4	4	120	160
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	645	296	463	4,442	8,225	1829.1	1885.5	0	3434.3	3649.5	0
..Diseases of the heart (390-398,402,404-429)	531	245	385	3,785	6,915	1553.3	1388.5	0	2877.8	2766.1	0
...Heart disease-related (390-398,402,404-429)	1,029	549	791	9,111	15,776	3633.0	3973.7	0	6362.5	6839.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	347	141	239	1,558	3,448	692.6	743.6	0	1533.6	1635.9	0
....Congestive heart failure (CHF) (428.0)	13	6	9	110	183	.	17.3	.	.	46.8	.
..Hypertension with or without renal disease (401,403)	12	7	11	73	158
...Hypertension-related (401,403)	142	70	116	690	1,640	321.4	407.2	0	752.9	855.3	0
..Cerebrovascular disease (430-438)	80	35	52	438	885	186.5	358.5	0	379.2	636.4	0
..Atherosclerosis (440)	5	2	3	30	53
...Atherosclerosis-related (440)	34	12	18	135	285	58.6	10.8	0	124.4	73.0	0
..Aortic aneurysm (441)	10	5	8	68	130
Pneumonia & influenza (480-487)	57	34	41	602	970	234.1	299.9	0	377.2	437.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	34	16	21	150	328	65.3	155.4	0	145.3	266.5	0
..COPD-related (490-496)	109	37	64	333	835	152.0	330.3	1	381.4	598.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	6	3	5	48	83
Chronic liver disease and cirrhosis (571)	28	20	24	280	500	120.0	94.7	0	211.2	175.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	31	18	24	245	445	98.5	138.5	0	182.7	230.0	0
..Nephritis-related (580-589)	156	91	118	1,697	2,724	653.7	795.6	0	1048.1	1239.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	43	22	33	310	578	122.7	191.7	0	235.1	303.9	0
Unintentional injuries (E800-E949)	164	148	159	4,026	5,559	1541.4	1552.3	0	2060.6	1993.5	0
..Motor vehicle accidents (E810-E825)	56	54	56	1,796	2,346	679.7	596.1	0	851.1	745.0	0
..Falls and fall related injuries (E880-E888)	7	4	5	75	118
..Drowning (E830,E832,E910)	9	8	8	260	340
..Residential fires (E890-E899)	7	5	7	168	233
Suicide (E950-E959)	31	29	30	1,038	1,335	406.5	419.6	0	496.8	521.0	0
Homicide and legal intervention (E960-E978)	128	123	128	4,713	5,970	1840.1	2259.7	0	2224.3	2694.4	0
..Homicide (E960-E969)	127	122	127	4,670	5,918	1821.7	2249.2	0	2202.6	2681.2	0
All injury (E800-E999)	326	303	320	9,926	13,043	3842.0	4300.3	0	4843.4	5303.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	55	53	55	1,764	2,304	669.3	596.1	0	838.2	745.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	7	4	5	75	118
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	117	118	4,577	5,754	1814.8	2270.0	0	2170.3	2713.8	0
....Suicide (E955.0-.4)	16	15	15	563	713	222.0	267.4	0	266.5	324.3	0
....Homicide (E965.0-.4)	100	99	100	3,877	4,874	1535.4	1889.1	0	1837.2	2255.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	58	58	1,325	1,905	505.2	542.8	0	702.1	719.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	24	17	22	223	420	98.0	195.7	0	182.1	310.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	59	59	59	1,393	1,983	522.1	521.9	0	716.2	690.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	1,807	846	1,172	18,865	28,895	6411.2	6970.7	0	9530.1	10204.9	0
Infectious diseases and parasitic disease (1-139)	191	162	174	4,249	5,924	1342.1	1257.1	0	1796.1	1678.1	0
..Septicemia (038)	38	15	22	337	519	108.8	97.7	0	164.7	169.4	0
...Septicemia-related (038)	140	60	88	1,174	1,894	392.4	397.0	0	618.1	623.9	0
..HIV infection (042-044)	133	131	133	3,472	4,792	1082.4	1039.2	0	1429.2	1342.3	0
All cancer (140-208)	353	160	242	2,164	4,179	754.6	980.1	0	1430.2	1785.7	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	8	18	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	37	20	26	250	485	88.1	55.6	0	167.8	123.8	0
...Colon cancer (153)	34	20	26	250	485	88.1	54.6	0	167.8	118.7	0
...Rectal cancer (154)	2	.	.	0	0	.	.	0	.	.	0
..Pancreatic cancer (157)	27	7	14	93	180	31.2	29.5	0	59.6	82.2	0
..Lung and other respiratory cancer (160-165)	65	27	46	303	650	107.1	142.9	0	225.6	309.1	0
...Lung cancer (162.2-.9)	62	25	43	293	618	103.2	135.2	0	213.5	294.2	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	73	46	59	615	1,143	210.4	284.9	0	384.6	473.2	0
..Cervical cancer (180)	14	8	11	145	248	.	.	0	.	.	0
..Endometrial cancer (182)	4	1	4	3	30	.	.	0	.	.	0
..Ovarian cancer (183)	8	3	5	13	53	.	38.9	0	.	79.0	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	6	1	1	3	13	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	5	1	2	43	60	.	.	0	.	.	0
..Leukemia (204-208)	15	8	11	294	392	100.6	.	0	128.2	.	0
Diabetes mellitus (250)	86	38	60	310	785	115.5	70.9	0	282.6	186.3	0
..Diabetes-related (250)	267	98	163	910	2,203	341.5	297.5	0	796.5	689.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	0	.	.	0
Alzheimer's diseases (331.0)	10	.	1	0	8	.	.	0	.	.	0
Cardiovascular disease (390-459)	703	225	378	3,113	6,080	1090.9	1007.4	0	2086.4	1941.7	0
..Diseases of the heart (390-398,402,404-429)	551	179	301	2,506	4,881	889.3	814.9	0	1687.9	1558.4	0
...Heart disease-related (390-398,402,404-429)	991	376	586	6,157	10,892	2117.5	2168.1	0	3662.8	3755.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	354	101	186	1,048	2,475	381.4	306.7	0	875.5	719.0	0
....Congestive heart failure (CHF) (428.0)	23	6	8	142	207	46.5	32.1	0	65.9	53.8	0
..Hypertension with or without renal disease (401,403)	18	6	11	40	128	15.9	.	0	47.6	.	0
...Hypertension-related (401,403)	184	63	106	648	1,495	231.9	243.4	0	524.7	498.6	0
..Cerebrovascular disease (430-438)	110	35	55	500	930	162.4	137.1	0	302.9	268.6	0
..Atherosclerosis (440)	11	1	5	3	28	.	.	0	.	.	0
...Atherosclerosis-related (440)	51	10	22	95	245	33.7	8.8	0	85.3	34.1	0
..Aortic aneurysm (441)	4	1	1	23	33	.	.	0	.	.	0
Pneumonia & influenza (480-487)	52	10	21	130	268	44.6	114.7	0	90.2	159.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	28	12	15	210	353	80.3	66.6	0	128.3	133.7	0
..COPD-related (490-496)	71	28	45	445	818	156.0	138.5	0	278.9	270.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	10	7	8	168	245
Chronic liver disease and cirrhosis (571)	16	11	15	223	353	77.3	90.1	0	117.7	152.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	38	13	23	158	348	58.9	59.3	0	124.9	100.5	0
..Nephritis-related (580-589)	180	87	128	1,427	2,514	486.9	351.0	0	841.1	593.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	18	29	285	528	98.5	84.4	0	178.6	132.6	0
Unintentional injuries (E800-E949)	47	39	43	1,246	1,646	438.9	477.5	0	551.6	605.4	0
..Motor vehicle accidents (E810-E825)	15	14	15	470	613	178.1	189.1	0	220.0	223.8	0
..Falls and fall related injuries (E880-E888)	2	.	1	0	3
..Drowning (E830,E832,E910)	1	1	1	65	75
..Residential fires (E890-E899)	4	3	3	157	187
Suicide (E950-E959)	7	6	7	145	213
Homicide and legal intervention (E960-E978)	20	20	20	826	1,026	312.6	448.7	0	369.6	537.7	0
..Homicide (E960-E969)	20	20	20	826	1,026	312.6	448.7	0	369.6	537.7	0
All injury (E800-E999)	74	65	70	2,217	2,884	805.2	993.1	0	996.3	1225.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	15	14	15	470	613	178.1	189.1	0	220.0	223.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	2	18	30
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	14	14	14	562	702	.	230.6	.	.	276.0	.
....Suicide (E955.0-.4)	1	1	1	3	13
....Homicide (E965.0-.4)	13	13	13	560	690	.	209.3	.	.	251.4	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	11	11	263	373	.	153.2	.	.	211.2	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	10	133	225
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	11	11	248	358	.	161.4	.	.	217.7	.

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	4,068	2,317	3,038	52,535	79,272	9134.6	10373.2	1	13768.2	15243.7	1
Infectious diseases and parasitic disease (1-139)	539	487	515	11,912	16,922	1779.4	1992.4	0	2444.6	2686.7	0
..Septicemia (038)	72	37	52	697	1,144	117.0	81.3	0	200.8	155.3	0
...Septicemia-related (038)	264	135	189	2,482	4,082	417.6	384.5	0	710.7	660.3	0
..HIV infection (042-044)	418	408	416	10,087	14,207	1478.2	1731.5	0	1994.8	2283.3	0
All cancer (140-208)	817	389	603	4,697	9,702	919.6	1077.0	0	1982.1	2235.9	0
..Oral cavity or pharynx (140.0-149.9)	16	13	15	198	338	40.5	59.3	0	68.7	92.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	72	38	55	395	868	79.1	84.0	0	181.6	187.7	0
...Colon cancer (153)	63	35	50	373	800	73.7	69.8	0	165.8	157.0	0
...Rectal cancer (154)	8	3	5	23	68	.	.	0	.	.	0
..Pancreatic cancer (157)	53	21	36	208	490	42.8	59.1	0	105.4	145.8	0
..Lung and other respiratory cancer (160-165)	200	102	156	1,020	2,305	211.3	221.3	0	491.2	549.1	0
...Lung cancer (162.2-.9)	187	91	143	943	2,113	193.5	201.8	0	447.0	507.6	0
..Malignant melanoma of skin (172)	2	1	1	18	28	.	.	0	.	.	0
..Female breast cancer (174)	73	46	59	615	1,143	.	.	0	.	.	0
..Cervical cancer (180)	14	8	11	145	248	.	.	0	.	.	0
..Endometrial cancer (182)	4	1	4	3	30	.	.	0	.	.	0
..Ovarian cancer (183)	8	3	5	13	53	.	.	0	.	.	0
..Prostate cancer (185)	79	17	45	78	393	.	.	0	.	.	0
..Bladder cancer (188)	10	1	3	3	18	.	3.7	0	.	20.0	0
..Brain & other CNS cancer (191-192)	15	6	10	125	210	24.0	.	0	41.3	.	0
..Leukemia (204-208)	31	15	24	357	554	66.6	65.8	0	103.9	85.8	0
Diabetes mellitus (250)	143	66	102	695	1,525	142.4	103.7	0	323.7	246.4	0
..Diabetes-related (250)	444	182	299	1,840	4,263	381.1	320.5	0	918.3	785.2	0
..Diabetic ketoacidosis (DKA) (250.1)	6	5	5	153	203	.	.	0	.	.	0
Alzheimer's diseases (331.0)	10	.	1	0	8	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,348	521	841	7,555	14,305	1408.6	1380.1	0	2789.1	2804.1	0
..Diseases of the heart (390-398,402,404-429)	1,082	424	686	6,290	11,795	1184.1	1060.3	0	2307.8	2184.7	0
...Heart disease-related (390-398,402,404-429)	2,020	925	1,377	15,268	26,668	2709.7	2875.1	0	4912.5	5166.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	701	242	425	2,605	5,923	524.3	508.4	0	1245.7	1206.7	0
....Congestive heart failure (CHF) (428.0)	36	12	17	252	390	43.9	26.3	0	68.9	54.5	0
..Hypertension with or without renal disease (401,403)	30	13	22	113	285	22.9	22.3	0	62.4	52.7	0
...Hypertension-related (401,403)	326	133	222	1,338	3,135	277.2	306.5	0	673.0	679.6	0
..Cerebrovascular disease (430-438)	190	70	107	937	1,815	164.5	230.7	0	342.8	442.3	0
...Atherosclerosis (440)	16	3	8	33	80	6.2	0.7	0	16.8	5.5	0
...Atherosclerosis-related (440)	85	22	40	230	530	45.2	10.7	1	110.6	61.3	0
..Aortic aneurysm (441)	14	6	9	90	163	.	13.0	0	.	34.3	0
Pneumonia & influenza (480-487)	109	44	62	732	1,237	123.7	185.8	0	216.6	267.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	62	28	36	360	680	73.8	112.5	0	141.0	209.6	0
..COPD-related (490-496)	180	65	109	778	1,653	152.2	223.0	0	340.2	435.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	16	10	13	215	328	43.2	75.1	0	63.5	102.1	0
Chronic liver disease and cirrhosis (571)	44	31	39	503	853	90.4	89.6	0	155.0	161.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	69	31	47	403	793	72.5	89.3	0	153.1	157.6	0
..Nephritis-related (580-589)	336	178	246	3,123	5,238	525.0	509.4	0	911.2	853.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	90	40	62	595	1,105	100.0	121.6	0	201.2	201.5	0
Unintentional injuries (E800-E949)	211	187	202	5,272	7,204	908.0	949.9	0	1181.0	1197.6	0
..Motor vehicle accidents (E810-E825)	71	68	71	2,266	2,959	393.6	373.1	0	483.5	451.5	0
..Falls and fall related injuries (E880-E888)	9	4	6	75	120
..Drowning (E830,E832,E910)	10	9	9	325	415
..Residential fires (E890-E899)	11	8	10	324	419
Suicide (E950-E959)	38	35	37	1,183	1,548	206.1	215.7	0	253.9	262.9	0
Homicide and legal intervention (E960-E978)	148	143	148	5,539	6,996	1014.0	1257.0	0	1200.1	1471.0	0
..Homicide (E960-E969)	147	142	147	5,496	6,944	1005.3	1253.4	0	1190.1	1466.5	0
All injury (E800-E999)	400	368	390	12,142	15,927	2155.3	2457.2	0	2665.5	2977.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	70	67	70	2,234	2,916	390.0	373.1	0	479.1	451.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	5	7	93	148
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	133	131	132	5,139	6,456	952.2	1170.9	0	1118.3	1372.5	0
....Suicide (E955.0-.4)	17	16	16	565	725	99.8	139.5	0	120.0	165.4	0
....Homicide (E965.0-.4)	113	112	113	4,436	5,564	822.9	971.5	0	964.8	1138.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	69	69	69	1,588	2,278	255.5	293.9	0	351.2	390.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	35	26	32	355	645	66.6	115.1	0	122.3	186.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	70	70	70	1,640	2,340	254.1	277.8	0	346.3	366.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	2,261	1,471	1,866	33,670	50,377	12330.7	14321.0	1	18712.5	21075.7	1
Infectious diseases and parasitic disease (1-139)	348	325	341	7,663	10,998	2484.4	3013.9	0	3474.6	4096.0	0
..Septicemia (038)	34	22	30	360	625	134.4	68.6	0	251.3	140.4	0
...Septicemia-related (038)	124	75	101	1,308	2,188	474.6	413.8	0	840.1	748.7	0
..HIV infection (042-044)	285	277	283	6,616	9,416	2122.5	2698.4	1	2915.9	3612.8	0
All cancer (140-208)	464	229	361	2,533	5,523	1152.5	1233.9	0	2647.6	2773.2	0
..Oral cavity or pharynx (140.0-149.9)	15	12	14	190	320	82.2	93.7	0	141.6	146.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	35	18	29	145	383	72.9	121.4	0	198.8	261.3	0
...Colon cancer (153)	29	15	24	123	315	60.4	90.8	0	162.4	198.9	0
...Rectal cancer (154)	6	3	5	23	68
..Pancreatic cancer (157)	26	14	22	115	310	60.2	92.6	0	162.5	212.4	0
..Lung and other respiratory cancer (160-165)	135	75	110	718	1,655	346.0	322.2	0	820.8	836.7	0
...Lung cancer (162.2-.9)	125	66	100	650	1,495	311.3	288.3	0	737.5	762.5	0
..Malignant melanoma of skin (172)	2	1	1	18	28
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	79	17	45	78	393	44.8	39.7	0	226.5	162.3	0
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	10	5	8	83	150
..Leukemia (204-208)	16	7	13	63	163	31.7	.	0	84.2	.	0
Diabetes mellitus (250)	57	28	42	385	740	160.3	136.2	0	328.4	289.1	0
..Diabetes-related (250)	177	84	136	930	2,060	416.3	339.1	0	981.1	829.0	0
..Diabetic ketoacidosis (DKA) (250.1)	5	4	4	120	160
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	645	296	463	4,442	8,225	1803.9	1855.6	0	3555.6	3784.6	0
..Diseases of the heart (390-398,402,404-429)	531	245	385	3,785	6,915	1537.3	1376.7	0	2982.0	2889.5	0
...Heart disease-related (390-398,402,404-429)	1,029	549	791	9,111	15,776	3505.5	3812.4	0	6413.2	6844.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	347	141	239	1,558	3,448	695.5	754.5	0	1634.6	1749.9	0
....Congestive heart failure (CHF) (428.0)	13	6	9	110	183	.	19.2	.	.	52.9	.
..Hypertension with or without renal disease (401,403)	12	7	11	73	158
...Hypertension-related (401,403)	142	70	116	690	1,640	332.4	404.7	0	817.9	897.6	0
..Cerebrovascular disease (430-438)	80	35	52	438	885	182.7	346.6	0	392.7	646.1	0
..Atherosclerosis (440)	5	2	3	30	53
...Atherosclerosis-related (440)	34	12	18	135	285	58.8	12.8	0	131.6	90.1	0
..Aortic aneurysm (441)	10	5	8	68	130
Pneumonia & influenza (480-487)	57	34	41	602	970	220.5	286.8	0	365.1	419.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	34	16	21	150	328	65.7	157.9	0	155.3	281.5	0
..COPD-related (490-496)	109	37	64	333	835	157.5	321.0	0	419.7	615.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	6	3	5	48	83
Chronic liver disease and cirrhosis (571)	28	20	24	280	500	116.9	92.5	0	211.6	177.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	31	18	24	245	445	92.7	127.0	0	182.6	222.1	0
..Nephritis-related (580-589)	156	91	118	1,697	2,724	605.0	723.3	0	1003.2	1168.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	43	22	33	310	578	114.4	173.3	0	236.0	286.6	0
Unintentional injuries (E800-E949)	164	148	159	4,026	5,559	1443.4	1480.8	0	1920.7	1880.0	0
..Motor vehicle accidents (E810-E825)	56	54	56	1,796	2,346	632.4	577.0	0	781.6	712.4	0
..Falls and fall related injuries (E880-E888)	7	4	5	75	118
..Drowning (E830,E832,E910)	9	8	8	260	340
..Residential fires (E890-E899)	7	5	7	168	233
Suicide (E950-E959)	31	29	30	1,038	1,335	369.1	391.9	0	444.3	480.6	0
Homicide and legal intervention (E960-E978)	128	123	128	4,713	5,970	1734.1	2111.2	0	2066.0	2472.3	0
..Homicide (E960-E969)	127	122	127	4,670	5,918	1716.6	2103.3	0	2045.9	2462.7	0
All injury (E800-E999)	326	303	320	9,926	13,043	3600.5	4042.7	0	4491.6	4914.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	55	53	55	1,764	2,304	624.6	577.0	0	772.1	712.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	7	4	5	75	118
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	117	118	4,577	5,754	1697.7	2144.6	0	1997.0	2519.6	0
....Suicide (E955.0-.4)	16	15	15	563	713	201.5	258.4	0	237.5	309.0	0
....Homicide (E965.0-.4)	100	99	100	3,877	4,874	1438.4	1766.7	0	1693.5	2072.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	58	58	1,325	1,905	450.6	474.8	0	625.4	624.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	24	17	22	223	420	97.1	188.3	0	186.1	303.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	59	59	59	1,393	1,983	460.1	438.4	0	628.6	575.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	1,807	846	1,172	18,865	28,895	6314.8	6833.5	0	9544.5	10165.7	0
Infectious diseases and parasitic disease (1-139)	191	162	174	4,249	5,924	1191.5	1129.6	0	1591.8	1502.2	0
..Septicemia (038)	38	15	22	337	519	105.6	94.2	0	163.9	170.6	0
...Septicemia-related (038)	140	60	88	1,174	1,894	378.7	368.2	0	615.7	599.7	0
..HIV infection (042-044)	133	131	133	3,472	4,792	935.6	911.5	0	1225.8	1161.6	0
All cancer (140-208)	353	160	242	2,164	4,179	738.9	959.9	0	1472.4	1829.1	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	8	18	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	37	20	26	250	485	85.5	54.9	0	171.1	131.0	0
...Colon cancer (153)	34	20	26	250	485	85.5	53.6	0	171.1	124.9	0
...Rectal cancer (154)	2	.	.	0	0	.	.	0	.	.	0
..Pancreatic cancer (157)	27	7	14	93	180	29.7	31.9	0	60.9	92.9	0
..Lung and other respiratory cancer (160-165)	65	27	46	303	650	106.1	142.0	0	236.9	326.2	0
...Lung cancer (162.2-.9)	62	25	43	293	618	101.6	134.2	0	222.8	310.5	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	73	46	59	615	1,143	201.1	272.3	0	385.3	462.6	0
..Cervical cancer (180)	14	8	11	145	248	.	.	0	.	.	0
..Endometrial cancer (182)	4	1	4	3	30	.	.	0	.	.	0
..Ovarian cancer (183)	8	3	5	13	53	.	41.8	0	.	87.6	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	6	1	1	3	13	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	5	1	2	43	60	.	.	0	.	.	0
..Leukemia (204-208)	15	8	11	294	392	104.0	.	0	131.0	.	0
Diabetes mellitus (250)	86	38	60	310	785	123.1	78.6	0	312.9	213.4	0
..Diabetes-related (250)	267	98	163	910	2,203	351.6	308.9	0	866.2	755.3	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	0	.	.	0
Alzheimer's diseases (331.0)	10	.	1	0	8	.	.	0	.	.	0
Cardiovascular disease (390-459)	703	225	378	3,113	6,080	1073.8	995.6	0	2166.5	2027.5	0
..Diseases of the heart (390-398,402,404-429)	551	179	301	2,506	4,881	880.4	815.6	0	1755.6	1639.4	0
...Heart disease-related (390-398,402,404-429)	991	376	586	6,157	10,892	2049.6	2103.4	0	3705.0	3813.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	354	101	186	1,048	2,475	387.3	310.8	0	942.7	778.8	0
....Congestive heart failure (CHF) (428.0)	23	6	8	142	207	46.3	34.6	0	66.2	58.8	0
..Hypertension with or without renal disease (401,403)	18	6	11	40	128	17.2	.	0	53.8	.	0
...Hypertension-related (401,403)	184	63	106	648	1,495	234.4	228.8	0	562.0	508.5	0
..Cerebrovascular disease (430-438)	110	35	55	500	930	153.4	129.0	0	306.7	271.9	0
..Atherosclerosis (440)	11	1	5	3	28	.	.	0	.	.	0
...Atherosclerosis-related (440)	51	10	22	95	245	34.2	9.1	0	93.6	40.0	0
..Aortic aneurysm (441)	4	1	1	23	33	.	.	0	.	.	0
Pneumonia & influenza (480-487)	52	10	21	130	268	42.1	99.3	0	93.5	140.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	28	12	15	210	353	85.5	68.7	0	136.8	144.2	0
..COPD-related (490-496)	71	28	45	445	818	154.8	135.2	0	288.1	282.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	10	7	8	168	245
Chronic liver disease and cirrhosis (571)	16	11	15	223	353	72.1	87.4	0	113.4	149.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	38	13	23	158	348	57.7	59.0	0	131.9	105.6	0
..Nephritis-related (580-589)	180	87	128	1,427	2,514	462.3	332.1	0	838.8	594.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	18	29	285	528	90.7	79.9	0	177.4	132.6	0
Unintentional injuries (E800-E949)	47	39	43	1,246	1,646	432.2	453.1	0	535.7	569.9	0
..Motor vehicle accidents (E810-E825)	15	14	15	470	613	171.4	177.8	0	209.4	206.2	0
..Falls and fall related injuries (E880-E888)	2	.	1	0	3
..Drowning (E830,E832,E910)	1	1	1	65	75
..Residential fires (E890-E899)	4	3	3	157	187
Suicide (E950-E959)	7	6	7	145	213
Homicide and legal intervention (E960-E978)	20	20	20	826	1,026	312.1	410.7	0	363.2	482.3	0
..Homicide (E960-E969)	20	20	20	826	1,026	312.1	410.7	0	363.2	482.3	0
All injury (E800-E999)	74	65	70	2,217	2,884	792.8	922.6	0	968.6	1123.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	15	14	15	470	613	171.4	177.8	0	209.4	206.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	2	18	30
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	14	14	14	562	702	.	205.8	.	.	241.0	.
....Suicide (E955.0-.4)	1	1	1	3	13
....Homicide (E965.0-.4)	13	13	13	560	690	.	183.7	.	.	216.0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	11	11	263	373	.	132.9	.	.	184.1	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	10	133	225
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	11	11	248	358	.	138.5	.	.	186.5	.

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	4,068	2,317	3,038	52,535	79,272	9847.1	11157.6	1	14843.4	16427.7	1
Infectious diseases and parasitic disease (1-139)	539	487	515	11,912	16,922	2254.0	2535.8	0	3064.6	3388.5	0
..Septicemia (038)	72	37	52	697	1,144	131.0	99.0	0	220.3	179.2	0
...Septicemia-related (038)	264	135	189	2,482	4,082	481.4	474.1	0	799.1	781.9	0
..HIV infection (042-044)	418	408	416	10,087	14,207	1921.2	2230.5	0	2570.5	2924.0	0
All cancer (140-208)	817	389	603	4,697	9,702	1055.7	1235.7	0	2177.2	2467.9	0
..Oral cavity or pharynx (140.0-149.9)	16	13	15	198	338	40.5	69.1	0	69.0	107.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	72	38	55	395	868	91.6	101.4	0	198.7	212.7	0
...Colon cancer (153)	63	35	50	373	800	85.7	85.2	0	182.1	178.8	0
...Rectal cancer (154)	8	3	5	23	68	.	.	0	.	.	0
..Pancreatic cancer (157)	53	21	36	208	490	51.2	68.8	0	117.6	159.6	0
..Lung and other respiratory cancer (160-165)	200	102	156	1,020	2,305	248.1	261.4	0	543.9	605.7	0
...Lung cancer (162.2-.9)	187	91	143	943	2,113	228.7	237.9	0	497.9	558.6	0
..Malignant melanoma of skin (172)	2	1	1	18	28	.	.	0	.	.	0
..Female breast cancer (174)	73	46	59	615	1,143	.	.	0	.	.	0
..Cervical cancer (180)	14	8	11	145	248	.	.	0	.	.	0
..Endometrial cancer (182)	4	1	4	3	30	.	.	0	.	.	0
..Ovarian cancer (183)	8	3	5	13	53	.	.	0	.	.	0
..Prostate cancer (185)	79	17	45	78	393	.	.	0	.	.	0
..Bladder cancer (188)	10	1	3	3	18	.	4.2	0	.	21.3	0
..Brain & other CNS cancer (191-192)	15	6	10	125	210	23.1	.	0	40.2	.	0
..Leukemia (204-208)	31	15	24	357	554	66.2	68.0	0	105.7	89.8	0
Diabetes mellitus (250)	143	66	102	695	1,525	156.9	119.6	0	345.6	270.6	0
..Diabetes-related (250)	444	182	299	1,840	4,263	424.8	375.9	0	983.6	870.0	0
..Diabetic ketoacidosis (DKA) (250.1)	6	5	5	153	203	.	.	0	.	.	0
Alzheimer's diseases (331.0)	10	.	1	0	8	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,348	521	841	7,555	14,305	1618.3	1581.2	0	3096.8	3098.6	0
..Diseases of the heart (390-398,402,404-429)	1,082	424	686	6,290	11,795	1347.1	1204.6	0	2551.3	2396.1	0
...Heart disease-related (390-398,402,404-429)	2,020	925	1,377	15,268	26,668	3141.0	3327.8	0	5526.4	5808.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	701	242	425	2,605	5,923	624.5	594.2	0	1393.6	1333.5	0
....Congestive heart failure (CHF) (428.0)	36	12	17	252	390	47.7	26.2	0	74.6	55.1	0
..Hypertension with or without renal disease (401,403)	30	13	22	113	285	26.0	25.3	0	66.7	56.7	0
...Hypertension-related (401,403)	326	133	222	1,338	3,135	321.6	371.0	0	738.3	770.0	0
..Cerebrovascular disease (430-438)	190	70	107	937	1,815	200.3	272.8	0	391.3	504.8	0
...Atherosclerosis (440)	16	3	8	33	80	7.7	0.7	0	19.3	5.8	0
...Atherosclerosis-related (440)	85	22	40	230	530	53.7	11.3	1	123.2	64.2	0
..Aortic aneurysm (441)	14	6	9	90	163	.	14.1	0	.	36.5	0
Pneumonia & influenza (480-487)	109	44	62	732	1,237	151.4	224.9	0	254.8	320.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	62	28	36	360	680	79.3	110.8	0	149.1	211.2	0
..COPD-related (490-496)	180	65	109	778	1,653	173.1	243.5	0	370.7	468.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	16	10	13	215	328	43.7	72.7	0	65.6	100.6	0
Chronic liver disease and cirrhosis (571)	44	31	39	503	853	109.7	111.8	0	181.3	192.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	69	31	47	403	793	85.3	103.3	0	170.4	177.1	0
..Nephritis-related (580-589)	336	178	246	3,123	5,238	635.2	614.3	0	1061.4	996.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	90	40	62	595	1,105	119.9	141.8	0	227.7	228.9	0
Unintentional injuries (E800-E949)	211	187	202	5,272	7,204	951.9	975.8	0	1251.7	1244.4	0
..Motor vehicle accidents (E810-E825)	71	68	71	2,266	2,959	389.1	347.4	0	482.4	423.9	0
..Falls and fall related injuries (E880-E888)	9	4	6	75	120
..Drowning (E830,E832,E910)	10	9	9	325	415
..Residential fires (E890-E899)	11	8	10	324	419
Suicide (E950-E959)	38	35	37	1,183	1,548	202.5	208.1	0	250.6	255.5	0
Homicide and legal intervention (E960-E978)	148	143	148	5,539	6,996	923.8	1170.7	0	1097.5	1373.3	0
..Homicide (E960-E969)	147	142	147	5,496	6,944	916.4	1165.9	0	1089.0	1367.5	0
All injury (E800-E999)	400	368	390	12,142	15,927	2101.4	2401.5	0	2625.8	2935.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	70	67	70	2,234	2,916	384.4	347.4	0	476.7	423.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	9	5	7	93	148
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	133	131	132	5,139	6,456	857.5	1072.7	0	1008.1	1260.2	0
....Suicide (E955.0-.4)	17	16	16	565	725	95.8	122.5	0	115.5	145.9	0
....Homicide (E965.0-.4)	113	112	113	4,436	5,564	737.8	899.7	0	865.7	1055.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	69	69	69	1,588	2,278	308.6	371.6	0	422.2	491.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	35	26	32	355	645	84.7	145.3	0	147.0	228.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	70	70	70	1,640	2,340	321.1	368.9	0	434.5	483.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	2,261	1,471	1,866	33,670	50,377	13508.7	15660.5	1	20434.2	23037.7	1
Infectious diseases and parasitic disease (1-139)	348	325	341	7,663	10,998	3222.6	3938.9	0	4439.4	5286.2	0
..Septicemia (038)	34	22	30	360	625	153.8	91.2	0	277.3	169.9	0
...Septicemia-related (038)	124	75	101	1,308	2,188	568.4	536.7	0	967.2	912.7	0
..HIV infection (042-044)	285	277	283	6,616	9,416	2797.9	3545.4	1	3796.2	4699.4	0
All cancer (140-208)	464	229	361	2,533	5,523	1310.0	1393.3	0	2877.7	3020.3	0
..Oral cavity or pharynx (140.0-149.9)	15	12	14	190	320	82.8	107.2	0	142.8	168.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	35	18	29	145	383	83.1	144.6	0	213.1	296.0	0
...Colon cancer (153)	29	15	24	123	315	69.5	109.4	0	175.0	225.7	0
...Rectal cancer (154)	6	3	5	23	68
..Pancreatic cancer (157)	26	14	22	115	310	68.7	110.0	0	174.7	236.7	0
..Lung and other respiratory cancer (160-165)	135	75	110	718	1,655	403.0	374.8	0	901.1	914.2	0
...Lung cancer (162.2-.9)	125	66	100	650	1,495	364.7	333.9	0	813.8	829.7	0
..Malignant melanoma of skin (172)	2	1	1	18	28
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	79	17	45	78	393	45.8	42.4	0	229.9	171.5	0
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	10	5	8	83	150
..Leukemia (204-208)	16	7	13	63	163	36.8	.	0	92.4	.	0
Diabetes mellitus (250)	57	28	42	385	740	178.8	170.9	0	355.7	338.7	0
..Diabetes-related (250)	177	84	136	930	2,060	472.5	419.1	0	1063.2	948.5	0
..Diabetic ketoacidosis (DKA) (250.1)	5	4	4	120	160
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	645	296	463	4,442	8,225	2071.8	2151.2	0	3950.1	4218.2	0
..Diseases of the heart (390-398,402,404-429)	531	245	385	3,785	6,915	1747.3	1602.9	0	3296.5	3216.4	0
...Heart disease-related (390-398,402,404-429)	1,029	549	791	9,111	15,776	4117.7	4518.6	0	7277.6	7834.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	347	141	239	1,558	3,448	829.9	882.6	0	1832.3	1939.3	0
....Congestive heart failure (CHF) (428.0)	13	6	9	110	183	.	20.4	.	.	54.6	.
..Hypertension with or without renal disease (401,403)	12	7	11	73	158
...Hypertension-related (401,403)	142	70	116	690	1,640	379.7	482.9	0	889.2	1009.6	0
..Cerebrovascular disease (430-438)	80	35	52	438	885	226.7	399.1	0	453.0	727.6	0
..Atherosclerosis (440)	5	2	3	30	53
...Atherosclerosis-related (440)	34	12	18	135	285	70.8	12.4	1	148.2	92.5	0
..Aortic aneurysm (441)	10	5	8	68	130
Pneumonia & influenza (480-487)	57	34	41	602	970	273.9	346.5	0	437.6	503.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	34	16	21	150	328	79.0	151.9	0	172.1	278.7	0
..COPD-related (490-496)	109	37	64	333	835	183.2	346.9	0	456.6	657.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	6	3	5	48	83
Chronic liver disease and cirrhosis (571)	28	20	24	280	500	148.1	114.7	0	254.2	208.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	31	18	24	245	445	113.6	156.8	0	210.8	261.9	0
..Nephritis-related (580-589)	156	91	118	1,697	2,724	758.3	898.7	0	1211.6	1406.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	43	22	33	310	578	141.1	216.6	0	272.1	343.8	0
Unintentional injuries (E800-E949)	164	148	159	4,026	5,559	1555.4	1545.9	0	2086.2	1985.6	0
..Motor vehicle accidents (E810-E825)	56	54	56	1,796	2,346	640.2	543.5	0	799.0	678.4	0
..Falls and fall related injuries (E880-E888)	7	4	5	75	118
..Drowning (E830,E832,E910)	9	8	8	260	340
..Residential fires (E890-E899)	7	5	7	168	233
Suicide (E950-E959)	31	29	30	1,038	1,335	365.5	378.8	0	442.5	467.9	0
Homicide and legal intervention (E960-E978)	128	123	128	4,713	5,970	1602.7	1949.1	0	1918.5	2287.1	0
..Homicide (E960-E969)	127	122	127	4,670	5,918	1587.9	1938.8	0	1901.5	2274.6	0
All injury (E800-E999)	326	303	320	9,926	13,043	3570.0	3954.9	0	4499.0	4850.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	55	53	55	1,764	2,304	630.1	543.5	0	786.7	678.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	7	4	5	75	118
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	117	118	4,577	5,754	1552.9	1955.9	0	1830.0	2304.0	0
....Suicide (E955.0-.4)	16	15	15	563	713	194.8	230.2	0	230.3	276.8	0
....Homicide (E965.0-.4)	100	99	100	3,877	4,874	1311.3	1624.4	0	1546.5	1909.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	58	58	58	1,325	1,905	562.6	600.0	0	773.7	787.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	24	17	22	223	420	121.9	239.0	0	220.7	374.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	59	59	59	1,393	1,983	588.8	589.3	0	797.6	768.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	1,807	846	1,172	18,865	28,895	6663.6	7188.6	0	10112.6	10745.4	0
Infectious diseases and parasitic disease (1-139)	191	162	174	4,249	5,924	1442.8	1345.9	0	1920.1	1786.8	0
..Septicemia (038)	38	15	22	337	519	115.1	107.2	0	177.8	189.2	0
...Septicemia-related (038)	140	60	88	1,174	1,894	416.1	428.2	0	670.3	684.2	0
..HIV infection (042-044)	133	131	133	3,472	4,792	1181.8	1112.9	0	1543.8	1422.1	0
All cancer (140-208)	353	160	242	2,164	4,179	858.7	1119.3	0	1641.5	2051.8	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	8	18	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	37	20	26	250	485	99.9	67.7	0	190.6	148.6	0
...Colon cancer (153)	34	20	26	250	485	99.9	66.5	0	190.6	142.9	0
...Rectal cancer (154)	2	.	.	0	0	.	.	0	.	.	0
..Pancreatic cancer (157)	27	7	14	93	180	38.1	35.2	0	73.4	97.8	0
..Lung and other respiratory cancer (160-165)	65	27	46	303	650	126.5	171.9	0	267.3	366.5	0
...Lung cancer (162.2-.9)	62	25	43	293	618	122.0	162.6	0	253.2	348.9	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	73	46	59	615	1,143	247.8	348.6	0	447.6	567.9	0
..Cervical cancer (180)	14	8	11	145	248	.	.	0	.	.	0
..Endometrial cancer (182)	4	1	4	3	30	.	.	0	.	.	0
..Ovarian cancer (183)	8	3	5	13	53	.	38.2	0	.	83.7	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	6	1	1	3	13	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	5	1	2	43	60	.	.	0	.	.	0
..Leukemia (204-208)	15	8	11	294	392	97.7	.	0	126.0	.	0
Diabetes mellitus (250)	86	38	60	310	785	134.7	78.1	0	330.6	215.8	0
..Diabetes-related (250)	267	98	163	910	2,203	384.9	342.6	0	917.6	810.4	0
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43	.	.	0	.	.	0
Alzheimer's diseases (331.0)	10	.	1	0	8	.	.	0	.	.	0
Cardiovascular disease (390-459)	703	225	378	3,113	6,080	1237.6	1119.0	0	2406.4	2209.4	0
..Diseases of the heart (390-398,402,404-429)	551	179	301	2,506	4,881	1006.9	890.1	0	1944.3	1754.3	0
...Heart disease-related (390-398,402,404-429)	991	376	586	6,157	10,892	2331.8	2343.7	0	4113.9	4166.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	354	101	186	1,048	2,475	459.1	362.0	0	1049.9	855.1	0
....Congestive heart failure (CHF) (428.0)	23	6	8	142	207	48.4	33.1	0	70.0	58.0	0
..Hypertension with or without renal disease (401,403)	18	6	11	40	128	18.9	.	0	56.5	.	0
...Hypertension-related (401,403)	184	63	106	648	1,495	276.8	282.9	0	622.9	582.4	0
..Cerebrovascular disease (430-438)	110	35	55	500	930	182.5	164.2	0	345.4	321.3	0
..Atherosclerosis (440)	11	1	5	3	28	.	.	0	.	.	0
...Atherosclerosis-related (440)	51	10	22	95	245	39.9	10.6	0	102.7	43.5	0
..Aortic aneurysm (441)	4	1	1	23	33	.	.	0	.	.	0
Pneumonia & influenza (480-487)	52	10	21	130	268	48.4	122.3	0	103.2	169.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	28	12	15	210	353	83.4	72.1	0	136.4	151.0	0
..COPD-related (490-496)	71	28	45	445	818	170.9	152.4	0	312.6	309.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	10	7	8	168	245
Chronic liver disease and cirrhosis (571)	16	11	15	223	353	81.4	109.5	0	126.1	180.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	38	13	23	158	348	63.4	59.6	0	139.8	107.7	0
..Nephritis-related (580-589)	180	87	128	1,427	2,514	535.1	377.2	0	939.1	657.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	18	29	285	528	104.7	80.5	0	195.8	134.5	0
Unintentional injuries (E800-E949)	47	39	43	1,246	1,646	423.9	454.5	0	532.9	577.2	0
..Motor vehicle accidents (E810-E825)	15	14	15	470	613	159.7	163.1	0	196.7	189.2	0
..Falls and fall related injuries (E880-E888)	2	.	1	0	3
..Drowning (E830,E832,E910)	1	1	1	65	75
..Residential fires (E890-E899)	4	3	3	157	187
Suicide (E950-E959)	7	6	7	145	213
Homicide and legal intervention (E960-E978)	20	20	20	826	1,026	271.7	408.3	0	316.5	482.2	0
..Homicide (E960-E969)	20	20	20	826	1,026	271.7	408.3	0	316.5	482.2	0
All injury (E800-E999)	74	65	70	2,217	2,884	743.0	926.3	0	917.7	1137.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	15	14	15	470	613	159.7	163.1	0	196.7	189.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	2	18	30
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	14	14	14	562	702	.	207.9	.	.	244.1	.
....Suicide (E955.0-.4)	1	1	1	3	13
....Homicide (E965.0-.4)	13	13	13	560	690	.	190.4	.	.	224.4	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	11	11	11	263	373	.	170.5	.	.	232.5	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	10	133	225
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	11	11	11	248	358	.	178.4	.	.	237.8	.

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).