

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1996

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

*****Causes of Death*****	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Signif-icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1995 AAMR
All causes	2,006	675.6	672.4	0	705.2	1,110	788.1	898.7	0	950.2	896	574.0	496.6	0	514.4
Infectious diseases and parasitic disease (1-139)	218	73.4	70.6	1	107.1	149	105.8	106.7	1	150.2	69	44.2	40.8	1	71.6
..Septicemia (038)	28	9.4	9.5	0	14.8	17	12.1	14.2	0	14.9	11	7.0	.	.	14.1
....Septicemia-related (038)	120	40.4	40.0	0	48.6	62	44.0	51.7	0	51.6	58	37.2	31.4	0	45.8
..HIV infection (042-044)	170	57.3	54.3	1	82.2	122	86.6	85.4	1	121.1	48	30.8	28.2	1	50.9
All cancer (140-208)	432	145.5	152.0	0	141.1	242	171.8	210.0	0	200.3	190	121.7	112.0	0	98.8
..Oral cavity or pharynx (140.0-149.9)	9	3.0	.	.	.	9	6.4
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	13.5	14.8	0	11.1	20	14.2	18.0	0	13.5	20	12.8	12.4	0	9.8
....Colon cancer (153)	34	11.5	12.7	0	10.1	15	10.7	13.5	0	.	19	12.2	12.2	0	8.8
....Rectal cancer (154)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.6	.	.	.
..Pancreatic cancer (157)	24	8.1	8.3	0	10.6	12	8.5	.	.	.	12	7.7	.	.	8.6
..Lung and other respiratory cancer (160-165)	97	32.7	35.2	0	39.0	63	44.7	56.3	0	66.1	34	21.8	20.2	0	18.8
....Lung cancer (162.2-.9)	93	31.3	33.6	0	35.3	60	42.6	53.5	0	59.4	33	21.1	19.5	0	17.5
..Malignant melanoma of skin (172)	1	0.3	.	.	.	1	0.7
..Female breast cancer (174)	38	38	24.3	23.4	0	22.4
..Cervical cancer (180)	10	10	6.4	.	.	.
..Endometrial cancer (182)	1	1	0.6	.	.	.
..Ovarian cancer (183)	4	4	2.6	.	.	.
..Prostate cancer (185)	39	39	27.7	32.3	0	36.6
..Bladder cancer (188)	4	1.3	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
..Brain & other CNS cancer (191-192)	9	3.0	.	.	.	5	3.6	.	.	.	4	2.6	.	.	.
..Leukemia (204-208)	18	6.1	6.1	0	.	10	7.1	.	.	.	8	5.1	.	.	.
Diabetes mellitus (250)	81	27.3	28.2	0	22.6	37	26.3	31.3	0	17.9	44	28.2	25.8	0	25.8
..Diabetes-related (250)	230	77.5	78.8	0	77.0	89	63.2	76.0	0	80.6	141	90.3	79.8	0	73.7
..Diabetic ketoacidosis (DKA) (250.1)	4	1.3	.	.	.	4	2.8
Alzheimer's diseases (331.0)	3	1.0	3	1.9	.	.	.
Cardiovascular disease (390-459)	670	225.6	220.9	0	228.9	310	220.1	264.4	0	291.3	360	230.6	189.7	0	182.0
..Diseases of the heart (390-398,402,404-429)	543	182.9	179.1	0	183.5	260	184.6	221.5	0	236.5	283	181.3	149.1	0	144.1
....Heart disease-related (390-398,402,404-429)	989	333.1	330.0	0	351.7	497	352.9	416.4	0	458.8	492	315.2	267.1	0	271.3
....Coronary heart disease (CHD) (402,410-414,429.2)	338	113.8	110.6	0	124.6	159	112.9	136.3	0	167.9	179	114.7	93.3	0	93.6
....Congestive heart failure (CHF) (428.0)	17	5.7	5.1	0	5.2	5	3.6	.	.	.	12	7.7	.	.	.
....Hypertension with or without renal disease (401,403)	15	5.1	5.5	0	5.3	6	4.3	.	.	.	9	5.8	.	.	.
....Hypertension-related (401,403)	178	59.9	62.2	0	51.4	75	53.3	67.1	0	61.2	103	66.0	57.4	0	43.7
..Cerebrovascular disease (430-438)	95	32.0	30.6	0	31.1	38	27.0	31.6	0	36.1	57	36.5	29.8	0	26.8
..Atherosclerosis (440)	6	2.0	.	.	.	1	0.7	.	.	.	5	3.2	.	.	.
....Atherosclerosis-related (440)	41	13.8	12.4	0	14.0	13	9.2	.	.	17.6	28	17.9	13.4	0	11.5
..Aortic aneurysm (441)	4	1.3	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
Pneumonia & influenza (480-487)	64	21.6	19.2	0	14.6	31	22.0	24.4	0	22.0	33	21.1	15.4	0	8.6

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Black Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	30	10.1	9.9	0	11.2	15	10.7	12.8	0	17.4	15	9.6	8.4	0	.
..COPD-related (490-496)	85	28.6	27.9	0	33.6	51	36.2	43.0	0	52.6	34	21.8	19.2	0	21.1
..Asthma (493)	7	2.4	.	.	.	3	2.1	.	.	.	4	2.6	.	.	.
Chronic liver disease and cirrhosis (571)	22	7.4	8.3	0	7.8	13	9.2	.	.	12.7	9	5.8	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	31	10.4	10.9	0	13.0	13	9.2	.	.	15.1	18	11.5	10.5	0	11.5
..Nephritis-related (580-589)	160	53.9	53.8	0	60.5	75	53.3	59.5	0	67.8	85	54.5	49.7	0	56.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	41	13.8	14.2	0	16.8	17	12.1	15.1	0	21.8	24	15.4	13.6	0	13.2
Unintentional injuries (E800-E949)	99	33.3	34.9	0	38.7	78	55.4	61.1	0	65.0	21	13.5	13.1	0	17.1
..Motor vehicle accidents (E810-E825)	36	12.1	12.9	0	12.0	31	22.0	23.7	0	17.6	5	3.2	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.7	.	.	.	5	3.6
..Drowning (E830,E832,E910)	6	2.0	.	.	.	6	4.3
..Residential fires (E890-E899)	5	1.7	.	.	.	3	2.1	.	.	.	2	1.3	.	.	.
Suicide (E950-E959)	24	8.1	8.8	0	.	21	14.9	16.0	0	.	3	1.9	.	.	.
Homicide and legal intervention (E960-E978)	78	26.3	28.3	0	24.7	69	49.0	52.1	0	43.0	9	5.8	.	.	.
..Homicide (E960-E969)	77	25.9	27.9	0	24.7	68	48.3	51.3	0	43.0	9	5.8	.	.	.
All injury (E800-E999)	204	68.7	73.1	0	68.2	171	121.4	131.3	0	114.9	33	21.1	21.5	0	27.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	36	12.1	12.9	0	11.7	31	22.0	23.7	0	17.0	5	3.2	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	74	24.9	27.0	0	21.3	69	49.0	51.4	0	36.9	5	3.2	.	.	.
....Suicide (E955.0-.4)	13	4.4	.	.	.	13	9.2
....Homicide (E965.0-.4)	59	19.9	21.6	0	19.4	54	38.3	40.1	0	34.1	5	3.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	31	10.4	10.9	0	12.8	24	17.0	18.8	0	24.7	7	4.5	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	17	5.7	6.5	0	6.7	10	7.1	.	.	.	7	4.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	9.1	9.1	0	14.4	22	15.6	16.7	0	26.5	5	3.2	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Black Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

*****Causes of Death*****	Both Sexes					Male					Female				
	*****1996*****					*****1996*****					*****1996*****				
	No. of deaths	Crude rate	AAMR	Signif-icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1995 AAMR
All causes	2,006	675.6	838.5	0	864.5	1,110	788.1	1097.3	0	1129.8	896	574.0	646.2	0	662.1
Infectious diseases and parasitic disease (1-139)	218	73.4	66.7	1	102.6	149	105.8	100.3	1	141.1	69	44.2	39.4	1	70.5
..Septicemia (038)	28	9.4	11.9	0	19.3	17	12.1	17.5	0	17.0	11	7.0	.	.	19.7
....Septicemia-related (038)	120	40.4	51.9	0	61.7	62	44.0	65.9	0	61.9	58	37.2	41.9	0	60.4
..HIV infection (042-044)	170	57.3	47.9	1	73.0	122	86.6	75.9	1	110.1	48	30.8	24.6	1	43.7
All cancer (140-208)	432	145.5	196.6	0	179.1	242	171.8	277.5	0	255.8	190	121.7	143.9	0	126.2
..Oral cavity or pharynx (140.0-149.9)	9	3.0	.	.	.	9	6.4
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	13.5	17.9	0	15.1	20	14.2	22.1	0	19.0	20	12.8	14.8	0	13.0
....Colon cancer (153)	34	11.5	15.2	0	13.5	15	10.7	16.6	0	.	19	12.2	14.2	0	11.4
....Rectal cancer (154)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.6	.	.	.
..Pancreatic cancer (157)	24	8.1	11.2	0	13.9	12	8.5	.	.	.	12	7.7	.	.	12.1
..Lung and other respiratory cancer (160-165)	97	32.7	44.6	0	48.6	63	44.7	71.9	0	81.2	34	21.8	25.9	0	24.8
....Lung cancer (162.2-.9)	93	31.3	42.7	0	44.3	60	42.6	68.8	0	73.4	33	21.1	25.0	0	23.1
..Malignant melanoma of skin (172)	1	0.3	.	.	.	1	0.7
..Female breast cancer (174)	38	38	24.3	27.8	0	26.3
..Cervical cancer (180)	10	10	6.4	.	.	.
..Endometrial cancer (182)	1	1	0.6	.	.	.
..Ovarian cancer (183)	4	4	2.6	.	.	.
..Prostate cancer (185)	39	39	27.7	51.6	0	52.7
..Bladder cancer (188)	4	1.3	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
..Brain & other CNS cancer (191-192)	9	3.0	.	.	.	5	3.6	.	.	.	4	2.6	.	.	.
..Leukemia (204-208)	18	6.1	7.9	0	.	10	7.1	.	.	.	8	5.1	.	.	.
Diabetes mellitus (250)	81	27.3	37.5	0	29.3	37	26.3	41.6	0	23.1	44	28.2	34.8	0	33.3
..Diabetes-related (250)	230	77.5	106.7	0	102.7	89	63.2	100.4	0	104.4	141	90.3	109.8	0	99.8
..Diabetic ketoacidosis (DKA) (250.1)	4	1.3	.	.	.	4	2.8
Alzheimer's diseases (331.0)	3	1.0	3	1.9	.	.	.
Cardiovascular disease (390-459)	670	225.6	305.1	0	314.5	310	220.1	359.6	0	385.3	360	230.6	266.7	0	261.4
..Diseases of the heart (390-398,402,404-429)	543	182.9	246.3	0	249.9	260	184.6	300.5	0	311.0	283	181.3	208.9	0	204.8
....Heart disease-related (390-398,402,404-429)	989	333.1	436.7	0	461.1	497	352.9	542.2	0	581.9	492	315.2	362.7	0	370.9
....Coronary heart disease (CHD) (402,410-414,429.2)	338	113.8	157.1	0	172.9	159	112.9	192.2	0	226.3	179	114.7	134.6	0	135.0
....Congestive heart failure (CHF) (428.0)	17	5.7	7.9	0	8.0	5	3.6	.	.	.	12	7.7	.	.	.
....Hypertension with or without renal disease (401,403)	15	5.1	7.3	0	7.0	6	4.3	.	.	.	9	5.8	.	.	.
....Hypertension-related (401,403)	178	59.9	82.3	0	70.4	75	53.3	84.5	0	79.4	103	66.0	78.5	0	62.4
..Cerebrovascular disease (430-438)	95	32.0	43.3	0	44.5	38	27.0	44.6	0	49.1	57	36.5	42.4	0	39.9
..Atherosclerosis (440)	6	2.0	.	.	.	1	0.7	.	.	.	5	3.2	.	.	.
....Atherosclerosis-related (440)	41	13.8	19.3	0	21.0	13	9.2	.	.	26.1	28	17.9	20.7	0	17.9
..Aortic aneurysm (441)	4	1.3	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.
Pneumonia & influenza (480-487)	64	21.6	28.3	0	19.7	31	22.0	34.6	0	26.3	33	21.1	24.2	0	13.9

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Black Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	30	10.1	13.6	0	15.5	15	10.7	18.3	0	24.1	15	9.6	11.2	0	.
..COPD-related (490-496)	85	28.6	39.4	0	45.9	51	36.2	64.4	0	74.1	34	21.8	25.5	0	28.1
..Asthma (493)	7	2.4	.	.	.	3	2.1	.	.	.	4	2.6	.	.	.
Chronic liver disease and cirrhosis (571)	22	7.4	9.0	0	9.1	13	9.2	.	.	16.0	9	5.8	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	31	10.4	14.3	0	17.4	13	9.2	.	.	20.1	18	11.5	14.1	0	15.8
..Nephritis-related (580-589)	160	53.9	67.2	0	76.3	75	53.3	73.6	0	88.6	85	54.5	63.4	0	70.0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	41	13.8	18.5	0	22.1	17	12.1	19.0	0	29.0	24	15.4	17.8	0	17.8
Unintentional injuries (E800-E949)	99	33.3	33.9	0	39.1	78	55.4	60.5	0	64.6	21	13.5	12.5	0	18.7
..Motor vehicle accidents (E810-E825)	36	12.1	11.9	0	11.3	31	22.0	22.0	0	15.9	5	3.2	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.7	.	.	.	5	3.6
..Drowning (E830,E832,E910)	6	2.0	.	.	.	6	4.3
..Residential fires (E890-E899)	5	1.7	.	.	.	3	2.1	.	.	.	2	1.3	.	.	.
Suicide (E950-E959)	24	8.1	8.4	0	.	21	14.9	15.0	0	.	3	1.9	.	.	.
Homicide and legal intervention (E960-E978)	78	26.3	26.8	0	22.5	69	49.0	48.0	0	39.1	9	5.8	.	.	.
..Homicide (E960-E969)	77	25.9	26.4	0	22.5	68	48.3	48.0	0	39.1	9	5.8	.	.	.
All injury (E800-E999)	204	68.7	70.1	0	65.8	171	121.4	126.3	0	109.4	33	21.1	21.1	0	28.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	36	12.1	11.9	0	11.1	31	22.0	22.0	0	15.5	5	3.2	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	74	24.9	24.9	0	19.4	69	49.0	46.9	0	33.2	5	3.2	.	.	.
....Suicide (E955.0-.4)	13	4.4	.	.	.	13	9.2
....Homicide (E965.0-.4)	59	19.9	19.8	0	17.6	54	38.3	36.3	0	30.8	5	3.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	31	10.4	10.3	0	11.3	24	17.0	17.8	0	21.4	7	4.5	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	17	5.7	7.3	0	7.4	10	7.1	.	.	.	7	4.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	9.1	8.3	0	12.6	22	15.6	15.4	0	22.8	5	3.2	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Black Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

*****Causes of Death*****	Both Sexes					Male					Female					
	*****1996*****					*****1996*****					*****1996*****					
	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	
All causes	2,006	675.6	1056.7		0	1095.7	1,110	788.1	1364.4	0	1397.8	896	574.0	836.1	0	864.8
Infectious diseases and parasitic disease (1-139)	218	73.4	83.3	1	127.7	149	105.8	126.3	0	172.8	69	44.2	48.5	1	88.6	
..Septicemia (038)	28	9.4	14.6	0	25.4	17	12.1	20.7	0	19.2	11	7.0	.	.	27.3	
....Septicemia-related (038)	120	40.4	66.0	0	81.2	62	44.0	82.1	0	79.2	58	37.2	54.6	0	80.4	
..HIV infection (042-044)	170	57.3	60.7	1	91.0	122	86.6	96.5	1	137.8	48	30.8	31.0	1	53.8	
All cancer (140-208)	432	145.5	242.6	0	217.9	242	171.8	347.3	0	308.6	190	121.7	178.8	0	157.7	
..Oral cavity or pharynx (140.0-149.9)	9	3.0	.	.	.	9	6.4	
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	13.5	20.7	0	19.6	20	14.2	25.1	0	24.9	20	12.8	17.7	0	17.0	
....Colon cancer (153)	34	11.5	17.3	0	17.5	15	10.7	18.9	0	.	19	12.2	16.4	0	14.4	
....Rectal cancer (154)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.6	.	.	.	
..Pancreatic cancer (157)	24	8.1	14.3	0	17.4	12	8.5	.	.	.	12	7.7	.	.	16.0	
..Lung and other respiratory cancer (160-165)	97	32.7	53.3	0	57.4	63	44.7	85.7	0	93.8	34	21.8	32.1	0	30.9	
....Lung cancer (162.2-.9)	93	31.3	51.5	0	53.0	60	42.6	82.6	0	85.9	33	21.1	31.3	0	29.1	
..Malignant melanoma of skin (172)	1	0.3	.	.	.	1	0.7	
..Female breast cancer (174)	38	38	24.3	33.4	0	31.1	
..Cervical cancer (180)	10	10	6.4	.	.	.	
..Endometrial cancer (182)	1	1	0.6	.	.	.	
..Ovarian cancer (183)	4	4	2.6	.	.	.	
..Prostate cancer (185)	39	39	27.7	74.2	0	66.8	
..Bladder cancer (188)	4	1.3	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.	
..Brain & other CNS cancer (191-192)	9	3.0	.	.	.	5	3.6	.	.	.	4	2.6	.	.	.	
..Leukemia (204-208)	18	6.1	9.7	0	.	10	7.1	.	.	.	8	5.1	.	.	.	
Diabetes mellitus (250)	81	27.3	46.7	0	36.1	37	26.3	53.1	0	28.5	44	28.2	42.7	0	40.8	
..Diabetes-related (250)	230	77.5	136.1	0	129.0	89	63.2	127.1	0	125.9	141	90.3	140.3	0	128.2	
..Diabetic ketoacidosis (DKA) (250.1)	4	1.3	.	.	.	4	2.8	
Alzheimer's diseases (331.0)	3	1.0	3	1.9	.	.	.	
Cardiovascular disease (390-459)	670	225.6	406.3	0	421.4	310	220.1	468.2	0	497.3	360	230.6	363.3	0	362.4	
..Diseases of the heart (390-398,402,404-429)	543	182.9	327.7	0	331.6	260	184.6	390.6	0	398.0	283	181.3	284.7	0	281.6	
....Heart disease-related (390-398,402,404-429)	989	333.1	569.1	0	605.3	497	352.9	697.2	0	735.7	492	315.2	481.1	0	505.6	
....Coronary heart disease (CHD) (402,410-414,429.2)	338	113.8	212.3	0	229.6	159	112.9	257.2	0	290.0	179	114.7	184.3	0	186.6	
....Congestive heart failure (CHF) (428.0)	17	5.7	11.5	0	12.7	5	3.6	.	.	.	12	7.7	.	.	.	
....Hypertension with or without renal disease (401,403)	15	5.1	8.7	0	9.1	6	4.3	.	.	.	9	5.8	.	.	.	
....Hypertension-related (401,403)	178	59.9	103.0	0	92.3	75	53.3	98.9	0	97.7	103	66.0	102.1	0	85.2	
..Cerebrovascular disease (430-438)	95	32.0	59.3	0	61.5	38	27.0	61.4	0	65.0	57	36.5	58.1	0	56.7	
..Atherosclerosis (440)	6	2.0	.	.	.	1	0.7	.	.	.	5	3.2	.	.	.	
....Atherosclerosis-related (440)	41	13.8	28.1	0	30.1	13	9.2	.	.	37.8	28	17.9	29.9	0	25.6	
..Aortic aneurysm (441)	4	1.3	.	.	.	2	1.4	.	.	.	2	1.3	.	.	.	
Pneumonia & influenza (480-487)	64	21.6	41.2	0	27.5	31	22.0	50.6	0	33.4	33	21.1	35.5	0	21.6	

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Black Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	30	10.1	17.9	0	20.6	15	10.7	24.6	0	31.0	15	9.6	14.1	0	.
..COPD-related (490-496)	85	28.6	52.8	0	58.7	51	36.2	90.3	0	95.6	34	21.8	32.6	0	36.6
..Asthma (493)	7	2.4	.	.	.	3	2.1	.	.	.	4	2.6	.	.	.
Chronic liver disease and cirrhosis (571)	22	7.4	10.0	0	11.3	13	9.2	.	.	20.9	9	5.8	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	31	10.4	17.6	0	23.0	13	9.2	.	.	27.9	18	11.5	17.5	0	20.5
..Nephritis-related (580-589)	160	53.9	86.0	0	98.9	75	53.3	98.3	0	119.4	85	54.5	78.8	0	88.1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	41	13.8	22.9	0	29.0	17	12.1	21.8	0	39.3	24	15.4	22.7	0	23.0
Unintentional injuries (E800-E949)	99	33.3	36.9	0	44.9	78	55.4	67.0	0	75.9	21	13.5	13.5	0	20.7
..Motor vehicle accidents (E810-E825)	36	12.1	11.8	0	12.1	31	22.0	22.0	0	17.9	5	3.2	.	.	.
..Falls and fall related injuries (E880-E888)	5	1.7	.	.	.	5	3.6
..Drowning (E830,E832,E910)	6	2.0	.	.	.	6	4.3
..Residential fires (E890-E899)	5	1.7	.	.	.	3	2.1	.	.	.	2	1.3	.	.	.
Suicide (E950-E959)	24	8.1	8.2	0	.	21	14.9	14.9	0	.	3	1.9	.	.	.
Homicide and legal intervention (E960-E978)	78	26.3	25.0	0	21.1	69	49.0	46.4	0	37.3	9	5.8	.	.	.
..Homicide (E960-E969)	77	25.9	24.7	0	21.1	68	48.3	45.7	0	37.3	9	5.8	.	.	.
All injury (E800-E999)	204	68.7	70.9	0	70.6	171	121.4	129.9	0	119.9	33	21.1	21.3	0	29.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	36	12.1	11.8	0	11.8	31	22.0	22.0	0	17.3	5	3.2	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	6	2.0	.	.	.	5	3.6	.	.	.	1	0.6	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	74	24.9	22.8	0	17.7	69	49.0	43.9	0	31.0	5	3.2	.	.	.
....Suicide (E955.0-.4)	13	4.4	.	.	.	13	9.2
....Homicide (E965.0-.4)	59	19.9	17.8	0	16.0	54	38.3	33.2	0	28.6	5	3.2	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	31	10.4	11.6	0	13.9	24	17.0	20.3	0	26.9	7	4.5	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	17	5.7	8.0	0	8.9	10	7.1	.	.	.	7	4.5	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	9.1	10.0	0	15.6	22	15.6	18.3	0	28.9	5	3.2	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Black Resident DEATHS, 1996
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	2,006	1,125	1,480	25,347	38,289	9147.8	9716.8	0	13535.1	14411.7	0
Infectious diseases and parasitic disease (1-139)	218	202	209	4,854	6,917	1608.8	2408.7	1	2216.2	3299.9	1
..Septicemia (038)	28	16	21	317	510	111.1	131.0	0	179.2	221.3	0
...Septicemia-related (038)	120	56	87	1,082	1,780	382.2	502.3	0	626.8	819.7	0
..HIV infection (042-044)	170	168	169	4,108	5,796	1352.7	2039.2	1	1835.9	2760.6	1
All cancer (140-208)	432	198	312	2,394	4,969	911.8	920.9	0	1887.6	1867.1	0
..Oral cavity or pharynx (140.0-149.9)	9	7	9	63	143
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	24	34	250	540	97.9	58.5	0	209.1	131.3	0
...Colon cancer (153)	34	22	30	230	485	89.1	57.3	0	186.6	125.7	0
...Rectal cancer (154)	6	2	4	20	55
..Pancreatic cancer (157)	24	9	16	83	210	33.2	51.4	0	83.2	113.1	0
..Lung and other respiratory cancer (160-165)	97	46	75	485	1,088	189.0	224.0	0	420.5	496.3	0
...Lung cancer (162.2-.9)	93	42	71	460	1,023	178.8	201.3	0	394.1	443.0	0
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	38	24	30	320	595
..Cervical cancer (180)	10	6	8	105	180
..Endometrial cancer (182)	1	.	1	0	3
..Ovarian cancer (183)	4	1	2	3	20
..Prostate cancer (185)	39	7	20	38	170
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	9	1	4	28	55
..Leukemia (204-208)	18	9	14	212	324	76.2	.	0	116.7	.	0
Diabetes mellitus (250)	81	37	56	378	840	146.6	128.9	0	325.6	273.3	0
..Diabetes-related (250)	230	91	152	988	2,195	390.4	355.0	0	857.8	842.4	0
...Diabetic ketoacidosis (DKA) (250.1)	4	4	4	120	160
Alzheimer's diseases (331.0)	3	.	.	0	0
Cardiovascular disease (390-459)	670	265	415	3,653	6,958	1388.0	1471.4	0	2620.2	2766.1	0
..Diseases of the heart (390-398,402,404-429)	543	216	341	3,073	5,771	1173.2	1219.2	0	2176.6	2275.0	0
...Heart disease-related (390-398,402,404-429)	989	448	672	7,058	12,523	2594.2	3019.9	0	4569.5	5177.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	338	120	197	1,225	2,763	485.0	556.8	0	1078.4	1254.4	0
....Congestive heart failure (CHF) (428.0)	17	4	9	40	98	15.5	74.8	0	37.7	100.4	0
..Hypertension with or without renal disease (401,403)	15	7	11	38	128	16.6	28.7	0	53.6	60.9	0
...Hypertension-related (401,403)	178	78	125	715	1,748	293.0	248.5	0	697.9	548.0	0
..Cerebrovascular disease (430-438)	95	38	53	502	950	182.9	159.6	0	347.9	321.4	0
..Atherosclerosis (440)	6	.	3	0	13
...Atherosclerosis-related (440)	41	9	18	78	210	33.0	57.2	0	85.2	121.2	0
..Aortic aneurysm (441)	4	3	3	33	63
Pneumonia & influenza (480-487)	64	21	34	385	642	137.6	126.3	0	227.5	214.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	30	13	17	218	373	83.8	58.2	0	140.9	123.8	0
..COPD-related (490-496)	85	30	48	415	800	159.6	141.4	0	303.4	334.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	7	5	7	143	203
Chronic liver disease and cirrhosis (571)	22	16	22	235	420	88.4	101.2	0	155.1	159.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	31	13	22	173	345	66.0	86.9	0	131.2	169.3	0
..Nephritis-related (580-589)	160	84	119	1,499	2,497	533.0	590.2	0	878.2	990.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	41	17	30	263	490	96.4	121.0	0	179.8	225.4	0
Unintentional injuries (E800-E949)	99	94	96	2,650	3,595	986.2	934.6	0	1280.3	1237.7	0
..Motor vehicle accidents (E810-E825)	36	36	36	1,214	1,574	466.7	376.6	0	575.9	473.3	0
..Falls and fall related injuries (E880-E888)	5	3	4	63	95
..Drowning (E830,E832,E910)	6	6	6	200	260
..Residential fires (E890-E899)	5	5	5	227	277
Suicide (E950-E959)	24	21	23	783	1,008	315.8	.	0	385.3	.	0
Homicide and legal intervention (E960-E978)	78	74	78	2,830	3,595	1098.3	1029.8	0	1327.9	1228.9	0
..Homicide (E960-E969)	77	73	77	2,788	3,543	1079.3	1029.8	0	1305.6	1228.9	0
All injury (E800-E999)	204	192	200	6,412	8,377	2454.8	2106.0	0	3055.9	2649.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	36	36	36	1,214	1,574	466.7	366.9	0	575.9	461.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	4	5	80	123
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	74	72	73	2,857	3,585	1133.0	882.6	0	1349.0	1056.6	0
....Suicide (E955.0-.4)	13	12	12	455	575
....Homicide (E965.0-.4)	59	58	59	2,312	2,900	914.2	821.9	0	1088.7	980.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	31	31	31	673	983	242.7	321.4	0	341.6	436.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	17	13	16	148	290	57.2	79.6	0	110.9	132.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	603	873	211.7	362.4	0	294.6	491.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	1,110	710	902	16,533	24,583	12655.3	13052.9	0	18685.2	19602.6	0
Infectious diseases and parasitic disease (1-139)	149	140	144	3,336	4,766	2386.4	3219.3	0	3309.9	4511.6	0
..Septicemia (038)	17	11	14	188	320	141.0	136.7	0	249.5	245.8	0
...Septicemia-related (038)	62	34	49	605	1,018	467.1	549.5	0	798.2	919.5	0
..HIV infection (042-044)	122	120	121	2,936	4,144	2091.5	2749.2	0	2849.7	3813.8	0
All cancer (140-208)	242	115	184	1,213	2,725	1068.3	1181.0	0	2412.5	2508.1	0
..Oral cavity or pharynx (140.0-149.9)	9	7	9	63	143
..Colorectal cancer (153.0-154.3,154.8,159.0)	20	11	18	93	240	87.8	49.0	0	222.4	133.8	0
...Colon cancer (153)	15	9	14	73	185	67.7	.	0	170.8	.	0
...Rectal cancer (154)	5	2	4	20	55
..Pancreatic cancer (157)	12	6	10	40	130
..Lung and other respiratory cancer (160-165)	63	32	51	300	723	274.0	393.9	0	654.3	865.1	0
...Lung cancer (162.2-.9)	60	29	48	278	670	253.6	349.4	0	606.3	761.3	0
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	39	7	20	38	170	36.0	42.6	0	160.3	219.7	0
..Bladder cancer (188)	2	.	2	0	5
..Brain & other CNS cancer (191-192)	5	1	3	28	48
..Leukemia (204-208)	10	5	8	33	95
Diabetes mellitus (250)	37	18	27	260	488	206.6	112.2	0	398.1	225.9	0
..Diabetes-related (250)	89	41	67	528	1,083	438.2	378.9	0	915.3	911.1	0
..Diabetic ketoacidosis (DKA) (250.1)	4	4	4	120	160
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	310	140	217	1,899	3,667	1593.3	2064.6	0	3108.5	3761.5	0
..Diseases of the heart (390-398,402,404-429)	260	115	183	1,672	3,147	1389.6	1715.8	0	2641.8	3114.0	0
...Heart disease-related (390-398,402,404-429)	497	256	373	4,176	7,289	3330.9	3935.8	0	5864.7	6865.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	159	64	103	690	1,513	609.2	778.1	0	1335.4	1736.9	0
....Congestive heart failure (CHF) (428.0)	5	1	4	3	25
..Hypertension with or without renal disease (401,403)	6	4	6	15	65
...Hypertension-related (401,403)	75	40	63	350	883	330.7	313.0	0	817.0	689.3	0
..Cerebrovascular disease (430-438)	38	19	24	203	415	177.8	195.3	0	363.7	394.8	0
..Atherosclerosis (440)	1	.	1	0	3
...Atherosclerosis-related (440)	13	3	6	23	70	.	95.9	.	.	184.3	.
..Aortic aneurysm (441)	2	2	2	10	30
Pneumonia & influenza (480-487)	31	15	20	310	477	235.5	234.8	0	361.2	395.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	7	8	73	145	60.8	70.1	0	124.3	167.1	0
..COPD-related (490-496)	51	17	26	178	385	153.5	150.5	0	336.3	427.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	3	2	3	30	53
Chronic liver disease and cirrhosis (571)	13	10	13	140	253	.	117.9	.	.	207.2	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	13	6	11	85	163	.	134.3	.	.	238.3	.
..Nephritis-related (580-589)	75	45	60	900	1,412	682.1	625.0	0	1060.6	1035.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	17	7	15	88	188	66.4	180.8	0	153.0	319.7	0
Unintentional injuries (E800-E949)	78	74	76	1,994	2,739	1586.2	1509.2	0	2103.2	2032.9	0
..Motor vehicle accidents (E810-E825)	31	31	31	1,032	1,342	816.3	553.1	0	1017.8	695.9	0
..Falls and fall related injuries (E880-E888)	5	3	4	63	95
..Drowning (E830,E832,E910)	6	6	6	200	260
..Residential fires (E890-E899)	3	3	3	98	128
Suicide (E950-E959)	21	19	20	723	920	588.5	.	0	711.9	.	0
Homicide and legal intervention (E960-E978)	69	65	69	2,469	3,144	1954.5	1728.7	0	2376.6	2074.9	0
..Homicide (E960-E969)	68	64	68	2,426	3,091	1916.5	1728.7	0	2332.0	2074.9	0
All injury (E800-E999)	171	161	168	5,335	6,982	4238.0	3470.2	0	5316.3	4398.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	31	31	1,032	1,342	816.3	532.2	0	1017.8	669.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	3	4	63	95
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	69	67	68	2,660	3,337	2129.5	1505.9	0	2538.5	1808.9	0
....Suicide (E955.0-.4)	13	12	12	455	575
....Homicide (E965.0-.4)	54	53	54	2,115	2,652	1687.8	1385.1	0	2012.2	1664.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	24	24	24	495	735	393.3	619.4	0	566.4	840.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	10	7	9	73	153
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	22	22	22	480	700	371.7	674.9	0	523.5	912.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	896	415	578	8,814	13,706	5985.7	6840.3	0	9025.3	10038.6	0
Infectious diseases and parasitic disease (1-139)	69	62	65	1,518	2,151	948.8	1738.9	1	1293.2	2304.1	1
..Septicemia (038)	11	5	7	130	190	.	131.7	.	.	207.8	.
...Septicemia-related (038)	58	22	38	477	762	314.8	475.6	0	492.0	752.3	0
..HIV infection (042-044)	48	48	48	1,172	1,652	717.2	1450.4	1	970.1	1892.2	1
All cancer (140-208)	190	83	128	1,182	2,244	801.2	709.3	0	1499.3	1361.8	0
..Oral cavity or pharynx (140.0-149.9)
..Colorectal cancer (153.0-154.3,154.8,159.0)	20	13	16	158	300	107.5	67.5	0	201.7	132.1	0
...Colon cancer (153)	19	13	16	158	300	107.5	67.5	0	201.7	132.1	0
...Rectal cancer (154)	1	.	.	0	0
..Pancreatic cancer (157)	12	3	6	43	80	.	34.1	.	.	67.4	.
..Lung and other respiratory cancer (160-165)	34	14	24	185	365	123.7	90.1	0	241.7	209.1	0
...Lung cancer (162.2-.9)	33	13	23	183	353	121.7	84.3	0	232.1	194.5	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	38	24	30	320	595	218.9	202.4	0	399.6	370.2	0
..Cervical cancer (180)	10	6	8	105	180
..Endometrial cancer (182)	1	.	1	0	3
..Ovarian cancer (183)	4	1	2	3	20
..Prostate cancer (185)
..Bladder cancer (188)	2	.	.	0	0
..Brain & other CNS cancer (191-192)	4	.	1	0	8
..Leukemia (204-208)	8	4	6	179	229
Diabetes mellitus (250)	44	19	29	118	353	90.6	141.0	0	257.4	308.4	0
..Diabetes-related (250)	141	50	85	460	1,113	350.1	336.3	0	806.9	790.2	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	3	.	.	0	0
Cardiovascular disease (390-459)	360	125	198	1,754	3,291	1225.8	957.2	0	2240.2	1934.2	0
..Diseases of the heart (390-398,402,404-429)	283	101	158	1,402	2,624	993.6	786.4	0	1803.4	1574.2	0
...Heart disease-related (390-398,402,404-429)	492	192	299	2,882	5,235	1983.5	2256.9	0	3518.1	3813.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	179	56	94	535	1,250	384.7	378.5	0	875.0	876.5	0
....Congestive heart failure (CHF) (428.0)	12	3	5	38	73
..Hypertension with or without renal disease (401,403)	9	3	5	23	63
...Hypertension-related (401,403)	103	38	62	365	865	263.6	198.5	0	606.4	439.7	0
..Cerebrovascular disease (430-438)	57	19	29	300	535	194.9	129.9	0	345.2	260.3	0
..Atherosclerosis (440)	5	.	2	0	10
...Atherosclerosis-related (440)	28	6	12	55	140	41.0	26.2	0	99.2	71.0	0
..Aortic aneurysm (441)	2	1	1	23	33
Pneumonia & influenza (480-487)	33	6	14	75	165	52.9	36.7	0	113.1	67.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	6	9	145	228	111.7	.	0	165.6	.	0
..COPD-related (490-496)	34	13	22	238	415	174.5	137.0	0	290.6	266.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	4	3	4	113	150
Chronic liver disease and cirrhosis (571)	9	6	9	95	168
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	7	11	88	183	70.4	48.8	0	136.7	114.6	0
..Nephritis-related (580-589)	85	39	59	600	1,085	411.3	565.8	0	727.6	959.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	24	10	15	175	303	125.6	72.7	0	208.6	150.0	0
Unintentional injuries (E800-E949)	21	20	20	656	856	444.4	433.3	0	551.1	551.9	0
..Motor vehicle accidents (E810-E825)	5	5	5	183	233
..Falls and fall related injuries (E880-E888)
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	2	2	2	129	149
Suicide (E950-E959)	3	2	3	60	88
Homicide and legal intervention (E960-E978)	9	9	9	362	452
..Homicide (E960-E969)	9	9	9	362	452
All injury (E800-E999)	33	31	32	1,078	1,395	760.2	847.0	0	935.7	1052.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	5	5	5	183	233
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	18	28
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	198	248
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	198	248
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	7	7	7	178	248
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	7	6	7	75	138
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	5	5	5	123	173

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	2,006	1,125	1,480	25,347	38,289	8965.4	9326.8	0	13478.3	14086.2	0
Infectious diseases and parasitic disease (1-139)	218	202	209	4,854	6,917	1440.2	2123.5	1	1981.4	2915.1	1
..Septicemia (038)	28	16	21	317	510	112.8	121.9	0	185.3	217.5	0
...Septicemia-related (038)	120	56	87	1,082	1,780	368.1	470.9	0	629.2	797.4	0
..HIV infection (042-044)	170	168	169	4,108	5,796	1189.1	1771.2	1	1604.3	2391.1	1
All cancer (140-208)	432	198	312	2,394	4,969	917.6	920.6	0	1998.9	1963.6	0
..Oral cavity or pharynx (140.0-149.9)	9	7	9	63	143
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	24	34	250	540	99.2	58.1	0	222.1	139.6	0
...Colon cancer (153)	34	22	30	230	485	89.9	56.7	0	197.3	132.9	0
...Rectal cancer (154)	6	2	4	20	55
..Pancreatic cancer (157)	24	9	16	83	210	34.2	51.6	0	91.0	119.9	0
..Lung and other respiratory cancer (160-165)	97	46	75	485	1,088	189.2	234.2	0	447.2	537.0	0
...Lung cancer (162.2-.9)	93	42	71	460	1,023	178.4	209.3	0	417.8	477.4	0
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	38	24	30	320	595
..Cervical cancer (180)	10	6	8	105	180
..Endometrial cancer (182)	1	.	1	0	3
..Ovarian cancer (183)	4	1	2	3	20
..Prostate cancer (185)	39	7	20	38	170
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	9	1	4	28	55
..Leukemia (204-208)	18	9	14	212	324	78.8	.	0	122.9	.	0
Diabetes mellitus (250)	81	37	56	378	840	153.2	131.0	0	355.0	291.4	0
..Diabetes-related (250)	230	91	152	988	2,195	394.1	369.3	0	919.9	918.4	0
...Diabetic ketoacidosis (DKA) (250.1)	4	4	4	120	160
Alzheimer's diseases (331.0)	3	.	.	0	0
Cardiovascular disease (390-459)	670	265	415	3,653	6,958	1382.3	1434.4	0	2734.0	2844.1	0
..Diseases of the heart (390-398,402,404-429)	543	216	341	3,073	5,771	1168.3	1198.9	0	2266.4	2348.6	0
...Heart disease-related (390-398,402,404-429)	989	448	672	7,058	12,523	2525.3	2895.6	0	4648.1	5179.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	338	120	197	1,225	2,763	491.0	558.6	0	1155.6	1338.2	0
....Congestive heart failure (CHF) (428.0)	17	4	9	40	98	15.5	71.6	0	41.0	95.8	0
..Hypertension with or without renal disease (401,403)	15	7	11	38	128	18.6	27.2	0	61.8	62.7	0
...Hypertension-related (401,403)	178	78	125	715	1,748	305.0	248.7	0	761.4	582.5	0
..Cerebrovascular disease (430-438)	95	38	53	502	950	179.5	149.7	0	358.7	327.1	0
...Atherosclerosis (440)	6	.	3	0	13
...Atherosclerosis-related (440)	41	9	18	78	210	35.5	55.3	0	95.3	126.7	0
..Aortic aneurysm (441)	4	3	3	33	63
Pneumonia & influenza (480-487)	64	21	34	385	642	131.5	117.1	0	226.0	208.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	30	13	17	218	373	87.6	59.8	0	149.7	132.3	0
..COPD-related (490-496)	85	30	48	415	800	162.9	141.2	0	321.6	359.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	7	5	7	143	203
Chronic liver disease and cirrhosis (571)	22	16	22	235	420	84.4	96.7	0	154.7	155.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	31	13	22	173	345	62.6	83.5	0	135.3	172.3	0
..Nephritis-related (580-589)	160	84	119	1,499	2,497	497.2	554.3	0	854.9	969.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	41	17	30	263	490	88.3	113.0	0	180.1	224.1	0
Unintentional injuries (E800-E949)	99	94	96	2,650	3,595	945.4	876.5	0	1214.3	1154.7	0
..Motor vehicle accidents (E810-E825)	36	36	36	1,214	1,574	439.4	352.7	0	534.6	438.1	0
..Falls and fall related injuries (E880-E888)	5	3	4	63	95
..Drowning (E830,E832,E910)	6	6	6	200	260
..Residential fires (E890-E899)	5	5	5	227	277
Suicide (E950-E959)	24	21	23	783	1,008	292.9	.	0	353.3	.	0
Homicide and legal intervention (E960-E978)	78	74	78	2,830	3,595	1056.9	971.2	0	1260.7	1139.2	0
..Homicide (E960-E969)	77	73	77	2,788	3,543	1038.9	971.2	0	1239.9	1139.2	0
All injury (E800-E999)	204	192	200	6,412	8,377	2350.0	1971.1	0	2889.8	2453.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	36	36	36	1,214	1,574	439.4	345.5	0	534.6	429.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	4	5	80	123
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	74	72	73	2,857	3,585	1074.9	830.9	0	1258.9	979.6	0
...Suicide (E955.0-.4)	13	12	12	455	575
...Homicide (E965.0-.4)	59	58	59	2,312	2,900	870.9	774.5	0	1020.4	908.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	31	31	31	673	983	229.1	281.5	0	321.0	380.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	17	13	16	148	290	57.1	76.4	0	114.7	130.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	603	873	192.2	316.3	0	266.3	426.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	1,110	710	902	16,533	24,583	12319.8	12386.4	0	18477.0	19003.9	0
Infectious diseases and parasitic disease (1-139)	149	140	144	3,336	4,766	2128.1	2847.5	0	2948.9	4011.0	0
..Septicemia (038)	17	11	14	188	320	143.7	125.7	0	261.8	241.8	0
...Septicemia-related (038)	62	34	49	605	1,018	453.8	498.3	0	808.2	875.6	0
..HIV infection (042-044)	122	120	121	2,936	4,144	1850.5	2400.4	0	2505.0	3335.6	0
All cancer (140-208)	242	115	184	1,213	2,725	1112.5	1188.7	0	2622.9	2667.5	0
..Oral cavity or pharynx (140.0-149.9)	9	7	9	63	143
..Colorectal cancer (153.0-154.3,154.8,159.0)	20	11	18	93	240	93.9	51.2	0	247.1	149.0	0
...Colon cancer (153)	15	9	14	73	185	72.5	.	0	190.3	.	0
...Rectal cancer (154)	5	2	4	20	55
..Pancreatic cancer (157)	12	6	10	40	130
..Lung and other respiratory cancer (160-165)	63	32	51	300	723	283.3	411.2	0	711.8	934.1	0
...Lung cancer (162.2-.9)	60	29	48	278	670	262.0	362.6	0	659.5	818.6	0
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	39	7	20	38	170	39.7	50.0	0	190.0	263.8	0
..Bladder cancer (188)	2	.	2	0	5
..Brain & other CNS cancer (191-192)	5	1	3	28	48
..Leukemia (204-208)	10	5	8	33	95
Diabetes mellitus (250)	37	18	27	260	488	206.9	112.2	0	417.4	237.2	0
..Diabetes-related (250)	89	41	67	528	1,083	437.2	394.8	0	966.2	996.8	0
..Diabetic ketoacidosis (DKA) (250.1)	4	4	4	120	160
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	310	140	217	1,899	3,667	1607.0	1999.2	0	3278.9	3832.4	0
..Diseases of the heart (390-398,402,404-429)	260	115	183	1,672	3,147	1396.1	1676.3	0	2773.2	3190.2	0
...Heart disease-related (390-398,402,404-429)	497	256	373	4,176	7,289	3243.5	3766.5	0	5953.5	6875.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	159	64	103	690	1,513	613.9	779.2	0	1424.2	1850.5	0
....Congestive heart failure (CHF) (428.0)	5	1	4	3	25
..Hypertension with or without renal disease (401,403)	6	4	6	15	65
...Hypertension-related (401,403)	75	40	63	350	883	346.7	318.7	0	897.7	738.1	0
..Cerebrovascular disease (430-438)	38	19	24	203	415	180.6	184.8	0	383.6	401.6	0
..Atherosclerosis (440)	1	.	1	0	3
...Atherosclerosis-related (440)	13	3	6	23	70	.	94.2	.	.	189.9	.
..Aortic aneurysm (441)	2	2	2	10	30
Pneumonia & influenza (480-487)	31	15	20	310	477	224.9	218.3	0	350.4	382.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	7	8	73	145	59.8	72.0	0	129.0	182.6	0
..COPD-related (490-496)	51	17	26	178	385	153.9	161.4	0	358.1	483.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	3	2	3	30	53
Chronic liver disease and cirrhosis (571)	13	10	13	140	253	.	112.6	.	.	204.9	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	13	6	11	85	163	.	129.4	.	.	237.7	.
..Nephritis-related (580-589)	75	45	60	900	1,412	626.7	583.1	0	1002.6	1004.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	17	7	15	88	188	60.4	170.1	0	159.4	315.0	0
Unintentional injuries (E800-E949)	78	74	76	1,994	2,739	1518.6	1379.4	0	1997.7	1856.8	0
..Motor vehicle accidents (E810-E825)	31	31	31	1,032	1,342	776.6	497.4	0	955.9	617.7	0
..Falls and fall related injuries (E880-E888)	5	3	4	63	95
..Drowning (E830,E832,E910)	6	6	6	200	260
..Residential fires (E890-E899)	3	3	3	98	128
Suicide (E950-E959)	21	19	20	723	920	542.9	.	0	647.8	.	0
Homicide and legal intervention (E960-E978)	69	65	69	2,469	3,144	1850.0	1621.0	0	2221.1	1913.7	0
..Homicide (E960-E969)	68	64	68	2,426	3,091	1814.1	1621.0	0	2179.6	1913.7	0
All injury (E800-E999)	171	161	168	5,335	6,982	4020.4	3202.8	0	4988.9	4019.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	31	31	1,032	1,342	776.6	481.8	0	955.9	598.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	3	4	63	95
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	69	67	68	2,660	3,337	1995.8	1405.1	0	2339.0	1661.2	0
....Suicide (E955.0-.4)	13	12	12	455	575
....Homicide (E965.0-.4)	54	53	54	2,115	2,652	1584.9	1293.9	0	1858.2	1531.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	24	24	24	495	735	367.0	535.7	0	528.8	723.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	10	7	9	73	153
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	22	22	22	480	700	342.1	579.8	0	480.0	779.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	896	415	578	8,814	13,706	5937.2	6696.4	0	9118.0	9974.7	0
Infectious diseases and parasitic disease (1-139)	69	62	65	1,518	2,151	857.6	1529.2	1	1167.8	2021.0	1
..Septicemia (038)	11	5	7	130	190	.	124.5	.	.	204.7	.
...Septicemia-related (038)	58	22	38	477	762	300.0	462.6	0	488.7	750.4	0
..HIV infection (042-044)	48	48	48	1,172	1,652	619.9	1254.1	1	836.1	1619.2	1
All cancer (140-208)	190	83	128	1,182	2,244	774.9	704.7	0	1532.6	1413.3	0
..Oral cavity or pharynx (140.0-149.9)
..Colorectal cancer (153.0-154.3,154.8,159.0)	20	13	16	158	300	105.0	64.8	0	205.5	135.0	0
...Colon cancer (153)	19	13	16	158	300	105.0	64.8	0	205.5	135.0	0
...Rectal cancer (154)	1	.	.	0	0
..Pancreatic cancer (157)	12	3	6	43	80	.	32.0	.	.	68.8	.
..Lung and other respiratory cancer (160-165)	34	14	24	185	365	116.8	95.2	0	244.7	229.0	0
...Lung cancer (162.2-.9)	33	13	23	183	353	114.3	88.6	0	233.2	212.2	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	38	24	30	320	595	208.7	193.9	0	399.3	371.7	0
..Cervical cancer (180)	10	6	8	105	180
..Endometrial cancer (182)	1	.	1	0	3
..Ovarian cancer (183)	4	1	2	3	20
..Prostate cancer (185)
..Bladder cancer (188)	2	.	.	0	0
..Brain & other CNS cancer (191-192)	4	.	1	0	8
..Leukemia (204-208)	8	4	6	179	229
Diabetes mellitus (250)	44	19	29	118	353	102.0	144.9	0	294.7	331.6	0
..Diabetes-related (250)	141	50	85	460	1,113	356.6	349.6	0	876.5	859.5	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	3	.	.	0	0
Cardiovascular disease (390-459)	360	125	198	1,754	3,291	1203.1	945.8	0	2308.8	2025.8	0
..Diseases of the heart (390-398,402,404-429)	283	101	158	1,402	2,624	978.0	783.8	0	1859.9	1652.8	0
...Heart disease-related (390-398,402,404-429)	492	192	299	2,882	5,235	1929.5	2174.7	0	3592.3	3822.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	179	56	94	535	1,250	392.2	382.6	0	944.4	941.2	0
....Congestive heart failure (CHF) (428.0)	12	3	5	38	73
..Hypertension with or without renal disease (401,403)	9	3	5	23	63
...Hypertension-related (401,403)	103	38	62	365	865	272.7	194.5	0	656.9	463.6	0
..Cerebrovascular disease (430-438)	57	19	29	300	535	186.6	120.5	0	348.7	264.8	0
..Atherosclerosis (440)	5	.	2	0	10
...Atherosclerosis-related (440)	28	6	12	55	140	43.9	24.3	0	110.2	76.7	0
..Aortic aneurysm (441)	2	1	1	23	33
Pneumonia & influenza (480-487)	33	6	14	75	165	50.4	34.2	0	119.4	67.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	6	9	145	228	120.7	.	0	179.2	.	0
..COPD-related (490-496)	34	13	22	238	415	181.3	127.7	0	307.7	268.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	4	3	4	113	150
Chronic liver disease and cirrhosis (571)	9	6	9	95	168
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	7	11	88	183	69.7	47.0	0	144.3	121.0	0
..Nephritis-related (580-589)	85	39	59	600	1,085	392.1	535.6	0	733.2	948.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	24	10	15	175	303	115.4	67.1	0	204.0	152.1	0
Unintentional injuries (E800-E949)	21	20	20	656	856	427.7	436.9	0	521.6	550.1	0
..Motor vehicle accidents (E810-E825)	5	5	5	183	233
..Falls and fall related injuries (E880-E888)
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	2	2	2	129	149
Suicide (E950-E959)	3	2	3	60	88
Homicide and legal intervention (E960-E978)	9	9	9	362	452
..Homicide (E960-E969)	9	9	9	362	452
All injury (E800-E999)	33	31	32	1,078	1,395	756.7	826.5	0	917.4	1016.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	5	5	5	183	233
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	18	28
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	198	248
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	198	248
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	7	7	7	178	248
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	7	6	7	75	138
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	5	5	5	123	173

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	2,006	1,125	1,480	25,347	38,289	9471.9	10248.0	0	14291.7	15427.3	0
Infectious diseases and parasitic disease (1-139)	218	202	209	4,854	6,917	1839.6	2675.7	1	2503.0	3636.7	1
..Septicemia (038)	28	16	21	317	510	115.8	147.3	0	190.9	251.3	0
...Septicemia-related (038)	120	56	87	1,082	1,780	394.1	573.8	0	670.1	934.9	0
..HIV infection (042-044)	170	168	169	4,108	5,796	1562.2	2286.3	1	2088.8	3060.7	1
All cancer (140-208)	432	198	312	2,394	4,969	1058.8	1051.6	0	2201.1	2151.7	0
..Oral cavity or pharynx (140.0-149.9)	9	7	9	63	143
..Colorectal cancer (153.0-154.3,154.8,159.0)	40	24	34	250	540	116.4	65.8	0	245.9	149.9	0
...Colon cancer (153)	34	22	30	230	485	106.0	64.4	0	219.1	143.6	0
...Rectal cancer (154)	6	2	4	20	55
..Pancreatic cancer (157)	24	9	16	83	210	40.7	61.8	0	100.2	135.3	0
..Lung and other respiratory cancer (160-165)	97	46	75	485	1,088	225.3	271.9	0	498.6	591.1	0
...Lung cancer (162.2-.9)	93	42	71	460	1,023	213.1	245.1	0	468.2	529.0	0
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	38	24	30	320	595
..Cervical cancer (180)	10	6	8	105	180
..Endometrial cancer (182)	1	.	1	0	3
..Ovarian cancer (183)	4	1	2	3	20
..Prostate cancer (185)	39	7	20	38	170
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	9	1	4	28	55
..Leukemia (204-208)	18	9	14	212	324	74.4	.	0	119.5	.	0
Diabetes mellitus (250)	81	37	56	378	840	166.0	147.2	0	373.8	316.4	0
..Diabetes-related (250)	230	91	152	988	2,195	433.8	416.8	0	980.2	988.7	0
..Diabetic ketoacidosis (DKA) (250.1)	4	4	4	120	160
Alzheimer's diseases (331.0)	3	.	.	0	0
Cardiovascular disease (390-459)	670	265	415	3,653	6,958	1562.7	1674.3	0	3001.9	3192.8	0
..Diseases of the heart (390-398,402,404-429)	543	216	341	3,073	5,771	1310.6	1383.5	0	2482.3	2620.8	0
...Heart disease-related (390-398,402,404-429)	989	448	672	7,058	12,523	2902.8	3382.6	0	5190.5	5867.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	338	120	197	1,225	2,763	578.4	672.1	0	1282.3	1507.8	0
....Congestive heart failure (CHF) (428.0)	17	4	9	40	98	19.4	75.5	0	47.1	101.4	0
..Hypertension with or without renal disease (401,403)	15	7	11	38	128	19.5	32.4	0	62.7	70.6	0
...Hypertension-related (401,403)	178	78	125	715	1,748	346.9	295.8	0	822.4	652.2	0
..Cerebrovascular disease (430-438)	95	38	53	502	950	213.8	186.9	0	405.0	377.8	0
..Atherosclerosis (440)	6	.	3	0	13
...Atherosclerosis-related (440)	41	9	18	78	210	39.3	68.9	0	102.2	145.1	0
..Aortic aneurysm (441)	4	3	3	33	63
Pneumonia & influenza (480-487)	64	21	34	385	642	152.5	151.6	0	257.6	253.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	30	13	17	218	373	87.4	71.3	0	150.9	147.5	0
..COPD-related (490-496)	85	30	48	415	800	179.9	166.1	0	348.2	393.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	7	5	7	143	203
Chronic liver disease and cirrhosis (571)	22	16	22	235	420	102.5	117.3	0	179.9	183.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	31	13	22	173	345	69.4	102.5	0	144.6	197.7	0
..Nephritis-related (580-589)	160	84	119	1,499	2,497	600.9	670.9	0	997.2	1127.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	41	17	30	263	490	101.5	139.6	0	198.1	259.2	0
Unintentional injuries (E800-E949)	99	94	96	2,650	3,595	962.2	947.3	0	1251.3	1258.9	0
..Motor vehicle accidents (E810-E825)	36	36	36	1,214	1,574	422.6	359.9	0	518.3	451.6	0
..Falls and fall related injuries (E880-E888)	5	3	4	63	95
..Drowning (E830,E832,E910)	6	6	6	200	260
..Residential fires (E890-E899)	5	5	5	227	277
Suicide (E950-E959)	24	21	23	783	1,008	272.0	.	0	329.7	.	0
Homicide and legal intervention (E960-E978)	78	74	78	2,830	3,595	956.9	890.7	0	1147.3	1047.3	0
..Homicide (E960-E969)	77	73	77	2,788	3,543	941.6	890.7	0	1129.7	1047.3	0
All injury (E800-E999)	204	192	200	6,412	8,377	2238.1	1974.5	0	2780.7	2481.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	36	36	36	1,214	1,574	422.6	350.5	0	518.3	440.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	4	5	80	123
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	74	72	73	2,857	3,585	964.4	751.7	0	1130.5	887.1	0
....Suicide (E955.0-.4)	13	12	12	455	575
....Homicide (E965.0-.4)	59	58	59	2,312	2,900	776.5	698.6	0	910.6	820.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	31	31	31	673	983	261.1	356.6	0	365.9	479.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	17	13	16	148	290	68.9	101.1	0	130.7	164.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	603	873	237.6	406.0	0	327.1	543.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	1,110	710	902	16,533	24,583	13123.5	13943.4	0	19732.5	21198.7	0
Infectious diseases and parasitic disease (1-139)	149	140	144	3,336	4,766	2766.8	3688.7	0	3782.4	5111.9	0
..Septicemia (038)	17	11	14	188	320	149.9	158.6	0	270.2	285.9	0
...Septicemia-related (038)	62	34	49	605	1,018	498.8	642.4	0	874.4	1065.5	0
..HIV infection (042-044)	122	120	121	2,936	4,144	2433.9	3170.8	0	3265.8	4339.4	0
All cancer (140-208)	242	115	184	1,213	2,725	1270.6	1346.2	0	2856.5	2894.7	0
..Oral cavity or pharynx (140.0-149.9)	9	7	9	63	143
..Colorectal cancer (153.0-154.3,154.8,159.0)	20	11	18	93	240	105.6	60.0	0	264.5	160.2	0
...Colon cancer (153)	15	9	14	73	185	81.6	.	0	203.3	.	0
...Rectal cancer (154)	5	2	4	20	55
..Pancreatic cancer (157)	12	6	10	40	130
..Lung and other respiratory cancer (160-165)	63	32	51	300	723	330.6	478.4	0	779.2	1027.9	0
...Lung cancer (162.2-.9)	60	29	48	278	670	306.0	425.9	0	723.7	907.6	0
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	39	7	20	38	170	42.6	49.2	0	196.6	263.8	0
..Bladder cancer (188)	2	.	2	0	5
..Brain & other CNS cancer (191-192)	5	1	3	28	48
..Leukemia (204-208)	10	5	8	33	95
Diabetes mellitus (250)	37	18	27	260	488	231.4	124.7	0	452.8	256.1	0
..Diabetes-related (250)	89	41	67	528	1,083	506.4	437.4	0	1066.1	1060.4	0
..Diabetic ketoacidosis (DKA) (250.1)	4	4	4	120	160
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	310	140	217	1,899	3,667	1813.2	2331.8	0	3588.1	4315.7	0
..Diseases of the heart (390-398,402,404-429)	260	115	183	1,672	3,147	1567.7	1926.9	0	3036.7	3558.4	0
...Heart disease-related (390-398,402,404-429)	497	256	373	4,176	7,289	3778.8	4459.3	0	6719.9	7842.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	159	64	103	690	1,513	730.0	932.1	0	1591.9	2078.6	0
....Congestive heart failure (CHF) (428.0)	5	1	4	3	25
..Hypertension with or without renal disease (401,403)	6	4	6	15	65
...Hypertension-related (401,403)	75	40	63	350	883	385.0	375.4	0	953.3	825.7	0
..Cerebrovascular disease (430-438)	38	19	24	203	415	215.6	238.0	0	430.9	475.4	0
..Atherosclerosis (440)	1	.	1	0	3
...Atherosclerosis-related (440)	13	3	6	23	70	.	116.4	.	.	219.5	.
..Aortic aneurysm (441)	2	2	2	10	30
Pneumonia & influenza (480-487)	31	15	20	310	477	268.0	282.2	0	413.0	465.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	7	8	73	145	72.6	85.7	0	145.0	200.3	0
..COPD-related (490-496)	51	17	26	178	385	186.2	180.3	0	402.7	512.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	3	2	3	30	53
Chronic liver disease and cirrhosis (571)	13	10	13	140	253	.	145.8	.	.	248.2	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	13	6	11	85	163	.	157.4	.	.	274.6	.
..Nephritis-related (580-589)	75	45	60	900	1,412	789.1	727.2	0	1225.6	1197.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	17	7	15	88	188	74.3	210.0	0	179.8	367.3	0
Unintentional injuries (E800-E949)	78	74	76	1,994	2,739	1560.9	1561.4	0	2079.2	2106.8	0
..Motor vehicle accidents (E810-E825)	31	31	31	1,032	1,342	748.2	540.5	0	930.0	677.1	0
..Falls and fall related injuries (E880-E888)	5	3	4	63	95
..Drowning (E830,E832,E910)	6	6	6	200	260
..Residential fires (E890-E899)	3	3	3	98	128
Suicide (E950-E959)	21	19	20	723	920	505.9	.	0	605.7	.	0
Homicide and legal intervention (E960-E978)	69	65	69	2,469	3,144	1701.3	1506.6	0	2054.4	1784.9	0
..Homicide (E960-E969)	68	64	68	2,426	3,091	1670.7	1506.6	0	2019.2	1784.9	0
All injury (E800-E999)	171	161	168	5,335	6,982	3861.6	3299.6	0	4843.7	4178.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	31	31	1,032	1,342	748.2	520.1	0	930.0	652.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	3	4	63	95
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	69	67	68	2,660	3,337	1817.9	1292.4	0	2133.5	1531.4	0
....Suicide (E955.0-.4)	13	12	12	455	575
....Homicide (E965.0-.4)	54	53	54	2,115	2,652	1437.2	1187.0	0	1687.2	1407.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	24	24	24	495	735	431.3	697.3	0	617.3	934.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	10	7	9	73	153
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	22	22	22	480	700	419.2	762.1	0	584.4	1015.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	896	415	578	8,814	13,706	6237.5	7095.5	0	9614.2	10617.3	0
Infectious diseases and parasitic disease (1-139)	69	62	65	1,518	2,151	1054.1	1836.5	1	1425.1	2422.1	1
..Septicemia (038)	11	5	7	130	190	.	143.2	.	.	229.8	.
...Septicemia-related (038)	58	22	38	477	762	310.8	527.8	0	509.1	840.4	0
..HIV infection (042-044)	48	48	48	1,172	1,652	815.8	1551.9	1	1087.9	2005.3	1
All cancer (140-208)	190	83	128	1,182	2,244	904.0	814.6	0	1712.3	1571.2	0
..Oral cavity or pharynx (140.0-149.9)
..Colorectal cancer (153.0-154.3,154.8,159.0)	20	13	16	158	300	126.9	71.6	0	234.7	144.4	0
...Colon cancer (153)	19	13	16	158	300	126.9	71.6	0	234.7	144.4	0
...Rectal cancer (154)	1	.	.	0	0
..Pancreatic cancer (157)	12	3	6	43	80	.	40.5	.	.	81.4	.
..Lung and other respiratory cancer (160-165)	34	14	24	185	365	143.9	108.8	0	283.6	250.6	0
...Lung cancer (162.2-.9)	33	13	23	183	353	141.6	102.0	0	272.9	233.2	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)	38	24	30	320	595	254.3	241.8	0	460.0	435.6	0
..Cervical cancer (180)	10	6	8	105	180
..Endometrial cancer (182)	1	.	1	0	3
..Ovarian cancer (183)	4	1	2	3	20
..Prostate cancer (185)
..Bladder cancer (188)	2	.	.	0	0
..Brain & other CNS cancer (191-192)	4	.	1	0	8
..Leukemia (204-208)	8	4	6	179	229
Diabetes mellitus (250)	44	19	29	118	353	105.9	164.3	0	300.6	361.4	0
..Diabetes-related (250)	141	50	85	460	1,113	372.0	401.3	0	903.8	935.4	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	3	.	.	0	0
Cardiovascular disease (390-459)	360	125	198	1,754	3,291	1365.2	1110.7	0	2546.5	2267.0	0
..Diseases of the heart (390-398,402,404-429)	283	101	158	1,402	2,624	1098.9	915.8	0	2040.4	1849.5	0
...Heart disease-related (390-398,402,404-429)	492	192	299	2,882	5,235	2179.9	2489.3	0	3954.6	4279.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	179	56	94	535	1,250	455.9	462.6	0	1037.5	1062.9	0
....Congestive heart failure (CHF) (428.0)	12	3	5	38	73
..Hypertension with or without renal disease (401,403)	9	3	5	23	63
...Hypertension-related (401,403)	103	38	62	365	865	317.9	233.9	0	722.7	519.4	0
..Cerebrovascular disease (430-438)	57	19	29	300	535	220.4	144.3	0	394.2	296.1	0
..Atherosclerosis (440)	5	.	2	0	10
...Atherosclerosis-related (440)	28	6	12	55	140	48.9	30.7	0	119.2	85.8	0
..Aortic aneurysm (441)	2	1	1	23	33
Pneumonia & influenza (480-487)	33	6	14	75	165	53.4	43.8	0	125.5	81.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	6	9	145	228	107.1	.	0	165.3	.	0
..COPD-related (490-496)	34	13	22	238	415	183.5	158.0	0	316.8	308.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	4	3	4	113	150
Chronic liver disease and cirrhosis (571)	9	6	9	95	168
Nephritis, nephrotic syndrome/nephrosis (580-589)	18	7	11	88	183	69.7	58.4	0	144.2	136.8	0
..Nephritis-related (580-589)	85	39	59	600	1,085	446.0	627.6	0	807.5	1075.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	24	10	15	175	303	127.5	82.7	0	219.6	172.9	0
Unintentional injuries (E800-E949)	21	20	20	656	856	432.2	415.6	0	532.4	533.5	0
..Motor vehicle accidents (E810-E825)	5	5	5	183	233
..Falls and fall related injuries (E880-E888)
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	2	2	2	129	149
Suicide (E950-E959)	3	2	3	60	88
Homicide and legal intervention (E960-E978)	9	9	9	362	452
..Homicide (E960-E969)	9	9	9	362	452
All injury (E800-E999)	33	31	32	1,078	1,395	717.1	766.5	0	878.4	954.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	5	5	5	183	233
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	18	28
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	198	248
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	198	248
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	7	7	7	178	248
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	7	6	7	75	138
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	5	5	5	123	173

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).