

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Black Residents, 1997-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Black Residents, 1997-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Black Residents, 1997-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Black Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR
*****Causes of Death*****															
All causes	3,892	644.9	615.1	1	688.5	2,008	701.2	783.3	1	923.8	1,884	594.1	484.9	0	505.6
Infectious diseases and parasitic disease (1-139)	256	42.4	40.5	1	88.6	148	51.7	54.5	1	128.2	108	34.1	29.5	1	56.1
..Septicemia (038)	69	11.4	10.2	0	12.1	28	9.8	10.7	0	14.5	41	12.9	9.7	0	10.0
....Septicemia-related (038)	258	42.8	40.3	0	44.2	126	44.0	48.9	0	51.7	132	41.6	34.4	0	38.4
..HIV infection (042-044)	144	23.9	23.2	1	68.1	91	31.8	32.8	1	103.1	53	16.7	15.5	1	39.5
All cancer (140-208)	897	148.6	149.8	0	146.6	473	165.2	194.8	0	205.4	424	133.7	119.5	0	105.5
..Oral cavity or pharynx (140.0-149.9)	19	3.1	3.3	0	3.0	15	5.2	6.2	0	6.5	4	1.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	89	14.7	14.6	0	13.0	44	15.4	17.8	0	15.8	45	14.2	12.3	0	11.1
....Colon cancer (153)	79	13.1	12.9	0	11.4	37	12.9	14.9	0	13.0	42	13.2	11.5	0	10.5
....Rectal cancer (154)	10	1.7	.	.	.	7	2.4	.	.	.	3	0.9	.	.	.
..Pancreatic cancer (157)	57	9.4	9.5	0	9.4	26	9.1	11.1	0	11.9	31	9.8	8.3	0	7.3
..Lung and other respiratory cancer (160-165)	250	41.4	43.4	0	37.1	158	55.2	67.0	0	61.2	92	29.0	27.3	0	19.5
....Lung cancer (162.2-.9)	229	37.9	39.6	0	34.4	143	49.9	60.4	0	56.4	86	27.1	25.6	0	18.5
..Female breast cancer (174)	97	97	30.6	28.1	0	22.9
..Cervical cancer (180)	12	12	3.8	.	.	.
..Endometrial cancer (182)	8	8	2.5	.	.	.
..Ovarian cancer (183)	11	11	3.5	.	.	.
..Prostate cancer (185)	77	77	26.9	29.0	0	34.5
..Bladder cancer (188)	10	1.7	.	.	.	6	2.1	.	.	.	4	1.3	.	.	.
..Brain & other CNS cancer (191-192)	9	1.5	.	.	2.7	4	1.4	.	.	.	5	1.6	.	.	.
..Leukemia (204-208)	20	3.3	3.3	0	5.3	12	4.2	.	.	6.9	8	2.5	.	.	4.5
Diabetes mellitus (250)	134	22.2	21.5	0	25.4	63	22.0	25.7	0	24.7	71	22.4	18.6	0	25.8
..Diabetes-related (250)	469	77.7	74.8	0	77.9	194	67.7	79.6	0	78.3	275	86.7	70.7	0	76.8
..Diabetic ketoacidosis (DKA) (250.1)	3	0.5	3	0.9	.	.	.
Alzheimer's diseases (331.0)	11	1.8	.	.	.	2	0.7	.	.	.	9	2.8	.	.	.
Cardiovascular disease (390-459)	1,354	224.4	206.2	0	224.9	596	208.1	240.6	0	277.7	758	239.0	178.8	0	185.9
..Diseases of the heart (390-398,402,404-429)	1,069	177.1	164.2	0	181.3	488	170.4	197.7	0	228.9	581	183.2	138.7	0	146.6
....Heart disease-related (390-398,402,404-429)	1,927	319.3	298.2	1	340.8	909	317.4	365.2	1	437.4	1,018	321.0	248.4	0	269.2
....Coronary heart disease (CHD) (402,410-414,429.2)	738	122.3	113.7	0	117.5	342	119.4	139.7	0	151.9	396	124.9	94.2	0	93.5
....Congestive heart failure (CHF) (428.0)	48	8.0	6.5	0	5.2	15	5.2	5.6	0	.	33	10.4	7.1	0	4.8
..Hypertension with or without renal disease (401,403)	33	5.5	4.9	0	5.4	12	4.2	.	.	.	21	6.6	4.7	0	5.1
....Hypertension-related (401,403)	396	65.6	62.4	0	56.9	168	58.7	68.7	0	64.1	228	71.9	57.8	0	50.7
..Cerebrovascular disease (430-438)	192	31.8	28.4	0	30.9	67	23.4	26.7	0	33.9	125	39.4	28.5	0	28.3
..Atherosclerosis (440)	14	2.3	.	.	2.4	7	2.4	.	.	.	7	2.2	.	.	.
....Atherosclerosis-related (440)	78	12.9	10.5	0	13.1	27	9.4	9.7	0	14.2	51	16.1	11.0	0	12.5
..Aortic aneurysm (441)	14	2.3	.	.	.	5	1.7	.	.	.	9	2.8	.	.	.
Pneumonia & influenza (480-487)	114	18.9	16.0	0	16.9	56	19.6	20.7	0	23.3	58	18.3	12.6	0	12.0
Chronic obstructive pulmonary disease (COPD) (490-496)	65	10.8	10.6	0	10.5	30	10.5	12.1	0	15.1	35	11.0	9.7	0	7.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR
*****Causes of Death*****															
..COPD-related (490-496)	199	33.0	30.5	0	30.7	104	36.3	41.8	0	47.7	95	30.0	23.2	0	20.2
..Asthma (493)	17	2.8	2.7	0	2.8	7	2.4	.	.	.	10	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	36	6.0	6.3	0	8.1	23	8.0	9.3	0	12.0	13	4.1	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	12.1	11.3	0	11.9	34	11.9	13.4	0	13.2	39	12.3	9.8	0	11.0
..Nephritis-related (580-589)	288	47.7	46.5	0	57.1	140	48.9	55.5	0	63.6	148	46.7	39.7	0	53.1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	95	15.7	14.9	0	15.5	47	16.4	18.4	0	18.4	48	15.1	12.4	0	13.4
Unintentional injuries (E800-E949)	182	30.2	29.1	0	36.7	123	43.0	44.2	1	62.9	59	18.6	16.1	0	15.1
..Motor vehicle accidents (E810-E825)	64	10.6	10.5	0	12.4	43	15.0	15.6	0	20.5	21	6.6	5.9	0	5.2
..Falls and fall related injuries (E880-E888)	10	1.7	.	.	.	7	2.4	.	.	.	3	0.9	.	.	.
..Drowning (E830,E832,E910)	5	0.8	.	.	.	3	1.0	.	.	.	2	0.6	.	.	.
..Residential fires (E890-E899)	10	1.7	.	.	.	4	1.4	.	.	.	6	1.9	.	.	.
Suicide (E950-E959)	42	7.0	7.1	0	6.7	33	11.5	11.8	0	11.3	9	2.8	.	.	.
Homicide and legal intervention (E960-E978)	143	23.7	24.8	0	26.6	110	38.4	40.0	0	47.5	33	10.4	10.4	0	7.1
..Homicide (E960-E969)	140	23.2	24.2	0	26.4	107	37.4	38.8	0	47.1	33	10.4	10.4	0	7.1
All injury (E800-E999)	373	61.8	61.9	0	70.5	272	95.0	97.9	0	122.8	101	31.8	29.1	0	24.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	10.6	10.5	0	12.2	43	15.0	15.6	0	20.2	21	6.6	5.9	0	5.2
..All falls (E880-E886,E888,E957,E968.1,E987)	11	1.8	.	.	.	8	2.8	.	.	.	3	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	19.7	21.2	0	24.1	105	36.7	38.6	0	44.1	14	4.4	.	.	.
....Suicide (E955.0-.4)	13	2.2	.	.	3.0	13	4.5	.	.	5.8
....Homicide (E965.0-.4)	101	16.7	18.0	0	20.5	87	30.4	32.0	0	37.1	14	4.4	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	64	10.6	9.9	0	11.8	47	16.4	15.9	0	21.7	17	5.4	4.9	0	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	5.3	5.4	0	6.6	26	9.1	10.0	0	10.6	6	1.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	61	10.1	9.5	0	11.7	45	15.7	15.2	0	21.5	16	5.0	4.6	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR
*****Causes of Death*****															
All causes	3,892	644.9	792.1	1	851.2	2,008	701.2	985.1	1	1113.3	1,884	594.1	646.5	0	654.2
Infectious diseases and parasitic disease (1-139)	256	42.4	43.0	1	84.4	148	51.7	57.3	1	120.4	108	34.1	32.0	1	54.8
..Septicemia (038)	69	11.4	14.2	0	15.5	28	9.8	14.4	0	17.2	41	12.9	13.8	0	13.6
....Septicemia-related (038)	258	42.8	54.2	0	56.7	126	44.0	65.7	0	63.9	132	41.6	46.7	0	50.9
..HIV infection (042-044)	144	23.9	20.9	1	60.3	91	31.8	30.0	1	92.8	53	16.7	13.6	1	34.1
All cancer (140-208)	897	148.6	195.7	0	188.0	473	165.2	260.9	0	267.1	424	133.7	153.7	0	135.1
..Oral cavity or pharynx (140.0-149.9)	19	3.1	4.1	0	3.4	15	5.2	7.9	0	7.6	4	1.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	89	14.7	19.1	0	16.5	44	15.4	23.0	0	20.5	45	14.2	16.4	0	13.9
....Colon cancer (153)	79	13.1	17.2	0	14.4	37	12.9	19.9	0	17.2	42	13.2	15.5	0	12.8
....Rectal cancer (154)	10	1.7	.	.	.	7	2.4	.	.	.	3	0.9	.	.	.
..Pancreatic cancer (157)	57	9.4	12.8	0	12.5	26	9.1	14.6	0	14.6	31	9.8	11.4	0	10.4
..Lung and other respiratory cancer (160-165)	250	41.4	55.8	0	46.5	158	55.2	88.6	0	76.5	92	29.0	34.2	0	25.3
....Lung cancer (162.2-.9)	229	37.9	51.2	0	43.5	143	49.9	80.5	0	71.1	86	27.1	32.1	0	24.1
..Female breast cancer (174)	97	97	30.6	34.3	0	27.0
..Cervical cancer (180)	12	12	3.8	.	.	.
..Endometrial cancer (182)	8	8	2.5	.	.	.
..Ovarian cancer (183)	11	11	3.5	.	.	.
..Prostate cancer (185)	77	77	26.9	47.4	0	52.3
..Bladder cancer (188)	10	1.7	.	.	.	6	2.1	.	.	.	4	1.3	.	.	.
..Brain & other CNS cancer (191-192)	9	1.5	.	.	3.5	4	1.4	.	.	.	5	1.6	.	.	.
..Leukemia (204-208)	20	3.3	4.1	0	6.7	12	4.2	.	.	9.4	8	2.5	.	.	5.3
Diabetes mellitus (250)	134	22.2	29.5	0	33.5	63	22.0	35.4	0	32.5	71	22.4	25.6	0	34.1
..Diabetes-related (250)	469	77.7	103.4	0	104.7	194	67.7	106.4	0	102.4	275	86.7	99.8	0	104.9
..Diabetic ketoacidosis (DKA) (250.1)	3	0.5	3	0.9	.	.	.
Alzheimer's diseases (331.0)	11	1.8	.	.	.	2	0.7	.	.	.	9	2.8	.	.	.
Cardiovascular disease (390-459)	1,354	224.4	291.7	0	309.8	596	208.1	324.0	0	372.4	758	239.0	263.7	0	264.1
..Diseases of the heart (390-398,402,404-429)	1,069	177.1	230.2	0	248.2	488	170.4	265.9	0	305.8	581	183.2	201.9	0	207.0
....Heart disease-related (390-398,402,404-429)	1,927	319.3	411.0	0	448.8	909	317.4	488.4	1	562.0	1,018	321.0	353.2	0	366.8
....Coronary heart disease (CHD) (402,410-414,429.2)	738	122.3	160.0	0	164.9	342	119.4	188.7	0	209.0	396	124.9	138.0	0	134.9
....Congestive heart failure (CHF) (428.0)	48	8.0	10.7	0	7.9	15	5.2	9.3	0	.	33	10.4	11.5	0	7.8
..Hypertension with or without renal disease (401,403)	33	5.5	6.6	0	7.2	12	4.2	.	.	.	21	6.6	6.8	0	7.1
....Hypertension-related (401,403)	396	65.6	86.4	0	76.5	168	58.7	93.5	0	81.9	228	71.9	81.1	0	70.6
..Cerebrovascular disease (430-438)	192	31.8	41.8	0	43.9	67	23.4	35.4	0	46.9	125	39.4	44.2	0	41.1
..Atherosclerosis (440)	14	2.3	.	.	3.8	7	2.4	.	.	.	7	2.2	.	.	.
....Atherosclerosis-related (440)	78	12.9	17.3	0	20.2	27	9.4	16.3	0	21.7	51	16.1	18.0	0	19.3
..Aortic aneurysm (441)	14	2.3	.	.	.	5	1.7	.	.	.	9	2.8	.	.	.
Pneumonia & influenza (480-487)	114	18.9	23.6	0	24.1	56	19.6	29.5	0	30.7	58	18.3	19.5	0	19.2
Chronic obstructive pulmonary disease (COPD) (490-496)	65	10.8	13.9	0	14.6	30	10.5	16.4	0	21.1	35	11.0	12.4	0	10.6

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female				1995-1996 AAMR		
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate		AAMR	Significance
*****Causes of Death*****															
..COPD-related (490-496)	199	33.0	43.4	0	42.6	104	36.3	60.1	0	69.2	95	30.0	32.7	0	26.8
..Asthma (493)	17	2.8	3.0	0	3.4	7	2.4	.	.	.	10	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	36	6.0	6.9	0	9.1	23	8.0	10.4	0	14.1	13	4.1	.	.	5.7
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	12.1	15.6	0	15.8	34	11.9	18.1	0	17.0	39	12.3	13.9	0	14.9
..Nephritis-related (580-589)	288	47.7	61.6	0	71.7	140	48.9	72.6	0	81.0	148	46.7	53.7	0	66.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	95	15.7	20.1	0	20.3	47	16.4	25.0	0	23.9	48	15.1	16.8	0	17.8
Unintentional injuries (E800-E949)	182	30.2	30.1	0	36.4	123	43.0	44.6	0	62.4	59	18.6	17.8	0	15.6
..Motor vehicle accidents (E810-E825)	64	10.6	10.5	0	11.5	43	15.0	15.6	0	18.9	21	6.6	6.1	0	5.0
..Falls and fall related injuries (E880-E888)	10	1.7	.	.	.	7	2.4	.	.	.	3	0.9	.	.	.
..Drowning (E830,E832,E910)	5	0.8	.	.	.	3	1.0	.	.	.	2	0.6	.	.	.
..Residential fires (E890-E899)	10	1.7	.	.	.	4	1.4	.	.	.	6	1.9	.	.	.
Suicide (E950-E959)	42	7.0	6.8	0	6.2	33	11.5	11.2	0	10.3	9	2.8	.	.	.
Homicide and legal intervention (E960-E978)	143	23.7	22.2	0	24.7	110	38.4	35.9	0	44.0	33	10.4	9.1	0	6.8
..Homicide (E960-E969)	140	23.2	21.6	0	24.5	107	37.4	34.8	0	43.6	33	10.4	9.1	0	6.8
All injury (E800-E999)	373	61.8	59.8	0	67.8	272	95.0	93.3	0	117.6	101	31.8	29.6	0	24.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	10.6	10.5	0	11.4	43	15.0	15.6	0	18.7	21	6.6	6.1	0	5.0
..All falls (E880-E886,E888,E957,E968.1,E987)	11	1.8	.	.	.	8	2.8	.	.	.	3	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	19.7	19.0	0	22.1	105	36.7	34.7	0	40.0	14	4.4	.	.	.
....Suicide (E955.0-.4)	13	2.2	.	.	2.8	13	4.5	.	.	5.4
....Homicide (E965.0-.4)	101	16.7	16.0	0	18.7	87	30.4	28.3	0	33.5	14	4.4	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	64	10.6	8.6	0	10.8	47	16.4	13.9	0	19.6	17	5.4	4.1	0	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	5.3	5.4	0	7.3	26	9.1	10.0	0	12.1	6	1.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	61	10.1	8.2	0	10.4	45	15.7	13.2	0	19.0	16	5.0	3.9	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995-1996 AAMR
*****Causes of Death*****															
All causes	3,892	644.9	1011.9	0	1075.9	2,008	701.2	1226.6	1	1381.1	1,884	594.1	851.7	0	850.4
Infectious diseases and parasitic disease (1-139)	256	42.4	54.8	1	105.2	148	51.7	72.1	1	149.2	108	34.1	41.2	1	68.3
..Septicemia (038)	69	11.4	19.7	0	19.9	28	9.8	19.5	0	20.0	41	12.9	19.4	0	18.6
....Septicemia-related (038)	258	42.8	71.2	0	73.4	126	44.0	87.1	0	80.7	132	41.6	60.8	0	67.2
..HIV infection (042-044)	144	23.9	25.5	1	75.7	91	31.8	36.7	1	116.8	53	16.7	16.4	1	42.3
All cancer (140-208)	897	148.6	242.5	0	230.5	473	165.2	326.2	0	328.7	424	133.7	191.4	0	168.3
..Oral cavity or pharynx (140.0-149.9)	19	3.1	4.7	0	3.7	15	5.2	9.5	0	8.5	4	1.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	89	14.7	23.8	0	20.2	44	15.4	28.4	0	24.9	45	14.2	20.9	0	17.3
....Colon cancer (153)	79	13.1	21.7	0	17.4	37	12.9	25.2	0	21.3	42	13.2	19.6	0	15.4
....Rectal cancer (154)	10	1.7	.	.	.	7	2.4	.	.	.	3	0.9	.	.	.
..Pancreatic cancer (157)	57	9.4	15.9	0	15.8	26	9.1	17.0	0	16.8	31	9.8	14.9	0	14.3
..Lung and other respiratory cancer (160-165)	250	41.4	66.7	0	55.3	158	55.2	107.6	0	89.8	92	29.0	40.7	0	31.5
....Lung cancer (162.2-.9)	229	37.9	61.4	0	52.2	143	49.9	98.6	0	84.3	86	27.1	38.0	0	30.2
..Female breast cancer (174)	97	97	30.6	42.3	0	32.2
..Cervical cancer (180)	12	12	3.8	.	.	.
..Endometrial cancer (182)	8	8	2.5	.	.	.
..Ovarian cancer (183)	11	11	3.5	.	.	.
..Prostate cancer (185)	77	77	26.9	69.9	0	70.9
..Bladder cancer (188)	10	1.7	.	.	.	6	2.1	.	.	.	4	1.3	.	.	.
..Brain & other CNS cancer (191-192)	9	1.5	.	.	4.2	4	1.4	.	.	.	5	1.6	.	.	.
..Leukemia (204-208)	20	3.3	4.9	0	8.3	12	4.2	.	.	12.3	8	2.5	.	.	6.3
Diabetes mellitus (250)	134	22.2	38.0	0	41.5	63	22.0	45.6	0	41.1	71	22.4	33.3	0	41.8
..Diabetes-related (250)	469	77.7	133.9	0	132.6	194	67.7	133.4	0	126.6	275	86.7	131.4	0	134.4
..Diabetic ketoacidosis (DKA) (250.1)	3	0.5	3	0.9	.	.	.
Alzheimer's diseases (331.0)	11	1.8	.	.	.	2	0.7	.	.	.	9	2.8	.	.	.
Cardiovascular disease (390-459)	1,354	224.4	395.1	0	413.8	596	208.1	416.7	0	482.7	758	239.0	370.5	0	362.9
..Diseases of the heart (390-398,402,404-429)	1,069	177.1	309.4	0	329.7	488	170.4	341.0	0	394.4	581	183.2	281.5	0	283.3
....Heart disease-related (390-398,402,404-429)	1,927	319.3	547.2	0	587.1	909	317.4	627.0	0	716.4	1,018	321.0	485.5	0	493.3
....Coronary heart disease (CHD) (402,410-414,429.2)	738	122.3	214.4	0	220.8	342	119.4	240.9	0	273.4	396	124.9	192.5	0	185.6
....Congestive heart failure (CHF) (428.0)	48	8.0	16.0	0	12.1	15	5.2	14.1	0	.	33	10.4	17.2	0	12.6
..Hypertension with or without renal disease (401,403)	33	5.5	9.0	0	8.9	12	4.2	.	.	.	21	6.6	9.7	0	9.2
....Hypertension-related (401,403)	396	65.6	112.9	0	97.7	168	58.7	119.2	0	98.3	228	71.9	107.7	0	93.9
..Cerebrovascular disease (430-438)	192	31.8	58.2	0	60.3	67	23.4	45.0	0	63.3	125	39.4	63.7	0	57.3
..Atherosclerosis (440)	14	2.3	.	.	5.6	7	2.4	.	.	.	7	2.2	.	.	.
....Atherosclerosis-related (440)	78	12.9	25.9	0	29.1	27	9.4	25.0	0	31.5	51	16.1	26.5	0	27.9
..Aortic aneurysm (441)	14	2.3	.	.	.	5	1.7	.	.	.	9	2.8	.	.	.
Pneumonia & influenza (480-487)	114	18.9	33.8	0	34.5	56	19.6	41.2	0	42.4	58	18.3	28.8	0	28.7
Chronic obstructive pulmonary disease (COPD) (490-496)	65	10.8	17.5	0	19.2	30	10.5	20.8	0	27.7	35	11.0	15.7	0	14.1

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1995-1996 AAMR		
	*****1997-1998*****				*****1997-1998*****				*****1997-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
..COPD-related (490-496)	199	33.0	58.8	0	55.8	104	36.3	80.3	0	93.0	95	30.0	45.8	0	34.6
..Asthma (493)	17	2.8	3.7	0	4.2	7	2.4	.	0	.	10	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	36	6.0	7.7	0	10.6	23	8.0	11.9	0	17.3	13	4.1	.	.	6.3
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	12.1	20.7	0	20.2	34	11.9	23.7	0	22.0	39	12.3	18.6	0	19.0
..Nephritis-related (580-589)	288	47.7	78.7	0	92.3	140	48.9	93.1	0	108.6	148	46.7	69.0	0	83.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	95	15.7	26.4	0	25.9	47	16.4	32.8	0	30.3	48	15.1	22.2	0	22.9
Unintentional injuries (E800-E949)	182	30.2	35.7	0	40.8	123	43.0	52.3	0	71.2	59	18.6	21.9	0	17.0
..Motor vehicle accidents (E810-E825)	64	10.6	11.6	0	11.9	43	15.0	17.2	0	19.9	21	6.6	7.3	0	4.9
..Falls and fall related injuries (E880-E888)	10	1.7	.	.	.	7	2.4	.	.	.	3	0.9	.	.	.
..Drowning (E830,E832,E910)	5	0.8	.	.	.	3	1.0	.	.	.	2	0.6	.	.	.
..Residential fires (E890-E899)	10	1.7	.	.	.	4	1.4	.	.	.	6	1.9	.	.	.
Suicide (E950-E959)	42	7.0	7.1	0	6.4	33	11.5	11.2	0	10.8	9	2.8	.	.	.
Homicide and legal intervention (E960-E978)	143	23.7	21.6	0	23.1	110	38.4	34.5	0	41.8	33	10.4	9.6	0	6.0
..Homicide (E960-E969)	140	23.2	21.1	0	22.9	107	37.4	33.6	0	41.5	33	10.4	9.6	0	6.0
All injury (E800-E999)	373	61.8	65.3	0	70.6	272	95.0	100.0	0	124.7	101	31.8	34.7	0	25.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	10.6	11.6	0	11.7	43	15.0	17.2	0	19.6	21	6.6	7.3	0	4.9
..All falls (E880-E886,E888,E957,E968.1,E987)	11	1.8	.	.	.	8	2.8	.	.	.	3	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	19.7	17.8	0	20.3	105	36.7	32.6	0	37.4	14	4.4	.	.	.
....Suicide (E955.0-.4)	13	2.2	.	.	2.9	13	4.5	.	.	5.6
....Homicide (E965.0-.4)	101	16.7	14.9	0	17.0	87	30.4	26.3	0	30.9	14	4.4	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	64	10.6	11.0	0	12.7	47	16.4	17.7	0	23.5	17	5.4	5.3	0	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	5.3	6.5	0	8.5	26	9.1	11.7	0	14.0	6	1.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	61	10.1	10.4	0	12.8	45	15.7	16.7	0	23.5	16	5.0	5.1	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	3,892	1,939	2,686	43,191	66,138	7752.1	9420.2	1	11559.9	13958.3	1
Infectious diseases and parasitic disease (1-139)	256	201	218	4,394	6,496	746.8	2006.2	1	1066.2	2754.3	1
..Septicemia (038)	69	29	37	465	800	81.1	120.7	0	137.8	199.6	0
...Septicemia-related (038)	258	105	164	1,790	3,142	317.1	440.1	0	550.7	720.2	0
..HIV infection (042-044)	144	140	144	3,300	4,725	554.1	1694.0	1	760.9	2295.3	1
All cancer (140-208)	897	408	627	4,754	9,882	891.7	917.0	0	1827.1	1878.3	0
..Oral cavity or pharynx (140.0-149.9)	19	10	16	120	255	24.3	40.1	0	49.6	66.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	89	38	64	440	950	80.8	78.6	0	173.6	170.9	0
...Colon cancer (153)	79	31	55	323	748	59.5	73.6	0	137.4	156.8	0
...Rectal cancer (154)	10	7	9	118	203
..Pancreatic cancer (157)	57	23	37	203	508	37.0	42.3	0	94.1	98.0	0
..Lung and other respiratory cancer (160-165)	250	121	184	1,083	2,570	208.4	206.1	0	487.2	457.7	0
...Lung cancer (162.2-.9)	229	110	167	975	2,318	187.5	189.8	0	439.5	418.0	0
..Female breast cancer (174)	97	55	73	693	1,328
..Cervical cancer (180)	12	9	10	178	275
..Endometrial cancer (182)	8	1	5	23	53
..Ovarian cancer (183)	11	5	11	23	88
..Prostate cancer (185)	77	12	31	60	263
..Bladder cancer (188)	10	3	7	33	78
..Brain & other CNS cancer (191-192)	9	4	5	65	108	.	25.5	.	.	41.3	.
..Leukemia (204-208)	20	10	15	225	353	41.1	64.6	0	62.5	99.5	0
Diabetes mellitus (250)	134	48	86	470	1,140	88.0	138.0	0	212.8	300.0	0
..Diabetes-related (250)	469	155	296	1,608	3,850	294.5	372.1	0	708.3	849.2	0
..Diabetic ketoacidosis (DKA) (250.1)	3	1	1	18	28
Alzheimer's diseases (331.0)	11	.	.	0	0
Cardiovascular disease (390-459)	1,354	462	779	5,601	11,719	1032.8	1429.7	1	2141.6	2692.9	1
..Diseases of the heart (390-398,402,404-429)	1,069	374	630	4,489	9,454	832.0	1196.4	1	1733.1	2225.8	1
...Heart disease-related (390-398,402,404-429)	1,927	733	1,176	9,933	19,395	1805.1	2805.8	1	3495.6	4871.6	1
...Coronary heart disease (CHD) (402,410-414,429.2)	738	251	435	2,768	6,123	518.3	520.3	0	1133.5	1165.1	0
....Congestive heart failure (CHF) (428.0)	48	8	16	75	200	13.7	45.5	0	37.1	69.5	0
..Hypertension with or without renal disease (401,403)	33	16	20	210	395	37.1	22.7	0	69.7	57.3	0
...Hypertension-related (401,403)	396	145	247	1,463	3,378	270.7	271.0	0	623.3	623.8	0
..Cerebrovascular disease (430-438)	192	56	100	752	1,507	136.0	171.2	0	271.6	334.6	0
..Atherosclerosis (440)	14	2	7	5	53	.	6.2	.	.	15.3	.
...Atherosclerosis-related (440)	78	11	27	140	340	25.0	44.8	0	62.6	102.8	0
..Aortic aneurysm (441)	14	3	5	63	98
Pneumonia & influenza (480-487)	114	37	58	759	1,231	128.6	131.4	0	207.4	220.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	65	26	47	487	840	89.6	71.1	0	150.6	132.3	0
..COPD-related (490-496)	199	61	111	930	1,755	170.4	150.6	0	316.4	318.7	0
..Asthma (493)	17	12	15	332	460	57.5	41.8	0	76.3	61.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	36	28	34	390	705	66.7	94.6	0	120.7	157.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	22	46	362	697	64.1	75.9	0	122.9	149.5	0
..Nephritis-related (580-589)	288	116	192	1,736	3,261	310.2	560.8	1	578.1	933.2	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	95	32	62	562	1,017	96.5	108.0	0	174.0	201.7	0
Unintentional injuries (E800-E949)	182	148	164	4,275	5,840	750.6	957.3	0	979.5	1255.3	0
..Motor vehicle accidents (E810-E825)	64	54	59	1,804	2,372	327.8	419.1	0	409.9	521.5	0
..Falls and fall related injuries (E880-E888)	10	2	6	35	65
..Drowning (E830,E832,E910)	5	5	5	198	248
..Residential fires (E890-E899)	10	8	10	255	350
Suicide (E950-E959)	42	39	41	1,303	1,703	242.3	226.5	0	300.2	281.6	0
Homicide and legal intervention (E960-E978)	143	140	142	5,263	6,678	996.5	1064.1	0	1198.3	1278.6	0
..Homicide (E960-E969)	140	137	139	5,141	6,526	970.6	1054.9	0	1167.6	1267.8	0
All injury (E800-E999)	373	333	353	11,016	14,456	2018.4	2274.9	0	2514.8	2846.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	54	59	1,804	2,372	327.8	414.3	0	409.9	515.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	11	4	8	100	150
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	117	119	4,503	5,683	876.0	1007.0	0	1047.4	1201.8	0
...Suicide (E955.0-.4)	13	11	13	383	503	.	109.5	.	.	133.4	.
...Homicide (E965.0-.4)	101	101	101	3,923	4,933	764.1	868.3	0	910.4	1034.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	64	64	64	1,560	2,200	256.2	282.1	0	344.9	389.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	28	31	515	808	87.1	68.2	0	133.0	121.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	61	61	61	1,513	2,123	250.3	286.8	0	334.8	392.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	2,008	1,164	1,546	26,511	40,036	10018.9	12830.1	1	15041.3	19113.5	1
Infectious diseases and parasitic disease (1-139)	148	126	132	2,636	3,926	971.4	2799.1	1	1410.0	3905.1	1
..Septicemia (038)	28	15	17	280	435	104.5	138.4	0	161.4	247.0	0
...Septicemia-related (038)	126	58	84	1,105	1,800	415.6	506.5	0	680.2	856.5	0
..HIV infection (042-044)	91	88	91	1,900	2,803	696.4	2417.2	1	993.3	3327.1	1
All cancer (140-208)	473	209	334	2,357	5,094	985.3	1126.5	0	2157.6	2462.8	0
..Oral cavity or pharynx (140.0-149.9)	15	9	12	108	215	46.7	81.4	0	93.1	136.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	44	21	34	263	550	103.4	68.7	0	223.7	178.8	0
...Colon cancer (153)	37	16	27	175	398	70.1	57.2	0	164.4	146.3	0
...Rectal cancer (154)	7	5	7	88	153
..Pancreatic cancer (157)	26	12	20	90	255	35.8	57.2	0	109.6	147.8	0
..Lung and other respiratory cancer (160-165)	158	73	115	623	1,543	271.8	332.7	0	677.1	757.6	0
...Lung cancer (162.2-.9)	143	65	102	563	1,375	243.3	300.5	0	600.8	682.2	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	77	12	31	60	263	29.4	39.3	0	122.2	189.7	0
..Bladder cancer (188)	6	3	5	33	73
..Brain & other CNS cancer (191-192)	4	3	3	58	88
..Leukemia (204-208)	12	6	11	115	203	.	30.5	.	.	76.7	.
Diabetes mellitus (250)	63	26	43	255	593	106.2	160.2	0	252.7	313.2	0
..Diabetes-related (250)	194	78	139	885	1,963	354.8	409.1	0	810.1	913.3	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	596	269	416	3,367	6,779	1370.6	1829.1	0	2794.1	3434.3	0
..Diseases of the heart (390-398,402,404-429)	488	215	340	2,610	5,392	1073.2	1553.3	1	2239.6	2877.8	1
...Heart disease-related (390-398,402,404-429)	909	417	642	5,662	10,939	2252.7	3633.0	1	4425.2	6362.5	1
...Coronary heart disease (CHD) (402,410-414,429.2)	342	150	238	1,610	3,555	678.6	692.6	0	1510.5	1533.6	0
....Congestive heart failure (CHF) (428.0)	15	3	5	18	63	8.4	.	0	29.0	.	0
..Hypertension with or without renal disease (401,403)	12	10	10	120	220
...Hypertension-related (401,403)	168	76	116	765	1,705	317.9	321.4	0	720.1	752.9	0
..Cerebrovascular disease (430-438)	67	34	50	537	942	204.7	186.5	0	366.5	379.2	0
..Atherosclerosis (440)	7	.	3	0	18
...Atherosclerosis-related (440)	27	4	10	112	187	39.3	58.6	0	68.5	124.4	0
..Aortic aneurysm (441)	5	2	2	40	60
Pneumonia & influenza (480-487)	56	24	35	544	837	192.5	234.1	0	299.4	377.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	30	11	23	183	348	73.6	65.3	0	141.8	145.3	0
..COPD-related (490-496)	104	31	64	343	795	148.6	152.0	0	344.5	381.4	0
..Asthma (493)	7	4	5	130	173

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	23	18	22	245	445	94.7	120.0	0	173.6	211.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	13	25	220	405	82.6	98.5	0	156.7	182.7	0
..Nephritis-related (580-589)	140	68	100	1,101	1,946	431.9	653.7	0	766.9	1048.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	18	33	312	555	115.5	122.7	0	209.9	235.1	0
Unintentional injuries (E800-E949)	123	108	116	3,163	4,278	1178.5	1541.4	0	1530.3	2060.6	0
..Motor vehicle accidents (E810-E825)	43	38	40	1,332	1,722	517.9	679.7	0	639.1	851.1	0
..Falls and fall related injuries (E880-E888)	7	2	6	35	65
..Drowning (E830,E832,E910)	3	3	3	113	143
..Residential fires (E890-E899)	4	3	4	68	105
Suicide (E950-E959)	33	31	33	1,098	1,418	417.1	406.5	0	513.0	496.8	0
Homicide and legal intervention (E960-E978)	110	107	109	4,100	5,185	1607.6	1840.1	0	1930.7	2224.3	0
..Homicide (E960-E969)	107	104	106	3,977	5,032	1554.8	1821.7	0	1868.3	2202.6	0
All injury (E800-E999)	272	252	264	8,535	11,115	3264.0	3842.0	0	4051.3	4843.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	43	38	40	1,332	1,722	517.9	669.3	0	639.1	838.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	8	3	7	63	103
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	105	103	105	3,963	5,003	1572.1	1814.8	0	1884.6	2170.3	0
...Suicide (E955.0-.4)	13	11	13	383	503	.	222.0	.	.	266.5	.
...Homicide (E965.0-.4)	87	87	87	3,383	4,253	1345.8	1535.4	0	1606.0	1837.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	47	47	47	1,128	1,598	398.3	505.2	0	540.9	702.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	26	23	26	408	650	152.3	98.0	0	239.1	182.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	45	45	45	1,113	1,563	393.5	522.1	0	529.0	716.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	1,884	775	1,140	16,680	26,102	5687.9	6411.2	0	8517.3	9530.1	0
Infectious diseases and parasitic disease (1-139)	108	75	86	1,758	2,570	560.8	1342.1	1	784.3	1796.1	1
..Septicemia (038)	41	14	20	185	365	59.3	108.8	0	115.3	164.7	0
...Septicemia-related (038)	132	47	80	685	1,342	230.4	392.4	0	438.1	618.1	0
..HIV infection (042-044)	53	52	53	1,400	1,923	442.1	1082.4	1	576.6	1429.2	1
All cancer (140-208)	424	199	293	2,398	4,788	809.1	754.6	0	1568.8	1430.2	0
..Oral cavity or pharynx (140.0-149.9)	4	1	4	13	40
..Colorectal cancer (153.0-154.3,154.8,159.0)	45	17	30	178	400	61.1	88.1	0	133.0	167.8	0
...Colon cancer (153)	42	15	28	148	350	50.5	88.1	0	116.1	167.8	0
...Rectal cancer (154)	3	2	2	30	50
..Pancreatic cancer (157)	31	11	17	113	253	37.8	31.2	0	83.1	59.6	0
..Lung and other respiratory cancer (160-165)	92	48	69	460	1,028	158.3	107.1	0	343.3	225.6	0
...Lung cancer (162.2-.9)	86	45	65	413	943	142.9	103.2	0	316.6	213.5	0
..Female breast cancer (174)	97	55	73	693	1,328	231.6	210.4	0	431.4	384.6	0
..Cervical cancer (180)	12	9	10	178	275
..Endometrial cancer (182)	8	1	5	23	53
..Ovarian cancer (183)	11	5	11	23	88
..Prostate cancer (185)
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	5	1	2	8	20
..Leukemia (204-208)	8	4	4	110	150	.	100.6	.	.	128.2	.
Diabetes mellitus (250)	71	22	43	215	548	73.2	115.5	0	182.0	282.6	0
..Diabetes-related (250)	275	77	157	723	1,888	244.1	341.5	0	625.6	796.5	0
..Diabetic ketoacidosis (DKA) (250.1)	3	1	1	18	28
Alzheimer's diseases (331.0)	9	.	.	0	0
Cardiovascular disease (390-459)	758	193	363	2,235	4,940	747.0	1090.9	1	1613.8	2086.4	0
..Diseases of the heart (390-398,402,404-429)	581	159	290	1,880	4,062	631.3	889.3	0	1329.3	1687.9	0
...Heart disease-related (390-398,402,404-429)	1,018	316	534	4,271	8,456	1434.1	2117.5	1	2757.3	3662.8	1
...Coronary heart disease (CHD) (402,410-414,429.2)	396	101	197	1,158	2,568	388.0	381.4	0	839.1	875.5	0
....Congestive heart failure (CHF) (428.0)	33	5	11	58	138	18.2	46.5	0	43.8	65.9	0
..Hypertension with or without renal disease (401,403)	21	6	10	90	175	26.2	15.9	0	52.0	47.6	0
...Hypertension-related (401,403)	228	69	131	698	1,673	233.0	231.9	0	548.7	524.7	0
..Cerebrovascular disease (430-438)	125	22	50	215	565	73.0	162.4	0	187.4	302.9	0
..Atherosclerosis (440)	7	2	4	5	35
...Atherosclerosis-related (440)	51	7	17	28	153	10.3	33.7	0	53.2	85.3	0
..Aortic aneurysm (441)	9	1	3	23	38
Pneumonia & influenza (480-487)	58	13	23	215	395	69.7	44.6	0	125.5	90.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	35	15	24	305	492	104.6	80.3	0	161.1	128.3	0
..COPD-related (490-496)	95	30	47	587	960	193.5	156.0	0	304.1	278.9	0
..Asthma (493)	10	8	10	202	287

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	10	12	145	260	.	77.3	.	.	117.7	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	39	9	21	143	293	47.1	58.9	0	94.0	124.9	0
..Nephritis-related (580-589)	148	48	92	635	1,315	203.2	486.9	1	416.9	841.1	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	48	14	29	250	463	79.2	98.5	0	143.8	178.6	0
Unintentional injuries (E800-E949)	59	40	48	1,112	1,562	353.1	438.9	0	474.2	551.6	0
..Motor vehicle accidents (E810-E825)	21	16	19	472	650	143.3	178.1	0	188.7	220.0	0
..Falls and fall related injuries (E880-E888)	3	.	.	0	0
..Drowning (E830,E832,E910)	2	2	2	85	105
..Residential fires (E890-E899)	6	5	6	188	245
Suicide (E950-E959)	9	8	8	205	285
Homicide and legal intervention (E960-E978)	33	33	33	1,164	1,494	401.8	312.6	0	487.8	369.6	0
..Homicide (E960-E969)	33	33	33	1,164	1,494	401.8	312.6	0	487.8	369.6	0
All injury (E800-E999)	101	81	89	2,481	3,341	825.6	805.2	0	1055.1	996.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	21	16	19	472	650	143.3	178.1	0	188.7	220.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	1	38	48
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	14	14	14	540	680
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	14	14	14	540	680
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	17	17	17	433	603	132.9	.	0	176.0	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	5	5	108	158
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	16	16	16	400	560	123.8	.	0	164.7	.	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	3,892	1,939	2,686	43,191	66,138	7692.0	9134.6	1	11667.3	13768.2	1
Infectious diseases and parasitic disease (1-139)	256	201	218	4,394	6,496	680.6	1779.4	1	978.1	2444.6	1
..Septicemia (038)	69	29	37	465	800	79.2	117.0	0	138.6	200.8	0
...Septicemia-related (038)	258	105	164	1,790	3,142	316.3	417.6	0	568.6	710.7	0
..HIV infection (042-044)	144	140	144	3,300	4,725	493.5	1478.2	1	675.4	1994.8	1
All cancer (140-208)	897	408	627	4,754	9,882	903.5	919.6	0	1940.7	1982.1	0
..Oral cavity or pharynx (140.0-149.9)	19	10	16	120	255	25.8	40.5	0	54.2	68.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	89	38	64	440	950	78.9	79.1	0	182.3	181.6	0
...Colon cancer (153)	79	31	55	323	748	59.8	73.7	0	147.8	165.8	0
...Rectal cancer (154)	10	7	9	118	203
..Pancreatic cancer (157)	57	23	37	203	508	37.1	42.8	0	102.4	105.4	0
..Lung and other respiratory cancer (160-165)	250	121	184	1,083	2,570	215.3	211.3	0	529.5	491.2	0
...Lung cancer (162.2-.9)	229	110	167	975	2,318	193.4	193.5	0	477.6	447.0	0
..Female breast cancer (174)	97	55	73	693	1,328
..Cervical cancer (180)	12	9	10	178	275
..Endometrial cancer (182)	8	1	5	23	53
..Ovarian cancer (183)	11	5	11	23	88
..Prostate cancer (185)	77	12	31	60	263
..Bladder cancer (188)	10	3	7	33	78
..Brain & other CNS cancer (191-192)	9	4	5	65	108	.	24.0	.	.	41.3	.
..Leukemia (204-208)	20	10	15	225	353	41.5	66.6	0	64.3	103.9	0
Diabetes mellitus (250)	134	48	86	470	1,140	88.3	142.4	0	229.9	323.7	0
..Diabetes-related (250)	469	155	296	1,608	3,850	291.9	381.1	0	761.9	918.3	0
..Diabetic ketoacidosis (DKA) (250.1)	3	1	1	18	28
Alzheimer's diseases (331.0)	11	.	.	0	0
Cardiovascular disease (390-459)	1,354	462	779	5,601	11,719	1025.1	1408.6	1	2257.2	2789.1	1
..Diseases of the heart (390-398,402,404-429)	1,069	374	630	4,489	9,454	822.6	1184.1	1	1822.4	2307.8	1
...Heart disease-related (390-398,402,404-429)	1,927	733	1,176	9,933	19,395	1776.6	2709.7	1	3633.5	4912.5	1
...Coronary heart disease (CHD) (402,410-414,429.2)	738	251	435	2,768	6,123	515.5	524.3	0	1204.4	1245.7	0
....Congestive heart failure (CHF) (428.0)	48	8	16	75	200	13.5	43.9	0	40.5	68.9	0
..Hypertension with or without renal disease (401,403)	33	16	20	210	395	35.1	22.9	0	70.0	62.4	0
...Hypertension-related (401,403)	396	145	247	1,463	3,378	272.8	277.2	0	670.9	673.0	0
..Cerebrovascular disease (430-438)	192	56	100	752	1,507	139.6	164.5	0	291.7	342.8	0
..Atherosclerosis (440)	14	2	7	5	53	.	6.2	.	.	16.8	.
...Atherosclerosis-related (440)	78	11	27	140	340	25.8	45.2	0	69.9	110.6	0
..Aortic aneurysm (441)	14	3	5	63	98
Pneumonia & influenza (480-487)	114	37	58	759	1,231	126.1	123.7	0	210.8	216.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	65	26	47	487	840	86.8	73.8	0	153.0	141.0	0
..COPD-related (490-496)	199	61	111	930	1,755	164.9	152.2	0	324.7	340.2	0
..Asthma (493)	17	12	15	332	460	54.1	43.2	0	71.6	63.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	36	28	34	390	705	62.8	90.4	0	119.5	155.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	22	46	362	697	62.3	72.5	0	127.5	153.1	0
..Nephritis-related (580-589)	288	116	192	1,736	3,261	301.9	525.0	1	594.2	911.2	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	95	32	62	562	1,017	90.8	100.0	0	174.8	201.2	0
Unintentional injuries (E800-E949)	182	148	164	4,275	5,840	714.5	908.0	0	924.8	1181.0	0
..Motor vehicle accidents (E810-E825)	64	54	59	1,804	2,372	309.9	393.6	0	382.8	483.5	0
..Falls and fall related injuries (E880-E888)	10	2	6	35	65
..Drowning (E830,E832,E910)	5	5	5	198	248
..Residential fires (E890-E899)	10	8	10	255	350
Suicide (E950-E959)	42	39	41	1,303	1,703	231.5	206.1	0	282.7	253.9	0
Homicide and legal intervention (E960-E978)	143	140	142	5,263	6,678	924.1	1014.0	0	1092.0	1200.1	0
..Homicide (E960-E969)	140	137	139	5,141	6,526	900.5	1005.3	0	1064.5	1190.1	0
All injury (E800-E999)	373	333	353	11,016	14,456	1894.9	2155.3	0	2330.2	2665.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	54	59	1,804	2,372	309.9	390.0	0	382.8	479.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	11	4	8	100	150
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	117	119	4,503	5,683	817.4	952.2	0	960.7	1118.3	0
....Suicide (E955.0-.4)	13	11	13	383	503	.	99.8	.	.	120.0	.
....Homicide (E965.0-.4)	101	101	101	3,923	4,933	711.3	822.9	0	832.2	964.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	64	64	64	1,560	2,200	222.7	255.5	0	297.6	351.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	28	31	515	808	79.6	66.6	0	123.3	122.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	61	61	61	1,513	2,123	219.4	254.1	0	290.9	346.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	2,008	1,164	1,546	26,511	40,036	9877.4	12330.7	1	15112.8	18712.5	1
Infectious diseases and parasitic disease (1-139)	148	126	132	2,636	3,926	894.7	2484.4	1	1305.4	3474.6	1
..Septicemia (038)	28	15	17	280	435	102.0	134.4	0	159.6	251.3	0
...Septicemia-related (038)	126	58	84	1,105	1,800	410.6	474.6	0	689.6	840.1	0
..HIV infection (042-044)	91	88	91	1,900	2,803	626.0	2122.5	1	894.3	2915.9	1
All cancer (140-208)	473	209	334	2,357	5,094	1006.1	1152.5	0	2327.6	2647.6	0
..Oral cavity or pharynx (140.0-149.9)	15	9	12	108	215	49.7	82.2	0	101.8	141.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	44	21	34	263	550	97.7	72.9	0	231.7	198.8	0
...Colon cancer (153)	37	16	27	175	398	69.1	60.4	0	175.2	162.4	0
...Rectal cancer (154)	7	5	7	88	153
..Pancreatic cancer (157)	26	12	20	90	255	35.8	60.2	0	122.0	162.5	0
..Lung and other respiratory cancer (160-165)	158	73	115	623	1,543	282.0	346.0	0	744.1	820.8	0
...Lung cancer (162.2-.9)	143	65	102	563	1,375	250.6	311.3	0	658.2	737.5	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	77	12	31	60	263	33.5	44.8	0	145.4	226.5	0
..Bladder cancer (188)	6	3	5	33	73
..Brain & other CNS cancer (191-192)	4	3	3	58	88
..Leukemia (204-208)	12	6	11	115	203	.	31.7	.	.	84.2	.
Diabetes mellitus (250)	63	26	43	255	593	105.6	160.3	0	271.5	328.4	0
..Diabetes-related (250)	194	78	139	885	1,963	345.4	416.3	0	858.3	981.1	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	596	269	416	3,367	6,779	1363.2	1803.9	0	2938.6	3555.6	0
..Diseases of the heart (390-398,402,404-429)	488	215	340	2,610	5,392	1059.3	1537.3	1	2351.9	2982.0	0
...Heart disease-related (390-398,402,404-429)	909	417	642	5,662	10,939	2225.4	3505.5	1	4616.1	6413.2	1
...Coronary heart disease (CHD) (402,410-414,429.2)	342	150	238	1,610	3,555	679.7	695.5	0	1611.4	1634.6	0
....Congestive heart failure (CHF) (428.0)	15	3	5	18	63	9.1	.	0	33.1	.	0
..Hypertension with or without renal disease (401,403)	12	10	10	120	220
...Hypertension-related (401,403)	168	76	116	765	1,705	321.5	332.4	0	774.2	817.9	0
..Cerebrovascular disease (430-438)	67	34	50	537	942	211.4	182.7	0	389.6	392.7	0
..Atherosclerosis (440)	7	.	3	0	18
...Atherosclerosis-related (440)	27	4	10	112	187	39.1	58.8	0	72.1	131.6	0
..Aortic aneurysm (441)	5	2	2	40	60
Pneumonia & influenza (480-487)	56	24	35	544	837	188.5	220.5	0	301.8	365.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	30	11	23	183	348	71.0	65.7	0	147.7	155.3	0
..COPD-related (490-496)	104	31	64	343	795	151.3	157.5	0	375.6	419.7	0
..Asthma (493)	7	4	5	130	173

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	23	18	22	245	445	90.8	116.9	0	174.1	211.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	13	25	220	405	82.3	92.7	0	164.7	182.6	0
..Nephritis-related (580-589)	140	68	100	1,101	1,946	430.2	605.0	0	790.3	1003.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	18	33	312	555	112.1	114.4	0	215.4	236.0	0
Unintentional injuries (E800-E949)	123	108	116	3,163	4,278	1111.4	1443.4	0	1430.2	1920.7	0
..Motor vehicle accidents (E810-E825)	43	38	40	1,332	1,722	482.7	632.4	0	588.2	781.6	0
..Falls and fall related injuries (E880-E888)	7	2	6	35	65
..Drowning (E830,E832,E910)	3	3	3	113	143
..Residential fires (E890-E899)	4	3	4	68	105
Suicide (E950-E959)	33	31	33	1,098	1,418	399.2	369.1	0	484.3	444.3	0
Homicide and legal intervention (E960-E978)	110	107	109	4,100	5,185	1487.1	1734.1	0	1756.0	2066.0	0
..Homicide (E960-E969)	107	104	106	3,977	5,032	1439.1	1716.6	0	1700.1	2045.9	0
All injury (E800-E999)	272	252	264	8,535	11,115	3049.5	3600.5	0	3734.9	4491.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	43	38	40	1,332	1,722	482.7	624.6	0	588.2	772.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	8	3	7	63	103
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	105	103	105	3,963	5,003	1461.6	1697.7	0	1723.5	1997.0	0
...Suicide (E955.0-.4)	13	11	13	383	503	.	201.5	.	.	237.5	.
...Homicide (E965.0-.4)	87	87	87	3,383	4,253	1247.6	1438.4	0	1462.8	1693.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	47	47	47	1,128	1,598	347.4	450.6	0	469.2	625.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	26	23	26	408	650	140.6	97.1	0	225.0	186.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	45	45	45	1,113	1,563	345.4	460.1	0	461.0	628.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	1,884	775	1,140	16,680	26,102	5701.7	6314.8	0	8677.1	9544.5	0
Infectious diseases and parasitic disease (1-139)	108	75	86	1,758	2,570	503.8	1191.5	1	710.9	1591.8	1
..Septicemia (038)	41	14	20	185	365	57.7	105.6	0	118.2	163.9	0
...Septicemia-related (038)	132	47	80	685	1,342	233.1	378.7	0	463.3	615.7	0
..HIV infection (042-044)	53	52	53	1,400	1,923	390.5	935.6	1	503.5	1225.8	1
All cancer (140-208)	424	199	293	2,398	4,788	814.7	738.9	0	1641.4	1472.4	0
..Oral cavity or pharynx (140.0-149.9)	4	1	4	13	40
..Colorectal cancer (153.0-154.3,154.8,159.0)	45	17	30	178	400	62.9	85.5	0	143.1	171.1	0
...Colon cancer (153)	42	15	28	148	350	52.3	85.5	0	126.4	171.1	0
...Rectal cancer (154)	3	2	2	30	50
..Pancreatic cancer (157)	31	11	17	113	253	38.2	29.7	0	88.5	60.9	0
..Lung and other respiratory cancer (160-165)	92	48	69	460	1,028	163.2	106.1	0	368.2	236.9	0
...Lung cancer (162.2-.9)	86	45	65	413	943	148.0	101.6	0	341.3	222.8	0
..Female breast cancer (174)	97	55	73	693	1,328	229.9	201.1	0	441.3	385.3	0
..Cervical cancer (180)	12	9	10	178	275
..Endometrial cancer (182)	8	1	5	23	53
..Ovarian cancer (183)	11	5	11	23	88
..Prostate cancer (185)
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	5	1	2	8	20
..Leukemia (204-208)	8	4	4	110	150	.	104.0	.	.	131.0	.
Diabetes mellitus (250)	71	22	43	215	548	74.4	123.1	0	198.3	312.9	0
..Diabetes-related (250)	275	77	157	723	1,888	247.6	351.6	0	684.9	866.2	0
..Diabetic ketoacidosis (DKA) (250.1)	3	1	1	18	28
Alzheimer's diseases (331.0)	9	.	.	0	0
Cardiovascular disease (390-459)	758	193	363	2,235	4,940	740.8	1073.8	1	1711.0	2166.5	0
..Diseases of the heart (390-398,402,404-429)	581	159	290	1,880	4,062	627.7	880.4	0	1405.2	1755.6	0
...Heart disease-related (390-398,402,404-429)	1,018	316	534	4,271	8,456	1406.4	2049.6	1	2859.8	3705.0	1
...Coronary heart disease (CHD) (402,410-414,429.2)	396	101	197	1,158	2,568	383.2	387.3	0	889.2	942.7	0
....Congestive heart failure (CHF) (428.0)	33	5	11	58	138	17.2	46.3	0	46.5	66.2	0
..Hypertension with or without renal disease (401,403)	21	6	10	90	175	23.1	17.2	0	51.1	53.8	0
...Hypertension-related (401,403)	228	69	131	698	1,673	234.6	234.4	0	592.3	562.0	0
..Cerebrovascular disease (430-438)	125	22	50	215	565	73.3	153.4	0	204.6	306.7	0
..Atherosclerosis (440)	7	2	4	5	35
...Atherosclerosis-related (440)	51	7	17	28	153	11.6	34.2	0	63.3	93.6	0
..Aortic aneurysm (441)	9	1	3	23	38
Pneumonia & influenza (480-487)	58	13	23	215	395	68.3	42.1	0	130.0	93.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	35	15	24	305	492	101.9	85.5	0	160.9	136.8	0
..COPD-related (490-496)	95	30	47	587	960	181.3	154.8	0	294.9	288.1	0
..Asthma (493)	10	8	10	202	287

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	10	12	145	260	.	72.1	.	.	113.4	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	39	9	21	143	293	43.7	57.7	0	95.9	131.9	0
..Nephritis-related (580-589)	148	48	92	635	1,315	188.7	462.3	1	426.6	838.8	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	48	14	29	250	463	71.2	90.7	0	140.7	177.4	0
Unintentional injuries (E800-E949)	59	40	48	1,112	1,562	344.3	432.2	0	460.1	535.7	0
..Motor vehicle accidents (E810-E825)	21	16	19	472	650	141.6	171.4	0	183.7	209.4	0
..Falls and fall related injuries (E880-E888)	3	.	.	0	0
..Drowning (E830,E832,E910)	2	2	2	85	105
..Residential fires (E890-E899)	6	5	6	188	245
Suicide (E950-E959)	9	8	8	205	285
Homicide and legal intervention (E960-E978)	33	33	33	1,164	1,494	372.9	312.1	0	444.1	363.2	0
..Homicide (E960-E969)	33	33	33	1,164	1,494	372.9	312.1	0	444.1	363.2	0
All injury (E800-E999)	101	81	89	2,481	3,341	782.8	792.8	0	989.6	968.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	21	16	19	472	650	141.6	171.4	0	183.7	209.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	1	38	48
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	14	14	14	540	680
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	14	14	14	540	680
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	17	17	17	433	603	114.9	.	0	150.4	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	5	5	108	158
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	16	16	16	400	560	108.1	.	0	142.1	.	0

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	3,892	1,939	2,686	43,191	66,138	7941.9	9847.1	1	12142.5	14843.4	1
Infectious diseases and parasitic disease (1-139)	256	201	218	4,394	6,496	838.1	2254.0	1	1188.1	3064.6	1
..Septicemia (038)	69	29	37	465	800	94.4	131.0	0	159.3	220.3	0
...Septicemia-related (038)	258	105	164	1,790	3,142	354.4	481.4	0	625.3	799.1	0
..HIV infection (042-044)	144	140	144	3,300	4,725	621.0	1921.2	1	844.1	2570.5	1
All cancer (140-208)	897	408	627	4,754	9,882	1017.4	1055.7	0	2108.3	2177.2	0
..Oral cavity or pharynx (140.0-149.9)	19	10	16	120	255	25.5	40.5	0	54.5	69.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	89	38	64	440	950	92.8	91.6	0	201.9	198.7	0
...Colon cancer (153)	79	31	55	323	748	70.8	85.7	0	163.7	182.1	0
...Rectal cancer (154)	10	7	9	118	203
..Pancreatic cancer (157)	57	23	37	203	508	43.1	51.2	0	109.9	117.6	0
..Lung and other respiratory cancer (160-165)	250	121	184	1,083	2,570	246.9	248.1	0	574.1	543.9	0
...Lung cancer (162.2-.9)	229	110	167	975	2,318	221.7	228.7	0	517.4	497.9	0
..Female breast cancer (174)	97	55	73	693	1,328
..Cervical cancer (180)	12	9	10	178	275
..Endometrial cancer (182)	8	1	5	23	53
..Ovarian cancer (183)	11	5	11	23	88
..Prostate cancer (185)	77	12	31	60	263
..Bladder cancer (188)	10	3	7	33	78
..Brain & other CNS cancer (191-192)	9	4	5	65	108	.	23.1	.	.	40.2	.
..Leukemia (204-208)	20	10	15	225	353	40.2	66.2	0	63.6	105.7	0
Diabetes mellitus (250)	134	48	86	470	1,140	104.0	156.9	0	252.2	345.6	0
..Diabetes-related (250)	469	155	296	1,608	3,850	346.2	424.8	0	840.5	983.6	0
..Diabetic ketoacidosis (DKA) (250.1)	3	1	1	18	28
Alzheimer's diseases (331.0)	11	.	.	0	0
Cardiovascular disease (390-459)	1,354	462	779	5,601	11,719	1189.7	1618.3	1	2497.5	3096.8	1
..Diseases of the heart (390-398,402,404-429)	1,069	374	630	4,489	9,454	959.9	1347.1	1	2022.4	2551.3	1
...Heart disease-related (390-398,402,404-429)	1,927	733	1,176	9,933	19,395	2040.8	3141.0	1	4015.1	5526.4	1
...Coronary heart disease (CHD) (402,410-414,429.2)	738	251	435	2,768	6,123	602.5	624.5	0	1331.8	1393.6	0
....Congestive heart failure (CHF) (428.0)	48	8	16	75	200	15.1	47.7	0	42.7	74.6	0
..Hypertension with or without renal disease (401,403)	33	16	20	210	395	42.2	26.0	0	79.0	66.7	0
...Hypertension-related (401,403)	396	145	247	1,463	3,378	320.2	321.6	0	738.2	738.3	0
..Cerebrovascular disease (430-438)	192	56	100	752	1,507	155.3	200.3	0	316.7	391.3	0
..Atherosclerosis (440)	14	2	7	5	53	.	7.7	.	.	19.3	.
...Atherosclerosis-related (440)	78	11	27	140	340	25.7	53.7	0	70.4	123.2	0
..Aortic aneurysm (441)	14	3	5	63	98
Pneumonia & influenza (480-487)	114	37	58	759	1,231	137.0	151.4	0	226.9	254.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	65	26	47	487	840	94.1	79.3	0	165.0	149.1	0
..COPD-related (490-496)	199	61	111	930	1,755	187.9	173.1	0	360.4	370.7	0
..Asthma (493)	17	12	15	332	460	59.4	43.7	0	79.4	65.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	36	28	34	390	705	80.2	109.7	0	141.9	181.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	73	22	46	362	697	71.7	85.3	0	142.1	170.4	0
..Nephritis-related (580-589)	288	116	192	1,736	3,261	350.8	635.2	1	664.8	1061.4	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	95	32	62	562	1,017	109.6	119.9	0	202.2	227.7	0
Unintentional injuries (E800-E949)	182	148	164	4,275	5,840	757.2	951.9	0	989.9	1251.7	0
..Motor vehicle accidents (E810-E825)	64	54	59	1,804	2,372	307.7	389.1	0	383.9	482.4	0
..Falls and fall related injuries (E880-E888)	10	2	6	35	65
..Drowning (E830,E832,E910)	5	5	5	198	248
..Residential fires (E890-E899)	10	8	10	255	350
Suicide (E950-E959)	42	39	41	1,303	1,703	223.9	202.5	0	276.7	250.6	0
Homicide and legal intervention (E960-E978)	143	140	142	5,263	6,678	877.9	923.8	0	1041.1	1097.5	0
..Homicide (E960-E969)	140	137	139	5,141	6,526	856.9	916.4	0	1016.8	1089.0	0
All injury (E800-E999)	373	333	353	11,016	14,456	1890.3	2101.4	0	2346.7	2625.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	64	54	59	1,804	2,372	307.7	384.4	0	383.9	476.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	11	4	8	100	150
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	119	117	119	4,503	5,683	754.3	857.5	0	888.1	1008.1	0
...Suicide (E955.0-.4)	13	11	13	383	503	.	95.8	.	.	115.5	.
...Homicide (E965.0-.4)	101	101	101	3,923	4,933	655.2	737.8	0	767.2	865.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	64	64	64	1,560	2,200	294.1	308.6	0	390.3	422.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	32	28	31	515	808	104.9	84.7	0	157.1	147.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	61	61	61	1,513	2,123	284.4	321.1	0	375.5	434.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	2,008	1,164	1,546	26,511	40,036	10227.2	13508.7	1	15742.4	20434.2	1
Infectious diseases and parasitic disease (1-139)	148	126	132	2,636	3,926	1117.4	3222.6	1	1603.7	4439.4	1
..Septicemia (038)	28	15	17	280	435	117.5	153.8	0	181.2	277.3	0
...Septicemia-related (038)	126	58	84	1,105	1,800	463.9	568.4	0	769.7	967.2	0
..HIV infection (042-044)	91	88	91	1,900	2,803	810.5	2797.9	1	1139.8	3796.2	1
All cancer (140-208)	473	209	334	2,357	5,094	1100.3	1310.0	0	2466.6	2877.7	0
..Oral cavity or pharynx (140.0-149.9)	15	9	12	108	215	48.6	82.8	0	100.8	142.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	44	21	34	263	550	113.8	83.1	0	252.7	213.1	0
...Colon cancer (153)	37	16	27	175	398	81.9	69.5	0	192.5	175.0	0
...Rectal cancer (154)	7	5	7	88	153
..Pancreatic cancer (157)	26	12	20	90	255	40.7	68.7	0	126.6	174.7	0
..Lung and other respiratory cancer (160-165)	158	73	115	623	1,543	319.6	403.0	0	796.5	901.1	0
...Lung cancer (162.2-.9)	143	65	102	563	1,375	285.9	364.7	0	706.7	813.8	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	77	12	31	60	263	34.2	45.8	0	148.8	229.9	0
..Bladder cancer (188)	6	3	5	33	73
..Brain & other CNS cancer (191-192)	4	3	3	58	88
..Leukemia (204-208)	12	6	11	115	203	.	36.8	.	.	92.4	.
Diabetes mellitus (250)	63	26	43	255	593	123.4	178.8	0	296.2	355.7	0
..Diabetes-related (250)	194	78	139	885	1,963	413.1	472.5	0	953.8	1063.2	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	596	269	416	3,367	6,779	1562.9	2071.8	1	3224.8	3950.1	0
..Diseases of the heart (390-398,402,404-429)	488	215	340	2,610	5,392	1229.0	1747.3	1	2593.6	3296.5	1
...Heart disease-related (390-398,402,404-429)	909	417	642	5,662	10,939	2553.3	4117.7	1	5084.6	7277.6	1
...Coronary heart disease (CHD) (402,410-414,429.2)	342	150	238	1,610	3,555	784.1	829.9	0	1759.0	1832.3	0
....Congestive heart failure (CHF) (428.0)	15	3	5	18	63	10.0	.	0	34.1	.	0
..Hypertension with or without renal disease (401,403)	12	10	10	120	220
...Hypertension-related (401,403)	168	76	116	765	1,705	370.8	379.7	0	841.5	889.2	0
..Cerebrovascular disease (430-438)	67	34	50	537	942	230.9	226.7	0	419.5	453.0	0
..Atherosclerosis (440)	7	.	3	0	18
...Atherosclerosis-related (440)	27	4	10	112	187	38.7	70.8	0	73.0	148.2	0
..Aortic aneurysm (441)	5	2	2	40	60
Pneumonia & influenza (480-487)	56	24	35	544	837	203.8	273.9	0	324.3	437.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	30	11	23	183	348	73.3	79.0	0	153.4	172.1	0
..COPD-related (490-496)	104	31	64	343	795	162.7	183.2	0	398.4	456.6	0
..Asthma (493)	7	4	5	130	173

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	23	18	22	245	445	114.9	148.1	0	205.8	254.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	34	13	25	220	405	93.6	113.6	0	182.6	210.8	0
..Nephritis-related (580-589)	140	68	100	1,101	1,946	490.7	758.3	0	879.9	1211.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	47	18	33	312	555	134.8	141.1	0	248.9	272.1	0
Unintentional injuries (E800-E949)	123	108	116	3,163	4,278	1179.3	1555.4	0	1533.3	2086.2	0
..Motor vehicle accidents (E810-E825)	43	38	40	1,332	1,722	465.0	640.2	0	570.9	799.0	0
..Falls and fall related injuries (E880-E888)	7	2	6	35	65
..Drowning (E830,E832,E910)	3	3	3	113	143
..Residential fires (E890-E899)	4	3	4	68	105
Suicide (E950-E959)	33	31	33	1,098	1,418	380.1	365.5	0	465.8	442.5	0
Homicide and legal intervention (E960-E978)	110	107	109	4,100	5,185	1395.2	1602.7	0	1651.7	1918.5	0
..Homicide (E960-E969)	107	104	106	3,977	5,032	1352.5	1587.9	0	1602.3	1901.5	0
All injury (E800-E999)	272	252	264	8,535	11,115	3020.6	3570.0	0	3733.4	4499.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	43	38	40	1,332	1,722	465.0	630.1	0	570.9	786.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	8	3	7	63	103
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	105	103	105	3,963	5,003	1351.5	1552.9	0	1596.9	1830.0	0
...Suicide (E955.0-.4)	13	11	13	383	503	.	194.8	.	.	230.3	.
...Homicide (E965.0-.4)	87	87	87	3,383	4,253	1150.0	1311.3	0	1349.2	1546.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	47	47	47	1,128	1,598	460.7	562.6	0	616.5	773.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	26	23	26	408	650	183.2	121.9	0	282.3	220.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	45	45	45	1,113	1,563	447.6	588.8	0	594.1	797.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
All causes	1,884	775	1,140	16,680	26,102	5896.7	6663.6	0	9056.2	10112.6	0
Infectious diseases and parasitic disease (1-139)	108	75	86	1,758	2,570	606.4	1442.8	1	846.6	1920.1	1
..Septicemia (038)	41	14	20	185	365	73.1	115.1	0	138.6	177.8	0
...Septicemia-related (038)	132	47	80	685	1,342	258.9	416.1	0	501.3	670.3	0
..HIV infection (042-044)	53	52	53	1,400	1,923	469.0	1181.8	1	606.7	1543.8	1
All cancer (140-208)	424	199	293	2,398	4,788	946.3	858.7	0	1834.0	1641.5	0
..Oral cavity or pharynx (140.0-149.9)	4	1	4	13	40
..Colorectal cancer (153.0-154.3,154.8,159.0)	45	17	30	178	400	74.6	99.9	0	161.1	190.6	0
...Colon cancer (153)	42	15	28	148	350	61.7	99.9	0	141.0	190.6	0
...Rectal cancer (154)	3	2	2	30	50
..Pancreatic cancer (157)	31	11	17	113	253	45.1	38.1	0	98.1	73.4	0
..Lung and other respiratory cancer (160-165)	92	48	69	460	1,028	189.7	126.5	0	406.2	267.3	0
...Lung cancer (162.2-.9)	86	45	65	413	943	170.4	122.0	0	373.6	253.2	0
..Female breast cancer (174)	97	55	73	693	1,328	279.7	247.8	0	512.3	447.6	0
..Cervical cancer (180)	12	9	10	178	275
..Endometrial cancer (182)	8	1	5	23	53
..Ovarian cancer (183)	11	5	11	23	88
..Prostate cancer (185)
..Bladder cancer (188)	4	.	2	0	5
..Brain & other CNS cancer (191-192)	5	1	2	8	20
..Leukemia (204-208)	8	4	4	110	150	.	97.7	.	.	126.0	.
Diabetes mellitus (250)	71	22	43	215	548	88.3	134.7	0	218.6	330.6	0
..Diabetes-related (250)	275	77	157	723	1,888	290.4	384.9	0	749.1	917.6	0
..Diabetic ketoacidosis (DKA) (250.1)	3	1	1	18	28
Alzheimer's diseases (331.0)	9	.	.	0	0
Cardiovascular disease (390-459)	758	193	363	2,235	4,940	877.8	1237.6	1	1914.8	2406.4	0
..Diseases of the heart (390-398,402,404-429)	581	159	290	1,880	4,062	738.3	1006.9	0	1570.4	1944.3	0
...Heart disease-related (390-398,402,404-429)	1,018	316	534	4,271	8,456	1618.8	2331.8	1	3170.3	4113.9	1
...Coronary heart disease (CHD) (402,410-414,429.2)	396	101	197	1,158	2,568	456.2	459.1	0	999.8	1049.9	0
....Congestive heart failure (CHF) (428.0)	33	5	11	58	138	19.4	48.4	0	49.7	70.0	0
..Hypertension with or without renal disease (401,403)	21	6	10	90	175	31.8	18.9	0	62.0	56.5	0
...Hypertension-related (401,403)	228	69	131	698	1,673	280.2	276.8	0	659.2	622.9	0
..Cerebrovascular disease (430-438)	125	22	50	215	565	87.3	182.5	0	226.8	345.4	0
..Atherosclerosis (440)	7	2	4	5	35
...Atherosclerosis-related (440)	51	7	17	28	153	12.1	39.9	0	63.9	102.7	0
..Aortic aneurysm (441)	9	1	3	23	38
Pneumonia & influenza (480-487)	58	13	23	215	395	76.2	48.4	0	141.5	103.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	35	15	24	305	492	113.4	83.4	0	178.3	136.4	0
..COPD-related (490-496)	95	30	47	587	960	214.2	170.9	0	341.9	312.6	0
..Asthma (493)	10	8	10	202	287

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Black Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1997-1998			Years of life lost, 1997-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997-1998	1995-1996	Significance	1997-1998	1995-1996	Significance
*****Causes of Death*****											
Chronic liver disease and cirrhosis (571)	13	10	12	145	260	.	81.4	.	.	126.1	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	39	9	21	143	293	51.9	63.4	0	108.2	139.8	0
..Nephritis-related (580-589)	148	48	92	635	1,315	229.9	535.1	1	483.6	939.1	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	48	14	29	250	463	87.1	104.7	0	163.5	195.8	0
Unintentional injuries (E800-E949)	59	40	48	1,112	1,562	371.2	423.9	0	499.6	532.9	0
..Motor vehicle accidents (E810-E825)	21	16	19	472	650	155.8	159.7	0	204.5	196.7	0
..Falls and fall related injuries (E880-E888)	3	.	.	0	0
..Drowning (E830,E832,E910)	2	2	2	85	105
..Residential fires (E890-E899)	6	5	6	188	245
Suicide (E950-E959)	9	8	8	205	285
Homicide and legal intervention (E960-E978)	33	33	33	1,164	1,494	376.9	271.7	0	452.2	316.5	0
..Homicide (E960-E969)	33	33	33	1,164	1,494	376.9	271.7	0	452.2	316.5	0
All injury (E800-E999)	101	81	89	2,481	3,341	820.0	743.0	0	1046.5	917.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	21	16	19	472	650	155.8	159.7	0	204.5	196.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1	1	38	48
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	14	14	14	540	680
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	14	14	14	540	680
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	17	17	17	433	603	150.2	.	0	196.3	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	5	5	108	158
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	16	16	16	400	560	141.4	.	0	185.6	.	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).