

# Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1991

Page

## Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1991

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

## Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1991

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1991*****					*****1991*****					*****1991*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR
*****Causes of Death*****															
All causes	604	272.7	342.4	0	332.1	371	339.0	453.5	0	445.0	233	207.9	242.3	0	234.7
Infectious diseases and parasitic disease (1-139)	77	34.8	37.0	0	30.5	61	55.7	64.3	0	47.2	16	14.3	12.7	0	15.5
..Septicemia (038)	9	4.1	.	.	.	8	7.3	.	.	.	1	0.9	.	.	.
....Septicemia-related (038)	37	16.7	22.7	0	21.6	23	21.0	30.7	0	29.6	14	12.5	.	.	.
..HIV infection (042-044)	59	26.6	26.6	0	21.4	46	42.0	44.1	0	35.2	13	11.6	.	.	.
All cancer (140-208)	110	49.7	75.5	0	53.7	56	51.2	89.0	0	68.2	54	48.2	65.9	0	42.8
..Oral cavity or pharynx (140.0-149.9)	5	2.3	.	.	.	4	3.7	.	.	.	1	0.9	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4.1	.	.	.	3	2.7	.	.	.	6	5.4	.	.	.
....Colon cancer (153)	5	2.3	.	.	.	2	1.8	.	.	.	3	2.7	.	.	.
....Rectal cancer (154)	3	1.4	.	.	.	1	0.9	.	.	.	2	1.8	.	.	.
..Pancreatic cancer (157)	5	2.3	.	.	.	2	1.8	.	.	.	3	2.7	.	.	.
..Lung and other respiratory cancer (160-165)	26	11.7	19.5	0	13.8	18	16.4	30.6	0	.	8	7.1	.	.	.
....Lung cancer (162.2-.9)	25	11.3	18.7	0	13.8	17	15.5	28.8	0	.	8	7.1	.	.	.
..Female breast cancer (174)	10	.	.	.	.	.	.	.	.	.	10	8.9	.	.	.
..Cervical cancer (180)	4	.	.	.	.	.	.	.	.	.	4	3.6	.	.	.
..Ovarian cancer (183)	2	.	.	.	.	.	.	.	.	.	2	1.8	.	.	.
..Prostate cancer (185)	3	.	.	.	.	3	2.7	.	.	.	.	.	.	.	.
..Bladder cancer (188)	1	0.5	.	.	.	1	0.9	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	3	1.4	.	.	.	2	1.8	.	.	.	1	0.9	.	.	.
..Leukemia (204-208)	4	1.8	.	.	.	2	1.8	.	.	.	2	1.8	.	.	.
Diabetes mellitus (250)	12	5.4	.	.	10.8	6	5.5	.	.	.	6	5.4	.	.	.
..Diabetes-related (250)	49	22.1	32.9	0	31.7	25	22.8	40.5	0	32.7	24	21.4	26.9	0	30.9
Alzheimer's diseases (331.0)	3	1.4	.	.	.	.	.	.	.	.	3	2.7	.	.	.
Cardiovascular disease (390-459)	158	71.3	101.4	0	99.4	77	70.4	119.0	0	117.6	81	72.3	86.6	0	85.2
..Diseases of the heart (390-398,402,404-429)	123	55.5	78.9	0	73.0	59	53.9	92.2	0	86.3	64	57.1	68.0	0	62.5
....Heart disease-related (390-398,402,404-429)	229	103.4	143.8	0	132.1	120	109.7	178.0	0	159.3	109	97.3	116.0	0	108.7
....Coronary heart disease (CHD) (402,410-414,429.2)	90	40.6	59.9	0	49.8	43	39.3	69.4	0	66.4	47	41.9	52.4	0	37.3
....Congestive heart failure (CHF) (428.0)	2	0.9	.	.	.	.	.	.	.	.	2	1.8	.	.	.
..Hypertension with or without renal disease (401,403)	3	1.4	.	.	.	1	0.9	.	.	.	2	1.8	.	.	.
....Hypertension-related (401,403)	27	12.2	16.9	0	18.3	13	11.9	.	.	.	14	12.5	.	.	20.6
..Cerebrovascular disease (430-438)	29	13.1	19.0	0	17.5	15	13.7	24.1	0	.	14	12.5	.	.	16.9
....Atherosclerosis-related (440)	6	2.7	.	.	.	1	0.9	.	.	.	5	4.5	.	.	.
Pneumonia & influenza (480-487)	13	5.9	.	.	7.7	6	5.5	.	.	.	7	6.2	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	4.1	.	.	.	4	3.7	.	.	.	5	4.5	.	.	.
..COPD-related (490-496)	26	11.7	17.5	0	19.6	11	10.1	.	.	25.4	15	13.4	16.2	0	.
..Asthma (493)	2	0.9	.	.	.	.	.	.	.	.	2	1.8	.	.	.
Chronic liver disease and cirrhosis (571)	14	6.3	.	.	16.2	13	11.9	.	.	28.5	1	0.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2.3	.	.	.	4	3.7	.	.	.	1	0.9	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1991*****					*****1991*****					*****1991*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR
*****Causes of Death*****															
..Nephritis-related (580-589)	30	13.5	20.1	0	34.0	18	16.4	26.0	0	35.7	12	10.7	.	.	32.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	2.7	.	.	.	5	4.6	.	.	.	1	0.9	.	.	.
Unintentional injuries (E800-E949)	54	24.4	23.4	0	16.5	42	38.4	37.4	0	26.3	12	10.7	.	.	.
..Motor vehicle accidents (E810-E825)	13	5.9	.	.	9.2	11	10.1	.	.	16.3	2	1.8	.	.	.
..Falls and fall related injuries (E880-E888)	3	1.4	.	.	.	1	0.9	.	.	.	2	1.8	.	.	.
..Drowning (E830,E832,E910)	4	1.8	.	.	.	4	3.7	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	11	5.0	.	.	.	4	3.7	.	.	.	7	6.2	.	.	.
Suicide (E950-E959)	18	8.1	8.1	0	13.1	15	13.7	12.9	0	24.6	3	2.7	.	.	.
Homicide and legal intervention (E960-E978)	37	16.7	16.3	0	13.7	33	30.2	30.1	0	24.2	4	3.6	.	.	.
..Homicide (E960-E969)	37	16.7	16.3	0	13.7	33	30.2	30.1	0	24.2	4	3.6	.	.	.
All injury (E800-E999)	114	51.5	49.8	0	44.8	94	85.9	83.5	0	78.1	20	17.8	16.7	0	14.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	5.9	.	.	8.8	11	10.1	.	.	15.5	2	1.8	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.4	.	.	.	2	1.8	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	18.5	17.9	0	18.4	39	35.6	34.3	0	31.7	2	1.8	.	.	.
....Suicide (E955.0-.4)	9	4.1	.	.	.	8	7.3	.	.	.	1	0.9	.	.	.
....Homicide (E965.0-.4)	29	13.1	12.6	0	11.4	28	25.6	24.8	0	19.4	1	0.9	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	8.6	8.4	0	.	17	15.5	15.6	.	.	2	1.8	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	9	4.1	.	.	11.6	8	7.3	.	.	.	1	0.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	19	8.6	8.5	.	.	17	15.5	15.9	.	.	2	1.8	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1991*****					*****1991*****					*****1991*****				
	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR
*****Causes of Death*****															
All causes	604	272.7	424.3	0	402.0	371	339.0	535.9	0	517.6	233	207.9	325.8	0	304.4
Infectious diseases and parasitic disease (1-139)	77	34.8	32.9	0	28.9	61	55.7	58.3	0	44.1	16	14.3	10.8	0	15.7
..Septicemia (038)	9	4.1	.	.	.	8	7.3	.	.	.	1	0.9	.	.	.
....Septicemia-related (038)	37	16.7	25.6	0	27.0	23	21.0	33.2	0	35.7	14	12.5	.	.	.
..HIV infection (042-044)	59	26.6	22.7	0	18.3	46	42.0	37.4	0	30.3	13	11.6	.	.	.
All cancer (140-208)	110	49.7	95.0	0	68.5	56	51.2	114.8	0	87.7	54	48.2	81.1	0	54.4
..Oral cavity or pharynx (140.0-149.9)	5	2.3	.	.	.	4	3.7	.	.	.	1	0.9	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4.1	.	.	.	3	2.7	.	.	.	6	5.4	.	.	.
....Colon cancer (153)	5	2.3	.	.	.	2	1.8	.	.	.	3	2.7	.	.	.
....Rectal cancer (154)	3	1.4	.	.	.	1	0.9	.	.	.	2	1.8	.	.	.
..Pancreatic cancer (157)	5	2.3	.	.	.	2	1.8	.	.	.	3	2.7	.	.	.
..Lung and other respiratory cancer (160-165)	26	11.7	24.7	0	18.1	18	16.4	40.0	0	.	8	7.1	.	.	.
....Lung cancer (162.2-.9)	25	11.3	23.7	0	18.1	17	15.5	37.8	0	.	8	7.1	.	.	.
..Female breast cancer (174)	10	.	.	.	.	.	.	.	.	.	10	8.9	.	.	.
..Cervical cancer (180)	4	.	.	.	.	.	.	.	.	.	4	3.6	.	.	.
..Ovarian cancer (183)	2	.	.	.	.	.	.	.	.	.	2	1.8	.	.	.
..Prostate cancer (185)	3	.	.	.	.	3	2.7	.	.	.	.	.	.	.	.
..Bladder cancer (188)	1	0.5	.	.	.	1	0.9	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	3	1.4	.	.	.	2	1.8	.	.	.	1	0.9	.	.	.
..Leukemia (204-208)	4	1.8	.	.	.	2	1.8	.	.	.	2	1.8	.	.	.
Diabetes mellitus (250)	12	5.4	.	.	14.4	6	5.5	.	.	.	6	5.4	.	.	.
..Diabetes-related (250)	49	22.1	48.5	0	40.2	25	22.8	58.8	0	40.5	24	21.4	41.0	0	39.8
Alzheimer's diseases (331.0)	3	1.4	.	.	.	.	.	.	.	.	3	2.7	.	.	.
Cardiovascular disease (390-459)	158	71.3	147.5	0	138.5	77	70.4	168.2	0	159.8	81	72.3	131.1	0	122.1
..Diseases of the heart (390-398,402,404-429)	123	55.5	116.0	0	101.9	59	53.9	132.8	0	117.5	64	57.1	103.1	0	90.0
....Heart disease-related (390-398,402,404-429)	229	103.4	200.9	0	178.5	120	109.7	240.9	0	203.7	109	97.3	169.5	0	156.1
....Coronary heart disease (CHD) (402,410-414,429.2)	90	40.6	88.9	0	69.7	43	39.3	102.7	0	91.4	47	41.9	79.2	0	54.2
....Congestive heart failure (CHF) (428.0)	2	0.9	.	.	.	.	.	.	.	.	2	1.8	.	.	.
....Hypertension with or without renal disease (401,403)	3	1.4	.	.	.	1	0.9	.	.	.	2	1.8	.	.	.
....Hypertension-related (401,403)	27	12.2	25.8	0	23.1	13	11.9	.	.	.	14	12.5	.	.	26.3
..Cerebrovascular disease (430-438)	29	13.1	28.3	0	24.5	15	13.7	33.2	0	.	14	12.5	.	.	23.7
....Atherosclerosis-related (440)	6	2.7	.	.	.	1	0.9	.	.	.	5	4.5	.	.	.
Pneumonia & influenza (480-487)	13	5.9	.	.	14.7	6	5.5	.	.	.	7	6.2	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	4.1	.	.	.	4	3.7	.	.	.	5	4.5	.	.	.
..COPD-related (490-496)	26	11.7	23.9	0	26.9	11	10.1	.	.	34.2	15	13.4	22.3	0	.
..Asthma (493)	2	0.9	.	.	.	.	.	.	.	.	2	1.8	.	.	.
Chronic liver disease and cirrhosis (571)	14	6.3	.	.	17.5	13	11.9	.	.	29.8	1	0.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2.3	.	.	.	4	3.7	.	.	.	1	0.9	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1991*****					*****1991*****					*****1991*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR
*****Causes of Death*****															
..Nephritis-related (580-589)	30	13.5	26.1	0	39.6	18	16.4	31.8	0	40.3	12	10.7	.	.	39.0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	2.7	.	.	.	5	4.6	.	.	.	1	0.9	.	.	.
Unintentional injuries (E800-E949)	54	24.4	23.6	0	16.0	42	38.4	36.5	0	24.1	12	10.7	.	.	.
..Motor vehicle accidents (E810-E825)	13	5.9	.	.	8.5	11	10.1	.	.	14.6	2	1.8	.	.	.
..Falls and fall related injuries (E880-E888)	3	1.4	.	.	.	1	0.9	.	.	.	2	1.8	.	.	.
..Drowning (E830,E832,E910)	4	1.8	.	.	.	4	3.7	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	11	5.0	.	.	.	4	3.7	.	.	.	7	6.2	.	.	.
Suicide (E950-E959)	18	8.1	7.4	0	12.5	15	13.7	11.5	0	24.2	3	2.7	.	.	.
Homicide and legal intervention (E960-E978)	37	16.7	15.4	0	12.8	33	30.2	28.7	0	23.7	4	3.6	.	.	.
..Homicide (E960-E969)	37	16.7	15.4	0	12.8	33	30.2	28.7	0	23.7	4	3.6	.	.	.
All injury (E800-E999)	114	51.5	48.1	0	42.6	94	85.9	79.4	0	74.7	20	17.8	17.7	0	13.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	5.9	.	.	8.2	11	10.1	.	.	14.0	2	1.8	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.4	.	.	.	2	1.8	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	18.5	16.7	0	17.6	39	35.6	32.3	0	32.0	2	1.8	.	.	.
....Suicide (E955.0-.4)	9	4.1	.	.	.	8	7.3	.	.	.	1	0.9	.	.	.
....Homicide (E965.0-.4)	29	13.1	11.9	0	10.7	28	25.6	23.8	0	19.5	1	0.9	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	8.6	7.2	0	.	17	15.5	13.5	.	.	2	1.8	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	9	4.1	.	.	11.8	8	7.3	.	.	.	1	0.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	19	8.6	7.4	.	.	17	15.5	13.9	.	.	2	1.8	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1991*****					*****1991*****					*****1991*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR
*****Causes of Death*****															
All causes	604	272.7	541.9	0	509.0	371	339.0	664.8	0	637.8	233	207.9	433.7	0	399.7
Infectious diseases and parasitic disease (1-139)	77	34.8	40.1	0	36.7	61	55.7	72.1	0	56.4	16	14.3	12.2	0	19.8
..Septicemia (038)	9	4.1	.	.	.	8	7.3	.	.	.	1	0.9	.	.	.
....Septicemia-related (038)	37	16.7	31.0	0	36.4	23	21.0	39.7	0	46.3	14	12.5	.	.	.
..HIV infection (042-044)	59	26.6	27.5	0	22.0	46	42.0	46.2	0	37.0	13	11.6	.	.	.
All cancer (140-208)	110	49.7	116.5	0	82.5	56	51.2	139.9	0	106.0	54	48.2	100.6	0	65.6
..Oral cavity or pharynx (140.0-149.9)	5	2.3	.	.	.	4	3.7	.	.	.	1	0.9	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4.1	.	.	.	3	2.7	.	.	.	6	5.4	.	.	.
....Colon cancer (153)	5	2.3	.	.	.	2	1.8	.	.	.	3	2.7	.	.	.
....Rectal cancer (154)	3	1.4	.	.	.	1	0.9	.	.	.	2	1.8	.	.	.
..Pancreatic cancer (157)	5	2.3	.	.	.	2	1.8	.	.	.	3	2.7	.	.	.
..Lung and other respiratory cancer (160-165)	26	11.7	28.9	0	21.9	18	16.4	48.2	0	.	8	7.1	.	.	.
....Lung cancer (162.2-.9)	25	11.3	28.0	0	21.9	17	15.5	46.2	0	.	8	7.1	.	.	.
..Female breast cancer (174)	10	.	.	.	.	.	.	.	.	.	10	8.9	.	.	.
..Cervical cancer (180)	4	.	.	.	.	.	.	.	.	.	4	3.6	.	.	.
..Ovarian cancer (183)	2	.	.	.	.	.	.	.	.	.	2	1.8	.	.	.
..Prostate cancer (185)	3	.	.	.	.	3	2.7	.	.	.	.	.	.	.	.
..Bladder cancer (188)	1	0.5	.	.	.	1	0.9	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	3	1.4	.	.	.	2	1.8	.	.	.	1	0.9	.	.	.
..Leukemia (204-208)	4	1.8	.	.	.	2	1.8	.	.	.	2	1.8	.	.	.
Diabetes mellitus (250)	12	5.4	.	.	17.8	6	5.5	.	.	.	6	5.4	.	.	.
..Diabetes-related (250)	49	22.1	66.6	0	47.6	25	22.8	80.0	0	47.3	24	21.4	57.4	0	47.3
Alzheimer's diseases (331.0)	3	1.4	.	.	.	.	.	.	.	.	3	2.7	.	.	.
Cardiovascular disease (390-459)	158	71.3	206.7	0	189.0	77	70.4	232.7	0	211.9	81	72.3	186.8	0	171.0
..Diseases of the heart (390-398,402,404-429)	123	55.5	163.0	0	139.4	59	53.9	185.9	0	157.6	64	57.1	146.6	0	125.5
....Heart disease-related (390-398,402,404-429)	229	103.4	274.5	0	246.4	120	109.7	322.4	0	269.0	109	97.3	237.9	0	223.4
....Coronary heart disease (CHD) (402,410-414,429.2)	90	40.6	123.9	0	94.5	43	39.3	145.4	0	121.9	47	41.9	110.4	0	75.2
....Congestive heart failure (CHF) (428.0)	2	0.9	.	.	.	.	.	.	.	.	2	1.8	.	.	.
....Hypertension with or without renal disease (401,403)	3	1.4	.	.	.	1	0.9	.	.	.	2	1.8	.	.	.
....Hypertension-related (401,403)	27	12.2	37.7	0	29.0	13	11.9	.	.	.	14	12.5	.	.	32.8
..Cerebrovascular disease (430-438)	29	13.1	39.7	0	33.8	15	13.7	43.8	0	.	14	12.5	.	.	33.9
....Atherosclerosis-related (440)	6	2.7	.	.	.	1	0.9	.	.	.	5	4.5	.	.	.
Pneumonia & influenza (480-487)	13	5.9	.	.	25.7	6	5.5	.	.	.	7	6.2	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	4.1	.	.	.	4	3.7	.	.	.	5	4.5	.	.	.
..COPD-related (490-496)	26	11.7	31.6	0	35.6	11	10.1	.	.	43.8	15	13.4	31.6	0	.
..Asthma (493)	2	0.9	.	.	.	.	.	.	.	.	2	1.8	.	.	.
Chronic liver disease and cirrhosis (571)	14	6.3	.	.	20.5	13	11.9	.	.	34.0	1	0.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	2.3	.	.	.	4	3.7	.	.	.	1	0.9	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1991*****					*****1991*****					*****1991*****				
	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR
*****Causes of Death*****															
..Nephritis-related (580-589)	30	13.5	32.9	0	44.9	18	16.4	39.4	0	46.1	12	10.7	.	.	43.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	2.7	.	.	.	5	4.6	.	.	.	1	0.9	.	.	.
Unintentional injuries (E800-E949)	54	24.4	26.4	0	16.6	42	38.4	39.8	0	25.1	12	10.7	.	.	.
..Motor vehicle accidents (E810-E825)	13	5.9	.	.	8.2	11	10.1	.	.	14.7	2	1.8	.	.	.
..Falls and fall related injuries (E880-E888)	3	1.4	.	.	.	1	0.9	.	.	.	2	1.8	.	.	.
..Drowning (E830,E832,E910)	4	1.8	.	.	.	4	3.7	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	11	5.0	.	.	.	4	3.7	.	.	.	7	6.2	.	.	.
Suicide (E950-E959)	18	8.1	7.6	0	14.5	15	13.7	11.7	0	28.8	3	2.7	.	.	.
Homicide and legal intervention (E960-E978)	37	16.7	14.8	0	12.8	33	30.2	28.2	0	23.8	4	3.6	.	.	.
..Homicide (E960-E969)	37	16.7	14.8	0	12.8	33	30.2	28.2	0	23.8	4	3.6	.	.	.
All injury (E800-E999)	114	51.5	50.7	0	45.3	94	85.9	82.8	0	80.7	20	17.8	20.1	0	14.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	5.9	.	.	7.8	11	10.1	.	.	14.0	2	1.8	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.4	.	.	.	2	1.8	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	18.5	16.0	0	17.8	39	35.6	30.8	0	32.7	2	1.8	.	.	.
....Suicide (E955.0-.4)	9	4.1	.	.	.	8	7.3	.	.	.	1	0.9	.	.	.
....Homicide (E965.0-.4)	29	13.1	11.3	0	10.7	28	25.6	22.7	0	19.6	1	0.9	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	8.6	7.8	0	.	17	15.5	15.0	.	.	2	1.8	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	9	4.1	.	.	13.7	8	7.3	.	.	.	1	0.9	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	19	8.6	8.1	.	.	17	15.5	15.6	.	.	2	1.8	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	604	398	469	11,709	16,072	5270.8	4968.3	0	7478.4	7240.3	0
Infectious diseases and parasitic disease (1-139)	77	75	76	2,107	2,859	964.8	776.6	0	1282.7	1024.4	0
..Septicemia (038)	9	7	8	143	215	.	.	0	.	.	0
...Septicemia-related (038)	37	27	32	573	875	291.9	259.2	0	464.8	408.3	0
..HIV infection (042-044)	59	59	59	1,752	2,342	775.2	605.9	0	1009.1	792.2	0
All cancer (140-208)	110	60	83	999	1,727	574.4	316.7	0	1068.0	662.9	0
..Oral cavity or pharynx (140.0-149.9)	5	2	3	35	63	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	3	5	58	93	.	.	0	.	.	0
...Colon cancer (153)	5	2	3	30	53	.	.	0	.	.	0
...Rectal cancer (154)	3	1	2	28	40	.	.	0	.	.	0
..Pancreatic cancer (157)	5	5	5	88	138	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	26	11	19	123	288	87.4	53.7	0	215.9	130.9	0
...Lung cancer (162.2-.9)	25	10	18	120	275	85.1	53.7	0	205.3	130.9	0
..Female breast cancer (174)	10	9	10	128	225	.	.	0	.	.	0
..Cervical cancer (180)	4	4	4	90	130	.	.	0	.	.	0
..Ovarian cancer (183)	2	.	1	0	8	.	.	0	.	.	0
..Prostate cancer (185)	3	1	2	18	35	.	.	0	.	.	0
..Bladder cancer (188)	1	1	1	3	13	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	3	2	3	72	100	.	.	0	.	.	0
..Leukemia (204-208)	4	3	4	80	112	.	.	0	.	.	0
Diabetes mellitus (250)	12	3	5	38	78	.	48.2	.	.	122.3	.
..Diabetes-related (250)	49	14	26	170	375	106.3	158.8	0	262.2	393.7	0
Alzheimer's diseases (331.0)	3	2	3	15	38	.	.	0	.	.	0
Cardiovascular disease (390-459)	158	62	88	937	1,692	547.7	609.3	0	1073.9	1181.9	0
..Diseases of the heart (390-398,402,404-429)	123	47	65	715	1,290	417.7	422.9	0	822.5	847.0	0
...Heart disease-related (390-398,402,404-429)	229	100	140	2,025	3,235	1024.7	1112.5	0	1785.1	1921.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	90	29	45	318	703	221.5	240.1	0	516.0	536.5	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	3	3	3	63	93	.	.	0	.	.	0
...Hypertension-related (401,403)	27	9	12	123	230	80.3	120.0	0	156.3	247.9	0
..Cerebrovascular disease (430-438)	29	9	17	103	223	63.2	135.6	0	151.9	226.8	0
...Atherosclerosis-related (440)	6	.	.	0	0	.	.	0	.	.	0
Pneumonia & influenza (480-487)	13	4	5	152	200	.	19.3	.	.	40.8	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	2	5	35	73	.	.	0	.	.	0
..COPD-related (490-496)	26	10	16	170	310	103.4	130.7	0	202.9	234.0	0
..Asthma (493)	2	1	1	23	33	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	14	13	14	198	335	.	189.9	.	.	319.8	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	4	4	45	85	.	.	0	.	.	0
..Nephritis-related (580-589)	30	15	21	233	418	126.5	325.7	0	250.2	588.1	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	4	5	45	93	.	.	0	.	.	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	54	51	51	1,973	2,483	850.8	533.4	0	1034.2	666.6	0
..Motor vehicle accidents (E810-E825)	13	13	13	555	685	.	379.0	.	.	454.7	.
..Falls and fall related injuries (E880-E888)	3	1	1	23	33	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	130	170	.	.	.	.	.	.
..Residential fires (E890-E899)	11	11	11	546	656	.	.	.	.	.	.
Suicide (E950-E959)	18	18	18	620	800	281.9	360.1	0	351.1	463.2	0
Homicide and legal intervention (E960-E978)	37	36	37	1,412	1,775	626.5	557.7	0	755.7	664.3	0
..Homicide (E960-E969)	37	36	37	1,412	1,775	626.5	557.7	0	755.7	664.3	0
All injury (E800-E999)	114	110	111	4,204	5,307	1838.2	1495.7	0	2235.8	1851.2	0
..All motor vehicle accidents (E810-E819,E950-E959,E980-E989)	13	13	13	555	685	.	364.9	.	.	437.3	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	55	75	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	40	41	1,600	2,003	728.8	658.3	0	869.4	801.2	0
....Suicide (E955.0-.4)	9	9	9	328	418	.	.	.	.	.	.
....Homicide (E965.0-.4)	29	28	29	1,135	1,418	508.6	445.8	0	606.1	533.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	618	808	270.8	.	1	342.8	.	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	9	9	9	188	278	.	161.8	.	.	258.9	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	19	19	19	608	798	269.9	.	.	343.2	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	371	283	318	8,424	11,456	7682.4	7190.4	0	10793.8	10329.8	0
Infectious diseases and parasitic disease (1-139)	61	59	60	1,508	2,100	1483.2	1219.0	0	2034.5	1607.1	0
..Septicemia (038)	8	6	7	110	173	.	.	.	.	.	.
...Septicemia-related (038)	23	18	21	380	578	415.0	399.5	0	648.6	614.0	0
..HIV infection (042-044)	46	46	46	1,255	1,715	1170.8	945.4	0	1563.5	1252.9	0
All cancer (140-208)	56	31	42	532	904	589.5	380.6	0	1137.9	807.3	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	35	63	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	1	3	18	33	.	.	.	.	.	.
...Colon cancer (153)	2	1	2	18	30	.	.	.	.	.	.
...Rectal cancer (154)	1	.	1	0	3	.	.	.	.	.	.
..Pancreatic cancer (157)	2	2	2	35	55	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	18	8	12	90	200	127.6	.	0	311.4	.	0
...Lung cancer (162.2-.9)	17	7	11	88	188	122.7	.	0	288.2	.	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	3	1	2	18	35	.	.	.	.	.	.
..Bladder cancer (188)	1	1	1	3	13	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	72	92	.	.	.	.	.	.
..Leukemia (204-208)	2	2	2	72	92	.	.	.	.	.	.
Diabetes mellitus (250)	6	3	4	38	75	.	.	.	.	.	.
..Diabetes-related (250)	25	10	15	130	263	158.2	192.0	0	373.2	434.6	0
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	77	39	50	568	1,020	713.3	753.3	0	1386.0	1446.1	0
..Diseases of the heart (390-398,402,404-429)	59	29	36	393	725	521.0	569.0	0	1029.2	1082.2	0
...Heart disease-related (390-398,402,404-429)	120	64	85	1,301	2,054	1350.0	1492.6	0	2353.8	2530.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	43	18	25	205	428	304.1	366.7	0	670.2	750.4	0
...Congestive heart failure (CHF) (428.0)	.	.	.	.	.	.	.	.	.	.	.
...Hypertension with or without renal disease (401,403)	1	1	1	33	43	.	.	.	.	.	.
...Hypertension-related (401,403)	13	5	7	78	143	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	15	7	11	93	183	114.1	.	0	254.9	.	0
...Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	6	3	4	88	125	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	4	.	2	0	15	.	.	.	.	.	.
..COPD-related (490-496)	11	3	7	63	123	.	182.3	.	.	324.8	.
..Asthma (493)	.	.	.	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	13	12	13	190	318	.	338.6	.	.	580.9	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	3	3	43	73	.	.	.	.	.	.
..Nephritis-related (580-589)	18	12	14	215	345	232.2	411.1	0	397.8	682.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	3	4	43	80	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	42	41	41	1,554	1,964	1344.7	883.0	0	1648.4	1102.1	0
..Motor vehicle accidents (E810-E825)	11	11	11	495	605	.	632.8	.	.	768.3	.
..Falls and fall related injuries (E880-E888)	1	1	1	23	33	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	130	170	.	.	.	.	.	.
..Residential fires (E890-E899)	4	4	4	229	269	.	.	.	.	.	.
Suicide (E950-E959)	15	15	15	558	708	503.9	600.2	0	611.0	788.5	0
Homicide and legal intervention (E960-E978)	33	32	33	1,225	1,548	1095.5	975.3	0	1333.0	1156.5	0
..Homicide (E960-E969)	33	32	33	1,225	1,548	1095.5	975.3	0	1333.0	1156.5	0
All injury (E800-E999)	94	92	93	3,498	4,421	3073.0	2550.2	0	3747.3	3165.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	11	11	11	495	605	.	603.7	.	.	732.1	.
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	55	75	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	39	38	39	1,540	1,923	1387.5	1071.7	0	1653.4	1309.6	0
....Suicide (E955.0-.4)	8	8	8	305	385	.	.	.	.	.	.
....Homicide (E965.0-.4)	28	27	28	1,098	1,370	978.0	751.4	0	1167.4	894.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	17	17	17	538	708	484.2	.	.	619.6	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	8	8	8	160	240	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	17	17	17	528	698	483.4	.	.	621.8	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	233	115	151	3,286	4,616	2907.9	2874.5	0	4286.6	4369.9	0
Infectious diseases and parasitic disease (1-139)	16	16	16	599	759	486.4	363.1	0	591.9	482.6	0
..Septicemia (038)	1	1	1	33	43	.	.	.	.	.	.
...Septicemia-related (038)	14	9	11	193	298	.	.	.	.	.	.
..HIV infection (042-044)	13	13	13	497	627	.	.	.	.	.	.
All cancer (140-208)	54	29	41	468	823	553.2	261.6	0	1001.2	538.3	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	6	2	2	40	60	.	.	.	.	.	.
...Colon cancer (153)	3	1	1	13	23	.	.	.	.	.	.
...Rectal cancer (154)	2	1	1	28	38	.	.	.	.	.	.
..Pancreatic cancer (157)	3	3	3	53	83	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	8	3	7	33	88	.	.	.	.	.	.
...Lung cancer (162.2-.9)	8	3	7	33	88	.	.	.	.	.	.
..Female breast cancer (174)	10	9	10	128	225	.	.	.	.	.	.
..Cervical cancer (180)	4	4	4	90	130	.	.	.	.	.	.
..Ovarian cancer (183)	2	.	1	0	8	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	.	1	0	8	.	.	.	.	.	.
..Leukemia (204-208)	2	1	2	8	20	.	.	.	.	.	.
Diabetes mellitus (250)	6	.	1	0	3	.	.	.	.	.	.
..Diabetes-related (250)	24	4	11	40	113	58.2	128.4	0	163.5	357.4	0
Alzheimer's diseases (331.0)	3	2	3	15	38	.	.	.	.	.	.
Cardiovascular disease (390-459)	81	23	38	370	672	402.3	480.6	0	800.7	950.4	0
..Diseases of the heart (390-398,402,404-429)	64	18	29	322	565	331.8	291.1	0	646.0	637.7	0
...Heart disease-related (390-398,402,404-429)	109	36	55	724	1,182	723.1	770.4	0	1274.3	1381.0	0
...Coronary heart disease (CHD) (402,410-414,429.2)	47	11	20	113	275	148.4	126.2	0	380.7	347.2	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	2	2	2	30	50	.	.	.	.	.	.
...Hypertension-related (401,403)	14	4	5	45	88	.	121.8	.	.	275.4	.
..Cerebrovascular disease (430-438)	14	2	6	10	40	.	165.8	.	.	261.2	.
...Atherosclerosis-related (440)	5	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	7	1	1	65	75	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	5	2	3	35	58	.	.	.	.	.	.
..COPD-related (490-496)	15	7	9	108	188	126.4	.	0	224.5	.	0
..Asthma (493)	2	1	1	23	33	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	1	1	1	8	18	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	1	1	1	3	13	.	.	.	.	.	.
..Nephritis-related (580-589)	12	3	7	18	73	.	244.9	.	.	499.2	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	3	13	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	12	10	10	419	519	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	2	2	2	60	80	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	.	.	0	0	.	.	.	.	.	.
..Drowning (E830,E832,E910)	.	.	.	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	7	7	7	317	387	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	63	93	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	4	4	4	187	227	.	.	.	.	.	.
..Homicide (E960-E969)	4	4	4	187	227	.	.	.	.	.	.
All injury (E800-E999)	20	18	18	706	886	591.4	472.7	0	717.7	585.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	60	80	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	2	2	2	60	80	.	.	.	.	.	.
....Suicide (E955.0-.4)	1	1	1	23	33	.	.	.	.	.	.
....Homicide (E965.0-.4)	1	1	1	38	48	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	80	100	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	28	38	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	80	100	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	604	398	469	11,709	16,072	5050.0	4681.4	0	7255.3	6960.1	0
Infectious diseases and parasitic disease (1-139)	77	75	76	2,107	2,859	830.8	661.0	0	1100.7	871.0	0
..Septicemia (038)	9	7	8	143	215	.	.	.	.	.	.
...Septicemia-related (038)	37	27	32	573	875	267.5	232.2	0	441.8	382.9	0
..HIV infection (042-044)	59	59	59	1,752	2,342	662.6	510.6	0	855.9	665.0	0
All cancer (140-208)	110	60	83	999	1,727	562.0	309.0	0	1094.3	691.6	0
..Oral cavity or pharynx (140.0-149.9)	5	2	3	35	63	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	3	5	58	93	.	.	.	.	.	.
...Colon cancer (153)	5	2	3	30	53	.	.	.	.	.	.
...Rectal cancer (154)	3	1	2	28	40	.	.	.	.	.	.
..Pancreatic cancer (157)	5	5	5	88	138	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	26	11	19	123	288	88.1	54.6	0	232.8	142.7	0
...Lung cancer (162.2-.9)	25	10	18	120	275	85.4	54.6	0	220.1	142.7	0
..Female breast cancer (174)	10	9	10	128	225	.	.	.	.	.	.
..Cervical cancer (180)	4	4	4	90	130	.	.	.	.	.	.
..Ovarian cancer (183)	2	.	1	0	8	.	.	.	.	.	.
..Prostate cancer (185)	3	1	2	18	35	.	.	.	.	.	.
..Bladder cancer (188)	1	1	1	3	13	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	3	2	3	72	100	.	.	.	.	.	.
..Leukemia (204-208)	4	3	4	80	112	.	.	.	.	.	.
Diabetes mellitus (250)	12	3	5	38	78	.	47.7	.	.	132.8	.
..Diabetes-related (250)	49	14	26	170	375	104.9	162.4	0	282.8	429.4	0
Alzheimer's diseases (331.0)	3	2	3	15	38	.	.	.	.	.	.
Cardiovascular disease (390-459)	158	62	88	937	1,692	538.4	595.3	0	1114.2	1219.8	0
..Diseases of the heart (390-398,402,404-429)	123	47	65	715	1,290	415.0	409.7	0	858.3	873.7	0
...Heart disease-related (390-398,402,404-429)	229	100	140	2,025	3,235	960.5	1041.2	0	1770.4	1890.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	90	29	45	318	703	226.7	240.6	0	556.8	571.0	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	3	3	63	93	.	.	.	.	.	.
...Hypertension-related (401,403)	27	9	12	123	230	78.8	121.8	0	160.5	261.9	0
..Cerebrovascular disease (430-438)	29	9	17	103	223	62.8	137.3	0	165.0	234.4	0
...Atherosclerosis-related (440)	6	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	13	4	5	152	200	.	20.0	.	.	43.6	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	2	5	35	73	.	.	.	.	.	.
..COPD-related (490-496)	26	10	16	170	310	102.0	129.1	0	211.2	240.8	0
..Asthma (493)	2	1	1	23	33	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	14	13	14	198	335	.	175.5	.	.	307.3	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	4	4	45	85	.	.	.	.	.	.
..Nephritis-related (580-589)	30	15	21	233	418	114.9	309.4	1	249.1	591.4	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	4	5	45	93	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	54	51	51	1,973	2,483	825.8	511.9	0	985.5	631.4	0
..Motor vehicle accidents (E810-E825)	13	13	13	555	685	.	366.9	.	.	431.5	.
..Falls and fall related injuries (E880-E888)	3	1	1	23	33	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	130	170	.	.	.	.	.	.
..Residential fires (E890-E899)	11	11	11	546	656	.	.	.	.	.	.
Suicide (E950-E959)	18	18	18	620	800	263.0	323.9	0	323.5	413.3	0
Homicide and legal intervention (E960-E978)	37	36	37	1,412	1,775	602.7	519.0	0	715.7	606.7	0
..Homicide (E960-E969)	37	36	37	1,412	1,775	602.7	519.0	0	715.7	606.7	0
All injury (E800-E999)	114	110	111	4,204	5,307	1763.2	1394.6	0	2108.6	1701.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	13	13	555	685	.	356.4	.	.	418.7	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	55	75	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	40	41	1,600	2,003	703.2	610.9	0	823.7	733.6	0
....Suicide (E955.0-.4)	9	9	9	328	418	.	.	.	.	.	.
....Homicide (E965.0-.4)	29	28	29	1,135	1,418	492.3	411.6	0	576.4	484.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	618	808	236.6	.	1	296.7	.	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	9	9	9	188	278	.	146.8	.	.	242.3	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	19	19	19	608	798	237.9	.	.	299.8	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	371	283	318	8,424	11,456	7257.7	6706.3	0	10317.8	9803.1	0
Infectious diseases and parasitic disease (1-139)	61	59	60	1,508	2,100	1252.7	1031.1	0	1728.6	1357.2	0
..Septicemia (038)	8	6	7	110	173	.	.	0	.	.	.
...Septicemia-related (038)	23	18	21	380	578	372.2	361.2	0	601.8	575.6	0
..HIV infection (042-044)	46	46	46	1,255	1,715	964.8	790.4	0	1291.6	1047.9	0
All cancer (140-208)	56	31	42	532	904	583.7	388.3	0	1186.8	859.8	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	35	63	.	.	0	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	1	3	18	33	.	.	0	.	.	.
...Colon cancer (153)	2	1	2	18	30	.	.	0	.	.	.
...Rectal cancer (154)	1	.	1	0	3	.	.	0	.	.	.
..Pancreatic cancer (157)	2	2	2	35	55	.	.	0	.	.	.
..Lung and other respiratory cancer (160-165)	18	8	12	90	200	126.5	.	0	333.1	.	0
...Lung cancer (162.2-.9)	17	7	11	88	188	120.6	.	0	305.3	.	0
..Female breast cancer (174)	.	.	.	.	.	.	.	0	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	0	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	0	.	.	.
..Prostate cancer (185)	3	1	2	18	35	.	.	0	.	.	.
..Bladder cancer (188)	1	1	1	3	13	.	.	0	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	72	92	.	.	0	.	.	.
..Leukemia (204-208)	2	2	2	72	92	.	.	0	.	.	.
Diabetes mellitus (250)	6	3	4	38	75	.	.	0	.	.	.
..Diabetes-related (250)	25	10	15	130	263	152.9	188.6	0	395.5	461.1	0
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	0	.	.	.
Cardiovascular disease (390-459)	77	39	50	568	1,020	689.8	722.3	0	1417.3	1474.2	0
..Diseases of the heart (390-398,402,404-429)	59	29	36	393	725	515.5	543.4	0	1066.1	1097.6	0
...Heart disease-related (390-398,402,404-429)	120	64	85	1,301	2,054	1251.8	1378.6	0	2316.8	2455.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	43	18	25	205	428	312.1	357.8	0	718.0	779.1	0
...Congestive heart failure (CHF) (428.0)	.	.	.	.	.	.	.	0	.	.	.
...Hypertension with or without renal disease (401,403)	1	1	1	33	43	.	.	0	.	.	.
...Hypertension-related (401,403)	13	5	7	78	143	.	.	0	.	.	.
..Cerebrovascular disease (430-438)	15	7	11	93	183	110.8	.	0	269.4	.	0
...Atherosclerosis-related (440)	1	.	.	0	0	.	.	0	.	.	.
Pneumonia & influenza (480-487)	6	3	4	88	125	.	.	0	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	4	.	2	0	15	.	.	0	.	.	.
..COPD-related (490-496)	11	3	7	63	123	.	179.3	.	.	334.1	.
..Asthma (493)	.	.	.	.	.	.	.	0	.	.	.
Chronic liver disease and cirrhosis (571)	13	12	13	190	318	.	321.3	.	.	568.2	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	3	3	43	73	.	.	0	.	.	.
..Nephritis-related (580-589)	18	12	14	215	345	206.3	370.9	0	377.3	652.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	3	4	43	80	.	.	0	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).



CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	42	41	41	1,554	1,964	1289.4	826.0	0	1553.9	1016.7	0
..Motor vehicle accidents (E810-E825)	11	11	11	495	605	.	594.7	.	.	708.5	.
..Falls and fall related injuries (E880-E888)	1	1	1	23	33	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	130	170	.	.	.	.	.	.
..Residential fires (E890-E899)	4	4	4	229	269	.	.	.	.	.	.
Suicide (E950-E959)	15	15	15	558	708	471.8	541.6	0	560.9	707.9	0
Homicide and legal intervention (E960-E978)	33	32	33	1,225	1,548	1051.5	927.0	0	1261.3	1079.4	0
..Homicide (E960-E969)	33	32	33	1,225	1,548	1051.5	927.0	0	1261.3	1079.4	0
All injury (E800-E999)	94	92	93	3,498	4,421	2931.9	2376.5	0	3515.5	2908.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	11	11	11	495	605	.	573.0	.	.	682.0	.
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	55	75	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	39	38	39	1,540	1,923	1341.8	1015.2	0	1570.7	1226.0	0
....Suicide (E955.0-.4)	8	8	8	305	385	.	.	.	.	.	.
....Homicide (E965.0-.4)	28	27	28	1,098	1,370	949.5	713.0	0	1114.1	835.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	17	17	17	538	708	422.3	.	.	536.1	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	8	8	8	160	240	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	17	17	17	528	698	425.8	.	.	543.4	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	233	115	151	3,286	4,616	2882.8	2768.8	0	4314.6	4322.3	0
Infectious diseases and parasitic disease (1-139)	16	16	16	599	759	446.5	314.7	0	530.8	418.9	0
..Septicemia (038)	1	1	1	33	43	.	.	.	.	.	.
...Septicemia-related (038)	14	9	11	193	298	.	.	.	.	.	.
..HIV infection (042-044)	13	13	13	497	627	.	.	.	.	.	.
All cancer (140-208)	54	29	41	468	823	534.7	239.9	0	1008.2	545.8	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	6	2	2	40	60	.	.	.	.	.	.
...Colon cancer (153)	3	1	1	13	23	.	.	.	.	.	.
...Rectal cancer (154)	2	1	1	28	38	.	.	.	.	.	.
..Pancreatic cancer (157)	3	3	3	53	83	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	8	3	7	33	88	.	.	.	.	.	.
...Lung cancer (162.2-.9)	8	3	7	33	88	.	.	.	.	.	.
..Female breast cancer (174)	10	9	10	128	225	.	.	.	.	.	.
..Cervical cancer (180)	4	4	4	90	130	.	.	.	.	.	.
..Ovarian cancer (183)	2	.	1	0	8	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	.	1	0	8	.	.	.	.	.	.
..Leukemia (204-208)	2	1	2	8	20	.	.	.	.	.	.
Diabetes mellitus (250)	6	.	1	0	3	.	.	.	.	.	.
..Diabetes-related (250)	24	4	11	40	113	60.9	138.4	0	183.6	401.8	0
Alzheimer's diseases (331.0)	3	2	3	15	38	.	.	.	.	.	.
Cardiovascular disease (390-459)	81	23	38	370	672	407.1	482.6	0	851.5	999.0	0
..Diseases of the heart (390-398,402,404-429)	64	18	29	322	565	332.2	289.2	0	681.6	675.2	0
...Heart disease-related (390-398,402,404-429)	109	36	55	724	1,182	692.4	738.7	0	1285.9	1391.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	47	11	20	113	275	151.2	135.3	0	415.8	388.1	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	2	2	2	30	50	.	.	.	.	.	.
...Hypertension-related (401,403)	14	4	5	45	88	.	125.6	.	.	296.4	.
..Cerebrovascular disease (430-438)	14	2	6	10	40	.	170.0	.	.	269.1	.
...Atherosclerosis-related (440)	5	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	7	1	1	65	75	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	5	2	3	35	58	.	.	.	.	.	.
..COPD-related (490-496)	15	7	9	108	188	120.4	.	0	222.3	.	0
..Asthma (493)	2	1	1	23	33	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	1	1	1	8	18	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	1	1	1	3	13	.	.	.	.	.	.
..Nephritis-related (580-589)	12	3	7	18	73	.	250.8	.	.	533.2	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	3	13	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	12	10	10	419	519	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	2	2	2	60	80	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	.	.	0	0	.	.	.	.	.	.
..Drowning (E830,E832,E910)	.	.	.	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	7	7	7	317	387	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	63	93	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	4	4	4	187	227	.	.	.	.	.	.
..Homicide (E960-E969)	4	4	4	187	227	.	.	.	.	.	.
All injury (E800-E999)	20	18	18	706	886	578.6	437.2	0	691.4	535.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	60	80	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	2	2	2	60	80	.	.	.	.	.	.
....Suicide (E955.0-.4)	1	1	1	23	33	.	.	.	.	.	.
....Homicide (E965.0-.4)	1	1	1	38	48	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	80	100	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	28	38	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	80	100	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	604	398	469	11,709	16,072	5336.7	5077.1	0	7694.9	7530.4	0
Infectious diseases and parasitic disease (1-139)	77	75	76	2,107	2,859	1035.3	809.7	0	1363.3	1061.0	0
..Septicemia (038)	9	7	8	143	215	.	.	.	.	.	.
...Septicemia-related (038)	37	27	32	573	875	332.7	281.7	0	526.9	447.0	0
..HIV infection (042-044)	59	59	59	1,752	2,342	819.9	631.4	0	1055.2	818.3	0
All cancer (140-208)	110	60	83	999	1,727	654.6	355.8	0	1225.5	756.5	0
..Oral cavity or pharynx (140.0-149.9)	5	2	3	35	63	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	3	5	58	93	.	.	.	.	.	.
...Colon cancer (153)	5	2	3	30	53	.	.	.	.	.	.
...Rectal cancer (154)	3	1	2	28	40	.	.	.	.	.	.
..Pancreatic cancer (157)	5	5	5	88	138	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	26	11	19	123	288	104.9	65.9	0	256.8	160.2	0
...Lung cancer (162.2-.9)	25	10	18	120	275	102.3	65.9	0	244.9	160.2	0
..Female breast cancer (174)	10	9	10	128	225	.	.	.	.	.	.
..Cervical cancer (180)	4	4	4	90	130	.	.	.	.	.	.
..Ovarian cancer (183)	2	.	1	0	8	.	.	.	.	.	.
..Prostate cancer (185)	3	1	2	18	35	.	.	.	.	.	.
..Bladder cancer (188)	1	1	1	3	13	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	3	2	3	72	100	.	.	.	.	.	.
..Leukemia (204-208)	4	3	4	80	112	.	.	.	.	.	.
Diabetes mellitus (250)	12	3	5	38	78	.	52.6	.	.	138.5	.
..Diabetes-related (250)	49	14	26	170	375	119.0	187.3	0	304.5	462.4	0
Alzheimer's diseases (331.0)	3	2	3	15	38	.	.	.	.	.	.
Cardiovascular disease (390-459)	158	62	88	937	1,692	614.6	694.4	0	1223.5	1363.8	0
..Diseases of the heart (390-398,402,404-429)	123	47	65	715	1,290	462.6	480.6	0	927.6	976.4	0
...Heart disease-related (390-398,402,404-429)	229	100	140	2,025	3,235	1120.6	1260.5	0	1991.9	2187.8	0
...Coronary heart disease (CHD) (402,410-414,429.2)	90	29	45	318	703	261.2	286.3	0	607.1	638.4	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	3	3	63	93	.	.	.	.	.	.
...Hypertension-related (401,403)	27	9	12	123	230	94.2	147.2	0	182.1	299.4	0
..Cerebrovascular disease (430-438)	29	9	17	103	223	73.4	151.8	0	181.2	258.0	0
...Atherosclerosis-related (440)	6	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	13	4	5	152	200	.	23.2	.	.	48.3	.
Chronic obstructive pulmonary disease (COPD) (490-496)	9	2	5	35	73	.	.	.	.	.	.
..COPD-related (490-496)	26	10	16	170	310	117.2	143.0	0	233.8	263.2	0
..Asthma (493)	2	1	1	23	33	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	14	13	14	198	335	.	229.9	.	.	381.8	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	4	4	45	85	.	.	.	.	.	.
..Nephritis-related (580-589)	30	15	21	233	418	148.9	354.6	0	292.7	650.9	1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	4	5	45	93	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	54	51	51	1,973	2,483	786.3	496.9	0	947.2	619.1	0
..Motor vehicle accidents (E810-E825)	13	13	13	555	685	.	341.8	.	.	405.0	.
..Falls and fall related injuries (E880-E888)	3	1	1	23	33	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	130	170	.	.	.	.	.	.
..Residential fires (E890-E899)	11	11	11	546	656	.	.	.	.	.	.
Suicide (E950-E959)	18	18	18	620	800	261.9	358.1	0	324.2	459.5	0
Homicide and legal intervention (E960-E978)	37	36	37	1,412	1,775	555.6	483.1	0	663.9	565.8	0
..Homicide (E960-E969)	37	36	37	1,412	1,775	555.6	483.1	0	663.9	565.8	0
All injury (E800-E999)	114	110	111	4,204	5,307	1680.2	1381.5	0	2025.5	1700.0	0
..All motor vehicle accidents (E810-E819,E950-E959,E980-E989)	13	13	13	555	685	.	328.2	.	.	388.4	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	55	75	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	40	41	1,600	2,003	641.8	572.9	0	756.1	691.1	0
....Suicide (E955.0-.4)	9	9	9	328	418	.	.	.	.	.	.
....Homicide (E965.0-.4)	29	28	29	1,135	1,418	443.7	379.6	0	522.1	447.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	618	808	254.5	.	0	320.0	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	9	9	9	188	278	.	191.9	.	.	304.6	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	19	19	19	608	798	257.6	.	.	325.9	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	371	283	318	8,424	11,456	7783.0	7375.7	0	11072.1	10740.8	0
Infectious diseases and parasitic disease (1-139)	61	59	60	1,508	2,100	1640.2	1287.6	0	2224.3	1682.3	0
..Septicemia (038)	8	6	7	110	173	.	.	.	.	.	.
...Septicemia-related (038)	23	18	21	380	578	482.7	427.0	0	748.4	659.9	0
..HIV infection (042-044)	46	46	46	1,255	1,715	1266.4	1009.0	0	1669.3	1324.4	0
All cancer (140-208)	56	31	42	532	904	658.5	445.3	0	1290.3	942.9	0
..Oral cavity or pharynx (140.0-149.9)	4	2	3	35	63	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	1	3	18	33	.	.	.	.	.	.
...Colon cancer (153)	2	1	2	18	30	.	.	.	.	.	.
...Rectal cancer (154)	1	.	1	0	3	.	.	.	.	.	.
..Pancreatic cancer (157)	2	2	2	35	55	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	18	8	12	90	200	153.1	.	0	367.5	.	0
...Lung cancer (162.2-.9)	17	7	11	88	188	147.5	.	0	341.5	.	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	3	1	2	18	35	.	.	.	.	.	.
..Bladder cancer (188)	1	1	1	3	13	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	72	92	.	.	.	.	.	.
..Leukemia (204-208)	2	2	2	72	92	.	.	.	.	.	.
Diabetes mellitus (250)	6	3	4	38	75	.	.	.	.	.	.
..Diabetes-related (250)	25	10	15	130	263	172.4	224.0	0	421.1	510.1	0
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	77	39	50	568	1,020	816.5	857.8	0	1589.6	1661.5	0
..Diseases of the heart (390-398,402,404-429)	59	29	36	393	725	593.4	648.4	0	1174.3	1243.6	0
...Heart disease-related (390-398,402,404-429)	120	64	85	1,301	2,054	1481.4	1714.3	0	2628.7	2902.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	43	18	25	205	428	355.5	437.4	0	782.1	891.5	0
...Congestive heart failure (CHF) (428.0)	.	.	.	.	.	.	.	.	.	.	.
...Hypertension with or without renal disease (401,403)	1	1	1	33	43	.	.	.	.	.	.
...Hypertension-related (401,403)	13	5	7	78	143	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	15	7	11	93	183	132.8	.	0	299.6	.	0
...Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	6	3	4	88	125	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	4	.	2	0	15	.	.	.	.	.	.
..COPD-related (490-496)	11	3	7	63	123	.	187.6	.	.	348.9	.
..Asthma (493)	.	.	.	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	13	12	13	190	318	.	417.8	.	.	703.5	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	3	3	43	73	.	.	.	.	.	.
..Nephritis-related (580-589)	18	12	14	215	345	273.4	446.9	0	462.1	752.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	3	4	43	80	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	42	41	41	1,554	1,964	1238.0	830.1	0	1504.7	1032.2	0
..Motor vehicle accidents (E810-E825)	11	11	11	495	605	.	577.6	.	.	693.9	.
..Falls and fall related injuries (E880-E888)	1	1	1	23	33	.	.	.	.	.	.
..Drowning (E830,E832,E910)	4	4	4	130	170	.	.	.	.	.	.
..Residential fires (E890-E899)	4	4	4	229	269	.	.	.	.	.	.
Suicide (E950-E959)	15	15	15	558	708	463.0	619.7	0	554.8	812.9	0
Homicide and legal intervention (E960-E978)	33	32	33	1,225	1,548	980.4	833.6	0	1185.1	971.9	0
..Homicide (E960-E969)	33	32	33	1,225	1,548	980.4	833.6	0	1185.1	971.9	0
All injury (E800-E999)	94	92	93	3,498	4,421	2810.4	2373.5	0	3397.5	2932.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	11	11	11	495	605	.	549.3	.	.	659.5	.
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	55	75	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	39	38	39	1,540	1,923	1216.5	928.9	0	1431.9	1128.9	0
....Suicide (E955.0-.4)	8	8	8	305	385	.	.	.	.	.	.
....Homicide (E965.0-.4)	28	27	28	1,098	1,370	856.7	626.1	0	1011.5	733.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	17	17	17	538	708	465.0	.	.	591.5	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	8	8	8	160	240	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	17	17	17	528	698	472.7	.	.	605.0	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	233	115	151	3,286	4,616	2961.7	2928.5	0	4477.8	4574.4	0
Infectious diseases and parasitic disease (1-139)	16	16	16	599	759	477.2	365.1	0	573.0	485.6	0
..Septicemia (038)	1	1	1	33	43	.	.	.	.	.	.
...Septicemia-related (038)	14	9	11	193	298	.	.	.	.	.	.
..HIV infection (042-044)	13	13	13	497	627	.	.	.	.	.	.
All cancer (140-208)	54	29	41	468	823	643.9	278.3	0	1164.9	595.5	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	6	2	2	40	60	.	.	.	.	.	.
...Colon cancer (153)	3	1	1	13	23	.	.	.	.	.	.
...Rectal cancer (154)	2	1	1	28	38	.	.	.	.	.	.
..Pancreatic cancer (157)	3	3	3	53	83	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	8	3	7	33	88	.	.	.	.	.	.
...Lung cancer (162.2-.9)	8	3	7	33	88	.	.	.	.	.	.
..Female breast cancer (174)	10	9	10	128	225	.	.	.	.	.	.
..Cervical cancer (180)	4	4	4	90	130	.	.	.	.	.	.
..Ovarian cancer (183)	2	.	1	0	8	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Bladder cancer (188)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	1	.	1	0	8	.	.	.	.	.	.
..Leukemia (204-208)	2	1	2	8	20	.	.	.	.	.	.
Diabetes mellitus (250)	6	.	1	0	3	.	.	.	.	.	.
..Diabetes-related (250)	24	4	11	40	113	70.1	153.9	0	201.1	420.7	0
Alzheimer's diseases (331.0)	3	2	3	15	38	.	.	.	.	.	.
Cardiovascular disease (390-459)	81	23	38	370	672	436.1	548.7	0	901.6	1103.4	0
..Diseases of the heart (390-398,402,404-429)	64	18	29	322	565	351.9	329.7	0	714.7	739.2	0
...Heart disease-related (390-398,402,404-429)	109	36	55	724	1,182	787.5	852.4	0	1423.7	1553.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	47	11	20	113	275	178.2	150.5	0	454.3	415.3	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
...Hypertension with or without renal disease (401,403)	2	2	2	30	50	.	.	.	.	.	.
...Hypertension-related (401,403)	14	4	5	45	88	.	148.5	.	.	328.9	.
..Cerebrovascular disease (430-438)	14	2	6	10	40	.	189.9	.	.	299.9	.
...Atherosclerosis-related (440)	5	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	7	1	1	65	75	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	5	2	3	35	58	.	.	.	.	.	.
..COPD-related (490-496)	15	7	9	108	188	156.2	.	0	271.3	.	0
..Asthma (493)	2	1	1	23	33	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	1	1	1	8	18	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	1	1	1	3	13	.	.	.	.	.	.
..Nephritis-related (580-589)	12	3	7	18	73	.	267.7	.	.	556.4	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	3	13	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Hispanic Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	12	10	10	419	519	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	2	2	2	60	80	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	.	.	0	0	.	.	.	.	.	.
..Drowning (E830,E832,E910)	.	.	.	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	7	7	7	317	387	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	63	93	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	4	4	4	187	227	.	.	.	.	.	.
..Homicide (E960-E969)	4	4	4	187	227	.	.	.	.	.	.
All injury (E800-E999)	20	18	18	706	886	546.1	426.4	0	658.0	523.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	60	80	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	2	2	2	60	80	.	.	.	.	.	.
....Suicide (E955.0-.4)	1	1	1	23	33	.	.	.	.	.	.
....Homicide (E965.0-.4)	1	1	1	38	48	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	80	100	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	28	38	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	80	100	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).