

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
Hispanic Residents, 1993

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables
by Cause of Death and Sex, Hispanic Residents, 1993

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables
by Cause of Death and Sex, Hispanic Residents, 1993

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993*****					*****1993*****					*****1993*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR
*****Causes of Death*****															
All causes	692	296.5	360.7	0	325.3	429	370.5	485.4	0	433.4	263	223.7	251.5	0	229.8
Infectious diseases and parasitic disease (1-139)	108	46.3	46.5	0	37.9	72	62.2	68.3	0	57.9	36	30.6	27.4	0	19.0
..Septicemia (038)	8	3.4	.	.	.	3	2.6	.	.	.	5	4.3	.	.	.
....Septicemia-related (038)	30	12.9	15.1	0	18.6	20	17.3	24.3	0	23.8	10	8.5	.	.	.
..HIV infection (042-044)	88	37.7	37.4	0	31.1	60	51.8	55.2	0	48.1	28	23.8	21.3	0	15.3
All cancer (140-208)	92	39.4	58.6	0	76.9	52	44.9	76.1	0	98.2	40	34.0	46.0	0	62.1
..Oral cavity or pharynx (140.0-149.9)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	3.4	.	.	.	5	4.3	.	.	.	3	2.6	.	.	.
....Colon cancer (153)	6	2.6	.	.	.	3	2.6	.	.	.	3	2.6	.	.	.
....Rectal cancer (154)	2	0.9	.	.	.	2	1.7
..Pancreatic cancer (157)	2	0.9	2	1.7	.	.	.
..Lung and other respiratory cancer (160-165)	18	7.7	11.3	0	15.2	15	13.0	22.2	0	29.4	3	2.6	.	.	.
....Lung cancer (162.2-.9)	17	7.3	10.9	0	13.9	14	12.1	.	.	26.2	3	2.6	.	.	.
..Malignant melanoma of skin (172)	1	0.4	1	0.9	.	.	.
..Female breast cancer (174)	6	6	5.1	.	.	.
..Cervical cancer (180)	3	3	2.6	.	.	.
..Ovarian cancer (183)	5	5	4.3	.	.	.
..Prostate cancer (185)	3	3	2.6
..Brain & other CNS cancer (191-192)	2	0.9	2	1.7	.	.	.
..Leukemia (204-208)	1	0.4	1	0.9	.	.	.
Diabetes mellitus (250)	13	5.6	.	.	.	4	3.5	.	.	.	9	7.7	.	.	.
..Diabetes-related (250)	57	24.4	37.1	0	38.6	23	19.9	35.2	0	29.6	34	28.9	38.8	0	44.5
Alzheimer's diseases (331.0)	2	0.9	2	1.7	.	.	.
Cardiovascular disease (390-459)	167	71.6	101.8	0	80.3	89	76.9	126.0	0	95.2	78	66.3	80.1	0	67.3
..Diseases of the heart (390-398,402,404-429)	128	54.9	78.5	0	62.6	70	60.5	101.1	0	73.2	58	49.3	58.6	0	53.2
....Heart disease-related (390-398,402,404-429)	260	111.4	149.5	0	130.5	142	122.6	189.8	0	159.7	118	100.4	116.0	0	105.5
....Coronary heart disease (CHD) (402,410-414,429.2)	82	35.1	52.7	0	47.3	45	38.9	68.8	0	59.9	37	31.5	39.3	0	35.6
....Congestive heart failure (CHF) (428.0)	2	0.9	2	1.7	.	.	.
..Hypertension with or without renal disease (401,403)	3	1.3	.	.	.	1	0.9	.	.	.	2	1.7	.	.	.
....Hypertension-related (401,403)	25	10.7	16.3	0	23.7	11	9.5	.	.	.	14	11.9	.	.	28.6
..Cerebrovascular disease (430-438)	31	13.3	18.6	0	11.8	16	13.8	21.2	0	.	15	12.8	16.5	0	.
..Atherosclerosis (440)	1	0.4	1	0.9	.	.	.
....Atherosclerosis-related (440)	10	4.3	.	.	.	5	4.3	.	.	.	5	4.3	.	.	.
..Aortic aneurysm (441)	2	0.9	2	1.7	.	.	.
Pneumonia & influenza (480-487)	26	11.1	12.8	0	8.6	16	13.8	19.3	0	.	10	8.5	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	20	8.6	12.6	0	.	10	8.6	.	.	.	10	8.5	.	.	.
..COPD-related (490-496)	47	20.1	28.5	0	21.0	27	23.3	39.5	0	.	20	17.0	21.6	0	23.2
..Asthma (493)	4	1.7	.	.	.	1	0.9	.	.	.	3	2.6	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993*****					*****1993*****					*****1993*****				
	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	14	6.0	.	.	9.6	9	7.8	.	.	.	5	4.3	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2.6	.	.	.	3	2.6	.	.	.	3	2.6	.	.	.
..Nephritis-related (580-589)	37	15.9	21.1	0	20.2	19	16.4	24.0	0	24.0	18	15.3	18.3	0	17.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	3.0	.	.	.	4	3.5	.	.	.	3	2.6	.	.	.
Unintentional injuries (E800-E949)	62	26.6	27.2	0	17.8	51	44.0	44.4	0	32.0	11	9.4	.	.	.
..Motor vehicle accidents (E810-E825)	24	10.3	11.0	0	.	20	17.3	17.8	0	.	4	3.4	.	.	.
..Falls and fall related injuries (E880-E888)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.9	.	.	.
..Drowning (E830,E832,E910)	4	1.7	.	.	.	3	2.6	.	.	.	1	0.9	.	.	.
..Residential fires (E890-E899)	1	0.4	.	.	.	1	0.9
Suicide (E950-E959)	11	4.7	.	.	.	11	9.5
Homicide and legal intervention (E960-E978)	48	20.6	20.8	0	16.9	37	32.0	32.2	0	30.6	11	9.4	.	.	.
..Homicide (E960-E969)	48	20.6	20.8	0	16.5	37	32.0	32.2	0	29.9	11	9.4	.	.	.
All injury (E800-E999)	125	53.6	54.8	0	42.9	103	89.0	90.5	0	79.3	22	18.7	19.6	0	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	9.9	10.6	0	.	19	16.4	17.0	0	.	4	3.4	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	46	19.7	19.6	0	17.1	38	32.8	32.6	0	32.6	8	6.8	.	.	.
....Suicide (E955.0-.4)	5	2.1	.	.	.	5	4.3
....Homicide (E965.0-.4)	41	17.6	17.4	0	13.0	33	28.5	28.2	0	24.2	8	6.8	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	12.0	11.5	0	9.2	26	22.5	21.7	0	16.6	2	1.7	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	2.6	.	.	.	6	5.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	12.9	12.0	0	9.5	27	23.3	21.9	0	17.1	3	2.6	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993*****					*****1993*****					*****1993*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR
*****Causes of Death*****															
All causes	692	296.5	435.0	0	394.3	429	370.5	567.8	0	504.8	263	223.7	323.2	0	299.6
Infectious diseases and parasitic disease (1-139)	108	46.3	41.5	0	33.3	72	62.2	62.6	0	49.3	36	30.6	23.5	0	17.7
..Septicemia (038)	8	3.4	.	.	.	3	2.6	.	.	.	5	4.3	.	.	.
....Septicemia-related (038)	30	12.9	18.7	0	20.6	20	17.3	29.2	0	25.0	10	8.5	.	.	.
..HIV infection (042-044)	88	37.7	31.8	0	25.8	60	51.8	48.3	0	40.5	28	23.8	17.2	0	12.2
All cancer (140-208)	92	39.4	73.8	0	96.7	52	44.9	98.3	0	128.2	40	34.0	56.9	0	75.7
..Oral cavity or pharynx (140.0-149.9)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	3.4	.	.	.	5	4.3	.	.	.	3	2.6	.	.	.
....Colon cancer (153)	6	2.6	.	.	.	3	2.6	.	.	.	3	2.6	.	.	.
....Rectal cancer (154)	2	0.9	.	.	.	2	1.7
..Pancreatic cancer (157)	2	0.9	2	1.7	.	.	.
..Lung and other respiratory cancer (160-165)	18	7.7	14.8	0	20.3	15	13.0	29.9	0	39.6	3	2.6	.	.	.
....Lung cancer (162.2-.9)	17	7.3	14.5	0	18.5	14	12.1	.	.	35.4	3	2.6	.	.	.
..Malignant melanoma of skin (172)	1	0.4	1	0.9	.	.	.
..Female breast cancer (174)	6	6	5.1	.	.	.
..Cervical cancer (180)	3	3	2.6	.	.	.
..Ovarian cancer (183)	5	5	4.3	.	.	.
..Prostate cancer (185)	3	3	2.6
..Brain & other CNS cancer (191-192)	2	0.9	2	1.7	.	.	.
..Leukemia (204-208)	1	0.4	1	0.9	.	.	.
Diabetes mellitus (250)	13	5.6	.	.	.	4	3.5	.	.	.	9	7.7	.	.	.
..Diabetes-related (250)	57	24.4	52.0	0	54.8	23	19.9	49.8	0	39.2	34	28.9	54.1	0	64.4
Alzheimer's diseases (331.0)	2	0.9	2	1.7	.	.	.
Cardiovascular disease (390-459)	167	71.6	136.5	0	114.4	89	76.9	158.8	0	129.0	78	66.3	115.7	0	101.2
..Diseases of the heart (390-398,402,404-429)	128	54.9	106.2	0	89.4	70	60.5	128.1	0	100.1	58	49.3	86.4	0	79.8
....Heart disease-related (390-398,402,404-429)	260	111.4	200.0	0	177.0	142	122.6	244.3	0	209.3	118	100.4	164.1	0	150.9
....Coronary heart disease (CHD) (402,410-414,429.2)	82	35.1	72.4	0	69.5	45	38.9	90.5	0	80.8	37	31.5	57.5	0	58.2
....Congestive heart failure (CHF) (428.0)	2	0.9	2	1.7	.	.	.
..Hypertension with or without renal disease (401,403)	3	1.3	.	.	.	1	0.9	.	.	.	2	1.7	.	.	.
....Hypertension-related (401,403)	25	10.7	21.6	0	35.2	11	9.5	.	.	.	14	11.9	.	.	43.9
..Cerebrovascular disease (430-438)	31	13.3	24.0	0	17.8	16	13.8	27.2	0	.	15	12.8	21.5	0	.
..Atherosclerosis (440)	1	0.4	1	0.9	.	.	.
....Atherosclerosis-related (440)	10	4.3	.	.	.	5	4.3	.	.	.	5	4.3	.	.	.
..Aortic aneurysm (441)	2	0.9	2	1.7	.	.	.
Pneumonia & influenza (480-487)	26	11.1	19.6	0	11.7	16	13.8	29.5	0	.	10	8.5	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	20	8.6	18.5	0	.	10	8.6	.	.	.	10	8.5	.	.	.
..COPD-related (490-496)	47	20.1	41.4	0	29.3	27	23.3	59.7	0	.	20	17.0	30.3	0	30.7
..Asthma (493)	4	1.7	.	.	.	1	0.9	.	.	.	3	2.6	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993*****					*****1993*****					*****1993*****				
	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	14	6.0	.	.	10.1	9	7.8	.	.	.	5	4.3	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2.6	.	.	.	3	2.6	.	.	.	3	2.6	.	.	.
..Nephritis-related (580-589)	37	15.9	29.8	0	29.8	19	16.4	33.0	0	34.4	18	15.3	27.3	0	26.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	3.0	.	.	.	4	3.5	.	.	.	3	2.6	.	.	.
Unintentional injuries (E800-E949)	62	26.6	26.8	0	18.0	51	44.0	42.0	0	32.1	11	9.4	.	.	.
..Motor vehicle accidents (E810-E825)	24	10.3	11.3	0	.	20	17.3	18.0	0	.	4	3.4	.	.	.
..Falls and fall related injuries (E880-E888)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.9	.	.	.
..Drowning (E830,E832,E910)	4	1.7	.	.	.	3	2.6	.	.	.	1	0.9	.	.	.
..Residential fires (E890-E899)	1	0.4	.	.	.	1	0.9
Suicide (E950-E959)	11	4.7	.	.	.	11	9.5
Homicide and legal intervention (E960-E978)	48	20.6	19.4	0	14.7	37	32.0	30.3	0	26.5	11	9.4	.	.	.
..Homicide (E960-E969)	48	20.6	19.4	0	14.5	37	32.0	30.3	0	25.9	11	9.4	.	.	.
All injury (E800-E999)	125	53.6	52.2	0	40.2	103	89.0	84.7	0	73.8	22	18.7	19.8	0	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	9.9	11.0	0	.	19	16.4	17.4	0	.	4	3.4	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	46	19.7	18.0	0	15.3	38	32.8	30.2	0	29.0	8	6.8	.	.	.
....Suicide (E955.0-.4)	5	2.1	.	.	.	5	4.3
....Homicide (E965.0-.4)	41	17.6	16.2	0	11.5	33	28.5	26.5	0	21.3	8	6.8	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	12.0	9.8	0	7.7	26	22.5	18.5	0	13.8	2	1.7	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	2.6	.	.	.	6	5.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	12.9	10.0	0	7.9	27	23.3	18.3	0	14.1	3	2.6	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993*****					*****1993*****					*****1993*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR
*****Causes of Death*****															
All causes	692	296.5	540.3	0	501.7	429	370.5	696.0	0	626.7	263	223.7	412.4	0	396.0
Infectious diseases and parasitic disease (1-139)	108	46.3	49.8	0	41.5	72	62.2	75.8	0	60.0	36	30.6	27.2	0	22.9
..Septicemia (038)	8	3.4	.	.	.	3	2.6	.	.	.	5	4.3	.	.	.
....Septicemia-related (038)	30	12.9	25.4	0	23.6	20	17.3	38.0	0	27.6	10	8.5	.	.	.
..HIV infection (042-044)	88	37.7	38.3	0	31.8	60	51.8	58.2	0	49.7	28	23.8	20.3	0	15.2
All cancer (140-208)	92	39.4	89.2	0	121.3	52	44.9	120.7	0	162.4	40	34.0	68.1	0	95.2
..Oral cavity or pharynx (140.0-149.9)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	3.4	.	.	.	5	4.3	.	.	.	3	2.6	.	.	.
....Colon cancer (153)	6	2.6	.	.	.	3	2.6	.	.	.	3	2.6	.	.	.
....Rectal cancer (154)	2	0.9	.	.	.	2	1.7
..Pancreatic cancer (157)	2	0.9	2	1.7	.	.	.
..Lung and other respiratory cancer (160-165)	18	7.7	18.9	0	24.9	15	13.0	38.9	0	48.9	3	2.6	.	.	.
....Lung cancer (162.2-.9)	17	7.3	18.5	0	22.6	14	12.1	.	.	43.3	3	2.6	.	.	.
..Malignant melanoma of skin (172)	1	0.4	1	0.9	.	.	.
..Female breast cancer (174)	6	6	5.1	.	.	.
..Cervical cancer (180)	3	3	2.6	.	.	.
..Ovarian cancer (183)	5	5	4.3	.	.	.
..Prostate cancer (185)	3	3	2.6
..Brain & other CNS cancer (191-192)	2	0.9	2	1.7	.	.	.
..Leukemia (204-208)	1	0.4	1	0.9	.	.	.
Diabetes mellitus (250)	13	5.6	.	.	.	4	3.5	.	.	.	9	7.7	.	.	.
..Diabetes-related (250)	57	24.4	67.6	0	73.7	23	19.9	65.9	0	49.4	34	28.9	69.2	0	87.9
Alzheimer's diseases (331.0)	2	0.9	2	1.7	.	.	.
Cardiovascular disease (390-459)	167	71.6	178.5	0	157.0	89	76.9	197.5	0	170.1	78	66.3	159.1	0	144.6
..Diseases of the heart (390-398,402,404-429)	128	54.9	138.9	0	122.2	70	60.5	158.2	0	132.5	58	49.3	120.1	0	113.2
....Heart disease-related (390-398,402,404-429)	260	111.4	264.6	0	239.9	142	122.6	314.9	0	278.7	118	100.4	224.0	0	209.9
....Coronary heart disease (CHD) (402,410-414,429.2)	82	35.1	94.0	0	95.6	45	38.9	113.5	0	104.4	37	31.5	78.5	0	85.9
....Congestive heart failure (CHF) (428.0)	2	0.9	2	1.7	.	.	.
..Hypertension with or without renal disease (401,403)	3	1.3	.	.	.	1	0.9	.	.	.	2	1.7	.	.	.
....Hypertension-related (401,403)	25	10.7	27.6	0	50.3	11	9.5	.	.	.	14	11.9	.	.	64.9
..Cerebrovascular disease (430-438)	31	13.3	30.7	0	26.4	16	13.8	35.2	0	.	15	12.8	27.6	0	.
..Atherosclerosis (440)	1	0.4	1	0.9	.	.	.
....Atherosclerosis-related (440)	10	4.3	.	.	.	5	4.3	.	.	.	5	4.3	.	.	.
..Aortic aneurysm (441)	2	0.9	2	1.7	.	.	.
Pneumonia & influenza (480-487)	26	11.1	29.7	0	16.0	16	13.8	45.2	0	.	10	8.5	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	20	8.6	25.4	0	.	10	8.6	.	.	.	10	8.5	.	.	.
..COPD-related (490-496)	47	20.1	56.7	0	38.6	27	23.3	83.3	0	.	20	17.0	40.6	0	38.5
..Asthma (493)	4	1.7	.	.	.	1	0.9	.	.	.	3	2.6	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1993*****					*****1993*****					*****1993*****				
	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	14	6.0	.	.	11.4	9	7.8	.	.	.	5	4.3	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2.6	.	.	.	3	2.6	.	.	.	3	2.6	.	.	.
..Nephritis-related (580-589)	37	15.9	40.7	0	41.8	19	16.4	46.7	0	47.6	18	15.3	36.7	0	37.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	3.0	.	.	.	4	3.5	.	.	.	3	2.6	.	.	.
Unintentional injuries (E800-E949)	62	26.6	27.4	0	21.5	51	44.0	41.8	0	37.6	11	9.4	.	.	.
..Motor vehicle accidents (E810-E825)	24	10.3	9.9	0	.	20	17.3	15.9	0	.	4	3.4	.	.	.
..Falls and fall related injuries (E880-E888)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.9	.	.	.
..Drowning (E830,E832,E910)	4	1.7	.	.	.	3	2.6	.	.	.	1	0.9	.	.	.
..Residential fires (E890-E899)	1	0.4	.	.	.	1	0.9
Suicide (E950-E959)	11	4.7	.	.	.	11	9.5
Homicide and legal intervention (E960-E978)	48	20.6	18.2	0	14.1	37	32.0	28.1	0	25.5	11	9.4	.	.	.
..Homicide (E960-E969)	48	20.6	18.2	0	13.8	37	32.0	28.1	0	24.9	11	9.4	.	.	.
All injury (E800-E999)	125	53.6	52.3	0	44.0	103	89.0	83.9	0	80.3	22	18.7	20.7	0	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	9.9	9.6	0	.	19	16.4	15.3	0	.	4	3.4	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.3	.	.	.	2	1.7	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	46	19.7	17.0	0	14.7	38	32.8	29.0	0	28.3	8	6.8	.	.	.
....Suicide (E955.0-.4)	5	2.1	.	.	.	5	4.3
....Homicide (E965.0-.4)	41	17.6	14.8	0	10.8	33	28.5	24.3	0	20.2	8	6.8	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	12.0	10.9	0	9.5	26	22.5	20.4	0	16.9	2	1.7	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	2.6	.	.	.	6	5.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	12.9	11.4	0	9.7	27	23.3	20.7	0	17.2	3	2.6	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	692	480	557	14,799	19,987	6213.6	5192.5	0	8597.2	7400.2	0
Infectious diseases and parasitic disease (1-139)	108	102	106	3,185	4,230	1317.8	1041.4	0	1703.6	1367.9	0
..Septicemia (038)	8	5	7	227	287	.	.	0	.	.	0
...Septicemia-related (038)	30	19	23	547	757	228.2	271.6	0	322.6	419.4	0
..HIV infection (042-044)	88	86	88	2,579	3,454	1074.9	900.6	0	1399.4	1173.8	0
All cancer (140-208)	92	50	71	904	1,507	461.4	607.6	0	837.3	1134.1	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	8	18	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	3	6	23	60	.	.	0	.	.	0
...Colon cancer (153)	6	2	4	15	40	.	.	0	.	.	0
...Rectal cancer (154)	2	1	2	8	20	.	.	0	.	.	0
..Pancreatic cancer (157)	2	1	2	13	30	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	18	7	12	133	235	68.5	44.1	0	132.4	124.0	0
...Lung cancer (162.2-.9)	17	6	11	105	198	56.8	34.3	0	117.2	107.1	0
..Malignant melanoma of skin (172)	1	.	1	0	8	.	.	0	.	.	0
..Female breast cancer (174)	6	5	5	98	148	.	.	0	.	.	0
..Cervical cancer (180)	3	3	3	63	93	.	.	0	.	.	0
..Ovarian cancer (183)	5	2	4	35	65	.	.	0	.	.	0
..Prostate cancer (185)	3	2	3	5	28	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	2	1	1	48	58	.	.	0	.	.	0
..Leukemia (204-208)	1	1	1	3	13	.	.	0	.	.	0
Diabetes mellitus (250)	13	3	5	48	93	.	.	0	.	.	0
..Diabetes-related (250)	57	22	32	210	480	136.5	151.4	0	332.0	367.3	0
Alzheimer's diseases (331.0)	2	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	167	82	113	1,404	2,372	727.1	409.8	1	1330.8	863.0	0
..Diseases of the heart (390-398,402,404-429)	128	62	86	982	1,717	515.6	293.3	0	986.2	652.5	0
...Heart disease-related (390-398,402,404-429)	260	132	177	2,951	4,499	1342.7	1122.2	0	2215.1	1902.8	0
...Coronary heart disease (CHD) (402,410-414,429.2)	82	35	54	403	840	247.7	154.0	0	554.5	419.1	0
...Congestive heart failure (CHF) (428.0)	2	1	1	43	53	.	.	0	.	.	0
...Hypertension with or without renal disease (401,403)	3	2	2	20	40	.	.	0	.	.	0
....Hypertension-related (401,403)	25	13	17	138	288	92.0	100.8	0	196.6	215.7	0
..Cerebrovascular disease (430-438)	31	16	21	357	545	174.9	59.1	0	280.6	110.1	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	0	.	.	0
...Atherosclerosis-related (440)	10	2	4	20	50	.	.	0	.	.	0
..Aortic aneurysm (441)	2	.	2	0	5	.	.	0	.	.	0
Pneumonia & influenza (480-487)	26	11	13	364	484	143.7	94.5	0	198.4	146.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	4	11	60	128	36.3	29.3	0	83.0	.	0
..COPD-related (490-496)	47	15	25	253	443	137.0	87.0	0	258.5	201.1	0
..Asthma (493)	4	2	3	40	63	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	14	11	13	153	273	.	116.5	0	.	196.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	1	2	33	45	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	37	17	22	328	520	152.1	132.5	0	264.2	236.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	2	3	45	68
Unintentional injuries (E800-E949)	62	59	61	2,223	2,828	924.2	513.9	0	1148.9	648.8	0
..Motor vehicle accidents (E810-E825)	24	22	24	984	1,219	416.7	.	0	504.0	.	0
..Falls and fall related injuries (E880-E888)	3	3	3	83	113
..Drowning (E830,E832,E910)	4	4	4	202	242
..Residential fires (E890-E899)	1	1	1	8	18
Suicide (E950-E959)	11	11	11	288	398
Homicide and legal intervention (E960-E978)	48	48	48	1,830	2,310	820.4	733.1	0	992.8	869.6	0
..Homicide (E960-E969)	48	48	48	1,830	2,310	820.4	718.7	0	992.8	852.2	0
All injury (E800-E999)	125	122	124	4,480	5,715	1931.5	1493.0	0	2388.4	1835.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	21	23	947	1,172	402.2	.	0	486.4	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	3	3	83	113
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	46	46	46	1,775	2,235	791.9	703.9	0	952.7	844.3	0
....Suicide (E955.0-.4)	5	5	5	138	188
....Homicide (E965.0-.4)	41	41	41	1,638	2,048	731.4	566.8	0	873.3	671.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	890	1,170	365.8	273.8	0	465.0	354.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	5	5	73	123
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	30	30	960	1,260	394.1	286.6	0	497.6	369.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	429	334	373	10,093	13,626	8622.2	7394.6	0	11971.6	10441.8	0
Infectious diseases and parasitic disease (1-139)	72	67	71	1,932	2,627	1667.2	1579.2	0	2236.4	2092.3	0
..Septicemia (038)	3	1	3	65	85
...Septicemia-related (038)	20	14	17	352	505	325.1	353.1	0	482.4	556.9	0
..HIV infection (042-044)	60	58	60	1,647	2,242	1427.7	1332.8	0	1910.7	1758.3	0
All cancer (140-208)	52	29	40	537	879	534.0	599.5	0	993.9	1223.4	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	8	18
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	2	4	15	40
...Colon cancer (153)	3	1	2	8	20
...Rectal cancer (154)	2	1	2	8	20
..Pancreatic cancer (157)
..Lung and other respiratory cancer (160-165)	15	6	10	115	205	121.0	72.9	0	245.9	231.6	0
...Lung cancer (162.2-.9)	14	5	9	88	168	.	51.6	.	.	195.1	.
..Malignant melanoma of skin (172)
..Female breast cancer (174)
..Cervical cancer (180)
..Ovarian cancer (183)
..Prostate cancer (185)	3	2	3	5	28
..Brain & other CNS cancer (191-192)
..Leukemia (204-208)
Diabetes mellitus (250)	4	1	1	23	33
..Diabetes-related (250)	23	11	13	123	238	157.5	127.7	0	324.7	317.6	0
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	89	58	72	1,024	1,669	1066.6	562.2	0	1911.8	1157.3	0
..Diseases of the heart (390-398,402,404-429)	70	46	57	707	1,215	765.3	385.9	0	1457.4	858.7	0
...Heart disease-related (390-398,402,404-429)	142	88	111	1,902	2,895	1779.6	1505.7	0	2971.3	2529.2	0
...Coronary heart disease (CHD) (402,410-414,429.2)	45	26	35	310	608	391.6	271.4	0	836.1	689.5	0
...Congestive heart failure (CHF) (428.0)
..Hypertension with or without renal disease (401,403)	1	1	1	13	23
...Hypertension-related (401,403)	11	8	10	85	175
..Cerebrovascular disease (430-438)	16	9	12	260	367	236.9	.	0	355.5	.	0
..Atherosclerosis (440)
...Atherosclerosis-related (440)	5	2	2	20	40
..Aortic aneurysm (441)
Pneumonia & influenza (480-487)	16	8	9	222	305	192.1	.	0	271.7	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	10	1	4	28	50
..COPD-related (490-496)	27	9	12	173	275	181.3	.	0	312.7	.	0
..Asthma (493)	1	1	1	28	38
Chronic liver disease and cirrhosis (571)	9	8	9	115	198
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	1	1	33	43

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	19	12	13	230	358	220.4	173.7	0	370.1	292.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	2	2	45	65
Unintentional injuries (E800-E949)	51	50	51	1,866	2,374	1534.7	935.5	0	1907.6	1168.9	0
..Motor vehicle accidents (E810-E825)	20	19	20	837	1,034	678.4	.	0	821.4	.	0
..Falls and fall related injuries (E880-E888)	2	2	2	70	90
..Drowning (E830,E832,E910)	3	3	3	138	168
..Residential fires (E890-E899)	1	1	1	8	18
Suicide (E950-E959)	11	11	11	288	398
Homicide and legal intervention (E960-E978)	37	37	37	1,438	1,808	1268.4	1314.5	0	1534.4	1562.1	0
..Homicide (E960-E969)	37	37	37	1,438	1,808	1268.4	1285.3	0	1534.4	1526.9	0
All injury (E800-E999)	103	102	103	3,731	4,759	3182.6	2747.6	0	3945.2	3374.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	18	19	799	987	649.2	.	0	786.2	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	70	90
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	38	38	38	1,455	1,835	1286.4	1321.8	0	1556.1	1589.9	0
....Suicide (E955.0-.4)	5	5	5	138	188
....Homicide (E965.0-.4)	33	33	33	1,318	1,648	1162.4	1047.1	0	1393.1	1242.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	26	26	26	830	1,090	682.3	511.1	0	869.9	655.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	5	5	73	123
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	873	1,143	716.0	536.6	0	904.6	685.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	263	146	184	4,706	6,361	3865.1	3035.3	0	5367.7	4481.1	0
Infectious diseases and parasitic disease (1-139)	36	35	35	1,254	1,604	997.4	531.0	0	1219.6	684.5	0
..Septicemia (038)	5	4	4	162	202
...Septicemia-related (038)	10	5	6	195	252
..HIV infection (042-044)	28	28	28	932	1,212	742.9	491.2	0	923.8	623.2	0
All cancer (140-208)	40	21	31	368	628	397.3	618.2	0	703.2	1070.9	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	1	2	8	20
...Colon cancer (153)	3	1	2	8	20
...Rectal cancer (154)
..Pancreatic cancer (157)	2	1	2	13	30
..Lung and other respiratory cancer (160-165)	3	1	2	18	30
...Lung cancer (162.2-.9)	3	1	2	18	30
..Malignant melanoma of skin (172)	1	.	1	0	8
..Female breast cancer (174)	6	5	5	98	148
..Cervical cancer (180)	3	3	3	63	93
..Ovarian cancer (183)	5	2	4	35	65
..Prostate cancer (185)
..Brain & other CNS cancer (191-192)	2	1	1	48	58
..Leukemia (204-208)	1	1	1	3	13
Diabetes mellitus (250)	9	2	4	25	60
..Diabetes-related (250)	34	11	19	88	243	117.1	172.6	0	333.8	411.7	0
Alzheimer's diseases (331.0)	2	1	1	3	13
Cardiovascular disease (390-459)	78	24	41	380	703	411.5	265.8	0	804.1	599.5	0
..Diseases of the heart (390-398,402,404-429)	58	16	29	275	503	291.0	207.6	0	569.7	472.2	0
...Heart disease-related (390-398,402,404-429)	118	44	66	1,049	1,604	947.3	758.6	0	1544.2	1329.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	37	9	19	93	233	118.7	49.2	0	307.1	186.3	0
...Congestive heart failure (CHF) (428.0)	2	1	1	43	53
...Hypertension with or without renal disease (401,403)	2	1	1	8	18
...Hypertension-related (401,403)	14	5	7	53	113	.	130.0	.	.	264.6	.
..Cerebrovascular disease (430-438)	15	7	9	98	178	109.4	.	0	203.3	.	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	5	.	2	0	10
..Aortic aneurysm (441)	2	.	2	0	5
Pneumonia & influenza (480-487)	10	3	4	142	179
Chronic obstructive pulmonary disease (COPD) (490-496)	10	3	7	33	78
..COPD-related (490-496)	20	6	13	80	168	91.6	126.8	0	202.2	259.2	0
..Asthma (493)	3	1	2	13	25
Chronic liver disease and cirrhosis (571)	5	3	4	38	75
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	.	1	0	3

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	18	5	9	98	163	90.0	95.4	0	167.6	185.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	.	1	0	3
Unintentional injuries (E800-E949)	11	9	10	357	454
..Motor vehicle accidents (E810-E825)	4	3	4	148	185
..Falls and fall related injuries (E880-E888)	1	1	1	13	23
..Drowning (E830,E832,E910)	1	1	1	65	75
..Residential fires (E890-E899)
Suicide (E950-E959)
Homicide and legal intervention (E960-E978)	11	11	11	393	503
..Homicide (E960-E969)	11	11	11	393	503
All injury (E800-E999)	22	20	21	749	957	656.0	.	0	814.7	.	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	4	3	4	148	185
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	320	400
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	8	8	8	320	400
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	60	80
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	3	3	3	88	118

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	692	480	557	14,799	19,987	5995.1	4935.5	0	8356.2	7128.1	0
Infectious diseases and parasitic disease (1-139)	108	102	106	3,185	4,230	1131.6	867.6	0	1454.1	1137.7	0
..Septicemia (038)	8	5	7	227	287
...Septicemia-related (038)	30	19	23	547	757	204.9	251.6	0	294.8	401.0	0
..HIV infection (042-044)	88	86	88	2,579	3,454	902.8	742.8	0	1170.9	963.4	0
All cancer (140-208)	92	50	71	904	1,507	452.1	583.9	0	859.9	1147.3	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	8	18
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	3	6	23	60
...Colon cancer (153)	6	2	4	15	40
...Rectal cancer (154)	2	1	2	8	20
..Pancreatic cancer (157)	2	1	2	13	30
..Lung and other respiratory cancer (160-165)	18	7	12	133	235	63.2	45.3	0	132.3	137.6	0
...Lung cancer (162.2-.9)	17	6	11	105	198	54.1	35.2	0	120.6	120.6	0
..Malignant melanoma of skin (172)	1	.	1	0	8
..Female breast cancer (174)	6	5	5	98	148
..Cervical cancer (180)	3	3	3	63	93
..Ovarian cancer (183)	5	2	4	35	65
..Prostate cancer (185)	3	2	3	5	28
..Brain & other CNS cancer (191-192)	2	1	1	48	58
..Leukemia (204-208)	1	1	1	3	13
Diabetes mellitus (250)	13	3	5	48	93
..Diabetes-related (250)	57	22	32	210	480	141.0	153.6	0	362.2	397.4	0
Alzheimer's diseases (331.0)	2	1	1	3	13
Cardiovascular disease (390-459)	167	82	113	1,404	2,372	708.3	410.1	1	1361.5	913.3	0
..Diseases of the heart (390-398,402,404-429)	128	62	86	982	1,717	504.6	294.4	0	1019.3	695.3	0
...Heart disease-related (390-398,402,404-429)	260	132	177	2,951	4,499	1269.6	1066.1	0	2193.0	1890.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	82	35	54	403	840	251.2	161.5	0	595.6	465.7	0
...Congestive heart failure (CHF) (428.0)	2	1	1	43	53
...Hypertension with or without renal disease (401,403)	3	2	2	20	40
....Hypertension-related (401,403)	25	13	17	138	288	95.5	104.4	0	210.7	232.4	0
..Cerebrovascular disease (430-438)	31	16	21	357	545	168.9	56.7	0	278.8	112.6	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	10	2	4	20	50
..Aortic aneurysm (441)	2	.	2	0	5
Pneumonia & influenza (480-487)	26	11	13	364	484	142.2	97.5	0	196.8	153.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	4	11	60	128	35.0	.	0	88.2	.	0
..COPD-related (490-496)	47	15	25	253	443	132.7	81.5	0	266.1	210.2	0
...Asthma (493)	4	2	3	40	63
Chronic liver disease and cirrhosis (571)	14	11	13	153	273	.	106.4	.	.	188.1	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	1	2	33	45

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	37	17	22	328	520	142.0	129.6	0	262.5	242.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	2	3	45	68
Unintentional injuries (E800-E949)	62	59	61	2,223	2,828	909.4	474.6	1	1115.0	591.5	1
..Motor vehicle accidents (E810-E825)	24	22	24	984	1,219	434.0	.	0	518.6	.	0
..Falls and fall related injuries (E880-E888)	3	3	3	83	113
..Drowning (E830,E832,E910)	4	4	4	202	242
..Residential fires (E890-E899)	1	1	1	8	18
Suicide (E950-E959)	11	11	11	288	398
Homicide and legal intervention (E960-E978)	48	48	48	1,830	2,310	794.9	678.4	0	945.9	788.4	0
..Homicide (E960-E969)	48	48	48	1,830	2,310	794.9	666.6	0	945.9	774.4	0
All injury (E800-E999)	125	122	124	4,480	5,715	1866.3	1386.6	0	2274.8	1675.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	21	23	947	1,172	422.2	.	0	504.6	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	3	3	83	113
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	46	46	46	1,775	2,235	763.5	659.3	0	902.0	776.0	0
....Suicide (E955.0-.4)	5	5	5	138	188
....Homicide (E965.0-.4)	41	41	41	1,638	2,048	712.6	532.3	0	835.6	618.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	890	1,170	309.4	236.9	0	391.1	302.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	5	5	73	123
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	30	30	960	1,260	331.1	244.9	0	414.1	311.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	429	334	373	10,093	13,626	8219.4	6911.5	0	11501.7	9900.6	0
Infectious diseases and parasitic disease (1-139)	72	67	71	1,932	2,627	1419.8	1319.2	0	1912.7	1747.6	0
..Septicemia (038)	3	1	3	65	85	.	.	0	.	.	0
...Septicemia-related (038)	20	14	17	352	505	297.3	320.0	0	451.1	525.2	0
..HIV infection (042-044)	60	58	60	1,647	2,242	1202.9	1104.7	0	1615.7	1455.3	0
All cancer (140-208)	52	29	40	537	879	519.7	581.9	0	1022.0	1269.2	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	8	18	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	2	4	15	40	.	.	0	.	.	0
...Colon cancer (153)	3	1	2	8	20	.	.	0	.	.	0
...Rectal cancer (154)	2	1	2	8	20	.	.	0	.	.	0
..Pancreatic cancer (157)	0	.	.	0
..Lung and other respiratory cancer (160-165)	15	6	10	115	205	110.7	74.9	0	246.9	260.6	0
...Lung cancer (162.2-.9)	14	5	9	88	168	.	53.1	0	.	223.8	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	3	2	3	5	28	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	0	.	.	0
..Leukemia (204-208)	0	.	.	0
Diabetes mellitus (250)	4	1	1	23	33	.	.	0	.	.	0
..Diabetes-related (250)	23	11	13	123	238	159.7	128.6	0	343.7	343.8	0
Alzheimer's diseases (331.0)	0	.	.	0
Cardiovascular disease (390-459)	89	58	72	1,024	1,669	1023.7	553.8	0	1928.0	1213.1	0
..Diseases of the heart (390-398,402,404-429)	70	46	57	707	1,215	737.8	381.1	0	1488.8	909.3	0
...Heart disease-related (390-398,402,404-429)	142	88	111	1,902	2,895	1664.7	1396.3	0	2917.5	2470.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	45	26	35	310	608	394.8	282.5	0	889.3	757.8	0
...Congestive heart failure (CHF) (428.0)	0	.	.	0
...Hypertension with or without renal disease (401,403)	1	1	1	13	23	.	.	0	.	.	0
...Hypertension-related (401,403)	11	8	10	85	175	.	.	0	.	.	0
..Cerebrovascular disease (430-438)	16	9	12	260	367	226.7	.	0	347.8	.	0
..Atherosclerosis (440)	0	.	.	0
...Atherosclerosis-related (440)	5	2	2	20	40	.	.	0	.	.	0
..Aortic aneurysm (441)	0	.	.	0
Pneumonia & influenza (480-487)	16	8	9	222	305	181.3	.	0	259.0	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	10	1	4	28	50	.	.	0	.	.	0
..COPD-related (490-496)	27	9	12	173	275	173.1	.	0	313.7	.	0
..Asthma (493)	1	1	1	28	38	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	9	8	9	115	198	.	.	0	.	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	1	1	33	43	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	19	12	13	230	358	194.0	162.0	0	347.8	286.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	2	2	45	65
Unintentional injuries (E800-E949)	51	50	51	1,866	2,374	1488.5	857.5	0	1823.9	1056.3	0
..Motor vehicle accidents (E810-E825)	20	19	20	837	1,034	700.0	.	0	836.4	.	0
..Falls and fall related injuries (E880-E888)	2	2	2	70	90
..Drowning (E830,E832,E910)	3	3	3	138	168
..Residential fires (E890-E899)	1	1	1	8	18
Suicide (E950-E959)	11	11	11	288	398
Homicide and legal intervention (E960-E978)	37	37	37	1,438	1,808	1244.4	1208.3	0	1480.5	1406.9	0
..Homicide (E960-E969)	37	37	37	1,438	1,808	1244.4	1184.5	0	1480.5	1378.6	0
All injury (E800-E999)	103	102	103	3,731	4,759	3062.1	2537.8	0	3741.4	3063.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	18	19	799	987	676.2	.	0	808.2	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	70	90
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	38	38	38	1,455	1,835	1250.1	1234.5	0	1484.8	1457.0	0
....Suicide (E955.0-.4)	5	5	5	138	188
....Homicide (E965.0-.4)	33	33	33	1,318	1,648	1145.5	980.1	0	1348.5	1139.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	26	26	26	830	1,090	575.6	438.3	0	731.0	554.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	5	5	73	123
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	873	1,143	601.0	454.0	0	753.1	571.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	263	146	184	4,706	6,361	3824.4	2996.9	0	5356.1	4480.0	0
Infectious diseases and parasitic disease (1-139)	36	35	35	1,254	1,604	870.5	440.2	0	1043.3	564.8	0
..Septicemia (038)	5	4	4	162	202
...Septicemia-related (038)	10	5	6	195	252
..HIV infection (042-044)	28	28	28	932	1,212	621.6	401.4	0	760.3	502.6	0
All cancer (140-208)	40	21	31	368	628	393.2	588.8	0	722.9	1058.0	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	1	2	8	20
...Colon cancer (153)	3	1	2	8	20
...Rectal cancer (154)
..Pancreatic cancer (157)	2	1	2	13	30
..Lung and other respiratory cancer (160-165)	3	1	2	18	30
...Lung cancer (162.2-.9)	3	1	2	18	30
..Malignant melanoma of skin (172)	1	.	1	0	8
..Female breast cancer (174)	6	5	5	98	148
..Cervical cancer (180)	3	3	3	63	93
..Ovarian cancer (183)	5	2	4	35	65
..Prostate cancer (185)
..Brain & other CNS cancer (191-192)	2	1	1	48	58
..Leukemia (204-208)	1	1	1	3	13
Diabetes mellitus (250)	9	2	4	25	60
..Diabetes-related (250)	34	11	19	88	243	123.9	175.8	0	373.6	445.1	0
Alzheimer's diseases (331.0)	2	1	1	3	13
Cardiovascular disease (390-459)	78	24	41	380	703	417.6	275.1	0	853.2	648.6	0
..Diseases of the heart (390-398,402,404-429)	58	16	29	275	503	297.6	215.1	0	609.2	510.9	0
...Heart disease-related (390-398,402,404-429)	118	44	66	1,049	1,604	916.3	754.9	0	1558.9	1367.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	37	9	19	93	233	123.7	54.0	0	339.9	215.8	0
...Congestive heart failure (CHF) (428.0)	2	1	1	43	53
...Hypertension with or without renal disease (401,403)	2	1	1	8	18
...Hypertension-related (401,403)	14	5	7	53	113	.	132.5	.	.	280.8	.
..Cerebrovascular disease (430-438)	15	7	9	98	178	107.3	.	0	207.2	.	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	5	.	2	0	10
..Aortic aneurysm (441)	2	.	2	0	5
Pneumonia & influenza (480-487)	10	3	4	142	179
Chronic obstructive pulmonary disease (COPD) (490-496)	10	3	7	33	78
..COPD-related (490-496)	20	6	13	80	168	91.2	118.4	0	215.7	264.3	0
..Asthma (493)	3	1	2	13	25
Chronic liver disease and cirrhosis (571)	5	3	4	38	75
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	.	1	0	3

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	18	5	9	98	163	96.1	101.1	0	185.8	203.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	.	1	0	3
Unintentional injuries (E800-E949)	11	9	10	357	454
..Motor vehicle accidents (E810-E825)	4	3	4	148	185
..Falls and fall related injuries (E880-E888)	1	1	1	13	23
..Drowning (E830,E832,E910)	1	1	1	65	75
..Residential fires (E890-E899)
Suicide (E950-E959)
Homicide and legal intervention (E960-E978)	11	11	11	393	503
..Homicide (E960-E969)	11	11	11	393	503
All injury (E800-E999)	22	20	21	749	957	642.4	.	0	788.0	.	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	4	3	4	148	185
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	320	400
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	8	8	8	320	400
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	60	80
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	3	3	3	88	118

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	692	480	557	14,799	19,987	6174.8	5290.4	0	8678.2	7651.0	0
Infectious diseases and parasitic disease (1-139)	108	102	106	3,185	4,230	1352.9	1089.8	0	1737.6	1416.4	0
..Septicemia (038)	8	5	7	227	287	.	.	0	.	.	0
...Septicemia-related (038)	30	19	23	547	757	241.6	285.8	0	344.5	444.5	0
..HIV infection (042-044)	88	86	88	2,579	3,454	1112.5	943.9	0	1436.1	1215.8	0
All cancer (140-208)	92	50	71	904	1,507	501.7	697.4	0	934.2	1303.5	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	8	18	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	3	6	23	60	.	.	0	.	.	0
...Colon cancer (153)	6	2	4	15	40	.	.	0	.	.	0
...Rectal cancer (154)	2	1	2	8	20	.	.	0	.	.	0
..Pancreatic cancer (157)	2	1	2	13	30	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	18	7	12	133	235	80.7	54.0	0	156.4	152.9	0
...Lung cancer (162.2-.9)	17	6	11	105	198	66.8	42.0	0	138.7	132.9	0
..Malignant melanoma of skin (172)	1	.	1	0	8	.	.	0	.	.	0
..Female breast cancer (174)	6	5	5	98	148	.	.	0	.	.	0
..Cervical cancer (180)	3	3	3	63	93	.	.	0	.	.	0
..Ovarian cancer (183)	5	2	4	35	65	.	.	0	.	.	0
..Prostate cancer (185)	3	2	3	5	28	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	2	1	1	48	58	.	.	0	.	.	0
..Leukemia (204-208)	1	1	1	3	13	.	.	0	.	.	0
Diabetes mellitus (250)	13	3	5	48	93	.	.	0	.	.	0
..Diabetes-related (250)	57	22	32	210	480	162.0	178.8	0	390.8	432.2	0
Alzheimer's diseases (331.0)	2	1	1	3	13	.	.	0	.	.	0
Cardiovascular disease (390-459)	167	82	113	1,404	2,372	799.0	470.2	0	1491.9	1002.5	0
..Diseases of the heart (390-398,402,404-429)	128	62	86	982	1,717	566.7	335.6	0	1107.1	755.7	0
...Heart disease-related (390-398,402,404-429)	260	132	177	2,951	4,499	1414.2	1203.9	0	2395.3	2082.2	0
...Coronary heart disease (CHD) (402,410-414,429.2)	82	35	54	403	840	282.0	178.0	0	642.1	490.0	0
...Congestive heart failure (CHF) (428.0)	2	1	1	43	53	.	.	0	.	.	0
...Hypertension with or without renal disease (401,403)	3	2	2	20	40	.	.	0	.	.	0
....Hypertension-related (401,403)	25	13	17	138	288	109.4	121.6	0	230.5	259.7	0
..Cerebrovascular disease (430-438)	31	16	21	357	545	191.1	72.1	0	311.1	136.4	0
..Atherosclerosis (440)	1	.	.	0	0	.	.	0	.	.	0
...Atherosclerosis-related (440)	10	2	4	20	50	.	.	0	.	.	0
..Aortic aneurysm (441)	2	.	2	0	5	.	.	0	.	.	0
Pneumonia & influenza (480-487)	26	11	13	364	484	147.7	104.6	0	207.0	165.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	4	11	60	128	43.4	.	0	103.2	.	0
..COPD-related (490-496)	47	15	25	253	443	148.7	95.8	0	292.0	231.3	0
...Asthma (493)	4	2	3	40	63	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	14	11	13	153	273	.	138.0	0	.	231.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	1	2	33	45	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	37	17	22	328	520	158.9	137.9	0	284.1	252.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	2	3	45	68
Unintentional injuries (E800-E949)	62	59	61	2,223	2,828	857.1	498.4	0	1062.3	627.1	0
..Motor vehicle accidents (E810-E825)	24	22	24	984	1,219	360.6	.	0	434.8	.	0
..Falls and fall related injuries (E880-E888)	3	3	3	83	113
..Drowning (E830,E832,E910)	4	4	4	202	242
..Residential fires (E890-E899)	1	1	1	8	18
Suicide (E950-E959)	11	11	11	288	398
Homicide and legal intervention (E960-E978)	48	48	48	1,830	2,310	719.8	641.6	0	862.7	746.7	0
..Homicide (E960-E969)	48	48	48	1,830	2,310	719.8	629.8	0	862.7	732.7	0
All injury (E800-E999)	125	122	124	4,480	5,715	1763.9	1391.3	0	2170.7	1696.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	23	21	23	947	1,172	348.7	.	0	420.8	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	3	3	83	113
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	46	46	46	1,775	2,235	698.0	620.3	0	830.3	733.4	0
....Suicide (E955.0-.4)	5	5	5	138	188
....Homicide (E965.0-.4)	41	41	41	1,638	2,048	632.4	491.2	0	745.0	571.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	28	28	890	1,170	350.0	289.1	0	440.9	369.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	5	5	73	123
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	30	30	960	1,260	381.6	300.2	0	476.6	382.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	429	334	373	10,093	13,626	8654.2	7486.1	0	12170.0	10728.7	0
Infectious diseases and parasitic disease (1-139)	72	67	71	1,932	2,627	1784.6	1676.7	0	2380.2	2197.3	0
..Septicemia (038)	3	1	3	65	85
...Septicemia-related (038)	20	14	17	352	505	359.1	380.0	0	536.7	600.4	0
..HIV infection (042-044)	60	58	60	1,647	2,242	1524.5	1412.9	0	2024.1	1842.8	0
All cancer (140-208)	52	29	40	537	879	579.3	689.4	0	1108.5	1424.1	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	8	18
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	2	4	15	40
...Colon cancer (153)	3	1	2	8	20
...Rectal cancer (154)	2	1	2	8	20
..Pancreatic cancer (157)
..Lung and other respiratory cancer (160-165)	15	6	10	115	205	141.5	89.4	0	288.1	286.1	0
...Lung cancer (162.2-.9)	14	5	9	88	168	.	63.5	.	.	242.8	.
..Malignant melanoma of skin (172)
..Female breast cancer (174)
..Cervical cancer (180)
..Ovarian cancer (183)
..Prostate cancer (185)	3	2	3	5	28
..Brain & other CNS cancer (191-192)
..Leukemia (204-208)
Diabetes mellitus (250)	4	1	1	23	33
..Diabetes-related (250)	23	11	13	123	238	184.0	152.5	0	375.7	379.5	0
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	89	58	72	1,024	1,669	1164.3	628.5	0	2120.9	1326.4	0
..Diseases of the heart (390-398,402,404-429)	70	46	57	707	1,215	844.3	427.3	0	1629.9	979.0	0
...Heart disease-related (390-398,402,404-429)	142	88	111	1,902	2,895	1917.7	1599.0	0	3260.6	2750.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	45	26	35	310	608	437.2	312.8	0	950.7	805.6	0
...Congestive heart failure (CHF) (428.0)
...Hypertension with or without renal disease (401,403)	1	1	1	13	23
...Hypertension-related (401,403)	11	8	10	85	175
..Cerebrovascular disease (430-438)	16	9	12	260	367	247.6	.	0	380.9	.	0
..Atherosclerosis (440)
...Atherosclerosis-related (440)	5	2	2	20	40
..Aortic aneurysm (441)
Pneumonia & influenza (480-487)	16	8	9	222	305	203.7	.	0	290.7	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	10	1	4	28	50
..COPD-related (490-496)	27	9	12	173	275	193.0	.	0	342.5	.	0
..Asthma (493)	1	1	1	28	38
Chronic liver disease and cirrhosis (571)	9	8	9	115	198
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	1	1	33	43

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	19	12	13	230	358	238.5	185.1	0	401.6	316.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	2	2	45	65
Unintentional injuries (E800-E949)	51	50	51	1,866	2,374	1427.8	900.4	0	1766.0	1119.9	0
..Motor vehicle accidents (E810-E825)	20	19	20	837	1,034	591.8	.	0	713.1	.	0
..Falls and fall related injuries (E880-E888)	2	2	2	70	90
..Drowning (E830,E832,E910)	3	3	3	138	168
..Residential fires (E890-E899)	1	1	1	8	18
Suicide (E950-E959)	11	11	11	288	398
Homicide and legal intervention (E960-E978)	37	37	37	1,438	1,808	1112.5	1147.5	0	1333.7	1337.7	0
..Homicide (E960-E969)	37	37	37	1,438	1,808	1112.5	1123.6	0	1333.7	1309.6	0
All injury (E800-E999)	103	102	103	3,731	4,759	2921.5	2559.2	0	3602.9	3117.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	18	19	799	987	567.9	.	0	685.0	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	70	90
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	38	38	38	1,455	1,835	1148.1	1173.6	0	1375.9	1392.2	0
....Suicide (E955.0-.4)	5	5	5	138	188
....Homicide (E965.0-.4)	33	33	33	1,318	1,648	1013.2	913.3	0	1200.6	1063.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	26	26	26	830	1,090	650.9	530.9	0	822.5	673.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	6	5	5	73	123
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	27	27	27	873	1,143	687.0	552.8	0	858.6	697.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	263	146	184	4,706	6,361	3780.8	3159.1	0	5373.8	4736.0	0
Infectious diseases and parasitic disease (1-139)	36	35	35	1,254	1,604	954.3	534.8	0	1151.1	682.2	0
..Septicemia (038)	5	4	4	162	202
...Septicemia-related (038)	10	5	6	195	252
..HIV infection (042-044)	28	28	28	932	1,212	725.1	501.3	0	889.9	627.4	0
All cancer (140-208)	40	21	31	368	628	432.6	708.3	0	785.3	1217.5	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	1	2	8	20
...Colon cancer (153)	3	1	2	8	20
...Rectal cancer (154)
..Pancreatic cancer (157)	2	1	2	13	30
..Lung and other respiratory cancer (160-165)	3	1	2	18	30
...Lung cancer (162.2-.9)	3	1	2	18	30
..Malignant melanoma of skin (172)	1	.	1	0	8
..Female breast cancer (174)	6	5	5	98	148
..Cervical cancer (180)	3	3	3	63	93
..Ovarian cancer (183)	5	2	4	35	65
..Prostate cancer (185)
..Brain & other CNS cancer (191-192)	2	1	1	48	58
..Leukemia (204-208)	1	1	1	3	13
Diabetes mellitus (250)	9	2	4	25	60
..Diabetes-related (250)	34	11	19	88	243	141.6	202.1	0	398.7	479.3	0
Alzheimer's diseases (331.0)	2	1	1	3	13
Cardiovascular disease (390-459)	78	24	41	380	703	462.2	321.9	0	926.0	716.8	0
..Diseases of the heart (390-398,402,404-429)	58	16	29	275	503	317.7	251.6	0	646.8	563.3	0
...Heart disease-related (390-398,402,404-429)	118	44	66	1,049	1,604	957.8	831.8	0	1628.5	1478.2	0
...Coronary heart disease (CHD) (402,410-414,429.2)	37	9	19	93	233	144.1	58.3	0	373.3	219.8	0
...Congestive heart failure (CHF) (428.0)	2	1	1	43	53
...Hypertension with or without renal disease (401,403)	2	1	1	8	18
...Hypertension-related (401,403)	14	5	7	53	113	.	157.8	.	.	316.7	.
..Cerebrovascular disease (430-438)	15	7	9	98	178	131.5	.	0	240.1	.	0
..Atherosclerosis (440)	1	.	.	0	0
...Atherosclerosis-related (440)	5	.	2	0	10
..Aortic aneurysm (441)	2	.	2	0	5
Pneumonia & influenza (480-487)	10	3	4	142	179
Chronic obstructive pulmonary disease (COPD) (490-496)	10	3	7	33	78
..COPD-related (490-496)	20	6	13	80	168	103.8	136.0	0	238.9	291.3	0
..Asthma (493)	3	1	2	13	25
Chronic liver disease and cirrhosis (571)	5	3	4	38	75
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	.	1	0	3

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1993
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	18	5	9	98	163	86.4	95.0	0	176.1	194.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	.	1	0	3
Unintentional injuries (E800-E949)	11	9	10	357	454
..Motor vehicle accidents (E810-E825)	4	3	4	148	185
..Falls and fall related injuries (E880-E888)	1	1	1	13	23
..Drowning (E830,E832,E910)	1	1	1	65	75
..Residential fires (E890-E899)
Suicide (E950-E959)
Homicide and legal intervention (E960-E978)	11	11	11	393	503
..Homicide (E960-E969)	11	11	11	393	503
All injury (E800-E999)	22	20	21	749	957	593.8	.	0	737.5	.	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	4	3	4	148	185
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	8	8	8	320	400
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	8	8	8	320	400
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	60	80
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	3	3	3	88	118

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).