

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1994-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR
*****Causes of Death*****															
All causes	3,869	306.4	372.5	1	337.3	2,361	378.0	506.2	1	451.6	1,508	236.3	260.2	0	237.7
Infectious diseases and parasitic disease (1-139)	548	43.4	46.2	1	35.8	393	62.9	69.4	0	55.7	155	24.3	24.9	0	17.8
..Septicemia (038)	60	4.8	6.3	0	5.1	28	4.5	6.8	0	7.8	32	5.0	5.7	0	2.9
....Septicemia-related (038)	209	16.5	21.4	0	18.6	119	19.0	28.4	0	25.8	90	14.1	15.7	0	12.4
..HIV infection (042-044)	416	32.9	33.9	1	27.2	312	49.9	53.5	0	42.5	104	16.3	16.0	0	13.2
All cancer (140-208)	622	49.3	70.0	0	65.2	341	54.6	89.9	0	79.8	281	44.0	55.9	0	54.6
..Oral cavity or pharynx (140.0-149.9)	18	1.4	2.1	0	2.6	16	2.6	4.5	0	4.8	2	0.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	58	4.6	6.5	0	5.6	37	5.9	9.7	0	6.4	21	3.3	4.0	0	4.9
....Colon cancer (153)	45	3.6	4.8	0	3.9	31	5.0	8.0	0	.	14	2.2	.	.	3.4
....Rectal cancer (154)	13	1.0	.	.	.	6	1.0	.	.	.	7	1.1	.	.	.
..Pancreatic cancer (157)	20	1.6	2.3	0	.	12	1.9	.	.	.	8	1.3	.	.	.
..Lung and other respiratory cancer (160-165)	98	7.8	12.4	0	14.0	64	10.2	18.9	0	23.6	34	5.3	7.5	0	6.9
....Lung cancer (162.2-.9)	89	7.0	11.3	0	13.5	56	9.0	16.5	0	22.4	33	5.2	7.3	0	6.9
..Malignant melanoma of skin (172)	7	0.6	.	.	.	4	0.6	.	.	.	3	0.5	.	.	.
..Female breast cancer (174)	55	55	8.6	11.6	0	8.2
..Cervical cancer (180)	14	14	2.2	.	.	.
..Endometrial cancer (182)	4	4	0.6	.	.	.
..Ovarian cancer (183)	13	13	2.0	.	.	4.2
..Prostate cancer (185)	24	24	3.8	6.4	0	5.7
..Bladder cancer (188)	12	1.0	.	.	.	6	1.0	.	.	.	6	0.9	.	.	.
..Brain & other CNS cancer (191-192)	16	1.3	1.7	0	.	5	0.8	.	.	.	11	1.7	.	.	.
..Leukemia (204-208)	44	3.5	4.5	0	2.1	30	4.8	6.8	1	.	14	2.2	.	.	.
Diabetes mellitus (250)	105	8.3	12.5	0	8.9	55	8.8	15.9	1	6.5	50	7.8	10.0	0	10.5
..Diabetes-related (250)	420	33.3	49.1	1	38.1	207	33.1	57.8	1	38.7	213	33.4	42.1	0	37.3
..Diabetic ketoacidosis (DKA) (250.1)	2	0.2	.	.	.	1	0.2	.	.	.	1	0.2	.	.	.
Alzheimer's diseases (331.0)	10	0.8	.	.	.	2	0.3	.	.	.	8	1.3	.	.	.
Cardiovascular disease (390-459)	1,033	81.8	109.0	0	99.9	541	86.6	139.9	0	122.1	492	77.1	84.7	0	81.8
..Diseases of the heart (390-398,402,404-429)	823	65.2	86.8	0	76.3	433	69.3	111.8	0	94.1	390	61.1	67.6	0	62.0
....Heart disease-related (390-398,402,404-429)	1,616	128.0	167.8	1	143.0	890	142.5	217.3	1	177.9	726	113.8	128.5	0	114.5
....Coronary heart disease (CHD) (402,410-414,429.2)	543	43.0	59.5	0	54.3	285	45.6	77.1	0	69.3	258	40.4	46.5	0	42.4
....Congestive heart failure (CHF) (428.0)	26	2.1	2.2	0	.	11	1.8	.	.	.	15	2.4	1.7	0	.
..Hypertension with or without renal disease (401,403)	8	0.6	.	.	.	4	0.6	.	.	.	4	0.6	.	.	.
....Hypertension-related (401,403)	170	13.5	18.4	0	19.2	79	12.6	21.0	0	18.4	91	14.3	16.2	0	19.5
..Cerebrovascular disease (430-438)	170	13.5	17.6	0	17.4	84	13.4	21.2	0	19.6	86	13.5	14.5	0	15.5
..Atherosclerosis (440)	4	0.3	.	.	.	2	0.3	.	.	.	2	0.3	.	.	.
....Atherosclerosis-related (440)	42	3.3	3.9	0	5.8	20	3.2	5.0	0	6.8	22	3.4	3.1	0	5.1
..Aortic aneurysm (441)	15	1.2	1.8	0	.	10	1.6	.	.	.	5	0.8	.	.	.
Pneumonia & influenza (480-487)	94	7.4	8.8	0	8.9	50	8.0	11.4	0	13.1	44	6.9	6.7	0	5.8

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	95	7.5	9.5	0	8.8	42	6.7	9.4	0	9.6	53	8.3	9.6	0	8.3
..COPD-related (490-496)	217	17.2	22.2	0	21.6	115	18.4	28.2	0	25.4	102	16.0	18.6	0	19.2
..Asthma (493)	36	2.9	3.6	0	2.0	15	2.4	3.1	0	.	21	3.3	4.0	0	.
Chronic liver disease and cirrhosis (571)	117	9.3	13.2	0	11.4	82	13.1	19.9	0	20.0	35	5.5	7.3	0	3.9
Nephritis, nephrotic syndrome/nephrosis (580-589)	46	3.6	5.0	0	4.9	22	3.5	5.2	0	6.5	24	3.8	4.9	0	3.7
..Nephritis-related (580-589)	238	18.8	25.8	0	24.3	136	21.8	33.4	0	29.3	102	16.0	19.9	0	20.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	63	5.0	6.8	0	5.6	32	5.1	7.8	0	7.2	31	4.9	6.3	0	4.4
Unintentional injuries (E800-E949)	349	27.6	28.5	1	20.2	272	43.5	46.3	1	33.8	77	12.1	12.0	0	7.2
..Motor vehicle accidents (E810-E825)	115	9.1	9.7	0	7.8	83	13.3	14.6	0	13.2	32	5.0	5.1	0	.
..Falls and fall related injuries (E880-E888)	20	1.6	1.7	0	.	16	2.6	3.4	0	.	4	0.6	.	.	.
..Drowning (E830,E832,E910)	18	1.4	1.4	0	.	14	2.2	.	.	.	4	0.6	.	.	.
..Residential fires (E890-E899)	20	1.6	1.5	0	.	12	1.9	.	.	.	8	1.3	.	.	.
Suicide (E950-E959)	76	6.0	6.1	0	7.8	67	10.7	10.9	0	14.7	9	1.4	.	.	.
Homicide and legal intervention (E960-E978)	155	12.3	12.6	0	15.5	133	21.3	22.3	0	26.5	22	3.4	3.1	0	4.7
..Homicide (E960-E969)	155	12.3	12.6	0	15.4	133	21.3	22.3	0	26.4	22	3.4	3.1	0	4.7
All injury (E800-E999)	593	47.0	48.2	0	44.9	482	77.2	80.9	0	77.8	111	17.4	17.0	0	13.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	112	8.9	9.5	0	7.7	81	13.0	14.3	0	12.9	31	4.9	5.0	0	.
..All falls (E880-E886,E888,E957,E968.1,E987)	21	1.7	1.9	0	.	18	2.9	3.7	0	.	3	0.5	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	148	11.7	11.9	0	16.0	137	21.9	22.2	0	28.7	11	1.7	.	.	3.6
....Suicide (E955.0-.4)	28	2.2	2.2	0	3.4	28	4.5	4.4	0	6.3
....Homicide (E965.0-.4)	116	9.2	9.4	0	12.0	105	16.8	17.2	0	21.3	11	1.7	.	.	2.9
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	151	12.0	11.6	1	6.9	129	20.7	20.4	1	13.1	22	3.4	3.2	0	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	75	5.9	8.0	0	8.2	62	9.9	14.5	0	16.2	13	2.0	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	153	12.1	11.7	1	7.1	128	20.5	20.2	1	13.2	25	3.9	3.6	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female				1989-1993 AAMR		
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
All causes	3,869	306.4	456.8	1	414.9	2,361	378.0	607.8	1	534.4	1,508	236.3	336.2	0	314.0
Infectious diseases and parasitic disease (1-139)	548	43.4	44.1	1	32.5	393	62.9	64.4	0	50.3	155	24.3	25.5	1	16.6
..Septicemia (038)	60	4.8	8.5	0	6.0	28	4.5	8.8	0	9.1	32	5.0	8.1	0	3.6
....Septicemia-related (038)	209	16.5	27.7	0	22.6	119	19.0	35.6	0	29.5	90	14.1	21.5	0	16.6
..HIV infection (042-044)	416	32.9	29.7	1	23.0	312	49.9	46.9	0	36.3	104	16.3	14.0	0	10.9
All cancer (140-208)	622	49.3	88.9	0	82.3	341	54.6	118.3	0	102.6	281	44.0	69.1	0	68.0
..Oral cavity or pharynx (140.0-149.9)	18	1.4	2.8	0	3.0	16	2.6	6.0	0	5.2	2	0.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	58	4.6	8.4	0	7.8	37	5.9	12.7	0	8.3	21	3.3	5.3	0	7.2
....Colon cancer (153)	45	3.6	6.5	0	5.5	31	5.0	10.7	0	.	14	2.2	.	.	5.0
....Rectal cancer (154)	13	1.0	.	.	.	6	1.0	.	.	.	7	1.1	.	.	.
..Pancreatic cancer (157)	20	1.6	3.1	0	.	12	1.9	.	.	.	8	1.3	.	.	.
..Lung and other respiratory cancer (160-165)	98	7.8	16.0	0	18.4	64	10.2	24.3	0	31.7	34	5.3	9.9	0	9.0
....Lung cancer (162.2-.9)	89	7.0	14.5	0	17.7	56	9.0	21.2	0	30.2	33	5.2	9.6	0	9.0
..Malignant melanoma of skin (172)	7	0.6	.	.	.	4	0.6	.	.	.	3	0.5	.	.	.
..Female breast cancer (174)	55	55	8.6	12.9	0	8.9
..Cervical cancer (180)	14	14	2.2	.	.	.
..Endometrial cancer (182)	4	4	0.6	.	.	.
..Ovarian cancer (183)	13	13	2.0	.	.	5.3
..Prostate cancer (185)	24	24	3.8	10.2	0	7.6
..Bladder cancer (188)	12	1.0	.	.	.	6	1.0	.	.	.	6	0.9	.	.	.
..Brain & other CNS cancer (191-192)	16	1.3	2.0	0	.	5	0.8	.	.	.	11	1.7	.	.	.
..Leukemia (204-208)	44	3.5	5.5	1	2.4	30	4.8	9.0	1	.	14	2.2	.	.	.
Diabetes mellitus (250)	105	8.3	16.5	0	13.0	55	8.8	20.5	1	9.0	50	7.8	13.4	0	15.5
..Diabetes-related (250)	420	33.3	65.9	1	52.6	207	33.1	75.9	1	52.5	213	33.4	57.9	0	52.3
..Diabetic ketoacidosis (DKA) (250.1)	2	0.2	.	.	.	1	0.2	.	.	.	1	0.2	.	.	.
Alzheimer's diseases (331.0)	10	0.8	.	.	.	2	0.3	.	.	.	8	1.3	.	.	.
Cardiovascular disease (390-459)	1,033	81.8	152.5	0	141.3	541	86.6	190.3	0	166.7	492	77.1	123.7	0	121.1
..Diseases of the heart (390-398,402,404-429)	823	65.2	121.7	0	108.5	433	69.3	153.1	0	129.2	390	61.1	98.3	0	92.1
....Heart disease-related (390-398,402,404-429)	1,616	128.0	225.4	1	195.8	890	142.5	285.9	1	235.4	726	113.8	179.7	0	164.5
....Coronary heart disease (CHD) (402,410-414,429.2)	543	43.0	84.3	0	78.7	285	45.6	108.1	0	97.3	258	40.4	67.4	0	64.5
....Congestive heart failure (CHF) (428.0)	26	2.1	3.9	0	.	11	1.8	.	.	.	15	2.4	3.4	0	.
..Hypertension with or without renal disease (401,403)	8	0.6	.	.	.	4	0.6	.	.	.	4	0.6	.	.	.
....Hypertension-related (401,403)	170	13.5	26.8	0	26.8	79	12.6	29.7	0	24.2	91	14.3	24.4	0	28.2
..Cerebrovascular disease (430-438)	170	13.5	24.7	0	24.9	84	13.4	28.6	0	26.5	86	13.5	21.4	0	23.2
..Atherosclerosis (440)	4	0.3	.	.	.	2	0.3	.	.	.	2	0.3	.	.	.
....Atherosclerosis-related (440)	42	3.3	6.4	0	9.6	20	3.2	7.8	0	11.3	22	3.4	5.4	0	8.5
..Aortic aneurysm (441)	15	1.2	2.6	0	.	10	1.6	.	.	.	5	0.8	.	.	.
Pneumonia & influenza (480-487)	94	7.4	13.1	0	14.3	50	8.0	16.3	0	19.8	44	6.9	10.7	0	10.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	95	7.5	12.8	0	12.5	42	6.7	12.9	0	13.8	53	8.3	12.8	0	11.6
..COPD-related (490-496)	217	17.2	31.8	0	30.7	115	18.4	42.8	0	37.4	102	16.0	25.4	0	26.6
..Asthma (493)	36	2.9	3.8	0	2.3	15	2.4	3.2	0	.	21	3.3	4.3	0	.
Chronic liver disease and cirrhosis (571)	117	9.3	14.8	0	12.2	82	13.1	21.6	0	21.0	35	5.5	8.9	0	4.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	46	3.6	6.8	0	6.7	22	3.5	7.7	0	9.1	24	3.8	6.4	0	5.1
..Nephritis-related (580-589)	238	18.8	33.5	0	32.2	136	21.8	43.5	0	37.9	102	16.0	26.3	0	27.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	63	5.0	9.3	0	7.5	32	5.1	11.6	0	10.0	31	4.9	8.1	0	5.8
Unintentional injuries (E800-E949)	349	27.6	27.4	1	20.1	272	43.5	43.8	0	32.5	77	12.1	12.4	0	8.3
..Motor vehicle accidents (E810-E825)	115	9.1	9.1	0	7.6	83	13.3	13.9	0	12.5	32	5.0	4.8	0	.
..Falls and fall related injuries (E880-E888)	20	1.6	2.2	0	.	16	2.6	4.1	0	.	4	0.6	.	.	.
..Drowning (E830,E832,E910)	18	1.4	1.4	0	.	14	2.2	.	.	.	4	0.6	.	.	.
..Residential fires (E890-E899)	20	1.6	1.6	0	.	12	1.9	.	.	.	8	1.3	.	.	.
Suicide (E950-E959)	76	6.0	5.5	0	7.1	67	10.7	9.7	0	13.6	9	1.4	.	.	.
Homicide and legal intervention (E960-E978)	155	12.3	11.7	0	14.2	133	21.3	20.8	0	24.6	22	3.4	2.9	0	4.1
..Homicide (E960-E969)	155	12.3	11.7	0	14.2	133	21.3	20.8	0	24.5	22	3.4	2.9	0	4.1
All injury (E800-E999)	593	47.0	45.3	0	42.7	482	77.2	75.4	0	73.1	111	17.4	16.9	0	13.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	112	8.9	8.9	0	7.5	81	13.0	13.6	0	12.3	31	4.9	4.6	0	.
..All falls (E880-E886,E888,E957,E968.1,E987)	21	1.7	2.1	0	.	18	2.9	4.2	0	.	3	0.5	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	148	11.7	10.8	0	14.8	137	21.9	20.2	0	26.8	11	1.7	.	.	3.1
....Suicide (E955.0-.4)	28	2.2	1.9	0	3.1	28	4.5	3.8	0	5.9
....Homicide (E965.0-.4)	116	9.2	8.7	0	11.1	105	16.8	15.8	0	19.9	11	1.7	.	.	2.5
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	151	12.0	9.7	1	6.0	129	20.7	17.1	0	11.4	22	3.4	2.7	0	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	75	5.9	8.1	0	8.3	62	9.9	15.0	0	16.9	13	2.0	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	153	12.1	9.8	1	6.0	128	20.5	17.0	0	11.4	25	3.9	3.0	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1989-1993 AAMR		
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance			
*****Causes of Death*****															
All causes	3,869	306.4	575.9	1	528.5	2,361	378.0	761.5	1	666.2	1,508	236.3	432.4	0	414.1
Infectious diseases and parasitic disease (1-139)	548	43.4	55.1	1	40.1	393	62.9	80.5	1	62.0	155	24.3	31.7	1	20.4
..Septicemia (038)	60	4.8	11.4	0	7.8	28	4.5	11.3	0	11.5	32	5.0	11.1	0	4.9
....Septicemia-related (038)	209	16.5	35.9	0	29.4	119	19.0	45.0	0	36.2	90	14.1	28.7	0	23.0
..HIV infection (042-044)	416	32.9	36.2	1	27.9	312	49.9	57.9	1	44.3	104	16.3	16.5	0	12.9
All cancer (140-208)	622	49.3	108.9	0	101.0	341	54.6	148.3	0	126.0	281	44.0	83.6	0	84.1
..Oral cavity or pharynx (140.0-149.9)	18	1.4	3.5	0	3.5	16	2.6	7.6	0	5.8	2	0.3	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	58	4.6	10.5	0	10.3	37	5.9	15.6	0	10.0	21	3.3	6.8	0	10.0
....Colon cancer (153)	45	3.6	8.5	0	7.3	31	5.0	13.7	0	.	14	2.2	.	.	7.0
....Rectal cancer (154)	13	1.0	.	.	.	6	1.0	.	.	.	7	1.1	.	.	.
..Pancreatic cancer (157)	20	1.6	4.1	0	.	12	1.9	.	.	.	8	1.3	.	.	.
..Lung and other respiratory cancer (160-165)	98	7.8	18.6	0	22.3	64	10.2	28.4	0	39.5	34	5.3	11.5	0	10.7
....Lung cancer (162.2-.9)	89	7.0	16.9	0	21.6	56	9.0	24.8	0	37.7	33	5.2	11.2	0	10.7
..Malignant melanoma of skin (172)	7	0.6	.	.	.	4	0.6	.	.	.	3	0.5	.	.	.
..Female breast cancer (174)	55	55	8.6	14.4	0	10.6
..Cervical cancer (180)	14	14	2.2	.	.	.
..Endometrial cancer (182)	4	4	0.6	.	.	.
..Ovarian cancer (183)	13	13	2.0	.	.	6.7
..Prostate cancer (185)	24	24	3.8	14.7	0	9.4
..Bladder cancer (188)	12	1.0	.	.	.	6	1.0	.	.	.	6	0.9	.	.	.
..Brain & other CNS cancer (191-192)	16	1.3	2.4	0	.	5	0.8	.	.	.	11	1.7	.	.	.
..Leukemia (204-208)	44	3.5	6.6	1	2.6	30	4.8	11.3	1	.	14	2.2	.	.	.
Diabetes mellitus (250)	105	8.3	20.2	0	17.5	55	8.8	24.5	1	11.5	50	7.8	17.0	0	21.1
..Diabetes-related (250)	420	33.3	82.3	0	67.8	207	33.1	93.0	0	66.6	213	33.4	73.7	0	68.0
..Diabetic ketoacidosis (DKA) (250.1)	2	0.2	.	.	.	1	0.2	.	.	.	1	0.2	.	.	.
Alzheimer's diseases (331.0)	10	0.8	.	.	.	2	0.3	.	.	.	8	1.3	.	.	.
Cardiovascular disease (390-459)	1,033	81.8	204.9	0	193.7	541	86.6	248.7	0	222.2	492	77.1	172.2	0	171.1
..Diseases of the heart (390-398,402,404-429)	823	65.2	163.4	0	148.3	433	69.3	201.3	0	172.3	390	61.1	136.1	0	129.7
....Heart disease-related (390-398,402,404-429)	1,616	128.0	297.4	0	265.4	890	142.5	372.8	1	311.5	726	113.8	242.1	0	229.3
....Coronary heart disease (CHD) (402,410-414,429.2)	543	43.0	112.4	0	107.6	285	45.6	142.6	0	130.6	258	40.4	91.8	0	90.9
....Congestive heart failure (CHF) (428.0)	26	2.1	6.4	0	.	11	1.8	.	.	.	15	2.4	5.9	0	.
..Hypertension with or without renal disease (401,403)	8	0.6	.	.	.	4	0.6	.	.	.	4	0.6	.	.	.
....Hypertension-related (401,403)	170	13.5	36.5	0	36.4	79	12.6	39.6	0	30.6	91	14.3	33.9	0	39.2
..Cerebrovascular disease (430-438)	170	13.5	33.9	0	35.0	84	13.4	37.6	0	35.1	86	13.5	30.6	0	34.0
..Atherosclerosis (440)	4	0.3	.	.	.	2	0.3	.	.	.	2	0.3	.	.	.
....Atherosclerosis-related (440)	42	3.3	9.7	0	14.6	20	3.2	11.1	0	16.9	22	3.4	8.6	0	13.2
..Aortic aneurysm (441)	15	1.2	3.3	0	.	10	1.6	.	.	.	5	0.8	.	.	.
Pneumonia & influenza (480-487)	94	7.4	18.9	0	21.9	50	8.0	23.2	0	29.6	44	6.9	15.9	0	16.8

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	95	7.5	16.8	0	16.8	42	6.7	17.5	0	18.1	53	8.3	16.5	0	16.0
..COPD-related (490-496)	217	17.2	43.4	0	41.5	115	18.4	61.3	0	51.1	102	16.0	33.3	0	35.8
..Asthma (493)	36	2.9	4.2	0	2.9	15	2.4	3.5	0	2.1	21	3.3	4.8	0	3.1
Chronic liver disease and cirrhosis (571)	117	9.3	17.1	0	13.6	82	13.1	24.8	0	23.1	35	5.5	10.4	0	5.2
Nephritis, nephrotic syndrome/nephrosis (580-589)	46	3.6	8.9	0	9.0	22	3.5	11.2	0	12.8	24	3.8	7.8	0	6.7
..Nephritis-related (580-589)	238	18.8	42.7	0	41.5	136	21.8	56.5	0	49.3	102	16.0	33.1	0	35.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	63	5.0	12.2	0	9.8	32	5.1	16.9	0	13.6	31	4.9	9.7	0	7.4
Unintentional injuries (E800-E949)	349	27.6	31.1	1	21.9	272	43.5	49.8	1	34.7	77	12.1	14.1	0	9.7
..Motor vehicle accidents (E810-E825)	115	9.1	9.5	0	7.1	83	13.3	14.7	0	11.8	32	5.0	4.9	0	4.1
..Falls and fall related injuries (E880-E888)	20	1.6	3.1	0	1.6	16	2.6	5.2	0	4.1	4	0.6	1.1	0	1.1
..Drowning (E830,E832,E910)	18	1.4	1.3	0	1.4	14	2.2	2.1	0	4.1	4	0.6	1.1	0	1.1
..Residential fires (E890-E899)	20	1.6	1.5	0	1.6	12	1.9	1.9	0	8.1	8	1.3	1.3	0	1.3
Suicide (E950-E959)	76	6.0	6.0	0	8.0	67	10.7	10.6	0	15.5	9	1.4	1.4	0	1.4
Homicide and legal intervention (E960-E978)	155	12.3	11.3	0	13.9	133	21.3	20.1	0	24.1	22	3.4	2.8	0	4.1
..Homicide (E960-E969)	155	12.3	11.3	0	13.8	133	21.3	20.1	0	24.0	22	3.4	2.8	0	4.1
All injury (E800-E999)	593	47.0	49.1	0	45.2	482	77.2	81.7	0	77.1	111	17.4	18.8	0	15.2
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	112	8.9	9.3	0	6.9	81	13.0	14.4	0	11.5	31	4.9	4.8	0	4.1
..All falls (E880-E886,E888,E957,E968.1,E987)	21	1.7	2.7	0	1.7	18	2.9	5.1	0	4.1	3	0.5	0.5	0	0.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	148	11.7	10.3	0	14.3	137	21.9	19.3	0	26.4	11	1.7	1.7	0	3.0
....Suicide (E955.0-.4)	28	2.2	2.0	0	3.4	28	4.5	4.1	0	6.4	0	0.0	0.0	0	0.0
....Homicide (E965.0-.4)	116	9.2	8.0	0	10.5	105	16.8	14.7	0	19.1	11	1.7	1.7	0	2.4
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	151	12.0	11.9	1	7.0	129	20.7	20.9	1	13.3	22	3.4	3.4	0	3.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	75	5.9	9.3	0	9.5	62	9.9	17.0	0	19.1	13	2.0	2.0	0	2.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	153	12.1	12.0	1	7.1	128	20.5	20.8	1	13.4	25	3.9	3.7	0	3.7

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	3,869	2,488	3,017	67,883	95,411	5398.0	5132.3	0	7839.0	7348.6	0
Infectious diseases and parasitic disease (1-139)	548	504	521	13,135	18,268	1059.1	954.3	0	1444.2	1254.3	0
..Septicemia (038)	60	27	38	470	792	42.6	84.5	0	77.4	118.9	0
...Septicemia-related (038)	209	115	146	2,365	3,682	203.2	233.8	0	337.1	362.8	0
..HIV infection (042-044)	416	413	416	10,849	15,001	876.6	781.0	0	1178.8	1019.1	0
All cancer (140-208)	622	332	469	5,229	9,282	505.4	490.8	0	966.8	920.5	0
..Oral cavity or pharynx (140.0-149.9)	18	7	12	78	175	8.7	24.7	0	21.0	45.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	58	33	41	398	768	39.7	26.7	0	83.3	56.2	0
...Colon cancer (153)	45	23	28	303	560	30.3	19.0	0	59.9	40.1	0
...Rectal cancer (154)	13	10	13	95	208	.	.	0	.	.	0
..Pancreatic cancer (157)	20	7	12	73	175	8.0	.	0	21.3	.	0
..Lung and other respiratory cancer (160-165)	98	40	76	365	960	43.3	56.0	0	121.8	137.0	0
...Lung cancer (162.2-.9)	89	35	69	343	878	40.1	50.8	0	110.2	128.0	0
..Malignant melanoma of skin (172)	7	5	5	98	148	.	.	0	.	.	0
..Female breast cancer (174)	55	45	50	598	1,080	.	.	0	.	.	0
..Cervical cancer (180)	14	9	10	213	310	.	.	0	.	.	0
..Endometrial cancer (182)	4	2	3	20	48	.	.	0	.	.	0
..Ovarian cancer (183)	13	9	11	138	238	.	.	0	.	.	0
..Prostate cancer (185)	24	4	11	25	103	.	.	0	.	.	0
..Bladder cancer (188)	12	4	7	45	98	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	16	11	14	238	360	22.5	.	0	34.6	.	0
..Leukemia (204-208)	44	25	36	817	1,129	66.6	27.9	0	95.2	44.0	0
Diabetes mellitus (250)	105	43	77	468	1,068	50.8	31.2	0	126.7	74.8	0
..Diabetes-related (250)	420	181	280	1,803	4,125	204.6	145.3	0	498.5	362.7	1
..Diabetic ketoacidosis (DKA) (250.1)	2	1	2	33	45	.	.	0	.	.	0
Alzheimer's diseases (331.0)	10	2	5	10	38	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,033	410	619	6,692	11,800	621.8	579.0	0	1201.4	1126.0	0
..Diseases of the heart (390-398,402,404-429)	823	321	494	5,336	9,393	489.0	409.7	0	950.7	829.4	0
...Heart disease-related (390-398,402,404-429)	1,616	754	1,069	14,743	23,836	1301.5	1120.2	0	2262.0	1935.3	1
....Coronary heart disease (CHD) (402,410-414,429.2)	543	194	316	2,205	4,745	240.9	213.5	0	556.7	500.9	0
....Congestive heart failure (CHF) (428.0)	26	3	5	95	140	6.1	.	0	10.9	.	0
..Hypertension with or without renal disease (401,403)	8	3	6	43	80	.	.	0	.	.	0
...Hypertension-related (401,403)	170	55	87	623	1,323	69.6	98.8	0	156.9	205.2	0
..Cerebrovascular disease (430-438)	170	71	97	1,107	1,937	107.4	118.1	0	200.0	205.2	0
..Atherosclerosis (440)	4	1	1	23	33	.	.	0	.	.	0
...Atherosclerosis-related (440)	42	11	14	133	255	13.8	11.6	0	28.3	35.8	0
..Aortic aneurysm (441)	15	3	9	28	83	3.3	.	0	10.7	.	0
Pneumonia & influenza (480-487)	94	34	48	841	1,256	68.3	66.7	0	109.7	101.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	95	46	63	1,176	1,709	99.9	44.1	1	150.0	84.3	0
..COPD-related (490-496)	217	82	122	1,561	2,576	140.8	106.8	0	251.9	211.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	36	31	34	815	1,132	70.3	30.1	0	97.8	43.8	0
Chronic liver disease and cirrhosis (571)	117	88	106	1,355	2,325	134.9	127.0	0	238.2	225.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	46	20	31	270	518	26.3	38.2	0	55.5	67.6	0
..Nephritis-related (580-589)	238	113	172	2,087	3,529	192.2	173.3	0	349.8	324.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	63	27	41	388	728	37.1	41.5	0	76.9	76.8	0
Unintentional injuries (E800-E949)	349	326	337	10,685	13,998	846.6	655.0	0	1077.5	815.3	1
..Motor vehicle accidents (E810-E825)	115	113	114	3,714	4,846	309.7	299.7	0	391.5	363.5	0
..Falls and fall related injuries (E880-E888)	20	12	14	362	492	29.0	.	0	39.3	.	0
..Drowning (E830,E832,E910)	18	17	18	764	941	57.8	.	0	69.2	.	0
..Residential fires (E890-E899)	20	18	20	896	1,086	59.6	.	0	70.8	.	0
Suicide (E950-E959)	76	75	76	2,373	3,130	195.0	229.6	0	247.6	295.0	0
Homicide and legal intervention (E960-E978)	155	152	155	5,757	7,295	478.7	613.1	0	582.4	738.6	0
..Homicide (E960-E969)	155	152	155	5,757	7,295	478.7	610.2	0	582.4	735.0	0
All injury (E800-E999)	593	566	581	19,326	25,064	1557.4	1544.9	0	1952.0	1908.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	112	110	111	3,611	4,714	301.2	294.2	0	380.9	356.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	21	16	18	462	632	38.2	.	0	51.8	.	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	148	148	148	5,540	7,020	468.9	628.1	0	567.5	756.5	0
....Suicide (E955.0-.4)	28	28	28	940	1,220	76.3	105.5	0	94.7	133.5	0
....Homicide (E965.0-.4)	116	116	116	4,420	5,580	376.7	496.4	0	454.5	592.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	151	151	151	4,390	5,900	348.5	209.9	1	449.5	269.1	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	75	67	74	1,158	1,870	113.0	110.4	0	183.7	182.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	153	153	153	4,435	5,965	351.1	216.1	1	453.2	276.1	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	2,361	1,688	1,983	45,938	64,361	7506.7	7373.3	0	10914.6	10470.6	0
Infectious diseases and parasitic disease (1-139)	393	376	383	9,575	13,378	1603.0	1396.7	0	2197.7	1868.8	0
..Septicemia (038)	28	18	21	317	510	59.5	115.0	0	102.7	168.0	0
...Septicemia-related (038)	119	75	93	1,529	2,384	270.4	329.1	0	455.8	518.6	0
..HIV infection (042-044)	312	309	312	7,895	11,007	1326.7	1142.7	0	1804.9	1517.3	0
All cancer (140-208)	341	175	255	2,780	4,965	556.6	518.4	0	1108.8	1025.7	0
..Oral cavity or pharynx (140.0-149.9)	16	7	11	78	168	18.6	51.6	0	43.3	93.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	37	23	27	273	528	56.7	34.4	0	122.7	67.9	0
...Colon cancer (153)	31	18	21	230	428	47.7	.	0	97.5	.	0
...Rectal cancer (154)	6	5	6	43	100
..Pancreatic cancer (157)	12	4	8	40	105
..Lung and other respiratory cancer (160-165)	64	29	52	278	690	69.2	92.6	0	188.7	225.6	0
...Lung cancer (162.2-.9)	56	24	46	255	615	62.0	81.8	0	165.6	206.4	0
..Malignant melanoma of skin (172)	4	3	3	68	98
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	24	4	11	25	103	7.7	19.2	0	32.7	51.9	0
..Bladder cancer (188)	6	3	3	28	58
..Brain & other CNS cancer (191-192)	5	3	4	98	135
..Leukemia (204-208)	30	16	24	562	767	91.3	.	1	131.6	.	1
Diabetes mellitus (250)	55	25	44	283	625	63.5	31.7	0	158.8	64.8	1
..Diabetes-related (250)	207	105	154	1,118	2,425	267.4	167.8	0	625.1	395.5	1
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	541	257	380	4,221	7,408	822.1	781.1	0	1614.3	1489.7	0
..Diseases of the heart (390-398,402,404-429)	433	198	299	3,354	5,852	643.4	562.3	0	1262.9	1111.9	0
...Heart disease-related (390-398,402,404-429)	890	488	663	9,753	15,526	1765.2	1497.5	0	3063.4	2567.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	285	114	185	1,330	2,843	307.0	326.5	0	722.8	718.8	0
....Congestive heart failure (CHF) (428.0)	11	2	3	30	58
..Hypertension with or without renal disease (401,403)	4	2	4	20	45
...Hypertension-related (401,403)	79	35	48	418	830	96.3	104.5	0	205.7	210.6	0
..Cerebrovascular disease (430-438)	84	46	59	719	1,242	143.4	143.8	0	270.7	248.5	0
..Atherosclerosis (440)	2	1	1	23	33
...Atherosclerosis-related (440)	20	7	10	93	175	19.9	10.8	0	41.4	34.1	0
..Aortic aneurysm (441)	10	3	9	28	83
Pneumonia & influenza (480-487)	50	23	31	612	882	98.6	84.6	0	152.5	145.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	42	23	29	615	870	105.6	35.9	0	153.8	76.7	0
..COPD-related (490-496)	115	40	62	792	1,297	143.3	102.4	0	263.4	212.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	15	13	15	388	523	66.4	.	0	89.1	.	0
Chronic liver disease and cirrhosis (571)	82	69	78	1,063	1,800	226.3	230.2	0	392.0	409.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	22	11	14	148	265	31.8	56.3	0	60.5	94.8	0
..Nephritis-related (580-589)	136	75	103	1,437	2,342	268.4	245.7	0	475.6	431.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	32	14	18	195	350	40.7	60.7	0	79.2	105.5	0
Unintentional injuries (E800-E949)	272	258	266	8,309	10,929	1335.1	1111.5	0	1711.1	1384.5	0
..Motor vehicle accidents (E810-E825)	83	81	82	2,610	3,422	440.6	519.9	0	562.8	627.8	0
..Falls and fall related injuries (E880-E888)	16	11	13	298	418	51.6	.	0	72.7	.	0
..Drowning (E830,E832,E910)	14	13	14	602	739
..Residential fires (E890-E899)	12	10	12	515	625
Suicide (E950-E959)	67	66	67	2,130	2,798	347.7	426.9	0	441.3	549.7	0
Homicide and legal intervention (E960-E978)	133	130	133	4,795	6,113	808.9	1033.2	0	992.6	1246.6	0
..Homicide (E960-E969)	133	130	133	4,795	6,113	808.9	1027.2	0	992.6	1239.4	0
All injury (E800-E999)	482	464	476	15,611	20,316	2548.3	2661.4	0	3213.3	3294.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	81	79	80	2,545	3,337	429.2	508.6	0	548.6	613.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	18	14	16	380	530	66.4	.	0	92.4	.	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	137	137	137	5,088	6,458	852.4	1099.2	0	1036.8	1328.4	0
....Suicide (E955.0-.4)	28	28	28	940	1,220	152.2	185.9	0	189.3	237.7	0
....Homicide (E965.0-.4)	105	105	105	3,968	5,018	669.5	861.6	0	811.9	1030.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	129	129	129	3,748	5,038	608.6	388.2	1	786.9	499.0	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	62	55	61	928	1,513	192.6	199.8	0	318.9	342.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	128	128	128	3,685	4,965	598.7	401.0	0	775.8	513.1	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	1,508	800	1,034	21,945	31,050	3362.2	2968.1	0	4941.3	4387.8	0
Infectious diseases and parasitic disease (1-139)	155	128	138	3,560	4,890	551.6	541.1	0	744.2	684.3	0
..Septicemia (038)	32	9	17	153	283	26.8	56.2	0	53.8	74.6	0
...Septicemia-related (038)	90	40	53	836	1,299	142.5	146.3	0	232.4	222.9	0
..HIV infection (042-044)	104	104	104	2,954	3,994	457.0	442.8	0	598.2	555.8	0
All cancer (140-208)	281	157	214	2,450	4,317	456.9	467.3	0	845.2	833.7	0
..Oral cavity or pharynx (140.0-149.9)	2	.	1	0	8
..Colorectal cancer (153.0-154.3,154.8,159.0)	21	10	14	125	240	24.0	19.5	0	48.6	46.0	0
...Colon cancer (153)	14	5	7	73	133	.	11.2	.	.	30.0	.
...Rectal cancer (154)	7	5	7	53	108
..Pancreatic cancer (157)	8	3	4	33	70
..Lung and other respiratory cancer (160-165)	34	11	24	88	270	20.4	22.8	0	65.2	60.7	0
...Lung cancer (162.2-.9)	33	11	23	88	263	20.4	22.8	0	63.2	60.7	0
..Malignant melanoma of skin (172)	3	2	2	30	50
..Female breast cancer (174)	55	45	50	598	1,080	115.5	115.0	0	215.4	185.8	0
..Cervical cancer (180)	14	9	10	213	310
..Endometrial cancer (182)	4	2	3	20	48
..Ovarian cancer (183)	13	9	11	138	238	.	29.8	.	.	59.5	.
..Prostate cancer (185)
..Bladder cancer (188)	6	1	4	18	40
..Brain & other CNS cancer (191-192)	11	8	10	140	225
..Leukemia (204-208)	14	9	12	255	362
Diabetes mellitus (250)	50	18	33	185	443	39.4	30.3	0	99.6	82.4	0
..Diabetes-related (250)	213	76	126	685	1,700	148.7	124.7	0	388.9	333.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	8	2	5	10	38
Cardiovascular disease (390-459)	492	153	239	2,472	4,392	437.7	393.3	0	840.5	801.8	0
..Diseases of the heart (390-398,402,404-429)	390	123	195	1,982	3,542	346.7	270.8	0	677.3	579.3	0
...Heart disease-related (390-398,402,404-429)	726	266	406	4,990	8,310	870.0	770.2	0	1542.8	1365.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	258	80	131	875	1,903	182.0	111.5	0	416.1	309.6	0
....Congestive heart failure (CHF) (428.0)	15	1	2	65	82	7.7	.	0	10.5	.	0
..Hypertension with or without renal disease (401,403)	4	1	2	23	35
...Hypertension-related (401,403)	91	20	39	205	493	46.1	93.2	0	114.3	200.3	0
..Cerebrovascular disease (430-438)	86	25	38	388	695	74.1	93.1	0	137.1	165.3	0
..Atherosclerosis (440)	2	.	.	0	0
...Atherosclerosis-related (440)	22	4	4	40	80	8.3	12.4	0	17.1	37.1	0
..Aortic aneurysm (441)	5	.	.	0	0
Pneumonia & influenza (480-487)	44	11	17	230	375	39.2	52.4	0	69.8	65.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	53	23	34	562	839	94.4	50.5	0	145.7	90.8	0
..COPD-related (490-496)	102	42	60	769	1,279	138.0	108.5	0	242.2	209.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	21	18	19	427	610	73.5	.	0	105.4	.	0
Chronic liver disease and cirrhosis (571)	35	19	28	293	525	52.8	34.8	0	101.7	62.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	24	9	17	123	253	21.4	20.4	0	50.5	41.7	0
..Nephritis-related (580-589)	102	38	69	650	1,188	121.7	106.6	0	236.4	226.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	31	13	23	193	378	34.0	22.8	0	74.2	49.5	0
Unintentional injuries (E800-E949)	77	68	71	2,376	3,069	366.0	202.5	0	460.2	255.2	0
..Motor vehicle accidents (E810-E825)	32	32	32	1,104	1,424	179.5	.	0	223.1	.	0
..Falls and fall related injuries (E880-E888)	4	1	1	65	75
..Drowning (E830,E832,E910)	4	4	4	162	202
..Residential fires (E890-E899)	8	8	8	381	461
Suicide (E950-E959)	9	9	9	243	333
Homicide and legal intervention (E960-E978)	22	22	22	962	1,182	138.6	186.8	0	163.5	225.3	0
..Homicide (E960-E969)	22	22	22	962	1,182	138.6	186.8	0	163.5	225.3	0
All injury (E800-E999)	111	102	105	3,715	4,748	564.4	433.3	0	699.8	537.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	31	31	1,067	1,377	173.9	.	0	216.3	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	82	102
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	11	11	11	453	563	.	150.2	.	.	179.4	.
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	11	11	11	453	563	.	123.9	.	.	147.4	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	22	22	22	642	862	97.0	.	0	125.0	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	13	12	13	230	358
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	25	25	25	750	1,000	112.7	.	1	144.1	.	1

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	3,869	2,488	3,017	67,883	95,411	5184.1	4896.1	0	7649.5	7113.2	0
Infectious diseases and parasitic disease (1-139)	548	504	521	13,135	18,268	927.3	813.2	0	1265.7	1065.6	0
..Septicemia (038)	60	27	38	470	792	40.7	77.5	0	78.0	110.2	0
...Septicemia-related (038)	209	115	146	2,365	3,682	194.3	212.4	0	335.1	342.0	0
..HIV infection (042-044)	416	413	416	10,849	15,001	760.9	655.1	0	1019.4	850.7	0
All cancer (140-208)	622	332	469	5,229	9,282	496.7	478.0	0	1001.0	942.7	0
..Oral cavity or pharynx (140.0-149.9)	18	7	12	78	175	8.8	25.0	0	22.7	47.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	58	33	41	398	768	38.6	26.6	0	86.8	59.3	0
...Colon cancer (153)	45	23	28	303	560	29.4	19.0	0	61.5	42.4	0
...Rectal cancer (154)	13	10	13	95	208	.	.	0	.	.	0
..Pancreatic cancer (157)	20	7	12	73	175	8.1	.	0	23.2	.	0
..Lung and other respiratory cancer (160-165)	98	40	76	365	960	45.7	55.6	0	136.6	147.4	0
...Lung cancer (162.2-.9)	89	35	69	343	878	41.9	50.9	0	122.9	138.7	0
..Malignant melanoma of skin (172)	7	5	5	98	148	.	.	0	.	.	0
..Female breast cancer (174)	55	45	50	598	1,080	.	.	0	.	.	0
..Cervical cancer (180)	14	9	10	213	310	.	.	0	.	.	0
..Endometrial cancer (182)	4	2	3	20	48	.	.	0	.	.	0
..Ovarian cancer (183)	13	9	11	138	238	.	.	0	.	.	0
..Prostate cancer (185)	24	4	11	25	103	.	.	0	.	.	0
..Bladder cancer (188)	12	4	7	45	98	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	16	11	14	238	360	22.9	.	0	35.1	.	0
..Leukemia (204-208)	44	25	36	817	1,129	68.2	28.2	0	98.2	45.3	0
Diabetes mellitus (250)	105	43	77	468	1,068	51.0	31.1	0	137.6	80.8	0
..Diabetes-related (250)	420	181	280	1,803	4,125	210.8	147.1	0	544.0	394.6	1
..Diabetic ketoacidosis (DKA) (250.1)	2	1	2	33	45	.	.	0	.	.	0
Alzheimer's diseases (331.0)	10	2	5	10	38	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,033	410	619	6,692	11,800	609.5	565.7	0	1246.9	1164.4	0
..Diseases of the heart (390-398,402,404-429)	823	321	494	5,336	9,393	478.8	401.8	0	988.4	864.5	0
...Heart disease-related (390-398,402,404-429)	1,616	754	1,069	14,743	23,836	1255.3	1054.6	0	2285.3	1921.5	1
....Coronary heart disease (CHD) (402,410-414,429.2)	543	194	316	2,205	4,745	243.7	216.7	0	600.3	540.8	0
....Congestive heart failure (CHF) (428.0)	26	3	5	95	140	6.1	.	0	11.4	.	0
..Hypertension with or without renal disease (401,403)	8	3	6	43	80	.	.	0	.	.	0
...Hypertension-related (401,403)	170	55	87	623	1,323	73.6	100.6	0	172.3	217.6	0
..Cerebrovascular disease (430-438)	170	71	97	1,107	1,937	105.9	114.2	0	205.8	207.1	0
..Atherosclerosis (440)	4	1	1	23	33	.	.	0	.	.	0
...Atherosclerosis-related (440)	42	11	14	133	255	14.0	12.5	0	30.0	40.6	0
..Aortic aneurysm (441)	15	3	9	28	83	3.5	.	0	12.4	.	0
Pneumonia & influenza (480-487)	94	34	48	841	1,256	67.2	66.0	0	111.5	102.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	95	46	63	1,176	1,709	96.7	42.4	1	148.7	86.7	0
..COPD-related (490-496)	217	82	122	1,561	2,576	137.7	103.5	0	259.3	219.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	36	31	34	815	1,132	67.6	27.9	0	94.8	41.0	0
Chronic liver disease and cirrhosis (571)	117	88	106	1,355	2,325	128.9	120.0	0	236.7	222.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	46	20	31	270	518	25.2	36.2	0	57.9	68.2	0
..Nephritis-related (580-589)	238	113	172	2,087	3,529	185.3	165.0	0	355.7	328.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	63	27	41	388	728	35.4	39.8	0	79.5	78.3	0
Unintentional injuries (E800-E949)	349	326	337	10,685	13,998	787.5	631.5	0	990.3	775.0	0
..Motor vehicle accidents (E810-E825)	115	113	114	3,714	4,846	293.0	298.8	0	365.7	357.0	0
..Falls and fall related injuries (E880-E888)	20	12	14	362	492	27.9	.	0	37.8	.	0
..Drowning (E830,E832,E910)	18	17	18	764	941	59.9	.	0	70.6	.	0
..Residential fires (E890-E899)	20	18	20	896	1,086	63.3	.	0	74.3	.	0
Suicide (E950-E959)	76	75	76	2,373	3,130	175.0	209.2	0	220.1	265.9	0
Homicide and legal intervention (E960-E978)	155	152	155	5,757	7,295	454.1	581.3	0	544.4	687.9	0
..Homicide (E960-E969)	155	152	155	5,757	7,295	454.1	578.9	0	544.4	685.1	0
All injury (E800-E999)	593	566	581	19,326	25,064	1449.9	1463.9	0	1793.8	1780.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	112	110	111	3,611	4,714	285.3	294.5	0	356.4	351.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	21	16	18	462	632	36.5	.	0	49.3	.	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	148	148	148	5,540	7,020	440.8	596.8	0	525.4	706.3	0
....Suicide (E955.0-.4)	28	28	28	940	1,220	67.8	97.6	0	83.0	122.0	0
....Homicide (E965.0-.4)	116	116	116	4,420	5,580	357.3	474.3	0	424.4	555.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	151	151	151	4,390	5,900	296.8	180.2	1	378.8	229.0	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	75	67	74	1,158	1,870	106.6	102.4	0	177.2	174.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	153	153	153	4,435	5,965	297.7	184.3	1	380.3	233.2	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	2,361	1,688	1,983	45,938	64,361	7108.9	6938.9	0	10518.4	9992.7	0
Infectious diseases and parasitic disease (1-139)	393	376	383	9,575	13,378	1396.2	1180.7	0	1916.0	1582.9	0
..Septicemia (038)	28	18	21	317	510	57.9	106.8	0	103.5	158.7	0
...Septicemia-related (038)	119	75	93	1,529	2,384	254.5	298.4	0	448.4	488.9	0
..HIV infection (042-044)	312	309	312	7,895	11,007	1148.4	951.0	0	1559.8	1263.9	0
All cancer (140-208)	341	175	255	2,780	4,965	551.6	508.0	0	1163.2	1064.8	0
..Oral cavity or pharynx (140.0-149.9)	16	7	11	78	168	19.0	52.1	0	46.7	95.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	37	23	27	273	528	55.0	33.5	0	128.2	70.5	0
...Colon cancer (153)	31	18	21	230	428	46.1	.	0	100.6	.	0
...Rectal cancer (154)	6	5	6	43	100
..Pancreatic cancer (157)	12	4	8	40	105
..Lung and other respiratory cancer (160-165)	64	29	52	278	690	72.3	91.5	0	210.4	242.1	0
...Lung cancer (162.2-.9)	56	24	46	255	615	64.1	81.6	0	183.5	223.5	0
..Malignant melanoma of skin (172)	4	3	3	68	98
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	24	4	11	25	103	8.8	19.9	0	38.8	57.4	0
..Bladder cancer (188)	6	3	3	28	58
..Brain & other CNS cancer (191-192)	5	3	4	98	135
..Leukemia (204-208)	30	16	24	562	767	93.2	.	1	136.5	.	1
Diabetes mellitus (250)	55	25	44	283	625	63.5	29.8	0	172.7	66.5	1
..Diabetes-related (250)	207	105	154	1,118	2,425	274.3	167.3	0	677.2	424.1	1
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	541	257	380	4,221	7,408	807.7	750.2	0	1681.8	1520.2	0
..Diseases of the heart (390-398,402,404-429)	433	198	299	3,354	5,852	628.0	542.4	0	1312.1	1143.5	0
...Heart disease-related (390-398,402,404-429)	890	488	663	9,753	15,526	1692.3	1389.6	0	3078.1	2519.2	1
....Coronary heart disease (CHD) (402,410-414,429.2)	285	114	185	1,330	2,843	310.8	327.0	0	781.6	764.7	0
....Congestive heart failure (CHF) (428.0)	11	2	3	30	58
..Hypertension with or without renal disease (401,403)	4	2	4	20	45
...Hypertension-related (401,403)	79	35	48	418	830	101.4	104.8	0	223.3	221.0	0
..Cerebrovascular disease (430-438)	84	46	59	719	1,242	143.5	137.4	0	281.9	249.4	0
..Atherosclerosis (440)	2	1	1	23	33
...Atherosclerosis-related (440)	20	7	10	93	175	19.9	11.7	0	44.0	39.3	0
..Aortic aneurysm (441)	10	3	9	28	83
Pneumonia & influenza (480-487)	50	23	31	612	882	94.2	79.8	0	150.2	144.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	42	23	29	615	870	101.4	34.1	0	150.4	80.7	0
..COPD-related (490-496)	115	40	62	792	1,297	138.4	100.1	0	271.3	223.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	15	13	15	388	523	63.5	.	0	85.5	.	0
Chronic liver disease and cirrhosis (571)	82	69	78	1,063	1,800	218.3	221.0	0	388.9	407.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	22	11	14	148	265	31.3	53.9	0	62.6	95.2	0
..Nephritis-related (580-589)	136	75	103	1,437	2,342	260.1	225.1	0	481.5	421.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	32	14	18	195	350	39.6	58.4	0	81.9	106.7	0
Unintentional injuries (E800-E949)	272	258	266	8,309	10,929	1222.8	1056.5	0	1551.0	1296.9	0
..Motor vehicle accidents (E810-E825)	83	81	82	2,610	3,422	413.5	514.0	0	522.8	610.3	0
..Falls and fall related injuries (E880-E888)	16	11	13	298	418	48.7	.	0	69.1	.	0
..Drowning (E830,E832,E910)	14	13	14	602	739
..Residential fires (E890-E899)	12	10	12	515	625
Suicide (E950-E959)	67	66	67	2,130	2,798	310.2	389.5	0	390.1	496.0	0
Homicide and legal intervention (E960-E978)	133	130	133	4,795	6,113	760.8	981.0	0	922.2	1163.4	0
..Homicide (E960-E969)	133	130	133	4,795	6,113	760.8	976.2	0	922.2	1157.7	0
All injury (E800-E999)	482	464	476	15,611	20,316	2344.1	2506.8	0	2922.6	3055.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	81	79	80	2,545	3,337	402.9	505.1	0	509.8	599.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	18	14	16	380	530	62.2	.	0	86.9	.	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	137	137	137	5,088	6,458	798.4	1047.3	0	957.1	1244.3	0
....Suicide (E955.0-.4)	28	28	28	940	1,220	134.9	172.0	0	165.7	217.7	0
....Homicide (E965.0-.4)	105	105	105	3,968	5,018	633.0	826.2	0	756.6	970.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	129	129	129	3,748	5,038	517.6	332.5	1	662.7	424.0	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	62	55	61	928	1,513	183.5	190.4	0	310.8	336.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	128	128	128	3,685	4,965	507.6	340.9	0	651.6	432.2	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Signif- icance	1994-1998	1989-1993	Signif- icance
*****Causes of Death*****											
All causes	1,508	800	1,034	21,945	31,050	3326.0	2920.6	0	4963.7	4391.3	0
Infectious diseases and parasitic disease (1-139)	155	128	138	3,560	4,890	491.5	471.7	0	664.4	589.1	0
..Septicemia (038)	32	9	17	153	283	24.6	50.3	0	54.1	66.8	0
...Septicemia-related (038)	90	40	53	836	1,299	140.2	134.0	0	236.3	211.5	0
..HIV infection (042-044)	104	104	104	2,954	3,994	401.2	379.8	0	520.7	469.1	0
All cancer (140-208)	281	157	214	2,450	4,317	444.9	452.5	0	863.5	842.5	0
..Oral cavity or pharynx (140.0-149.9)	2	.	1	0	8
..Colorectal cancer (153.0-154.3,154.8,159.0)	21	10	14	125	240	23.7	20.2	0	50.7	49.9	0
...Colon cancer (153)	14	5	7	73	133	.	12.5	.	.	34.0	0
...Rectal cancer (154)	7	5	7	53	108
..Pancreatic cancer (157)	8	3	4	33	70
..Lung and other respiratory cancer (160-165)	34	11	24	88	270	22.2	23.3	0	74.8	66.6	0
...Lung cancer (162.2-.9)	33	11	23	88	263	22.2	23.3	0	72.3	66.6	0
..Malignant melanoma of skin (172)	3	2	2	30	50
..Female breast cancer (174)	55	45	50	598	1,080	112.2	108.4	0	218.2	179.4	0
..Cervical cancer (180)	14	9	10	213	310
..Endometrial cancer (182)	4	2	3	20	48
..Ovarian cancer (183)	13	9	11	138	238	.	29.9	.	.	62.0	0
..Prostate cancer (185)
..Bladder cancer (188)	6	1	4	18	40
..Brain & other CNS cancer (191-192)	11	8	10	140	225
..Leukemia (204-208)	14	9	12	255	362
Diabetes mellitus (250)	50	18	33	185	443	39.9	32.0	0	108.3	92.2	0
..Diabetes-related (250)	213	76	126	685	1,700	154.4	128.7	0	429.5	368.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	8	2	5	10	38
Cardiovascular disease (390-459)	492	153	239	2,472	4,392	427.9	397.2	0	870.8	851.1	0
..Diseases of the heart (390-398,402,404-429)	390	123	195	1,982	3,542	341.7	274.9	0	708.3	620.3	0
...Heart disease-related (390-398,402,404-429)	726	266	406	4,990	8,310	849.5	745.8	0	1580.7	1389.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	258	80	131	875	1,903	184.0	117.6	0	448.2	345.9	0
....Congestive heart failure (CHF) (428.0)	15	1	2	65	82	8.4	.	0	11.6	.	0
..Hypertension with or without renal disease (401,403)	4	1	2	23	35
...Hypertension-related (401,403)	91	20	39	205	493	49.0	96.5	0	127.7	215.0	0
..Cerebrovascular disease (430-438)	86	25	38	388	695	71.2	91.7	0	138.6	168.9	0
..Atherosclerosis (440)	2	.	.	0	0
...Atherosclerosis-related (440)	22	4	4	40	80	8.7	13.1	0	18.3	41.7	0
..Aortic aneurysm (441)	5	.	.	0	0
Pneumonia & influenza (480-487)	44	11	17	230	375	41.3	56.1	0	75.6	69.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	53	23	34	562	839	92.0	48.9	0	146.2	92.0	0
..COPD-related (490-496)	102	42	60	769	1,279	136.5	104.2	0	249.6	213.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	21	18	19	427	610	70.9	.	0	102.7	.	0
Chronic liver disease and cirrhosis (571)	35	19	28	293	525	48.9	30.1	0	102.1	60.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	24	9	17	123	253	19.9	18.9	0	53.1	42.4	0
..Nephritis-related (580-589)	102	38	69	650	1,188	116.0	110.3	0	242.6	245.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	31	13	23	193	378	31.6	21.6	0	76.6	51.4	0
Unintentional injuries (E800-E949)	77	68	71	2,376	3,069	358.2	208.6	0	443.9	259.7	0
..Motor vehicle accidents (E810-E825)	32	32	32	1,104	1,424	172.9	.	0	211.4	.	0
..Falls and fall related injuries (E880-E888)	4	1	1	65	75
..Drowning (E830,E832,E910)	4	4	4	162	202
..Residential fires (E890-E899)	8	8	8	381	461
Suicide (E950-E959)	9	9	9	243	333
Homicide and legal intervention (E960-E978)	22	22	22	962	1,182	137.2	173.9	0	158.3	205.8	0
..Homicide (E960-E969)	22	22	22	962	1,182	137.2	173.9	0	158.3	205.8	0
All injury (E800-E999)	111	102	105	3,715	4,748	550.8	421.0	0	671.8	515.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	31	31	1,067	1,377	168.4	.	0	205.9	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	82	102
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	11	11	11	453	563	.	138.1	.	.	161.7	.
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	11	11	11	453	563	.	113.9	.	.	132.9	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	22	22	22	642	862	83.4	.	0	105.9	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	13	12	13	230	358
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	25	25	25	750	1,000	95.9	.	0	120.8	.	0

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	3,869	2,488	3,017	67,883	95,411	5568.4	5212.4	0	8228.9	7591.3	1
Infectious diseases and parasitic disease (1-139)	548	504	521	13,135	18,268	1161.5	997.0	0	1570.5	1300.1	0
..Septicemia (038)	60	27	38	470	792	49.4	89.0	0	90.1	126.1	0
...Septicemia-related (038)	209	115	146	2,365	3,682	222.8	255.6	0	374.5	399.1	0
..HIV infection (042-044)	416	413	416	10,849	15,001	958.3	815.3	0	1275.2	1053.2	0
All cancer (140-208)	622	332	469	5,229	9,282	564.7	553.0	0	1098.4	1048.5	0
..Oral cavity or pharynx (140.0-149.9)	18	7	12	78	175	10.3	29.7	0	24.9	53.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	58	33	41	398	768	45.8	30.0	0	95.6	64.2	0
...Colon cancer (153)	45	23	28	303	560	35.3	20.9	0	69.1	45.1	0
...Rectal cancer (154)	13	10	13	95	208	.	.	0	.	.	0
..Pancreatic cancer (157)	20	7	12	73	175	9.5	.	0	25.2	.	0
..Lung and other respiratory cancer (160-165)	98	40	76	365	960	52.3	67.3	0	146.8	164.9	0
...Lung cancer (162.2-.9)	89	35	69	343	878	48.6	61.2	0	133.3	154.3	0
..Malignant melanoma of skin (172)	7	5	5	98	148	.	.	0	.	.	0
..Female breast cancer (174)	55	45	50	598	1,080	.	.	0	.	.	0
..Cervical cancer (180)	14	9	10	213	310	.	.	0	.	.	0
..Endometrial cancer (182)	4	2	3	20	48	.	.	0	.	.	0
..Ovarian cancer (183)	13	9	11	138	238	.	.	0	.	.	0
..Prostate cancer (185)	24	4	11	25	103	.	.	0	.	.	0
..Bladder cancer (188)	12	4	7	45	98	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	16	11	14	238	360	24.9	.	0	38.8	.	0
..Leukemia (204-208)	44	25	36	817	1,129	65.5	29.5	0	97.0	47.4	0
Diabetes mellitus (250)	105	43	77	468	1,068	60.7	36.1	0	152.0	87.7	0
..Diabetes-related (250)	420	181	280	1,803	4,125	246.7	171.0	0	594.4	427.9	1
..Diabetic ketoacidosis (DKA) (250.1)	2	1	2	33	45	.	.	0	.	.	0
Alzheimer's diseases (331.0)	10	2	5	10	38	.	.	0	.	.	0
Cardiovascular disease (390-459)	1,033	410	619	6,692	11,800	702.8	652.3	0	1382.9	1289.8	0
..Diseases of the heart (390-398,402,404-429)	823	321	494	5,336	9,393	549.8	460.9	0	1092.1	949.5	0
...Heart disease-related (390-398,402,404-429)	1,616	754	1,069	14,743	23,836	1434.8	1217.6	0	2544.6	2147.6	1
....Coronary heart disease (CHD) (402,410-414,429.2)	543	194	316	2,205	4,745	282.7	250.6	0	657.9	590.5	0
....Congestive heart failure (CHF) (428.0)	26	3	5	95	140	6.3	.	0	11.7	.	0
..Hypertension with or without renal disease (401,403)	8	3	6	43	80	.	.	0	.	.	0
...Hypertension-related (401,403)	170	55	87	623	1,323	80.8	119.1	0	184.3	245.2	0
..Cerebrovascular disease (430-438)	170	71	97	1,107	1,937	123.1	133.5	0	230.7	235.8	0
..Atherosclerosis (440)	4	1	1	23	33	.	.	0	.	.	0
...Atherosclerosis-related (440)	42	11	14	133	255	15.7	13.9	0	32.2	42.8	0
..Aortic aneurysm (441)	15	3	9	28	83	4.0	.	0	13.4	.	0
Pneumonia & influenza (480-487)	94	34	48	841	1,256	71.0	70.8	0	117.8	110.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	95	46	63	1,176	1,709	103.9	49.2	1	160.3	97.5	0
..COPD-related (490-496)	217	82	122	1,561	2,576	152.0	118.9	0	280.6	242.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	36	31	34	815	1,132	69.7	33.8	0	98.4	49.2	0
Chronic liver disease and cirrhosis (571)	117	88	106	1,355	2,325	160.4	151.5	0	279.5	264.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	46	20	31	270	518	29.5	40.5	0	63.8	74.0	0
..Nephritis-related (580-589)	238	113	172	2,087	3,529	216.8	191.4	0	401.5	364.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	63	27	41	388	728	41.6	44.4	0	87.9	84.8	0
Unintentional injuries (E800-E949)	349	326	337	10,685	13,998	831.6	613.4	1	1055.9	761.1	1
..Motor vehicle accidents (E810-E825)	115	113	114	3,714	4,846	291.1	266.5	0	367.4	321.1	0
..Falls and fall related injuries (E880-E888)	20	12	14	362	492	30.0	.	0	41.1	.	0
..Drowning (E830,E832,E910)	18	17	18	764	941	51.8	.	0	61.5	.	0
..Residential fires (E890-E899)	20	18	20	896	1,086	55.1	.	0	65.3	.	0
Suicide (E950-E959)	76	75	76	2,373	3,130	188.7	226.9	0	238.5	290.4	0
Homicide and legal intervention (E960-E978)	155	152	155	5,757	7,295	422.5	543.3	0	509.8	646.6	0
..Homicide (E960-E969)	155	152	155	5,757	7,295	422.5	540.9	0	509.8	643.8	0
All injury (E800-E999)	593	566	581	19,326	25,064	1477.4	1431.6	0	1844.8	1758.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	112	110	111	3,611	4,714	283.2	261.5	0	357.7	315.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	21	16	18	462	632	39.7	.	0	54.1	.	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	148	148	148	5,540	7,020	409.9	553.8	0	490.6	659.4	0
....Suicide (E955.0-.4)	28	28	28	940	1,220	71.7	101.8	0	88.1	128.6	0
....Homicide (E965.0-.4)	116	116	116	4,420	5,580	325.2	430.7	0	387.7	506.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	151	151	151	4,390	5,900	364.1	208.2	1	465.0	264.7	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	75	67	74	1,158	1,870	134.1	132.6	0	214.6	215.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	153	153	153	4,435	5,965	367.8	214.6	1	469.9	271.7	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	2,361	1,688	1,983	45,938	64,361	7796.6	7502.7	0	11509.2	10806.7	0
Infectious diseases and parasitic disease (1-139)	393	376	383	9,575	13,378	1787.5	1493.6	0	2424.1	1981.4	0
..Septicemia (038)	28	18	21	317	510	68.1	123.8	0	117.4	182.7	0
...Septicemia-related (038)	119	75	93	1,529	2,384	302.2	364.9	0	513.0	577.5	0
..HIV infection (042-044)	312	309	312	7,895	11,007	1477.2	1217.2	0	1986.3	1599.5	0
All cancer (140-208)	341	175	255	2,780	4,965	620.8	582.7	0	1264.6	1170.8	0
..Oral cavity or pharynx (140.0-149.9)	16	7	11	78	168	22.0	62.2	0	51.4	109.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	37	23	27	273	528	64.9	37.7	0	139.6	77.9	0
...Colon cancer (153)	31	18	21	230	428	54.4	.	0	110.7	.	0
...Rectal cancer (154)	6	5	6	43	100
..Pancreatic cancer (157)	12	4	8	40	105
..Lung and other respiratory cancer (160-165)	64	29	52	278	690	83.8	111.1	0	227.9	269.8	0
...Lung cancer (162.2-.9)	56	24	46	255	615	75.6	98.2	0	201.4	247.5	0
..Malignant melanoma of skin (172)	4	3	3	68	98
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	24	4	11	25	103	8.9	23.1	0	39.8	62.2	0
..Bladder cancer (188)	6	3	3	28	58
..Brain & other CNS cancer (191-192)	5	3	4	98	135
..Leukemia (204-208)	30	16	24	562	767	86.5	.	1	130.8	.	1
Diabetes mellitus (250)	55	25	44	283	625	75.2	35.0	0	190.1	73.4	1
..Diabetes-related (250)	207	105	154	1,118	2,425	322.8	195.5	0	745.6	463.7	1
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	33	43
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	541	257	380	4,221	7,408	934.7	878.5	0	1867.1	1700.6	0
..Diseases of the heart (390-398,402,404-429)	433	198	299	3,354	5,852	728.1	631.9	0	1458.2	1268.4	0
...Heart disease-related (390-398,402,404-429)	890	488	663	9,753	15,526	1973.8	1632.4	0	3477.4	2850.6	1
....Coronary heart disease (CHD) (402,410-414,429.2)	285	114	185	1,330	2,843	362.3	380.4	0	858.4	842.3	0
....Congestive heart failure (CHF) (428.0)	11	2	3	30	58
..Hypertension with or without renal disease (401,403)	4	2	4	20	45
...Hypertension-related (401,403)	79	35	48	418	830	113.4	125.8	0	241.6	253.1	0
..Cerebrovascular disease (430-438)	84	46	59	719	1,242	163.5	160.1	0	310.5	283.0	0
..Atherosclerosis (440)	2	1	1	23	33
...Atherosclerosis-related (440)	20	7	10	93	175	21.7	12.8	0	46.7	41.1	0
..Aortic aneurysm (441)	10	3	9	28	83
Pneumonia & influenza (480-487)	50	23	31	612	882	103.7	94.6	0	164.7	164.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	42	23	29	615	870	109.9	37.0	0	163.5	85.8	0
..COPD-related (490-496)	115	40	62	792	1,297	154.9	108.0	0	295.9	236.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	15	13	15	388	523	64.4	.	0	87.8	.	0
Chronic liver disease and cirrhosis (571)	82	69	78	1,063	1,800	275.2	277.9	0	466.1	484.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	22	11	14	148	265	36.8	57.1	0	70.3	99.5	0
..Nephritis-related (580-589)	136	75	103	1,437	2,342	309.1	275.6	0	550.9	487.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	32	14	18	195	350	45.0	62.4	0	89.4	112.4	0
Unintentional injuries (E800-E949)	272	258	266	8,309	10,929	1321.6	1042.7	0	1689.9	1293.3	0
..Motor vehicle accidents (E810-E825)	83	81	82	2,610	3,422	415.6	463.8	0	531.1	555.0	0
..Falls and fall related injuries (E880-E888)	16	11	13	298	418	54.6	.	0	77.7	.	0
..Drowning (E830,E832,E910)	14	13	14	602	739
..Residential fires (E890-E899)	12	10	12	515	625
Suicide (E950-E959)	67	66	67	2,130	2,798	334.6	426.8	0	422.4	547.7	0
Homicide and legal intervention (E960-E978)	133	130	133	4,795	6,113	711.2	914.8	0	867.8	1091.4	0
..Homicide (E960-E969)	133	130	133	4,795	6,113	711.2	909.9	0	867.8	1085.6	0
All injury (E800-E999)	482	464	476	15,611	20,316	2420.5	2477.1	0	3043.4	3048.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	81	79	80	2,545	3,337	404.3	453.7	0	517.2	542.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	18	14	16	380	530	69.5	.	0	97.5	.	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	137	137	137	5,088	6,458	747.9	973.7	0	900.9	1165.0	0
....Suicide (E955.0-.4)	28	28	28	940	1,220	143.8	181.9	0	177.2	232.4	0
....Homicide (E965.0-.4)	105	105	105	3,968	5,018	579.0	749.7	0	695.1	884.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	129	129	129	3,748	5,038	634.1	385.6	1	811.7	491.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	62	55	61	928	1,513	229.1	243.5	0	373.2	408.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	128	128	128	3,685	4,965	628.5	397.6	1	806.1	503.9	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	1,508	800	1,034	21,945	31,050	3441.5	3020.5	0	5178.9	4575.3	0
Infectious diseases and parasitic disease (1-139)	155	128	138	3,560	4,890	579.4	534.3	0	780.1	669.9	0
..Septicemia (038)	32	9	17	153	283	32.1	57.0	0	64.7	75.5	0
...Septicemia-related (038)	90	40	53	836	1,299	150.7	155.7	0	252.2	239.7	0
..HIV infection (042-044)	104	104	104	2,954	3,994	476.1	440.1	0	617.8	546.4	0
All cancer (140-208)	281	157	214	2,450	4,317	512.2	527.7	0	958.5	948.3	0
..Oral cavity or pharynx (140.0-149.9)	2	.	1	0	8
..Colorectal cancer (153.0-154.3,154.8,159.0)	21	10	14	125	240	28.3	23.0	0	57.0	52.9	0
...Colon cancer (153)	14	5	7	73	133	.	13.1	.	.	34.6	.
...Rectal cancer (154)	7	5	7	53	108
..Pancreatic cancer (157)	8	3	4	33	70
..Lung and other respiratory cancer (160-165)	34	11	24	88	270	24.3	27.7	0	78.5	74.6	0
...Lung cancer (162.2-.9)	33	11	23	88	263	24.3	27.7	0	75.9	74.6	0
..Malignant melanoma of skin (172)	3	2	2	30	50
..Female breast cancer (174)	55	45	50	598	1,080	139.9	131.2	0	254.0	209.7	0
..Cervical cancer (180)	14	9	10	213	310
..Endometrial cancer (182)	4	2	3	20	48
..Ovarian cancer (183)	13	9	11	138	238	.	35.7	.	.	70.5	.
..Prostate cancer (185)
..Bladder cancer (188)	6	1	4	18	40
..Brain & other CNS cancer (191-192)	11	8	10	140	225
..Leukemia (204-208)	14	9	12	255	362
Diabetes mellitus (250)	50	18	33	185	443	47.8	36.8	0	120.1	98.9	0
..Diabetes-related (250)	213	76	126	685	1,700	178.8	148.6	0	463.8	395.7	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	8	2	5	10	38
Cardiovascular disease (390-459)	492	153	239	2,472	4,392	491.1	445.2	0	963.5	925.9	0
..Diseases of the heart (390-398,402,404-429)	390	123	195	1,982	3,542	386.5	305.8	0	774.4	668.7	0
...Heart disease-related (390-398,402,404-429)	726	266	406	4,990	8,310	936.0	834.8	0	1713.7	1518.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	258	80	131	875	1,903	211.6	133.9	0	489.1	370.9	0
....Congestive heart failure (CHF) (428.0)	15	1	2	65	82	7.1	.	0	10.2	.	0
..Hypertension with or without renal disease (401,403)	4	1	2	23	35
...Hypertension-related (401,403)	91	20	39	205	493	51.9	112.8	0	133.9	238.5	0
..Cerebrovascular disease (430-438)	86	25	38	388	695	86.0	108.0	0	160.3	193.2	0
..Atherosclerosis (440)	2	.	.	0	0
...Atherosclerosis-related (440)	22	4	4	40	80	10.2	14.9	0	20.1	44.3	0
..Aortic aneurysm (441)	5	.	.	0	0
Pneumonia & influenza (480-487)	44	11	17	230	375	39.8	51.2	0	74.6	64.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	53	23	34	562	839	98.0	59.3	0	156.3	108.0	0
..COPD-related (490-496)	102	42	60	769	1,279	148.6	126.7	0	268.0	247.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	21	18	19	427	610	74.3	.	0	107.7	.	0
Chronic liver disease and cirrhosis (571)	35	19	28	293	525	57.2	38.6	0	113.4	70.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	24	9	17	123	253	23.1	24.2	0	57.5	49.8	0
..Nephritis-related (580-589)	102	38	69	650	1,188	131.7	114.1	0	267.0	252.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	31	13	23	193	378	38.5	27.0	0	85.9	58.9	0
Unintentional injuries (E800-E949)	77	68	71	2,376	3,069	354.9	191.0	1	445.6	241.7	1
..Motor vehicle accidents (E810-E825)	32	32	32	1,104	1,424	169.0	.	0	208.9	.	0
..Falls and fall related injuries (E880-E888)	4	1	1	65	75
..Drowning (E830,E832,E910)	4	4	4	162	202
..Residential fires (E890-E899)	8	8	8	381	461
Suicide (E950-E959)	9	9	9	243	333
Homicide and legal intervention (E960-E978)	22	22	22	962	1,182	127.8	168.5	0	148.4	200.6	0
..Homicide (E960-E969)	22	22	22	962	1,182	127.8	168.5	0	148.4	200.6	0
All injury (E800-E999)	111	102	105	3,715	4,748	542.9	398.8	0	670.3	492.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	31	31	31	1,067	1,377	164.4	.	0	203.5	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	2	2	82	102
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	11	11	11	453	563	.	130.9	.	.	153.6	.
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	11	11	11	453	563	.	107.0	.	.	124.9	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	22	22	22	642	862	105.5	.	0	134.4	.	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	13	12	13	230	358
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	25	25	25	750	1,000	119.0	.	1	150.4	.	1

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).