

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1995-1996

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1995-1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1995-1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995-1996*****					*****1995-1996*****					*****1995-1996*****				
	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR
*****Causes of Death*****															
All causes	1,531	308.3	376.7	0	380.8	967	392.9	524.6	0	523.7	564	225.2	252.4	0	256.7
Infectious diseases and parasitic disease (1-139)	262	52.8	54.5	0	53.4	198	80.4	85.9	0	80.1	64	25.6	25.5	0	28.9
..Septicemia (038)	20	4.0	5.3	0	6.0	12	4.9	.	.	.	8	3.2	.	.	.
....Septicemia-related (038)	84	16.9	21.7	0	19.7	56	22.8	34.0	0	23.8	28	11.2	12.1	0	16.2
..HIV infection (042-044)	215	43.3	43.5	0	41.0	164	66.6	68.6	0	63.8	51	20.4	20.0	0	20.1
All cancer (140-208)	234	47.1	67.0	0	65.8	126	51.2	85.8	0	87.8	108	43.1	54.4	0	49.2
..Oral cavity or pharynx (140.0-149.9)	10	2.0	.	.	.	9	3.7	.	.	.	1	0.4	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	3.6	5.6	0	6.0	8	3.3	.	.	.	10	4.0	.	.	.
....Colon cancer (153)	14	2.8	.	.	4.4	7	2.8	.	.	.	7	2.8	.	.	.
....Rectal cancer (154)	4	0.8	.	.	.	1	0.4	.	.	.	3	1.2	.	.	.
..Pancreatic cancer (157)	6	1.2	.	.	.	2	0.8	.	.	.	4	1.6	.	.	.
..Lung and other respiratory cancer (160-165)	33	6.6	10.7	0	11.7	22	8.9	16.8	0	20.7	11	4.4	.	.	.
....Lung cancer (162.2-.9)	28	5.6	9.0	0	10.7	17	6.9	13.0	0	19.4	11	4.4	.	.	.
..Malignant melanoma of skin (172)	2	0.4	.	.	.	1	0.4	.	.	.	1	0.4	.	.	.
..Female breast cancer (174)	15	15	6.0	8.2	0	11.9
..Cervical cancer (180)	6	6	2.4	.	.	.
..Endometrial cancer (182)	3	3	1.2	.	.	.
..Ovarian cancer (183)	6	6	2.4	.	.	.
..Prostate cancer (185)	12	12	4.9
..Bladder cancer (188)	5	1.0	.	.	.	5	2.0
..Brain & other CNS cancer (191-192)	7	1.4	.	.	.	1	0.4	.	.	.	6	2.4	.	.	.
..Leukemia (204-208)	18	3.6	4.6	0	.	12	4.9	.	.	.	6	2.4	.	.	.
Diabetes mellitus (250)	43	8.7	13.0	0	9.3	20	8.1	15.8	0	.	23	9.2	10.8	0	9.5
..Diabetes-related (250)	166	33.4	51.2	0	41.3	80	32.5	60.7	0	46.5	86	34.3	43.6	0	36.9
..Diabetic ketoacidosis (DKA) (250.1)	1	0.2	1	0.4	.	.	.
Alzheimer's diseases (331.0)	6	1.2	.	.	.	2	0.8	.	.	.	4	1.6	.	.	.
Cardiovascular disease (390-459)	393	79.2	107.4	0	108.0	211	85.7	139.4	0	140.8	182	72.7	82.7	0	80.4
..Diseases of the heart (390-398,402,404-429)	323	65.1	88.0	0	86.1	175	71.1	114.8	0	113.2	148	59.1	67.4	0	63.7
....Heart disease-related (390-398,402,404-429)	635	127.9	168.7	0	162.8	361	146.7	224.8	0	209.8	274	109.4	125.5	0	123.6
....Coronary heart disease (CHD) (402,410-414,429.2)	208	41.9	59.1	0	59.4	108	43.9	75.0	0	79.7	100	39.9	47.4	0	43.0
....Congestive heart failure (CHF) (428.0)	5	1.0	.	.	.	2	0.8	.	.	.	3	1.2	.	.	.
....Hypertension with or without renal disease (401,403)	2	0.4	.	.	.	1	0.4	.	.	.	1	0.4	.	.	.
....Hypertension-related (401,403)	54	10.9	15.7	0	15.6	26	10.6	18.6	0	18.8	28	11.2	13.5	0	12.6
..Cerebrovascular disease (430-438)	56	11.3	15.1	0	17.3	28	11.4	18.3	0	21.8	28	11.2	12.5	0	13.4
..Atherosclerosis (440)	1	0.2	.	.	.	1	0.4
....Atherosclerosis-related (440)	14	2.8	.	.	4.6	7	2.8	.	.	.	7	2.8	.	.	.
..Aortic aneurysm (441)	6	1.2	.	.	.	4	1.6	.	.	.	2	0.8	.	.	.
Pneumonia & influenza (480-487)	37	7.5	9.5	0	9.3	20	8.1	11.7	0	13.8	17	6.8	7.9	0	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	35	7.0	9.0	0	11.2	15	6.1	9.0	0	12.7	20	8.0	9.2	0	10.5
..COPD-related (490-496)	91	18.3	24.1	0	24.0	54	21.9	35.8	0	30.8	37	14.8	16.7	0	19.7
..Asthma (493)	13	2.6	.	.	.	5	2.0	.	.	.	8	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	47	9.5	13.6	0	10.8	36	14.6	21.9	0	15.7	11	4.4	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	3.2	4.3	0	.	8	3.3	.	.	.	8	3.2	.	.	.
..Nephritis-related (580-589)	88	17.7	24.1	0	20.9	54	21.9	32.4	0	27.0	34	13.6	17.0	0	16.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	25	5.0	7.0	0	.	11	4.5	.	.	.	14	5.6	.	.	.
Unintentional injuries (E800-E949)	128	25.8	26.5	0	26.1	102	41.4	43.3	0	42.3	26	10.4	10.6	0	10.7
..Motor vehicle accidents (E810-E825)	44	8.9	9.4	0	8.4	36	14.6	16.0	0	12.3	8	3.2	.	.	.
..Falls and fall related injuries (E880-E888)	7	1.4	.	.	.	5	2.0	.	.	.	2	0.8	.	.	.
..Drowning (E830,E832,E910)	7	1.4	.	.	.	6	2.4	.	.	.	1	0.4	.	.	.
..Residential fires (E890-E899)	10	2.0	.	.	.	5	2.0	.	.	.	5	2.0	.	.	.
Suicide (E950-E959)	31	6.2	6.4	0	6.7	28	11.4	11.6	0	12.6	3	1.2	.	.	.
Homicide and legal intervention (E960-E978)	60	12.1	12.4	1	22.1	52	21.1	22.6	0	36.2	8	3.2	.	.	7.9
..Homicide (E960-E969)	60	12.1	12.4	1	22.1	52	21.1	22.6	0	36.2	8	3.2	.	.	7.9
All injury (E800-E999)	227	45.7	46.7	0	55.9	189	76.8	79.8	0	93.0	38	15.2	14.9	0	19.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	44	8.9	9.4	0	8.2	36	14.6	16.0	0	11.9	8	3.2	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	8	1.6	.	.	.	6	2.4	.	.	.	2	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	11.3	11.2	1	22.0	51	20.7	20.5	1	38.7	5	2.0	.	.	.
....Suicide (E955.0-.4)	9	1.8	.	.	3.5	9	3.7	.	.	7.2
....Homicide (E965.0-.4)	46	9.3	9.3	1	18.0	41	16.7	16.7	1	30.7	5	2.0	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	54	10.9	10.4	0	11.7	49	19.9	19.3	0	21.3	5	2.0	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	30	6.0	8.6	0	6.4	27	11.0	16.7	0	13.1	3	1.2	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	50	10.1	9.5	0	12.8	44	17.9	17.0	0	22.3	6	2.4	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR
*****Causes of Death*****															
All causes	1,531	308.3	461.1	0	454.5	967	392.9	628.1	0	607.0	564	225.2	328.8	0	327.0
Infectious diseases and parasitic disease (1-139)	262	52.8	50.2	0	49.5	198	80.4	77.5	0	73.4	64	25.6	25.3	0	27.6
..Septicemia (038)	20	4.0	7.2	0	7.9	12	4.9	.	.	.	8	3.2	.	.	.
....Septicemia-related (038)	84	16.9	27.9	0	25.5	56	22.8	42.6	0	28.9	28	11.2	17.0	0	22.4
..HIV infection (042-044)	215	43.3	37.2	0	35.3	164	66.6	58.6	0	56.1	51	20.4	17.3	0	16.4
All cancer (140-208)	234	47.1	88.5	0	81.2	126	51.2	118.4	0	109.6	108	43.1	69.2	0	60.5
..Oral cavity or pharynx (140.0-149.9)	10	2.0	.	.	.	9	3.7	.	.	.	1	0.4	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	3.6	7.4	0	7.9	8	3.3	.	.	.	10	4.0	.	.	.
....Colon cancer (153)	14	2.8	.	.	6.1	7	2.8	.	.	.	7	2.8	.	.	.
....Rectal cancer (154)	4	0.8	.	.	.	1	0.4	.	.	.	3	1.2	.	.	.
..Pancreatic cancer (157)	6	1.2	.	.	.	2	0.8	.	.	.	4	1.6	.	.	.
..Lung and other respiratory cancer (160-165)	33	6.6	14.4	0	14.9	22	8.9	23.4	0	26.4	11	4.4	.	.	.
....Lung cancer (162.2-.9)	28	5.6	12.2	0	13.8	17	6.9	18.4	0	25.0	11	4.4	.	.	.
..Malignant melanoma of skin (172)	2	0.4	.	.	.	1	0.4	.	.	.	1	0.4	.	.	.
..Female breast cancer (174)	15	15	6.0	9.2	0	13.3
..Cervical cancer (180)	6	6	2.4	.	.	.
..Endometrial cancer (182)	3	3	1.2	.	.	.
..Ovarian cancer (183)	6	6	2.4	.	.	.
..Prostate cancer (185)	12	12	4.9
..Bladder cancer (188)	5	1.0	.	.	.	5	2.0
..Brain & other CNS cancer (191-192)	7	1.4	.	.	.	1	0.4	.	.	.	6	2.4	.	.	.
..Leukemia (204-208)	18	3.6	5.9	0	.	12	4.9	.	.	.	6	2.4	.	.	.
Diabetes mellitus (250)	43	8.7	17.7	0	12.4	20	8.1	20.4	0	.	23	9.2	15.4	0	12.6
..Diabetes-related (250)	166	33.4	69.3	0	56.0	80	32.5	79.9	0	60.9	86	34.3	60.6	0	51.5
..Diabetic ketoacidosis (DKA) (250.1)	1	0.2	1	0.4	.	.	.
Alzheimer's diseases (331.0)	6	1.2	.	.	.	2	0.8	.	.	.	4	1.6	.	.	.
Cardiovascular disease (390-459)	393	79.2	150.5	0	147.1	211	85.7	191.8	0	183.1	182	72.7	120.3	0	117.6
..Diseases of the heart (390-398,402,404-429)	323	65.1	123.6	0	117.9	175	71.1	158.6	0	147.9	148	59.1	98.4	0	93.5
....Heart disease-related (390-398,402,404-429)	635	127.9	227.2	0	215.3	361	146.7	300.4	0	266.8	274	109.4	174.4	0	173.7
....Coronary heart disease (CHD) (402,410-414,429.2)	208	41.9	84.1	0	83.0	108	43.9	107.1	0	106.5	100	39.9	68.4	0	64.3
....Congestive heart failure (CHF) (428.0)	5	1.0	.	.	.	2	0.8	.	.	.	3	1.2	.	.	.
....Hypertension with or without renal disease (401,403)	2	0.4	.	.	.	1	0.4	.	.	.	1	0.4	.	.	.
....Hypertension-related (401,403)	54	10.9	22.7	0	22.0	26	10.6	26.8	0	23.7	28	11.2	19.6	0	19.6
..Cerebrovascular disease (430-438)	56	11.3	21.3	0	23.0	28	11.4	25.1	0	28.6	28	11.2	18.2	0	18.8
..Atherosclerosis (440)	1	0.2	.	.	.	1	0.4
....Atherosclerosis-related (440)	14	2.8	.	.	7.7	7	2.8	.	.	.	7	2.8	.	.	.
..Aortic aneurysm (441)	6	1.2	.	.	.	4	1.6	.	.	.	2	0.8	.	.	.
Pneumonia & influenza (480-487)	37	7.5	12.9	0	13.5	20	8.1	15.8	0	19.8	17	6.8	11.1	0	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995-1996*****					*****1995-1996*****					*****1995-1996*****				
	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	35	7.0	12.0	0	15.5	15	6.1	12.6	0	18.4	20	8.0	11.8	0	13.9
..COPD-related (490-496)	91	18.3	35.7	0	33.2	54	21.9	56.0	0	44.7	37	14.8	23.5	0	26.2
..Asthma (493)	13	2.6	.	.	.	5	2.0	.	.	.	8	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	47	9.5	15.3	0	12.4	36	14.6	23.1	0	17.9	11	4.4	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	3.2	5.6	0	.	8	3.3	.	.	.	8	3.2	.	.	.
..Nephritis-related (580-589)	88	17.7	29.9	0	28.8	54	21.9	39.3	0	37.4	34	13.6	22.3	0	22.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	25	5.0	9.0	0	.	11	4.5	.	.	.	14	5.6	.	.	.
Unintentional injuries (E800-E949)	128	25.8	26.1	0	24.7	102	41.4	40.5	0	39.1	26	10.4	12.2	0	10.9
..Motor vehicle accidents (E810-E825)	44	8.9	8.7	0	8.4	36	14.6	14.8	0	12.1	8	3.2	.	.	.
..Falls and fall related injuries (E880-E888)	7	1.4	.	.	.	5	2.0	.	.	.	2	0.8	.	.	.
..Drowning (E830,E832,E910)	7	1.4	.	.	.	6	2.4	.	.	.	1	0.4	.	.	.
..Residential fires (E890-E899)	10	2.0	.	.	.	5	2.0	.	.	.	5	2.0	.	.	.
Suicide (E950-E959)	31	6.2	5.7	0	6.0	28	11.4	10.3	0	11.3	3	1.2	.	.	.
Homicide and legal intervention (E960-E978)	60	12.1	11.6	1	20.5	52	21.1	21.2	0	33.8	8	3.2	.	.	7.1
..Homicide (E960-E969)	60	12.1	11.6	1	20.5	52	21.1	21.2	0	33.8	8	3.2	.	.	7.1
All injury (E800-E999)	227	45.7	44.5	0	51.9	189	76.8	74.1	0	85.7	38	15.2	16.2	0	18.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	44	8.9	8.7	0	8.2	36	14.6	14.8	0	11.8	8	3.2	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	8	1.6	.	.	.	6	2.4	.	.	.	2	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	11.3	10.0	1	20.4	51	20.7	18.3	1	36.1	5	2.0	.	.	.
....Suicide (E955.0-.4)	9	1.8	.	.	3.2	9	3.7	.	.	6.5
....Homicide (E965.0-.4)	46	9.3	8.4	1	16.8	41	16.7	15.1	1	28.8	5	2.0	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	54	10.9	8.8	0	9.7	49	19.9	16.1	0	17.6	5	2.0	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	30	6.0	9.0	0	6.8	27	11.0	17.3	0	14.4	3	1.2	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	50	10.1	7.8	0	10.5	44	17.9	13.9	0	18.3	6	2.4	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1993- 1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993- 1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993- 1994 AAMR
*****Causes of Death*****															
All causes	1,531	308.3	586.4	0	564.6	967	392.9	796.3	0	744.4	564	225.2	425.8	0	417.4
Infectious diseases and parasitic disease (1-139)	262	52.8	63.5	0	61.5	198	80.4	98.5	0	89.9	64	25.6	31.6	0	34.9
..Septicemia (038)	20	4.0	9.9	0	10.7	12	4.9	.	.	.	8	3.2	.	.	.
....Septicemia-related (038)	84	16.9	37.1	0	33.6	56	22.8	55.2	0	36.0	28	11.2	23.9	0	30.7
..HIV infection (042-044)	215	43.3	46.3	0	42.9	164	66.6	73.9	0	68.4	51	20.4	20.6	0	19.6
All cancer (140-208)	234	47.1	112.1	0	96.6	126	51.2	153.6	0	130.7	108	43.1	86.5	0	72.5
..Oral cavity or pharynx (140.0-149.9)	10	2.0	.	.	.	9	3.7	.	.	.	1	0.4	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	3.6	9.0	0	10.0	8	3.3	.	.	.	10	4.0	.	.	.
....Colon cancer (153)	14	2.8	.	.	8.1	7	2.8	.	.	.	7	2.8	.	.	.
....Rectal cancer (154)	4	0.8	.	.	.	1	0.4	.	.	.	3	1.2	.	.	.
..Pancreatic cancer (157)	6	1.2	.	.	.	2	0.8	.	.	.	4	1.6	.	.	.
..Lung and other respiratory cancer (160-165)	33	6.6	17.4	0	17.8	22	8.9	29.3	0	31.7	11	4.4	.	.	.
....Lung cancer (162.2-.9)	28	5.6	14.9	0	16.7	17	6.9	23.5	0	30.4	11	4.4	.	.	.
..Malignant melanoma of skin (172)	2	0.4	.	.	.	1	0.4	.	.	.	1	0.4	.	.	.
..Female breast cancer (174)	15	15	6.0	10.3	0	14.7
..Cervical cancer (180)	6	6	2.4	.	.	.
..Endometrial cancer (182)	3	3	1.2	.	.	.
..Ovarian cancer (183)	6	6	2.4	.	.	.
..Prostate cancer (185)	12	12	4.9
..Bladder cancer (188)	5	1.0	.	.	.	5	2.0
..Brain & other CNS cancer (191-192)	7	1.4	.	.	.	1	0.4	.	.	.	6	2.4	.	.	.
..Leukemia (204-208)	18	3.6	7.4	0	.	12	4.9	.	.	.	6	2.4	.	.	.
Diabetes mellitus (250)	43	8.7	22.5	0	15.8	20	8.1	23.7	0	.	23	9.2	20.9	0	16.0
..Diabetes-related (250)	166	33.4	86.4	0	71.2	80	32.5	96.3	0	74.1	86	34.3	78.1	0	67.5
..Diabetic ketoacidosis (DKA) (250.1)	1	0.2	1	0.4	.	.	.
Alzheimer's diseases (331.0)	6	1.2	.	.	.	2	0.8	.	.	.	4	1.6	.	.	.
Cardiovascular disease (390-459)	393	79.2	203.3	0	194.9	211	85.7	255.2	0	234.0	182	72.7	167.2	0	162.9
..Diseases of the heart (390-398,402,404-429)	323	65.1	167.8	0	155.9	175	71.1	213.3	0	187.9	148	59.1	136.5	0	129.8
....Heart disease-related (390-398,402,404-429)	635	127.9	302.7	0	282.9	361	146.7	399.1	0	343.2	274	109.4	236.2	0	234.6
....Coronary heart disease (CHD) (402,410-414,429.2)	208	41.9	113.4	0	110.2	108	43.9	145.4	0	135.3	100	39.9	92.9	0	90.6
....Congestive heart failure (CHF) (428.0)	5	1.0	.	.	.	2	0.8	.	.	.	3	1.2	.	.	.
..Hypertension with or without renal disease (401,403)	2	0.4	.	.	.	1	0.4	.	.	.	1	0.4	.	.	.
....Hypertension-related (401,403)	54	10.9	30.1	0	29.6	26	10.6	35.2	0	28.1	28	11.2	26.6	0	28.7
..Cerebrovascular disease (430-438)	56	11.3	28.8	0	30.7	28	11.4	32.6	0	38.3	28	11.2	25.8	0	25.3
..Atherosclerosis (440)	1	0.2	.	.	.	1	0.4
....Atherosclerosis-related (440)	14	2.8	.	.	11.7	7	2.8	.	.	.	7	2.8	.	.	.
..Aortic aneurysm (441)	6	1.2	.	.	.	4	1.6	.	.	.	2	0.8	.	.	.
Pneumonia & influenza (480-487)	37	7.5	17.6	0	19.8	20	8.1	21.7	0	29.0	17	6.8	14.9	0	.

(CONTINUED)

- * - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993-1994 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	35	7.0	15.9	0	20.0	15	6.1	17.6	0	24.5	20	8.0	15.3	0	17.3
..COPD-related (490-496)	91	18.3	50.1	0	43.5	54	21.9	81.1	0	60.4	37	14.8	32.0	0	33.2
..Asthma (493)	13	2.6	.	.	.	5	2.0	.	.	.	8	3.2	.	.	.
Chronic liver disease and cirrhosis (571)	47	9.5	17.6	0	14.2	36	14.6	26.4	0	20.6	11	4.4	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	3.2	7.4	0	.	8	3.3	.	.	.	8	3.2	.	.	.
..Nephritis-related (580-589)	88	17.7	37.8	0	37.7	54	21.9	50.2	0	51.3	34	13.6	28.3	0	29.1
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	25	5.0	11.6	0	.	11	4.5	.	.	.	14	5.6	.	.	.
Unintentional injuries (E800-E949)	128	25.8	29.7	0	26.5	102	41.4	45.7	0	42.3	26	10.4	14.3	0	11.3
..Motor vehicle accidents (E810-E825)	44	8.9	8.8	0	7.8	36	14.6	15.4	0	11.4	8	3.2	.	.	.
..Falls and fall related injuries (E880-E888)	7	1.4	.	.	.	5	2.0	.	.	.	2	0.8	.	.	.
..Drowning (E830,E832,E910)	7	1.4	.	.	.	6	2.4	.	.	.	1	0.4	.	.	.
..Residential fires (E890-E899)	10	2.0	.	.	.	5	2.0	.	.	.	5	2.0	.	.	.
Suicide (E950-E959)	31	6.2	6.2	0	6.7	28	11.4	11.2	0	12.5	3	1.2	.	.	.
Homicide and legal intervention (E960-E978)	60	12.1	11.3	1	19.4	52	21.1	21.1	0	32.0	8	3.2	.	.	7.0
..Homicide (E960-E969)	60	12.1	11.3	1	19.4	52	21.1	21.1	0	32.0	8	3.2	.	.	7.0
All injury (E800-E999)	227	45.7	48.5	0	53.5	189	76.8	80.2	0	88.6	38	15.2	18.1	0	19.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	44	8.9	8.8	0	7.6	36	14.6	15.4	0	11.1	8	3.2	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	8	1.6	.	.	.	6	2.4	.	.	.	2	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	11.3	9.6	1	19.4	51	20.7	17.7	1	34.8	5	2.0	.	.	.
....Suicide (E955.0-.4)	9	1.8	.	.	3.5	9	3.7	.	.	7.2
....Homicide (E965.0-.4)	46	9.3	7.9	1	15.6	41	16.7	14.3	1	27.0	5	2.0	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	54	10.9	10.6	0	11.8	49	19.9	19.4	0	21.2	5	2.0	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	30	6.0	9.9	0	8.2	27	11.0	19.2	0	17.3	3	1.2	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	50	10.1	9.6	0	12.9	44	17.9	17.1	0	22.5	6	2.4	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.
 0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	1,531	992	1,195	27,089	38,032	5459.5	6432.1	1	7914.6	9011.4	1
Infectious diseases and parasitic disease (1-139)	262	248	252	6,586	9,086	1339.5	1356.2	0	1800.7	1800.4	0
..Septicemia (038)	20	10	12	160	270	39.3	72.7	0	69.7	105.6	0
...Septicemia-related (038)	84	48	58	989	1,524	216.2	246.3	0	351.5	361.2	0
..HIV infection (042-044)	215	215	215	5,765	7,915	1172.9	1121.1	0	1559.2	1481.2	0
All cancer (140-208)	234	115	161	1,785	3,180	439.1	542.1	0	853.3	991.5	0
..Oral cavity or pharynx (140.0-149.9)	10	4	6	25	75
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	9	13	73	183	21.8	34.8	0	59.2	68.0	0
...Colon cancer (153)	14	6	9	65	143	.	28.9	.	.	50.8	.
...Rectal cancer (154)	4	3	4	8	40
..Pancreatic cancer (157)	6	3	4	23	60
..Lung and other respiratory cancer (160-165)	33	10	24	75	250	25.5	55.8	0	88.2	128.4	0
...Lung cancer (162.2-.9)	28	7	20	58	200	19.0	49.0	0	70.5	112.5	0
..Malignant melanoma of skin (172)	2	1	1	28	38
..Female breast cancer (174)	15	13	13	158	288
..Cervical cancer (180)	6	3	3	78	108
..Endometrial cancer (182)	3	2	2	20	40
..Ovarian cancer (183)	6	3	4	63	95
..Prostate cancer (185)	12	4	6	25	80
..Bladder cancer (188)	5	3	3	28	58
..Brain & other CNS cancer (191-192)	7	5	6	138	190
..Leukemia (204-208)	18	10	14	297	417	58.8	.	0	87.2	.	0
Diabetes mellitus (250)	43	17	29	158	388	46.2	45.4	0	123.7	95.7	0
..Diabetes-related (250)	166	64	109	605	1,488	180.4	185.1	0	477.8	429.4	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	6	2	3	10	33
Cardiovascular disease (390-459)	393	152	237	2,627	4,560	610.1	710.6	0	1169.2	1336.5	0
..Diseases of the heart (390-398,402,404-429)	323	122	193	2,098	3,681	491.0	540.8	0	950.7	1047.3	0
...Heart disease-related (390-398,402,404-429)	635	297	422	6,081	9,673	1352.8	1437.0	0	2311.3	2412.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	208	69	120	843	1,785	230.5	280.4	0	530.5	628.3	0
....Congestive heart failure (CHF) (428.0)	5	.	1	0	8
..Hypertension with or without renal disease (401,403)	2	1	2	23	35
...Hypertension-related (401,403)	54	17	30	188	420	52.8	82.0	0	130.6	166.7	0
..Cerebrovascular disease (430-438)	56	23	34	442	714	97.9	142.3	0	174.4	236.0	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	14	6	6	50	110	.	11.9	.	.	24.9	.
..Aortic aneurysm (441)	6	1	3	18	18
Pneumonia & influenza (480-487)	37	18	24	392	602	85.3	100.6	0	140.0	146.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	35	18	23	425	628	98.6	61.2	0	148.2	110.6	0
..COPD-related (490-496)	91	29	47	518	893	124.5	133.7	0	234.4	250.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	13	13	13	338	468
Chronic liver disease and cirrhosis (571)	47	36	43	550	943	137.6	100.1	0	245.0	181.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	8	12	150	245	33.5	.	0	58.6	.	0
..Nephritis-related (580-589)	88	46	69	1,007	1,600	225.4	138.4	0	380.5	252.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	25	12	18	220	370	50.6	.	0	91.4	.	0
Unintentional injuries (E800-E949)	128	118	122	3,995	5,195	790.0	855.4	0	1001.2	1072.1	0
..Motor vehicle accidents (E810-E825)	44	44	44	1,479	1,919	311.2	312.3	0	391.6	380.7	0
..Falls and fall related injuries (E880-E888)	7	5	5	170	220
..Drowning (E830,E832,E910)	7	6	7	257	325
..Residential fires (E890-E899)	10	9	10	443	535
Suicide (E950-E959)	31	31	31	963	1,273	199.2	191.3	0	254.4	250.0	0
Homicide and legal intervention (E960-E978)	60	58	60	2,176	2,766	447.5	869.8	1	548.5	1052.9	1
..Homicide (E960-E969)	60	58	60	2,176	2,766	447.5	869.8	1	548.5	1052.9	1
All injury (E800-E999)	227	215	221	7,468	9,648	1496.1	1951.3	0	1874.6	2417.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	44	44	44	1,479	1,919	311.2	305.1	0	391.6	372.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	8	7	7	210	280
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	56	56	2,085	2,645	437.3	850.8	1	530.0	1033.1	1
....Suicide (E955.0-.4)	9	9	9	323	413	.	107.7	.	.	138.4	.
....Homicide (E965.0-.4)	46	46	46	1,725	2,185	363.0	720.2	1	439.8	868.3	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	54	54	54	1,642	2,182	330.6	360.6	0	421.0	462.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	30	26	30	420	705	106.3	86.5	0	183.4	137.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	50	50	50	1,512	2,012	297.7	400.2	0	379.7	511.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	967	701	813	19,234	26,829	7909.4	8938.9	0	11411.0	12629.0	0
Infectious diseases and parasitic disease (1-139)	198	192	194	4,985	6,920	2104.2	1912.3	0	2848.3	2594.4	0
..Septicemia (038)	12	9	10	148	245	.	.	0	.	.	0
...Septicemia-related (038)	56	35	43	740	1,140	327.2	268.7	0	542.9	420.5	0
..HIV infection (042-044)	164	164	164	4,330	5,970	1823.3	1616.3	0	2434.5	2180.9	0
All cancer (140-208)	126	60	85	962	1,690	477.9	639.5	0	953.6	1216.6	0
..Oral cavity or pharynx (140.0-149.9)	9	4	6	25	75	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	4	6	25	75	.	.	0	.	.	0
...Colon cancer (153)	7	3	5	23	63	.	.	0	.	.	0
...Rectal cancer (154)	1	1	1	3	13	.	.	0	.	.	0
..Pancreatic cancer (157)	2	1	1	3	13	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	22	7	16	58	165	40.9	103.9	0	125.0	237.9	0
...Lung cancer (162.2-.9)	17	4	12	40	115	26.9	89.7	0	86.1	211.4	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	12	4	6	25	80	.	.	0	.	.	0
..Bladder cancer (188)	5	3	3	28	58	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	1	1	1	58	68	.	.	0	.	.	0
..Leukemia (204-208)	12	8	9	237	320	.	.	0	.	.	0
Diabetes mellitus (250)	20	9	16	73	195	49.6	.	0	143.4	.	0
..Diabetes-related (250)	80	36	60	325	820	216.1	225.0	0	589.6	513.2	0
..Diabetic ketoacidosis (DKA) (250.1)	0	.	.	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	211	98	147	1,783	3,011	843.6	1042.3	0	1609.5	1944.2	0
..Diseases of the heart (390-398,402,404-429)	175	79	120	1,432	2,444	687.6	776.1	0	1319.6	1504.5	0
...Heart disease-related (390-398,402,404-429)	361	194	264	4,112	6,417	1847.9	1982.2	0	3151.3	3326.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	108	42	69	500	1,058	295.7	399.8	0	689.1	909.4	0
....Congestive heart failure (CHF) (428.0)	2	.	1	0	8	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	1	.	1	0	3	.	.	0	.	.	0
...Hypertension-related (401,403)	26	11	16	123	255	68.9	104.4	0	166.3	231.6	0
..Cerebrovascular disease (430-438)	28	15	20	317	484	134.9	214.1	0	234.4	343.9	0
..Atherosclerosis (440)	1	1	1	23	33	.	.	0	.	.	0
...Atherosclerosis-related (440)	7	4	4	40	80	.	.	0	.	.	0
..Aortic aneurysm (441)	4	1	3	3	18	.	.	0	.	.	0
Pneumonia & influenza (480-487)	20	11	14	285	407	116.5	143.0	0	175.5	207.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	8	10	160	250	75.1	56.2	0	125.2	97.1	0
..COPD-related (490-496)	54	15	27	228	433	111.2	147.4	0	250.6	266.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	5	5	5	103	153
Chronic liver disease and cirrhosis (571)	36	32	35	510	843	270.7	146.3	0	456.5	266.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	6	7	95	158
..Nephritis-related (580-589)	54	35	45	760	1,175	347.3	208.3	0	572.6	362.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	11	6	7	95	158
Unintentional injuries (E800-E949)	102	98	100	3,237	4,227	1294.3	1328.6	0	1647.1	1682.7	0
..Motor vehicle accidents (E810-E825)	36	36	36	1,142	1,502	484.3	447.2	0	623.6	548.2	0
..Falls and fall related injuries (E880-E888)	5	4	4	105	145
..Drowning (E830,E832,E910)	6	5	6	250	307
..Residential fires (E890-E899)	5	4	5	226	269
Suicide (E950-E959)	28	28	28	895	1,175	371.0	362.4	0	470.9	473.3	0
Homicide and legal intervention (E960-E978)	52	50	52	1,785	2,295	749.0	1389.8	1	933.2	1691.5	1
..Homicide (E960-E969)	52	50	52	1,785	2,295	749.0	1389.8	1	933.2	1691.5	1
All injury (E800-E999)	189	183	187	6,187	8,037	2513.7	3150.3	0	3170.9	3933.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	36	36	36	1,142	1,502	484.3	432.6	0	623.6	530.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	6	6	145	205
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	51	51	51	1,888	2,398	782.6	1450.5	1	953.0	1774.6	1
....Suicide (E955.0-.4)	9	9	9	323	413	.	215.2	.	.	277.7	.
....Homicide (E965.0-.4)	41	41	41	1,528	1,938	635.6	1191.4	1	774.4	1446.3	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	49	49	49	1,488	1,978	608.6	656.2	0	775.5	841.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	27	24	27	385	643	209.2	158.4	0	357.3	258.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	44	44	44	1,325	1,765	532.8	695.8	0	679.7	889.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	564	291	382	7,856	11,203	3085.5	3998.9	1	4597.5	5574.5	0
Infectious diseases and parasitic disease (1-139)	64	56	58	1,601	2,166	620.3	835.0	0	819.6	1062.2	0
..Septicemia (038)	8	1	2	13	25
...Septicemia-related (038)	28	13	15	250	385	113.1	231.4	0	179.8	315.7	0
..HIV infection (042-044)	51	51	51	1,435	1,945	559.4	654.0	0	735.8	827.2	0
All cancer (140-208)	108	55	76	823	1,490	400.2	453.5	0	764.5	797.4	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	10	5	7	48	108
...Colon cancer (153)	7	3	4	43	80
...Rectal cancer (154)	3	2	3	5	28
..Pancreatic cancer (157)	4	2	3	20	48
..Lung and other respiratory cancer (160-165)	11	3	8	18	85
...Lung cancer (162.2-.9)	11	3	8	18	85
..Malignant melanoma of skin (172)	1	1	1	28	38
..Female breast cancer (174)	15	13	13	158	288	82.5	122.0	0	153.2	225.3	0
..Cervical cancer (180)	6	3	3	78	108
..Endometrial cancer (182)	3	2	2	20	40
..Ovarian cancer (183)	6	3	4	63	95
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	6	4	5	80	123
..Leukemia (204-208)	6	2	5	60	98
Diabetes mellitus (250)	23	8	13	85	193	43.8	48.1	0	108.4	104.6	0
..Diabetes-related (250)	86	28	49	280	668	149.8	149.1	0	385.5	356.3	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	4	2	3	10	33
Cardiovascular disease (390-459)	182	54	90	844	1,549	388.9	405.8	0	774.5	795.3	0
..Diseases of the heart (390-398,402,404-429)	148	43	73	667	1,237	306.7	327.2	0	622.2	645.0	0
...Heart disease-related (390-398,402,404-429)	274	103	158	1,969	3,256	885.4	936.8	0	1549.4	1591.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	100	27	51	343	728	173.0	174.6	0	395.8	387.3	0
....Congestive heart failure (CHF) (428.0)	3	.	.	0	0
..Hypertension with or without renal disease (401,403)	1	1	1	23	33
...Hypertension-related (401,403)	28	6	14	65	165	37.4	65.0	0	98.0	114.1	0
..Cerebrovascular disease (430-438)	28	8	14	125	230	60.4	73.2	0	116.7	135.1	0
...Atherosclerosis (440)
...Atherosclerosis-related (440)	7	2	2	10	30
..Aortic aneurysm (441)	2	.	.	0	0
Pneumonia & influenza (480-487)	17	7	10	108	195	55.2	.	0	105.7	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	10	13	265	378	123.9	64.6	0	174.0	121.0	0
..COPD-related (490-496)	37	14	20	290	460	140.3	117.1	0	228.0	230.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	8	8	8	235	315
Chronic liver disease and cirrhosis (571)	11	4	8	40	100
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	2	5	55	88
..Nephritis-related (580-589)	34	11	24	248	425	112.2	71.5	0	205.2	150.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	14	6	11	125	213
Unintentional injuries (E800-E949)	26	20	22	758	968	293.3	384.7	0	369.4	470.5	0
..Motor vehicle accidents (E810-E825)	8	8	8	337	417
..Falls and fall related injuries (E880-E888)	2	1	1	65	75
..Drowning (E830,E832,E910)	1	1	1	8	18
..Residential fires (E890-E899)	5	5	5	217	267
Suicide (E950-E959)	3	3	3	68	98
Homicide and legal intervention (E960-E978)	8	8	8	391	471	.	327.7	.	.	392.4	.
..Homicide (E960-E969)	8	8	8	391	471	.	327.7	.	.	392.4	.
All injury (E800-E999)	38	32	34	1,281	1,611	476.4	733.3	0	586.7	892.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	8	8	8	337	417
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	65	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	198	248
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	198	248
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	5	5	5	155	205
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	2	3	35	63
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	6	6	6	187	247

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	1,531	992	1,195	27,089	38,032	5173.1	6187.0	1	7631.5	8743.5	1
Infectious diseases and parasitic disease (1-139)	262	248	252	6,586	9,086	1156.3	1170.4	0	1550.2	1549.6	0
..Septicemia (038)	20	10	12	160	270	36.7	68.3	0	68.5	101.0	0
...Septicemia-related (038)	84	48	58	989	1,524	199.0	233.3	0	337.1	349.2	0
..HIV infection (042-044)	215	215	215	5,765	7,915	1007.9	954.4	0	1330.5	1256.0	0
All cancer (140-208)	234	115	161	1,785	3,180	435.4	531.3	0	889.7	1019.1	0
..Oral cavity or pharynx (140.0-149.9)	10	4	6	25	75
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	9	13	73	183	22.8	34.5	0	65.8	70.8	0
...Colon cancer (153)	14	6	9	65	143	.	27.8	.	.	50.9	.
...Rectal cancer (154)	4	3	4	8	40
..Pancreatic cancer (157)	6	3	4	23	60
..Lung and other respiratory cancer (160-165)	33	10	24	75	250	28.0	53.7	0	102.2	135.4	0
...Lung cancer (162.2-.9)	28	7	20	58	200	20.6	47.8	0	81.7	119.5	0
..Malignant melanoma of skin (172)	2	1	1	28	38
..Female breast cancer (174)	15	13	13	158	288
..Cervical cancer (180)	6	3	3	78	108
..Endometrial cancer (182)	3	2	2	20	40
..Ovarian cancer (183)	6	3	4	63	95
..Prostate cancer (185)	12	4	6	25	80
..Bladder cancer (188)	5	3	3	28	58
..Brain & other CNS cancer (191-192)	7	5	6	138	190
..Leukemia (204-208)	18	10	14	297	417	59.0	.	0	88.9	.	0
Diabetes mellitus (250)	43	17	29	158	388	47.4	44.3	0	136.6	100.0	0
..Diabetes-related (250)	166	64	109	605	1,488	187.2	190.9	0	528.4	465.4	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	6	2	3	10	33
Cardiovascular disease (390-459)	393	152	237	2,627	4,560	587.3	696.3	0	1200.1	1377.7	0
..Diseases of the heart (390-398,402,404-429)	323	122	193	2,098	3,681	470.3	531.3	0	974.1	1088.2	0
...Heart disease-related (390-398,402,404-429)	635	297	422	6,081	9,673	1292.8	1371.0	0	2313.5	2403.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	208	69	120	843	1,785	228.7	286.1	0	566.4	676.5	0
....Congestive heart failure (CHF) (428.0)	5	.	1	0	8
..Hypertension with or without renal disease (401,403)	2	1	2	23	35
...Hypertension-related (401,403)	54	17	30	188	420	59.0	85.6	0	148.9	178.7	0
..Cerebrovascular disease (430-438)	56	23	34	442	714	96.8	138.3	0	180.3	235.3	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	14	6	6	50	110	.	11.6	.	.	26.0	.
..Aortic aneurysm (441)	6	1	3	18	18
Pneumonia & influenza (480-487)	37	18	24	392	602	83.3	97.2	0	141.3	142.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	35	18	23	425	628	93.8	60.2	0	144.6	115.3	0
..COPD-related (490-496)	91	29	47	518	893	120.2	131.8	0	242.3	260.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	13	13	13	338	468
Chronic liver disease and cirrhosis (571)	47	36	43	550	943	130.3	94.7	0	242.4	180.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	8	12	150	245	29.9	.	0	56.6	.	0
..Nephritis-related (580-589)	88	46	69	1,007	1,600	211.6	131.1	0	374.7	257.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	25	12	18	220	370	45.9	.	0	89.2	.	0
Unintentional injuries (E800-E949)	128	118	122	3,995	5,195	744.5	815.9	0	931.4	1007.6	0
..Motor vehicle accidents (E810-E825)	44	44	44	1,479	1,919	293.0	318.8	0	364.5	382.7	0
..Falls and fall related injuries (E880-E888)	7	5	5	170	220
..Drowning (E830,E832,E910)	7	6	7	257	325
..Residential fires (E890-E899)	10	9	10	443	535
Suicide (E950-E959)	31	31	31	963	1,273	178.9	169.4	0	226.4	220.6	0
Homicide and legal intervention (E960-E978)	60	58	60	2,176	2,766	420.6	838.3	1	509.3	998.0	1
..Homicide (E960-E969)	60	58	60	2,176	2,766	420.6	838.3	1	509.3	998.0	1
All injury (E800-E999)	227	215	221	7,468	9,648	1399.4	1853.3	1	1731.2	2262.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	44	44	44	1,479	1,919	293.0	312.9	0	364.5	375.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	8	7	7	210	280
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	56	56	2,085	2,645	404.0	820.1	1	482.3	979.7	1
....Suicide (E955.0-.4)	9	9	9	323	413	.	97.3	.	.	124.1	.
....Homicide (E965.0-.4)	46	46	46	1,725	2,185	337.6	699.0	1	403.2	828.7	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	54	54	54	1,642	2,182	286.3	300.5	0	359.3	381.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	30	26	30	420	705	100.9	80.7	0	180.2	130.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	50	50	50	1,512	2,012	251.9	332.7	0	316.9	420.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	967	701	813	19,234	26,829	7371.6	8489.7	0	10828.5	12121.4	0
Infectious diseases and parasitic disease (1-139)	198	192	194	4,985	6,920	1802.3	1658.9	0	2436.4	2252.4	0
..Septicemia (038)	12	9	10	148	245	.	.	0	.	.	0
...Septicemia-related (038)	56	35	43	740	1,140	292.6	255.2	0	513.0	410.6	0
..HIV infection (042-044)	164	164	164	4,330	5,970	1562.4	1391.8	0	2072.0	1876.9	0
All cancer (140-208)	126	60	85	962	1,690	486.8	616.4	0	1017.0	1249.1	0
..Oral cavity or pharynx (140.0-149.9)	9	4	6	25	75	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	4	6	25	75	.	.	0	.	.	0
...Colon cancer (153)	7	3	5	23	63	.	.	0	.	.	0
...Rectal cancer (154)	1	1	1	3	13	.	.	0	.	.	0
..Pancreatic cancer (157)	2	1	1	3	13	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	22	7	16	58	165	44.4	99.4	0	143.8	249.7	0
...Lung cancer (162.2-.9)	17	4	12	40	115	28.3	87.3	0	98.7	224.5	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	12	4	6	25	80	.	.	0	.	.	0
..Bladder cancer (188)	5	3	3	28	58	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	1	1	1	58	68	.	.	0	.	.	0
..Leukemia (204-208)	12	8	9	237	320	.	.	0	.	.	0
Diabetes mellitus (250)	20	9	16	73	195	53.0	.	0	162.4	.	0
..Diabetes-related (250)	80	36	60	325	820	228.1	229.6	0	657.7	552.7	0
..Diabetic ketoacidosis (DKA) (250.1)	0	.	.	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	211	98	147	1,783	3,011	809.4	1012.5	0	1649.5	1988.8	0
..Diseases of the heart (390-398,402,404-429)	175	79	120	1,432	2,444	651.1	755.2	0	1341.2	1552.7	0
...Heart disease-related (390-398,402,404-429)	361	194	264	4,112	6,417	1752.8	1865.4	0	3137.0	3275.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	108	42	69	500	1,058	296.8	405.6	0	740.4	978.9	0
....Congestive heart failure (CHF) (428.0)	2	.	1	0	8	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	1	.	1	0	3	.	.	0	.	.	0
...Hypertension-related (401,403)	26	11	16	123	255	79.3	109.3	0	192.0	249.9	0
..Cerebrovascular disease (430-438)	28	15	20	317	484	136.4	207.8	0	245.8	340.9	0
..Atherosclerosis (440)	1	1	1	23	33	.	.	0	.	.	0
...Atherosclerosis-related (440)	7	4	4	40	80	.	.	0	.	.	0
..Aortic aneurysm (441)	4	1	3	3	18	.	.	0	.	.	0
Pneumonia & influenza (480-487)	20	11	14	285	407	106.1	131.9	0	165.0	194.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	8	10	160	250	69.9	53.3	0	122.5	99.1	0
..COPD-related (490-496)	54	15	27	228	433	105.4	140.9	0	264.8	272.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	5	5	5	103	153
Chronic liver disease and cirrhosis (571)	36	32	35	510	843	257.5	142.8	0	446.2	269.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	6	7	95	158
..Nephritis-related (580-589)	54	35	45	760	1,175	327.5	192.1	0	560.2	357.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	11	6	7	95	158
Unintentional injuries (E800-E949)	102	98	100	3,237	4,227	1194.0	1242.0	0	1500.1	1553.1	0
..Motor vehicle accidents (E810-E825)	36	36	36	1,142	1,502	452.9	452.0	0	578.2	545.6	0
..Falls and fall related injuries (E880-E888)	5	4	4	105	145
..Drowning (E830,E832,E910)	6	5	6	250	307
..Residential fires (E890-E899)	5	4	5	226	269
Suicide (E950-E959)	28	28	28	895	1,175	334.3	319.5	0	419.7	416.4	0
Homicide and legal intervention (E960-E978)	52	50	52	1,785	2,295	694.8	1342.2	1	858.5	1608.1	1
..Homicide (E960-E969)	52	50	52	1,785	2,295	694.8	1342.2	1	858.5	1608.1	1
All injury (E800-E999)	189	183	187	6,187	8,037	2312.5	2962.8	0	2883.4	3648.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	36	36	36	1,142	1,502	452.9	440.2	0	578.2	531.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	6	6	145	205
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	51	51	51	1,888	2,398	720.6	1398.9	1	865.3	1685.3	1
....Suicide (E955.0-.4)	9	9	9	323	413	.	194.1	.	.	248.9	.
....Homicide (E965.0-.4)	41	41	41	1,528	1,938	589.6	1159.4	1	709.1	1384.8	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	49	49	49	1,488	1,978	521.1	545.4	0	655.2	693.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	27	24	27	385	643	200.8	149.5	0	352.2	248.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	44	44	44	1,325	1,765	445.2	577.8	0	561.1	731.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	564	291	382	7,856	11,203	3041.8	3953.2	0	4615.3	5552.8	0
Infectious diseases and parasitic disease (1-139)	64	56	58	1,601	2,166	551.3	714.5	0	724.2	900.1	0
..Septicemia (038)	8	1	2	13	25
...Septicemia-related (038)	28	13	15	250	385	112.8	219.0	0	181.9	302.5	0
..HIV infection (042-044)	51	51	51	1,435	1,945	486.2	543.0	0	635.0	678.4	0
All cancer (140-208)	108	55	76	823	1,490	384.0	455.3	0	777.0	825.2	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	10	5	7	48	108
...Colon cancer (153)	7	3	4	43	80
...Rectal cancer (154)	3	2	3	5	28
..Pancreatic cancer (157)	4	2	3	20	48
..Lung and other respiratory cancer (160-165)	11	3	8	18	85
...Lung cancer (162.2-.9)	11	3	8	18	85
..Malignant melanoma of skin (172)	1	1	1	28	38
..Female breast cancer (174)	15	13	13	158	288	82.3	120.9	0	156.6	231.3	0
..Cervical cancer (180)	6	3	3	78	108
..Endometrial cancer (182)	3	2	2	20	40
..Ovarian cancer (183)	6	3	4	63	95
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	6	4	5	80	123
..Leukemia (204-208)	6	2	5	60	98
Diabetes mellitus (250)	23	8	13	85	193	43.1	48.2	0	116.4	111.0	0
..Diabetes-related (250)	86	28	49	280	668	152.0	156.5	0	421.8	390.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	4	2	3	10	33
Cardiovascular disease (390-459)	182	54	90	844	1,549	377.7	407.5	0	802.8	839.3	0
..Diseases of the heart (390-398,402,404-429)	148	43	73	667	1,237	301.7	330.0	0	652.1	684.4	0
...Heart disease-related (390-398,402,404-429)	274	103	158	1,969	3,256	859.3	921.1	0	1574.8	1631.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	100	27	51	343	728	168.7	181.2	0	419.7	420.0	0
....Congestive heart failure (CHF) (428.0)	3	.	.	0	0
..Hypertension with or without renal disease (401,403)	1	1	1	23	33
...Hypertension-related (401,403)	28	6	14	65	165	39.5	67.6	0	109.4	121.2	0
..Cerebrovascular disease (430-438)	28	8	14	125	230	56.8	71.4	0	117.8	136.9	0
..Atherosclerosis (440)
...Atherosclerosis-related (440)	7	2	2	10	30
..Aortic aneurysm (441)	2	.	.	0	0
Pneumonia & influenza (480-487)	17	7	10	108	195	61.3	.	0	118.3	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	10	13	265	378	119.4	65.3	0	169.6	128.3	0
..COPD-related (490-496)	37	14	20	290	460	137.5	119.6	0	231.6	245.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	8	8	8	235	315
Chronic liver disease and cirrhosis (571)	11	4	8	40	100
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	2	5	55	88
..Nephritis-related (580-589)	34	11	24	248	425	104.0	72.9	0	205.8	164.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	14	6	11	125	213
Unintentional injuries (E800-E949)	26	20	22	758	968	300.6	390.6	0	374.2	469.8	0
..Motor vehicle accidents (E810-E825)	8	8	8	337	417
..Falls and fall related injuries (E880-E888)	2	1	1	65	75
..Drowning (E830,E832,E910)	1	1	1	8	18
..Residential fires (E890-E899)	5	5	5	217	267
Suicide (E950-E959)	3	3	3	68	98
Homicide and legal intervention (E960-E978)	8	8	8	391	471	.	312.2	.	.	366.1	.
..Homicide (E960-E969)	8	8	8	391	471	.	312.2	.	.	366.1	.
All injury (E800-E999)	38	32	34	1,281	1,611	481.4	722.5	0	584.6	863.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	8	8	8	337	417
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	65	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	198	248
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	198	248
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	5	5	5	155	205
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	2	3	35	63
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	6	6	6	187	247

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	1,531	992	1,195	27,089	38,032	5657.9	6518.5	1	8329.4	9265.5	0
Infectious diseases and parasitic disease (1-139)	262	248	252	6,586	9,086	1466.6	1443.8	0	1951.1	1902.3	0
..Septicemia (038)	20	10	12	160	270	44.4	77.7	0	78.9	113.8	0
...Septicemia-related (038)	84	48	58	989	1,524	239.4	256.4	0	391.7	381.8	0
..HIV infection (042-044)	215	215	215	5,765	7,915	1283.9	1192.2	0	1686.4	1561.0	0
All cancer (140-208)	234	115	161	1,785	3,180	488.2	597.0	0	966.0	1114.3	0
..Oral cavity or pharynx (140.0-149.9)	10	4	6	25	75
..Colorectal cancer (153.0-154.3,154.8,159.0)	18	9	13	73	183	26.5	40.8	0	70.3	79.8	0
...Colon cancer (153)	14	6	9	65	143	.	34.0	.	.	59.4	.
...Rectal cancer (154)	4	3	4	8	40
..Pancreatic cancer (157)	6	3	4	23	60
..Lung and other respiratory cancer (160-165)	33	10	24	75	250	30.0	66.8	0	106.6	153.6	0
...Lung cancer (162.2-.9)	28	7	20	58	200	22.6	58.7	0	86.0	135.1	0
..Malignant melanoma of skin (172)	2	1	1	28	38
..Female breast cancer (174)	15	13	13	158	288
..Cervical cancer (180)	6	3	3	78	108
..Endometrial cancer (182)	3	2	2	20	40
..Ovarian cancer (183)	6	3	4	63	95
..Prostate cancer (185)	12	4	6	25	80
..Bladder cancer (188)	5	3	3	28	58
..Brain & other CNS cancer (191-192)	7	5	6	138	190
..Leukemia (204-208)	18	10	14	297	417	60.1	.	0	91.8	.	0
Diabetes mellitus (250)	43	17	29	158	388	55.3	54.8	0	147.7	114.9	0
..Diabetes-related (250)	166	64	109	605	1,488	216.1	220.4	0	570.2	505.6	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	6	2	3	10	33
Cardiovascular disease (390-459)	393	152	237	2,627	4,560	690.2	796.7	0	1348.7	1521.2	0
..Diseases of the heart (390-398,402,404-429)	323	122	193	2,098	3,681	559.5	601.5	0	1102.0	1187.9	0
...Heart disease-related (390-398,402,404-429)	635	297	422	6,081	9,673	1491.8	1557.2	0	2598.2	2665.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	208	69	120	843	1,785	275.5	323.7	0	635.8	730.8	0
....Congestive heart failure (CHF) (428.0)	5	.	1	0	8
..Hypertension with or without renal disease (401,403)	2	1	2	23	35
...Hypertension-related (401,403)	54	17	30	188	420	60.6	93.9	0	153.5	191.1	0
..Cerebrovascular disease (430-438)	56	23	34	442	714	104.5	163.3	0	193.2	270.8	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	14	6	6	50	110	.	15.0	.	.	30.7	.
..Aortic aneurysm (441)	6	1	3	18	18
Pneumonia & influenza (480-487)	37	18	24	392	602	91.0	109.1	0	153.0	159.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	35	18	23	425	628	100.7	65.8	0	155.2	126.6	0
..COPD-related (490-496)	91	29	47	518	893	131.7	144.5	0	259.8	281.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	13	13	13	338	468
Chronic liver disease and cirrhosis (571)	47	36	43	550	943	165.2	116.1	0	288.7	209.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	16	8	12	150	245	38.0	.	0	67.6	.	0
..Nephritis-related (580-589)	88	46	69	1,007	1,600	256.3	144.1	0	437.8	275.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	25	12	18	220	370	59.0	.	0	107.1	.	0
Unintentional injuries (E800-E949)	128	118	122	3,995	5,195	773.5	824.5	0	978.0	1029.8	0
..Motor vehicle accidents (E810-E825)	44	44	44	1,479	1,919	288.1	280.3	0	361.7	340.5	0
..Falls and fall related injuries (E880-E888)	7	5	5	170	220
..Drowning (E830,E832,E910)	7	6	7	257	325
..Residential fires (E890-E899)	10	9	10	443	535
Suicide (E950-E959)	31	31	31	963	1,273	193.4	191.6	0	245.8	249.3	0
Homicide and legal intervention (E960-E978)	60	58	60	2,176	2,766	397.1	769.1	1	483.9	922.0	1
..Homicide (E960-E969)	60	58	60	2,176	2,766	397.1	769.1	1	483.9	922.0	1
All injury (E800-E999)	227	215	221	7,468	9,648	1420.4	1819.9	0	1773.4	2243.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	44	44	44	1,479	1,919	288.1	274.3	0	361.7	333.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	8	7	7	210	280
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	56	56	56	2,085	2,645	381.9	755.0	1	457.3	908.6	1
....Suicide (E955.0-.4)	9	9	9	323	413	.	106.4	.	.	136.2	.
....Homicide (E965.0-.4)	46	46	46	1,725	2,185	314.2	629.8	1	376.2	751.3	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	54	54	54	1,642	2,182	340.1	372.0	0	429.0	471.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	30	26	30	420	705	125.3	104.7	0	213.3	163.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	50	50	50	1,512	2,012	308.1	414.7	0	388.6	523.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	967	701	813	19,234	26,829	8245.4	9171.9	0	12043.8	13118.6	0
Infectious diseases and parasitic disease (1-139)	198	192	194	4,985	6,920	2337.7	2097.9	0	3125.9	2821.9	0
..Septicemia (038)	12	9	10	148	245	.	.	0	.	.	0
...Septicemia-related (038)	56	35	43	740	1,140	363.5	295.5	0	606.9	467.3	0
..HIV infection (042-044)	164	164	164	4,330	5,970	2024.5	1766.1	0	2668.4	2360.7	0
All cancer (140-208)	126	60	85	962	1,690	527.2	704.7	0	1079.4	1374.7	0
..Oral cavity or pharynx (140.0-149.9)	9	4	6	25	75	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	8	4	6	25	75	.	.	0	.	.	0
...Colon cancer (153)	7	3	5	23	63	.	.	0	.	.	0
...Rectal cancer (154)	1	1	1	3	13	.	.	0	.	.	0
..Pancreatic cancer (157)	2	1	1	3	13	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	22	7	16	58	165	48.6	124.2	0	153.5	283.4	0
...Lung cancer (162.2-.9)	17	4	12	40	115	32.4	107.5	0	108.1	253.0	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	12	4	6	25	80	.	.	0	.	.	0
..Bladder cancer (188)	5	3	3	28	58	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	1	1	1	58	68	.	.	0	.	.	0
..Leukemia (204-208)	12	8	9	237	320	.	.	0	.	.	0
Diabetes mellitus (250)	20	9	16	73	195	59.2	.	0	172.5	.	0
..Diabetes-related (250)	80	36	60	325	820	260.3	264.2	0	705.6	599.1	0
..Diabetic ketoacidosis (DKA) (250.1)	0	.	.	0
Alzheimer's diseases (331.0)	2	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	211	98	147	1,783	3,011	942.4	1174.4	0	1842.4	2215.9	0
..Diseases of the heart (390-398,402,404-429)	175	79	120	1,432	2,444	777.8	872.9	0	1521.7	1715.5	0
...Heart disease-related (390-398,402,404-429)	361	194	264	4,112	6,417	2044.3	2200.8	0	3547.5	3734.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	108	42	69	500	1,058	353.8	459.6	0	825.7	1055.6	0
....Congestive heart failure (CHF) (428.0)	2	.	1	0	8	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	1	.	1	0	3	.	.	0	.	.	0
...Hypertension-related (401,403)	26	11	16	123	255	76.8	124.6	0	190.8	270.6	0
..Cerebrovascular disease (430-438)	28	15	20	317	484	138.7	241.1	0	252.1	389.0	0
..Atherosclerosis (440)	1	1	1	23	33	.	.	0	.	.	0
...Atherosclerosis-related (440)	7	4	4	40	80	.	.	0	.	.	0
..Aortic aneurysm (441)	4	1	3	3	18	.	.	0	.	.	0
Pneumonia & influenza (480-487)	20	11	14	285	407	124.9	159.4	0	191.4	231.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	15	8	10	160	250	81.1	60.6	0	137.5	112.7	0
..COPD-related (490-496)	54	15	27	228	433	124.8	157.8	0	292.7	298.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	5	5	5	103	153
Chronic liver disease and cirrhosis (571)	36	32	35	510	843	327.9	175.6	0	540.5	314.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	6	7	95	158
..Nephritis-related (580-589)	54	35	45	760	1,175	402.2	222.6	0	662.4	398.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	11	6	7	95	158
Unintentional injuries (E800-E949)	102	98	100	3,237	4,227	1277.9	1297.4	0	1620.2	1637.8	0
..Motor vehicle accidents (E810-E825)	36	36	36	1,142	1,502	458.0	405.9	0	590.0	495.8	0
..Falls and fall related injuries (E880-E888)	5	4	4	105	145
..Drowning (E830,E832,E910)	6	5	6	250	307
..Residential fires (E890-E899)	5	4	5	226	269
Suicide (E950-E959)	28	28	28	895	1,175	359.0	358.9	0	453.1	466.9	0
Homicide and legal intervention (E960-E978)	52	50	52	1,785	2,295	666.5	1226.0	1	829.4	1480.3	1
..Homicide (E960-E969)	52	50	52	1,785	2,295	666.5	1226.0	1	829.4	1480.3	1
All injury (E800-E999)	189	183	187	6,187	8,037	2398.5	2951.7	0	3015.5	3669.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	36	36	36	1,142	1,502	458.0	394.0	0	590.0	481.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	6	6	6	145	205
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	51	51	51	1,888	2,398	685.7	1297.7	1	826.1	1577.0	1
....Suicide (E955.0-.4)	9	9	9	323	413	.	213.7	.	.	274.8	.
....Homicide (E965.0-.4)	41	41	41	1,528	1,938	551.1	1047.9	1	664.7	1261.6	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	49	49	49	1,488	1,978	621.7	669.1	0	784.5	847.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	27	24	27	385	643	249.3	191.8	0	419.1	306.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	44	44	44	1,325	1,765	547.1	718.2	0	690.2	907.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
All causes	564	291	382	7,856	11,203	3175.3	3969.8	0	4847.0	5648.4	0
Infectious diseases and parasitic disease (1-139)	64	56	58	1,601	2,166	650.3	831.7	0	854.5	1049.0	0
..Septicemia (038)	8	1	2	13	25
...Septicemia-related (038)	28	13	15	250	385	124.4	225.5	0	199.4	312.4	0
..HIV infection (042-044)	51	51	51	1,435	1,945	588.0	652.6	0	766.1	815.7	0
All cancer (140-208)	108	55	76	823	1,490	449.4	498.9	0	868.0	891.8	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	10	5	7	48	108
...Colon cancer (153)	7	3	4	43	80
...Rectal cancer (154)	3	2	3	5	28
..Pancreatic cancer (157)	4	2	3	20	48
..Lung and other respiratory cancer (160-165)	11	3	8	18	85
...Lung cancer (162.2-.9)	11	3	8	18	85
..Malignant melanoma of skin (172)	1	1	1	28	38
..Female breast cancer (174)	15	13	13	158	288	100.7	137.8	0	180.6	253.6	0
..Cervical cancer (180)	6	3	3	78	108
..Endometrial cancer (182)	3	2	2	20	40
..Ovarian cancer (183)	6	3	4	63	95
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	6	4	5	80	123
..Leukemia (204-208)	6	2	5	60	98
Diabetes mellitus (250)	23	8	13	85	193	52.6	59.9	0	128.9	127.4	0
..Diabetes-related (250)	86	28	49	280	668	178.1	181.0	0	458.5	424.6	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	4	2	3	10	33
Cardiovascular disease (390-459)	182	54	90	844	1,549	453.7	451.0	0	912.9	906.5	0
..Diseases of the heart (390-398,402,404-429)	148	43	73	667	1,237	356.5	355.5	0	732.6	725.9	0
...Heart disease-related (390-398,402,404-429)	274	103	158	1,969	3,256	973.5	966.2	0	1745.5	1708.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	100	27	51	343	728	206.5	203.4	0	475.4	454.0	0
....Congestive heart failure (CHF) (428.0)	3	.	.	0	0
..Hypertension with or without renal disease (401,403)	1	1	1	23	33
...Hypertension-related (401,403)	28	6	14	65	165	45.3	69.0	0	119.7	125.3	0
..Cerebrovascular disease (430-438)	28	8	14	125	230	70.0	89.2	0	137.7	161.6	0
...Atherosclerosis (440)
...Atherosclerosis-related (440)	7	2	2	10	30
..Aortic aneurysm (441)	2	.	.	0	0
Pneumonia & influenza (480-487)	17	7	10	108	195	58.6	.	0	116.2	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	20	10	13	265	378	121.5	69.2	0	175.1	137.4	0
..COPD-related (490-496)	37	14	20	290	460	140.9	128.5	0	239.0	262.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
*****Causes of Death*****											
..Asthma (493)	8	8	8	235	315
Chronic liver disease and cirrhosis (571)	11	4	8	40	100
Nephritis, nephrotic syndrome/nephrosis (580-589)	8	2	5	55	88
..Nephritis-related (580-589)	34	11	24	248	425	121.2	69.4	0	232.9	161.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	14	6	11	125	213
Unintentional injuries (E800-E949)	26	20	22	758	968	281.6	358.3	0	356.1	436.8	0
..Motor vehicle accidents (E810-E825)	8	8	8	337	417
..Falls and fall related injuries (E880-E888)	2	1	1	65	75
..Drowning (E830,E832,E910)	1	1	1	8	18
..Residential fires (E890-E899)	5	5	5	217	267
Suicide (E950-E959)	3	3	3	68	98
Homicide and legal intervention (E960-E978)	8	8	8	391	471	.	297.2	.	.	350.8	.
..Homicide (E960-E969)	8	8	8	391	471	.	297.2	.	.	350.8	.
All injury (E800-E999)	38	32	34	1,281	1,611	451.1	681.9	0	554.5	824.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	8	8	8	337	417
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	65	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	198	248
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	5	5	5	198	248
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	5	5	5	155	205
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	2	3	35	63
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	6	6	6	187	247

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).