

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1997-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1997-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1997-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Both Sexes | | | | Male | | | | Female | | | | 1995-1996 AAMR | | |
|--|---------------------|------------|-------|--------------|---------------------|------------|-------|--------------|---------------------|------------|------|--------------|----------------|---|-------|
| | *****1997-1998***** | | | | *****1997-1998***** | | | | *****1997-1998***** | | | | | | |
| | No. of deaths | Crude rate | AAMR | Significance | No. of deaths | Crude rate | AAMR | Significance | No. of deaths | Crude rate | AAMR | Significance | | | |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| All causes | 1,559 | 295.5 | 356.4 | 0 | 376.7 | 899 | 346.0 | 465.4 | 0 | 524.6 | 660 | 246.6 | 266.7 | 0 | 252.4 |
| Infectious diseases and parasitic disease (1-139) | 153 | 29.0 | 32.6 | 1 | 54.5 | 99 | 38.1 | 44.3 | 1 | 85.9 | 54 | 20.2 | 22.2 | 0 | 25.5 |
| ..Septicemia (038) | 25 | 4.7 | 6.5 | 0 | 5.3 | 10 | 3.8 | . | . | . | 15 | 5.6 | 7.0 | 0 | . |
|Septicemia-related (038) | 81 | 15.4 | 19.9 | 0 | 21.7 | 46 | 17.7 | 25.7 | 0 | 34.0 | 35 | 13.1 | 15.2 | 0 | 12.1 |
| ..HIV infection (042-044) | 99 | 18.8 | 20.5 | 1 | 43.5 | 70 | 26.9 | 31.1 | 1 | 68.6 | 29 | 10.8 | 11.2 | 0 | 20.0 |
| All cancer (140-208) | 271 | 51.4 | 71.4 | 0 | 67.0 | 146 | 56.2 | 89.4 | 0 | 85.8 | 125 | 46.7 | 59.0 | 0 | 54.4 |
| ..Oral cavity or pharynx (140.0-149.9) | 4 | 0.8 | . | . | . | 3 | 1.2 | . | . | . | 1 | 0.4 | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 29 | 5.5 | 7.4 | 0 | 5.6 | 20 | 7.7 | 11.7 | 0 | . | 9 | 3.4 | . | . | . |
|Colon cancer (153) | 22 | 4.2 | 5.5 | 0 | . | 17 | 6.5 | 9.9 | 0 | . | 5 | 1.9 | . | . | . |
|Rectal cancer (154) | 7 | 1.3 | . | . | . | 3 | 1.2 | . | . | . | 4 | 1.5 | . | . | . |
| ..Pancreatic cancer (157) | 11 | 2.1 | . | . | . | 7 | 2.7 | . | . | . | 4 | 1.5 | . | . | . |
| ..Lung and other respiratory cancer (160-165) | 48 | 9.1 | 14.1 | 0 | 10.7 | 30 | 11.5 | 20.4 | 0 | 16.8 | 18 | 6.7 | 9.2 | 0 | . |
|Lung cancer (162.2-.9) | 46 | 8.7 | 13.6 | 0 | 9.0 | 28 | 10.8 | 19.1 | 0 | 13.0 | 18 | 6.7 | 9.2 | 0 | . |
| ..Malignant melanoma of skin (172) | 3 | 0.6 | . | . | . | 2 | 0.8 | . | . | . | 1 | 0.4 | . | . | . |
| ..Female breast cancer (174) | 26 | . | . | . | . | . | . | . | . | . | 26 | 9.7 | 12.4 | 0 | 8.2 |
| ..Cervical cancer (180) | 7 | . | . | . | . | . | . | . | . | . | 7 | 2.6 | . | . | . |
| ..Ovarian cancer (183) | 6 | . | . | . | . | . | . | . | . | . | 6 | 2.2 | . | . | . |
| ..Prostate cancer (185) | 9 | . | . | . | . | 9 | 3.5 | . | . | . | . | . | . | . | . |
| ..Bladder cancer (188) | 5 | 0.9 | . | . | . | 1 | 0.4 | . | . | . | 4 | 1.5 | . | . | . |
| ..Brain & other CNS cancer (191-192) | 4 | 0.8 | . | . | . | 3 | 1.2 | . | . | . | 1 | 0.4 | . | . | . |
| ..Leukemia (204-208) | 17 | 3.2 | 4.0 | 0 | 4.6 | 12 | 4.6 | . | . | . | 5 | 1.9 | . | . | . |
| Diabetes mellitus (250) | 46 | 8.7 | 12.9 | 0 | 13.0 | 27 | 10.4 | 17.3 | 0 | 15.8 | 19 | 7.1 | 9.6 | 0 | 10.8 |
| ..Diabetes-related (250) | 183 | 34.7 | 49.0 | 0 | 51.2 | 90 | 34.6 | 55.4 | 0 | 60.7 | 93 | 34.7 | 43.9 | 0 | 43.6 |
| Alzheimer's diseases (331.0) | 4 | 0.8 | . | . | . | . | . | . | . | . | 4 | 1.5 | . | . | . |
| Cardiovascular disease (390-459) | 446 | 84.6 | 108.4 | 0 | 107.4 | 220 | 84.7 | 134.3 | 0 | 139.4 | 226 | 84.4 | 88.3 | 0 | 82.7 |
| ..Diseases of the heart (390-398,402,404-429) | 341 | 64.6 | 83.0 | 0 | 88.0 | 170 | 65.4 | 103.8 | 0 | 114.8 | 171 | 63.9 | 67.4 | 0 | 67.4 |
|Heart disease-related (390-398,402,404-429) | 674 | 127.8 | 163.5 | 0 | 168.7 | 354 | 136.2 | 205.4 | 0 | 224.8 | 320 | 119.5 | 130.3 | 0 | 125.5 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 225 | 42.7 | 57.5 | 0 | 59.1 | 117 | 45.0 | 74.0 | 0 | 75.0 | 108 | 40.3 | 45.8 | 0 | 47.4 |
|Congestive heart failure (CHF) (428.0) | 18 | 3.4 | 3.3 | . | . | 7 | 2.7 | . | . | . | 11 | 4.1 | . | . | . |
| ..Hypertension with or without renal disease (401,403) | 4 | 0.8 | . | . | . | 2 | 0.8 | . | . | . | 2 | 0.7 | . | . | . |
|Hypertension-related (401,403) | 90 | 17.1 | 22.2 | 0 | 15.7 | 40 | 15.4 | 23.7 | 0 | 18.6 | 50 | 18.7 | 20.8 | 0 | 13.5 |
| ..Cerebrovascular disease (430-438) | 86 | 16.3 | 20.4 | 0 | 15.1 | 39 | 15.0 | 23.2 | 0 | 18.3 | 47 | 17.6 | 17.9 | 0 | 12.5 |
| ..Atherosclerosis (440) | 2 | 0.4 | . | . | . | . | . | . | . | . | 2 | 0.7 | . | . | . |
|Atherosclerosis-related (440) | 21 | 4.0 | 4.7 | 0 | . | 11 | 4.2 | . | . | . | 10 | 3.7 | . | . | . |
| ..Aortic aneurysm (441) | 6 | 1.1 | . | . | . | 4 | 1.5 | . | . | . | 2 | 0.7 | . | . | . |
| Pneumonia & influenza (480-487) | 46 | 8.7 | 9.3 | 0 | 9.5 | 23 | 8.9 | 12.2 | 0 | 11.7 | 23 | 8.6 | 7.0 | 0 | 7.9 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 44 | 8.3 | 9.8 | 0 | 9.0 | 20 | 7.7 | 9.5 | 0 | 9.0 | 24 | 9.0 | 9.8 | 0 | 9.2 |
| ..COPD-related (490-496) | 95 | 18.0 | 21.7 | 0 | 24.1 | 46 | 17.7 | 23.7 | 0 | 35.8 | 49 | 18.3 | 20.5 | 0 | 16.7 |

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Both Sexes | | | | Male | | | | Female | | | | | | |
|---|---------------------|------------|------|--------------|---------------------|---------------|------------|------|---------------------|----------------|---------------|------------|------|--------------|----------------|
| | *****1997-1998***** | | | | *****1997-1998***** | | | | *****1997-1998***** | | | | | | |
| | No. of deaths | Crude rate | AAMR | Significance | 1995-1996 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1995-1996 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1995-1996 AAMR |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| ..Asthma (493) | 18 | 3.4 | 4.1 | 0 | . | 8 | 3.1 | . | . | . | 10 | 3.7 | . | . | . |
| Chronic liver disease and cirrhosis (571) | 50 | 9.5 | 13.2 | 0 | 13.6 | 33 | 12.7 | 18.7 | 0 | 21.9 | 17 | 6.4 | 8.3 | 0 | . |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 25 | 4.7 | 6.4 | 0 | 4.3 | 11 | 4.2 | . | . | . | 14 | 5.2 | . | . | . |
| ..Nephritis-related (580-589) | 116 | 22.0 | 29.3 | 0 | 24.1 | 60 | 23.1 | 35.6 | 0 | 32.4 | 56 | 20.9 | 24.8 | 0 | 17.0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 31 | 5.9 | 7.8 | 0 | 7.0 | 17 | 6.5 | 9.3 | 0 | . | 14 | 5.2 | . | . | . |
| Unintentional injuries (E800-E949) | 162 | 30.7 | 32.0 | 0 | 26.5 | 125 | 48.1 | 52.1 | 0 | 43.3 | 37 | 13.8 | 13.6 | 0 | 10.6 |
| ..Motor vehicle accidents (E810-E825) | 57 | 10.8 | 11.8 | 0 | 9.4 | 39 | 15.0 | 16.9 | 0 | 16.0 | 18 | 6.7 | 7.0 | 0 | . |
| ..Falls and fall related injuries (E880-E888) | 8 | 1.5 | . | . | . | 6 | 2.3 | . | . | . | 2 | 0.7 | . | . | . |
| ..Drowning (E830,E832,E910) | 7 | 1.3 | . | . | . | 5 | 1.9 | . | . | . | 2 | 0.7 | . | . | . |
| ..Residential fires (E890-E899) | 7 | 1.3 | . | . | . | 6 | 2.3 | . | . | . | 1 | 0.4 | . | . | . |
| Suicide (E950-E959) | 26 | 4.9 | 5.1 | 0 | 6.4 | 22 | 8.5 | 8.8 | 0 | 11.6 | 4 | 1.5 | . | . | . |
| Homicide and legal intervention (E960-E978) | 39 | 7.4 | 7.9 | 0 | 12.4 | 34 | 13.1 | 13.9 | 0 | 22.6 | 5 | 1.9 | . | . | . |
| ..Homicide (E960-E969) | 39 | 7.4 | 7.9 | 0 | 12.4 | 34 | 13.1 | 13.9 | 0 | 22.6 | 5 | 1.9 | . | . | . |
| All injury (E800-E999) | 231 | 43.8 | 45.7 | 0 | 46.7 | 183 | 70.4 | 75.6 | 0 | 79.8 | 48 | 17.9 | 17.8 | 0 | 14.9 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 54 | 10.2 | 11.2 | 0 | 9.4 | 37 | 14.2 | 16.1 | 0 | 16.0 | 17 | 6.4 | 6.6 | 0 | . |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 7 | 1.3 | . | . | . | 7 | 2.7 | . | . | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 36 | 6.8 | 7.0 | 0 | 11.2 | 35 | 13.5 | 13.5 | 0 | 20.5 | 1 | 0.4 | . | . | . |
|Suicide (E955.0-.4) | 8 | 1.5 | . | . | . | 8 | 3.1 | . | . | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 27 | 5.1 | 5.5 | 0 | 9.3 | 26 | 10.0 | 10.4 | 0 | 16.7 | 1 | 0.4 | . | . | . |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 67 | 12.7 | 12.6 | 0 | 10.4 | 54 | 20.8 | 21.3 | 0 | 19.3 | 13 | 4.9 | . | . | . |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 29 | 5.5 | 7.0 | 0 | 8.6 | 21 | 8.1 | 11.2 | 0 | 16.7 | 8 | 3.0 | . | . | . |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 69 | 13.1 | 13.1 | 0 | 9.5 | 56 | 21.6 | 22.3 | 0 | 17.0 | 13 | 4.9 | . | . | . |

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Both Sexes | | | | Male | | | | Female | | | | | | |
|--|---------------------|------------|-------|--------------|---------------------|---------------|------------|-------|---------------------|----------------|---------------|------------|-------|--------------|----------------|
| | *****1997-1998***** | | | | *****1997-1998***** | | | | *****1997-1998***** | | | | | | |
| | No. of deaths | Crude rate | AAMR | Significance | 1995-1996 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1995-1996 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1995-1996 AAMR |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| All causes | 1,559 | 295.5 | 445.4 | 0 | 461.1 | 899 | 346.0 | 573.5 | 0 | 628.1 | 660 | 246.6 | 345.3 | 0 | 328.8 |
| Infectious diseases and parasitic disease (1-139) | 153 | 29.0 | 33.0 | 1 | 50.2 | 99 | 38.1 | 43.8 | 1 | 77.5 | 54 | 20.2 | 23.6 | 0 | 25.3 |
| ..Septicemia (038) | 25 | 4.7 | 8.7 | 0 | 7.2 | 10 | 3.8 | . | . | . | 15 | 5.6 | 9.2 | 0 | . |
|Septicemia-related (038) | 81 | 15.4 | 25.6 | 0 | 27.9 | 46 | 17.7 | 32.4 | 0 | 42.6 | 35 | 13.1 | 20.3 | 0 | 17.0 |
| ..HIV infection (042-044) | 99 | 18.8 | 18.8 | 1 | 37.2 | 70 | 26.9 | 28.7 | 1 | 58.6 | 29 | 10.8 | 10.3 | 0 | 17.3 |
| All cancer (140-208) | 271 | 51.4 | 89.6 | 0 | 88.5 | 146 | 56.2 | 117.1 | 0 | 118.4 | 125 | 46.7 | 71.5 | 0 | 69.2 |
| ..Oral cavity or pharynx (140.0-149.9) | 4 | 0.8 | . | . | . | 3 | 1.2 | . | . | . | 1 | 0.4 | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 29 | 5.5 | 9.5 | 0 | 7.4 | 20 | 7.7 | 15.5 | 0 | . | 9 | 3.4 | . | . | . |
|Colon cancer (153) | 22 | 4.2 | 7.3 | 0 | . | 17 | 6.5 | 13.6 | 0 | . | 5 | 1.9 | . | . | . |
|Rectal cancer (154) | 7 | 1.3 | . | . | . | 3 | 1.2 | . | . | . | 4 | 1.5 | . | . | . |
| ..Pancreatic cancer (157) | 11 | 2.1 | . | . | . | 7 | 2.7 | . | . | . | 4 | 1.5 | . | . | . |
| ..Lung and other respiratory cancer (160-165) | 48 | 9.1 | 17.8 | 0 | 14.4 | 30 | 11.5 | 25.5 | 0 | 23.4 | 18 | 6.7 | 12.0 | 0 | . |
|Lung cancer (162.2-.9) | 46 | 8.7 | 17.0 | 0 | 12.2 | 28 | 10.8 | 23.6 | 0 | 18.4 | 18 | 6.7 | 12.0 | 0 | . |
| ..Malignant melanoma of skin (172) | 3 | 0.6 | . | . | . | 2 | 0.8 | . | . | . | 1 | 0.4 | . | . | . |
| ..Female breast cancer (174) | 26 | . | . | . | . | . | . | . | . | . | 26 | 9.7 | 13.6 | 0 | 9.2 |
| ..Cervical cancer (180) | 7 | . | . | . | . | . | . | . | . | . | 7 | 2.6 | . | . | . |
| ..Ovarian cancer (183) | 6 | . | . | . | . | . | . | . | . | . | 6 | 2.2 | . | . | . |
| ..Prostate cancer (185) | 9 | . | . | . | . | 9 | 3.5 | . | . | . | . | . | . | . | . |
| ..Bladder cancer (188) | 5 | 0.9 | . | . | . | 1 | 0.4 | . | . | . | 4 | 1.5 | . | . | . |
| ..Brain & other CNS cancer (191-192) | 4 | 0.8 | . | . | . | 3 | 1.2 | . | . | . | 1 | 0.4 | . | . | . |
| ..Leukemia (204-208) | 17 | 3.2 | 4.7 | 0 | 5.9 | 12 | 4.6 | . | . | . | 5 | 1.9 | . | . | . |
| Diabetes mellitus (250) | 46 | 8.7 | 16.8 | 0 | 17.7 | 27 | 10.4 | 22.5 | 0 | 20.4 | 19 | 7.1 | 12.7 | 0 | 15.4 |
| ..Diabetes-related (250) | 183 | 34.7 | 65.5 | 0 | 69.3 | 90 | 34.6 | 73.9 | 0 | 79.9 | 93 | 34.7 | 59.4 | 0 | 60.6 |
| Alzheimer's diseases (331.0) | 4 | 0.8 | . | . | . | . | . | . | . | . | 4 | 1.5 | . | . | . |
| Cardiovascular disease (390-459) | 446 | 84.6 | 152.3 | 0 | 150.5 | 220 | 84.7 | 183.3 | 0 | 191.8 | 226 | 84.4 | 128.4 | 0 | 120.3 |
| ..Diseases of the heart (390-398,402,404-429) | 341 | 64.6 | 117.0 | 0 | 123.6 | 170 | 65.4 | 143.4 | 0 | 158.6 | 171 | 63.9 | 97.6 | 0 | 98.4 |
|Heart disease-related (390-398,402,404-429) | 674 | 127.8 | 221.9 | 0 | 227.2 | 354 | 136.2 | 272.4 | 0 | 300.4 | 320 | 119.5 | 183.2 | 0 | 174.4 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 225 | 42.7 | 81.2 | 0 | 84.1 | 117 | 45.0 | 104.2 | 0 | 107.1 | 108 | 40.3 | 65.4 | 0 | 68.4 |
|Congestive heart failure (CHF) (428.0) | 18 | 3.4 | 5.9 | . | . | 7 | 2.7 | . | . | . | 11 | 4.1 | . | . | . |
| ..Hypertension with or without renal disease (401,403) | 4 | 0.8 | . | . | . | 2 | 0.8 | . | . | . | 2 | 0.7 | . | . | . |
|Hypertension-related (401,403) | 90 | 17.1 | 32.2 | 0 | 22.7 | 40 | 15.4 | 33.4 | 0 | 26.8 | 50 | 18.7 | 31.0 | 0 | 19.6 |
| ..Cerebrovascular disease (430-438) | 86 | 16.3 | 28.8 | 0 | 21.3 | 39 | 15.0 | 31.2 | 0 | 25.1 | 47 | 17.6 | 26.4 | 0 | 18.2 |
| ..Atherosclerosis (440) | 2 | 0.4 | . | . | . | . | . | . | . | . | 2 | 0.7 | . | . | . |
|Atherosclerosis-related (440) | 21 | 4.0 | 7.6 | 0 | . | 11 | 4.2 | . | . | . | 10 | 3.7 | . | . | . |
| ..Aortic aneurysm (441) | 6 | 1.1 | . | . | . | 4 | 1.5 | . | . | . | 2 | 0.7 | . | . | . |
| Pneumonia & influenza (480-487) | 46 | 8.7 | 15.2 | 0 | 12.9 | 23 | 8.9 | 19.0 | 0 | 15.8 | 23 | 8.6 | 12.4 | 0 | 11.1 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 44 | 8.3 | 13.4 | 0 | 12.0 | 20 | 7.7 | 13.0 | 0 | 12.6 | 24 | 9.0 | 13.6 | 0 | 11.8 |
| ..COPD-related (490-496) | 95 | 18.0 | 30.8 | 0 | 35.7 | 46 | 17.7 | 35.9 | 0 | 56.0 | 49 | 18.3 | 28.1 | 0 | 23.5 |

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Both Sexes | | | | | Male | | | | | Female | | | | |
|---|---------------------|---------------|------|-------------------|-----------------------|---------------------|---------------|------|-------------------|-----------------------|---------------------|---------------|------|-------------------|-----------------------|
| | *****1997-1998***** | | | | | *****1997-1998***** | | | | | *****1997-1998***** | | | | |
| | No. of deaths | Crude rate | AAMR | Signif- icance | 1995- 1996 AAMR | No. of deaths | Crude rate | AAMR | Signif- icance | 1995- 1996 AAMR | No. of deaths | Crude rate | AAMR | Signif- icance | 1995- 1996 AAMR |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| ..Asthma (493) | 18 | 3.4 | 4.7 | 0 | . | 8 | 3.1 | . | . | . | 10 | 3.7 | . | . | . |
| Chronic liver disease and cirrhosis (571) | 50 | 9.5 | 14.6 | 0 | 15.3 | 33 | 12.7 | 20.1 | 0 | 23.1 | 17 | 6.4 | 9.8 | 0 | . |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 25 | 4.7 | 8.8 | 0 | 5.6 | 11 | 4.2 | . | . | . | 14 | 5.2 | . | . | . |
| ..Nephritis-related (580-589) | 116 | 22.0 | 39.0 | 0 | 29.9 | 60 | 23.1 | 48.0 | 0 | 39.3 | 56 | 20.9 | 32.8 | 0 | 22.3 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 31 | 5.9 | 10.7 | 0 | 9.0 | 17 | 6.5 | 13.8 | 0 | . | 14 | 5.2 | . | . | . |
| Unintentional injuries (E800-E949) | 162 | 30.7 | 30.7 | 0 | 26.1 | 125 | 48.1 | 50.3 | 0 | 40.5 | 37 | 13.8 | 13.3 | 0 | 12.2 |
| ..Motor vehicle accidents (E810-E825) | 57 | 10.8 | 11.2 | 0 | 8.7 | 39 | 15.0 | 16.5 | 0 | 14.8 | 18 | 6.7 | 6.4 | 0 | . |
| ..Falls and fall related injuries (E880-E888) | 8 | 1.5 | . | . | . | 6 | 2.3 | . | . | . | 2 | 0.7 | . | . | . |
| ..Drowning (E830,E832,E910) | 7 | 1.3 | . | . | . | 5 | 1.9 | . | . | . | 2 | 0.7 | . | . | . |
| ..Residential fires (E890-E899) | 7 | 1.3 | . | . | . | 6 | 2.3 | . | . | . | 1 | 0.4 | . | . | . |
| Suicide (E950-E959) | 26 | 4.9 | 4.5 | 0 | 5.7 | 22 | 8.5 | 7.9 | 0 | 10.3 | 4 | 1.5 | . | . | . |
| Homicide and legal intervention (E960-E978) | 39 | 7.4 | 7.3 | 0 | 11.6 | 34 | 13.1 | 12.9 | 0 | 21.2 | 5 | 1.9 | . | . | . |
| ..Homicide (E960-E969) | 39 | 7.4 | 7.3 | 0 | 11.6 | 34 | 13.1 | 12.9 | 0 | 21.2 | 5 | 1.9 | . | . | . |
| All injury (E800-E999) | 231 | 43.8 | 43.2 | 0 | 44.5 | 183 | 70.4 | 71.7 | 0 | 74.1 | 48 | 17.9 | 17.0 | 0 | 16.2 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 54 | 10.2 | 10.7 | 0 | 8.7 | 37 | 14.2 | 15.7 | 0 | 14.8 | 17 | 6.4 | 6.1 | 0 | . |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 7 | 1.3 | . | . | . | 7 | 2.7 | . | . | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 36 | 6.8 | 6.3 | 0 | 10.0 | 35 | 13.5 | 12.1 | 0 | 18.3 | 1 | 0.4 | . | . | . |
|Suicide (E955.0-.4) | 8 | 1.5 | . | . | . | 8 | 3.1 | . | . | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 27 | 5.1 | 5.0 | 0 | 8.4 | 26 | 10.0 | 9.5 | 0 | 15.1 | 1 | 0.4 | . | . | . |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 67 | 12.7 | 10.7 | 0 | 8.8 | 54 | 20.8 | 18.4 | 0 | 16.1 | 13 | 4.9 | . | . | . |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 29 | 5.5 | 6.9 | 0 | 9.0 | 21 | 8.1 | 11.2 | 0 | 17.3 | 8 | 3.0 | . | . | . |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 69 | 13.1 | 11.2 | 0 | 7.8 | 56 | 21.6 | 19.4 | 0 | 13.9 | 13 | 4.9 | . | . | . |

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Both Sexes | | | | Male | | | | Female | | | | | | |
|--|---------------------|------------|-------|--------------|---------------------|---------------|------------|-------|---------------------|----------------|---------------|------------|-------|--------------|----------------|
| | *****1997-1998***** | | | | *****1997-1998***** | | | | *****1997-1998***** | | | | | | |
| | No. of deaths | Crude rate | AAMR | Significance | 1995-1996 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1995-1996 AAMR | No. of deaths | Crude rate | AAMR | Significance | 1995-1996 AAMR |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| All causes | 1,559 | 295.5 | 561.0 | 0 | 586.4 | 899 | 346.0 | 717.8 | 0 | 796.3 | 660 | 246.6 | 442.8 | 0 | 425.8 |
| Infectious diseases and parasitic disease (1-139) | 153 | 29.0 | 39.8 | 1 | 63.5 | 99 | 38.1 | 53.7 | 1 | 98.5 | 54 | 20.2 | 27.8 | 0 | 31.6 |
| ..Septicemia (038) | 25 | 4.7 | 11.0 | 0 | 9.9 | 10 | 3.8 | . | . | . | 15 | 5.6 | 11.4 | 0 | . |
|Septicemia-related (038) | 81 | 15.4 | 32.4 | 0 | 37.1 | 46 | 17.7 | 40.8 | 0 | 55.2 | 35 | 13.1 | 26.1 | 0 | 23.9 |
| ..HIV infection (042-044) | 99 | 18.8 | 22.1 | 1 | 46.3 | 70 | 26.9 | 34.1 | 1 | 73.9 | 29 | 10.8 | 11.6 | 0 | 20.6 |
| All cancer (140-208) | 271 | 51.4 | 108.4 | 0 | 112.1 | 146 | 56.2 | 146.5 | 0 | 153.6 | 125 | 46.7 | 84.6 | 0 | 86.5 |
| ..Oral cavity or pharynx (140.0-149.9) | 4 | 0.8 | . | . | . | 3 | 1.2 | . | . | . | 1 | 0.4 | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 29 | 5.5 | 11.6 | 0 | 9.0 | 20 | 7.7 | 19.5 | 0 | . | 9 | 3.4 | . | . | . |
|Colon cancer (153) | 22 | 4.2 | 9.4 | 0 | . | 17 | 6.5 | 17.6 | 0 | . | 5 | 1.9 | . | . | . |
|Rectal cancer (154) | 7 | 1.3 | . | . | . | 3 | 1.2 | . | . | . | 4 | 1.5 | . | . | . |
| ..Pancreatic cancer (157) | 11 | 2.1 | . | . | . | 7 | 2.7 | . | . | . | 4 | 1.5 | . | . | . |
| ..Lung and other respiratory cancer (160-165) | 48 | 9.1 | 20.5 | 0 | 17.4 | 30 | 11.5 | 29.0 | 0 | 29.3 | 18 | 6.7 | 14.1 | 0 | . |
|Lung cancer (162.2-.9) | 46 | 8.7 | 19.5 | 0 | 14.9 | 28 | 10.8 | 26.5 | 0 | 23.5 | 18 | 6.7 | 14.1 | 0 | . |
| ..Malignant melanoma of skin (172) | 3 | 0.6 | . | . | . | 2 | 0.8 | . | . | . | 1 | 0.4 | . | . | . |
| ..Female breast cancer (174) | 26 | . | . | . | . | . | . | . | . | . | 26 | 9.7 | 15.4 | 0 | 10.3 |
| ..Cervical cancer (180) | 7 | . | . | . | . | . | . | . | . | . | 7 | 2.6 | . | . | . |
| ..Ovarian cancer (183) | 6 | . | . | . | . | . | . | . | . | . | 6 | 2.2 | . | . | . |
| ..Prostate cancer (185) | 9 | . | . | . | . | 9 | 3.5 | . | . | . | . | . | . | . | . |
| ..Bladder cancer (188) | 5 | 0.9 | . | . | . | 1 | 0.4 | . | . | . | 4 | 1.5 | . | . | . |
| ..Brain & other CNS cancer (191-192) | 4 | 0.8 | . | . | . | 3 | 1.2 | . | . | . | 1 | 0.4 | . | . | . |
| ..Leukemia (204-208) | 17 | 3.2 | 5.7 | 0 | 7.4 | 12 | 4.6 | . | . | . | 5 | 1.9 | . | . | . |
| Diabetes mellitus (250) | 46 | 8.7 | 20.4 | 0 | 22.5 | 27 | 10.4 | 27.7 | 0 | 23.7 | 19 | 7.1 | 15.2 | 0 | 20.9 |
| ..Diabetes-related (250) | 183 | 34.7 | 82.0 | 0 | 86.4 | 90 | 34.6 | 94.1 | 0 | 96.3 | 93 | 34.7 | 73.5 | 0 | 78.1 |
| Alzheimer's diseases (331.0) | 4 | 0.8 | . | . | . | . | . | . | . | . | 4 | 1.5 | . | . | . |
| Cardiovascular disease (390-459) | 446 | 84.6 | 204.2 | 0 | 203.3 | 220 | 84.7 | 236.6 | 0 | 255.2 | 226 | 84.4 | 178.8 | 0 | 167.2 |
| ..Diseases of the heart (390-398,402,404-429) | 341 | 64.6 | 156.6 | 0 | 167.8 | 170 | 65.4 | 186.5 | 0 | 213.3 | 171 | 63.9 | 134.7 | 0 | 136.5 |
|Heart disease-related (390-398,402,404-429) | 674 | 127.8 | 291.7 | 0 | 302.7 | 354 | 136.2 | 351.7 | 0 | 399.1 | 320 | 119.5 | 246.6 | 0 | 236.2 |
|Coronary heart disease (CHD) (402,410-414,429.2) | 225 | 42.7 | 107.0 | 0 | 113.4 | 117 | 45.0 | 136.5 | 0 | 145.4 | 108 | 40.3 | 87.2 | 0 | 92.9 |
|Congestive heart failure (CHF) (428.0) | 18 | 3.4 | 9.6 | . | . | 7 | 2.7 | . | . | . | 11 | 4.1 | . | . | . |
| ..Hypertension with or without renal disease (401,403) | 4 | 0.8 | . | . | . | 2 | 0.8 | . | . | . | 2 | 0.7 | . | . | . |
|Hypertension-related (401,403) | 90 | 17.1 | 44.0 | 0 | 30.1 | 40 | 15.4 | 45.6 | 0 | 35.2 | 50 | 18.7 | 42.4 | 0 | 26.6 |
| ..Cerebrovascular disease (430-438) | 86 | 16.3 | 39.4 | 0 | 28.8 | 39 | 15.0 | 40.7 | 0 | 32.6 | 47 | 17.6 | 37.6 | 0 | 25.8 |
| ..Atherosclerosis (440) | 2 | 0.4 | . | . | . | . | . | . | . | . | 2 | 0.7 | . | . | . |
|Atherosclerosis-related (440) | 21 | 4.0 | 11.1 | 0 | . | 11 | 4.2 | . | . | . | 10 | 3.7 | . | . | . |
| ..Aortic aneurysm (441) | 6 | 1.1 | . | . | . | 4 | 1.5 | . | . | . | 2 | 0.7 | . | . | . |
| Pneumonia & influenza (480-487) | 46 | 8.7 | 23.1 | 0 | 17.6 | 23 | 8.9 | 27.7 | 0 | 21.7 | 23 | 8.6 | 19.8 | 0 | 14.9 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 44 | 8.3 | 18.2 | 0 | 15.9 | 20 | 7.7 | 18.3 | 0 | 17.6 | 24 | 9.0 | 18.2 | 0 | 15.3 |
| ..COPD-related (490-496) | 95 | 18.0 | 42.5 | 0 | 50.1 | 46 | 17.7 | 52.6 | 0 | 81.1 | 49 | 18.3 | 37.1 | 0 | 32.0 |

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Both Sexes | | | | | Male | | | | | Female | | | | |
|---|---------------------|---------------|------|-------------------|-----------------------|---------------------|---------------|------|-------------------|-----------------------|---------------------|---------------|------|-------------------|-----------------------|
| | *****1997-1998***** | | | | | *****1997-1998***** | | | | | *****1997-1998***** | | | | |
| | No. of deaths | Crude rate | AAMR | Signif- icance | 1995- 1996 AAMR | No. of deaths | Crude rate | AAMR | Signif- icance | 1995- 1996 AAMR | No. of deaths | Crude rate | AAMR | Signif- icance | 1995- 1996 AAMR |
| *****Causes of Death***** | | | | | | | | | | | | | | | |
| ..Asthma (493) | 18 | 3.4 | 5.4 | 0 | . | 8 | 3.1 | . | . | . | 10 | 3.7 | . | . | . |
| Chronic liver disease and cirrhosis (571) | 50 | 9.5 | 16.7 | 0 | 17.6 | 33 | 12.7 | 22.7 | 0 | 26.4 | 17 | 6.4 | 11.3 | 0 | . |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 25 | 4.7 | 11.4 | 0 | 7.4 | 11 | 4.2 | . | . | . | 14 | 5.2 | . | . | . |
| ..Nephritis-related (580-589) | 116 | 22.0 | 50.1 | 0 | 37.8 | 60 | 23.1 | 62.7 | 0 | 50.2 | 56 | 20.9 | 41.8 | 0 | 28.3 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 31 | 5.9 | 13.8 | 0 | 11.6 | 17 | 6.5 | 20.1 | 0 | . | 14 | 5.2 | . | . | . |
| Unintentional injuries (E800-E949) | 162 | 30.7 | 34.8 | 0 | 29.7 | 125 | 48.1 | 56.9 | 0 | 45.7 | 37 | 13.8 | 15.4 | 0 | 14.3 |
| ..Motor vehicle accidents (E810-E825) | 57 | 10.8 | 11.9 | 0 | 8.8 | 39 | 15.0 | 17.5 | 0 | 15.4 | 18 | 6.7 | 7.0 | 0 | . |
| ..Falls and fall related injuries (E880-E888) | 8 | 1.5 | . | . | . | 6 | 2.3 | . | . | . | 2 | 0.7 | . | . | . |
| ..Drowning (E830,E832,E910) | 7 | 1.3 | . | . | . | 5 | 1.9 | . | . | . | 2 | 0.7 | . | . | . |
| ..Residential fires (E890-E899) | 7 | 1.3 | . | . | . | 6 | 2.3 | . | . | . | 1 | 0.4 | . | . | . |
| Suicide (E950-E959) | 26 | 4.9 | 4.9 | 0 | 6.2 | 22 | 8.5 | 8.5 | 0 | 11.2 | 4 | 1.5 | . | . | . |
| Homicide and legal intervention (E960-E978) | 39 | 7.4 | 6.9 | 0 | 11.3 | 34 | 13.1 | 12.0 | 0 | 21.1 | 5 | 1.9 | . | . | . |
| ..Homicide (E960-E969) | 39 | 7.4 | 6.9 | 0 | 11.3 | 34 | 13.1 | 12.0 | 0 | 21.1 | 5 | 1.9 | . | . | . |
| All injury (E800-E999) | 231 | 43.8 | 47.1 | 0 | 48.5 | 183 | 70.4 | 78.0 | 0 | 80.2 | 48 | 17.9 | 19.4 | 0 | 18.1 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 54 | 10.2 | 11.3 | 0 | 8.8 | 37 | 14.2 | 16.7 | 0 | 15.4 | 17 | 6.4 | 6.7 | 0 | . |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 7 | 1.3 | . | . | . | 7 | 2.7 | . | . | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 36 | 6.8 | 5.8 | 0 | 9.6 | 35 | 13.5 | 11.3 | 0 | 17.7 | 1 | 0.4 | . | . | . |
|Suicide (E955.0-.4) | 8 | 1.5 | . | . | . | 8 | 3.1 | . | . | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 27 | 5.1 | 4.4 | 0 | 7.9 | 26 | 10.0 | 8.4 | 0 | 14.3 | 1 | 0.4 | . | . | . |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 67 | 12.7 | 12.8 | 0 | 10.6 | 54 | 20.8 | 21.8 | 0 | 19.4 | 13 | 4.9 | . | . | . |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 29 | 5.5 | 7.9 | 0 | 9.9 | 21 | 8.1 | 12.5 | 0 | 19.2 | 8 | 3.0 | . | . | . |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 69 | 13.1 | 13.3 | 0 | 9.6 | 56 | 21.6 | 22.9 | 0 | 17.1 | 13 | 4.9 | . | . | . |

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997-1998 AAMR is significantly different (prob<0.05) from the 1995-1996 AAMR.
 0 - The 1997-1998 AAMR is not significantly different (prob>0.05) from the 1995-1996 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|--|-----------------------------|------|-------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 1,559 | 942 | 1,177 | 25,050 | 35,638 | 4790.6 | 5459.5 | 0 | 7073.9 | 7914.6 | 0 |
| Infectious diseases and parasitic disease (1-139) | 153 | 133 | 144 | 3,355 | 4,742 | 651.2 | 1339.5 | 1 | 915.1 | 1800.7 | 1 |
| ..Septicemia (038) | 25 | 9 | 18 | 180 | 312 | 35.1 | 39.3 | 0 | 70.1 | 69.7 | 0 |
| ...Septicemia-related (038) | 81 | 44 | 60 | 759 | 1,279 | 163.2 | 216.2 | 0 | 295.0 | 351.5 | 0 |
| ..HIV infection (042-044) | 99 | 97 | 99 | 2,375 | 3,360 | 472.9 | 1172.9 | 1 | 656.9 | 1559.2 | 1 |
| All cancer (140-208) | 271 | 147 | 210 | 2,203 | 4,000 | 514.1 | 439.1 | 0 | 991.8 | 853.3 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 4 | 1 | 3 | 28 | 53 | . | . | 0 | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 29 | 18 | 21 | 225 | 418 | 51.0 | 21.8 | 0 | 102.2 | 59.2 | 0 |
| ...Colon cancer (153) | 22 | 12 | 14 | 145 | 275 | 34.2 | . | 0 | 69.4 | . | 0 |
| ...Rectal cancer (154) | 7 | 6 | 7 | 80 | 143 | . | . | 0 | . | . | 0 |
| ..Pancreatic cancer (157) | 11 | 1 | 5 | 13 | 48 | . | . | 0 | . | . | 0 |
| ..Lung and other respiratory cancer (160-165) | 48 | 23 | 38 | 218 | 525 | 59.0 | 25.5 | 0 | 150.2 | 88.2 | 0 |
| ...Lung cancer (162.2-.9) | 46 | 22 | 37 | 215 | 513 | 58.1 | 19.0 | 0 | 146.0 | 70.5 | 0 |
| ..Malignant melanoma of skin (172) | 3 | 2 | 2 | 30 | 50 | . | . | 0 | . | . | 0 |
| ..Female breast cancer (174) | 26 | 21 | 24 | 313 | 540 | . | . | 0 | . | . | 0 |
| ..Cervical cancer (180) | 7 | 5 | 6 | 118 | 175 | . | . | 0 | . | . | 0 |
| ..Ovarian cancer (183) | 6 | 5 | 6 | 68 | 125 | . | . | 0 | . | . | 0 |
| ..Prostate cancer (185) | 9 | . | 4 | 0 | 20 | . | . | 0 | . | . | 0 |
| ..Bladder cancer (188) | 5 | . | 2 | 0 | 5 | . | . | 0 | . | . | 0 |
| ..Brain & other CNS cancer (191-192) | 4 | 3 | 3 | 53 | 83 | . | . | 0 | . | . | 0 |
| ..Leukemia (204-208) | 17 | 11 | 14 | 303 | 430 | 66.8 | 58.8 | 0 | 94.2 | 87.2 | 0 |
| Diabetes mellitus (250) | 46 | 17 | 34 | 198 | 460 | 48.9 | 46.2 | 0 | 126.0 | 123.7 | 0 |
| ..Diabetes-related (250) | 183 | 80 | 121 | 825 | 1,838 | 215.0 | 180.4 | 0 | 506.8 | 477.8 | 0 |
| Alzheimer's diseases (331.0) | 4 | . | 2 | 0 | 5 | . | . | 0 | . | . | 0 |
| Cardiovascular disease (390-459) | 446 | 173 | 260 | 2,729 | 4,866 | 602.1 | 610.1 | 0 | 1171.3 | 1169.2 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 341 | 129 | 198 | 2,124 | 3,736 | 454.9 | 491.0 | 0 | 884.1 | 950.7 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 674 | 294 | 430 | 5,512 | 9,122 | 1157.5 | 1352.8 | 0 | 2070.2 | 2311.3 | 0 |
| ...Coronary heart disease (CHD) (402,410-414,429.2) | 225 | 78 | 129 | 845 | 1,873 | 220.1 | 230.5 | 0 | 519.5 | 530.5 | 0 |
| ...Congestive heart failure (CHF) (428.0) | 18 | 3 | 4 | 95 | 132 | 14.6 | . | 0 | 22.8 | . | 0 |
| ..Hypertension with or without renal disease (401,403) | 4 | 1 | 3 | 8 | 23 | . | . | 0 | . | . | 0 |
| ...Hypertension-related (401,403) | 90 | 29 | 46 | 313 | 680 | 83.4 | 52.8 | 0 | 188.6 | 130.6 | 0 |
| ..Cerebrovascular disease (430-438) | 86 | 35 | 48 | 473 | 890 | 114.8 | 97.9 | 0 | 226.4 | 174.4 | 0 |
| ..Atherosclerosis (440) | 2 | . | . | 0 | 0 | . | . | 0 | . | . | 0 |
| ...Atherosclerosis-related (440) | 21 | 4 | 7 | 60 | 113 | 14.3 | . | 0 | 29.0 | . | 0 |
| ..Aortic aneurysm (441) | 6 | 2 | 4 | 25 | 50 | . | . | 0 | . | . | 0 |
| Pneumonia & influenza (480-487) | 46 | 9 | 17 | 332 | 467 | 59.0 | 85.3 | 0 | 90.8 | 140.0 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 44 | 21 | 27 | 552 | 787 | 107.4 | 98.6 | 0 | 157.0 | 148.2 | 0 |
| ..COPD-related (490-496) | 95 | 39 | 52 | 772 | 1,229 | 160.6 | 124.5 | 0 | 272.2 | 234.4 | 0 |
| ..Asthma (493) | 18 | 14 | 16 | 382 | 527 | 74.7 | . | 0 | 103.5 | . | 0 |
| Chronic liver disease and cirrhosis (571) | 50 | 39 | 46 | 583 | 1,010 | 138.8 | 137.6 | 0 | 245.7 | 245.0 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 25 | 10 | 16 | 115 | 245 | 29.1 | 33.5 | 0 | 66.7 | 58.6 | 0 |
| ..Nephritis-related (580-589) | 116 | 54 | 78 | 797 | 1,457 | 188.9 | 225.4 | 0 | 365.3 | 380.5 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 31 | 13 | 20 | 163 | 330 | 39.5 | 50.6 | 0 | 87.4 | 91.4 | 0 |
| Unintentional injuries (E800-E949) | 162 | 151 | 156 | 4,802 | 6,334 | 933.5 | 790.0 | 0 | 1193.8 | 1001.2 | 0 |
| ..Motor vehicle accidents (E810-E825) | 57 | 55 | 56 | 1,728 | 2,280 | 355.6 | 311.2 | 0 | 453.0 | 391.6 | 0 |
| ..Falls and fall related injuries (E880-E888) | 8 | 4 | 4 | 150 | 190 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 7 | 7 | 7 | 332 | 402 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 7 | 6 | 7 | 282 | 350 | . | . | . | . | . | . |
| Suicide (E950-E959) | 26 | 25 | 26 | 823 | 1,080 | 164.8 | 199.2 | 0 | 207.5 | 254.4 | 0 |
| Homicide and legal intervention (E960-E978) | 39 | 38 | 39 | 1,447 | 1,835 | 305.2 | 447.5 | 0 | 370.3 | 548.5 | 0 |
| ..Homicide (E960-E969) | 39 | 38 | 39 | 1,447 | 1,835 | 305.2 | 447.5 | 0 | 370.3 | 548.5 | 0 |
| All injury (E800-E999) | 231 | 218 | 225 | 7,221 | 9,439 | 1432.6 | 1496.1 | 0 | 1806.5 | 1874.6 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 54 | 52 | 53 | 1,625 | 2,148 | 334.6 | 311.2 | 0 | 427.1 | 391.6 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 7 | 5 | 5 | 193 | 243 | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 36 | 36 | 36 | 1,405 | 1,765 | 295.5 | 437.3 | 0 | 352.6 | 530.0 | 0 |
|Suicide (E955.0-.4) | 8 | 8 | 8 | 265 | 345 | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 27 | 27 | 27 | 1,093 | 1,363 | 236.5 | 363.0 | 0 | 280.6 | 439.8 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 67 | 67 | 67 | 1,898 | 2,568 | 367.3 | 330.6 | 0 | 477.7 | 421.0 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 29 | 28 | 29 | 485 | 773 | 113.2 | 106.3 | 0 | 178.6 | 183.4 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 69 | 69 | 69 | 1,953 | 2,643 | 381.5 | 297.7 | 0 | 496.1 | 379.7 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Male | | | | | | | | | | |
|--|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 899 | 602 | 730 | 16,127 | 22,822 | 6360.7 | 7909.4 | 1 | 9412.9 | 11411.0 | 1 |
| Infectious diseases and parasitic disease (1-139) | 99 | 91 | 95 | 2,216 | 3,146 | 888.9 | 2104.2 | 1 | 1257.9 | 2848.3 | 1 |
| ..Septicemia (038) | 10 | 5 | 7 | 110 | 165 | . | . | . | . | . | . |
| ...Septicemia-related (038) | 46 | 30 | 37 | 559 | 892 | 240.7 | 327.2 | 0 | 414.5 | 542.9 | 0 |
| ..HIV infection (042-044) | 70 | 68 | 70 | 1,555 | 2,250 | 651.3 | 1823.3 | 1 | 932.8 | 2434.5 | 1 |
| All cancer (140-208) | 146 | 74 | 109 | 1,095 | 2,033 | 544.7 | 477.9 | 0 | 1105.1 | 953.6 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 3 | 1 | 2 | 28 | 45 | . | . | . | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 20 | 13 | 14 | 148 | 285 | 71.4 | . | 0 | 153.5 | . | 0 |
| ...Colon cancer (153) | 17 | 10 | 11 | 115 | 223 | 57.8 | . | 0 | 122.6 | . | 0 |
| ...Rectal cancer (154) | 3 | 3 | 3 | 33 | 63 | . | . | . | . | . | . |
| ..Pancreatic cancer (157) | 7 | . | 4 | 0 | 25 | . | . | . | . | . | . |
| ..Lung and other respiratory cancer (160-165) | 30 | 16 | 25 | 150 | 363 | 86.4 | 40.9 | 0 | 226.8 | 125.0 | 0 |
| ...Lung cancer (162.2-.9) | 28 | 15 | 24 | 148 | 350 | 84.5 | 26.9 | 0 | 217.7 | 86.1 | 0 |
| ..Malignant melanoma of skin (172) | 2 | 2 | 2 | 30 | 50 | . | . | . | . | . | . |
| ..Female breast cancer (174) | . | . | . | . | . | . | . | . | . | . | . |
| ..Cervical cancer (180) | . | . | . | . | . | . | . | . | . | . | . |
| ..Ovarian cancer (183) | . | . | . | . | . | . | . | . | . | . | . |
| ..Prostate cancer (185) | 9 | . | 4 | 0 | 20 | . | . | . | . | . | . |
| ..Bladder cancer (188) | 1 | . | . | 0 | 0 | . | . | . | . | . | . |
| ..Brain & other CNS cancer (191-192) | 3 | 2 | 2 | 40 | 60 | . | . | . | . | . | . |
| ..Leukemia (204-208) | 12 | 6 | 9 | 230 | 308 | . | . | . | . | . | . |
| Diabetes mellitus (250) | 27 | 12 | 21 | 155 | 323 | 77.5 | 49.6 | 0 | 182.4 | 143.4 | 0 |
| ..Diabetes-related (250) | 90 | 47 | 63 | 568 | 1,113 | 305.2 | 216.1 | 0 | 629.7 | 589.6 | 0 |
| Alzheimer's diseases (331.0) | . | . | . | . | . | . | . | . | . | . | . |
| Cardiovascular disease (390-459) | 220 | 100 | 150 | 1,508 | 2,758 | 717.1 | 843.6 | 0 | 1462.9 | 1609.5 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 170 | 73 | 112 | 1,181 | 2,103 | 541.4 | 687.6 | 0 | 1088.2 | 1319.6 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 354 | 182 | 257 | 3,457 | 5,665 | 1507.8 | 1847.9 | 0 | 2716.4 | 3151.3 | 0 |
| ...Coronary heart disease (CHD) (402,410-414,429.2) | 117 | 42 | 71 | 510 | 1,088 | 275.9 | 295.7 | 0 | 646.1 | 689.1 | 0 |
| ...Congestive heart failure (CHF) (428.0) | 7 | 2 | 2 | 30 | 50 | . | . | . | . | . | . |
| ..Hypertension with or without renal disease (401,403) | 2 | 1 | 2 | 8 | 20 | . | . | . | . | . | . |
| ...Hypertension-related (401,403) | 40 | 17 | 24 | 233 | 435 | 125.5 | 68.9 | 0 | 243.3 | 166.3 | 0 |
| ..Cerebrovascular disease (430-438) | 39 | 20 | 27 | 245 | 488 | 129.2 | 134.9 | 0 | 276.2 | 234.4 | 0 |
| ..Atherosclerosis (440) | . | . | . | . | . | . | . | . | . | . | . |
| ...Atherosclerosis-related (440) | 11 | 3 | 6 | 53 | 95 | . | . | . | . | . | . |
| ..Aortic aneurysm (441) | 4 | 2 | 4 | 25 | 50 | . | . | . | . | . | . |
| Pneumonia & influenza (480-487) | 23 | 7 | 12 | 230 | 327 | 86.1 | 116.5 | 0 | 137.3 | 175.5 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 20 | 12 | 13 | 367 | 490 | 143.8 | 75.1 | 0 | 189.8 | 125.2 | 0 |
| ..COPD-related (490-496) | 46 | 20 | 24 | 447 | 667 | 187.1 | 111.2 | 0 | 295.3 | 250.6 | 0 |
| ..Asthma (493) | 8 | 7 | 8 | 238 | 310 | . | . | . | . | . | . |
| Chronic liver disease and cirrhosis (571) | 33 | 28 | 32 | 425 | 730 | 214.5 | 270.7 | 0 | 376.7 | 456.5 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Male | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 11 | 4 | 6 | 50 | 95 | . | . | . | . | . | . |
| ..Nephritis-related (580-589) | 60 | 31 | 42 | 450 | 812 | 222.2 | 347.3 | 0 | 431.5 | 572.6 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 17 | 7 | 10 | 98 | 180 | 49.6 | . | 0 | 98.7 | . | 0 |
| Unintentional injuries (E800-E949) | 125 | 117 | 121 | 3,748 | 4,938 | 1484.2 | 1294.3 | 0 | 1902.2 | 1647.1 | 0 |
| ..Motor vehicle accidents (E810-E825) | 39 | 37 | 38 | 1,208 | 1,580 | 506.0 | 484.3 | 0 | 641.1 | 623.6 | 0 |
| ..Falls and fall related injuries (E880-E888) | 6 | 4 | 4 | 150 | 190 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 5 | 5 | 5 | 230 | 280 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 6 | 5 | 6 | 225 | 282 | . | . | . | . | . | . |
| Suicide (E950-E959) | 22 | 21 | 22 | 688 | 905 | 273.3 | 371.0 | 0 | 347.6 | 470.9 | 0 |
| Homicide and legal intervention (E960-E978) | 34 | 33 | 34 | 1,278 | 1,615 | 539.6 | 749.0 | 0 | 653.1 | 933.2 | 0 |
| ..Homicide (E960-E969) | 34 | 33 | 34 | 1,278 | 1,615 | 539.6 | 749.0 | 0 | 653.1 | 933.2 | 0 |
| All injury (E800-E999) | 183 | 173 | 179 | 5,793 | 7,558 | 2329.8 | 2513.7 | 0 | 2941.8 | 3170.9 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 37 | 35 | 36 | 1,143 | 1,495 | 478.0 | 484.3 | 0 | 606.2 | 623.6 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 7 | 5 | 5 | 193 | 243 | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 35 | 35 | 35 | 1,363 | 1,713 | 565.4 | 782.6 | 0 | 675.8 | 953.0 | 0 |
|Suicide (E955.0-.4) | 8 | 8 | 8 | 265 | 345 | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 26 | 26 | 26 | 1,050 | 1,310 | 446.6 | 635.6 | 0 | 530.7 | 774.4 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 54 | 54 | 54 | 1,510 | 2,050 | 604.3 | 608.6 | 0 | 792.1 | 775.5 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 21 | 20 | 21 | 335 | 543 | 165.3 | 209.2 | 0 | 269.1 | 357.3 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 56 | 56 | 56 | 1,565 | 2,125 | 632.7 | 532.8 | 0 | 829.2 | 679.7 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Female | | | | | | | | | | |
|--|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 660 | 340 | 447 | 8,923 | 12,816 | 3276.8 | 3085.5 | 0 | 4885.9 | 4597.5 | 0 |
| Infectious diseases and parasitic disease (1-139) | 54 | 42 | 49 | 1,139 | 1,597 | 436.6 | 620.3 | 0 | 606.6 | 819.6 | 0 |
| ..Septicemia (038) | 15 | 4 | 11 | 70 | 148 | 28.1 | . | 0 | 67.4 | . | 0 |
| ...Septicemia-related (038) | 35 | 14 | 23 | 200 | 388 | 90.9 | 113.1 | 0 | 185.9 | 179.8 | 0 |
| ..HIV infection (042-044) | 29 | 29 | 29 | 820 | 1,110 | 314.9 | 559.4 | 0 | 413.6 | 735.8 | 0 |
| All cancer (140-208) | 125 | 73 | 101 | 1,108 | 1,968 | 485.9 | 400.2 | 0 | 898.2 | 764.5 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 1 | . | 1 | 0 | 8 | . | . | . | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 9 | 5 | 7 | 78 | 133 | . | . | . | . | . | . |
| ...Colon cancer (153) | 5 | 2 | 3 | 30 | 53 | . | . | . | . | . | . |
| ...Rectal cancer (154) | 4 | 3 | 4 | 48 | 80 | . | . | . | . | . | . |
| ..Pancreatic cancer (157) | 4 | 1 | 1 | 13 | 23 | . | . | . | . | . | . |
| ..Lung and other respiratory cancer (160-165) | 18 | 7 | 13 | 68 | 163 | 34.7 | . | 0 | 85.5 | . | 0 |
| ...Lung cancer (162.2-.9) | 18 | 7 | 13 | 68 | 163 | 34.7 | . | 0 | 85.5 | . | 0 |
| ..Malignant melanoma of skin (172) | 1 | . | . | 0 | 0 | . | . | . | . | . | . |
| ..Female breast cancer (174) | 26 | 21 | 24 | 313 | 540 | 134.2 | 82.5 | 0 | 238.2 | 153.2 | 0 |
| ..Cervical cancer (180) | 7 | 5 | 6 | 118 | 175 | . | . | . | . | . | . |
| ..Ovarian cancer (183) | 6 | 5 | 6 | 68 | 125 | . | . | . | . | . | . |
| ..Prostate cancer (185) | . | . | . | . | . | . | . | . | . | . | . |
| ..Bladder cancer (188) | 4 | . | 2 | 0 | 5 | . | . | . | . | . | . |
| ..Brain & other CNS cancer (191-192) | 1 | 1 | 1 | 13 | 23 | . | . | . | . | . | . |
| ..Leukemia (204-208) | 5 | 5 | 5 | 73 | 123 | . | . | . | . | . | . |
| Diabetes mellitus (250) | 19 | 5 | 13 | 43 | 138 | 23.1 | 43.8 | 0 | 77.1 | 108.4 | 0 |
| ..Diabetes-related (250) | 93 | 33 | 58 | 258 | 725 | 133.7 | 149.8 | 0 | 394.8 | 385.5 | 0 |
| Alzheimer's diseases (331.0) | 4 | . | 2 | 0 | 5 | . | . | . | . | . | . |
| Cardiovascular disease (390-459) | 226 | 73 | 110 | 1,221 | 2,108 | 499.9 | 388.9 | 0 | 924.9 | 774.5 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 171 | 56 | 86 | 943 | 1,633 | 376.2 | 306.7 | 0 | 709.2 | 622.2 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 320 | 112 | 173 | 2,055 | 3,458 | 834.8 | 885.4 | 0 | 1499.7 | 1549.4 | 0 |
| ...Coronary heart disease (CHD) (402,410-414,429.2) | 108 | 36 | 58 | 335 | 785 | 168.4 | 173.0 | 0 | 410.8 | 395.8 | 0 |
| ...Congestive heart failure (CHF) (428.0) | 11 | 1 | 2 | 65 | 82 | . | . | . | . | . | . |
| ..Hypertension with or without renal disease (401,403) | 2 | . | 1 | 0 | 3 | . | . | . | . | . | . |
| ...Hypertension-related (401,403) | 50 | 12 | 22 | 80 | 245 | 45.1 | 37.4 | 0 | 138.4 | 98.0 | 0 |
| ..Cerebrovascular disease (430-438) | 47 | 15 | 21 | 228 | 403 | 103.2 | 60.4 | 0 | 186.1 | 116.7 | 0 |
| ..Atherosclerosis (440) | 2 | . | . | 0 | 0 | . | . | . | . | . | . |
| ...Atherosclerosis-related (440) | 10 | 1 | 1 | 8 | 18 | . | . | . | . | . | . |
| ..Aortic aneurysm (441) | 2 | . | . | 0 | 0 | . | . | . | . | . | . |
| Pneumonia & influenza (480-487) | 23 | 2 | 5 | 102 | 140 | 32.6 | 55.2 | 0 | 48.1 | 105.7 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 24 | 9 | 14 | 185 | 297 | 70.2 | 123.9 | 0 | 121.0 | 174.0 | 0 |
| ..COPD-related (490-496) | 49 | 19 | 28 | 325 | 562 | 132.8 | 140.3 | 0 | 245.8 | 228.0 | 0 |
| ..Asthma (493) | 10 | 7 | 8 | 145 | 217 | . | . | . | . | . | . |
| Chronic liver disease and cirrhosis (571) | 17 | 11 | 14 | 158 | 280 | 71.2 | . | 0 | 130.5 | . | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

| | Female | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 14 | 6 | 10 | 65 | 150 | . | . | . | . | . | . |
| ..Nephritis-related (580-589) | 56 | 23 | 36 | 348 | 645 | 160.6 | 112.2 | 0 | 309.3 | 205.2 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 14 | 6 | 10 | 65 | 150 | . | . | . | . | . | . |
| Unintentional injuries (E800-E949) | 37 | 34 | 35 | 1,054 | 1,397 | 388.9 | 293.3 | 0 | 500.8 | 369.4 | 0 |
| ..Motor vehicle accidents (E810-E825) | 18 | 18 | 18 | 520 | 700 | 203.2 | . | 0 | 264.2 | . | 0 |
| ..Falls and fall related injuries (E880-E888) | 2 | . | . | 0 | 0 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 2 | 2 | 2 | 102 | 122 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 1 | 1 | 1 | 58 | 68 | . | . | . | . | . | . |
| Suicide (E950-E959) | 4 | 4 | 4 | 135 | 175 | . | . | . | . | . | . |
| Homicide and legal intervention (E960-E978) | 5 | 5 | 5 | 170 | 220 | . | . | . | . | . | . |
| ..Homicide (E960-E969) | 5 | 5 | 5 | 170 | 220 | . | . | . | . | . | . |
| All injury (E800-E999) | 48 | 45 | 46 | 1,429 | 1,881 | 535.7 | 476.4 | 0 | 683.1 | 586.7 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 17 | 17 | 17 | 483 | 653 | 189.2 | . | 0 | 247.5 | . | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | . | . | . | . | . | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 1 | 1 | 1 | 43 | 53 | . | . | . | . | . | . |
| ...Suicide (E955.0-.4) | . | . | . | . | . | . | . | . | . | . | . |
| ...Homicide (E965.0-.4) | 1 | 1 | 1 | 43 | 53 | . | . | . | . | . | . |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 13 | 13 | 13 | 388 | 518 | . | . | . | . | . | . |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 8 | 8 | 8 | 150 | 230 | . | . | . | . | . | . |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 13 | 13 | 13 | 388 | 518 | . | . | . | . | . | . |

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|--|-----------------------------|------|-------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 1,559 | 942 | 1,177 | 25,050 | 35,638 | 4669.4 | 5173.1 | 0 | 7017.6 | 7631.5 | 0 |
| Infectious diseases and parasitic disease (1-139) | 153 | 133 | 144 | 3,355 | 4,742 | 591.8 | 1156.3 | 1 | 837.2 | 1550.2 | 1 |
| ..Septicemia (038) | 25 | 9 | 18 | 180 | 312 | 34.8 | 36.7 | 0 | 74.4 | 68.5 | 0 |
| ...Septicemia-related (038) | 81 | 44 | 60 | 759 | 1,279 | 159.4 | 199.0 | 0 | 302.2 | 337.1 | 0 |
| ..HIV infection (042-044) | 99 | 97 | 99 | 2,375 | 3,360 | 424.1 | 1007.9 | 1 | 590.4 | 1330.5 | 1 |
| All cancer (140-208) | 271 | 147 | 210 | 2,203 | 4,000 | 502.5 | 435.4 | 0 | 1024.6 | 889.7 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 4 | 1 | 3 | 28 | 53 | . | . | 0 | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 29 | 18 | 21 | 225 | 418 | 48.8 | 22.8 | 0 | 104.8 | 65.8 | 0 |
| ...Colon cancer (153) | 22 | 12 | 14 | 145 | 275 | 33.4 | . | 0 | 71.9 | . | 0 |
| ...Rectal cancer (154) | 7 | 6 | 7 | 80 | 143 | . | . | 0 | . | . | 0 |
| ..Pancreatic cancer (157) | 11 | 1 | 5 | 13 | 48 | . | . | 0 | . | . | 0 |
| ..Lung and other respiratory cancer (160-165) | 48 | 23 | 38 | 218 | 525 | 61.9 | 28.0 | 0 | 166.2 | 102.2 | 0 |
| ...Lung cancer (162.2-.9) | 46 | 22 | 37 | 215 | 513 | 60.8 | 20.6 | 0 | 161.2 | 81.7 | 0 |
| ..Malignant melanoma of skin (172) | 3 | 2 | 2 | 30 | 50 | . | . | 0 | . | . | 0 |
| ..Female breast cancer (174) | 26 | 21 | 24 | 313 | 540 | . | . | 0 | . | . | 0 |
| ..Cervical cancer (180) | 7 | 5 | 6 | 118 | 175 | . | . | 0 | . | . | 0 |
| ..Ovarian cancer (183) | 6 | 5 | 6 | 68 | 125 | . | . | 0 | . | . | 0 |
| ..Prostate cancer (185) | 9 | . | 4 | 0 | 20 | . | . | 0 | . | . | 0 |
| ..Bladder cancer (188) | 5 | . | 2 | 0 | 5 | . | . | 0 | . | . | 0 |
| ..Brain & other CNS cancer (191-192) | 4 | 3 | 3 | 53 | 83 | . | . | 0 | . | . | 0 |
| ..Leukemia (204-208) | 17 | 11 | 14 | 303 | 430 | 65.8 | 59.0 | 0 | 93.1 | 88.9 | 0 |
| Diabetes mellitus (250) | 46 | 17 | 34 | 198 | 460 | 48.6 | 47.4 | 0 | 136.8 | 136.6 | 0 |
| ..Diabetes-related (250) | 183 | 80 | 121 | 825 | 1,838 | 220.2 | 187.2 | 0 | 549.4 | 528.4 | 0 |
| Alzheimer's diseases (331.0) | 4 | . | 2 | 0 | 5 | . | . | 0 | . | . | 0 |
| Cardiovascular disease (390-459) | 446 | 173 | 260 | 2,729 | 4,866 | 598.3 | 587.3 | 0 | 1227.4 | 1200.1 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 341 | 129 | 198 | 2,124 | 3,736 | 453.4 | 470.3 | 0 | 930.4 | 974.1 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 674 | 294 | 430 | 5,512 | 9,122 | 1129.7 | 1292.8 | 0 | 2120.9 | 2313.5 | 0 |
| ...Coronary heart disease (CHD) (402,410-414,429.2) | 225 | 78 | 129 | 845 | 1,873 | 225.0 | 228.7 | 0 | 565.1 | 566.4 | 0 |
| ...Congestive heart failure (CHF) (428.0) | 18 | 3 | 4 | 95 | 132 | 14.5 | . | 0 | 23.6 | . | 0 |
| ..Hypertension with or without renal disease (401,403) | 4 | 1 | 3 | 8 | 23 | . | . | 0 | . | . | 0 |
| ...Hypertension-related (401,403) | 90 | 29 | 46 | 313 | 680 | 85.4 | 59.0 | 0 | 203.3 | 148.9 | 0 |
| ..Cerebrovascular disease (430-438) | 86 | 35 | 48 | 473 | 890 | 113.2 | 96.8 | 0 | 234.2 | 180.3 | 0 |
| ..Atherosclerosis (440) | 2 | . | . | 0 | 0 | . | . | 0 | . | . | 0 |
| ...Atherosclerosis-related (440) | 21 | 4 | 7 | 60 | 113 | 14.0 | . | 0 | 30.6 | . | 0 |
| ..Aortic aneurysm (441) | 6 | 2 | 4 | 25 | 50 | . | . | 0 | . | . | 0 |
| Pneumonia & influenza (480-487) | 46 | 9 | 17 | 332 | 467 | 60.6 | 83.3 | 0 | 95.9 | 141.3 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 44 | 21 | 27 | 552 | 787 | 104.7 | 93.8 | 0 | 155.5 | 144.6 | 0 |
| ..COPD-related (490-496) | 95 | 39 | 52 | 772 | 1,229 | 157.0 | 120.2 | 0 | 276.6 | 242.3 | 0 |
| ..Asthma (493) | 18 | 14 | 16 | 382 | 527 | 72.3 | . | 0 | 100.8 | . | 0 |
| Chronic liver disease and cirrhosis (571) | 50 | 39 | 46 | 583 | 1,010 | 133.7 | 130.3 | 0 | 245.2 | 242.4 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 25 | 10 | 16 | 115 | 245 | 29.5 | 29.9 | 0 | 72.1 | 56.6 | 0 |
| ..Nephritis-related (580-589) | 116 | 54 | 78 | 797 | 1,457 | 187.2 | 211.6 | 0 | 379.8 | 374.7 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 31 | 13 | 20 | 163 | 330 | 39.1 | 45.9 | 0 | 93.3 | 89.2 | 0 |
| Unintentional injuries (E800-E949) | 162 | 151 | 156 | 4,802 | 6,334 | 862.9 | 744.5 | 0 | 1092.1 | 931.4 | 0 |
| ..Motor vehicle accidents (E810-E825) | 57 | 55 | 56 | 1,728 | 2,280 | 334.1 | 293.0 | 0 | 420.9 | 364.5 | 0 |
| ..Falls and fall related injuries (E880-E888) | 8 | 4 | 4 | 150 | 190 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 7 | 7 | 7 | 332 | 402 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 7 | 6 | 7 | 282 | 350 | . | . | . | . | . | . |
| Suicide (E950-E959) | 26 | 25 | 26 | 823 | 1,080 | 148.2 | 178.9 | 0 | 184.7 | 226.4 | 0 |
| Homicide and legal intervention (E960-E978) | 39 | 38 | 39 | 1,447 | 1,835 | 288.9 | 420.6 | 0 | 345.7 | 509.3 | 0 |
| ..Homicide (E960-E969) | 39 | 38 | 39 | 1,447 | 1,835 | 288.9 | 420.6 | 0 | 345.7 | 509.3 | 0 |
| All injury (E800-E999) | 231 | 218 | 225 | 7,221 | 9,439 | 1324.5 | 1399.4 | 0 | 1651.3 | 1731.2 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 54 | 52 | 53 | 1,625 | 2,148 | 315.3 | 293.0 | 0 | 398.1 | 364.5 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 7 | 5 | 5 | 193 | 243 | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 36 | 36 | 36 | 1,405 | 1,765 | 275.5 | 404.0 | 0 | 323.1 | 482.3 | 0 |
|Suicide (E955.0-.4) | 8 | 8 | 8 | 265 | 345 | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 27 | 27 | 27 | 1,093 | 1,363 | 225.1 | 337.6 | 0 | 262.8 | 403.2 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 67 | 67 | 67 | 1,898 | 2,568 | 313.4 | 286.3 | 0 | 404.7 | 359.3 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 29 | 28 | 29 | 485 | 773 | 107.3 | 100.9 | 0 | 171.1 | 180.2 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 69 | 69 | 69 | 1,953 | 2,643 | 328.8 | 251.9 | 0 | 424.3 | 316.9 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Male | | | | | | | | | | |
|--|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 899 | 602 | 730 | 16,127 | 22,822 | 6139.2 | 7371.6 | 1 | 9259.5 | 10828.5 | 1 |
| Infectious diseases and parasitic disease (1-139) | 99 | 91 | 95 | 2,216 | 3,146 | 796.2 | 1802.3 | 1 | 1134.9 | 2436.4 | 1 |
| ..Septicemia (038) | 10 | 5 | 7 | 110 | 165 | . | . | . | . | . | . |
| ...Septicemia-related (038) | 46 | 30 | 37 | 559 | 892 | 235.5 | 292.6 | 0 | 420.7 | 513.0 | 0 |
| ..HIV infection (042-044) | 70 | 68 | 70 | 1,555 | 2,250 | 572.0 | 1562.4 | 1 | 828.7 | 2072.0 | 1 |
| All cancer (140-208) | 146 | 74 | 109 | 1,095 | 2,033 | 538.9 | 486.8 | 0 | 1159.0 | 1017.0 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 3 | 1 | 2 | 28 | 45 | . | . | . | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 20 | 13 | 14 | 148 | 285 | 68.7 | . | 0 | 159.4 | . | 0 |
| ...Colon cancer (153) | 17 | 10 | 11 | 115 | 223 | 56.4 | . | 0 | 127.8 | . | 0 |
| ...Rectal cancer (154) | 3 | 3 | 3 | 33 | 63 | . | . | . | . | . | . |
| ..Pancreatic cancer (157) | 7 | . | 4 | 0 | 25 | . | . | . | . | . | . |
| ..Lung and other respiratory cancer (160-165) | 30 | 16 | 25 | 150 | 363 | 90.2 | 44.4 | 0 | 250.9 | 143.8 | 0 |
| ...Lung cancer (162.2-.9) | 28 | 15 | 24 | 148 | 350 | 87.9 | 28.3 | 0 | 240.0 | 98.7 | 0 |
| ..Malignant melanoma of skin (172) | 2 | 2 | 2 | 30 | 50 | . | . | . | . | . | . |
| ..Female breast cancer (174) | . | . | . | . | . | . | . | . | . | . | . |
| ..Cervical cancer (180) | . | . | . | . | . | . | . | . | . | . | . |
| ..Ovarian cancer (183) | . | . | . | . | . | . | . | . | . | . | . |
| ..Prostate cancer (185) | 9 | . | 4 | 0 | 20 | . | . | . | . | . | . |
| ..Bladder cancer (188) | 1 | . | . | 0 | 0 | . | . | . | . | . | . |
| ..Brain & other CNS cancer (191-192) | 3 | 2 | 2 | 40 | 60 | . | . | . | . | . | . |
| ..Leukemia (204-208) | 12 | 6 | 9 | 230 | 308 | . | . | . | . | . | . |
| Diabetes mellitus (250) | 27 | 12 | 21 | 155 | 323 | 75.7 | 53.0 | 0 | 194.4 | 162.4 | 0 |
| ..Diabetes-related (250) | 90 | 47 | 63 | 568 | 1,113 | 307.8 | 228.1 | 0 | 664.7 | 657.7 | 0 |
| Alzheimer's diseases (331.0) | . | . | . | . | . | . | . | . | . | . | . |
| Cardiovascular disease (390-459) | 220 | 100 | 150 | 1,508 | 2,758 | 722.6 | 809.4 | 0 | 1554.0 | 1649.5 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 170 | 73 | 112 | 1,181 | 2,103 | 545.3 | 651.1 | 0 | 1156.7 | 1341.2 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 354 | 182 | 257 | 3,457 | 5,665 | 1476.8 | 1752.8 | 0 | 2787.5 | 3137.0 | 0 |
| ...Coronary heart disease (CHD) (402,410-414,429.2) | 117 | 42 | 71 | 510 | 1,088 | 280.4 | 296.8 | 0 | 700.5 | 740.4 | 0 |
| ...Congestive heart failure (CHF) (428.0) | 7 | 2 | 2 | 30 | 50 | . | . | . | . | . | . |
| ..Hypertension with or without renal disease (401,403) | 2 | 1 | 2 | 8 | 20 | . | . | . | . | . | . |
| ...Hypertension-related (401,403) | 40 | 17 | 24 | 233 | 435 | 125.4 | 79.3 | 0 | 252.9 | 192.0 | 0 |
| ..Cerebrovascular disease (430-438) | 39 | 20 | 27 | 245 | 488 | 129.3 | 136.4 | 0 | 291.1 | 245.8 | 0 |
| ..Atherosclerosis (440) | . | . | . | . | . | . | . | . | . | . | . |
| ...Atherosclerosis-related (440) | 11 | 3 | 6 | 53 | 95 | . | . | . | . | . | . |
| ..Aortic aneurysm (441) | 4 | 2 | 4 | 25 | 50 | . | . | . | . | . | . |
| Pneumonia & influenza (480-487) | 23 | 7 | 12 | 230 | 327 | 90.1 | 106.1 | 0 | 147.3 | 165.0 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 20 | 12 | 13 | 367 | 490 | 139.0 | 69.9 | 0 | 182.3 | 122.5 | 0 |
| ..COPD-related (490-496) | 46 | 20 | 24 | 447 | 667 | 182.9 | 105.4 | 0 | 296.4 | 264.8 | 0 |
| ..Asthma (493) | 8 | 7 | 8 | 238 | 310 | . | . | . | . | . | . |
| Chronic liver disease and cirrhosis (571) | 33 | 28 | 32 | 425 | 730 | 207.8 | 257.5 | 0 | 375.5 | 446.2 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Male | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 11 | 4 | 6 | 50 | 95 | . | . | . | . | . | . |
| ..Nephritis-related (580-589) | 60 | 31 | 42 | 450 | 812 | 223.8 | 327.5 | 0 | 451.9 | 560.2 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 17 | 7 | 10 | 98 | 180 | 48.9 | . | 0 | 103.1 | . | 0 |
| Unintentional injuries (E800-E949) | 125 | 117 | 121 | 3,748 | 4,938 | 1366.0 | 1194.0 | 0 | 1734.5 | 1500.1 | 0 |
| ..Motor vehicle accidents (E810-E825) | 39 | 37 | 38 | 1,208 | 1,580 | 475.3 | 452.9 | 0 | 596.0 | 578.2 | 0 |
| ..Falls and fall related injuries (E880-E888) | 6 | 4 | 4 | 150 | 190 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 5 | 5 | 5 | 230 | 280 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 6 | 5 | 6 | 225 | 282 | . | . | . | . | . | . |
| Suicide (E950-E959) | 22 | 21 | 22 | 688 | 905 | 241.3 | 334.3 | 0 | 304.9 | 419.7 | 0 |
| Homicide and legal intervention (E960-E978) | 34 | 33 | 34 | 1,278 | 1,615 | 508.8 | 694.8 | 0 | 607.6 | 858.5 | 0 |
| ..Homicide (E960-E969) | 34 | 33 | 34 | 1,278 | 1,615 | 508.8 | 694.8 | 0 | 607.6 | 858.5 | 0 |
| All injury (E800-E999) | 183 | 173 | 179 | 5,793 | 7,558 | 2145.1 | 2312.5 | 0 | 2681.0 | 2883.4 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 37 | 35 | 36 | 1,143 | 1,495 | 449.1 | 452.9 | 0 | 563.9 | 578.2 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 7 | 5 | 5 | 193 | 243 | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 35 | 35 | 35 | 1,363 | 1,713 | 525.8 | 720.6 | 0 | 617.7 | 865.3 | 0 |
|Suicide (E955.0-.4) | 8 | 8 | 8 | 265 | 345 | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 26 | 26 | 26 | 1,050 | 1,310 | 424.7 | 589.6 | 0 | 496.6 | 709.1 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 54 | 54 | 54 | 1,510 | 2,050 | 520.1 | 521.1 | 0 | 677.9 | 655.2 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 21 | 20 | 21 | 335 | 543 | 157.6 | 200.8 | 0 | 261.1 | 352.2 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 56 | 56 | 56 | 1,565 | 2,125 | 551.1 | 445.2 | 0 | 717.3 | 561.1 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Female | | | | | | | | | | |
|--|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 660 | 340 | 447 | 8,923 | 12,816 | 3252.6 | 3041.8 | 0 | 4934.3 | 4615.3 | 0 |
| Infectious diseases and parasitic disease (1-139) | 54 | 42 | 49 | 1,139 | 1,597 | 409.0 | 551.3 | 0 | 571.5 | 724.2 | 0 |
| ..Septicemia (038) | 15 | 4 | 11 | 70 | 148 | 25.5 | . | 0 | 70.6 | . | 0 |
| ...Septicemia-related (038) | 35 | 14 | 23 | 200 | 388 | 88.4 | 112.8 | 0 | 194.4 | 181.9 | 0 |
| ..HIV infection (042-044) | 29 | 29 | 29 | 820 | 1,110 | 295.7 | 486.2 | 0 | 383.6 | 635.0 | 0 |
| All cancer (140-208) | 125 | 73 | 101 | 1,108 | 1,968 | 469.0 | 384.0 | 0 | 913.9 | 777.0 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 1 | . | 1 | 0 | 8 | . | . | . | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 9 | 5 | 7 | 78 | 133 | . | . | . | . | . | . |
| ...Colon cancer (153) | 5 | 2 | 3 | 30 | 53 | . | . | . | . | . | . |
| ...Rectal cancer (154) | 4 | 3 | 4 | 48 | 80 | . | . | . | . | . | . |
| ..Pancreatic cancer (157) | 4 | 1 | 1 | 13 | 23 | . | . | . | . | . | . |
| ..Lung and other respiratory cancer (160-165) | 18 | 7 | 13 | 68 | 163 | 37.0 | . | 0 | 95.1 | . | 0 |
| ...Lung cancer (162.2-.9) | 18 | 7 | 13 | 68 | 163 | 37.0 | . | 0 | 95.1 | . | 0 |
| ..Malignant melanoma of skin (172) | 1 | . | . | 0 | 0 | . | . | . | . | . | . |
| ..Female breast cancer (174) | 26 | 21 | 24 | 313 | 540 | 127.4 | 82.3 | 0 | 236.2 | 156.6 | 0 |
| ..Cervical cancer (180) | 7 | 5 | 6 | 118 | 175 | . | . | . | . | . | . |
| ..Ovarian cancer (183) | 6 | 5 | 6 | 68 | 125 | . | . | . | . | . | . |
| ..Prostate cancer (185) | . | . | . | . | . | . | . | . | . | . | . |
| ..Bladder cancer (188) | 4 | . | 2 | 0 | 5 | . | . | . | . | . | . |
| ..Brain & other CNS cancer (191-192) | 1 | 1 | 1 | 13 | 23 | . | . | . | . | . | . |
| ..Leukemia (204-208) | 5 | 5 | 5 | 73 | 123 | . | . | . | . | . | . |
| Diabetes mellitus (250) | 19 | 5 | 13 | 43 | 138 | 24.3 | 43.1 | 0 | 87.5 | 116.4 | 0 |
| ..Diabetes-related (250) | 93 | 33 | 58 | 258 | 725 | 141.7 | 152.0 | 0 | 444.3 | 421.8 | 0 |
| Alzheimer's diseases (331.0) | 4 | . | 2 | 0 | 5 | . | . | . | . | . | . |
| Cardiovascular disease (390-459) | 226 | 73 | 110 | 1,221 | 2,108 | 487.7 | 377.7 | 0 | 952.8 | 802.8 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 171 | 56 | 86 | 943 | 1,633 | 369.6 | 301.7 | 0 | 737.6 | 652.1 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 320 | 112 | 173 | 2,055 | 3,458 | 809.7 | 859.3 | 0 | 1536.4 | 1574.8 | 0 |
| ...Coronary heart disease (CHD) (402,410-414,429.2) | 108 | 36 | 58 | 335 | 785 | 173.4 | 168.7 | 0 | 449.9 | 419.7 | 0 |
| ...Congestive heart failure (CHF) (428.0) | 11 | 1 | 2 | 65 | 82 | . | . | . | . | . | . |
| ..Hypertension with or without renal disease (401,403) | 2 | . | 1 | 0 | 3 | . | . | . | . | . | . |
| ...Hypertension-related (401,403) | 50 | 12 | 22 | 80 | 245 | 49.0 | 39.5 | 0 | 157.9 | 109.4 | 0 |
| ..Cerebrovascular disease (430-438) | 47 | 15 | 21 | 228 | 403 | 100.0 | 56.8 | 0 | 188.3 | 117.8 | 0 |
| ...Atherosclerosis (440) | 2 | . | . | 0 | 0 | . | . | . | . | . | . |
| ...Atherosclerosis-related (440) | 10 | 1 | 1 | 8 | 18 | . | . | . | . | . | . |
| ..Aortic aneurysm (441) | 2 | . | . | 0 | 0 | . | . | . | . | . | . |
| Pneumonia & influenza (480-487) | 23 | 2 | 5 | 102 | 140 | 31.7 | 61.3 | 0 | 49.0 | 118.3 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 24 | 9 | 14 | 185 | 297 | 69.4 | 119.4 | 0 | 124.6 | 169.6 | 0 |
| ..COPD-related (490-496) | 49 | 19 | 28 | 325 | 562 | 129.7 | 137.5 | 0 | 252.9 | 231.6 | 0 |
| ..Asthma (493) | 10 | 7 | 8 | 145 | 217 | . | . | . | . | . | . |
| Chronic liver disease and cirrhosis (571) | 17 | 11 | 14 | 158 | 280 | 67.7 | . | 0 | 131.0 | . | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

| | Female | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 14 | 6 | 10 | 65 | 150 | . | . | . | . | . | . |
| ..Nephritis-related (580-589) | 56 | 23 | 36 | 348 | 645 | 155.8 | 104.0 | 0 | 318.7 | 205.8 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 14 | 6 | 10 | 65 | 150 | . | . | . | . | . | . |
| Unintentional injuries (E800-E949) | 37 | 34 | 35 | 1,054 | 1,397 | 363.6 | 300.6 | 0 | 463.1 | 374.2 | 0 |
| ..Motor vehicle accidents (E810-E825) | 18 | 18 | 18 | 520 | 700 | 190.8 | . | 0 | 245.2 | . | 0 |
| ..Falls and fall related injuries (E880-E888) | 2 | . | . | 0 | 0 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 2 | 2 | 2 | 102 | 122 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 1 | 1 | 1 | 58 | 68 | . | . | . | . | . | . |
| Suicide (E950-E959) | 4 | 4 | 4 | 135 | 175 | . | . | . | . | . | . |
| Homicide and legal intervention (E960-E978) | 5 | 5 | 5 | 170 | 220 | . | . | . | . | . | . |
| ..Homicide (E960-E969) | 5 | 5 | 5 | 170 | 220 | . | . | . | . | . | . |
| All injury (E800-E999) | 48 | 45 | 46 | 1,429 | 1,881 | 501.4 | 481.4 | 0 | 631.3 | 584.6 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 17 | 17 | 17 | 483 | 653 | 179.5 | . | 0 | 231.7 | . | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | . | . | . | . | . | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 1 | 1 | 1 | 43 | 53 | . | . | . | . | . | . |
| ...Suicide (E955.0-.4) | . | . | . | . | . | . | . | . | . | . | . |
| ...Homicide (E965.0-.4) | 1 | 1 | 1 | 43 | 53 | . | . | . | . | . | . |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 13 | 13 | 13 | 388 | 518 | . | . | . | . | . | . |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 8 | 8 | 8 | 150 | 230 | . | . | . | . | . | . |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 13 | 13 | 13 | 388 | 518 | . | . | . | . | . | . |

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|--|-----------------------------|------|-------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 1,559 | 942 | 1,177 | 25,050 | 35,638 | 4922.3 | 5657.9 | 1 | 7431.3 | 8329.4 | 0 |
| Infectious diseases and parasitic disease (1-139) | 153 | 133 | 144 | 3,355 | 4,742 | 717.4 | 1466.6 | 1 | 1004.5 | 1951.1 | 1 |
| ..Septicemia (038) | 25 | 9 | 18 | 180 | 312 | 40.6 | 44.4 | 0 | 83.4 | 78.9 | 0 |
| ...Septicemia-related (038) | 81 | 44 | 60 | 759 | 1,279 | 185.4 | 239.4 | 0 | 338.2 | 391.7 | 0 |
| ..HIV infection (042-044) | 99 | 97 | 99 | 2,375 | 3,360 | 520.2 | 1283.9 | 1 | 716.8 | 1686.4 | 1 |
| All cancer (140-208) | 271 | 147 | 210 | 2,203 | 4,000 | 578.1 | 488.2 | 0 | 1133.0 | 966.0 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 4 | 1 | 3 | 28 | 53 | . | . | 0 | . | . | 0 |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 29 | 18 | 21 | 225 | 418 | 56.9 | 26.5 | 0 | 114.6 | 70.3 | 0 |
| ...Colon cancer (153) | 22 | 12 | 14 | 145 | 275 | 38.4 | . | 0 | 78.1 | . | 0 |
| ...Rectal cancer (154) | 7 | 6 | 7 | 80 | 143 | . | . | 0 | . | . | 0 |
| ..Pancreatic cancer (157) | 11 | 1 | 5 | 13 | 48 | . | . | 0 | . | . | 0 |
| ..Lung and other respiratory cancer (160-165) | 48 | 23 | 38 | 218 | 525 | 71.5 | 30.0 | 0 | 180.3 | 106.6 | 0 |
| ...Lung cancer (162.2-.9) | 46 | 22 | 37 | 215 | 513 | 70.5 | 22.6 | 0 | 175.7 | 86.0 | 0 |
| ..Malignant melanoma of skin (172) | 3 | 2 | 2 | 30 | 50 | . | . | 0 | . | . | 0 |
| ..Female breast cancer (174) | 26 | 21 | 24 | 313 | 540 | . | . | 0 | . | . | 0 |
| ..Cervical cancer (180) | 7 | 5 | 6 | 118 | 175 | . | . | 0 | . | . | 0 |
| ..Ovarian cancer (183) | 6 | 5 | 6 | 68 | 125 | . | . | 0 | . | . | 0 |
| ..Prostate cancer (185) | 9 | . | 4 | 0 | 20 | . | . | 0 | . | . | 0 |
| ..Bladder cancer (188) | 5 | . | 2 | 0 | 5 | . | . | 0 | . | . | 0 |
| ..Brain & other CNS cancer (191-192) | 4 | 3 | 3 | 53 | 83 | . | . | 0 | . | . | 0 |
| ..Leukemia (204-208) | 17 | 11 | 14 | 303 | 430 | 66.7 | 60.1 | 0 | 96.5 | 91.8 | 0 |
| Diabetes mellitus (250) | 46 | 17 | 34 | 198 | 460 | 59.0 | 55.3 | 0 | 152.5 | 147.7 | 0 |
| ..Diabetes-related (250) | 183 | 80 | 121 | 825 | 1,838 | 261.7 | 216.1 | 0 | 607.3 | 570.2 | 0 |
| Alzheimer's diseases (331.0) | 4 | . | 2 | 0 | 5 | . | . | 0 | . | . | 0 |
| Cardiovascular disease (390-459) | 446 | 173 | 260 | 2,729 | 4,866 | 676.0 | 690.2 | 0 | 1343.6 | 1348.7 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 341 | 129 | 198 | 2,124 | 3,736 | 504.9 | 559.5 | 0 | 1008.8 | 1102.0 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 674 | 294 | 430 | 5,512 | 9,122 | 1271.1 | 1491.8 | 0 | 2331.0 | 2598.2 | 0 |
| ...Coronary heart disease (CHD) (402,410-414,429.2) | 225 | 78 | 129 | 845 | 1,873 | 254.7 | 275.5 | 0 | 610.6 | 635.8 | 0 |
| ...Congestive heart failure (CHF) (428.0) | 18 | 3 | 4 | 95 | 132 | 14.9 | . | 0 | 24.0 | . | 0 |
| ..Hypertension with or without renal disease (401,403) | 4 | 1 | 3 | 8 | 23 | . | . | 0 | . | . | 0 |
| ...Hypertension-related (401,403) | 90 | 29 | 46 | 313 | 680 | 99.9 | 60.6 | 0 | 225.3 | 153.5 | 0 |
| ..Cerebrovascular disease (430-438) | 86 | 35 | 48 | 473 | 890 | 134.5 | 104.5 | 0 | 264.4 | 193.2 | 0 |
| ..Atherosclerosis (440) | 2 | . | . | 0 | 0 | . | . | 0 | . | . | 0 |
| ...Atherosclerosis-related (440) | 21 | 4 | 7 | 60 | 113 | 14.2 | . | 0 | 31.3 | . | 0 |
| ..Aortic aneurysm (441) | 6 | 2 | 4 | 25 | 50 | . | . | 0 | . | . | 0 |
| Pneumonia & influenza (480-487) | 46 | 9 | 17 | 332 | 467 | 54.3 | 91.0 | 0 | 90.1 | 153.0 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 44 | 21 | 27 | 552 | 787 | 113.8 | 100.7 | 0 | 169.4 | 155.2 | 0 |
| ..COPD-related (490-496) | 95 | 39 | 52 | 772 | 1,229 | 175.7 | 131.7 | 0 | 303.2 | 259.8 | 0 |
| ..Asthma (493) | 18 | 14 | 16 | 382 | 527 | 75.4 | . | 0 | 105.8 | . | 0 |
| Chronic liver disease and cirrhosis (571) | 50 | 39 | 46 | 583 | 1,010 | 164.2 | 165.2 | 0 | 286.9 | 288.7 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Both Sexes | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 25 | 10 | 16 | 115 | 245 | 32.2 | 38.0 | 0 | 76.3 | 67.6 | 0 |
| ..Nephritis-related (580-589) | 116 | 54 | 78 | 797 | 1,457 | 216.3 | 256.3 | 0 | 422.6 | 437.8 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 31 | 13 | 20 | 163 | 330 | 41.7 | 59.0 | 0 | 97.2 | 107.1 | 0 |
| Unintentional injuries (E800-E949) | 162 | 151 | 156 | 4,802 | 6,334 | 910.3 | 773.5 | 0 | 1162.1 | 978.0 | 0 |
| ..Motor vehicle accidents (E810-E825) | 57 | 55 | 56 | 1,728 | 2,280 | 335.9 | 288.1 | 0 | 427.9 | 361.7 | 0 |
| ..Falls and fall related injuries (E880-E888) | 8 | 4 | 4 | 150 | 190 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 7 | 7 | 7 | 332 | 402 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 7 | 6 | 7 | 282 | 350 | . | . | . | . | . | . |
| Suicide (E950-E959) | 26 | 25 | 26 | 823 | 1,080 | 156.8 | 193.4 | 0 | 196.5 | 245.8 | 0 |
| Homicide and legal intervention (E960-E978) | 39 | 38 | 39 | 1,447 | 1,835 | 265.1 | 397.1 | 0 | 319.0 | 483.9 | 0 |
| ..Homicide (E960-E969) | 39 | 38 | 39 | 1,447 | 1,835 | 265.1 | 397.1 | 0 | 319.0 | 483.9 | 0 |
| All injury (E800-E999) | 231 | 218 | 225 | 7,221 | 9,439 | 1356.5 | 1420.4 | 0 | 1706.4 | 1773.4 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 54 | 52 | 53 | 1,625 | 2,148 | 316.6 | 288.1 | 0 | 404.3 | 361.7 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 7 | 5 | 5 | 193 | 243 | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 36 | 36 | 36 | 1,405 | 1,765 | 252.3 | 381.9 | 0 | 296.3 | 457.3 | 0 |
|Suicide (E955.0-.4) | 8 | 8 | 8 | 265 | 345 | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 27 | 27 | 27 | 1,093 | 1,363 | 197.2 | 314.2 | 0 | 230.1 | 376.2 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 67 | 67 | 67 | 1,898 | 2,568 | 378.5 | 340.1 | 0 | 488.1 | 429.0 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 29 | 28 | 29 | 485 | 773 | 133.8 | 125.3 | 0 | 207.4 | 213.3 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 69 | 69 | 69 | 1,953 | 2,643 | 393.4 | 308.1 | 0 | 507.5 | 388.6 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Male | | | | | | | | | | |
|--|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 899 | 602 | 730 | 16,127 | 22,822 | 6552.7 | 8245.4 | 1 | 9901.3 | 12043.8 | 1 |
| Infectious diseases and parasitic disease (1-139) | 99 | 91 | 95 | 2,216 | 3,146 | 1002.4 | 2337.7 | 1 | 1406.1 | 3125.9 | 1 |
| ..Septicemia (038) | 10 | 5 | 7 | 110 | 165 | . | . | . | . | . | . |
| ...Septicemia-related (038) | 46 | 30 | 37 | 559 | 892 | 274.0 | 363.5 | 0 | 473.8 | 606.9 | 0 |
| ..HIV infection (042-044) | 70 | 68 | 70 | 1,555 | 2,250 | 735.8 | 2024.5 | 1 | 1042.1 | 2668.4 | 1 |
| All cancer (140-208) | 146 | 74 | 109 | 1,095 | 2,033 | 613.8 | 527.2 | 0 | 1268.8 | 1079.4 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 3 | 1 | 2 | 28 | 45 | . | . | . | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 20 | 13 | 14 | 148 | 285 | 79.1 | . | 0 | 170.3 | . | 0 |
| ...Colon cancer (153) | 17 | 10 | 11 | 115 | 223 | 63.1 | . | 0 | 135.1 | . | 0 |
| ...Rectal cancer (154) | 3 | 3 | 3 | 33 | 63 | . | . | . | . | . | . |
| ..Pancreatic cancer (157) | 7 | . | 4 | 0 | 25 | . | . | . | . | . | . |
| ..Lung and other respiratory cancer (160-165) | 30 | 16 | 25 | 150 | 363 | 105.0 | 48.6 | 0 | 271.5 | 153.5 | 0 |
| ...Lung cancer (162.2-.9) | 28 | 15 | 24 | 148 | 350 | 102.8 | 32.4 | 0 | 261.2 | 108.1 | 0 |
| ..Malignant melanoma of skin (172) | 2 | 2 | 2 | 30 | 50 | . | . | . | . | . | . |
| ..Female breast cancer (174) | . | . | . | . | . | . | . | . | . | . | . |
| ..Cervical cancer (180) | . | . | . | . | . | . | . | . | . | . | . |
| ..Ovarian cancer (183) | . | . | . | . | . | . | . | . | . | . | . |
| ..Prostate cancer (185) | 9 | . | 4 | 0 | 20 | . | . | . | . | . | . |
| ..Bladder cancer (188) | 1 | . | . | 0 | 0 | . | . | . | . | . | . |
| ..Brain & other CNS cancer (191-192) | 3 | 2 | 2 | 40 | 60 | . | . | . | . | . | . |
| ..Leukemia (204-208) | 12 | 6 | 9 | 230 | 308 | . | . | . | . | . | . |
| Diabetes mellitus (250) | 27 | 12 | 21 | 155 | 323 | 93.5 | 59.2 | 0 | 219.9 | 172.5 | 0 |
| ..Diabetes-related (250) | 90 | 47 | 63 | 568 | 1,113 | 372.8 | 260.3 | 0 | 755.2 | 705.6 | 0 |
| Alzheimer's diseases (331.0) | . | . | . | . | . | . | . | . | . | . | . |
| Cardiovascular disease (390-459) | 220 | 100 | 150 | 1,508 | 2,758 | 820.2 | 942.4 | 0 | 1700.5 | 1842.4 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 170 | 73 | 112 | 1,181 | 2,103 | 609.0 | 777.8 | 0 | 1255.2 | 1521.7 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 354 | 182 | 257 | 3,457 | 5,665 | 1690.0 | 2044.3 | 0 | 3100.4 | 3547.5 | 0 |
| ...Coronary heart disease (CHD) (402,410-414,429.2) | 117 | 42 | 71 | 510 | 1,088 | 320.9 | 353.8 | 0 | 763.2 | 825.7 | 0 |
| ...Congestive heart failure (CHF) (428.0) | 7 | 2 | 2 | 30 | 50 | . | . | . | . | . | . |
| ..Hypertension with or without renal disease (401,403) | 2 | 1 | 2 | 8 | 20 | . | . | . | . | . | . |
| ...Hypertension-related (401,403) | 40 | 17 | 24 | 233 | 435 | 150.7 | 76.8 | 0 | 290.3 | 190.8 | 0 |
| ..Cerebrovascular disease (430-438) | 39 | 20 | 27 | 245 | 488 | 154.6 | 138.7 | 0 | 325.7 | 252.1 | 0 |
| ..Atherosclerosis (440) | . | . | . | . | . | . | . | . | . | . | . |
| ...Atherosclerosis-related (440) | 11 | 3 | 6 | 53 | 95 | . | . | . | . | . | . |
| ..Aortic aneurysm (441) | 4 | 2 | 4 | 25 | 50 | . | . | . | . | . | . |
| Pneumonia & influenza (480-487) | 23 | 7 | 12 | 230 | 327 | 81.0 | 124.9 | 0 | 139.2 | 191.4 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 20 | 12 | 13 | 367 | 490 | 146.2 | 81.1 | 0 | 194.0 | 137.5 | 0 |
| ..COPD-related (490-496) | 46 | 20 | 24 | 447 | 667 | 197.6 | 124.8 | 0 | 317.8 | 292.7 | 0 |
| ..Asthma (493) | 8 | 7 | 8 | 238 | 310 | . | . | . | . | . | . |
| Chronic liver disease and cirrhosis (571) | 33 | 28 | 32 | 425 | 730 | 260.5 | 327.9 | 0 | 447.5 | 540.5 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Male | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 11 | 4 | 6 | 50 | 95 | . | . | . | . | . | . |
| ..Nephritis-related (580-589) | 60 | 31 | 42 | 450 | 812 | 263.1 | 402.2 | 0 | 509.2 | 662.4 | 0 |
| ...End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 17 | 7 | 10 | 98 | 180 | 54.4 | . | 0 | 111.6 | . | 0 |
| Unintentional injuries (E800-E949) | 125 | 117 | 121 | 3,748 | 4,938 | 1445.6 | 1277.9 | 0 | 1851.0 | 1620.2 | 0 |
| ..Motor vehicle accidents (E810-E825) | 39 | 37 | 38 | 1,208 | 1,580 | 468.0 | 458.0 | 0 | 593.8 | 590.0 | 0 |
| ..Falls and fall related injuries (E880-E888) | 6 | 4 | 4 | 150 | 190 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 5 | 5 | 5 | 230 | 280 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 6 | 5 | 6 | 225 | 282 | . | . | . | . | . | . |
| Suicide (E950-E959) | 22 | 21 | 22 | 688 | 905 | 260.1 | 359.0 | 0 | 329.7 | 453.1 | 0 |
| Homicide and legal intervention (E960-E978) | 34 | 33 | 34 | 1,278 | 1,615 | 463.5 | 666.5 | 0 | 556.2 | 829.4 | 0 |
| ..Homicide (E960-E969) | 34 | 33 | 34 | 1,278 | 1,615 | 463.5 | 666.5 | 0 | 556.2 | 829.4 | 0 |
| All injury (E800-E999) | 183 | 173 | 179 | 5,793 | 7,558 | 2195.8 | 2398.5 | 0 | 2767.8 | 3015.5 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 37 | 35 | 36 | 1,143 | 1,495 | 440.5 | 458.0 | 0 | 559.8 | 590.0 | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | 7 | 5 | 5 | 193 | 243 | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 35 | 35 | 35 | 1,363 | 1,713 | 485.0 | 685.7 | 0 | 570.8 | 826.1 | 0 |
| ...Suicide (E955.0-.4) | 8 | 8 | 8 | 265 | 345 | . | . | . | . | . | . |
| ...Homicide (E965.0-.4) | 26 | 26 | 26 | 1,050 | 1,310 | 373.7 | 551.1 | 0 | 437.0 | 664.7 | 0 |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 54 | 54 | 54 | 1,510 | 2,050 | 627.1 | 621.7 | 0 | 815.5 | 784.5 | 0 |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 21 | 20 | 21 | 335 | 543 | 193.9 | 249.3 | 0 | 310.5 | 419.1 | 0 |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 56 | 56 | 56 | 1,565 | 2,125 | 657.3 | 547.1 | 0 | 855.2 | 690.2 | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Female | | | | | | | | | | |
|--|-----------------------------|------|------|-------------------------------|--------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| All causes | 660 | 340 | 447 | 8,923 | 12,816 | 3371.4 | 3175.3 | 0 | 5156.2 | 4847.0 | 0 |
| Infectious diseases and parasitic disease (1-139) | 54 | 42 | 49 | 1,139 | 1,597 | 460.0 | 650.3 | 0 | 642.8 | 854.5 | 0 |
| ..Septicemia (038) | 15 | 4 | 11 | 70 | 148 | 34.7 | . | 0 | 83.9 | . | 0 |
| ...Septicemia-related (038) | 35 | 14 | 23 | 200 | 388 | 103.5 | 124.4 | 0 | 215.4 | 199.4 | 0 |
| ..HIV infection (042-044) | 29 | 29 | 29 | 820 | 1,110 | 328.4 | 588.0 | 0 | 429.0 | 766.1 | 0 |
| All cancer (140-208) | 125 | 73 | 101 | 1,108 | 1,968 | 545.7 | 449.4 | 0 | 1021.9 | 868.0 | 0 |
| ..Oral cavity or pharynx (140.0-149.9) | 1 | . | 1 | 0 | 8 | . | . | . | . | . | . |
| ..Colorectal cancer (153.0-154.3,154.8,159.0) | 9 | 5 | 7 | 78 | 133 | . | . | . | . | . | . |
| ...Colon cancer (153) | 5 | 2 | 3 | 30 | 53 | . | . | . | . | . | . |
| ...Rectal cancer (154) | 4 | 3 | 4 | 48 | 80 | . | . | . | . | . | . |
| ..Pancreatic cancer (157) | 4 | 1 | 1 | 13 | 23 | . | . | . | . | . | . |
| ..Lung and other respiratory cancer (160-165) | 18 | 7 | 13 | 68 | 163 | 41.9 | . | 0 | 103.6 | . | 0 |
| ...Lung cancer (162.2-.9) | 18 | 7 | 13 | 68 | 163 | 41.9 | . | 0 | 103.6 | . | 0 |
| ..Malignant melanoma of skin (172) | 1 | . | . | 0 | 0 | . | . | . | . | . | . |
| ..Female breast cancer (174) | 26 | 21 | 24 | 313 | 540 | 164.6 | 100.7 | 0 | 284.3 | 180.6 | 0 |
| ..Cervical cancer (180) | 7 | 5 | 6 | 118 | 175 | . | . | . | . | . | . |
| ..Ovarian cancer (183) | 6 | 5 | 6 | 68 | 125 | . | . | . | . | . | . |
| ..Prostate cancer (185) | . | . | . | . | . | . | . | . | . | . | . |
| ..Bladder cancer (188) | 4 | . | 2 | 0 | 5 | . | . | . | . | . | . |
| ..Brain & other CNS cancer (191-192) | 1 | 1 | 1 | 13 | 23 | . | . | . | . | . | . |
| ..Leukemia (204-208) | 5 | 5 | 5 | 73 | 123 | . | . | . | . | . | . |
| Diabetes mellitus (250) | 19 | 5 | 13 | 43 | 138 | 27.8 | 52.6 | 0 | 94.2 | 128.9 | 0 |
| ..Diabetes-related (250) | 93 | 33 | 58 | 258 | 725 | 161.7 | 178.1 | 0 | 472.6 | 458.5 | 0 |
| Alzheimer's diseases (331.0) | 4 | . | 2 | 0 | 5 | . | . | . | . | . | . |
| Cardiovascular disease (390-459) | 226 | 73 | 110 | 1,221 | 2,108 | 548.0 | 453.7 | 0 | 1042.8 | 912.9 | 0 |
| ..Diseases of the heart (390-398,402,404-429) | 171 | 56 | 86 | 943 | 1,633 | 410.9 | 356.5 | 0 | 799.3 | 732.6 | 0 |
| ...Heart disease-related (390-398,402,404-429) | 320 | 112 | 173 | 2,055 | 3,458 | 888.1 | 973.5 | 0 | 1656.6 | 1745.5 | 0 |
| ...Coronary heart disease (CHD) (402,410-414,429.2) | 108 | 36 | 58 | 335 | 785 | 193.7 | 206.5 | 0 | 480.7 | 475.4 | 0 |
| ...Congestive heart failure (CHF) (428.0) | 11 | 1 | 2 | 65 | 82 | . | . | . | . | . | . |
| ..Hypertension with or without renal disease (401,403) | 2 | . | 1 | 0 | 3 | . | . | . | . | . | . |
| ...Hypertension-related (401,403) | 50 | 12 | 22 | 80 | 245 | 53.6 | 45.3 | 0 | 165.8 | 119.7 | 0 |
| ..Cerebrovascular disease (430-438) | 47 | 15 | 21 | 228 | 403 | 117.7 | 70.0 | 0 | 214.2 | 137.7 | 0 |
| ..Atherosclerosis (440) | 2 | . | . | 0 | 0 | . | . | . | . | . | . |
| ...Atherosclerosis-related (440) | 10 | 1 | 1 | 8 | 18 | . | . | . | . | . | . |
| ..Aortic aneurysm (441) | 2 | . | . | 0 | 0 | . | . | . | . | . | . |
| Pneumonia & influenza (480-487) | 23 | 2 | 5 | 102 | 140 | 28.6 | 58.6 | 0 | 46.0 | 116.2 | 0 |
| Chronic obstructive pulmonary disease (COPD) (490-496) | 24 | 9 | 14 | 185 | 297 | 80.9 | 121.5 | 0 | 141.3 | 175.1 | 0 |
| ..COPD-related (490-496) | 49 | 19 | 28 | 325 | 562 | 152.6 | 140.9 | 0 | 284.8 | 239.0 | 0 |
| ..Asthma (493) | 10 | 7 | 8 | 145 | 217 | . | . | . | . | . | . |
| Chronic liver disease and cirrhosis (571) | 17 | 11 | 14 | 158 | 280 | 78.0 | . | 0 | 145.3 | . | 0 |

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1997-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

| | Female | | | | | | | | | | |
|---|-----------------------------|------|------|-------------------------------|-------|--------------------|-----------|--------------|--------------------|-----------|--------------|
| | Number of Deaths, 1997-1998 | | | Years of life lost, 1997-1998 | | Adjusted YPLL < 65 | | | Adjusted YPLL < 75 | | |
| | All | < 65 | < 75 | < 65 | < 75 | 1997-1998 | 1995-1996 | Significance | 1997-1998 | 1995-1996 | Significance |
| *****Causes of Death***** | | | | | | | | | | | |
| Nephritis, nephrotic syndrome/nephrosis (580-589) | 14 | 6 | 10 | 65 | 150 | . | . | . | . | . | . |
| ..Nephritis-related (580-589) | 56 | 23 | 36 | 348 | 645 | 175.7 | 121.2 | 0 | 348.6 | 232.9 | 0 |
| ..End stage renal disease (ESRD) (581-588,591,593.8,593.9) | 14 | 6 | 10 | 65 | 150 | . | . | . | . | . | . |
| Unintentional injuries (E800-E949) | 37 | 34 | 35 | 1,054 | 1,397 | 387.0 | 281.6 | 0 | 497.1 | 356.1 | 0 |
| ..Motor vehicle accidents (E810-E825) | 18 | 18 | 18 | 520 | 700 | 203.5 | . | 0 | 263.8 | . | 0 |
| ..Falls and fall related injuries (E880-E888) | 2 | . | . | 0 | 0 | . | . | . | . | . | . |
| ..Drowning (E830,E832,E910) | 2 | 2 | 2 | 102 | 122 | . | . | . | . | . | . |
| ..Residential fires (E890-E899) | 1 | 1 | 1 | 58 | 68 | . | . | . | . | . | . |
| Suicide (E950-E959) | 4 | 4 | 4 | 135 | 175 | . | . | . | . | . | . |
| Homicide and legal intervention (E960-E978) | 5 | 5 | 5 | 170 | 220 | . | . | . | . | . | . |
| ..Homicide (E960-E969) | 5 | 5 | 5 | 170 | 220 | . | . | . | . | . | . |
| All injury (E800-E999) | 48 | 45 | 46 | 1,429 | 1,881 | 526.7 | 451.1 | 0 | 669.7 | 554.5 | 0 |
| ..All motor vehicle accidents (E810-E819,E958.5,E988.5) | 17 | 17 | 17 | 483 | 653 | 192.1 | . | 0 | 250.4 | . | 0 |
| ..All falls (E880-E886,E888,E957,E968.1,E987) | . | . | . | . | . | . | . | . | . | . | . |
| ..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4) | 1 | 1 | 1 | 43 | 53 | . | . | . | . | . | . |
|Suicide (E955.0-.4) | . | . | . | . | . | . | . | . | . | . | . |
|Homicide (E965.0-.4) | 1 | 1 | 1 | 43 | 53 | . | . | . | . | . | . |
| ..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982) | 13 | 13 | 13 | 388 | 518 | . | . | . | . | . | . |
| Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860) | 8 | 8 | 8 | 150 | 230 | . | . | . | . | . | . |
| Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5) | 13 | 13 | 13 | 388 | 518 | . | . | . | . | . | . |

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).