

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex White Residents, 1990

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, White Residents, 1990 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, White Residents, 1990 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT White Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1990*****				*****1990*****				*****1990*****			
	No. of deaths	Crude rate	Significance	1989 AAMR	No. of deaths	Crude rate	Significance	1989 AAMR	No. of deaths	Crude rate	Significance	1989 AAMR
*****Causes of Death*****												
All causes	25,440	864.7	425.0	1	445.2	12,441	872.3	550.1	1	579.7	12,999	857.5
Infectious diseases and parasitic disease (1-139)	648	22.0	12.8	0	11.6	357	25.0	18.6	0	16.2	291	19.2
..Septicemia (038)	398	13.5	5.8	0	4.9	166	11.6	6.8	0	5.8	232	15.3
....Septicemia-related (038)	1,312	44.6	20.3	0	19.7	593	41.6	24.5	0	23.9	719	47.4
...HIV infection (042-044)	159	5.4	5.1	0	4.7	139	9.7	9.0	0	7.9	20	1.3
All cancer (140-208)	6,379	216.8	121.1	1	128.4	3,247	227.7	144.9	0	152.8	3,132	206.6
..Oral cavity or pharynx (140.0-149.9)	107	3.6	2.2	0	2.7	70	4.9	3.4	0	4.2	37	2.4
..Colorectal cancer (153.0-154.3,154.8,159.0)	799	27.2	13.2	0	14.4	385	27.0	16.2	0	17.8	414	27.3
....Colon cancer (153)	649	22.1	10.7	0	12.4	309	21.7	12.9	0	15.2	340	22.4
....Rectal cancer (154)	128	4.4	2.2	0	1.8	59	4.1	2.7	0	2.4	69	4.6
...Pancreatic cancer (157)	336	11.4	6.1	0	6.1	179	12.6	8.2	0	7.6	157	10.4
..Lung and other respiratory cancer (160-165)	1,693	57.5	34.4	0	35.9	1,019	71.5	47.0	0	49.9	674	44.5
....Lung cancer (162.2-.9)	1,639	55.7	33.5	0	35.0	983	68.9	45.5	0	48.5	656	43.3
..Malignant melanoma of skin (172)	87	3.0	2.1	0	1.9	47	3.3	2.4	0	2.2	40	2.6
..Female breast cancer (174)	570	570	37.6
..Cervical cancer (180)	36	36	2.4
..Endometrial cancer (182)	40	40	2.6
..Ovarian cancer (183)	161	161	10.6
..Prostate cancer (185)	387	387	27.1	14.6	0	14.0
..Bladder cancer (188)	157	5.3	2.3	0	2.4	102	7.2	3.8	0	4.8	55	3.6
..Brain & other CNS cancer (191-192)	143	4.9	3.4	0	3.4	79	5.5	4.3	0	4.3	64	4.2
..Leukemia (204-208)	227	7.7	4.6	0	4.6	120	8.4	5.8	0	5.6	107	7.1
Diabetes mellitus (250)	447	15.2	7.5	0	7.5	180	12.6	8.0	0	9.0	267	17.6
..Diabetes-related (250)	2,130	72.4	33.7	0	34.6	930	65.2	38.7	0	42.9	1,200	79.2
...Diabetic ketoacidosis (DKA) (250.1)	7	0.2	3	0.2	4	0.3
Alzheimer's diseases (331.0)	199	6.8	2.2	0	2.1	80	5.6	2.7	0	2.4	119	7.9
Cardiovascular disease (390-459)	11,164	379.5	157.7	1	166.7	5,181	363.3	210.7	1	225.2	5,983	394.7
..Diseases of the heart (390-398,402,404-429)	8,933	303.6	128.7	1	135.7	4,326	303.3	178.2	0	189.0	4,607	303.9
....Heart disease-related (390-398,402,404-429)	14,542	494.3	212.8	1	225.9	6,890	483.1	281.9	1	302.0	7,652	504.8
....Coronary heart disease (CHD) (402,410-414,429.2)	6,691	227.4	96.0	1	101.6	3,303	231.6	136.1	0	144.1	3,388	223.5
....Congestive heart failure (CHF) (428.0)	397	13.5	4.0	0	4.3	145	10.2	4.8	0	5.8	252	16.6
..Hypertension with or without renal disease (401,403)	105	3.6	1.5	0	1.4	36	2.5	1.5	0	1.7	69	4.6
...Hypertension-related (401,403)	1,492	50.7	21.8	0	22.0	566	39.7	23.2	0	25.1	926	61.1
..Cerebrovascular disease (430-438)	1,616	54.9	20.4	0	21.3	581	40.7	21.4	0	23.0	1,035	68.3
...Atherosclerosis (440)	178	6.1	1.9	0	2.1	66	4.6	2.3	0	2.4	112	7.4
...Atherosclerosis-related (440)	989	33.6	10.8	1	12.5	376	26.4	13.2	0	14.9	613	40.4
..Aortic aneurysm (441)	164	5.6	2.5	0	3.2	103	7.2	4.2	0	5.4	61	4.0
Pneumonia & influenza (480-487)	1,092	37.1	12.4	0	12.4	443	31.1	15.4	0	17.0	649	42.8

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.

0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT White Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1990*****				*****1990*****				*****1990*****			
	No. of deaths	Crude rate	Significance	1989	No. of deaths	Crude rate	Significance	1989	No. of deaths	Crude rate	Significance	1989
*****Causes of Death*****												
Chronic obstructive pulmonary disease (COPD) (490-496)	972	33.0	15.1	0	14.8	514	36.0	20.2	0	19.3	458	30.2
..COPD-related (490-496)	2,303	78.3	35.0	0	34.7	1,284	90.0	49.2	0	48.3	1,019	67.2
..Asthma (493)	36	1.2	0.8	0	0.9	16	1.1	0.9	0	20	1.3	0.7
Chronic liver disease and cirrhosis (571)	282	9.6	6.7	0	7.8	177	12.4	9.6	0	10.5	105	6.9
Nephritis, nephrotic syndrome/nephrosis (580-589)	248	8.4	3.7	0	3.4	126	8.8	4.8	0	4.6	122	8.0
..Nephritis-related (580-589)	1,508	51.3	23.2	0	23.5	782	54.8	31.1	0	33.3	726	47.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	270	9.2	4.0	0	3.6	136	9.5	5.2	0	4.7	134	8.8
Unintentional injuries (E800-E949)	834	28.3	22.4	0	23.1	526	36.9	33.1	0	35.6	308	20.3
..Motor vehicle accidents (E810-E825)	374	12.7	12.6	0	12.9	262	18.4	18.4	0	19.9	112	7.4
..Falls and fall related injuries (E880-E888)	169	5.7	2.3	0	2.4	63	4.4	2.7	0	3.5	106	7.0
..Drowning (E830,E832,E910)	42	1.4	1.4	0	1.3	37	2.6	2.5	0	1.9	51	0.3
..Residential fires (E890-E899)	32	1.1	0.9	0	1.0	18	1.3	1.2	0	1.4	14	0.9
Suicide (E950-E959)	272	9.2	8.3	0	8.1	218	15.3	13.8	0	13.4	54	3.6
Homicide and legal intervention (E960-E978)	94	3.2	3.1	0	3.9	69	4.8	4.9	0	5.1	25	1.6
..Homicide (E960-E969)	93	3.2	3.1	0	3.9	69	4.8	4.9	0	5.1	24	1.6
All injury (E800-E999)	1,221	41.5	34.5	0	35.6	830	58.2	52.9	0	55.0	391	25.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	364	12.4	12.3	0	12.8	254	17.8	18.0	0	19.7	110	7.3
..All falls (E880-E886,E888,E957,E968.1,E987)	133	4.5	2.0	0	2.1	54	3.8	2.5	0	3.1	79	5.2
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	6.4	6.1	0	6.3	160	11.2	10.7	0	10.1	28	1.8
....Suicide (E955.0-.4)	116	3.9	3.6	0	3.4	102	7.2	6.4	0	5.9	14	0.9
....Homicide (E965.0-.4)	55	1.9	1.9	0	2.4	43	3.0	3.1	0	3.4	12	0.8
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	102	3.5	3.0	0	2.6	74	5.2	4.6	0	3.7	28	1.8
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	143	4.9	3.9	0	5.0	98	6.9	5.7	0	7.4	45	3.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	46	1.6	1.2	0	0.9	31	2.2	1.7	0	1.2	15	1.0

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.

0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT White Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1990*****				*****1990*****				*****1990*****			
	No. of deaths	Crude rate	Significance	1989 AAMR	No. of deaths	Crude rate	Significance	1989 AAMR	No. of deaths	Crude rate	Significance	1989 AAMR
*****Causes of Death*****												
All causes	25,440	864.7	600.3	1	624.5	12,441	872.3	771.6	1	808.9	12,999	857.5
Infectious diseases and parasitic disease (1-139)	648	22.0	15.5	0	14.1	357	25.0	21.2	0	18.7	291	19.2
..Septicemia (038)	398	13.5	8.9	0	7.4	166	11.6	10.2	0	8.6	232	15.3
....Septicemia-related (038)	1,312	44.6	29.9	0	28.7	593	41.6	36.4	0	34.9	719	47.4
...HIV infection (042-044)	159	5.4	4.3	0	4.1	139	9.7	7.7	0	6.8	20	1.3
All cancer (140-208)	6,379	216.8	160.6	1	168.9	3,247	227.7	200.2	0	207.8	3,132	206.6
..Oral cavity or pharynx (140.0-149.9)	107	3.6	2.8	0	3.2	70	4.9	4.4	0	5.0	37	2.4
..Colorectal cancer (153.0-154.3,154.8,159.0)	799	27.2	19.0	0	20.6	385	27.0	23.7	0	25.8	414	27.3
....Colon cancer (153)	649	22.1	15.4	0	17.6	309	21.7	19.0	0	22.0	340	22.4
....Rectal cancer (154)	128	4.4	3.1	0	2.7	59	4.1	3.6	0	3.5	69	4.6
...Pancreatic cancer (157)	336	11.4	8.3	0	8.4	179	12.6	11.1	0	10.2	157	10.4
..Lung and other respiratory cancer (160-165)	1,693	57.5	44.5	0	45.8	1,019	71.5	63.2	0	65.5	674	44.5
....Lung cancer (162.2-.9)	1,639	55.7	43.2	0	44.5	983	68.9	60.9	0	63.4	656	43.3
..Malignant melanoma of skin (172)	87	3.0	2.4	0	2.2	47	3.3	2.9	0	2.5	40	2.6
..Female breast cancer (174)	570	570	37.6
..Cervical cancer (180)	36	36	2.4
..Endometrial cancer (182)	40	40	2.6
..Ovarian cancer (183)	161	161	10.6
..Prostate cancer (185)	387	387	27.1	23.6	0	22.5
..Bladder cancer (188)	157	5.3	3.5	0	3.7	102	7.2	6.2	0	7.6	55	3.6
..Brain & other CNS cancer (191-192)	143	4.9	3.9	0	4.1	79	5.5	4.9	0	5.0	64	4.2
..Leukemia (204-208)	227	7.7	5.9	0	5.9	120	8.4	7.5	0	7.3	107	7.1
Diabetes mellitus (250)	447	15.2	10.6	0	10.4	180	12.6	11.1	0	12.1	267	17.6
..Diabetes-related (250)	2,130	72.4	49.6	0	50.0	930	65.2	56.7	0	61.5	1,200	79.2
...Diabetic ketoacidosis (DKA) (250.1)	7	0.2	3	0.2	4	0.3
Alzheimer's diseases (331.0)	199	6.8	4.1	0	3.9	80	5.6	4.9	0	4.3	119	7.9
Cardiovascular disease (390-459)	11,164	379.5	247.4	1	261.1	5,181	363.3	320.4	1	343.1	5,983	394.7
..Diseases of the heart (390-398,402,404-429)	8,933	303.6	199.6	1	209.9	4,326	303.3	267.8	1	284.5	4,607	303.9
....Heart disease-related (390-398,402,404-429)	14,542	494.3	326.7	1	344.0	6,890	483.1	425.7	1	453.0	7,652	504.8
....Coronary heart disease (CHD) (402,410-414,429.2)	6,691	227.4	149.3	1	158.3	3,303	231.6	204.2	0	217.4	3,388	223.5
....Congestive heart failure (CHF) (428.0)	397	13.5	7.8	0	7.6	145	10.2	9.0	0	10.0	252	16.6
..Hypertension with or without renal disease (401,403)	105	3.6	2.3	0	2.3	36	2.5	2.3	0	2.5	69	4.6
....Hypertension-related (401,403)	1,492	50.7	33.6	0	33.8	566	39.7	34.8	0	36.8	926	61.1
..Cerebrovascular disease (430-438)	1,616	54.9	34.2	0	35.5	581	40.7	35.8	0	37.8	1,035	68.3
..Atherosclerosis (440)	178	6.1	3.5	0	4.2	66	4.6	4.1	0	4.4	112	7.4
...Atherosclerosis-related (440)	989	33.6	19.9	1	22.8	376	26.4	23.1	0	26.3	613	40.4
..Aortic aneurysm (441)	164	5.6	3.8	0	5.0	103	7.2	6.3	0	8.4	61	4.0
Pneumonia & influenza (480-487)	1,092	37.1	22.2	0	21.6	443	31.1	27.5	0	29.4	649	42.8

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.

0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT White Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1990*****				*****1990*****				*****1990*****						
	No. of deaths	Crude rate	Significance	1989	No. of deaths	Crude rate	Significance	1989	No. of deaths	Crude rate	Significance	1989			
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	972	33.0	22.5	0	22.1	514	36.0	31.2	0	30.6	458	30.2	17.5	0	17.6
..COPD-related (490-496)	2,303	78.3	52.9	0	52.2	1,284	90.0	78.2	0	76.4	1,019	67.2	38.8	0	38.7
..Asthma (493)	36	1.2	0.9	0	1.2	16	1.1	1.1	0	.	20	1.3	0.8	0	1.4
Chronic liver disease and cirrhosis (571)	282	9.6	7.7	0	8.7	177	12.4	11.0	0	11.7	105	6.9	5.0	0	6.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	248	8.4	5.6	0	5.4	126	8.8	7.9	0	7.2	122	8.0	4.4	0	4.3
..Nephritis-related (580-589)	1,508	51.3	34.5	0	34.7	782	54.8	48.1	0	50.2	726	47.9	26.8	0	25.1
End stage renal disease (ESRD) (581-588,591,593.8,593.9)	270	9.2	6.1	0	5.8	136	9.5	8.5	0	7.5	134	8.8	4.8	0	4.7
Unintentional injuries (E800-E949)	834	28.3	23.9	0	24.7	526	36.9	34.2	0	37.5	308	20.3	14.2	0	13.0
..Motor vehicle accidents (E810-E825)	374	12.7	12.1	0	12.6	262	18.4	17.4	0	19.3	112	7.4	6.8	0	6.0
..Falls and fall related injuries (E880-E888)	169	5.7	3.7	0	3.6	63	4.4	4.0	0	4.8	106	7.0	3.2	0	2.6
..Drowning (E830,E832,E910)	42	1.4	1.4	0	1.3	37	2.6	2.6	0	1.8	51	0.3	.	0	.
..Residential fires (E890-E899)	32	1.1	1.1	0	1.0	18	1.3	1.4	0	1.5	14	0.9	.	0	.
Suicide (E950-E959)	272	9.2	8.0	0	7.7	218	15.3	13.6	0	13.0	54	3.6	3.0	0	2.9
Homicide and legal intervention (E960-E978)	94	3.2	2.9	0	3.6	69	4.8	4.6	0	4.7	25	1.6	1.2	1	2.6
..Homicide (E960-E969)	93	3.2	2.8	0	3.6	69	4.8	4.6	0	4.7	24	1.6	1.1	1	2.6
All injury (E800-E999)	1,221	41.5	35.3	0	36.6	830	58.2	53.3	0	55.9	391	25.8	18.5	0	18.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	364	12.4	11.8	0	12.5	254	17.8	16.9	0	19.1	110	7.3	6.7	0	6.0
..All falls (E880-E886,E888,E957,E968.1,E987)	133	4.5	3.0	0	3.1	54	3.8	3.5	0	4.1	79	5.2	2.5	0	2.1
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	6.4	5.7	0	5.9	160	11.2	10.3	0	9.8	28	1.8	1.5	0	2.4
....Suicide (E955.0-.4)	116	3.9	3.4	0	3.3	102	7.2	6.4	0	5.9	14	0.9	.	0	1.0
....Homicide (E965.0-.4)	55	1.9	1.7	0	2.2	43	3.0	2.8	0	3.2	12	0.8	.	0	1.3
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	102	3.5	2.9	0	2.5	74	5.2	4.4	0	3.6	28	1.8	1.4	0	1.5
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	143	4.9	4.2	0	5.3	98	6.9	6.2	0	7.8	45	3.0	2.5	0	3.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	46	1.6	1.1	0	0.8	31	2.2	1.6	0	1.1	15	1.0	0.7	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.

0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT White Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1990*****				*****1990*****				*****1990*****			
	No. of deaths	Crude rate	Significance	1989	No. of deaths	Crude rate	Significance	1989	No. of deaths	Crude rate	Significance	1989
*****Causes of Death*****												
All causes	25,440	864.7	821.9	1	849.9	12,441	872.3	1048.4	1	1096.4	12,999	857.5
Infectious diseases and parasitic disease (1-139)	648	22.0	21.1	0	19.0	357	25.0	28.0	0	24.7	291	19.2
.. Septicemia (038)	398	13.5	13.0	0	10.8	166	11.6	14.6	0	12.3	232	15.3
.... Septicemia-related (038)	1,312	44.6	42.5	0	40.6	593	41.6	52.0	0	49.0	719	47.4
.... HIV infection (042-044)	159	5.4	5.2	0	4.9	139	9.7	9.3	0	8.3	20	1.3
All cancer (140-208)	6,379	216.8	201.9	0	210.8	3,247	227.7	258.3	0	266.2	3,132	206.6
.. Oral cavity or pharynx (140.0-149.9)	107	3.6	3.3	0	3.7	70	4.9	5.3	0	5.8	37	2.4
.. Colorectal cancer (153.0-154.3,154.8,159.0)	799	27.2	25.4	0	27.6	385	27.0	32.0	0	34.8	414	27.3
.... Colon cancer (153)	649	22.1	20.6	0	23.5	309	21.7	25.7	0	29.6	340	22.4
.... Rectal cancer (154)	128	4.4	4.1	0	3.6	59	4.1	4.6	0	4.7	69	4.6
.. Pancreatic cancer (157)	336	11.4	10.6	0	10.5	179	12.6	13.8	0	12.7	157	10.4
.. Lung and other respiratory cancer (160-165)	1,693	57.5	53.1	0	53.7	1,019	71.5	78.2	0	79.6	674	44.5
.... Lung cancer (162.2-.9)	1,639	55.7	51.4	0	52.3	983	68.9	75.2	0	77.0	656	43.3
.. Malignant melanoma of skin (172)	87	3.0	2.8	0	2.7	47	3.3	3.5	0	3.1	40	2.6
.. Female breast cancer (174)	570	.-	.-	0	.-	.-	.-	.-	0	.-	570	37.6
.. Cervical cancer (180)	36	.-	.-	0	.-	.-	.-	.-	0	.-	36	2.4
.. Endometrial cancer (182)	40	.-	.-	0	.-	.-	.-	.-	0	.-	40	2.6
.. Ovarian cancer (183)	161	.-	.-	0	.-	.-	.-	.-	0	.-	161	10.6
.. Prostate cancer (185)	387	.-	.-	0	.-	387	27.1	34.0	0	32.2	.-	.-
.. Bladder cancer (188)	157	5.3	5.0	0	5.2	102	7.2	9.1	0	11.2	55	3.6
.. Brain & other CNS cancer (191-192)	143	4.9	4.6	0	4.6	79	5.5	5.9	0	5.6	64	4.2
.. Leukemia (204-208)	227	7.7	7.3	0	7.6	120	8.4	9.5	0	9.5	107	7.1
Diabetes mellitus (250)	447	15.2	14.2	0	13.8	180	12.6	14.5	0	15.6	267	17.6
.. Diabetes-related (250)	2,130	72.4	67.6	0	67.1	930	65.2	77.0	0	82.2	1,200	79.2
.. Diabetic ketoacidosis (DKA) (250.1)	7	0.2	.-	0	.-	3	0.2	.-	0	.-	4	0.3
Alzheimer's diseases (331.0)	199	6.8	6.5	0	6.4	80	5.6	8.1	0	7.1	119	7.9
Cardiovascular disease (390-459)	11,164	379.5	362.9	1	382.4	5,181	363.3	456.0	1	489.8	5,983	394.7
.. Diseases of the heart (390-398,402,404-429)	8,933	303.6	289.6	1	304.1	4,326	303.3	377.0	1	402.2	4,607	303.9
.... Heart disease-related (390-398,402,404-429)	14,542	494.3	471.2	1	492.8	6,890	483.1	602.8	1	639.7	7,652	504.8
.... Coronary heart disease (CHD) (402,410-414,429.2)	6,691	227.4	216.8	1	230.0	3,303	231.6	286.9	0	307.4	3,388	223.5
.... Congestive heart failure (CHF) (428.0)	397	13.5	13.2	0	12.3	145	10.2	14.9	0	15.7	252	16.6
.. Hypertension with or without renal disease (401,403)	105	3.6	3.5	0	3.4	36	2.5	3.3	0	3.3	69	4.6
.... Hypertension-related (401,403)	1,492	50.7	47.8	0	48.2	566	39.7	48.0	0	50.6	926	61.1
.. Cerebrovascular disease (430-438)	1,616	54.9	53.3	0	54.8	581	40.7	55.1	0	57.3	1,035	68.3
.... Atherosclerosis (440)	178	6.1	5.9	0	7.2	66	4.6	6.4	0	7.5	112	7.4
.... Atherosclerosis-related (440)	989	33.6	32.6	1	37.0	376	26.4	36.2	0	41.7	613	40.4
.. Aortic aneurysm (441)	164	5.6	5.2	1	7.1	103	7.2	8.5	0	11.8	61	4.0
Pneumonia & influenza (480-487)	1,092	37.1	36.3	0	34.8	443	31.1	44.6	0	47.2	649	42.8

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.

0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT White Resident DEATHS, 1990
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1990*****				*****1990*****				*****1990*****						
	No. of deaths	Crude rate	Significance	1989	No. of deaths	Crude rate	Significance	1989	No. of deaths	Crude rate	Significance	1989			
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	972	33.0	30.5	0	30.0	514	36.0	43.8	0	43.8	458	30.2	23.4	0	23.2
..COPD-related (490-496)	2,303	78.3	72.5	0	71.5	1,284	90.0	112.2	0	109.4	1,019	67.2	51.8	0	51.9
..Asthma (493)	36	1.2	1.2	0	1.5	16	1.1	1.4	0	.	20	1.3	1.1	0	1.7
Chronic liver disease and cirrhosis (571)	282	9.6	9.1	0	10.1	177	12.4	13.1	0	13.7	105	6.9	6.0	0	7.1
Nephritis, nephrotic syndrome/nephrosis (580-589)	248	8.4	8.0	0	7.9	126	8.8	12.3	0	10.5	122	8.0	6.2	0	6.3
..Nephritis-related (580-589)	1,508	51.3	48.6	0	48.3	782	54.8	70.1	0	71.1	726	47.9	37.2	0	35.2
End stage renal disease (ESRD) (581-588,591,593.8,593.9)	270	9.2	8.7	0	8.4	136	9.5	13.1	0	11.0	134	8.8	6.8	0	6.9
Unintentional injuries (E800-E949)	834	28.3	27.2	0	27.5	526	36.9	38.5	0	41.4	308	20.3	17.1	0	15.4
..Motor vehicle accidents (E810-E825)	374	12.7	12.1	0	12.4	262	18.4	17.4	0	18.8	112	7.4	6.9	0	6.1
..Falls and fall related injuries (E880-E888)	169	5.7	5.6	0	5.3	63	4.4	5.9	0	6.6	106	7.0	5.2	0	4.2
..Drowning (E830,E832,E910)	42	1.4	1.4	0	1.3	37	2.6	2.7	0	1.8	51	0.3	.	0	.
..Residential fires (E890-E899)	32	1.1	1.1	0	1.1	18	1.3	1.3	0	1.7	14	0.9	.	0	.
Suicide (E950-E959)	272	9.2	8.9	0	8.6	218	15.3	15.4	0	14.6	54	3.6	3.3	0	3.3
Homicide and legal intervention (E960-E978)	94	3.2	3.0	0	3.7	69	4.8	4.5	0	4.7	25	1.6	1.5	0	2.6
..Homicide (E960-E969)	93	3.2	2.9	0	3.7	69	4.8	4.5	0	4.7	24	1.6	1.4	0	2.6
All injury (E800-E999)	1,221	41.5	39.7	0	40.4	830	58.2	59.5	0	61.6	391	25.8	22.1	0	21.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	364	12.4	11.8	0	12.3	254	17.8	16.8	0	18.7	110	7.3	6.8	0	6.1
..All falls (E880-E886,E888,E957,E968.1,E987)	133	4.5	4.4	0	4.4	54	3.8	4.8	0	5.3	79	5.2	3.9	0	3.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	6.4	6.1	0	6.2	160	11.2	11.0	0	10.3	28	1.8	1.7	0	2.5
....Suicide (E955.0-.4)	116	3.9	3.8	0	3.6	102	7.2	7.3	0	6.5	14	0.9	.	0	1.2
....Homicide (E965.0-.4)	55	1.9	1.7	0	2.2	43	3.0	2.8	0	3.1	12	0.8	.	0	1.3
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	102	3.5	3.2	0	3.0	74	5.2	5.1	0	4.2	28	1.8	1.7	0	1.8
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	143	4.9	4.8	0	6.0	98	6.9	7.2	0	8.8	45	3.0	2.8	0	3.5
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	46	1.6	1.4	0	1.0	31	2.2	2.1	0	1.3	15	1.0	0.9	0	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1990 AAMR is significantly different (prob<0.05) from the 1989 AAMR.

0 - The 1990 AAMR is not significantly different (prob>0.05) from the 1989 AAMR.

CONNECTICUT White Resident DEATHS, 1990

Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)

for selected causes of death by sex of decedent

*** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance
	All	< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance	
*****Causes of Death*****												
All causes	25,440	5,577	11,287	98,250	180,740	3791.1	4088.5	0	6001.6	6451.8	1	
Infectious diseases and parasitic disease (1-139)	648	246	346	6,098	9,078	219.0	211.0	0	300.9	285.7	0	
..Septicemia (038)	398	56	132	1,016	1,951	38.7	38.1	0	63.2	58.8	0	
....Septicemia-related (038)	1,312	231	510	3,518	7,105	128.2	146.5	0	222.6	242.0	0	
...HIV infection (042-044)	159	155	159	4,122	5,702	142.3	133.5	0	186.8	174.7	0	
All cancer (140-208)	6,379	1,739	3,734	18,367	45,504	663.7	697.2	0	1387.9	1481.6	0	
..Oral cavity or pharynx (140.0-149.9)	107	36	73	290	843	10.2	19.7	0	25.0	40.1	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	799	148	374	1,280	3,870	44.9	51.1	0	112.2	123.6	0	
....Colon cancer (153)	649	121	302	1,043	3,145	36.4	45.4	0	91.1	108.4	0	
....Rectal cancer (154)	128	23	65	213	653	7.6	5.6	0	19.0	14.5	0	
...Pancreatic cancer (157)	336	76	187	630	1,958	22.6	21.1	0	57.6	55.7	0	
...Lung and other respiratory cancer (160-165)	1,693	512	1,127	4,065	12,203	147.5	159.8	0	366.3	396.7	0	
....Lung cancer (162.2-.9)	1,639	505	1,101	3,958	11,933	142.6	155.8	0	357.0	386.5	0	
..Malignant melanoma of skin (172)	87	42	67	635	1,188	21.8	21.2	0	37.2	35.2	0	
..Female breast cancer (174)	570	216	363	2,585	5,468	
..Cervical cancer (180)	36	18	24	350	565	
..Endometrial cancer (182)	40	11	23	73	243	
..Ovarian cancer (183)	161	51	110	533	1,350	
..Prostate cancer (185)	387	35	155	153	1,033	
..Bladder cancer (188)	157	19	62	93	460	3.1	6.6	0	12.2	16.9	0	
..Brain & other CNS cancer (191-192)	143	70	106	1,250	2,130	45.7	41.5	0	70.3	66.4	0	
..Leukemia (204-208)	227	78	132	1,654	2,699	66.9	46.7	0	96.0	74.0	0	
Diabetes mellitus (250)	447	87	207	853	2,308	29.7	36.3	0	67.7	76.1	0	
..Diabetes-related (250)	2,130	331	938	2,778	8,885	96.6	114.6	0	251.8	285.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	7	2	6	50	90	
Alzheimer's diseases (331.0)	199	7	34	23	215	0.7	1.0	0	5.1	4.6	0	
Cardiovascular disease (390-459)	11,164	1,476	3,795	14,725	39,963	531.8	554.8	0	1188.1	1249.3	0	
..Diseases of the heart (390-398,402,404-429)	8,933	1,247	3,187	12,151	33,466	440.2	457.9	0	994.3	1045.7	0	
....Heart disease-related (390-398,402,404-429)	14,542	2,104	5,289	23,060	58,628	846.1	953.5	0	1772.2	1959.2	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,691	921	2,394	7,778	23,660	274.3	287.8	0	686.2	721.3	0	
....Congestive heart failure (CHF) (428.0)	397	8	56	85	385	2.9	16.3	0	9.9	26.8	0	
....Hypertension with or without renal disease (401,403)	105	16	37	115	353	4.2	3.3	0	10.7	8.4	0	
....Hypertension-related (401,403)	1,492	192	568	1,460	5,070	50.9	60.2	0	142.3	151.3	0	
..Cerebrovascular disease (430-438)	1,616	156	396	1,837	4,427	65.3	64.4	0	132.8	133.7	0	
..Atherosclerosis (440)	178	6	33	55	213	2.0	5.6	0	5.7	11.0	0	
....Atherosclerosis-related (440)	989	37	189	213	1,218	7.2	14.2	0	30.7	48.1	1	
..Aortic aneurysm (441)	164	17	72	133	565	4.8	8.6	0	15.4	20.9	0	
Pneumonia & influenza (480-487)	1,092	74	200	1,076	2,331	40.6	57.8	0	72.9	97.1	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	972	114	426	917	3,467	32.2	35.4	0	94.4	96.3	0	
..COPD-related (490-496)	2,303	259	958	1,835	7,497	64.4	72.8	0	202.4	217.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance	
*****Causes of Death*****												
..Asthma (493)	36	15	21	310	490	11.3	9.1	0	16.6	14.5	0	
Chronic liver disease and cirrhosis (571)	282	136	223	1,855	3,653	64.3	78.5	0	114.6	140.8	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	248	46	90	589	1,264	22.7	11.7	0	40.3	24.7	0	
..Nephritis-related (580-589)	1,508	242	601	3,023	7,026	110.4	98.2	0	214.3	206.4	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	270	48	97	599	1,307	23.0	11.4	0	41.5	25.3	0	
Unintentional injuries (E800-E949)	834	507	594	16,784	22,246	698.2	712.9	0	861.1	882.7	0	
..Motor vehicle accidents (E810-E825)	374	308	337	10,856	14,079	459.2	483.6	0	557.8	584.0	0	
..Falls and fall related injuries (E880-E888)	169	23	44	559	881	24.2	29.4	0	32.9	41.1	0	
..Drowning (E830,E832,E910)	42	36	39	1,193	1,566	50.7	48.1	0	62.0	58.2	0	
..Residential fires (E890-E899)	32	21	27	768	998	33.8	27.7	0	40.6	35.2	0	
Suicide (E950-E959)	272	214	244	5,860	8,160	229.1	218.4	0	296.8	285.0	0	
Homicide and legal intervention (E960-E978)	94	79	90	2,833	3,675	114.1	138.0	0	138.6	169.7	0	
..Homicide (E960-E969)	93	78	89	2,805	3,638	113.2	138.0	0	137.5	169.7	0	
All injury (E800-E999)	1,221	820	949	26,041	34,849	1062.0	1085.3	0	1322.8	1357.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	364	304	329	10,751	13,964	455.3	479.4	0	552.1	579.1	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	133	26	45	596	939	24.8	28.7	0	34.0	39.8	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	160	175	5,000	6,678	201.0	200.3	0	250.9	251.7	0	
....Suicide (E955.0-.4)	116	93	105	2,623	3,618	104.2	91.5	0	133.5	119.7	0	
....Homicide (E965.0-.4)	55	50	53	1,800	2,313	73.1	89.8	0	88.5	109.6	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	102	79	93	2,093	2,953	77.6	59.8	0	102.1	81.3	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	143	95	133	1,463	2,603	51.3	65.5	0	84.4	109.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	46	32	40	840	1,195	28.1	22.4	0	37.6	30.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
							1990	1989	Significance	1990	1989	Significance
All	< 65	< 75	< 65	< 75								
*****Causes of Death*****												
All causes	12,441	3,503	6,734	63,783	114,130	4919.1	5300.8	0	7765.7	8354.2	0	
Infectious diseases and parasitic disease (1-139)	357	195	249	4,890	7,110	348.5	301.6	0	475.1	412.2	0	
..Septicemia (038)	166	31	71	607	1,102	45.7	44.0	0	73.1	70.4	0	
....Septicemia-related (038)	593	133	272	2,104	4,076	154.9	164.2	0	265.2	279.7	0	
...HIV infection (042-044)	139	136	139	3,564	4,947	245.6	209.3	0	324.5	278.5	0	
All cancer (140-208)	3,247	852	1,966	8,387	22,357	619.2	714.5	0	1402.8	1583.6	0	
..Oral cavity or pharynx (140.0-149.9)	70	27	51	238	643	17.0	29.3	0	40.1	60.4	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	385	83	205	638	2,078	45.9	53.2	0	125.5	137.2	0	
....Colon cancer (153)	309	62	161	435	1,558	31.1	47.0	0	92.7	119.8	0	
....Rectal cancer (154)	59	17	38	178	450	13.0	6.2	0	28.5	17.0	0	
..Pancreatic cancer (157)	179	46	120	380	1,240	28.1	27.9	0	76.2	72.5	0	
..Lung and other respiratory cancer (160-165)	1,019	295	670	2,278	7,030	170.0	210.6	0	439.8	519.0	0	
....Lung cancer (162.2-.9)	983	291	653	2,213	6,853	163.6	205.7	0	427.3	506.3	0	
..Malignant melanoma of skin (172)	47	21	38	318	615	22.1	25.6	0	39.2	41.0	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	387	35	155	153	1,033	10.7	14.4	0	56.3	61.0	0	
..Bladder cancer (188)	102	12	43	45	298	3.0	11.0	0	16.1	28.6	0	
..Brain & other CNS cancer (191-192)	79	42	61	785	1,308	58.6	55.4	0	89.2	87.3	0	
..Leukemia (204-208)	120	44	78	892	1,502	71.0	56.2	0	105.8	88.8	0	
Diabetes mellitus (250)	180	47	107	478	1,253	34.1	48.5	0	77.7	99.5	0	
..Diabetes-related (250)	930	179	487	1,513	4,753	106.9	143.9	0	283.4	356.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	3	1	2	0	10	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	80	5	18	18	125	1.1	1.1	0	6.7	4.7	0	
Cardiovascular disease (390-459)	5,181	1,031	2,382	10,068	26,665	735.3	788.7	0	1664.8	1774.3	0	
..Diseases of the heart (390-398,402,404-429)	4,326	917	2,070	8,938	23,470	653.6	681.4	0	1469.1	1543.2	0	
....Heart disease-related (390-398,402,404-429)	6,890	1,388	3,228	14,789	37,174	1092.5	1237.3	0	2344.0	2605.9	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,303	701	1,599	6,043	17,218	433.3	452.6	0	1060.1	1105.7	0	
....Congestive heart failure (CHF) (428.0)	145	6	32	50	230	3.8	24.7	0	13.3	39.7	0	
..Hypertension with or without renal disease (401,403)	36	10	18	60	195	4.4	6.4	0	12.4	14.9	0	
....Hypertension-related (401,403)	566	111	284	788	2,715	55.2	86.8	0	160.5	204.9	0	
..Cerebrovascular disease (430-438)	581	69	185	748	1,983	53.4	71.1	0	120.8	142.5	0	
..Atherosclerosis (440)	66	4	21	20	118	1.4	4.3	0	6.4	11.1	0	
....Atherosclerosis-related (440)	376	27	114	133	795	9.4	16.0	0	43.9	56.2	0	
..Aortic aneurysm (441)	103	12	53	75	403	5.7	11.6	0	23.2	31.5	0	
Pneumonia & influenza (480-487)	443	45	120	438	1,195	31.4	58.6	0	72.6	111.1	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	514	55	235	450	1,825	33.4	33.6	0	105.8	99.0	0	
..COPD-related (490-496)	1,284	137	526	1,020	4,112	74.6	75.7	0	237.5	245.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
					All	< 65	< 75	< 65	< 75	1990	1989	Significance
*****Causes of Death*****												
..Asthma (493)	16	9	11	205	305	15.7	.	0	22.1	.	0	
Chronic liver disease and cirrhosis (571)	177	96	147	1,285	2,518	90.8	112.4	0	163.5	197.1	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	126	28	45	374	722	28.7	15.6	0	48.4	30.8	0	
..Nephritis-related (580-589)	782	144	325	1,841	4,059	134.8	124.8	0	258.5	264.8	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	136	29	50	382	754	29.2	14.5	0	50.3	30.0	0	
Unintentional injuries (E800-E949)	526	392	437	12,988	17,111	1063.9	1105.4	0	1312.1	1369.7	0	
..Motor vehicle accidents (E810-E825)	262	233	245	8,237	10,632	682.9	748.1	0	829.3	904.0	0	
..Falls and fall related injuries (E880-E888)	63	16	28	474	689	41.0	48.6	0	53.4	67.0	0	
..Drowning (E830,E832,E910)	37	32	35	967	1,300	82.0	73.5	0	102.5	89.1	0	
..Residential fires (E890-E899)	18	13	18	492	634	44.4	38.7	0	53.1	48.8	0	
Suicide (E950-E959)	218	173	196	4,823	6,675	377.8	368.1	0	488.5	477.3	0	
Homicide and legal intervention (E960-E978)	69	60	67	2,290	2,928	189.8	180.9	0	228.1	223.2	0	
..Homicide (E960-E969)	69	60	67	2,290	2,928	189.8	180.9	0	228.1	223.2	0	
All injury (E800-E999)	830	641	717	20,561	27,336	1665.7	1682.7	0	2072.2	2106.3	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	254	229	239	8,132	10,472	675.1	739.7	0	818.4	894.4	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	54	19	30	512	749	42.3	52.3	0	55.9	70.5	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	160	136	148	4,260	5,680	345.8	315.6	0	431.7	397.8	0	
....Suicide (E955.0-.4)	102	81	91	2,253	3,113	178.6	152.8	0	230.0	200.3	0	
....Homicide (E965.0-.4)	43	40	42	1,490	1,900	124.1	129.1	0	149.3	157.4	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	74	60	69	1,705	2,348	128.3	86.9	0	165.6	117.5	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	98	65	90	998	1,775	71.5	96.1	0	118.6	160.2	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	31	24	28	665	925	44.1	29.7	0	57.9	39.1	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Years of life lost, 1990				Adjusted YPLL < 65				Adjusted YPLL < 75			
	Number of Deaths, 1990		1990	1989	Significance		1990	1989	Significance			
	All	< 65	< 75	< 65	< 75	1990	1989	1990	1989	1990	1989	
*****Causes of Death*****												
All causes	12,999	2,074	4,553	34,467	66,610	2660.6	2877.5	0	4288.1	4608.1	0	
Infectious diseases and parasitic disease (1-139)	291	51	97	1,209	1,969	90.2	121.8	0	128.8	162.3	0	
..Septicemia (038)	232	25	61	410	850	31.7	32.3	0	53.6	47.9	0	
....Septicemia-related (038)	719	98	238	1,414	3,029	101.4	129.4	0	181.4	207.2	0	
..HIV infection (042-044)	20	19	20	558	755	39.9	59.5	0	50.8	73.5	0	
All cancer (140-208)	3,132	887	1,768	9,980	23,147	707.7	680.9	0	1385.5	1393.8	0	
..Oral cavity or pharynx (140.0-149.9)	37	9	22	53	200	3.6	10.5	0	11.0	21.2	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	414	65	169	643	1,793	44.1	49.0	0	101.0	111.9	0	
....Colon cancer (153)	340	59	141	608	1,588	41.7	43.9	0	90.9	98.7	0	
....Rectal cancer (154)	69	6	27	35	203	2.5	5.0	0	10.0	12.5	0	
..Pancreatic cancer (157)	157	30	67	250	718	17.4	14.7	0	41.1	40.4	0	
..Lung and other respiratory cancer (160-165)	674	217	457	1,788	5,173	126.1	111.4	0	300.6	284.9	0	
....Lung cancer (162.2-.9)	656	214	448	1,745	5,080	122.8	108.3	0	294.5	276.9	0	
..Malignant melanoma of skin (172)	40	21	29	318	573	21.6	16.8	0	35.7	29.4	0	
..Female breast cancer (174)	570	216	363	2,585	5,468	174.4	195.9	0	325.3	366.0	0	
..Cervical cancer (180)	36	18	24	350	565	23.2	17.2	0	34.8	29.4	0	
..Endometrial cancer (182)	40	11	23	73	243	4.6	2.1	0	12.8	10.0	0	
..Ovarian cancer (183)	161	51	110	533	1,350	36.6	46.1	0	77.6	94.5	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	55	7	19	48	163	3.3	2.4	0	8.9	6.4	0	
..Brain & other CNS cancer (191-192)	64	28	45	465	823	32.9	27.6	0	51.8	45.9	0	
..Leukemia (204-208)	107	34	54	762	1,197	62.9	37.0	0	87.0	59.5	0	
Diabetes mellitus (250)	267	40	100	375	1,055	25.4	24.6	0	58.6	54.2	0	
..Diabetes-related (250)	1,200	152	451	1,265	4,133	86.8	87.2	0	223.7	220.5	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	2	4	50	80	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	119	2	16	51	90	0.3	0.9	0	3.7	4.5	0	
Cardiovascular disease (390-459)	5,983	445	1,413	4,658	13,298	336.5	330.4	0	748.8	766.0	0	
..Diseases of the heart (390-398,402,404-429)	4,607	330	1,117	3,213	9,996	234.8	243.6	0	554.4	587.3	0	
....Heart disease-related (390-398,402,404-429)	7,652	716	2,061	8,271	21,454	609.3	683.6	0	1245.5	1366.3	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,388	220	795	1,735	6,443	122.7	131.5	0	342.2	369.4	0	
....Congestive heart failure (CHF) (428.0)	252	2	24	35	155	2.2	7.5	0	6.9	14.2	0	
..Hypertension with or without renal disease (401,403)	69	6	19	55	158	4.1	0.3	0	9.2	2.4	0	
....Hypertension-related (401,403)	926	81	284	673	2,355	47.0	35.0	0	126.1	101.5	0	
..Cerebrovascular disease (430-438)	1,035	87	211	1,090	2,445	77.0	57.3	0	145.3	124.8	0	
..Atherosclerosis (440)	112	2	12	35	95	2.5	7.1	0	5.2	11.2	0	
....Atherosclerosis-related (440)	613	10	75	80	423	5.3	12.8	0	19.3	41.2	0	
..Aortic aneurysm (441)	61	5	19	58	163	4.0	5.7	0	8.8	11.5	0	
Pneumonia & influenza (480-487)	649	29	80	639	1,136	50.6	58.1	0	75.5	85.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	458	59	191	468	1,643	30.9	37.1	0	84.9	94.6	0	
..COPD-related (490-496)	1,019	122	432	815	3,385	54.2	70.1	0	171.5	194.0	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance	
*****Causes of Death*****												
..Asthma (493)	20	6	10	105	185	6.8	11.7	0	11.0	18.5	0	
Chronic liver disease and cirrhosis (571)	105	40	76	570	1,135	38.8	45.8	0	68.5	87.0	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	122	18	45	215	543	16.7	7.7	0	32.2	18.6	0	
..Nephritis-related (580-589)	726	98	276	1,182	2,967	86.5	72.6	0	172.4	152.9	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	134	19	47	218	553	16.8	8.4	0	32.7	20.7	0	
Unintentional injuries (E800-E949)	308	115	157	3,796	5,136	326.2	311.5	0	404.0	387.4	0	
..Motor vehicle accidents (E810-E825)	112	75	92	2,620	3,447	230.9	211.9	0	281.5	256.2	0	
..Falls and fall related injuries (E880-E888)	106	7	16	85	192	6.9	9.6	0	11.9	15.1	0	
..Drowning (E830,E832,E910)	5	4	4	226	266	
..Residential fires (E890-E899)	14	8	9	276	364	
Suicide (E950-E959)	54	41	48	1,038	1,485	79.1	67.3	0	104.8	92.2	0	
Homicide and legal intervention (E960-E978)	25	19	23	543	748	36.1	94.4	1	46.6	115.5	1	
..Homicide (E960-E969)	24	18	22	515	710	34.3	94.4	1	44.3	115.5	1	
All injury (E800-E999)	391	179	232	5,481	7,513	448.2	476.9	0	564.3	600.2	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	110	75	90	2,620	3,432	230.9	211.9	0	280.9	256.2	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	79	7	15	85	190	6.9	4.6	0	11.9	8.8	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	28	24	27	740	998	54.1	82.9	0	68.2	104.1	0	
....Suicide (E955.0-.4)	14	12	14	370	565	.	29.6	.	.	39.1	.	
....Homicide (E965.0-.4)	12	10	11	310	413	.	49.7	.	.	60.8	.	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	19	24	388	605	26.3	32.8	0	38.3	45.4	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	45	30	43	465	828	31.7	35.5	0	51.7	60.9	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	15	8	12	175	270	12.1	.	0	17.5	.	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75		< 65	< 75	1990	1989	Significance	1990	1989	Significance
*****Causes of Death*****												
All causes	25,440	5,577	11,287	98,250	180,740	3740.8	4052.2	0	6110.9	6585.0	1	
Infectious diseases and parasitic disease (1-139)	648	246	346	6,098	9,078	195.4	193.5	0	271.5	262.7	0	
..Septicemia (038)	398	56	132	1,016	1,951	38.2	36.7	0	64.8	58.4	0	
....Septicemia-related (038)	1,312	231	510	3,518	7,105	122.9	142.5	0	224.9	244.6	0	
..HIV infection (042-044)	159	155	159	4,122	5,702	120.3	114.9	0	157.4	149.2	0	
All cancer (140-208)	6,379	1,739	3,734	18,367	45,504	662.7	694.6	0	1470.4	1569.7	0	
..Oral cavity or pharynx (140.0-149.9)	107	36	73	290	843	10.5	19.8	0	27.3	42.0	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	799	148	374	1,280	3,870	45.2	51.1	0	122.1	133.9	0	
....Colon cancer (153)	649	121	302	1,043	3,145	36.7	45.3	0	99.1	117.1	0	
....Rectal cancer (154)	128	23	65	213	653	7.7	5.7	0	20.6	16.0	0	
..Pancreatic cancer (157)	336	76	187	630	1,958	23.2	21.6	0	63.1	61.4	0	
..Lung and other respiratory cancer (160-165)	1,693	512	1,127	4,065	12,203	154.6	166.3	0	403.4	436.0	0	
....Lung cancer (162.2-.9)	1,639	505	1,101	3,958	11,933	149.4	162.1	0	393.4	424.7	0	
..Malignant melanoma of skin (172)	87	42	67	635	1,188	20.1	19.3	0	36.0	33.6	0	
..Female breast cancer (174)	570	216	363	2,585	5,468	
..Cervical cancer (180)	36	18	24	350	565	
..Endometrial cancer (182)	40	11	23	73	243	
..Ovarian cancer (183)	161	51	110	533	1,350	
..Prostate cancer (185)	387	35	155	153	1,033	
..Bladder cancer (188)	157	19	62	93	460	3.5	6.6	0	14.3	18.5	0	
..Brain & other CNS cancer (191-192)	143	70	106	1,250	2,130	43.3	41.9	0	68.2	68.6	0	
..Leukemia (204-208)	227	78	132	1,654	2,699	67.4	44.7	0	97.4	73.2	0	
Diabetes mellitus (250)	447	87	207	853	2,308	29.3	34.7	0	72.2	78.9	0	
..Diabetes-related (250)	2,130	331	938	2,778	8,885	97.7	115.2	0	276.8	311.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	7	2	6	50	90	
Alzheimer's diseases (331.0)	199	7	34	23	215	0.8	1.1	0	6.3	5.5	0	
Cardiovascular disease (390-459)	11,164	1,476	3,795	14,725	39,963	537.9	559.2	0	1283.6	1348.8	0	
..Diseases of the heart (390-398,402,404-429)	8,933	1,247	3,187	12,151	33,466	448.8	463.9	0	1079.8	1132.8	0	
....Heart disease-related (390-398,402,404-429)	14,542	2,104	5,289	23,060	58,628	855.7	960.7	0	1901.7	2094.4	1	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,691	921	2,394	7,778	23,660	279.8	294.3	0	751.7	791.7	0	
....Congestive heart failure (CHF) (428.0)	397	8	56	85	385	2.8	17.2	0	11.1	29.3	0	
....Hypertension with or without renal disease (401,403)	105	16	37	115	353	4.6	3.2	0	12.0	9.2	0	
....Hypertension-related (401,403)	1,492	192	568	1,460	5,070	52.5	61.1	0	158.9	165.8	0	
..Cerebrovascular disease (430-438)	1,616	156	396	1,837	4,427	63.1	62.6	0	138.4	140.7	0	
..Atherosclerosis (440)	178	6	33	55	213	2.0	6.0	0	6.5	12.2	0	
....Atherosclerosis-related (440)	989	37	189	213	1,218	7.8	15.4	0	36.3	55.9	1	
..Aortic aneurysm (441)	164	17	72	133	565	4.9	8.7	0	17.5	23.1	0	
Pneumonia & influenza (480-487)	1,092	74	200	1,076	2,331	40.6	58.0	0	76.6	101.3	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	972	114	426	917	3,467	32.6	38.1	0	106.1	109.7	0	
..COPD-related (490-496)	2,303	259	958	1,835	7,497	67.4	77.4	0	231.4	247.7	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes												
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance		
*****Causes of Death*****													
..Asthma (493)	36	15	21	310	490	10.8	9.7	0	16.0	15.5	0		
Chronic liver disease and cirrhosis (571)	282	136	223	1,855	3,653	60.4	74.5	0	113.0	139.6	0		
Nephritis, nephrotic syndrome/nephrosis (580-589)	248	46	90	589	1,264	23.1	11.5	0	42.8	26.4	0		
..Nephritis-related (580-589)	1,508	242	601	3,023	7,026	108.8	95.5	0	224.6	217.2	0		
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	270	48	97	599	1,307	23.5	11.5	0	44.2	27.5	0		
Unintentional injuries (E800-E949)	834	507	594	16,784	22,246	666.4	691.3	0	811.8	846.1	0		
..Motor vehicle accidents (E810-E825)	374	308	337	10,856	14,079	434.5	469.1	0	520.4	558.0	0		
..Falls and fall related injuries (E880-E888)	169	23	44	559	881	25.2	29.3	0	34.4	41.5	0		
..Drowning (E830,E832,E910)	42	36	39	1,193	1,566	51.6	47.1	0	61.9	55.8	0		
..Residential fires (E890-E899)	32	21	27	768	998	36.5	27.0	0	43.2	34.1	0		
Suicide (E950-E959)	272	214	244	5,860	8,160	208.4	198.4	0	268.9	257.9	0		
Homicide and legal intervention (E960-E978)	94	79	90	2,833	3,675	105.6	132.4	0	126.4	160.3	0		
..Homicide (E960-E969)	93	78	89	2,805	3,638	105.0	132.4	0	125.5	160.3	0		
All injury (E800-E999)	1,221	820	949	26,041	34,849	998.4	1036.2	0	1229.8	1282.3	0		
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	364	304	329	10,751	13,964	431.1	464.8	0	515.0	553.2	0		
..All falls (E880-E886,E888,E957,E968.1,E987)	133	26	45	596	939	25.3	28.6	0	35.1	40.1	0		
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	160	175	5,000	6,678	184.0	188.5	0	227.0	234.2	0		
....Suicide (E955.0-.4)	116	93	105	2,623	3,618	95.9	83.2	0	121.9	108.6	0		
....Homicide (E965.0-.4)	55	50	53	1,800	2,313	66.3	86.2	0	79.0	103.5	0		
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	102	79	93	2,093	2,953	68.1	53.6	0	89.9	72.9	0		
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	143	95	133	1,463	2,603	47.7	61.1	0	81.0	105.7	0		
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	46	32	40	840	1,195	22.8	18.8	0	30.9	25.2	0		

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1970 U.S. standard population *****

	Male											
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75			
				All	< 65	< 75	< 65	< 75	1990	1989	Significance	
*****Causes of Death*****												
All causes	12,441	3,503	6,734	63,783	114,130	4808.6	5194.0	0	7852.1	8453.1	1	
Infectious diseases and parasitic disease (1-139)	357	195	249	4,890	7,110	307.0	270.4	0	422.0	371.6	0	
..Septicemia (038)	166	31	71	607	1,102	43.9	42.5	0	73.4	70.4	0	
....Septicemia-related (038)	593	133	272	2,104	4,076	148.0	160.5	0	266.8	285.3	0	
..HIV infection (042-044)	139	136	139	3,564	4,947	208.1	176.2	0	274.1	234.0	0	
All cancer (140-208)	3,247	852	1,966	8,387	22,357	625.1	715.3	0	1514.2	1694.3	0	
..Oral cavity or pharynx (140.0-149.9)	70	27	51	238	643	17.2	29.6	0	43.2	63.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	385	83	205	638	2,078	47.1	53.0	0	139.0	150.2	0	
....Colon cancer (153)	309	62	161	435	1,558	32.4	46.9	0	104.2	130.8	0	
....Rectal cancer (154)	59	17	38	178	450	12.9	6.1	0	30.0	18.7	0	
..Pancreatic cancer (157)	179	46	120	380	1,240	28.8	29.0	0	84.2	80.2	0	
..Lung and other respiratory cancer (160-165)	1,019	295	670	2,278	7,030	179.1	217.3	0	488.8	568.2	0	
....Lung cancer (162.2-.9)	983	291	653	2,213	6,853	172.3	212.2	0	474.8	554.0	0	
..Malignant melanoma of skin (172)	47	21	38	318	615	20.6	23.0	0	38.6	38.8	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	387	35	155	153	1,033	12.1	16.1	0	67.8	72.5	0	
..Bladder cancer (188)	102	12	43	45	298	3.5	10.9	0	19.6	31.2	0	
..Brain & other CNS cancer (191-192)	79	42	61	785	1,308	56.7	55.8	0	87.7	89.7	0	
..Leukemia (204-208)	120	44	78	892	1,502	71.5	54.5	0	108.1	88.7	0	
Diabetes mellitus (250)	180	47	107	478	1,253	33.8	45.6	0	82.8	101.7	0	
..Diabetes-related (250)	930	179	487	1,513	4,753	107.4	143.4	0	311.6	386.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	3	1	2	0	10	
Alzheimer's diseases (331.0)	80	5	18	18	125	1.3	1.2	0	8.2	5.7	0	
Cardiovascular disease (390-459)	5,181	1,031	2,382	10,068	26,665	744.2	792.4	0	1799.6	1910.4	0	
..Diseases of the heart (390-398,402,404-429)	4,326	917	2,070	8,938	23,470	664.2	685.9	0	1589.4	1663.0	0	
....Heart disease-related (390-398,402,404-429)	6,890	1,388	3,228	14,789	37,174	1106.0	1233.1	0	2521.3	2774.1	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,303	701	1,599	6,043	17,218	439.8	458.5	0	1154.2	1203.3	0	
....Congestive heart failure (CHF) (428.0)	145	6	32	50	230	4.0	26.4	0	15.3	43.6	0	
....Hypertension with or without renal disease (401,403)	36	10	18	60	195	4.9	6.3	0	14.1	15.9	0	
....Hypertension-related (401,403)	566	111	284	788	2,715	57.0	87.1	0	179.9	221.0	0	
..Cerebrovascular disease (430-438)	581	69	185	748	1,983	50.6	69.8	0	127.2	150.3	0	
..Atherosclerosis (440)	66	4	21	20	118	1.6	4.6	0	7.8	12.4	0	
....Atherosclerosis-related (440)	376	27	114	133	795	10.5	16.8	0	52.4	64.9	0	
..Aortic aneurysm (441)	103	12	53	75	403	6.2	12.2	0	27.1	35.8	0	
Pneumonia & influenza (480-487)	443	45	120	438	1,195	30.5	57.3	0	77.9	116.0	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	514	55	235	450	1,825	34.9	35.5	0	121.5	113.4	0	
..COPD-related (490-496)	1,284	137	526	1,020	4,112	78.8	79.1	0	273.6	281.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male																			
					Years of life lost, 1990				Adjusted YPLL < 65				Adjusted YPLL < 75							
					Number of Deaths, 1990				1990		1989		Significance		1990		1989		Significance	
	All	< 65	< 75		< 65	< 75			1990		1989		1990		1989		1990		1989	
*****Causes of Death*****																				
..Asthma (493)	16	9	11		205	305		15.4	.	0	21.6	.	0							
Chronic liver disease and cirrhosis (571)	177	96	147		1,285	2,518		85.9	105.6	0	162.1	193.4	0							
Nephritis, nephrotic syndrome/nephrosis (580-589)	126	28	45		374	722		29.3	16.0	0	51.0	33.4	0							
..Nephritis-related (580-589)	782	144	325		1,841	4,059		132.2	121.2	0	269.3	279.0	0							
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	136	29	50		382	754		29.9	15.2	0	53.3	33.1	0							
Unintentional injuries (E800-E949)	526	392	437		12,988	17,111		1005.9	1065.3	0	1224.7	1304.8	0							
..Motor vehicle accidents (E810-E825)	262	233	245		8,237	10,632		639.0	723.0	0	764.7	860.5	0							
..Falls and fall related injuries (E880-E888)	63	16	28		474	689		42.2	49.1	0	54.8	68.2	0							
..Drowning (E830,E832,E910)	37	32	35		967	1,300		82.5	70.6	0	101.6	83.9	0							
..Residential fires (E890-E899)	18	13	18		492	634		49.0	38.0	0	57.7	47.5	0							
Suicide (E950-E959)	218	173	196		4,823	6,675		344.8	333.8	0	443.8	431.3	0							
Homicide and legal intervention (E960-E978)	69	60	67		2,290	2,928		179.5	171.0	0	212.3	207.9	0							
..Homicide (E960-E969)	69	60	67		2,290	2,928		179.5	171.0	0	212.3	207.9	0							
All injury (E800-E999)	830	641	717		20,561	27,336		1560.4	1595.2	0	1918.9	1975.5	0							
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	254	229	239		8,132	10,472		632.0	714.7	0	754.7	851.0	0							
..All falls (E880-E886,E888,E957,E968.1,E987)	54	19	30		512	749		42.7	52.3	0	56.4	70.9	0							
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	160	136	148		4,260	5,680		319.4	296.6	0	394.5	370.1	0							
....Suicide (E955.0-.4)	102	81	91		2,253	3,113		164.9	139.5	0	210.9	183.0	0							
....Homicide (E965.0-.4)	43	40	42		1,490	1,900		114.2	123.0	0	135.3	147.5	0							
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	74	60	69		1,705	2,348		113.0	77.0	0	145.6	104.3	0							
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	98	65	90		998	1,775		67.1	88.4	0	114.8	153.3	0							
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	31	24	28		665	925		35.1	24.2	0	46.3	32.0	0							

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1970 U.S. standard population *****

	Female											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance	
*****Causes of Death*****												
All causes	12,999	2,074	4,553	34,467	66,610	2670.6	2911.7	0	4432.9	4788.8	0	
Infectious diseases and parasitic disease (1-139)	291	51	97	1,209	1,969	84.6	118.1	0	123.2	156.8	0	
..Septicemia (038)	232	25	61	410	850	32.6	31.2	0	56.5	47.2	0	
....Septicemia-related (038)	719	98	238	1,414	3,029	97.8	125.1	0	184.7	207.2	0	
..HIV infection (042-044)	20	19	20	558	755	33.5	55.3	0	42.3	66.9	0	
All cancer (140-208)	3,132	887	1,768	9,980	23,147	700.2	675.1	0	1443.1	1462.9	0	
..Oral cavity or pharynx (140.0-149.9)	37	9	22	53	200	4.0	10.5	0	12.6	22.2	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	414	65	169	643	1,793	43.6	49.2	0	107.6	120.2	0	
....Colon cancer (153)	340	59	141	608	1,588	40.9	43.8	0	95.7	105.4	0	
....Rectal cancer (154)	69	6	27	35	203	2.7	5.3	0	11.7	13.8	0	
..Pancreatic cancer (157)	157	30	67	250	718	17.9	14.6	0	44.6	44.4	0	
..Lung and other respiratory cancer (160-165)	674	217	457	1,788	5,173	131.2	117.8	0	327.8	316.2	0	
....Lung cancer (162.2-.9)	656	214	448	1,745	5,080	127.9	114.6	0	321.5	307.4	0	
..Malignant melanoma of skin (172)	40	21	29	318	573	19.6	15.4	0	33.8	28.5	0	
..Female breast cancer (174)	570	216	363	2,585	5,468	167.1	188.2	0	328.2	370.4	0	
..Cervical cancer (180)	36	18	24	350	565	20.6	15.9	0	31.5	28.4	0	
..Endometrial cancer (182)	40	11	23	73	243	4.8	2.5	0	14.3	11.9	0	
..Ovarian cancer (183)	161	51	110	533	1,350	35.4	46.9	0	80.8	99.8	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	55	7	19	48	163	3.5	2.6	0	10.0	7.1	0	
..Brain & other CNS cancer (191-192)	64	28	45	465	823	30.0	28.0	0	49.1	48.0	0	
..Leukemia (204-208)	107	34	54	762	1,197	63.4	34.8	0	87.8	58.0	0	
Diabetes mellitus (250)	267	40	100	375	1,055	25.1	24.4	0	62.6	57.8	0	
..Diabetes-related (250)	1,200	152	451	1,265	4,133	88.5	89.0	0	246.2	243.5	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	2	4	50	80	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	119	2	16	51	90	0.3	1.0	0	4.6	5.5	0	
Cardiovascular disease (390-459)	5,983	445	1,413	4,658	13,298	340.3	336.1	0	811.8	836.4	0	
..Diseases of the heart (390-398,402,404-429)	4,607	330	1,117	3,213	9,996	241.9	251.6	0	611.5	648.6	0	
....Heart disease-related (390-398,402,404-429)	7,652	716	2,061	8,271	21,454	615.6	703.1	0	1335.7	1478.2	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,388	220	795	1,735	6,443	127.8	139.0	0	384.3	418.2	0	
....Congestive heart failure (CHF) (428.0)	252	2	24	35	155	1.7	7.8	0	7.4	15.5	0	
....Hypertension with or without renal disease (401,403)	69	6	19	55	158	4.2	0.3	0	10.1	3.1	0	
....Hypertension-related (401,403)	926	81	284	673	2,355	48.4	36.6	0	140.2	115.0	0	
..Cerebrovascular disease (430-438)	1,035	87	211	1,090	2,445	75.4	55.1	0	150.3	131.1	0	
..Atherosclerosis (440)	112	2	12	35	95	2.5	7.7	0	5.5	12.4	0	
....Atherosclerosis-related (440)	613	10	75	80	423	5.3	14.3	0	22.5	48.6	1	
..Aortic aneurysm (441)	61	5	19	58	163	3.7	5.3	0	9.3	11.8	0	
Pneumonia & influenza (480-487)	649	29	80	639	1,136	51.6	59.8	0	78.2	89.9	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	458	59	191	468	1,643	30.3	40.6	0	93.3	107.5	0	
..COPD-related (490-496)	1,019	122	432	815	3,385	55.8	76.0	0	194.5	221.0	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance	
*****Causes of Death*****												
..Asthma (493)	20	6	10	105	185	6.0	13.0	0	10.2	20.5	0	
Chronic liver disease and cirrhosis (571)	105	40	76	570	1,135	35.9	44.5	0	66.9	88.4	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	122	18	45	215	543	16.9	7.0	0	34.5	19.6	0	
..Nephritis-related (580-589)	726	98	276	1,182	2,967	86.1	70.9	0	182.6	161.3	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	134	19	47	218	553	17.1	7.7	0	35.1	22.0	0	
Unintentional injuries (E800-E949)	308	115	157	3,796	5,136	320.2	308.0	0	392.7	379.2	0	
..Motor vehicle accidents (E810-E825)	112	75	92	2,620	3,447	225.4	207.6	0	271.2	247.7	0	
..Falls and fall related injuries (E880-E888)	106	7	16	85	192	7.6	9.0	0	13.5	14.8	0	
..Drowning (E830,E832,E910)	5	4	4	226	266	
..Residential fires (E890-E899)	14	8	9	276	364	
Suicide (E950-E959)	54	41	48	1,038	1,485	70.7	61.5	0	93.9	84.4	0	
Homicide and legal intervention (E960-E978)	25	19	23	543	748	29.4	93.1	1	37.9	112.0	1	
..Homicide (E960-E969)	24	18	22	515	710	28.0	93.1	1	36.1	112.0	1	
All injury (E800-E999)	391	179	232	5,481	7,513	425.9	465.7	0	531.8	579.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	110	75	90	2,620	3,432	225.4	207.6	0	270.4	247.7	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	79	7	15	85	190	7.6	4.3	0	13.4	9.0	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-	4	28	24	27	740	998	46.3	78.2	0	57.8	96.8	0
.4,E970,E985.0-.4)	14	12	14	370	565	.	26.2	.	.	34.4	.	
....Suicide (E955.0-.4)	12	10	11	310	413	.	48.6	.	.	58.5	.	
....Homicide (E965.0-.4)	28	19	24	388	605	22.7	30.2	0	33.9	41.9	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	45	30	43	465	828	28.9	34.7	0	48.9	60.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-	3,790.3,E860)	45	30	43	465	828	28.9	34.7	0	48.9	60.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-	5,E962.0,E980.0-.5)	15	8	12	175	270	10.6	.	0	15.6	.	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes												
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75		< 65	< 75	1990	1989	Significance	1990	1989	Significance	
*****Causes of Death*****													
All causes	25,440	5,577	11,287	98,250	180,740	3865.6	4176.5	1	6356.6	6836.3	1		
Infectious diseases and parasitic disease (1-139)	648	246	346	6,098	9,078	226.1	218.0	0	312.4	296.3	0		
..Septicemia (038)	398	56	132	1,016	1,951	40.2	39.5	0	68.3	62.8	0		
....Septicemia-related (038)	1,312	231	510	3,518	7,105	139.0	157.8	0	248.8	267.7	0		
...HIV infection (042-044)	159	155	159	4,122	5,702	147.8	139.7	0	192.4	181.1	0		
All cancer (140-208)	6,379	1,739	3,734	18,367	45,504	757.4	805.8	0	1610.3	1730.9	0		
..Oral cavity or pharynx (140.0-149.9)	107	36	73	290	843	12.0	23.7	0	29.4	47.5	0		
..Colorectal cancer (153.0-154.3,154.8,159.0)	799	148	374	1,280	3,870	53.3	61.1	0	134.1	148.8	0		
....Colon cancer (153)	649	121	302	1,043	3,145	43.0	54.3	0	108.5	130.3	0		
....Rectal cancer (154)	128	23	65	213	653	9.3	6.7	0	23.0	17.6	0		
..Pancreatic cancer (157)	336	76	187	630	1,958	26.9	25.5	0	68.8	67.4	0		
..Lung and other respiratory cancer (160-165)	1,693	512	1,127	4,065	12,203	175.7	190.6	0	435.9	472.1	0		
....Lung cancer (162.2-.9)	1,639	505	1,101	3,958	11,933	170.7	185.8	0	425.8	460.0	0		
..Malignant melanoma of skin (172)	87	42	67	635	1,188	25.4	24.1	0	43.1	40.0	0		
..Female breast cancer (174)	570	216	363	2,585	5,468		
..Cervical cancer (180)	36	18	24	350	565		
..Endometrial cancer (182)	40	11	23	73	243		
..Ovarian cancer (183)	161	51	110	533	1,350		
..Prostate cancer (185)	387	35	155	153	1,033		
..Bladder cancer (188)	157	19	62	93	460	3.7	7.8	0	14.8	20.3	0		
..Brain & other CNS cancer (191-192)	143	70	106	1,250	2,130	49.5	41.4	0	76.8	68.7	0		
..Leukemia (204-208)	227	78	132	1,654	2,699	67.0	49.7	0	98.4	80.4	0		
Diabetes mellitus (250)	447	87	207	853	2,308	34.7	42.1	0	80.0	89.2	0		
..Diabetes-related (250)	2,130	331	938	2,778	8,885	115.1	132.5	0	303.7	337.3	0		
..Diabetic ketoacidosis (DKA) (250.1)	7	2	6	50	90		
Alzheimer's diseases (331.0)	199	7	34	23	215	0.8	1.1	0	6.4	5.7	0		
Cardiovascular disease (390-459)	11,164	1,476	3,795	14,725	39,963	606.2	636.7	0	1393.0	1470.4	0		
..Diseases of the heart (390-398,402,404-429)	8,933	1,247	3,187	12,151	33,466	502.7	528.6	0	1166.9	1234.0	0		
....Heart disease-related (390-398,402,404-429)	14,542	2,104	5,289	23,060	58,628	949.6	1061.6	0	2054.0	2257.3	1		
....Coronary heart disease (CHD) (402,410-414,429.2)	6,691	921	2,394	7,778	23,660	326.5	342.0	0	824.0	865.9	0		
....Congestive heart failure (CHF) (428.0)	397	8	56	85	385	3.3	15.5	0	12.2	27.8	0		
....Hypertension with or without renal disease (401,403)	105	16	37	115	353	5.0	4.1	0	12.8	10.5	0		
....Hypertension-related (401,403)	1,492	192	568	1,460	5,070	60.6	70.6	0	172.2	180.6	0		
..Cerebrovascular disease (430-438)	1,616	156	396	1,837	4,427	73.6	72.4	0	154.3	156.2	0		
..Atherosclerosis (440)	178	6	33	55	213	2.4	5.9	0	7.2	12.3	0		
....Atherosclerosis-related (440)	989	37	189	213	1,218	8.7	16.2	0	38.7	58.1	0		
..Aortic aneurysm (441)	164	17	72	133	565	5.2	9.0	0	18.3	23.6	0		
Pneumonia & influenza (480-487)	1,092	74	200	1,076	2,331	43.4	60.6	0	81.8	106.6	0		
Chronic obstructive pulmonary disease (COPD) (490-496)	972	114	426	917	3,467	35.9	39.8	0	112.6	114.0	0		
..COPD-related (490-496)	2,303	259	958	1,835	7,497	72.8	82.8	0	243.5	259.6	0		

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1990			Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75			
				All	< 65	< 75	< 65	< 75	1990	1989	Significance	
*****Causes of Death*****												
..Asthma (493)	36	15	21	310	490	11.9	9.5	0	17.6	15.6	0	
Chronic liver disease and cirrhosis (571)	282	136	223	1,855	3,653	76.6	92.3	0	135.0	163.7	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	248	46	90	589	1,264	23.4	12.4	0	43.5	28.0	0	
..Nephritis-related (580-589)	1,508	242	601	3,023	7,026	122.8	109.5	0	246.3	238.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	270	48	97	599	1,307	23.8	12.5	0	45.0	29.2	0	
Unintentional injuries (E800-E949)	834	507	594	16,784	22,246	632.3	644.5	0	777.1	796.8	0	
..Motor vehicle accidents (E810-E825)	374	308	337	10,856	14,079	404.0	424.4	0	486.5	507.9	0	
..Falls and fall related injuries (E880-E888)	169	23	44	559	881	22.9	28.0	0	32.1	40.4	0	
..Drowning (E830,E832,E910)	42	36	39	1,193	1,566	47.7	45.6	0	58.0	54.6	0	
..Residential fires (E890-E899)	32	21	27	768	998	31.5	25.7	0	37.7	32.9	0	
Suicide (E950-E959)	272	214	244	5,860	8,160	217.6	211.6	0	282.5	276.6	0	
Homicide and legal intervention (E960-E978)	94	79	90	2,833	3,675	103.6	127.8	0	124.8	156.1	0	
..Homicide (E960-E969)	93	78	89	2,805	3,638	102.6	127.8	0	123.4	156.1	0	
All injury (E800-E999)	1,221	820	949	26,041	34,849	974.1	1000.2	0	1210.5	1250.4	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	364	304	329	10,751	13,964	400.2	420.9	0	480.8	504.0	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	133	26	45	596	939	23.6	27.1	0	33.4	38.6	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	188	160	175	5,000	6,678	185.2	186.8	0	230.1	234.4	0	
....Suicide (E955.0-.4)	116	93	105	2,623	3,618	99.7	88.6	0	127.7	116.3	0	
....Homicide (E965.0-.4)	55	50	53	1,800	2,313	64.4	81.4	0	77.0	98.5	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	102	79	93	2,093	2,953	74.9	62.8	0	98.8	85.2	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	143	95	133	1,463	2,603	60.4	76.9	0	98.2	126.7	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	46	32	40	840	1,195	28.9	23.8	0	38.5	31.6	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Male												
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75			Significance
					All	< 65	< 75	< 65	< 75	1990	1989	1990	1989
*****Causes of Death*****													
All causes	12,441	3,503	6,734	63,783	114,130	4985.5	5404.4	0	8185.2	8835.8	1		
Infectious diseases and parasitic disease (1-139)	357	195	249	4,890	7,110	361.5	315.5	0	493.8	431.8	0		
..Septicemia (038)	166	31	71	607	1,102	46.1	45.4	0	77.4	75.4	0		
....Septicemia-related (038)	593	133	272	2,104	4,076	165.1	177.6	0	292.2	311.0	0		
....HIV infection (042-044)	139	136	139	3,564	4,947	258.0	223.2	0	337.9	294.2	0		
All cancer (140-208)	3,247	852	1,966	8,387	22,357	701.9	823.6	0	1634.3	1854.9	1		
..Oral cavity or pharynx (140.0-149.9)	70	27	51	238	643	20.1	35.3	0	47.2	71.6	0		
..Colorectal cancer (153.0-154.3,154.8,159.0)	385	83	205	638	2,078	55.1	62.9	0	151.0	165.4	0		
....Colon cancer (153)	309	62	161	435	1,558	37.1	55.5	0	111.5	143.9	0		
....Rectal cancer (154)	59	17	38	178	450	15.9	7.4	0	34.5	20.8	0		
....Pancreatic cancer (157)	179	46	120	380	1,240	33.1	33.9	0	90.9	87.7	0		
...Lung and other respiratory cancer (160-165)	1,019	295	670	2,278	7,030	201.5	252.1	0	524.9	619.4	0		
....Lung cancer (162.2-.9)	983	291	653	2,213	6,853	195.9	246.1	0	512.0	604.2	0		
..Malignant melanoma of skin (172)	47	21	38	318	615	26.2	28.4	0	46.3	46.0	0		
..Female breast cancer (174)		
..Cervical cancer (180)		
..Endometrial cancer (182)		
..Ovarian cancer (183)		
..Prostate cancer (185)	387	35	155	153	1,033	12.6	16.9	0	70.3	75.3	0		
..Bladder cancer (188)	102	12	43	45	298	3.4	13.0	0	19.9	34.4	0		
..Brain & other CNS cancer (191-192)	79	42	61	785	1,308	62.9	55.7	0	96.8	90.6	0		
..Leukemia (204-208)	120	44	78	892	1,502	71.7	58.5	0	110.0	94.9	0		
Diabetes mellitus (250)	180	47	107	478	1,253	40.5	56.6	0	92.6	116.7	0		
..Diabetes-related (250)	930	179	487	1,513	4,753	127.6	168.9	0	342.6	423.4	0		
..Diabetic ketoacidosis (DKA) (250.1)	3	1	2	0	10		
Alzheimer's diseases (331.0)	80	5	18	18	125	1.3	1.2	0	8.3	6.0	0		
Cardiovascular disease (390-459)	5,181	1,031	2,382	10,068	26,665	847.4	911.6	0	1959.4	2094.2	0		
..Diseases of the heart (390-398,402,404-429)	4,326	917	2,070	8,938	23,470	754.5	790.5	0	1728.7	1823.4	0		
....Heart disease-related (390-398,402,404-429)	6,890	1,388	3,228	14,789	37,174	1243.2	1399.0	0	2738.2	3030.3	1		
....Coronary heart disease (CHD) (402,410-414,429.2)	3,303	701	1,599	6,043	17,218	518.2	542.4	0	1271.3	1330.6	0		
....Congestive heart failure (CHF) (428.0)	145	6	32	50	230	4.5	23.7	0	16.6	41.3	0		
....Hypertension with or without renal disease (401,403)	36	10	18	60	195	5.2	8.0	0	14.5	18.5	0		
....Hypertension-related (401,403)	566	111	284	788	2,715	65.7	103.6	0	193.2	245.5	0		
..Cerebrovascular disease (430-438)	581	69	185	748	1,983	59.3	78.5	0	140.3	164.7	0		
..Atherosclerosis (440)	66	4	21	20	118	1.6	5.2	0	8.2	13.3	0		
....Atherosclerosis-related (440)	376	27	114	133	795	11.1	19.4	0	54.6	69.5	0		
..Aortic aneurysm (441)	103	12	53	75	403	6.8	12.2	0	28.6	36.2	0		
Pneumonia & influenza (480-487)	443	45	120	438	1,195	34.7	63.7	0	84.7	126.7	0		
Chronic obstructive pulmonary disease (COPD) (490-496)	514	55	235	450	1,825	36.7	36.7	0	127.4	117.1	0		
..COPD-related (490-496)	1,284	137	526	1,020	4,112	83.0	85.5	0	286.2	296.3	0		

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
					All	< 65	< 75	< 65	< 75	1990	1989	Significance
*****Causes of Death*****												
..Asthma (493)	16	9	11	205	305	15.9	.	0	22.6	.	0	
Chronic liver disease and cirrhosis (571)	177	96	147	1,285	2,518	108.5	131.3	0	192.7	227.7	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	126	28	45	374	722	29.4	16.7	0	51.6	34.8	0	
..Nephritis-related (580-589)	782	144	325	1,841	4,059	150.9	141.5	0	297.8	309.6	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	136	29	50	382	754	30.0	16.0	0	54.0	34.7	0	
Unintentional injuries (E800-E949)	526	392	437	12,988	17,111	965.8	1001.8	0	1185.7	1238.8	0	
..Motor vehicle accidents (E810-E825)	262	233	245	8,237	10,632	600.7	657.6	0	722.4	787.3	0	
..Falls and fall related injuries (E880-E888)	63	16	28	474	689	38.9	46.4	0	51.7	65.8	0	
..Drowning (E830,E832,E910)	37	32	35	967	1,300	77.5	70.0	0	96.9	84.0	0	
..Residential fires (E890-E899)	18	13	18	492	634	41.0	34.9	0	49.0	44.2	0	
Suicide (E950-E959)	218	173	196	4,823	6,675	358.9	353.7	0	465.1	459.5	0	
Homicide and legal intervention (E960-E978)	69	60	67	2,290	2,928	167.7	166.8	0	199.5	204.4	0	
..Homicide (E960-E969)	69	60	67	2,290	2,928	167.7	166.8	0	199.5	204.4	0	
All injury (E800-E999)	830	641	717	20,561	27,336	1526.3	1551.0	0	1893.1	1938.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	254	229	239	8,132	10,472	593.2	650.9	0	711.7	779.6	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	54	19	30	512	749	40.4	49.3	0	54.5	68.0	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	160	136	148	4,260	5,680	316.1	293.3	0	393.4	369.5	0	
....Suicide (E955.0-.4)	102	81	91	2,253	3,113	171.5	146.4	0	221.1	193.2	0	
....Homicide (E965.0-.4)	43	40	42	1,490	1,900	106.7	116.6	0	126.7	141.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	74	60	69	1,705	2,348	121.7	91.2	0	157.1	122.9	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	98	65	90	998	1,775	84.2	111.4	0	138.2	183.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	31	24	28	665	925	45.1	31.1	0	58.8	40.6	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Female											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance	
*****Causes of Death*****												
All causes	12,999	2,074	4,553	34,467	66,610	2749.3	2957.6	0	4602.2	4921.6	0	
Infectious diseases and parasitic disease (1-139)	291	51	97	1,209	1,969	92.0	122.5	0	134.0	164.6	0	
..Septicemia (038)	232	25	61	410	850	34.2	33.9	0	59.6	51.3	0	
....Septicemia-related (038)	719	98	238	1,414	3,029	113.1	138.9	0	207.3	228.1	0	
...HIV infection (042-044)	20	19	20	558	755	38.9	58.2	0	49.1	71.2	0	
All cancer (140-208)	3,132	887	1,768	9,980	23,147	812.1	789.2	0	1603.1	1625.6	0	
..Oral cavity or pharynx (140.0-149.9)	37	9	22	53	200	4.2	12.6	0	13.0	25.1	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	414	65	169	643	1,793	51.6	59.5	0	119.6	134.9	0	
....Colon cancer (153)	340	59	141	608	1,588	48.7	53.2	0	107.2	119.0	0	
....Rectal cancer (154)	69	6	27	35	203	2.9	6.1	0	12.2	15.0	0	
..Pancreatic cancer (157)	157	30	67	250	718	21.0	17.5	0	49.2	48.8	0	
..Lung and other respiratory cancer (160-165)	674	217	457	1,788	5,173	151.0	132.1	0	357.2	338.0	0	
....Lung cancer (162.2-.9)	656	214	448	1,745	5,080	147.0	128.3	0	349.8	328.6	0	
..Malignant melanoma of skin (172)	40	21	29	318	573	24.7	19.9	0	40.5	34.3	0	
..Female breast cancer (174)	570	216	363	2,585	5,468	209.7	231.2	0	385.3	428.8	0	
..Cervical cancer (180)	36	18	24	350	565	27.6	21.1	0	40.7	35.4	0	
..Endometrial cancer (182)	40	11	23	73	243	5.7	2.5	0	15.4	12.0	0	
..Ovarian cancer (183)	161	51	110	533	1,350	42.6	55.0	0	90.9	111.6	0	
..Prostate cancer (185)	
..Bladder cancer (188)	55	7	19	48	163	4.0	2.9	0	10.8	7.7	0	
..Brain & other CNS cancer (191-192)	64	28	45	465	823	36.1	27.3	0	57.3	47.5	0	
..Leukemia (204-208)	107	34	54	762	1,197	62.4	40.8	0	87.8	66.4	0	
Diabetes mellitus (250)	267	40	100	375	1,055	29.1	28.1	0	68.6	63.5	0	
..Diabetes-related (250)	1,200	152	451	1,265	4,133	103.1	98.2	0	269.2	258.9	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	2	4	50	80	
Alzheimer's diseases (331.0)	119	2	16	5	90	0.3	1.0	0	4.7	5.5	0	
Cardiovascular disease (390-459)	5,983	445	1,413	4,658	13,298	374.9	373.3	0	873.7	899.8	0	
..Diseases of the heart (390-398,402,404-429)	4,607	330	1,117	3,213	9,996	260.7	277.7	0	649.2	694.2	0	
....Heart disease-related (390-398,402,404-429)	7,652	716	2,061	8,271	21,454	667.7	740.5	0	1427.4	1552.7	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,388	220	795	1,735	6,443	143.6	151.5	0	414.0	442.2	0	
....Congestive heart failure (CHF) (428.0)	252	2	24	35	155	2.1	7.1	0	8.2	14.9	0	
....Hypertension with or without renal disease (401,403)	69	6	19	55	158	4.9	0.3	0	11.3	3.2	0	
....Hypertension-related (401,403)	926	81	284	673	2,355	56.0	39.2	0	153.4	120.3	0	
..Cerebrovascular disease (430-438)	1,035	87	211	1,090	2,445	87.5	66.0	0	168.7	147.8	0	
..Atherosclerosis (440)	112	2	12	35	95	3.1	6.9	0	6.6	11.7	0	
....Atherosclerosis-related (440)	613	10	75	80	423	6.5	13.5	0	25.1	48.4	0	
..Aortic aneurysm (441)	61	5	19	58	163	3.7	5.8	0	9.5	12.6	0	
Pneumonia & influenza (480-487)	649	29	80	639	1,136	52.8	58.4	0	81.6	90.0	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	458	59	191	468	1,643	35.0	42.7	0	100.7	112.3	0	
..COPD-related (490-496)	1,019	122	432	815	3,385	62.6	80.2	0	206.7	230.0	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1990
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1990				Years of life lost, 1990		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1990	1989	Significance	1990	1989	Significance	
*****Causes of Death*****												
..Asthma (493)	20	6	10	105	185	7.7	12.5	0	12.5	20.4	0	
Chronic liver disease and cirrhosis (571)	105	40	76	570	1,135	46.0	54.5	0	80.7	102.5	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	122	18	45	215	543	17.5	8.2	0	35.4	21.4	0	
..Nephritis-related (580-589)	726	98	276	1,182	2,967	95.5	78.6	0	197.8	173.3	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	134	19	47	218	553	17.6	8.9	0	36.0	23.8	0	
Unintentional injuries (E800-E949)	3081	115	157	3,796	5,136	294.2	280.5	0	364.9	349.9	0	
..Motor vehicle accidents (E810-E825)	112	75	92	2,620	3,447	203.7	185.5	0	247.1	222.9	0	
..Falls and fall related injuries (E880-E888)	106	7	16	85	192	6.6	9.3	0	12.4	15.3	0	
..Drowning (E830,E832,E910)	5	4	4	226	266	
..Residential fires (E890-E899)	14	8	9	276	364	
Suicide (E950-E959)	54	41	48	1,038	1,485	75.8	69.0	0	100.8	94.7	0	
Homicide and legal intervention (E960-E978)	25	19	23	543	748	37.5	88.2	0	48.0	107.3	0	
..Homicide (E960-E969)	24	18	22	515	710	35.4	88.2	1	45.3	107.3	1	
All injury (E800-E999)	391	179	232	5,481	7,513	414.9	441.8	0	523.3	557.5	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	110	75	90	2,620	3,432	203.7	185.5	0	246.3	222.9	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	79	7	15	85	190	6.6	4.5	0	12.3	9.3	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	28	24	27	740	998	52.8	78.9	0	66.0	98.8	0	
....Suicide (E955.0-.4)	14	12	14	370	565	.	30.5	.	.	40.1	.	
....Homicide (E965.0-.4)	12	10	11	310	413	.	45.5	.	.	55.4	.	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	28	19	24	388	605	27.7	34.7	0	40.4	48.1	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	45	30	43	465	828	37.3	43.3	0	60.1	72.4	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	15	8	12	175	270	12.7	.	0	18.4	.	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).