

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
White Residents, 1991

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables  
by Cause of Death and Sex, White Residents, 1991

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables  
by Cause of Death and Sex, White Residents, 1991

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT White Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR
*****Causes of Death*****															
All causes	25,830	879.3	424.1	0	425.0	12,709	891.8	551.7	0	550.1	13,121	867.6	324.4	0	327.8
Infectious diseases and parasitic disease (1-139)	648	22.1	13.3	0	12.8	371	26.0	19.2	0	18.6	277	18.3	7.9	0	7.5
...Septicemia (038)	349	11.9	5.0	0	5.8	149	10.5	5.8	0	6.8	200	13.2	4.4	0	5.1
...Septicemia-related (038)	1,297	44.2	20.2	0	20.3	593	41.6	24.8	0	24.5	704	46.6	16.7	0	17.3
...HIV infection (042-044)	212	7.2	6.5	0	5.1	172	12.1	10.7	0	9.0	40	2.6	2.5	0	1.3
All cancer (140-208)	6,523	222.1	123.8	0	121.1	3,301	231.6	147.2	0	144.9	3,222	213.1	108.1	0	105.9
...Oral cavity or pharynx (140.0-149.9)	134	4.6	2.9	0	2.2	89	6.2	4.6	0	3.4	45	3.0	1.6	0	1.2
...Colorectal cancer (153.0-154.3,154.8,159.0)	789	26.9	13.4	0	13.2	381	26.7	16.2	0	16.2	408	27.0	11.4	0	11.1
...Colon cancer (153)	662	22.5	11.3	0	10.7	319	22.4	13.7	0	12.9	343	22.7	9.6	0	9.4
...Rectal cancer (154)	116	3.9	2.0	0	2.2	55	3.9	2.3	0	2.7	61	4.0	1.8	0	1.7
...Pancreatic cancer (157)	331	11.3	5.7	0	6.1	149	10.5	6.4	0	8.2	182	12.0	5.2	0	4.4
...Lung and other respiratory cancer (160-165)	1,769	60.2	35.4	0	34.4	1,061	74.5	48.3	0	47.0	708	46.8	26.0	0	25.4
...Lung cancer (162.2-.9)	1,705	58.0	34.1	0	33.5	1,016	71.3	46.2	0	45.5	689	45.6	25.4	0	24.9
...Malignant melanoma of skin (172)	85	2.9	2.0	0	2.1	54	3.8	2.8	0	2.4	31	2.0	1.4	0	1.8
...Female breast cancer (174)	576	.	.	.	.	.	.	.	.	.	576	38.1	22.4	0	21.3
...Cervical cancer (180)	47	.	.	.	.	.	.	.	.	.	47	3.1	2.2	0	1.5
...Endometrial cancer (182)	43	.	.	.	.	.	.	.	.	.	43	2.8	1.4	0	1.3
...Ovarian cancer (183)	176	.	.	.	.	.	.	.	.	.	176	11.6	6.5	0	6.0
...Prostate cancer (185)	401	.	.	.	.	401	28.1	14.6	0	14.6	.	.	.	.	.
...Bladder cancer (188)	156	5.3	2.4	0	2.3	98	6.9	3.8	0	3.8	58	3.8	1.5	0	1.3
...Brain & other CNS cancer (191-192)	141	4.8	3.5	0	3.4	80	5.6	4.5	0	4.3	61	4.0	2.7	0	2.7
...Leukemia (204-208)	223	7.6	4.5	0	4.6	119	8.4	5.7	0	5.8	104	6.9	3.5	0	3.8
Diabetes mellitus (250)	437	14.9	7.1	0	7.5	201	14.1	8.8	0	8.0	236	15.6	5.7	0	6.9
...Diabetes-related (250)	2,091	71.2	32.2	0	33.7	943	66.2	38.8	0	38.7	1,148	75.9	27.1	0	30.1
...Diabetic ketoacidosis (DKA) (250.1)	9	0.3	.	.	.	7	0.5	.	.	.	2	0.1	.	.	.
Alzheimer's diseases (331.0)	190	6.5	2.1	0	2.2	66	4.6	2.1	0	2.7	124	8.2	2.0	0	1.9
Cardiovascular disease (390-459)	11,269	383.6	155.0	0	157.7	5,265	369.4	209.4	0	210.7	6,004	397.0	112.7	0	117.1
...Diseases of the heart (390-398,402,404-429)	8,977	305.6	125.9	0	128.7	4,334	304.1	174.7	0	178.2	4,643	307.0	88.0	0	90.5
...Heart disease-related (390-398,402,404-429)	14,840	505.2	213.9	0	212.8	7,144	501.3	288.2	0	281.9	7,696	508.9	157.3	0	161.3
...Coronary heart disease (CHD) (402,410-414,429.2)	6,669	227.0	93.2	0	96.0	3,273	229.7	132.3	0	136.1	3,396	224.6	62.6	0	65.0
...Congestive heart failure (CHF) (428.0)	398	13.5	4.2	0	4.0	142	10.0	4.7	0	4.8	256	16.9	3.8	0	3.4
...Hypertension with or without renal disease (401,403)	110	3.7	1.5	0	1.5	49	3.4	1.9	0	1.5	61	4.0	1.2	0	1.5
...Hypertension-related (401,403)	1,409	48.0	19.8	0	21.8	537	37.7	22.4	0	23.2	872	57.7	17.0	1	20.5
...Cerebrovascular disease (430-438)	1,594	54.3	19.7	0	20.4	608	42.7	22.3	0	21.4	986	65.2	17.7	0	19.8
...Atherosclerosis (440)	211	7.2	2.2	0	1.9	72	5.1	2.5	0	2.3	139	9.2	1.9	0	1.5
...Atherosclerosis-related (440)	981	33.4	10.6	0	10.8	388	27.2	13.4	0	13.2	593	39.2	8.4	0	9.0
...Aortic aneurysm (441)	208	7.1	3.1	0	2.5	120	8.4	4.8	0	4.2	88	5.8	1.8	0	1.4
Pneumonia & influenza (480-487)	1,044	35.5	11.2	0	12.4	451	31.6	15.1	0	15.4	593	39.2	8.6	0	10.5

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT White Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1991*****					*****1991*****					*****1991*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	951	32.4	13.8	0	15.1	482	33.8	17.9	0	20.2	469	31.0	11.4	0	12.0
..COPD-related (490-496)	2,272	77.3	32.9	0	35.0	1,204	84.5	44.7	0	49.2	1,068	70.6	25.7	0	26.5
..Asthma (493)	30	1.0	0.6	0	0.8	8	0.6	.	.	0.9	22	1.5	0.5	0	0.7
Chronic liver disease and cirrhosis (571)	277	9.4	6.7	0	6.7	173	12.1	9.5	0	9.6	104	6.9	4.2	0	4.3
Nephritis, nephrotic syndrome/nephrosis (580-589)	291	9.9	4.3	0	3.7	150	10.5	5.9	0	4.8	141	9.3	3.2	0	3.0
..Nephritis-related (580-589)	1,413	48.1	21.6	0	23.2	747	52.4	29.5	0	31.1	666	44.0	16.2	0	18.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	322	11.0	4.7	0	4.0	166	11.6	6.4	0	5.2	156	10.3	3.5	0	3.2
Unintentional injuries (E800-E949)	751	25.6	20.1	0	22.4	479	33.6	29.1	0	33.1	272	18.0	11.7	0	12.0
..Motor vehicle accidents (E810-E825)	290	9.9	10.0	1	12.6	190	13.3	13.7	1	18.4	100	6.6	6.2	0	6.7
..Falls and fall related injuries (E880-E888)	170	5.8	2.2	0	2.3	84	5.9	3.2	0	2.7	86	5.7	1.4	0	1.8
..Drowning (E830,E832,E910)	35	1.2	1.1	0	1.4	31	2.2	2.0	0	2.5	4	0.3	.	.	.
..Residential fires (E890-E899)	35	1.2	1.1	0	0.9	15	1.1	1.0	0	1.2	20	1.3	1.3	0	.
Suicide (E950-E959)	322	11.0	10.1	0	8.3	262	18.4	17.0	0	13.8	60	4.0	3.6	0	3.1
Homicide and legal intervention (E960-E978)	102	3.5	3.7	0	3.1	79	5.5	5.7	0	4.9	23	1.5	1.7	0	1.3
..Homicide (E960-E969)	102	3.5	3.7	0	3.1	79	5.5	5.7	0	4.9	23	1.5	1.7	0	1.2
All injury (E800-E999)	1,220	41.5	35.3	0	34.5	850	59.6	53.7	0	52.9	370	24.5	17.9	0	16.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	284	9.7	9.8	0	12.3	185	13.0	13.4	1	18.0	99	6.5	6.2	0	6.6
..All falls (E880-E886,E888,E957,E968.1,E987)	146	5.0	2.2	0	2.0	76	5.3	3.1	0	2.5	70	4.6	1.5	0	1.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	217	7.4	7.3	0	6.1	191	13.4	13.1	0	10.7	26	1.7	1.7	0	1.7
....Suicide (E955.0-.4)	140	4.8	4.5	0	3.6	127	8.9	8.3	0	6.4	13	0.9	.	.	.
....Homicide (E965.0-.4)	70	2.4	2.6	0	1.9	59	4.1	4.4	0	3.1	11	0.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	159	5.4	5.1	1	3.0	110	7.7	7.2	1	4.6	49	3.2	3.0	1	1.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	136	4.6	3.7	0	3.9	97	6.8	5.6	0	5.7	39	2.6	1.9	0	2.4
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	104	3.5	3.3	1	1.2	70	4.9	4.5	1	1.7	34	2.2	2.1	1	0.7

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT White Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

*****Causes of Death*****	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR
All causes	25,830	879.3	597.9	0	600.3	12,709	891.8	773.9	0	771.6	13,121	867.6	472.7	0	477.9
Infectious diseases and parasitic disease (1-139)	648	22.1	15.4	0	15.5	371	26.0	21.1	0	21.2	277	18.3	10.3	0	10.5
..Septicemia (038)	349	11.9	7.6	0	8.9	149	10.5	9.0	0	10.2	200	13.2	6.8	0	8.0
....Septicemia-related (038)	1,297	44.2	29.2	0	29.9	593	41.6	35.7	0	36.4	704	46.6	24.7	0	25.7
..HIV infection (042-044)	212	7.2	5.6	0	4.3	172	12.1	9.1	0	7.7	40	2.6	2.2	0	1.1
All cancer (140-208)	6,523	222.1	163.4	0	160.6	3,301	231.6	201.3	0	200.2	3,222	213.1	139.7	0	136.5
..Oral cavity or pharynx (140.0-149.9)	134	4.6	3.6	0	2.8	89	6.2	5.6	0	4.4	45	3.0	2.0	0	1.6
..Colorectal cancer (153.0-154.3,154.8,159.0)	789	26.9	18.8	0	19.0	381	26.7	22.9	0	23.7	408	27.0	15.9	0	15.9
....Colon cancer (153)	662	22.5	15.8	0	15.4	319	22.4	19.2	0	19.0	343	22.7	13.4	0	13.2
....Rectal cancer (154)	116	3.9	2.7	0	3.1	55	3.9	3.3	0	3.6	61	4.0	2.4	0	2.6
..Pancreatic cancer (157)	331	11.3	8.0	0	8.3	149	10.5	9.1	0	11.1	182	12.0	7.3	0	6.2
..Lung and other respiratory cancer (160-165)	1,769	60.2	45.7	0	44.5	1,061	74.5	64.8	0	63.2	708	46.8	32.7	0	31.8
....Lung cancer (162.2-.9)	1,705	58.0	44.1	0	43.2	1,016	71.3	62.1	0	60.9	689	45.6	31.9	0	31.1
..Malignant melanoma of skin (172)	85	2.9	2.3	0	2.4	54	3.8	3.3	0	2.9	31	2.0	1.5	0	2.0
..Female breast cancer (174)	576	.	.	.	.	.	.	.	.	.	576	38.1	27.1	0	26.0
..Cervical cancer (180)	47	.	.	.	.	.	.	.	.	.	47	3.1	2.4	0	1.7
..Endometrial cancer (182)	43	.	.	.	.	.	.	.	.	.	43	2.8	1.8	0	1.7
..Ovarian cancer (183)	176	.	.	.	.	.	.	.	.	.	176	11.6	8.0	0	7.4
..Prostate cancer (185)	401	.	.	.	.	401	28.1	23.7	0	23.6	.	.	.	.	.
..Bladder cancer (188)	156	5.3	3.6	0	3.5	98	6.9	5.8	0	6.2	58	3.8	2.2	0	2.0
..Brain & other CNS cancer (191-192)	141	4.8	4.0	0	3.9	80	5.6	5.1	0	4.9	61	4.0	3.2	0	3.1
..Leukemia (204-208)	223	7.6	5.7	0	5.9	119	8.4	7.3	0	7.5	104	6.9	4.5	0	4.7
Diabetes mellitus (250)	437	14.9	10.1	0	10.6	201	14.1	12.1	0	11.1	236	15.6	8.5	0	10.1
..Diabetes-related (250)	2,091	71.2	47.4	0	49.6	943	66.2	56.5	0	56.7	1,148	75.9	40.9	0	44.6
..Diabetic ketoacidosis (DKA) (250.1)	9	0.3	.	.	.	7	0.5	.	.	.	2	0.1	.	.	.
Alzheimer's diseases (331.0)	190	6.5	3.7	0	4.1	66	4.6	3.9	0	4.9	124	8.2	3.7	0	3.6
Cardiovascular disease (390-459)	11,269	383.6	243.1	0	247.4	5,265	369.4	318.1	0	320.4	6,004	397.0	188.6	0	194.3
..Diseases of the heart (390-398,402,404-429)	8,977	305.6	195.4	0	199.6	4,334	304.1	262.4	0	267.8	4,643	307.0	146.7	0	150.1
....Heart disease-related (390-398,402,404-429)	14,840	505.2	326.2	0	326.7	7,144	501.3	431.5	0	425.7	7,696	508.9	252.2	0	257.7
....Coronary heart disease (CHD) (402,410-414,429.2)	6,669	227.0	145.0	0	149.3	3,273	229.7	198.2	0	204.2	3,396	224.6	105.9	0	109.3
....Congestive heart failure (CHF) (428.0)	398	13.5	7.7	0	7.8	142	10.0	8.4	0	9.0	256	16.9	7.2	0	6.9
....Hypertension with or without renal disease (401,403)	110	3.7	2.4	0	2.3	49	3.4	2.9	0	2.3	61	4.0	1.9	0	2.3
....Hypertension-related (401,403)	1,409	48.0	30.8	0	33.6	537	37.7	32.4	0	34.8	872	57.7	28.1	0	32.2
..Cerebrovascular disease (430-438)	1,594	54.3	32.8	0	34.2	608	42.7	36.3	0	35.8	986	65.2	30.2	0	33.1
..Atherosclerosis (440)	211	7.2	4.1	0	3.5	72	5.1	4.4	0	4.1	139	9.2	3.7	0	3.1
....Atherosclerosis-related (440)	981	33.4	19.2	0	19.9	388	27.2	23.1	0	23.1	593	39.2	16.3	0	17.4
..Aortic aneurysm (441)	208	7.1	4.7	0	3.8	120	8.4	7.1	0	6.3	88	5.8	2.9	0	2.1
Pneumonia & influenza (480-487)	1,044	35.5	20.3	0	22.2	451	31.6	27.2	0	27.5	593	39.2	16.4	0	19.2

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT White Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1991*****					*****1991*****					*****1991*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	951	32.4	21.1	0	22.5	482	33.8	28.8	0	31.2	469	31.0	17.0	0	17.5
..COPD-related (490-496)	2,272	77.3	50.5	0	52.9	1,204	84.5	71.9	0	78.2	1,068	70.6	38.7	0	38.8
..Asthma (493)	30	1.0	0.7	0	0.9	8	0.6	.	.	1.1	22	1.5	0.8	0	0.8
Chronic liver disease and cirrhosis (571)	277	9.4	7.6	0	7.7	173	12.1	10.7	0	11.0	104	6.9	4.9	0	5.0
Nephritis, nephrotic syndrome/nephrosis (580-589)	291	9.9	6.5	0	5.6	150	10.5	9.0	0	7.9	141	9.3	4.9	0	4.4
..Nephritis-related (580-589)	1,413	48.1	31.9	0	34.5	747	52.4	44.8	0	48.1	666	44.0	24.0	0	26.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	322	11.0	7.1	0	6.1	166	11.6	10.0	0	8.5	156	10.3	5.4	0	4.8
Unintentional injuries (E800-E949)	751	25.6	21.6	0	23.9	479	33.6	31.5	0	34.2	272	18.0	13.1	0	14.2
..Motor vehicle accidents (E810-E825)	290	9.9	9.7	0	12.1	190	13.3	13.4	0	17.4	100	6.6	6.1	0	6.8
..Falls and fall related injuries (E880-E888)	170	5.8	3.5	0	3.7	84	5.9	5.0	0	4.0	86	5.7	2.5	0	3.2
..Drowning (E830,E832,E910)	35	1.2	1.1	0	1.4	31	2.2	2.1	0	2.6	4	0.3	.	.	.
..Residential fires (E890-E899)	35	1.2	1.2	0	1.1	15	1.1	1.1	0	1.4	20	1.3	1.4	0	.
Suicide (E950-E959)	322	11.0	9.7	0	8.0	262	18.4	16.5	0	13.6	60	4.0	3.4	0	3.0
Homicide and legal intervention (E960-E978)	102	3.5	3.4	0	2.9	79	5.5	5.3	0	4.6	23	1.5	1.5	0	1.2
..Homicide (E960-E969)	102	3.5	3.4	0	2.8	79	5.5	5.3	0	4.6	23	1.5	1.5	0	1.1
All injury (E800-E999)	1,220	41.5	35.9	0	35.3	850	59.6	55.0	0	53.3	370	24.5	18.8	0	18.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	284	9.7	9.5	0	11.8	185	13.0	13.0	0	16.9	99	6.5	6.0	0	6.7
..All falls (E880-E886,E888,E957,E968.1,E987)	146	5.0	3.2	0	3.0	76	5.3	4.6	0	3.5	70	4.6	2.3	0	2.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	217	7.4	6.9	0	5.7	191	13.4	12.6	0	10.3	26	1.7	1.5	0	1.5
....Suicide (E955.0-.4)	140	4.8	4.2	0	3.4	127	8.9	8.0	0	6.4	13	0.9	.	.	.
....Homicide (E965.0-.4)	70	2.4	2.4	0	1.7	59	4.1	4.2	0	2.8	11	0.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	159	5.4	4.6	1	2.9	110	7.7	6.4	0	4.4	49	3.2	2.8	0	1.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	136	4.6	3.8	0	4.2	97	6.8	5.8	0	6.2	39	2.6	2.0	0	2.5
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	104	3.5	2.9	1	1.1	70	4.9	3.8	1	1.6	34	2.2	2.0	1	0.7

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT White Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR	No. of deaths	Crude rate	AAMR	Significance	1990 AAMR
*****Causes of Death*****															
All causes	25,830	879.3	818.4	0	821.9	12,709	891.8	1056.5	0	1048.4	13,121	867.6	662.5	0	671.2
Infectious diseases and parasitic disease (1-139)	648	22.1	20.8	0	21.1	371	26.0	28.5	0	28.0	277	18.3	14.2	0	15.1
..Septicemia (038)	349	11.9	11.1	0	13.0	149	10.5	13.4	0	14.6	200	13.2	9.9	0	11.8
....Septicemia-related (038)	1,297	44.2	41.0	0	42.5	593	41.6	50.1	0	52.0	704	46.6	35.3	0	36.9
..HIV infection (042-044)	212	7.2	6.9	0	5.2	172	12.1	11.4	0	9.3	40	2.6	2.5	0	1.2
All cancer (140-208)	6,523	222.1	204.2	0	201.9	3,301	231.6	258.4	0	258.3	3,222	213.1	173.0	0	169.9
..Oral cavity or pharynx (140.0-149.9)	134	4.6	4.3	0	3.3	89	6.2	6.6	0	5.3	45	3.0	2.4	0	2.0
..Colorectal cancer (153.0-154.3,154.8,159.0)	789	26.9	24.5	0	25.4	381	26.7	30.1	0	32.0	408	27.0	20.9	0	21.5
....Colon cancer (153)	662	22.5	20.6	0	20.6	319	22.4	25.2	0	25.7	343	22.7	17.6	0	17.8
....Rectal cancer (154)	116	3.9	3.6	0	4.1	55	3.9	4.4	0	4.6	61	4.0	3.1	0	3.5
..Pancreatic cancer (157)	331	11.3	10.3	0	10.6	149	10.5	11.8	0	13.8	182	12.0	9.4	0	8.2
..Lung and other respiratory cancer (160-165)	1,769	60.2	55.0	0	53.1	1,061	74.5	80.6	0	78.2	708	46.8	38.8	0	37.2
....Lung cancer (162.2-.9)	1,705	58.0	53.0	0	51.4	1,016	71.3	77.2	0	75.2	689	45.6	37.7	0	36.2
..Malignant melanoma of skin (172)	85	2.9	2.7	0	2.8	54	3.8	4.0	0	3.5	31	2.0	1.8	0	2.4
..Female breast cancer (174)	576	.	.	.	.	.	.	.	.	.	576	38.1	32.5	0	31.9
..Cervical cancer (180)	47	.	.	.	.	.	.	.	.	.	47	3.1	3.0	0	2.1
..Endometrial cancer (182)	43	.	.	.	.	.	.	.	.	.	43	2.8	2.2	0	2.1
..Ovarian cancer (183)	176	.	.	.	.	.	.	.	.	.	176	11.6	9.6	0	8.8
..Prostate cancer (185)	401	.	.	.	.	401	28.1	34.6	0	34.0	.	.	.	.	.
..Bladder cancer (188)	156	5.3	4.8	0	5.0	98	6.9	7.9	0	9.1	58	3.8	3.0	0	2.8
..Brain & other CNS cancer (191-192)	141	4.8	4.5	0	4.6	80	5.6	5.9	0	5.9	61	4.0	3.5	0	3.7
..Leukemia (204-208)	223	7.6	7.0	0	7.3	119	8.4	9.1	0	9.5	104	6.9	5.6	0	5.9
Diabetes mellitus (250)	437	14.9	13.6	0	14.2	201	14.1	15.8	0	14.5	236	15.6	11.8	0	13.8
..Diabetes-related (250)	2,091	71.2	64.9	0	67.6	943	66.2	76.6	0	77.0	1,148	75.9	56.8	0	61.4
..Diabetic ketoacidosis (DKA) (250.1)	9	0.3	.	.	.	7	0.5	.	.	.	2	0.1	.	.	.
Alzheimer's diseases (331.0)	190	6.5	6.0	0	6.5	66	4.6	6.4	0	8.1	124	8.2	5.9	0	5.8
Cardiovascular disease (390-459)	11,269	383.6	357.1	0	362.9	5,265	369.4	454.3	0	456.0	6,004	397.0	290.5	0	298.5
..Diseases of the heart (390-398,402,404-429)	8,977	305.6	284.1	0	289.6	4,334	304.1	371.4	0	377.0	4,643	307.0	224.7	0	229.5
....Heart disease-related (390-398,402,404-429)	14,840	505.2	469.1	0	471.2	7,144	501.3	610.8	0	602.8	7,696	508.9	376.6	0	384.9
....Coronary heart disease (CHD) (402,410-414,429.2)	6,669	227.0	211.0	0	216.8	3,273	229.7	279.3	0	286.9	3,396	224.6	163.8	0	168.3
....Congestive heart failure (CHF) (428.0)	398	13.5	12.7	0	13.2	142	10.0	13.8	0	14.9	256	16.9	12.0	0	12.1
..Hypertension with or without renal disease (401,403)	110	3.7	3.5	0	3.5	49	3.4	4.1	0	3.3	61	4.0	3.0	0	3.5
....Hypertension-related (401,403)	1,409	48.0	44.3	0	47.8	537	37.7	43.8	0	48.0	872	57.7	42.4	0	46.7
..Cerebrovascular disease (430-438)	1,594	54.3	50.9	0	53.3	608	42.7	55.4	0	55.1	986	65.2	47.7	0	52.0
..Atherosclerosis (440)	211	7.2	6.8	0	5.9	72	5.1	6.9	0	6.4	139	9.2	6.5	0	5.4
....Atherosclerosis-related (440)	981	33.4	31.4	0	32.6	388	27.2	35.8	0	36.2	593	39.2	27.9	0	29.8
..Aortic aneurysm (441)	208	7.1	6.4	0	5.2	120	8.4	9.4	0	8.5	88	5.8	4.3	0	3.1
Pneumonia & influenza (480-487)	1,044	35.5	33.8	0	36.3	451	31.6	45.1	0	44.6	593	39.2	28.0	0	32.1

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT White Resident DEATHS, 1991  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1991*****				*****1991*****				*****1991*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1990 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	951	32.4	29.4	0	30.5	482	33.8	42.0	0	43.8	469	31.0	23.2	0	23.4
..COPD-related (490-496)	2,272	77.3	70.6	0	72.5	1,204	84.5	104.9	0	112.2	1,068	70.6	53.2	0	51.8
..Asthma (493)	30	1.0	0.9	0	1.2	8	0.6	.	.	1.4	22	1.5	1.1	0	1.1
Chronic liver disease and cirrhosis (571)	277	9.4	8.9	0	9.1	173	12.1	12.6	0	13.1	104	6.9	5.8	0	6.0
Nephritis, nephrotic syndrome/nephrosis (580-589)	291	9.9	9.2	0	8.0	150	10.5	13.1	0	12.3	141	9.3	7.0	0	6.2
..Nephritis-related (580-589)	1,413	48.1	44.3	0	48.6	747	52.4	64.0	0	70.1	666	44.0	33.4	0	37.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	322	11.0	10.1	0	8.7	166	11.6	14.5	0	13.1	156	10.3	7.8	0	6.8
Unintentional injuries (E800-E949)	751	25.6	24.6	0	27.2	479	33.6	36.4	0	38.5	272	18.0	15.5	0	17.1
..Motor vehicle accidents (E810-E825)	290	9.9	9.6	1	12.1	190	13.3	13.1	1	17.4	100	6.6	6.3	0	6.9
..Falls and fall related injuries (E880-E888)	170	5.8	5.4	0	5.6	84	5.9	7.7	0	5.9	86	5.7	4.1	0	5.2
..Drowning (E830,E832,E910)	35	1.2	1.2	0	1.4	31	2.2	2.3	0	2.7	4	0.3	.	.	.
..Residential fires (E890-E899)	35	1.2	1.2	0	1.1	15	1.1	1.2	0	1.3	20	1.3	1.3	0	.
Suicide (E950-E959)	322	11.0	10.5	0	8.9	262	18.4	18.1	0	15.4	60	4.0	3.8	0	3.3
Homicide and legal intervention (E960-E978)	102	3.5	3.4	0	3.0	79	5.5	5.3	0	4.5	23	1.5	1.5	0	1.5
..Homicide (E960-E969)	102	3.5	3.4	0	2.9	79	5.5	5.3	0	4.5	23	1.5	1.5	0	1.4
All injury (E800-E999)	1,220	41.5	40.0	0	39.7	850	59.6	61.7	0	59.5	370	24.5	21.7	0	22.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	284	9.7	9.4	1	11.8	185	13.0	12.7	1	16.8	99	6.5	6.2	0	6.8
..All falls (E880-E886,E888,E957,E968.1,E987)	146	5.0	4.6	0	4.4	76	5.3	6.8	0	4.8	70	4.6	3.5	0	3.9
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	217	7.4	7.1	0	6.1	191	13.4	13.1	0	11.0	26	1.7	1.7	0	1.7
....Suicide (E955.0-.4)	140	4.8	4.5	0	3.8	127	8.9	8.7	0	7.3	13	0.9	.	.	.
....Homicide (E965.0-.4)	70	2.4	2.4	0	1.7	59	4.1	4.0	0	2.8	11	0.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	159	5.4	5.3	1	3.2	110	7.7	7.5	0	5.1	49	3.2	3.1	0	1.7
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	136	4.6	4.5	0	4.8	97	6.8	6.8	0	7.2	39	2.6	2.4	0	2.8
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	104	3.5	3.4	1	1.4	70	4.9	4.6	1	2.1	34	2.2	2.2	1	0.9

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1991 AAMR is significantly different (prob<0.05) from the 1990 AAMR.  
 0 - The 1991 AAMR is not significantly different (prob>0.05) from the 1990 AAMR.

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	25,830	5,560	11,300	98,115	180,205	3797.0	3791.1	0	6015.0	6001.6	0
Infectious diseases and parasitic disease (1-139)	648	288	381	6,954	10,257	241.0	219.0	0	331.5	300.9	0
..Septicemia (038)	349	49	117	866	1,661	33.4	38.7	0	54.6	63.2	0
...Septicemia-related (038)	1,297	241	540	3,951	7,723	145.6	128.2	0	245.5	222.6	0
..HIV infection (042-044)	212	203	209	5,459	7,514	185.7	142.3	0	242.3	186.8	0
All cancer (140-208)	6,523	1,763	3,842	18,868	46,430	689.3	663.7	0	1435.1	1387.9	0
..Oral cavity or pharynx (140.0-149.9)	134	57	94	483	1,255	17.2	10.2	0	38.8	25.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	789	151	409	1,418	4,043	49.9	44.9	0	118.5	112.2	0
...Colon cancer (153)	662	126	344	1,225	3,415	43.6	36.4	0	101.1	91.1	0
...Rectal cancer (154)	116	24	62	190	605	6.3	7.6	0	16.8	19.0	0
..Pancreatic cancer (157)	331	67	173	498	1,648	17.7	22.6	0	48.0	57.6	0
..Lung and other respiratory cancer (160-165)	1,769	509	1,159	4,328	12,648	155.5	147.5	0	380.2	366.3	0
...Lung cancer (162.2-.9)	1,705	492	1,117	4,185	12,203	150.3	142.6	0	366.9	357.0	0
..Malignant melanoma of skin (172)	85	40	68	580	1,145	19.7	21.8	0	35.1	37.2	0
..Female breast cancer (174)	576	222	376	2,560	5,580	.	.	.	.	.	.
..Cervical cancer (180)	47	28	33	480	788	.	.	.	.	.	.
..Endometrial cancer (182)	43	8	27	50	228	.	.	.	.	.	.
..Ovarian cancer (183)	176	59	109	663	1,508	.	.	.	.	.	.
..Prostate cancer (185)	401	30	158	170	1,035	.	.	.	.	.	.
..Bladder cancer (188)	156	24	68	165	595	5.8	3.1	0	16.8	12.2	0
..Brain & other CNS cancer (191-192)	141	76	115	1,269	2,212	49.2	45.7	0	76.2	70.3	0
..Leukemia (204-208)	223	71	141	1,365	2,375	55.1	66.9	0	82.9	96.0	0
Diabetes mellitus (250)	437	83	199	978	2,333	34.4	29.7	0	69.8	67.7	0
..Diabetes-related (250)	2,091	290	901	2,715	8,508	94.5	96.6	0	241.2	251.8	0
..Diabetic ketoacidosis (DKA) (250.1)	9	4	4	115	155	.	.	.	.	.	.
Alzheimer's diseases (331.0)	190	5	39	28	218	1.0	0.7	0	5.4	5.1	0
Cardiovascular disease (390-459)	11,269	1,422	3,724	14,698	39,363	529.4	531.8	0	1173.4	1188.1	0
..Diseases of the heart (390-398,402,404-429)	8,977	1,209	3,105	12,110	32,915	435.8	440.2	0	980.2	994.3	0
...Heart disease-related (390-398,402,404-429)	14,840	2,149	5,380	25,008	61,135	913.0	846.1	0	1860.2	1772.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,669	884	2,308	7,837	23,207	275.5	274.3	0	677.1	686.2	0
....Congestive heart failure (CHF) (428.0)	398	13	70	103	450	3.4	2.9	0	11.4	9.9	0
..Hypertension with or without renal disease (401,403)	110	10	32	150	360	5.3	4.2	0	10.7	10.7	0
...Hypertension-related (401,403)	1,409	164	493	1,490	4,638	53.0	50.9	0	133.4	142.3	0
..Cerebrovascular disease (430-438)	1,594	149	401	1,892	4,427	67.6	65.3	0	133.5	132.8	0
..Atherosclerosis (440)	211	12	40	90	335	3.4	2.0	0	9.7	5.7	0
...Atherosclerosis-related (440)	981	44	184	335	1,355	11.9	7.2	0	37.1	30.7	0
..Aortic aneurysm (441)	208	19	87	195	690	7.2	4.8	0	19.1	15.4	0
Pneumonia & influenza (480-487)	1,044	76	167	1,101	2,209	40.4	40.6	0	69.8	72.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	951	83	383	690	2,880	25.8	32.2	0	78.9	94.4	0
..COPD-related (490-496)	2,272	233	861	1,760	6,885	64.4	64.4	0	191.9	202.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	30	7	18	153	285	6.5	11.3	0	10.1	16.6	0
Chronic liver disease and cirrhosis (571)	277	143	226	2,043	3,855	69.8	64.3	0	120.6	114.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	291	47	108	495	1,202	17.6	22.7	0	36.1	40.3	0
..Nephritis-related (580-589)	1,413	227	566	2,931	6,668	106.3	110.4	0	203.3	214.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	322	50	118	507	1,282	18.0	23.0	0	38.2	41.5	0
Unintentional injuries (E800-E949)	751	441	528	14,175	19,017	609.1	698.2	0	756.3	861.1	0
..Motor vehicle accidents (E810-E825)	290	237	257	8,371	10,856	370.5	459.2	0	449.1	557.8	0
..Falls and fall related injuries (E880-E888)	170	22	49	365	728	12.7	24.2	0	22.1	32.9	0
..Drowning (E830,E832,E910)	35	26	29	844	1,122	35.4	50.7	0	43.8	62.0	0
..Residential fires (E890-E899)	35	25	33	960	1,235	42.5	33.8	0	50.8	40.6	0
Suicide (E950-E959)	322	271	289	7,453	10,258	296.5	229.1	0	380.2	296.8	0
Homicide and legal intervention (E960-E978)	102	95	99	3,195	4,160	137.5	114.1	0	167.7	138.6	0
..Homicide (E960-E969)	102	95	99	3,195	4,160	137.5	113.2	0	167.7	137.5	0
All injury (E800-E999)	1,220	850	959	26,091	35,134	1087.9	1062.0	0	1360.9	1322.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	284	232	251	8,283	10,711	366.9	455.3	0	443.6	552.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	146	29	54	583	1,005	20.7	24.8	0	31.8	34.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	217	187	200	5,893	7,835	246.9	201.0	0	306.5	250.9	0
...Suicide (E955.0-.4)	140	116	127	3,375	4,598	134.7	104.2	0	171.2	133.5	0
...Homicide (E965.0-.4)	70	66	68	2,325	2,995	103.0	73.1	0	124.5	88.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	159	148	151	3,935	5,428	147.0	77.6	1	190.6	102.1	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	136	93	124	1,603	2,670	54.0	51.3	0	84.2	84.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	104	99	101	2,758	3,758	100.8	28.1	1	129.5	37.6	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	12,709	3,544	6,801	64,277	115,030	4961.1	4919.1	0	7849.9	7765.7	0
Infectious diseases and parasitic disease (1-139)	371	224	270	5,229	7,694	354.6	348.5	0	493.5	475.1	0
..Septicemia (038)	149	27	62	467	894	34.6	45.7	0	58.8	73.1	0
...Septicemia-related (038)	593	142	308	2,361	4,571	171.3	154.9	0	294.7	265.2	0
..HIV infection (042-044)	172	167	171	4,263	5,953	284.7	245.6	0	378.7	324.5	0
All cancer (140-208)	3,301	896	2,034	9,283	23,673	694.8	619.2	0	1515.0	1402.8	0
..Oral cavity or pharynx (140.0-149.9)	89	44	66	390	965	28.1	17.0	0	62.2	40.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	381	80	221	755	2,153	55.5	45.9	0	134.0	125.5	0
...Colon cancer (153)	319	70	188	675	1,865	49.8	31.1	0	117.0	92.7	0
...Rectal cancer (154)	55	9	31	78	268	5.6	13.0	0	16.0	28.5	0
..Pancreatic cancer (157)	149	35	90	263	865	19.3	28.1	0	53.3	76.2	0
..Lung and other respiratory cancer (160-165)	1,061	296	698	2,420	7,380	177.4	170.0	0	459.7	439.8	0
...Lung cancer (162.2-.9)	1,016	283	666	2,318	7,050	169.8	163.6	0	439.0	427.3	0
..Malignant melanoma of skin (172)	54	28	44	385	750	26.4	22.1	0	47.3	39.2	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	401	30	158	170	1,035	12.2	10.7	0	57.1	56.3	0
..Bladder cancer (188)	98	13	50	68	355	4.7	3.0	0	19.6	16.1	0
..Brain & other CNS cancer (191-192)	80	47	67	767	1,342	57.6	58.6	0	92.2	89.2	0
..Leukemia (204-208)	119	41	84	743	1,340	60.5	71.0	0	94.8	105.8	0
Diabetes mellitus (250)	201	52	116	640	1,470	46.9	34.1	0	93.5	77.7	0
..Diabetes-related (250)	943	177	490	1,778	5,075	127.4	106.9	0	309.0	283.4	0
..Diabetic ketoacidosis (DKA) (250.1)	7	2	2	80	100	.	.	.	.	.	.
Alzheimer's diseases (331.0)	66	3	14	13	95	0.9	1.1	0	5.2	6.7	0
Cardiovascular disease (390-459)	5,265	1,010	2,399	10,516	27,194	766.3	735.3	0	1704.0	1664.8	0
..Diseases of the heart (390-398,402,404-429)	4,334	888	2,051	9,012	23,450	655.2	653.6	0	1469.4	1469.1	0
...Heart disease-related (390-398,402,404-429)	7,144	1,463	3,379	17,176	40,761	1262.1	1092.5	0	2587.2	2344.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,273	678	1,570	6,165	17,225	441.6	433.3	0	1065.6	1060.1	0
....Congestive heart failure (CHF) (428.0)	142	7	32	88	270	6.0	3.8	0	15.6	13.3	0
..Hypertension with or without renal disease (401,403)	49	6	18	80	210	5.7	4.4	0	12.9	12.4	0
...Hypertension-related (401,403)	537	114	285	1,070	3,083	78.2	55.2	0	190.5	160.5	0
..Cerebrovascular disease (430-438)	608	79	213	1,035	2,405	74.7	53.4	0	150.4	120.8	0
..Atherosclerosis (440)	72	7	23	43	188	3.2	1.4	0	11.3	6.4	0
...Atherosclerosis-related (440)	388	29	121	208	888	15.0	9.4	0	51.1	43.9	0
..Aortic aneurysm (441)	120	16	62	157	532	12.0	5.7	0	32.0	23.2	0
Pneumonia & influenza (480-487)	451	53	108	852	1,579	62.6	31.4	0	103.3	72.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	482	47	199	440	1,585	34.4	33.4	0	95.2	105.8	0
..COPD-related (490-496)	1,204	130	470	1,017	3,832	78.0	74.6	0	229.5	237.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	8	5	8	128	195	.	15.7	.	.	22.1	.
Chronic liver disease and cirrhosis (571)	173	102	146	1,455	2,680	101.8	90.8	0	174.4	163.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	150	32	64	335	785	23.3	28.7	0	48.4	48.4	0
..Nephritis-related (580-589)	747	144	335	1,848	4,101	133.4	134.8	0	258.3	258.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	166	33	70	338	830	23.4	29.2	0	50.7	50.3	0
Unintentional injuries (E800-E949)	479	319	376	10,224	13,711	867.9	1063.9	0	1081.6	1312.1	0
..Motor vehicle accidents (E810-E825)	190	162	175	5,864	7,562	516.0	682.9	0	623.9	829.3	0
..Falls and fall related injuries (E880-E888)	84	18	36	295	570	20.3	41.0	0	35.3	53.4	0
..Drowning (E830,E832,E910)	31	25	27	780	1,045	64.6	82.0	0	80.8	102.5	0
..Residential fires (E890-E899)	15	10	13	411	524	36.2	44.4	0	43.1	53.1	0
Suicide (E950-E959)	262	220	236	6,165	8,445	491.1	377.8	0	628.6	488.5	0
Homicide and legal intervention (E960-E978)	79	73	77	2,408	3,153	205.9	189.8	0	252.4	228.1	0
..Homicide (E960-E969)	79	73	77	2,408	3,153	205.9	189.8	0	252.4	228.1	0
All injury (E800-E999)	850	641	718	19,661	26,463	1626.6	1665.7	0	2040.2	2072.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	185	158	170	5,789	7,439	509.8	675.1	0	614.6	818.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	76	21	37	418	713	29.7	42.3	0	45.9	55.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	191	163	176	5,153	6,855	432.3	345.8	0	537.5	431.7	0
....Suicide (E955.0-.4)	127	104	115	3,035	4,138	243.7	178.6	0	310.3	230.0	0
....Homicide (E965.0-.4)	59	55	57	1,958	2,518	172.6	124.1	0	208.3	149.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	110	107	107	2,893	3,963	212.9	128.3	1	275.2	165.6	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	97	69	88	1,228	2,005	83.6	71.5	0	128.7	118.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	70	69	69	1,998	2,688	143.0	44.1	1	182.1	57.9	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	13,121	2,016	4,499	33,838	65,176	2629.5	2660.6	0	4230.6	4288.1	0
Infectious diseases and parasitic disease (1-139)	277	64	111	1,725	2,563	130.3	90.2	0	174.0	128.8	0
..Septicemia (038)	200	22	55	399	767	32.5	31.7	0	51.0	53.6	0
...Septicemia-related (038)	704	99	232	1,590	3,152	120.8	101.4	0	199.6	181.4	0
..HIV infection (042-044)	40	36	38	1,196	1,561	88.9	39.9	0	109.2	50.8	0
All cancer (140-208)	3,222	867	1,808	9,585	22,757	683.5	707.7	0	1367.4	1385.5	0
..Oral cavity or pharynx (140.0-149.9)	45	13	28	93	290	6.7	3.6	0	17.0	11.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	408	71	188	663	1,890	44.5	44.1	0	104.5	101.0	0
...Colon cancer (153)	343	56	156	550	1,550	37.6	41.7	0	86.7	90.9	0
...Rectal cancer (154)	61	15	31	113	338	6.9	2.5	0	17.7	10.0	0
..Pancreatic cancer (157)	182	32	83	235	783	16.2	17.4	0	43.3	41.1	0
..Lung and other respiratory cancer (160-165)	708	213	461	1,908	5,268	134.7	126.1	0	309.7	300.6	0
...Lung cancer (162.2-.9)	689	209	451	1,868	5,153	131.7	122.8	0	302.9	294.5	0
..Malignant melanoma of skin (172)	31	12	24	195	395	13.2	21.6	0	23.6	35.7	0
..Female breast cancer (174)	576	222	376	2,560	5,580	175.7	174.4	0	337.9	325.3	0
..Cervical cancer (180)	47	28	33	480	788	34.0	23.2	0	52.3	34.8	0
..Endometrial cancer (182)	43	8	27	50	228	3.6	4.6	0	12.2	12.8	0
..Ovarian cancer (183)	176	59	109	663	1,508	46.7	36.6	0	91.2	77.6	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	58	11	18	98	240	7.0	3.3	0	14.7	8.9	0
..Brain & other CNS cancer (191-192)	61	29	48	503	870	41.1	32.9	0	61.2	51.8	0
..Leukemia (204-208)	104	30	57	622	1,035	49.9	62.9	0	71.9	87.0	0
Diabetes mellitus (250)	236	31	83	338	863	22.2	25.4	0	47.4	58.6	0
..Diabetes-related (250)	1,148	113	411	938	3,433	62.5	86.8	0	177.9	223.7	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	35	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	124	2	25	15	123	1.1	0.3	0	5.5	3.7	0
Cardiovascular disease (390-459)	6,004	412	1,325	4,182	12,170	300.9	336.5	0	682.3	748.8	0
..Diseases of the heart (390-398,402,404-429)	4,643	321	1,054	3,098	9,465	224.6	234.8	0	527.0	554.4	0
...Heart disease-related (390-398,402,404-429)	7,696	686	2,001	7,832	20,375	573.5	609.3	0	1181.8	1245.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,396	206	738	1,672	5,982	116.7	122.7	0	318.9	342.2	0
....Congestive heart failure (CHF) (428.0)	256	6	38	15	180	0.8	2.2	0	7.5	6.9	0
..Hypertension with or without renal disease (401,403)	61	4	14	70	150	4.8	4.1	0	8.8	9.2	0
...Hypertension-related (401,403)	872	50	208	420	1,555	28.6	47.0	0	80.4	126.1	1
..Cerebrovascular disease (430-438)	986	70	188	857	2,022	60.6	77.0	0	118.2	145.3	0
..Atherosclerosis (440)	139	5	17	48	148	3.5	2.5	0	8.5	5.2	0
...Atherosclerosis-related (440)	593	15	63	128	468	9.0	5.3	0	25.0	19.3	0
..Aortic aneurysm (441)	88	3	25	38	158	2.4	4.0	0	7.4	8.8	0
Pneumonia & influenza (480-487)	593	23	59	250	630	18.3	50.6	0	37.2	75.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	469	36	184	250	1,295	17.0	30.9	0	63.4	84.9	0
..COPD-related (490-496)	1,068	103	391	743	3,053	50.6	54.2	0	157.7	171.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	22	2	10	25	90	1.5	6.8	0	4.3	11.0	0
Chronic liver disease and cirrhosis (571)	104	41	80	588	1,175	39.0	38.8	0	69.3	68.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	141	15	44	160	417	12.3	16.7	0	24.8	32.2	0
..Nephritis-related (580-589)	666	83	231	1,083	2,568	80.0	86.5	0	152.0	172.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	156	17	48	170	452	13.0	16.8	0	26.8	32.7	0
Unintentional injuries (E800-E949)	272	122	152	3,951	5,306	343.8	326.2	0	425.2	404.0	0
..Motor vehicle accidents (E810-E825)	100	75	82	2,507	3,294	220.0	230.9	0	268.8	281.5	0
..Falls and fall related injuries (E880-E888)	86	4	13	70	158	5.2	6.9	0	9.5	11.9	0
..Drowning (E830,E832,E910)	4	1	2	65	77	.	.	.	.	.	.
..Residential fires (E890-E899)	20	15	20	549	711	48.9	.	0	58.6	.	0
Suicide (E950-E959)	60	51	53	1,288	1,813	98.4	79.1	0	129.0	104.8	0
Homicide and legal intervention (E960-E978)	23	22	22	787	1,007	67.3	36.1	0	81.1	46.6	0
..Homicide (E960-E969)	23	22	22	787	1,007	67.3	34.3	0	81.1	44.3	0
All injury (E800-E999)	370	209	241	6,431	8,671	537.4	448.2	0	671.0	564.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	99	74	81	2,494	3,272	219.0	230.9	0	267.1	280.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	70	8	17	165	293	11.6	6.9	0	18.2	11.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	26	24	24	740	980	56.7	54.1	0	70.9	68.2	0
....Suicide (E955.0-.4)	13	12	12	340	460	.	.	.	.	.	.
....Homicide (E965.0-.4)	11	11	11	368	478	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	49	41	44	1,043	1,465	81.1	26.3	1	106.3	38.3	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	39	24	36	375	665	25.2	31.7	0	41.1	51.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	30	32	760	1,070	58.7	12.1	1	77.1	17.5	1

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	25,830	5,560	11,300	98,115	180,205	3743.2	3740.8	0	6119.8	6110.9	0
Infectious diseases and parasitic disease (1-139)	648	288	381	6,954	10,257	210.4	195.4	0	292.6	271.5	0
..Septicemia (038)	349	49	117	866	1,661	33.4	38.2	0	56.4	64.8	0
...Septicemia-related (038)	1,297	241	540	3,951	7,723	142.5	122.9	0	250.7	224.9	0
..HIV infection (042-044)	212	203	209	5,459	7,514	157.4	120.3	0	203.9	157.4	0
All cancer (140-208)	6,523	1,763	3,842	18,868	46,430	692.4	662.7	0	1524.3	1470.4	0
..Oral cavity or pharynx (140.0-149.9)	134	57	94	483	1,255	17.5	10.5	0	41.6	27.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	789	151	409	1,418	4,043	49.8	45.2	0	127.9	122.1	0
...Colon cancer (153)	662	126	344	1,225	3,415	43.5	36.7	0	108.9	99.1	0
...Rectal cancer (154)	116	24	62	190	605	6.2	7.7	0	18.3	20.6	0
..Pancreatic cancer (157)	331	67	173	498	1,648	18.5	23.2	0	53.5	63.1	0
..Lung and other respiratory cancer (160-165)	1,769	509	1,159	4,328	12,648	160.6	154.6	0	415.4	403.4	0
...Lung cancer (162.2-.9)	1,705	492	1,117	4,185	12,203	155.1	149.4	0	400.6	393.4	0
..Malignant melanoma of skin (172)	85	40	68	580	1,145	18.4	20.1	0	34.5	36.0	0
..Female breast cancer (174)	576	222	376	2,560	5,580	.	.	.	.	.	.
..Cervical cancer (180)	47	28	33	480	788	.	.	.	.	.	.
..Endometrial cancer (182)	43	8	27	50	228	.	.	.	.	.	.
..Ovarian cancer (183)	176	59	109	663	1,508	.	.	.	.	.	.
..Prostate cancer (185)	401	30	158	170	1,035	.	.	.	.	.	.
..Bladder cancer (188)	156	24	68	165	595	6.1	3.5	0	18.9	14.3	0
..Brain & other CNS cancer (191-192)	141	76	115	1,269	2,212	49.0	43.3	0	77.4	68.2	0
..Leukemia (204-208)	223	71	141	1,365	2,375	56.3	67.4	0	85.8	97.4	0
Diabetes mellitus (250)	437	83	199	978	2,333	32.8	29.3	0	72.1	72.2	0
..Diabetes-related (250)	2,091	290	901	2,715	8,508	93.2	97.7	0	262.4	276.8	0
..Diabetic ketoacidosis (DKA) (250.1)	9	4	4	115	155	.	.	.	.	.	.
Alzheimer's diseases (331.0)	190	5	39	28	218	1.1	0.8	0	6.5	6.3	0
Cardiovascular disease (390-459)	11,269	1,422	3,724	14,698	39,363	529.8	537.9	0	1260.7	1283.6	0
..Diseases of the heart (390-398,402,404-429)	8,977	1,209	3,105	12,110	32,915	438.3	448.8	0	1056.9	1079.8	0
...Heart disease-related (390-398,402,404-429)	14,840	2,149	5,380	25,008	61,135	906.9	855.7	0	1971.3	1901.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,669	884	2,308	7,837	23,207	279.3	279.8	0	738.3	751.7	0
....Congestive heart failure (CHF) (428.0)	398	13	70	103	450	3.2	2.8	0	12.9	11.1	0
..Hypertension with or without renal disease (401,403)	110	10	32	150	360	4.9	4.6	0	10.9	12.0	0
...Hypertension-related (401,403)	1,409	164	493	1,490	4,638	53.4	52.5	0	145.9	158.9	0
..Cerebrovascular disease (430-438)	1,594	149	401	1,892	4,427	65.2	63.1	0	138.6	138.4	0
...Atherosclerosis (440)	211	12	40	90	335	3.6	2.0	0	11.0	6.5	0
...Atherosclerosis-related (440)	981	44	184	335	1,355	12.4	7.8	0	42.2	36.3	0
..Aortic aneurysm (441)	208	19	87	195	690	7.6	4.9	0	21.8	17.5	0
Pneumonia & influenza (480-487)	1,044	76	167	1,101	2,209	39.6	40.6	0	71.7	76.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	951	83	383	690	2,880	26.9	32.6	0	90.3	106.1	0
..COPD-related (490-496)	2,272	233	861	1,760	6,885	67.2	67.4	0	217.9	231.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	30	7	18	153	285	6.3	10.8	0	10.1	16.0	0
Chronic liver disease and cirrhosis (571)	277	143	226	2,043	3,855	65.3	60.4	0	117.9	113.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	291	47	108	495	1,202	17.4	23.1	0	38.2	42.8	0
..Nephritis-related (580-589)	1,413	227	566	2,931	6,668	104.8	108.8	0	213.2	224.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	322	50	118	507	1,282	17.9	23.5	0	40.7	44.2	0
Unintentional injuries (E800-E949)	751	441	528	14,175	19,017	588.1	666.4	0	722.0	811.8	0
..Motor vehicle accidents (E810-E825)	290	237	257	8,371	10,856	355.3	434.5	0	424.4	520.4	0
..Falls and fall related injuries (E880-E888)	170	22	49	365	728	11.2	25.2	0	21.2	34.4	0
..Drowning (E830,E832,E910)	35	26	29	844	1,122	35.4	51.6	0	43.0	61.9	0
..Residential fires (E890-E899)	35	25	33	960	1,235	44.9	36.5	0	52.8	43.2	0
Suicide (E950-E959)	322	271	289	7,453	10,258	269.6	208.4	0	343.7	268.9	0
Homicide and legal intervention (E960-E978)	102	95	99	3,195	4,160	129.4	105.6	0	155.4	126.4	0
..Homicide (E960-E969)	102	95	99	3,195	4,160	129.4	105.0	0	155.4	125.5	0
All injury (E800-E999)	1,220	850	959	26,091	35,134	1026.3	998.4	0	1269.9	1229.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	284	232	251	8,283	10,711	351.7	431.1	0	418.9	515.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	146	29	54	583	1,005	18.9	25.3	0	30.3	35.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	217	187	200	5,893	7,835	228.7	184.0	0	280.6	227.0	0
...Suicide (E955.0-.4)	140	116	127	3,375	4,598	121.6	95.9	0	153.6	121.9	0
...Homicide (E965.0-.4)	70	66	68	2,325	2,995	98.1	66.3	0	116.6	79.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	159	148	151	3,935	5,428	130.2	68.1	1	167.7	89.9	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	136	93	124	1,603	2,670	48.5	47.7	0	78.0	81.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	104	99	101	2,758	3,758	87.2	22.8	1	111.2	30.9	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	12,709	3,544	6,801	64,277	115,030	4843.3	4808.6	0	7927.7	7852.1	0
Infectious diseases and parasitic disease (1-139)	371	224	270	5,229	7,694	302.8	307.0	0	427.2	422.0	0
..Septicemia (038)	149	27	62	467	894	34.5	43.9	0	60.8	73.4	0
...Septicemia-related (038)	593	142	308	2,361	4,571	165.8	148.0	0	299.6	266.8	0
..HIV infection (042-044)	172	167	171	4,263	5,953	236.2	208.1	0	313.6	274.1	0
All cancer (140-208)	3,301	896	2,034	9,283	23,673	700.9	625.1	0	1626.9	1514.2	0
..Oral cavity or pharynx (140.0-149.9)	89	44	66	390	965	28.4	17.2	0	66.1	43.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	381	80	221	755	2,153	56.1	47.1	0	146.2	139.0	0
...Colon cancer (153)	319	70	188	675	1,865	50.4	32.4	0	127.2	104.2	0
...Rectal cancer (154)	55	9	31	78	268	5.5	12.9	0	17.7	30.0	0
..Pancreatic cancer (157)	149	35	90	263	865	20.1	28.8	0	59.6	84.2	0
..Lung and other respiratory cancer (160-165)	1,061	296	698	2,420	7,380	183.7	179.1	0	506.9	488.8	0
...Lung cancer (162.2-.9)	1,016	283	666	2,318	7,050	175.7	172.3	0	483.9	474.8	0
..Malignant melanoma of skin (172)	54	28	44	385	750	24.5	20.6	0	46.5	38.6	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	401	30	158	170	1,035	13.3	12.1	0	68.0	67.8	0
..Bladder cancer (188)	98	13	50	68	355	5.0	3.5	0	23.1	19.6	0
..Brain & other CNS cancer (191-192)	80	47	67	767	1,342	56.1	56.7	0	92.2	87.7	0
..Leukemia (204-208)	119	41	84	743	1,340	60.4	71.5	0	97.2	108.1	0
Diabetes mellitus (250)	201	52	116	640	1,470	45.7	33.8	0	97.4	82.8	0
..Diabetes-related (250)	943	177	490	1,778	5,075	126.0	107.4	0	334.0	311.6	0
..Diabetic ketoacidosis (DKA) (250.1)	7	2	2	80	100	.	.	.	.	.	.
Alzheimer's diseases (331.0)	66	3	14	13	95	1.0	1.3	0	6.3	8.2	0
Cardiovascular disease (390-459)	5,265	1,010	2,399	10,516	27,194	765.3	744.2	0	1826.0	1799.6	0
..Diseases of the heart (390-398,402,404-429)	4,334	888	2,051	9,012	23,450	655.2	664.2	0	1575.9	1589.4	0
...Heart disease-related (390-398,402,404-429)	7,144	1,463	3,379	17,176	40,761	1247.3	1106.0	0	2733.0	2521.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,273	678	1,570	6,165	17,225	444.5	439.8	0	1153.9	1154.2	0
....Congestive heart failure (CHF) (428.0)	142	7	32	88	270	5.5	4.0	0	16.6	15.3	0
..Hypertension with or without renal disease (401,403)	49	6	18	80	210	5.4	4.9	0	13.5	14.1	0
...Hypertension-related (401,403)	537	114	285	1,070	3,083	79.1	57.0	0	207.3	179.9	0
..Cerebrovascular disease (430-438)	608	79	213	1,035	2,405	72.5	50.6	0	157.0	127.2	0
..Atherosclerosis (440)	72	7	23	43	188	3.6	1.6	0	13.1	7.8	0
...Atherosclerosis-related (440)	388	29	121	208	888	15.5	10.5	0	58.6	52.4	0
..Aortic aneurysm (441)	120	16	62	157	532	13.1	6.2	0	36.9	27.1	0
Pneumonia & influenza (480-487)	451	53	108	852	1,579	60.3	30.5	0	104.2	77.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	482	47	199	440	1,585	36.0	34.9	0	108.5	121.5	0
..COPD-related (490-496)	1,204	130	470	1,017	3,832	81.8	78.8	0	261.7	273.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	8	5	8	128	195	.	15.4	.	.	21.6	.
Chronic liver disease and cirrhosis (571)	173	102	146	1,455	2,680	96.0	85.9	0	170.9	162.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	150	32	64	335	785	22.0	29.3	0	49.9	51.0	0
..Nephritis-related (580-589)	747	144	335	1,848	4,101	129.7	132.2	0	269.0	269.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	166	33	70	338	830	22.2	29.9	0	52.8	53.3	0
Unintentional injuries (E800-E949)	479	319	376	10,224	13,711	832.6	1005.9	0	1027.1	1224.7	0
..Motor vehicle accidents (E810-E825)	190	162	175	5,864	7,562	496.4	639.0	0	591.5	764.7	0
..Falls and fall related injuries (E880-E888)	84	18	36	295	570	17.8	42.2	0	33.8	54.8	0
..Drowning (E830,E832,E910)	31	25	27	780	1,045	63.9	82.5	0	78.7	101.6	0
..Residential fires (E890-E899)	15	10	13	411	524	38.1	49.0	0	44.6	57.7	0
Suicide (E950-E959)	262	220	236	6,165	8,445	447.3	344.8	0	569.3	443.8	0
Homicide and legal intervention (E960-E978)	79	73	77	2,408	3,153	193.7	179.5	0	234.2	212.3	0
..Homicide (E960-E969)	79	73	77	2,408	3,153	193.7	179.5	0	234.2	212.3	0
All injury (E800-E999)	850	641	718	19,661	26,463	1529.2	1560.4	0	1899.2	1918.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	185	158	170	5,789	7,439	490.2	632.0	0	582.2	754.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	76	21	37	418	713	27.6	42.7	0	44.3	56.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	191	163	176	5,153	6,855	402.1	319.4	0	494.6	394.5	0
....Suicide (E955.0-.4)	127	104	115	3,035	4,138	221.4	164.9	0	280.5	210.9	0
....Homicide (E965.0-.4)	59	55	57	1,958	2,518	164.5	114.2	0	195.4	135.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	110	107	107	2,893	3,963	187.7	113.0	0	240.5	145.6	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	97	69	88	1,228	2,005	74.9	67.1	0	119.0	114.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	70	69	69	1,998	2,688	122.1	35.1	1	153.7	46.3	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	13,121	2,016	4,499	33,838	65,176	2639.7	2670.6	0	4375.1	4432.9	0
Infectious diseases and parasitic disease (1-139)	277	64	111	1,725	2,563	120.9	84.6	0	162.6	123.2	0
..Septicemia (038)	200	22	55	399	767	32.7	32.6	0	52.8	56.5	0
...Septicemia-related (038)	704	99	232	1,590	3,152	120.0	97.8	0	205.8	184.7	0
..HIV infection (042-044)	40	36	38	1,196	1,561	80.8	33.5	0	97.3	42.3	0
All cancer (140-208)	3,222	867	1,808	9,585	22,757	683.9	700.2	0	1437.6	1443.1	0
..Oral cavity or pharynx (140.0-149.9)	45	13	28	93	290	7.1	4.0	0	18.9	12.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	408	71	188	663	1,890	43.6	43.6	0	111.6	107.6	0
...Colon cancer (153)	343	56	156	550	1,550	36.9	40.9	0	92.4	95.7	0
....Rectal cancer (154)	61	15	31	113	338	6.7	2.7	0	19.1	11.7	0
..Pancreatic cancer (157)	182	32	83	235	783	16.9	17.9	0	48.0	44.6	0
..Lung and other respiratory cancer (160-165)	708	213	461	1,908	5,268	138.7	131.2	0	334.8	327.8	0
....Lung cancer (162.2-.9)	689	209	451	1,868	5,153	135.6	127.9	0	327.4	321.5	0
..Malignant melanoma of skin (172)	31	12	24	195	395	12.5	19.6	0	23.3	33.8	0
..Female breast cancer (174)	576	222	376	2,560	5,580	172.0	167.1	0	346.2	328.2	0
..Cervical cancer (180)	47	28	33	480	788	31.5	20.6	0	49.3	31.5	0
..Endometrial cancer (182)	43	8	27	50	228	4.0	4.8	0	14.1	14.3	0
..Ovarian cancer (183)	176	59	109	663	1,508	45.6	35.4	0	94.3	80.8	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	58	11	18	98	240	7.2	3.5	0	15.7	10.0	0
..Brain & other CNS cancer (191-192)	61	29	48	503	870	42.3	30.0	0	63.6	49.1	0
..Leukemia (204-208)	104	30	57	622	1,035	52.4	63.4	0	75.6	87.8	0
Diabetes mellitus (250)	236	31	83	338	863	20.2	25.1	0	48.3	62.6	0
..Diabetes-related (250)	1,148	113	411	938	3,433	61.4	88.5	0	196.1	246.2	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	35	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	124	2	25	15	123	1.2	0.3	0	6.6	4.6	0
Cardiovascular disease (390-459)	6,004	412	1,325	4,182	12,170	303.3	340.3	0	741.8	811.8	0
..Diseases of the heart (390-398,402,404-429)	4,643	321	1,054	3,098	9,465	230.2	241.9	0	580.3	611.5	0
....Heart disease-related (390-398,402,404-429)	7,696	686	2,001	7,832	20,375	576.8	615.6	0	1267.2	1335.7	0
.....Coronary heart disease (CHD) (402,410-414,429.2)	3,396	206	738	1,672	5,982	121.9	127.8	0	358.5	384.3	0
.....Congestive heart failure (CHF) (428.0)	256	6	38	15	180	1.0	1.7	0	9.4	7.4	0
..Hypertension with or without renal disease (401,403)	61	4	14	70	150	4.4	4.2	0	8.6	10.1	0
....Hypertension-related (401,403)	872	50	208	420	1,555	28.5	48.4	0	89.3	140.2	1
..Cerebrovascular disease (430-438)	986	70	188	857	2,022	58.1	75.4	0	122.1	150.3	0
..Atherosclerosis (440)	139	5	17	48	148	3.6	2.5	0	9.2	5.5	0
....Atherosclerosis-related (440)	593	15	63	128	468	9.5	5.3	0	28.2	22.5	0
..Aortic aneurysm (441)	88	3	25	38	158	2.1	3.7	0	8.1	9.3	0
Pneumonia & influenza (480-487)	593	23	59	250	630	19.1	51.6	0	40.4	78.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	469	36	184	250	1,295	17.6	30.3	0	73.1	93.3	0
..COPD-related (490-496)	1,068	103	391	743	3,053	52.5	55.8	0	178.5	194.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	22	2	10	25	90	1.4	6.0	0	4.7	10.2	0
Chronic liver disease and cirrhosis (571)	104	41	80	588	1,175	35.7	35.9	0	67.6	66.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	141	15	44	160	417	13.2	16.9	0	27.6	34.5	0
..Nephritis-related (580-589)	666	83	231	1,083	2,568	80.7	86.1	0	161.7	182.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	156	17	48	170	452	14.0	17.1	0	29.9	35.1	0
Unintentional injuries (E800-E949)	272	122	152	3,951	5,306	337.0	320.2	0	411.6	392.7	0
..Motor vehicle accidents (E810-E825)	100	75	82	2,507	3,294	209.2	225.4	0	252.0	271.2	0
..Falls and fall related injuries (E880-E888)	86	4	13	70	158	4.7	7.6	0	9.4	13.5	0
..Drowning (E830,E832,E910)	4	1	2	65	77	.	.	.	.	.	.
..Residential fires (E890-E899)	20	15	20	549	711	51.8	.	0	61.1	.	0
Suicide (E950-E959)	60	51	53	1,288	1,813	88.5	70.7	0	115.6	93.9	0
Homicide and legal intervention (E960-E978)	23	22	22	787	1,007	63.1	29.4	0	74.8	37.9	0
..Homicide (E960-E969)	23	22	22	787	1,007	63.1	28.0	0	74.8	36.1	0
All injury (E800-E999)	370	209	241	6,431	8,671	511.4	425.9	0	630.8	531.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	99	74	81	2,494	3,272	208.2	225.4	0	250.3	270.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	70	8	17	165	293	10.1	7.6	0	16.7	13.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	26	24	24	740	980	50.5	46.3	0	62.2	57.8	0
....Suicide (E955.0-.4)	13	12	12	340	460	.	.	.	.	.	.
....Homicide (E965.0-.4)	11	11	11	368	478	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	49	41	44	1,043	1,465	72.7	22.7	1	95.0	33.9	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	39	24	36	375	665	22.7	28.9	0	38.6	48.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	30	32	760	1,070	52.4	10.6	1	68.7	15.6	1

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	25,830	5,560	11,300	98,115	180,205	3885.4	3865.6	0	6387.9	6356.6	0
Infectious diseases and parasitic disease (1-139)	648	288	381	6,954	10,257	255.3	226.1	0	351.1	312.4	0
..Septicemia (038)	349	49	117	866	1,661	35.2	40.2	0	59.8	68.3	0
...Septicemia-related (038)	1,297	241	540	3,951	7,723	155.8	139.0	0	271.6	248.8	0
..HIV infection (042-044)	212	203	209	5,459	7,514	196.7	147.8	0	254.0	192.4	0
All cancer (140-208)	6,523	1,763	3,842	18,868	46,430	785.8	757.4	0	1665.3	1610.3	0
..Oral cavity or pharynx (140.0-149.9)	134	57	94	483	1,255	20.7	12.0	0	46.0	29.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	789	151	409	1,418	4,043	58.4	53.3	0	141.3	134.1	0
...Colon cancer (153)	662	126	344	1,225	3,415	50.7	43.0	0	120.3	108.5	0
...Rectal cancer (154)	116	24	62	190	605	7.6	9.3	0	20.3	23.0	0
..Pancreatic cancer (157)	331	67	173	498	1,648	20.9	26.9	0	57.3	68.8	0
..Lung and other respiratory cancer (160-165)	1,769	509	1,159	4,328	12,648	186.7	175.7	0	454.9	435.9	0
...Lung cancer (162.2-.9)	1,705	492	1,117	4,185	12,203	180.5	170.7	0	438.8	425.8	0
..Malignant melanoma of skin (172)	85	40	68	580	1,145	23.6	25.4	0	41.6	43.1	0
..Female breast cancer (174)	576	222	376	2,560	5,580	.	.	.	.	.	.
..Cervical cancer (180)	47	28	33	480	788	.	.	.	.	.	.
..Endometrial cancer (182)	43	8	27	50	228	.	.	.	.	.	.
..Ovarian cancer (183)	176	59	109	663	1,508	.	.	.	.	.	.
..Prostate cancer (185)	401	30	158	170	1,035	.	.	.	.	.	.
..Bladder cancer (188)	156	24	68	165	595	7.0	3.7	0	20.4	14.8	0
..Brain & other CNS cancer (191-192)	141	76	115	1,269	2,212	50.6	49.5	0	80.3	76.8	0
..Leukemia (204-208)	223	71	141	1,365	2,375	55.8	67.0	0	86.8	98.4	0
Diabetes mellitus (250)	437	83	199	978	2,333	38.9	34.7	0	80.7	80.0	0
..Diabetes-related (250)	2,091	290	901	2,715	8,508	109.8	115.1	0	288.1	303.7	0
..Diabetic ketoacidosis (DKA) (250.1)	9	4	4	115	155	.	.	.	.	.	.
Alzheimer's diseases (331.0)	190	5	39	28	218	1.2	0.8	0	6.9	6.4	0
Cardiovascular disease (390-459)	11,269	1,422	3,724	14,698	39,363	603.8	606.2	0	1376.2	1393.0	0
..Diseases of the heart (390-398,402,404-429)	8,977	1,209	3,105	12,110	32,915	498.7	502.7	0	1150.8	1166.9	0
...Heart disease-related (390-398,402,404-429)	14,840	2,149	5,380	25,008	61,135	1014.1	949.6	0	2139.4	2054.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,669	884	2,308	7,837	23,207	328.1	326.5	0	812.6	824.0	0
....Congestive heart failure (CHF) (428.0)	398	13	70	103	450	3.9	3.3	0	14.3	12.2	0
..Hypertension with or without renal disease (401,403)	110	10	32	150	360	5.9	5.0	0	12.4	12.8	0
...Hypertension-related (401,403)	1,409	164	493	1,490	4,638	62.5	60.6	0	160.5	172.2	0
..Cerebrovascular disease (430-438)	1,594	149	401	1,892	4,427	76.0	73.6	0	155.2	154.3	0
..Atherosclerosis (440)	211	12	40	90	335	4.0	2.4	0	11.9	7.2	0
...Atherosclerosis-related (440)	981	44	184	335	1,355	14.3	8.7	0	46.1	38.7	0
..Aortic aneurysm (441)	208	19	87	195	690	7.8	5.2	0	22.7	18.3	0
Pneumonia & influenza (480-487)	1,044	76	167	1,101	2,209	43.4	43.4	0	77.6	81.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	951	83	383	690	2,880	28.6	35.9	0	95.1	112.6	0
..COPD-related (490-496)	2,272	233	861	1,760	6,885	73.5	72.8	0	231.0	243.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	30	7	18	153	285	6.3	11.9	0	10.3	17.6	0
Chronic liver disease and cirrhosis (571)	277	143	226	2,043	3,855	82.9	76.6	0	141.7	135.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	291	47	108	495	1,202	20.0	23.4	0	42.0	43.5	0
..Nephritis-related (580-589)	1,413	227	566	2,931	6,668	116.4	122.8	0	231.4	246.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	322	50	118	507	1,282	20.5	23.8	0	44.6	45.0	0
Unintentional injuries (E800-E949)	751	441	528	14,175	19,017	554.1	632.3	0	687.1	777.1	0
..Motor vehicle accidents (E810-E825)	290	237	257	8,371	10,856	325.6	404.0	0	391.1	486.5	0
..Falls and fall related injuries (E880-E888)	170	22	49	365	728	13.3	22.9	0	24.0	32.1	0
..Drowning (E830,E832,E910)	35	26	29	844	1,122	33.4	47.7	0	41.2	58.0	0
..Residential fires (E890-E899)	35	25	33	960	1,235	39.5	31.5	0	47.1	37.7	0
Suicide (E950-E959)	322	271	289	7,453	10,258	279.3	217.6	0	358.0	282.5	0
Homicide and legal intervention (E960-E978)	102	95	99	3,195	4,160	122.2	103.6	0	147.6	124.8	0
..Homicide (E960-E969)	102	95	99	3,195	4,160	122.2	102.6	0	147.6	123.4	0
All injury (E800-E999)	1,220	850	959	26,091	35,134	1001.4	974.1	0	1250.0	1210.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	284	232	251	8,283	10,711	322.0	400.2	0	385.5	480.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	146	29	54	583	1,005	21.3	23.6	0	33.6	33.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	217	187	200	5,893	7,835	223.3	185.2	0	275.8	230.1	0
...Suicide (E955.0-.4)	140	116	127	3,375	4,598	124.6	99.7	0	158.2	127.7	0
...Homicide (E965.0-.4)	70	66	68	2,325	2,995	90.6	64.4	0	108.3	77.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	159	148	151	3,935	5,428	146.0	74.9	1	188.5	98.8	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	136	93	124	1,603	2,670	62.2	60.4	0	96.1	98.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	104	99	101	2,758	3,758	100.1	28.9	1	127.7	38.5	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	12,709	3,544	6,801	64,277	115,030	5072.9	4985.5	0	8328.1	8185.2	0
Infectious diseases and parasitic disease (1-139)	371	224	270	5,229	7,694	386.8	361.5	0	535.3	493.8	0
..Septicemia (038)	149	27	62	467	894	38.6	46.1	0	67.3	77.4	0
...Septicemia-related (038)	593	142	308	2,361	4,571	186.3	165.1	0	330.3	292.2	0
..HIV infection (042-044)	172	167	171	4,263	5,953	309.7	258.0	0	406.9	337.9	0
All cancer (140-208)	3,301	896	2,034	9,283	23,673	784.0	701.9	0	1758.1	1634.3	0
..Oral cavity or pharynx (140.0-149.9)	89	44	66	390	965	34.0	20.1	0	73.5	47.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	381	80	221	755	2,153	64.3	55.1	0	159.8	151.0	0
...Colon cancer (153)	319	70	188	675	1,865	57.4	37.1	0	139.1	111.5	0
...Rectal cancer (154)	55	9	31	78	268	6.6	15.9	0	19.5	34.5	0
..Pancreatic cancer (157)	149	35	90	263	865	22.5	33.1	0	63.6	90.9	0
..Lung and other respiratory cancer (160-165)	1,061	296	698	2,420	7,380	213.3	201.5	0	552.5	524.9	0
...Lung cancer (162.2-.9)	1,016	283	666	2,318	7,050	204.1	195.9	0	527.6	512.0	0
..Malignant melanoma of skin (172)	54	28	44	385	750	31.6	26.2	0	55.9	46.3	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	401	30	158	170	1,035	14.5	12.6	0	71.9	70.3	0
..Bladder cancer (188)	98	13	50	68	355	5.6	3.4	0	24.4	19.9	0
..Brain & other CNS cancer (191-192)	80	47	67	767	1,342	60.8	62.9	0	99.0	96.8	0
..Leukemia (204-208)	119	41	84	743	1,340	61.7	71.7	0	100.6	110.0	0
Diabetes mellitus (250)	201	52	116	640	1,470	52.8	40.5	0	107.9	92.6	0
..Diabetes-related (250)	943	177	490	1,778	5,075	147.8	127.6	0	367.6	342.6	0
..Diabetic ketoacidosis (DKA) (250.1)	7	2	2	80	100	.	.	.	.	.	.
Alzheimer's diseases (331.0)	66	3	14	13	95	1.0	1.3	0	6.4	8.3	0
Cardiovascular disease (390-459)	5,265	1,010	2,399	10,516	27,194	885.2	847.4	0	2008.1	1959.4	0
..Diseases of the heart (390-398,402,404-429)	4,334	888	2,051	9,012	23,450	759.4	754.5	0	1732.4	1728.7	0
...Heart disease-related (390-398,402,404-429)	7,144	1,463	3,379	17,176	40,761	1413.2	1243.2	0	2986.7	2738.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,273	678	1,570	6,165	17,225	528.0	518.2	0	1277.3	1271.3	0
....Congestive heart failure (CHF) (428.0)	142	7	32	88	270	6.9	4.5	0	19.0	16.6	0
..Hypertension with or without renal disease (401,403)	49	6	18	80	210	6.4	5.2	0	15.0	14.5	0
...Hypertension-related (401,403)	537	114	285	1,070	3,083	92.2	65.7	0	227.2	193.2	0
..Cerebrovascular disease (430-438)	608	79	213	1,035	2,405	85.8	59.3	0	177.5	140.3	0
..Atherosclerosis (440)	72	7	23	43	188	3.8	1.6	0	13.7	8.2	0
...Atherosclerosis-related (440)	388	29	121	208	888	18.0	11.1	0	63.7	54.6	0
..Aortic aneurysm (441)	120	16	62	157	532	12.8	6.8	0	37.5	28.6	0
Pneumonia & influenza (480-487)	451	53	108	852	1,579	66.4	34.7	0	113.6	84.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	482	47	199	440	1,585	36.7	36.7	0	112.6	127.4	0
..COPD-related (490-496)	1,204	130	470	1,017	3,832	86.0	83.0	0	273.5	286.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	8	5	8	128	195	.	15.9	.	.	22.6	.
Chronic liver disease and cirrhosis (571)	173	102	146	1,455	2,680	121.5	108.5	0	205.5	192.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	150	32	64	335	785	27.2	29.4	0	57.0	51.6	0
..Nephritis-related (580-589)	747	144	335	1,848	4,101	147.0	150.9	0	295.1	297.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	166	33	70	338	830	27.4	30.0	0	59.9	54.0	0
Unintentional injuries (E800-E949)	479	319	376	10,224	13,711	788.2	965.8	0	981.9	1185.7	0
..Motor vehicle accidents (E810-E825)	190	162	175	5,864	7,562	450.3	600.7	0	539.3	722.4	0
..Falls and fall related injuries (E880-E888)	84	18	36	295	570	21.5	38.9	0	38.7	51.7	0
..Drowning (E830,E832,E910)	31	25	27	780	1,045	61.2	77.5	0	76.4	96.9	0
..Residential fires (E890-E899)	15	10	13	411	524	33.5	41.0	0	39.7	49.0	0
Suicide (E950-E959)	262	220	236	6,165	8,445	459.8	358.9	0	588.4	465.1	0
Homicide and legal intervention (E960-E978)	79	73	77	2,408	3,153	183.6	167.7	0	223.4	199.5	0
..Homicide (E960-E969)	79	73	77	2,408	3,153	183.6	167.7	0	223.4	199.5	0
All injury (E800-E999)	850	641	718	19,661	26,463	1495.7	1526.3	0	1873.5	1893.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	185	158	170	5,789	7,439	444.4	593.2	0	530.1	711.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	76	21	37	418	713	30.6	40.4	0	48.4	54.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	191	163	176	5,153	6,855	389.4	316.1	0	482.3	393.4	0
....Suicide (E955.0-.4)	127	104	115	3,035	4,138	224.3	171.5	0	285.7	221.1	0
....Homicide (E965.0-.4)	59	55	57	1,958	2,518	151.3	106.7	0	180.6	126.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	110	107	107	2,893	3,963	214.0	121.7	1	274.8	157.1	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	97	69	88	1,228	2,005	96.1	84.2	0	146.8	138.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	70	69	69	1,998	2,688	143.5	45.1	1	180.9	58.8	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
All causes	13,121	2,016	4,499	33,838	65,176	2702.0	2749.3	0	4523.3	4602.2	0
Infectious diseases and parasitic disease (1-139)	277	64	111	1,725	2,563	127.2	92.0	0	172.3	134.0	0
..Septicemia (038)	200	22	55	399	767	32.3	34.2	0	53.2	59.6	0
...Septicemia-related (038)	704	99	232	1,590	3,152	126.4	113.1	0	217.1	207.3	0
..HIV infection (042-044)	40	36	38	1,196	1,561	86.3	38.9	0	104.8	49.1	0
All cancer (140-208)	3,222	867	1,808	9,585	22,757	787.5	812.1	0	1589.5	1603.1	0
..Oral cavity or pharynx (140.0-149.9)	45	13	28	93	290	8.0	4.2	0	20.2	13.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	408	71	188	663	1,890	52.8	51.6	0	124.8	119.6	0
...Colon cancer (153)	343	56	156	550	1,550	44.3	48.7	0	103.5	107.2	0
...Rectal cancer (154)	61	15	31	113	338	8.5	2.9	0	21.2	12.2	0
..Pancreatic cancer (157)	182	32	83	235	783	19.3	21.0	0	51.8	49.2	0
..Lung and other respiratory cancer (160-165)	708	213	461	1,908	5,268	161.5	151.0	0	368.8	357.2	0
...Lung cancer (162.2-.9)	689	209	451	1,868	5,153	158.0	147.0	0	360.7	349.8	0
..Malignant melanoma of skin (172)	31	12	24	195	395	15.9	24.7	0	28.1	40.5	0
..Female breast cancer (174)	576	222	376	2,560	5,580	212.1	209.7	0	401.3	385.3	0
..Cervical cancer (180)	47	28	33	480	788	38.9	27.6	0	59.4	40.7	0
..Endometrial cancer (182)	43	8	27	50	228	4.2	5.7	0	14.6	15.4	0
..Ovarian cancer (183)	176	59	109	663	1,508	53.0	42.6	0	104.5	90.9	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	58	11	18	98	240	8.5	4.0	0	17.5	10.8	0
..Brain & other CNS cancer (191-192)	61	29	48	503	870	40.8	36.1	0	62.6	57.3	0
..Leukemia (204-208)	104	30	57	622	1,035	50.3	62.4	0	74.3	87.8	0
Diabetes mellitus (250)	236	31	83	338	863	25.2	29.1	0	55.3	68.6	0
..Diabetes-related (250)	1,148	113	411	938	3,433	72.9	103.1	0	214.4	269.2	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	35	55	.	.	0	.	.	0
Alzheimer's diseases (331.0)	124	2	25	15	123	1.4	0.3	0	7.3	4.7	0
Cardiovascular disease (390-459)	6,004	412	1,325	4,182	12,170	332.9	374.9	0	794.4	873.7	0
..Diseases of the heart (390-398,402,404-429)	4,643	321	1,054	3,098	9,465	248.0	260.7	0	614.6	649.2	0
...Heart disease-related (390-398,402,404-429)	7,696	686	2,001	7,832	20,375	627.1	667.7	0	1354.5	1427.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,396	206	738	1,672	5,982	136.9	143.6	0	386.0	414.0	0
....Congestive heart failure (CHF) (428.0)	256	6	38	15	180	0.9	2.1	0	9.8	8.2	0
..Hypertension with or without renal disease (401,403)	61	4	14	70	150	5.4	4.9	0	10.1	11.3	0
...Hypertension-related (401,403)	872	50	208	420	1,555	33.9	56.0	0	98.8	153.4	1
..Cerebrovascular disease (430-438)	986	70	188	857	2,022	66.6	87.5	0	135.0	168.7	0
..Atherosclerosis (440)	139	5	17	48	148	4.3	3.1	0	10.4	6.6	0
...Atherosclerosis-related (440)	593	15	63	128	468	10.9	6.5	0	31.0	25.1	0
..Aortic aneurysm (441)	88	3	25	38	158	2.8	3.7	0	9.3	9.5	0
Pneumonia & influenza (480-487)	593	23	59	250	630	20.5	52.8	0	43.0	81.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	469	36	184	250	1,295	20.5	35.0	0	78.9	100.7	0
..COPD-related (490-496)	1,068	103	391	743	3,053	60.8	62.6	0	193.3	206.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1991  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1991			Years of life lost, 1991		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1991	1990	Signif- icance	1991	1990	Signif- icance
*****Causes of Death*****											
..Asthma (493)	22	2	10	25	90	2.0	7.7	0	5.5	12.5	0
Chronic liver disease and cirrhosis (571)	104	41	80	588	1,175	45.6	46.0	0	80.9	80.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	141	15	44	160	417	13.2	17.5	0	28.2	35.4	0
..Nephritis-related (580-589)	666	83	231	1,083	2,568	86.9	95.5	0	172.6	197.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	156	17	48	170	452	14.0	17.6	0	30.6	36.0	0
Unintentional injuries (E800-E949)	272	122	152	3,951	5,306	315.1	294.2	0	389.2	364.9	0
..Motor vehicle accidents (E810-E825)	100	75	82	2,507	3,294	196.9	203.7	0	238.8	247.1	0
..Falls and fall related injuries (E880-E888)	86	4	13	70	158	5.2	6.6	0	10.2	12.4	0
..Drowning (E830,E832,E910)	4	1	2	65	77	.	.	.	.	.	.
..Residential fires (E890-E899)	20	15	20	549	711	45.7	.	0	54.5	.	0
Suicide (E950-E959)	60	51	53	1,288	1,813	96.7	75.8	0	126.6	100.8	0
Homicide and legal intervention (E960-E978)	23	22	22	787	1,007	59.3	37.5	0	70.6	48.0	0
..Homicide (E960-E969)	23	22	22	787	1,007	59.3	35.4	0	70.6	45.3	0
All injury (E800-E999)	370	209	241	6,431	8,671	498.6	414.9	0	621.2	523.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	99	74	81	2,494	3,272	195.6	203.7	0	236.8	246.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	70	8	17	165	293	12.0	6.6	0	19.3	12.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	26	24	24	740	980	53.5	52.8	0	66.3	66.0	0
....Suicide (E955.0-.4)	13	12	12	340	460	.	.	.	.	.	.
....Homicide (E965.0-.4)	11	11	11	368	478	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	49	41	44	1,043	1,465	78.5	27.7	1	102.8	40.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	39	24	36	375	665	29.2	37.3	0	47.2	60.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	34	30	32	760	1,070	57.0	12.7	1	74.8	18.4	1

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).