

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
White Residents, 1992

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, White Residents, 1992 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, White Residents, 1992 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT White Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1992*****				*****1992*****				*****1992*****			
	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR
*****Causes of Death*****												
All causes	26,100	893.5	420.9	0	424.1	12,833	905.2	550.4	0	551.7	13,267	882.4
Infectious diseases and parasitic disease (1-139)	684	23.4	14.8	0	13.3	401	28.3	21.5	0	19.2	283	18.8
..Septicemia (038)	343	11.7	5.0	0	5.0	144	10.2	5.8	0	5.8	199	13.2
....Septicemia-related (038)	1,224	41.9	18.6	0	20.2	568	40.1	22.9	0	24.8	656	43.6
...HIV infection (042-044)	270	9.2	8.4	0	6.5	222	15.7	14.0	0	10.7	48	3.2
All cancer (140-208)	6,650	227.6	123.3	0	123.8	3,412	240.7	149.5	0	147.2	3,238	215.4
..Oral cavity or pharynx (140.0-149.9)	95	3.3	1.9	1	2.9	51	3.6	2.6	1	4.6	44	2.9
..Colorectal cancer (153.0-154.3,154.8,159.0)	762	26.1	12.4	0	13.4	394	27.8	16.3	0	16.2	368	24.5
....Colon cancer (153)	616	21.1	9.9	0	11.3	316	22.3	13.0	0	13.7	300	20.0
....Rectal cancer (154)	132	4.5	2.3	0	2.0	73	5.1	3.1	0	2.3	59	3.9
...Pancreatic cancer (157)	358	12.3	6.2	0	5.7	145	10.2	6.6	0	6.4	213	14.2
..Lung and other respiratory cancer (160-165)	1,795	61.4	36.0	0	35.4	1,064	75.1	48.1	0	48.3	731	48.6
....Lung cancer (162.2-.9)	1,736	59.4	34.7	0	34.1	1,016	71.7	45.8	0	46.2	720	47.9
..Malignant melanoma of skin (172)	98	3.4	2.1	0	2.0	53	3.7	2.5	0	2.8	45	3.0
..Female breast cancer (174)	538	.-	.-	.-	.-	.-	.-	.-	.-	.-	538	35.8
..Cervical cancer (180)	32	.-	.-	.-	.-	.-	.-	.-	.-	.-	32	2.1
..Endometrial cancer (182)	33	.-	.-	.-	.-	.-	.-	.-	.-	.-	33	2.2
..Ovarian cancer (183)	173	.-	.-	.-	.-	.-	.-	.-	.-	.-	173	11.5
..Prostate cancer (185)	448	.-	.-	.-	.-	448	31.6	15.8	0	14.6	.-	.-
..Bladder cancer (188)	170	5.8	2.4	0	2.4	106	7.5	4.0	0	3.8	64	4.3
..Brain & other CNS cancer (191-192)	164	5.6	3.8	0	3.5	94	6.6	5.2	0	4.5	70	4.7
..Leukemia (204-208)	238	8.1	4.5	0	4.5	124	8.7	5.6	0	5.7	114	7.6
Diabetes mellitus (250)	445	15.2	7.4	0	7.1	193	13.6	8.4	0	8.8	252	16.8
..Diabetes-related (250)	2,124	72.7	32.6	0	32.2	970	68.4	39.4	0	38.8	1,154	76.8
...Diabetic ketoacidosis (DKA) (250.1)	2	0.1	.-	.-	.-	1	0.1	.-	.-	1	0.1	.-
Alzheimer's diseases (331.0)	181	6.2	1.9	0	2.1	74	5.2	2.4	0	2.1	107	7.1
Cardiovascular disease (390-459)	11,472	392.7	155.1	0	155.0	5,273	371.9	206.6	0	209.4	6,199	412.3
..Diseases of the heart (390-398,402,404-429)	9,126	312.4	126.7	0	125.9	4,333	305.6	173.1	0	174.7	4,793	318.8
....Heart disease-related (390-398,402,404-429)	14,885	509.5	211.3	0	213.9	7,093	500.3	281.9	0	288.2	7,792	518.2
....Coronary heart disease (CHD) (402,410-414,429.2)	6,774	231.9	94.4	0	93.2	3,350	236.3	134.7	0	132.3	3,424	227.7
....Congestive heart failure (CHF) (428.0)	443	15.2	4.5	0	4.2	156	11.0	5.0	0	4.7	287	19.1
..Hypertension with or without renal disease (401,403)	116	4.0	1.6	0	1.5	50	3.5	2.0	0	1.9	66	4.4
....Hypertension-related (401,403)	1,549	53.0	21.1	0	19.8	613	43.2	24.4	0	22.4	936	62.3
..Cerebrovascular disease (430-438)	1,653	56.6	19.5	0	19.7	623	43.9	21.8	0	22.3	1,030	68.5
....Atherosclerosis (440)	191	6.5	1.8	0	2.2	64	4.5	2.0	0	2.5	127	8.4
....Atherosclerosis-related (440)	964	33.0	10.2	0	10.6	382	26.9	12.8	0	13.4	582	38.7
..Aortic aneurysm (441)	199	6.8	2.9	0	3.1	117	8.3	4.5	0	4.8	82	5.5
Pneumonia & influenza (480-487)	1,096	37.5	11.8	0	11.2	487	34.4	16.1	0	15.1	609	40.5

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.

0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT White Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1992*****				*****1992*****				*****1992*****			
	No. of deaths	Crude rate	Significance	1991	No. of deaths	Crude rate	Significance	1991	No. of deaths	Crude rate	Significance	1991
*****Causes of Death*****												
Chronic obstructive pulmonary disease (COPD) (490-496)	1,123	38.4	15.9	1	13.8	586	41.3	21.3	0	17.9	537	35.7
..COPD-related (490-496)	2,466	84.4	35.2	0	32.9	1,325	93.5	48.8	0	44.7	1,141	75.9
..Asthma (493)	44	1.5	0.8	0	0.6	13	0.9	.	.	31	2.1	0.9
Chronic liver disease and cirrhosis (571)	263	9.0	6.6	0	6.7	167	11.8	9.3	0	9.5	96	6.4
Nephritis, nephrotic syndrome/nephrosis (580-589)	275	9.4	3.6	0	4.3	142	10.0	4.9	0	5.9	133	8.8
..Nephritis-related (580-589)	1,488	50.9	21.6	0	21.6	778	54.9	29.3	0	29.5	710	47.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	310	10.6	4.1	0	4.7	157	11.1	5.5	0	6.4	153	10.2
Unintentional injuries (E800-E949)	800	27.4	20.7	0	20.1	511	36.0	31.5	0	29.1	289	19.2
..Motor vehicle accidents (E810-E825)	291	10.0	9.6	0	10.0	203	14.3	14.4	0	13.7	88	5.9
..Falls and fall related injuries (E880-E888)	170	5.8	2.4	0	2.2	79	5.6	3.3	0	3.2	91	6.1
..Drowning (E830,E832,E910)	32	1.1	1.0	0	1.1	24	1.7	1.6	0	2.0	8	0.5
..Residential fires (E890-E899)	18	0.6	0.5	0	1.1	11	0.8	.	.	1.0	7	0.5
Suicide (E950-E959)	289	9.9	8.9	0	10.1	239	16.9	15.1	0	17.0	50	3.3
Homicide and legal intervention (E960-E978)	102	3.5	3.8	0	3.7	76	5.4	5.8	0	5.7	26	1.7
..Homicide (E960-E969)	101	3.5	3.7	0	3.7	75	5.3	5.7	0	5.7	26	1.7
All injury (E800-E999)	1,223	41.9	34.3	0	35.3	846	59.7	53.7	0	53.7	377	25.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	285	9.8	9.4	0	9.8	198	14.0	14.0	0	13.4	87	5.8
..All falls (E880-E886,E888,E957,E968.1,E987)	137	4.7	2.2	0	2.2	70	4.9	3.2	0	3.1	67	4.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	202	6.9	6.9	0	7.3	178	12.6	12.4	0	13.1	24	1.6
....Suicide (E955.0-.4)	127	4.3	4.0	0	4.5	114	8.0	7.4	0	8.3	13	0.9
....Homicide (E965.0-.4)	66	2.3	2.6	0	2.6	58	4.1	4.5	0	4.4	8	0.5
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	201	6.9	6.1	0	5.1	157	11.1	9.9	0	7.2	44	2.9
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	178	6.1	5.0	0	3.7	130	9.2	7.6	0	5.6	48	3.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	135	4.6	4.3	0	3.3	105	7.4	6.8	0	4.5	30	2.0

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT White Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1992*****				*****1992*****				*****1992*****			
	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR
*****Causes of Death*****												
All causes	26,100	893.5	593.7	0	597.9	12,833	905.2	769.7	0	773.9	13,267	882.4
Infectious diseases and parasitic disease (1-139)	684	23.4	16.4	0	15.4	401	28.3	22.4	0	21.1	283	18.8
..Septicemia (038)	343	11.7	7.5	0	7.6	144	10.2	8.5	0	9.0	199	13.2
....Septicemia-related (038)	1,224	41.9	27.1	0	29.2	568	40.1	33.5	0	35.7	656	43.6
...HIV infection (042-044)	270	9.2	7.2	0	5.6	222	15.7	11.9	0	9.1	48	3.2
All cancer (140-208)	6,650	227.6	163.7	0	163.4	3,412	240.7	205.2	0	201.3	3,238	215.4
..Oral cavity or pharynx (140.0-149.9)	95	3.3	2.4	1	3.6	51	3.6	3.2	1	5.6	44	2.9
..Colorectal cancer (153.0-154.3,154.8,159.0)	762	26.1	17.6	0	18.8	394	27.8	23.5	0	22.9	368	24.5
....Colon cancer (153)	616	21.1	14.2	0	15.8	316	22.3	18.8	0	19.2	300	20.0
....Rectal cancer (154)	132	4.5	3.1	0	2.7	73	5.1	4.4	0	3.3	59	3.9
...Pancreatic cancer (157)	358	12.3	8.5	0	8.0	145	10.2	8.7	0	9.1	213	14.2
..Lung and other respiratory cancer (160-165)	1,795	61.4	46.4	0	45.7	1,064	75.1	64.5	0	64.8	731	48.6
....Lung cancer (162.2-.9)	1,736	59.4	44.8	0	44.1	1,016	71.7	61.5	0	62.1	720	47.9
..Malignant melanoma of skin (172)	98	3.4	2.5	0	2.3	53	3.7	3.1	0	3.3	45	3.0
..Female breast cancer (174)	538	.-	.-	.-	.-	.-	.-	.-	.-	.-	538	35.8
..Cervical cancer (180)	32	.-	.-	.-	.-	.-	.-	.-	.-	.-	32	2.1
..Endometrial cancer (182)	33	.-	.-	.-	.-	.-	.-	.-	.-	.-	33	2.2
..Ovarian cancer (183)	173	.-	.-	.-	.-	.-	.-	.-	.-	.-	173	11.5
..Prostate cancer (185)	448	.-	.-	.-	448	31.6	26.0	.-	23.7	.-	.-	.-
..Bladder cancer (188)	170	5.8	3.7	0	3.6	106	7.5	6.2	0	5.8	64	4.3
..Brain & other CNS cancer (191-192)	164	5.6	4.5	0	4.0	94	6.6	6.0	0	5.1	70	4.7
..Leukemia (204-208)	238	8.1	5.8	0	5.7	124	8.7	7.5	0	7.3	114	7.6
All Diabetes mellitus (250)	445	15.2	10.3	0	10.1	193	13.6	11.6	0	12.1	252	16.8
..Diabetes-related (250)	2,124	72.7	47.9	0	47.4	970	68.4	57.3	0	56.5	1,154	76.8
..Diabetic ketoacidosis (DKA) (250.1)	2	0.1	.1	.-	0.1	1	0.1	.-	.-	1	0.1	.-
All Alzheimer's diseases (331.0)	181	6.2	3.5	0	3.7	74	5.2	4.3	0	3.9	107	7.1
Cardiovascular disease (390-459)	11,472	392.7	243.0	0	243.1	5,273	371.9	313.7	0	318.1	6,199	412.3
..Diseases of the heart (390-398,402,404-429)	9,126	312.4	195.7	0	195.4	4,333	305.6	258.6	0	262.4	4,793	318.8
....Heart disease-related (390-398,402,404-429)	14,885	509.5	322.1	0	326.2	7,093	500.3	422.3	0	431.5	7,792	518.2
....Coronary heart disease (CHD) (402,410-414,429.2)	6,774	231.9	145.7	0	145.0	3,350	236.3	200.2	0	198.2	3,424	227.7
....Congestive heart failure (CHF) (428.0)	443	15.2	8.4	0	7.7	156	11.0	9.2	0	8.4	287	19.1
..Hypertension with or without renal disease (401,403)	116	4.0	2.5	0	2.4	50	3.5	3.0	0	2.9	66	4.4
....Hypertension-related (401,403)	1,549	53.0	33.0	0	30.8	613	43.2	36.5	0	32.4	936	62.3
..Cerebrovascular disease (430-438)	1,653	56.6	33.0	0	32.8	623	43.9	36.4	0	36.3	1,030	68.5
..Atherosclerosis (440)	191	6.5	3.5	0	4.1	64	4.5	3.7	0	4.4	127	8.4
....Atherosclerosis-related (440)	964	33.0	18.5	0	19.2	382	26.9	22.4	0	23.1	582	38.7
..Aortic aneurysm (441)	199	6.8	4.3	0	4.7	117	8.3	6.8	0	7.1	82	5.5
Pneumonia & influenza (480-487)	1,096	37.5	21.1	0	20.3	487	34.4	28.7	0	27.2	609	40.5

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.

0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT White Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1992*****				*****1992*****				*****1992*****			
	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR
*****Causes of Death*****												
Chronic obstructive pulmonary disease (COPD) (490-496)	1,123	38.4	24.4	1	21.1	586	41.3	34.0	0	28.8	537	35.7
..COPD-related (490-496)	2,466	84.4	53.9	0	50.5	1,325	93.5	77.3	0	71.9	1,141	75.9
..Asthma (493)	44	1.5	1.0	0	0.7	13	0.9	.	.	31	2.1	1.2
Chronic liver disease and cirrhosis (571)	263	9.0	7.3	0	7.6	167	11.8	10.3	0	10.7	96	6.4
Nephritis, nephrotic syndrome/nephrosis (580-589)	275	9.4	5.7	0	6.5	142	10.0	8.4	0	9.0	133	8.8
..Nephritis-related (580-589)	1,488	50.9	32.6	0	31.9	778	54.9	45.7	0	44.8	710	47.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	310	10.6	6.5	0	7.1	157	11.1	9.3	0	10.0	153	10.2
Unintentional injuries (E800-E949)	800	27.4	22.0	0	21.6	511	36.0	32.3	0	31.5	289	19.2
..Motor vehicle accidents (E810-E825)	291	10.0	9.4	0	9.7	203	14.3	13.9	0	13.4	88	5.9
..Falls and fall related injuries (E880-E888)	170	5.8	3.6	0	3.5	79	5.6	4.8	0	5.0	91	6.1
..Drowning (E830,E832,E910)	32	1.1	1.0	0	1.1	24	1.7	1.5	0	2.1	8	0.5
..Residential fires (E890-E899)	18	0.6	0.6	0	1.2	11	0.8	.	.	1.1	7	0.5
Suicide (E950-E959)	289	9.9	8.5	0	9.7	239	16.9	14.7	0	16.5	50	3.3
Homicide and legal intervention (E960-E978)	102	3.5	3.4	0	3.4	76	5.4	5.1	0	5.3	26	1.7
..Homicide (E960-E969)	101	3.5	3.4	0	3.4	75	5.3	5.1	0	5.3	26	1.7
All injury (E800-E999)	1,223	41.9	34.8	0	35.9	846	59.7	53.4	0	55.0	377	25.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	285	9.8	9.2	0	9.5	198	14.0	13.5	0	13.0	87	5.8
..All falls (E880-E886,E888,E957,E968.1,E987)	137	4.7	3.1	0	3.2	70	4.9	4.3	0	4.6	67	4.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	202	6.9	6.5	0	6.9	178	12.6	11.7	0	12.6	24	1.6
....Suicide (E955.0-.4)	127	4.3	3.9	0	4.2	114	8.0	7.3	0	8.0	13	0.9
....Homicide (E965.0-.4)	66	2.3	2.3	0	2.4	58	4.1	4.0	0	4.2	8	0.5
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	201	6.9	5.4	0	4.6	157	11.1	8.7	0	6.4	44	2.9
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	178	6.1	5.0	0	3.8	130	9.2	7.9	0	5.8	48	3.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	135	4.6	3.6	0	2.9	105	7.4	5.7	0	3.8	30	2.0

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.

0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT White Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1992*****				*****1992*****				*****1992*****			
	No. of deaths	Crude rate	Significance AAMR	1991	No. of deaths	Crude rate	Significance AAMR	1991	No. of deaths	Crude rate	Significance AAMR	1991
*****Causes of Death*****												
All causes	26,100	893.5	816.4	0	818.4	12,833	905.2	1052.0	0	1056.5	13,267	882.4
Infectious diseases and parasitic disease (1-139)	684	23.4	21.8	0	20.8	401	28.3	29.6	0	28.5	283	18.8
..Septicemia (038)	343	11.7	10.7	0	11.1	144	10.2	12.0	0	13.4	199	13.2
....Septicemia-related (038)	1,224	41.9	38.2	0	41.0	568	40.1	47.7	0	50.1	656	43.6
...HIV infection (042-044)	270	9.2	8.8	0	6.9	222	15.7	14.7	0	11.4	48	3.2
All cancer (140-208)	6,650	227.6	206.3	0	204.2	3,412	240.7	265.1	0	258.4	3,238	215.4
..Oral cavity or pharynx (140.0-149.9)	95	3.3	3.0	0	4.3	51	3.6	4.1	0	6.6	44	2.9
..Colorectal cancer (153.0-154.3,154.8,159.0)	762	26.1	23.6	0	24.5	394	27.8	31.6	0	30.1	368	24.5
....Colon cancer (153)	616	21.1	19.0	0	20.6	316	22.3	25.5	0	25.2	300	20.0
....Rectal cancer (154)	132	4.5	4.1	0	3.6	73	5.1	5.7	0	4.4	59	3.9
...Pancreatic cancer (157)	358	12.3	11.0	0	10.3	145	10.2	10.8	0	11.8	213	14.2
..Lung and other respiratory cancer (160-165)	1,795	61.4	55.2	0	55.0	1,064	75.1	79.3	0	80.6	731	48.6
....Lung cancer (162.2-.9)	1,736	59.4	53.3	0	53.0	1,016	71.7	75.7	0	77.2	720	47.9
..Malignant melanoma of skin (172)	98	3.4	3.1	0	2.7	53	3.7	3.9	0	4.0	45	3.0
..Female breast cancer (174)	538	.-	.-	0	.-	.-	.-	.-	0	.-	538	35.8
..Cervical cancer (180)	32	.-	.-	0	.-	.-	.-	.-	0	.-	32	2.1
..Endometrial cancer (182)	33	.-	.-	0	.-	.-	.-	.-	0	.-	33	2.2
..Ovarian cancer (183)	173	.-	.-	0	.-	.-	.-	.-	0	.-	173	11.5
..Prostate cancer (185)	448	.-	.-	0	448	31.6	38.4	34.6	0	34.6	.-	.-
..Bladder cancer (188)	170	5.8	5.2	0	4.8	106	7.5	8.7	0	7.9	64	4.3
..Brain & other CNS cancer (191-192)	164	5.6	5.3	0	4.5	94	6.6	7.0	0	5.9	70	4.7
..Leukemia (204-208)	238	8.1	7.5	0	7.0	124	8.7	9.9	0	9.1	114	7.6
Diabetes mellitus (250)	445	15.2	13.8	0	13.6	193	13.6	15.3	0	15.8	252	16.8
..Diabetes-related (250)	2,124	72.7	65.4	0	64.9	970	68.4	77.6	0	76.6	1,154	76.8
..Diabetic ketoacidosis (DKA) (250.1)	2	0.1	.-	0	1	0.1	.-	.-	0	1	0.1	.-
Alzheimer's diseases (331.0)	181	6.2	5.6	0	6.0	74	5.2	6.8	0	6.4	107	7.1
Cardiovascular disease (390-459)	11,472	392.7	357.8	0	357.1	5,273	371.9	449.2	0	454.3	6,199	412.3
..Diseases of the heart (390-398,402,404-429)	9,126	312.4	284.5	0	284.1	4,333	305.6	365.3	0	371.4	4,793	318.8
....Heart disease-related (390-398,402,404-429)	14,885	509.5	463.9	0	469.1	7,093	500.3	599.4	0	610.8	7,792	518.2
....Coronary heart disease (CHD) (402,410-414,429.2)	6,774	231.9	210.9	0	211.0	3,350	236.3	280.3	0	279.3	3,424	227.7
....Congestive heart failure (CHF) (428.0)	443	15.2	13.9	0	12.7	156	11.0	15.1	0	13.8	287	19.1
..Hypertension with or without renal disease (401,403)	116	4.0	3.6	0	3.5	50	3.5	4.4	0	4.1	66	4.4
....Hypertension-related (401,403)	1,549	53.0	47.9	0	44.3	613	43.2	50.7	0	43.8	936	62.3
..Cerebrovascular disease (430-438)	1,653	56.6	51.8	0	50.9	623	43.9	56.2	0	55.4	1,030	68.5
..Atherosclerosis (440)	191	6.5	6.0	0	6.8	64	4.5	6.2	0	6.9	127	8.4
....Atherosclerosis-related (440)	964	33.0	30.2	0	31.4	382	26.9	35.2	0	35.8	582	38.7
..Aortic aneurysm (441)	199	6.8	6.1	0	6.4	117	8.3	9.5	0	9.4	82	5.5
Pneumonia & influenza (480-487)	1,096	37.5	34.5	0	33.8	487	34.4	46.9	0	45.1	609	40.5

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.

0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT White Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR	No. of deaths	Crude rate	Significance	1991 AAMR			
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,123	38.4	34.2	1	29.4	586	41.3	49.1	0	42.0	537	35.7	26.2	0	23.2
..COPD-related (490-496)	2,466	84.4	75.2	0	70.6	1,325	93.5	111.0	0	104.9	1,141	75.9	55.7	0	53.2
..Asthma (493)	44	1.5	1.4	0	0.9	13	0.9	.	.	.	31	2.1	1.6	0	1.1
Chronic liver disease and cirrhosis (571)	263	9.0	8.5	0	8.9	167	11.8	12.2	0	12.6	96	6.4	5.4	0	5.8
Nephritis, nephrotic syndrome/nephrosis (580-589)	275	9.4	8.5	0	9.2	142	10.0	13.0	0	13.1	133	8.8	6.4	0	7.0
..Nephritis-related (580-589)	1,488	50.9	46.0	0	44.3	778	54.9	66.8	0	64.0	710	47.2	34.9	0	33.4
End stage renal disease (ESRD) (581-588,591,593.8,593.9)	310	10.6	9.6	0	10.1	157	11.1	14.3	0	14.5	153	10.2	7.4	0	7.8
Unintentional injuries (E800-E949)	800	27.4	25.9	0	24.6	511	36.0	37.1	0	36.4	289	19.2	15.5	0	15.5
..Motor vehicle accidents (E810-E825)	291	10.0	9.7	0	9.6	203	14.3	14.2	0	13.1	88	5.9	5.3	0	6.3
..Falls and fall related injuries (E880-E888)	170	5.8	5.4	0	5.4	79	5.6	6.9	0	7.7	91	6.1	4.3	0	4.1
..Drowning (E830,E832,E910)	32	1.1	1.1	0	1.2	24	1.7	1.6	0	2.3	8	0.5	.	.	.
..Residential fires (E890-E899)	18	0.6	0.6	0	1.2	11	0.8	.	.	1.2	7	0.5	.	.	1.3
Suicide (E950-E959)	289	9.9	9.4	0	10.5	239	16.9	16.6	0	18.1	50	3.3	3.2	0	3.8
Homicide and legal intervention (E960-E978)	102	3.5	3.4	0	3.4	76	5.4	5.0	0	5.3	26	1.7	1.7	0	1.5
..Homicide (E960-E969)	101	3.5	3.3	0	3.4	75	5.3	4.9	0	5.3	26	1.7	1.7	0	1.5
All injury (E800-E999)	1,223	41.9	39.8	0	40.0	846	59.7	60.1	0	61.7	377	25.1	21.1	0	21.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	285	9.8	9.5	0	9.4	198	14.0	13.8	0	12.7	87	5.8	5.3	0	6.2
..All falls (E880-E886,E888,E957,E968.1,E987)	137	4.7	4.4	0	4.6	70	4.9	5.8	0	6.8	67	4.5	3.2	0	3.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	202	6.9	6.7	0	7.1	178	12.6	12.2	0	13.1	24	1.6	1.6	0	1.7
....Suicide (E955.0-.4)	127	4.3	4.2	0	4.5	114	8.0	8.0	0	8.7	13	0.9	.	.	.
....Homicide (E965.0-.4)	66	2.3	2.2	0	2.4	58	4.1	3.9	0	4.0	8	0.5	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	201	6.9	6.5	0	5.3	157	11.1	10.6	1	7.5	44	2.9	2.8	0	3.1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	178	6.1	5.9	0	4.5	130	9.2	9.3	0	6.8	48	3.2	2.9	0	2.4
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	135	4.6	4.3	0	3.4	105	7.4	6.8	0	4.6	30	2.0	2.0	0	2.2

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.

0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
All causes	26,100	5,485	11,101	95,865	176,720	3682.8	3797.0	0	5891.8	6015.0	0	
Infectious diseases and parasitic disease (1-139)	684	351	428	8,500	12,327	296.7	241.0	0	402.3	331.5	0	
..Septicemia (038)	343	56	118	968	1,763	37.7	33.4	0	59.1	54.6	0	
....Septicemia-related (038)	1,224	217	464	3,490	6,732	130.5	145.6	0	218.6	245.5	0	
..HIV infection (042-044)	270	268	269	6,959	9,647	237.3	185.7	0	311.6	242.3	0	
All cancer (140-208)	6,650	1,715	3,759	18,487	45,562	663.7	689.3	0	1401.1	1435.1	0	
..Oral cavity or pharynx (140.0-149.9)	95	28	55	320	753	11.6	17.2	0	24.0	38.8	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	762	143	341	1,318	3,693	46.1	49.9	0	110.0	118.5	0	
....Colon cancer (153)	616	111	274	1,013	2,915	35.2	43.6	0	85.9	101.1	0	
....Rectal cancer (154)	132	30	62	290	735	10.3	6.3	0	22.7	16.8	0	
..Pancreatic cancer (157)	358	76	189	680	1,983	23.6	17.7	0	58.4	48.0	0	
..Lung and other respiratory cancer (160-165)	1,795	512	1,177	4,270	12,688	151.8	155.5	0	380.4	380.2	0	
....Lung cancer (162.2-.9)	1,736	493	1,140	4,043	12,170	142.5	150.3	0	362.7	366.9	0	
..Malignant melanoma of skin (172)	98	41	70	713	1,240	25.7	19.7	0	40.5	35.1	0	
..Female breast cancer (174)	538	199	346	2,438	5,125	
..Cervical cancer (180)	32	15	24	283	475	
..Endometrial cancer (182)	33	7	20	33	170	
..Ovarian cancer (183)	173	49	101	413	1,148	
..Prostate cancer (185)	448	38	155	190	1,093	
..Bladder cancer (188)	170	18	55	120	483	4.0	5.8	0	13.3	16.8	0	
..Brain & other CNS cancer (191-192)	164	77	126	1,033	2,040	37.5	49.2	0	66.4	76.2	0	
..Leukemia (204-208)	238	71	128	1,248	2,220	47.4	55.1	0	74.6	82.9	0	
Diabetes mellitus (250)	445	94	204	1,060	2,480	37.3	34.4	0	75.8	69.8	0	
..Diabetes-related (250)	2,124	334	885	3,030	8,863	106.5	94.5	0	260.3	241.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	2	1	2	58	70	
Alzheimer's diseases (331.0)	181	5	30	181	190	0.6	1.0	0	4.7	5.4	0	
Cardiovascular disease (390-459)	11,472	1,439	3,698	15,199	39,801	544.3	529.4	0	1199.2	1173.4	0	
..Diseases of the heart (390-398,402,404-429)	9,126	1,236	3,122	12,864	33,879	461.1	435.8	0	1021.7	980.2	0	
....Heart disease-related (390-398,402,404-429)	14,885	2,132	5,224	25,334	60,729	933.6	913.0	0	1881.1	1860.2	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,774	907	2,351	8,240	24,000	290.4	275.5	0	710.0	677.1	0	
....Congestive heart failure (CHF) (428.0)	443	16	75	100	528	3.5	3.4	0	14.0	11.4	0	
....Hypertension with or without renal disease (401,403)	116	16	35	125	388	4.4	5.3	0	11.5	10.7	0	
....Hypertension-related (401,403)	1,549	171	518	1,398	4,715	49.3	53.0	0	135.5	133.4	0	
..Cerebrovascular disease (430-438)	1,653	134	380	1,545	3,875	54.4	67.6	0	115.9	133.5	0	
..Atherosclerosis (440)	191	6	24	45	185	1.5	3.4	0	5.0	9.7	0	
....Atherosclerosis-related (440)	964	39	168	288	1,235	10.4	11.9	0	34.2	37.1	0	
..Aortic aneurysm (441)	199	20	78	262	707	9.4	7.2	0	20.5	19.1	0	
Pneumonia & influenza (480-487)	1,096	69	199	1,143	2,388	44.2	40.4	0	76.6	69.8	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,123	103	411	793	3,238	29.3	25.8	0	90.1	78.9	0	
..COPD-related (490-496)	2,466	237	929	1,855	7,350	67.1	64.4	0	204.7	191.9	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1940 U.S. standard population *****

	Both Sexes											
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
..Asthma (493)	44	12	24	245	420	10.3	6.5	0	15.1	10.1	0	
Chronic liver disease and cirrhosis (571)	263	148	209	2,215	4,033	75.9	69.8	0	127.7	120.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	275	23	82	328	820	12.2	17.6	0	25.0	36.1	0	
..Nephritis-related (580-589)	1,488	197	549	2,323	5,908	84.7	106.3	0	179.0	203.3	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	310	27	94	343	925	12.7	18.0	0	27.8	38.2	0	
Unintentional injuries (E800-E949)	809	463	563	13,582	18,667	567.3	609.1	0	719.5	756.3	0	
..Motor vehicle accidents (E810-E825)	291	226	256	7,197	9,587	318.4	370.5	0	393.8	449.1	0	
..Falls and fall related injuries (E880-E888)	170	32	51	515	968	21.4	12.7	0	32.8	22.1	0	
..Drowning (E830,E832,E910)	32	23	30	733	990	31.4	35.4	0	39.1	43.8	0	
..Residential fires (E890-E899)	18	10	14	277	402	12.0	42.5	1	15.7	50.8	1	
Suicide (E950-E959)	289	227	264	6,313	8,780	249.6	296.5	0	322.2	380.2	0	
Homicide and legal intervention (E960-E978)	102	96	98	3,441	4,466	148.9	137.5	0	179.3	167.7	0	
..Homicide (E960-E969)	101	95	97	3,404	4,359	147.4	137.5	0	177.5	167.7	0	
All injury (E800-E999)	1,223	815	955	24,133	32,943	995.8	1087.9	0	1259.6	1360.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	285	222	252	7,062	9,412	311.4	366.9	0	385.4	443.6	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	137	35	52	618	1,035	24.9	20.7	0	37.0	31.8	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	202	173	191	5,453	7,268	233.3	246.9	0	289.7	306.5	0	
...Suicide (E955.0-.4)	127	99	116	2,823	3,895	116.6	134.7	0	149.1	171.2	0	
...Homicide (E965.0-.4)	66	66	66	2,335	2,995	103.0	103.0	0	124.2	124.5	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	201	175	188	4,913	6,730	178.2	147.0	0	229.5	190.6	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	178	127	161	2,318	3,788	78.7	54.0	0	120.7	84.2	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	135	129	131	3,738	5,033	135.5	100.8	0	171.9	129.5	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75			
						1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
All causes	12,833	3,537	6,765	64,001	114,466	4911.3	4961.1	0	7813.4	7849.9	0	
Infectious diseases and parasitic disease (1-139)	401	274	310	6,558	9,438	448.3	354.6	0	610.0	493.5	0	
..Septicemia (038)	144	36	64	589	1,044	43.6	34.6	0	69.5	58.8	0	
....Septicemia-related (038)	568	133	256	2,119	3,971	153.2	171.3	0	259.5	294.7	0	
..HIV infection (042-044)	222	221	222	5,617	7,834	381.1	284.7	0	504.9	378.7	0	
All cancer (140-208)	3,412	900	2,005	9,567	24,040	702.6	694.8	0	1533.8	1515.0	0	
..Oral cavity or pharynx (140.0-149.9)	51	23	34	263	550	19.5	28.1	0	37.6	62.2	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	394	86	197	800	2,218	57.0	55.5	0	138.1	134.0	0	
....Colon cancer (153)	316	66	156	615	1,730	43.9	49.8	0	107.5	117.0	0	
....Rectal cancer (154)	73	19	39	183	473	13.0	5.6	0	29.7	16.0	0	
..Pancreatic cancer (157)	145	41	97	383	1,053	27.4	19.3	0	65.8	53.3	0	
..Lung and other respiratory cancer (160-165)	1,064	291	692	2,403	7,350	174.3	177.4	0	457.9	459.7	0	
....Lung cancer (162.2-.9)	1,016	275	662	2,188	6,900	156.4	169.8	0	425.5	439.0	0	
..Malignant melanoma of skin (172)	53	20	38	390	655	28.3	26.4	0	43.4	47.3	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	448	38	155	190	1,093	13.6	12.2	0	61.9	57.1	0	
..Bladder cancer (188)	106	15	42	83	365	5.6	4.7	0	21.1	19.6	0	
..Brain & other CNS cancer (191-192)	94	55	80	718	1,390	51.8	57.6	0	92.6	92.2	0	
..Leukemia (204-208)	124	43	73	818	1,383	62.4	60.5	0	95.1	94.8	0	
Diabetes mellitus (250)	193	56	107	610	1,393	42.6	46.9	0	88.2	93.5	0	
..Diabetes-related (250)	970	193	491	1,758	5,033	124.4	127.4	0	309.2	309.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	0	3	0.5	0.9	0	.	.	.	
Alzheimer's diseases (331.0)	74	3	18	8	115	0.5	0.9	0	6.0	5.2	0	
Cardiovascular disease (390-459)	5,273	1,000	2,396	10,564	26,934	761.0	766.3	0	1694.1	1704.0	0	
..Diseases of the heart (390-398,402,404-429)	4,333	890	2,070	9,322	23,692	671.6	655.2	0	1493.3	1469.4	0	
....Heart disease-related (390-398,402,404-429)	7,093	1,440	3,269	17,004	39,777	1246.2	1262.1	0	2548.9	2587.2	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,350	693	1,628	6,550	17,872	469.6	441.6	0	1118.2	1065.6	0	
....Congestive heart failure (CHF) (428.0)	156	12	36	65	300	4.6	6.0	0	17.6	15.6	0	
..Hypertension with or without renal disease (401,403)	50	11	21	88	253	6.4	5.7	0	16.1	12.9	0	
....Hypertension-related (401,403)	613	112	299	935	2,923	68.0	78.2	0	180.8	190.5	0	
..Cerebrovascular disease (430-438)	623	67	201	778	1,978	55.7	74.7	0	122.5	150.4	0	
..Atherosclerosis (440)	64	3	13	28	108	1.8	3.2	0	5.9	11.3	0	
....Atherosclerosis-related (440)	382	25	107	173	793	12.7	15.0	0	46.4	51.1	0	
..Aortic aneurysm (441)	117	14	58	182	517	13.6	12.0	0	31.5	32.0	0	
Pneumonia & influenza (480-487)	487	42	122	781	1,531	61.5	62.6	0	103.4	103.3	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	586	53	228	333	1,700	22.9	34.4	0	95.5	95.2	0	
..COPD-related (490-496)	1,325	136	528	972	4,172	69.9	78.0	0	242.9	229.5	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male												
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All		< 65	< 75	< 65		< 75	1992	1991	Significance	1992	1991	Significance
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	1992	1991
*****Causes of Death*****													
..Asthma (493)	13	6	9	70	148
Chronic liver disease and cirrhosis (571)	167	104	140	1,560	2,780	108.5	101.8	0	181.8	174.4	0	181.8	174.4
Nephritis, nephrotic syndrome/nephrosis (580-589)	142	12	45	155	418	12.8	23.3	0	27.6	48.4	0	27.6	48.4
..Nephritis-related (580-589)	778	120	312	1,360	3,415	96.8	133.4	0	212.4	258.3	0	212.4	258.3
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	157	14	51	160	473	13.1	23.4	0	30.6	50.7	0	30.6	50.7
Unintentional injuries (E800-E949)	511	368	424	11,135	15,070	918.1	867.9	0	1156.5	1081.6	0	1156.5	1081.6
..Motor vehicle accidents (E810-E825)	203	177	188	5,810	7,627	504.9	516.0	0	620.2	623.9	0	620.2	623.9
..Falls and fall related injuries (E880-E888)	79	23	36	433	715	36.7	20.3	0	53.9	35.3	0	53.9	35.3
..Drowning (E830,E832,E910)	24	18	24	605	805	50.6	64.6	0	62.4	80.8	0	62.4	80.8
..Residential fires (E890-E899)	11	7	9	210	295	.	36.2	0	.	43.1	0	.	43.1
Suicide (E950-E959)	239	185	219	5,218	7,248	414.5	491.1	0	535.7	628.6	0	535.7	628.6
Homicide and legal intervention (E960-E978)	76	74	75	2,637	3,380	227.7	205.9	0	274.7	252.4	0	274.7	252.4
..Homicide (E960-E969)	75	73	74	2,600	3,332	224.7	205.9	0	271.2	252.4	0	271.2	252.4
All injury (E800-E999)	846	646	737	19,537	26,435	1602.7	1626.6	0	2020.9	2040.2	0	2020.9	2040.2
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	198	173	184	5,675	7,452	491.2	509.8	0	603.6	614.6	0	603.6	614.6
..All falls (E880-E886,E888,E957,E968.1,E987)	70	26	38	505	815	41.4	29.7	0	60.1	45.9	0	60.1	45.9
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	178	151	167	4,803	6,388	409.9	432.3	0	509.2	537.5	0	509.2	537.5
....Suicide (E955.0-.4)	114	87	103	2,523	3,468	209.3	243.7	0	267.5	310.3	0	267.5	310.3
....Homicide (E965.0-.4)	58	58	58	2,030	2,610	177.7	172.6	0	214.8	208.3	0	214.8	208.3
All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	157	140	150	4,040	5,500	292.0	212.9	0	374.7	275.2	0	374.7	275.2
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	130	96	116	1,705	2,785	117.4	83.6	0	181.6	128.7	0	181.6	128.7
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	105	102	103	3,065	4,088	222.1	143.0	0	279.5	182.1	0	279.5	182.1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
All causes	13,267	1,948	4,336	31,864	62,254	2451.5	2629.5	0	4019.9	4230.6	0	
Infectious diseases and parasitic disease (1-139)	283	77	118	1,942	2,889	147.5	130.3	0	198.5	174.0	0	
..Septicemia (038)	199	20	54	379	719	32.2	32.5	0	49.4	51.0	0	
....Septicemia-related (038)	656	84	208	1,371	2,761	109.1	120.8	0	180.1	199.6	0	
...HIV infection (042-044)	48	47	47	1,343	1,813	95.1	88.9	0	121.1	109.2	0	
All cancer (140-208)	3,238	815	1,754	8,920	21,522	625.1	683.5	0	1281.7	1367.4	0	
..Oral cavity or pharynx (140.0-149.9)	44	5	21	58	203	4.0	6.7	0	11.0	17.0	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	368	57	144	518	1,475	35.6	44.5	0	84.2	104.5	0	
....Colon cancer (153)	300	45	118	398	1,185	26.8	37.6	0	66.1	86.7	0	
....Rectal cancer (154)	59	11	23	108	263	7.8	6.9	0	16.3	17.7	0	
..Pancreatic cancer (157)	213	35	92	298	930	20.0	16.2	0	51.5	43.3	0	
..Lung and other respiratory cancer (160-165)	731	221	485	1,868	5,338	130.2	134.7	0	311.0	309.7	0	
....Lung cancer (162.2-.9)	720	218	478	1,855	5,270	129.4	131.7	0	307.4	302.9	0	
..Malignant melanoma of skin (172)	45	21	32	323	585	23.2	13.2	0	37.6	23.6	0	
..Female breast cancer (174)	538	199	346	2,438	5,125	164.5	175.7	0	309.3	337.9	0	
..Cervical cancer (180)	32	15	24	283	475	19.2	34.0	0	29.9	52.3	0	
..Endometrial cancer (182)	33	7	20	33	170	2.2	3.6	0	9.0	12.2	0	
..Ovarian cancer (183)	173	49	101	413	1,148	28.4	46.7	0	66.9	91.2	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	64	3	13	38	118	2.5	7.0	0	6.3	14.7	0	
..Brain & other CNS cancer (191-192)	70	22	46	315	650	23.8	41.1	0	41.5	61.2	0	
..Leukemia (204-208)	114	28	55	430	838	32.2	49.9	0	54.2	71.9	0	
Diabetes mellitus (250)	252	38	97	450	1,088	32.6	22.2	0	64.3	47.4	0	
..Diabetes-related (250)	1,154	141	394	1,273	3,830	89.8	62.5	0	216.1	177.9	0	
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	58	68	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	107	2	12	10	75	0.7	1.1	0	3.6	5.5	0	
Cardiovascular disease (390-459)	6,199	439	1,302	4,635	12,867	336.1	300.9	0	741.5	682.3	0	
..Diseases of the heart (390-398,402,404-429)	4,793	346	1,052	3,542	10,187	259.0	224.6	0	584.6	527.0	0	
....Heart disease-related (390-398,402,404-429)	7,792	692	1,955	8,330	20,953	632.8	573.5	0	1259.6	1181.8	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,424	214	723	1,690	6,128	118.4	116.7	0	331.7	318.9	0	
....Congestive heart failure (CHF) (428.0)	287	4	39	35	228	2.4	0.8	0	10.6	7.5	0	
....Hypertension with or without renal disease (401,403)	66	5	14	38	135	2.6	4.8	0	7.3	8.8	0	
....Hypertension-related (401,403)	936	59	219	463	1,793	31.4	28.6	0	93.7	80.4	0	
..Cerebrovascular disease (430-438)	1,030	67	179	768	1,898	53.2	60.6	0	110.3	118.2	0	
..Atherosclerosis (440)	127	3	11	18	78	1.2	3.5	0	4.2	8.5	0	
....Atherosclerosis-related (440)	582	14	61	115	443	8.2	9.0	0	23.7	25.0	0	
..Aortic aneurysm (441)	82	6	20	80	190	5.2	2.4	0	10.3	7.4	0	
Pneumonia & influenza (480-487)	609	27	77	362	857	26.6	18.3	0	50.6	37.2	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	537	50	183	460	1,538	36.0	17.0	0	87.4	63.4	0	
..COPD-related (490-496)	1,141	101	401	883	3,178	64.8	50.6	0	172.6	157.7	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
..Asthma (493)	31	6	15	175	273	16.2	1.5	0	21.6	4.3	0	
Chronic liver disease and cirrhosis (571)	96	44	69	655	1,253	44.3	39.0	0	75.9	69.3	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	133	11	37	173	403	11.5	12.3	0	22.6	24.8	0	
..Nephritis-related (580-589)	710	77	237	963	2,493	73.9	80.0	0	149.3	152.0	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	153	13	43	183	453	12.2	13.0	0	25.3	26.8	0	
Unintentional injuries (E800-E949)	289	95	139	2,447	3,597	208.9	343.8	1	275.2	425.2	0	
..Motor vehicle accidents (E810-E825)	88	49	68	1,388	1,960	126.6	220.0	0	161.6	268.8	0	
..Falls and fall related injuries (E880-E888)	91	9	15	83	193	5.7	5.2	0	11.7	9.5	0	
..Drowning (E830,E832,E910)	8	5	6	128	185	
..Residential fires (E890-E899)	7	3	5	68	108	.	48.9	.	.	58.6	.	
Suicide (E950-E959)	50	42	45	1,095	1,533	82.5	98.4	0	107.6	129.0	0	
Homicide and legal intervention (E960-E978)	26	22	23	804	1,027	67.9	67.3	0	81.4	81.1	0	
..Homicide (E960-E969)	26	22	23	804	1,027	67.9	67.3	0	81.4	81.1	0	
All injury (E800-E999)	377	169	218	4,596	6,508	376.6	537.4	1	487.1	671.0	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	87	49	68	1,388	1,960	126.6	219.0	0	161.6	267.1	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	67	9	14	113	220	8.1	11.6	0	14.0	18.2	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-	4	24	22	24	650	880	52.3	56.7	0	66.0	70.9	0
..4,E970,E985.0-.4)	24	22	24	650	880	52.3	56.7	0	66.0	70.9	0	
....Suicide (E955.0-.4)	13	12	13	300	428	
....Homicide (E965.0-.4)	8	8	8	305	385	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	44	35	38	873	1,230	64.0	81.1	0	84.3	106.3	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-	1	1	1	1	1	1	1	1	1	1	1	
.3,790.3,E860)	48	31	45	613	1,003	40.9	25.2	0	61.9	41.1	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-	1	1	1	1	1	1	1	1	1	1	1	
.5,E962.0,E980.0-.5)	30	27	28	673	945	48.2	58.7	0	63.6	77.1	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
All causes	26,100	5,485	11,101	95,865	176,720	3606.5	3743.2	0	5968.9	6119.8	0	
Infectious diseases and parasitic disease (1-139)	684	351	428	8,500	12,327	258.5	210.4	0	352.7	292.6	0	
..Septicemia (038)	343	56	118	968	1,763	37.6	33.4	0	60.9	56.4	0	
....Septicemia-related (038)	1,224	217	464	3,490	6,732	126.9	142.5	0	221.6	250.7	0	
..HIV infection (042-044)	270	268	269	6,959	9,647	200.6	157.4	0	261.9	203.9	0	
All cancer (140-208)	6,650	1,715	3,759	18,487	45,562	660.0	692.4	0	1482.2	1524.3	0	
..Oral cavity or pharynx (140.0-149.9)	95	28	55	320	753	11.8	17.5	0	25.4	41.6	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	762	143	341	1,318	3,693	46.6	49.8	0	119.0	127.9	0	
....Colon cancer (153)	616	111	274	1,013	2,915	35.3	43.5	0	93.1	108.9	0	
....Rectal cancer (154)	132	30	62	290	735	10.7	6.2	0	24.4	18.3	0	
..Pancreatic cancer (157)	358	76	189	680	1,983	23.9	18.5	0	63.5	53.5	0	
..Lung and other respiratory cancer (160-165)	1,795	512	1,177	4,270	12,688	157.7	160.6	0	418.4	415.4	0	
....Lung cancer (162.2-.9)	1,736	493	1,140	4,043	12,170	147.6	155.1	0	399.1	400.6	0	
..Malignant melanoma of skin (172)	98	41	70	713	1,240	23.4	18.4	0	38.4	34.5	0	
..Female breast cancer (174)	538	199	346	2,438	5,125	
..Cervical cancer (180)	32	15	24	283	475	
..Endometrial cancer (182)	33	7	20	33	170	
..Ovarian cancer (183)	173	49	101	413	1,148	
..Prostate cancer (185)	448	38	155	190	1,093	
..Bladder cancer (188)	170	18	55	120	483	4.1	6.1	0	15.0	18.9	0	
..Brain & other CNS cancer (191-192)	164	77	126	1,033	2,040	36.8	49.0	0	67.4	77.4	0	
..Leukemia (204-208)	238	71	128	1,248	2,220	46.5	56.3	0	74.8	85.8	0	
Diabetes mellitus (250)	445	94	204	1,060	2,480	36.8	32.8	0	79.5	72.1	0	
..Diabetes-related (250)	2,124	334	885	3,030	8,863	106.7	93.2	0	282.9	262.4	0	
..Diabetic ketoacidosis (DKA) (250.1)	2	1	2	58	70	
Alzheimer's diseases (331.0)	181	5	30	181	190	0.7	1.1	0	5.7	6.5	0	
Cardiovascular disease (390-459)	11,472	1,439	3,698	15,199	39,801	544.2	529.8	0	1284.5	1260.7	0	
..Diseases of the heart (390-398,402,404-429)	9,126	1,236	3,122	12,864	33,879	462.6	438.3	0	1096.7	1056.9	0	
....Heart disease-related (390-398,402,404-429)	14,885	2,132	5,224	25,334	60,729	933.0	906.9	0	1994.9	1971.3	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,774	907	2,351	8,240	24,000	295.1	279.3	0	773.8	738.3	0	
....Congestive heart failure (CHF) (428.0)	443	16	75	100	528	3.8	3.2	0	16.5	12.9	0	
....Hypertension with or without renal disease (401,403)	116	16	35	125	388	4.7	4.9	0	12.8	10.9	0	
....Hypertension-related (401,403)	1,549	171	518	1,398	4,715	51.1	53.4	0	151.1	145.9	0	
..Cerebrovascular disease (430-438)	1,653	134	380	1,545	3,875	53.3	65.2	0	122.1	138.6	0	
..Atherosclerosis (440)	191	6	24	45	185	1.6	3.6	0	5.7	11.0	0	
....Atherosclerosis-related (440)	964	39	168	288	1,235	11.1	12.4	0	39.4	42.2	0	
..Aortic aneurysm (441)	199	20	78	262	707	9.3	7.6	0	22.1	21.8	0	
Pneumonia & influenza (480-487)	1,096	69	199	1,143	2,388	45.3	39.6	0	81.6	71.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,123	103	411	793	3,238	29.9	26.9	0	102.3	90.3	0	
..COPD-related (490-496)	2,466	237	929	1,855	7,350	69.1	67.2	0	232.3	217.9	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
..Asthma (493)	44	12	24	245	420	9.7	6.3	0	14.8	10.1	0	
Chronic liver disease and cirrhosis (571)	263	148	209	2,215	4,033	69.8	65.3	0	122.8	117.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	275	23	82	328	820	11.4	17.4	0	25.7	38.2	0	
..Nephritis-related (580-589)	1,488	197	549	2,323	5,908	81.6	104.8	0	187.7	213.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	310	27	94	343	925	12.0	17.9	0	29.1	40.7	0	
Unintentional injuries (E800-E949)	809	463	563	13,582	18,667	528.8	588.1	0	666.0	722.0	0	
..Motor vehicle accidents (E810-E825)	291	226	256	7,197	9,587	300.0	355.3	0	367.1	424.4	0	
..Falls and fall related injuries (E880-E888)	170	32	51	515	968	20.7	11.2	0	32.7	21.2	0	
..Drowning (E830,E832,E910)	32	23	30	733	990	29.5	35.4	0	36.3	43.0	0	
..Residential fires (E890-E899)	18	10	14	277	402	12.7	44.9	1	16.5	52.8	1	
Suicide (E950-E959)	289	227	264	6,313	8,780	225.2	269.6	0	289.3	343.7	0	
Homicide and legal intervention (E960-E978)	102	96	98	3,441	4,466	138.2	129.4	0	163.4	155.4	0	
..Homicide (E960-E969)	101	95	97	3,404	4,359	137.0	129.4	0	162.0	155.4	0	
All injury (E800-E999)	1,223	815	955	24,133	32,943	918.7	1026.3	0	1152.5	1269.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	285	222	252	7,062	9,412	293.1	351.7	0	358.8	418.9	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	137	35	52	618	1,035	23.6	18.9	0	35.9	30.3	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	202	173	191	5,453	7,268	215.4	228.7	0	264.5	280.6	0	
...Suicide (E955.0-.4)	127	99	116	2,823	3,895	106.6	121.6	0	135.6	153.6	0	
...Homicide (E965.0-.4)	66	66	66	2,335	2,995	96.0	98.1	0	113.7	116.6	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	201	175	188	4,913	6,730	153.1	130.2	0	195.5	167.7	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	178	127	161	2,318	3,788	70.0	48.5	0	110.7	78.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	135	129	131	3,738	5,033	115.8	87.2	0	145.1	111.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75			
						1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
All causes	12,833	3,537	6,765	64,001	114,466	4765.3	4843.3	0	7854.2	7927.7	0	
Infectious diseases and parasitic disease (1-139)	401	274	310	6,558	9,438	383.9	302.8	0	525.6	427.2	0	
..Septicemia (038)	144	36	64	589	1,044	42.0	34.5	0	69.6	60.8	0	
....Septicemia-related (038)	568	133	256	2,119	3,971	144.2	165.8	0	257.1	299.6	0	
..HIV infection (042-044)	222	221	222	5,617	7,834	321.1	236.2	1	424.1	313.6	1	
All cancer (140-208)	3,412	900	2,005	9,567	24,040	703.4	700.9	0	1639.2	1626.9	0	
..Oral cavity or pharynx (140.0-149.9)	51	23	34	263	550	19.8	28.4	0	39.1	66.1	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	394	86	197	800	2,218	57.5	56.1	0	149.7	146.2	0	
....Colon cancer (153)	316	66	156	615	1,730	44.0	50.4	0	116.5	127.2	0	
....Rectal cancer (154)	73	19	39	183	473	13.4	5.5	0	32.2	17.7	0	
..Pancreatic cancer (157)	145	41	97	383	1,053	28.1	20.1	0	71.7	59.6	0	
..Lung and other respiratory cancer (160-165)	1,064	291	692	2,403	7,350	181.7	183.7	0	508.0	506.9	0	
....Lung cancer (162.2-.9)	1,016	275	662	2,188	6,900	162.4	175.7	0	472.9	483.9	0	
..Malignant melanoma of skin (172)	53	20	38	390	655	25.6	24.5	0	41.0	46.5	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	448	38	155	190	1,093	15.0	13.3	0	73.5	68.0	0	
..Bladder cancer (188)	106	15	42	83	365	5.9	5.0	0	24.4	23.1	0	
..Brain & other CNS cancer (191-192)	94	55	80	718	1,390	50.3	56.1	0	93.3	92.2	0	
..Leukemia (204-208)	124	43	73	818	1,383	60.9	60.4	0	94.7	97.2	0	
Diabetes mellitus (250)	193	56	107	610	1,393	41.6	45.7	0	91.9	97.4	0	
..Diabetes-related (250)	970	193	491	1,758	5,033	124.0	126.0	0	335.5	334.0	0	
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	0	3	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	74	3	18	8	115	0.6	1.0	0	7.4	6.3	0	
Cardiovascular disease (390-459)	5,273	1,000	2,396	10,564	26,934	759.0	765.3	0	1812.6	1826.0	0	
..Diseases of the heart (390-398,402,404-429)	4,333	890	2,070	9,322	23,692	669.9	655.2	0	1596.6	1575.9	0	
....Heart disease-related (390-398,402,404-429)	7,093	1,440	3,269	17,004	39,777	1236.6	1247.3	0	2692.9	2733.0	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,350	693	1,628	6,550	17,872	475.5	444.5	0	1211.8	1153.9	0	
....Congestive heart failure (CHF) (428.0)	156	12	36	65	300	5.1	5.5	0	20.7	16.6	0	
..Hypertension with or without renal disease (401,403)	50	11	21	88	253	6.7	5.4	0	17.7	13.5	0	
....Hypertension-related (401,403)	613	112	299	935	2,923	70.9	79.1	0	201.0	207.3	0	
..Cerebrovascular disease (430-438)	623	67	201	778	1,978	54.5	72.5	0	130.3	157.0	0	
..Atherosclerosis (440)	64	3	13	28	108	1.7	3.6	0	6.6	13.1	0	
....Atherosclerosis-related (440)	382	25	107	173	793	13.7	15.5	0	54.0	58.6	0	
..Aortic aneurysm (441)	117	14	58	182	517	14.1	13.1	0	35.1	36.9	0	
Pneumonia & influenza (480-487)	487	42	122	781	1,531	63.3	60.3	0	109.8	104.2	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	586	53	228	333	1,700	23.7	36.0	0	111.2	108.5	0	
..COPD-related (490-496)	1,325	136	528	972	4,172	73.6	81.8	0	280.4	261.7	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
..Asthma (493)	13	6	9	70	148
Chronic liver disease and cirrhosis (571)	167	104	140	1,560	2,780	101.1	96.0	0	175.6	170.9	0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	142	12	45	155	418	12.5	22.0	0	29.6	49.9	0	0
..Nephritis-related (580-589)	778	120	312	1,360	3,415	92.6	129.7	0	222.9	269.0	0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	157	14	51	160	473	12.9	22.2	0	33.2	52.8	0	0
Unintentional injuries (E800-E949)	511	368	424	11,135	15,070	853.5	832.6	0	1065.7	1027.1	0	0
..Motor vehicle accidents (E810-E825)	203	177	188	5,810	7,627	474.8	496.4	0	575.9	591.5	0	0
..Falls and fall related injuries (E880-E888)	79	23	36	433	715	35.3	17.8	0	53.1	33.8	0	0
..Drowning (E830,E832,E910)	24	18	24	605	805	47.5	63.9	0	57.7	78.7	0	0
..Residential fires (E890-E899)	11	7	9	210	295	.	38.1	0	.	44.6	0	0
Suicide (E950-E959)	239	185	219	5,218	7,248	375.8	447.3	0	483.8	569.3	0	0
Homicide and legal intervention (E960-E978)	76	74	75	2,637	3,380	209.3	193.7	0	248.3	234.2	0	0
..Homicide (E960-E969)	75	73	74	2,600	3,332	206.9	193.7	0	245.4	234.2	0	0
All injury (E800-E999)	846	646	737	19,537	26,435	1476.7	1529.2	0	1845.4	1899.2	0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	198	173	184	5,675	7,452	461.3	490.2	0	559.8	582.2	0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	70	26	38	505	815	39.2	27.6	0	58.2	44.3	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	178	151	167	4,803	6,388	377.9	402.1	0	464.5	494.6	0	0
....Suicide (E955.0-.4)	114	87	103	2,523	3,468	192.0	221.4	0	244.1	280.5	0	0
....Homicide (E965.0-.4)	58	58	58	2,030	2,610	164.7	164.5	0	195.7	195.4	0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	157	140	150	4,040	5,500	249.3	187.7	0	317.2	240.5	0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	130	96	116	1,705	2,785	105.5	74.9	0	168.0	119.0	0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	105	102	103	3,065	4,088	188.7	122.1	0	234.2	153.7	0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
All causes	13,267	1,948	4,336	31,864	62,254	2444.8	2639.7	0	4145.5	4375.1	0	
Infectious diseases and parasitic disease (1-139)	283	77	118	1,942	2,889	135.6	120.9	0	183.6	162.6	0	
..Septicemia (038)	199	20	54	379	719	33.7	32.7	0	52.9	52.8	0	
....Septicemia-related (038)	656	84	208	1,371	2,761	110.9	120.0	0	188.8	205.8	0	
...HIV infection (042-044)	48	47	47	1,343	1,813	81.5	80.8	0	102.4	97.3	0	
All cancer (140-208)	3,238	815	1,754	8,920	21,522	617.0	683.9	0	1342.0	1437.6	0	
..Oral cavity or pharynx (140.0-149.9)	44	5	21	58	203	4.2	7.1	0	12.2	18.9	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	368	57	144	518	1,475	36.1	43.6	0	91.1	111.6	0	
....Colon cancer (153)	300	45	118	398	1,185	27.0	36.9	0	71.8	92.4	0	
....Rectal cancer (154)	59	11	23	108	263	8.1	6.7	0	17.4	19.1	0	
..Pancreatic cancer (157)	213	35	92	298	930	19.8	16.9	0	55.9	48.0	0	
..Lung and other respiratory cancer (160-165)	731	221	485	1,868	5,338	134.7	138.7	0	338.8	334.8	0	
....Lung cancer (162.2-.9)	720	218	478	1,855	5,270	133.7	135.6	0	334.6	327.4	0	
..Malignant melanoma of skin (172)	45	21	32	323	585	21.0	12.5	0	35.8	23.3	0	
..Female breast cancer (174)	538	199	346	2,438	5,125	157.6	172.0	0	312.2	346.2	0	
..Cervical cancer (180)	32	15	24	283	475	17.5	31.5	0	27.8	49.3	0	
..Endometrial cancer (182)	33	7	20	33	170	2.6	4.0	0	10.6	14.1	0	
..Ovarian cancer (183)	173	49	101	413	1,148	29.5	45.6	0	72.9	94.3	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	64	3	13	38	118	2.5	7.2	0	6.7	15.7	0	
..Brain & other CNS cancer (191-192)	70	22	46	315	650	24.0	42.3	0	43.1	63.6	0	
..Leukemia (204-208)	114	28	55	430	838	31.8	52.4	0	55.1	75.6	0	
Diabetes mellitus (250)	252	38	97	450	1,088	32.5	20.2	0	68.2	48.3	0	
..Diabetes-related (250)	1,154	141	394	1,273	3,830	90.7	61.4	0	235.9	196.1	0	
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	58	68	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	107	2	12	10	75	0.8	1.2	0	4.3	6.6	0	
Cardiovascular disease (390-459)	6,199	439	1,302	4,635	12,867	338.6	303.3	0	800.5	741.8	0	
..Diseases of the heart (390-398,402,404-429)	4,793	346	1,052	3,542	10,187	264.2	230.2	0	637.5	580.3	0	
....Heart disease-related (390-398,402,404-429)	7,792	692	1,955	8,330	20,953	641.9	576.8	0	1351.4	1267.2	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,424	214	723	1,690	6,128	122.2	121.9	0	371.2	358.5	0	
....Congestive heart failure (CHF) (428.0)	287	4	39	35	228	2.6	1.0	0	12.6	9.4	0	
....Hypertension with or without renal disease (401,403)	66	5	14	38	135	2.7	4.4	0	8.2	8.6	0	
....Hypertension-related (401,403)	936	59	219	463	1,793	32.3	28.5	0	105.3	89.3	0	
..Cerebrovascular disease (430-438)	1,030	67	179	768	1,898	52.0	58.1	0	115.2	122.1	0	
..Atherosclerosis (440)	127	3	11	18	78	1.4	3.6	0	4.9	9.2	0	
....Atherosclerosis-related (440)	582	14	61	115	443	8.7	9.5	0	26.8	28.2	0	
..Aortic aneurysm (441)	82	6	20	80	190	4.5	2.1	0	10.3	8.1	0	
Pneumonia & influenza (480-487)	609	27	77	362	857	27.2	19.1	0	54.3	40.4	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	537	50	183	460	1,538	36.4	17.6	0	96.5	73.1	0	
..COPD-related (490-496)	1,141	101	401	883	3,178	65.3	52.5	0	191.7	178.5	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
..Asthma (493)	31	6	15	175	273	15.6	1.4	0	21.0	4.7	0	
Chronic liver disease and cirrhosis (571)	96	44	69	655	1,253	39.6	35.7	0	72.4	67.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	133	11	37	173	403	10.2	13.2	0	22.2	27.6	0	
..Nephritis-related (580-589)	710	77	237	963	2,493	71.7	80.7	0	156.6	161.7	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	153	13	43	183	453	11.0	14.0	0	25.4	29.9	0	
Unintentional injuries (E800-E949)	289	95	139	2,447	3,597	196.2	337.0	1	259.3	411.6	1	
..Motor vehicle accidents (E810-E825)	88	49	68	1,388	1,960	119.8	209.2	0	152.4	252.0	0	
..Falls and fall related injuries (E880-E888)	91	9	15	83	193	5.8	4.7	0	12.3	9.4	0	
..Drowning (E830,E832,E910)	8	5	6	128	185	
..Residential fires (E890-E899)	7	3	5	68	108	.	51.8	.	.	61.1	.	
Suicide (E950-E959)	50	42	45	1,095	1,533	72.3	88.5	0	94.0	115.6	0	
Homicide and legal intervention (E960-E978)	26	22	23	804	1,027	65.0	63.1	0	76.2	74.8	0	
..Homicide (E960-E969)	26	22	23	804	1,027	65.0	63.1	0	76.2	74.8	0	
All injury (E800-E999)	377	169	218	4,596	6,508	348.1	511.4	1	448.9	630.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	87	49	68	1,388	1,960	119.8	208.2	0	152.4	250.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	67	9	14	113	220	7.6	10.1	0	13.8	16.7	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	24	22	24	650	880	48.5	50.5	0	60.4	62.2	0	
....Suicide (E955.0-.4)	13	12	13	300	428	
....Homicide (E965.0-.4)	8	8	8	305	385	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	44	35	38	873	1,230	56.5	72.7	0	74.0	95.0	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	48	31	45	613	1,003	35.5	22.7	0	55.6	38.6	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	27	28	673	945	42.1	52.4	0	55.3	68.7	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
All causes	26,100	5,485	11,101	95,865	176,720	3808.6	3885.4	0	6308.7	6387.9	0	
Infectious diseases and parasitic disease (1-139)	684	351	428	8,500	12,327	315.0	255.3	0	425.8	351.1	0	
..Septicemia (038)	343	56	118	968	1,763	37.8	35.2	0	62.0	59.8	0	
....Septicemia-related (038)	1,224	217	464	3,490	6,732	139.2	155.8	0	240.5	271.6	0	
...HIV infection (042-044)	270	268	269	6,959	9,647	253.5	196.7	0	329.1	254.0	0	
All cancer (140-208)	6,650	1,715	3,759	18,487	45,562	765.9	785.8	0	1636.8	1665.3	0	
..Oral cavity or pharynx (140.0-149.9)	95	28	55	320	753	13.9	20.7	0	28.6	46.0	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	762	143	341	1,318	3,693	55.0	58.4	0	131.4	141.3	0	
....Colon cancer (153)	616	111	274	1,013	2,915	41.7	50.7	0	102.5	120.3	0	
....Rectal cancer (154)	132	30	62	290	735	12.5	7.6	0	27.3	20.3	0	
...Pancreatic cancer (157)	358	76	189	680	1,983	28.2	20.9	0	70.0	57.3	0	
...Lung and other respiratory cancer (160-165)	1,795	512	1,177	4,270	12,688	180.6	186.7	0	452.9	454.9	0	
....Lung cancer (162.2-.9)	1,736	493	1,140	4,043	12,170	170.3	180.5	0	432.9	438.8	0	
..Malignant melanoma of skin (172)	98	41	70	713	1,240	27.6	23.6	0	44.1	41.6	0	
..Female breast cancer (174)	538	199	346	2,438	5,125	
..Cervical cancer (180)	32	15	24	283	475	
..Endometrial cancer (182)	33	7	20	33	170	
..Ovarian cancer (183)	173	49	101	413	1,148	
..Prostate cancer (185)	448	38	155	190	1,093	
..Bladder cancer (188)	170	18	55	120	483	4.8	7.0	0	16.0	20.4	0	
..Brain & other CNS cancer (191-192)	164	77	126	1,033	2,040	43.2	50.6	0	76.5	80.3	0	
..Leukemia (204-208)	238	71	128	1,248	2,220	50.6	55.8	0	81.3	86.8	0	
Diabetes mellitus (250)	445	94	204	1,060	2,480	42.6	38.9	0	87.9	80.7	0	
..Diabetes-related (250)	2,124	334	885	3,030	8,863	123.2	109.8	0	308.0	288.1	0	
..Diabetic ketoacidosis (DKA) (250.1)	2	1	2	58	70	
Alzheimer's diseases (331.0)	181	5	30	181	190	0.7	1.2	0	5.8	6.9	0	
Cardiovascular disease (390-459)	11,472	1,439	3,698	15,199	39,801	625.0	603.8	0	1409.5	1376.2	0	
..Diseases of the heart (390-398,402,404-429)	9,126	1,236	3,122	12,864	33,879	529.4	498.7	0	1199.8	1150.8	0	
....Heart disease-related (390-398,402,404-429)	14,885	2,132	5,224	25,334	60,729	1034.0	1014.1	0	2155.8	2139.4	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,774	907	2,351	8,240	24,000	344.4	328.1	0	849.5	812.6	0	
....Congestive heart failure (CHF) (428.0)	443	16	75	100	528	4.1	3.9	0	17.3	14.3	0	
....Hypertension with or without renal disease (401,403)	116	16	35	125	388	5.3	5.9	0	13.8	12.4	0	
....Hypertension-related (401,403)	1,549	171	518	1,398	4,715	59.1	62.5	0	164.4	160.5	0	
..Cerebrovascular disease (430-438)	1,653	134	380	1,545	3,875	64.0	76.0	0	138.8	155.2	0	
..Atherosclerosis (440)	191	6	24	45	185	1.9	4.0	0	6.2	11.9	0	
....Atherosclerosis-related (440)	964	39	168	288	1,235	12.4	14.3	0	42.3	46.1	0	
..Aortic aneurysm (441)	199	20	78	262	707	10.3	7.8	0	23.8	22.7	0	
Pneumonia & influenza (480-487)	1,096	69	199	1,143	2,388	46.7	43.4	0	85.3	77.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,123	103	411	793	3,238	31.8	28.6	0	106.7	95.1	0	
..COPD-related (490-496)	2,466	237	929	1,855	7,350	75.1	73.5	0	245.1	231.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes												
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All		< 65	< 75	< 65		< 75	1992	1991	Significance	1992	1991	Significance
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	1992	1991
*****Causes of Death*****													
..Asthma (493)	44	12	24	245	420	9.8	6.3	0	15.0	10.3	0		
Chronic liver disease and cirrhosis (571)	263	148	209	2,215	4,033	87.9	82.9	0	146.7	141.7	0		
Nephritis, nephrotic syndrome/nephrosis (580-589)	275	23	82	328	820	13.0	20.0	0	28.4	42.0	0		
..Nephritis-related (580-589)	1,488	197	549	2,323	5,908	93.6	116.4	0	206.1	231.4	0		
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	310	27	94	343	925	13.5	20.5	0	31.7	44.6	0		
Unintentional injuries (E800-E949)	800	463	563	13,582	18,667	528.6	554.1	0	671.4	687.1	0		
..Motor vehicle accidents (E810-E825)	291	226	256	7,197	9,587	284.1	325.6	0	350.3	391.1	0		
..Falls and fall related injuries (E880-E888)	170	32	51	515	968	21.1	13.3	0	33.5	24.0	0		
..Drowning (E830,E832,E910)	32	23	30	733	990	29.6	33.4	0	36.8	41.2	0		
..Residential fires (E890-E899)	18	10	14	277	402	11.4	39.5	1	15.2	47.1	1		
Suicide (E950-E959)	289	227	264	6,313	8,780	241.0	279.3	0	311.2	358.0	0		
Homicide and legal intervention (E960-E978)	102	96	98	3,441	4,466	132.2	122.2	0	157.0	147.6	0		
..Homicide (E960-E969)	101	95	97	3,404	4,359	131.0	122.2	0	155.6	147.6	0		
All injury (E800-E999)	1,223	815	955	24,133	32,943	932.0	1001.4	0	1178.3	1250.0	0		
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	285	222	252	7,062	9,412	278.4	322.0	0	343.5	385.5	0		
..All falls (E880-E886,E888,E957,E968.1,E987)	137	35	52	618	1,035	24.8	21.3	0	37.8	33.6	0		
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	202	173	191	5,453	7,268	210.8	223.3	0	260.6	275.8	0		
...Suicide (E955.0-.4)	127	99	116	2,823	3,895	108.7	124.6	0	139.4	158.2	0		
...Homicide (E965.0-.4)	66	66	66	2,335	2,995	90.9	90.6	0	108.1	108.3	0		
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	201	175	188	4,913	6,730	180.8	146.0	0	231.1	188.5	0		
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	178	127	161	2,318	3,788	89.7	62.2	0	136.5	96.1	0		
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	135	129	131	3,738	5,033	136.1	100.1	0	171.0	127.7	0		

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Male											
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75			
				All	< 65	< 75	< 65	< 75	1992	1991	Significance	
*****Causes of Death*****												
All causes	12,833	3,537	6,765	64,001	114,466	5068.4	5072.9	0	8345.9	8328.1	0	
Infectious diseases and parasitic disease (1-139)	401	274	310	6,558	9,438	485.0	386.8	0	655.3	535.3	0	
..Septicemia (038)	144	36	64	589	1,044	45.4	38.6	0	74.8	67.3	0	
....Septicemia-related (038)	568	133	256	2,119	3,971	167.3	186.3	0	290.1	330.3	0	
..HIV infection (042-044)	222	221	222	5,617	7,834	411.9	309.7	0	539.4	406.9	0	
All cancer (140-208)	3,412	900	2,005	9,567	24,040	803.2	784.0	0	1788.7	1758.1	0	
..Oral cavity or pharynx (140.0-149.9)	51	23	34	263	550	23.4	34.0	0	44.4	73.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	394	86	197	800	2,218	67.2	64.3	0	164.0	159.8	0	
....Colon cancer (153)	316	66	156	615	1,730	51.3	57.4	0	127.3	139.1	0	
....Rectal cancer (154)	73	19	39	183	473	15.8	6.6	0	35.7	19.5	0	
..Pancreatic cancer (157)	145	41	97	383	1,053	33.2	22.5	0	79.5	63.6	0	
..Lung and other respiratory cancer (160-165)	1,064	291	692	2,403	7,350	206.5	213.3	0	546.1	552.5	0	
....Lung cancer (162.2-.9)	1,016	275	662	2,188	6,900	186.6	204.1	0	509.4	527.6	0	
..Malignant melanoma of skin (172)	53	20	38	390	655	30.5	31.6	0	47.7	55.9	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	448	38	155	190	1,093	16.0	14.5	0	76.6	71.9	0	
..Bladder cancer (188)	106	15	42	83	365	6.5	5.6	0	25.3	24.4	0	
..Brain & other CNS cancer (191-192)	94	55	80	718	1,390	60.8	60.8	0	107.9	99.0	0	
..Leukemia (204-208)	124	43	73	818	1,383	66.4	61.7	0	103.0	100.6	0	
Diabetes mellitus (250)	193	56	107	610	1,393	50.7	52.8	0	104.6	107.9	0	
..Diabetes-related (250)	970	193	491	1,758	5,033	147.1	147.8	0	370.4	367.6	0	
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	0	3	0.5	0.5	0	.	.	.	
Alzheimer's diseases (331.0)	74	3	18	8	115	0.5	1.0	0	7.5	6.4	0	
Cardiovascular disease (390-459)	5,273	1,000	2,396	10,564	26,934	886.1	885.2	0	2006.0	2008.1	0	
..Diseases of the heart (390-398,402,404-429)	4,333	890	2,070	9,322	23,692	781.1	759.4	0	1764.2	1732.4	0	
....Heart disease-related (390-398,402,404-429)	7,093	1,440	3,269	17,004	39,777	1405.1	1413.2	0	2951.2	2986.7	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,350	693	1,628	6,550	17,872	559.1	528.0	0	1338.2	1277.3	0	
....Congestive heart failure (CHF) (428.0)	156	12	36	65	300	5.4	6.9	0	21.3	19.0	0	
..Hypertension with or without renal disease (401,403)	50	11	21	88	253	7.7	6.4	0	19.1	15.0	0	
....Hypertension-related (401,403)	613	112	299	935	2,923	82.1	92.2	0	219.3	227.2	0	
..Cerebrovascular disease (430-438)	623	67	201	778	1,978	65.8	85.8	0	148.2	177.5	0	
..Atherosclerosis (440)	64	3	13	28	108	2.3	3.8	0	7.5	13.7	0	
....Atherosclerosis-related (440)	382	25	107	173	793	15.1	18.0	0	57.5	63.7	0	
..Aortic aneurysm (441)	117	14	58	182	517	14.9	12.8	0	37.1	37.5	0	
Pneumonia & influenza (480-487)	487	42	122	781	1,531	64.6	66.4	0	114.6	113.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	586	53	228	333	1,700	26.8	36.7	0	117.6	112.6	0	
..COPD-related (490-496)	1,325	136	528	972	4,172	80.2	86.0	0	295.0	273.5	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male											
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75			
				All	< 65	< 75	< 65	< 75	1992	1991	Significance	
*****Causes of Death*****												
..Asthma (493)	13		6		9		70		148	.	.	.
Chronic liver disease and cirrhosis (571)	167		104		140		1,560		2,780	127.5	121.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	142		12		45		155		418	12.6	27.2	0
..Nephritis-related (580-589)	778		120		312		1,360		3,415	109.9	147.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	157		14		51		160		473	12.9	27.4	0
Unintentional injuries (E800-E949)	511		368		424		11,135		15,070	855.0	788.2	0
..Motor vehicle accidents (E810-E825)	203		177		188		5,810		7,627	449.6	450.3	0
..Falls and fall related injuries (E880-E888)	79		23		36		433		715	35.0	21.5	0
..Drowning (E830,E832,E910)	24		18		24		605		805	48.3	61.2	0
..Residential fires (E890-E899)	11		7		9		210		295	.	33.5	0
Suicide (E950-E959)	239		185		219		5,218		7,248	398.7	459.8	0
Homicide and legal intervention (E960-E978)	76		74		75		2,637		3,380	199.3	183.6	0
..Homicide (E960-E969)	75		73		74		2,600		3,332	196.9	183.6	0
All injury (E800-E999)	846		646		737		19,537		26,435	1494.9	1495.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	198		173		184		5,675		7,452	438.4	444.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	70		26		38		505		815	40.6	30.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	178		151		167		4,803		6,388	368.2	389.4	0
....Suicide (E955.0-.4)	114		87		103		2,523		3,468	193.5	224.3	0
....Homicide (E965.0-.4)	58		58		58		2,030		2,610	156.3	151.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	157		140		150		4,040		5,500	294.4	214.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	130		96		116		1,705		2,785	134.6	96.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	105		102		103		3,065		4,088	220.7	143.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
All causes	13,267	1,948	4,336	31,864	62,254	2553.2	2702.0	0	4345.8	4523.3	0	
Infectious diseases and parasitic disease (1-139)	283	77	118	1,942	2,889	148.0	127.2	0	200.9	172.3	0	
..Septicemia (038)	199	20	54	379	719	30.7	32.3	0	49.9	53.2	0	
....Septicemia-related (038)	656	84	208	1,371	2,761	112.3	126.4	0	193.8	217.1	0	
...HIV infection (042-044)	48	47	47	1,343	1,813	97.2	86.3	0	122.2	104.8	0	
All cancer (140-208)	3,238	815	1,754	8,920	21,522	729.2	787.5	0	1502.6	1589.5	0	
..Oral cavity or pharynx (140.0-149.9)	44	5	21	58	203	4.8	8.0	0	13.3	20.2	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	368	57	144	518	1,475	43.2	52.8	0	101.6	124.8	0	
....Colon cancer (153)	300	45	118	398	1,185	32.6	44.3	0	79.8	103.5	0	
....Rectal cancer (154)	59	11	23	108	263	9.4	8.5	0	19.5	21.2	0	
..Pancreatic cancer (157)	213	35	92	298	930	23.5	19.3	0	61.1	51.8	0	
..Lung and other respiratory cancer (160-165)	731	221	485	1,868	5,338	155.8	161.5	0	370.2	368.8	0	
....Lung cancer (162.2-.9)	720	218	478	1,855	5,270	154.9	158.0	0	366.0	360.7	0	
..Malignant melanoma of skin (172)	45	21	32	323	585	24.7	15.9	0	40.6	28.1	0	
..Female breast cancer (174)	538	199	346	2,438	5,125	197.5	212.1	0	366.4	401.3	0	
..Cervical cancer (180)	32	15	24	283	475	22.9	38.9	0	35.3	59.4	0	
..Endometrial cancer (182)	33	7	20	33	170	2.6	4.2	0	10.7	14.6	0	
..Ovarian cancer (183)	173	49	101	413	1,148	34.6	53.0	0	80.2	104.5	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	64	3	13	38	118	3.2	8.5	0	7.9	17.5	0	
..Brain & other CNS cancer (191-192)	70	22	46	315	650	26.3	40.8	0	46.8	62.6	0	
..Leukemia (204-208)	114	28	55	430	838	34.8	50.3	0	59.9	74.3	0	
Diabetes mellitus (250)	252	38	97	450	1,088	35.0	25.2	0	72.3	55.3	0	
..Diabetes-related (250)	1,154	141	394	1,273	3,830	100.7	72.9	0	251.7	214.4	0	
..Diabetic ketoacidosis (DKA) (250.1)	1	1	1	58	68	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	107	2	12	10	75	0.8	1.4	0	4.5	7.3	0	
Cardiovascular disease (390-459)	6,199	439	1,302	4,635	12,867	374.2	332.9	0	860.8	794.4	0	
..Diseases of the heart (390-398,402,404-429)	4,793	346	1,052	3,542	10,187	287.6	248.0	0	679.1	614.6	0	
....Heart disease-related (390-398,402,404-429)	7,792	692	1,955	8,330	20,953	676.8	627.1	0	1419.2	1354.5	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,424	214	723	1,690	6,128	138.2	136.9	0	398.7	386.0	0	
....Congestive heart failure (CHF) (428.0)	287	4	39	35	228	2.9	0.9	0	13.6	9.8	0	
....Hypertension with or without renal disease (401,403)	66	5	14	38	135	3.1	5.4	0	8.8	10.1	0	
....Hypertension-related (401,403)	936	59	219	463	1,793	37.3	33.9	0	113.9	98.8	0	
..Cerebrovascular disease (430-438)	1,030	67	179	768	1,898	62.3	66.6	0	131.0	135.0	0	
..Atherosclerosis (440)	127	3	11	18	78	1.4	4.3	0	5.1	10.4	0	
....Atherosclerosis-related (440)	582	14	61	115	443	9.8	10.9	0	29.2	31.0	0	
..Aortic aneurysm (441)	82	6	20	80	190	5.6	2.8	0	11.9	9.3	0	
Pneumonia & influenza (480-487)	609	27	77	362	857	28.8	20.5	0	57.3	43.0	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	537	50	183	460	1,538	37.0	20.5	0	99.1	78.9	0	
..COPD-related (490-496)	1,141	101	401	883	3,178	70.6	60.8	0	202.9	193.3	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1992				Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance
	All	< 65	< 75	< 65	< 75	1992	1991	Significance	1992	1991	Significance	
*****Causes of Death*****												
..Asthma (493)	31	6	15	175	273	14.6	2.0	0	20.1	5.5	0	
Chronic liver disease and cirrhosis (571)	96	44	69	655	1,253	49.6	45.6	0	85.2	80.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	133	11	37	173	403	13.3	13.2	0	26.7	28.2	0	
..Nephritis-related (580-589)	710	77	237	963	2,493	78.5	86.9	0	167.9	172.6	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	153	13	43	183	453	14.1	14.0	0	29.8	30.6	0	
Unintentional injuries (E800-E949)	289	95	139	2,447	3,597	196.7	315.1	1	262.4	389.2	0	
..Motor vehicle accidents (E810-E825)	88	49	68	1,388	1,960	114.4	196.9	0	147.2	238.8	0	
..Falls and fall related injuries (E880-E888)	91	9	15	83	193	7.0	5.2	0	14.0	10.2	0	
..Drowning (E830,E832,E910)	8	5	6	128	185	
..Residential fires (E890-E899)	7	3	5	68	108	.	45.7	.	.	54.5	.	
Suicide (E950-E959)	50	42	45	1,095	1,533	82.0	96.7	0	106.6	126.6	0	
Homicide and legal intervention (E960-E978)	26	22	23	804	1,027	63.4	59.3	0	75.0	70.6	0	
..Homicide (E960-E969)	26	22	23	804	1,027	63.4	59.3	0	75.0	70.6	0	
All injury (E800-E999)	377	169	218	4,596	6,508	360.3	498.6	0	468.0	621.2	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	87	49	68	1,388	1,960	114.4	195.6	0	147.2	236.8	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	67	9	14	113	220	8.8	12.0	0	15.4	19.3	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	24	22	24	650	880	50.1	53.5	0	62.9	66.3	0	
....Suicide (E955.0-.4)	13	12	13	300	428	
....Homicide (E965.0-.4)	8	8	8	305	385	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	44	35	38	873	1,230	67.2	78.5	0	88.0	102.8	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	48	31	45	613	1,003	46.1	29.2	0	69.3	47.2	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	30	27	28	673	945	51.1	57.0	0	67.0	74.8	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).