

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex White Residents, 1994

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, White Residents, 1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, White Residents, 1994

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT White Resident DEATHS, 1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR
*****Causes of Death*****															
All causes	26,895	926.5	429.4	0	425.8	13,021	923.1	549.5	0	547.8	13,874	929.8	332.2	0	327.7
Infectious diseases and parasitic disease (1-139)	788	27.1	17.2	0	17.5	476	33.7	25.2	0	24.5	312	20.9	9.8	0	11.0
..Septicemia (038)	349	12.0	4.7	0	5.2	158	11.2	5.9	0	5.9	191	12.8	3.8	0	4.7
....Septicemia-related (038)	1,227	42.3	17.6	0	18.3	533	37.8	20.5	0	21.2	694	46.5	15.4	0	16.2
..HIV infection (042-044)	332	11.4	10.4	0	9.6	261	18.5	16.5	0	15.3	71	4.8	4.5	0	3.9
All cancer (140-208)	6,642	228.8	122.3	0	119.5	3,400	241.0	146.4	0	138.4	3,242	217.3	105.3	0	107.3
..Oral cavity or pharynx (140.0-149.9)	99	3.4	2.0	0	2.1	53	3.8	2.7	0	3.2	46	3.1	1.4	0	1.2
..Colorectal cancer (153.0-154.3,154.8,159.0)	793	27.3	12.5	0	12.7	402	28.5	16.5	0	15.4	391	26.2	9.5	0	10.7
....Colon cancer (153)	635	21.9	9.9	0	9.6	316	22.4	12.8	0	11.5	319	21.4	7.8	0	8.3
....Rectal cancer (154)	147	5.1	2.5	0	2.9	82	5.8	3.5	0	3.7	65	4.4	1.7	0	2.2
..Pancreatic cancer (157)	357	12.3	6.3	0	6.3	181	12.8	8.1	0	7.7	176	11.8	4.8	0	5.1
..Lung and other respiratory cancer (160-165)	1,792	61.7	34.9	0	33.3	1,042	73.9	45.9	0	43.0	750	50.3	26.8	0	26.4
....Lung cancer (162.2-.9)	1,739	59.9	33.9	0	32.1	1,003	71.1	44.2	0	41.3	736	49.3	26.4	0	25.6
..Malignant melanoma of skin (172)	88	3.0	2.0	0	2.0	53	3.8	2.7	0	2.5	35	2.3	1.4	0	1.6
..Female breast cancer (174)	544	544	36.5	20.3	0	20.8
..Cervical cancer (180)	37	37	2.5	1.9	0	1.3
..Endometrial cancer (182)	43	43	2.9	1.2	0	1.1
..Ovarian cancer (183)	170	170	11.4	5.9	0	6.3
..Prostate cancer (185)	389	389	27.6	12.8	0	12.2
..Bladder cancer (188)	150	5.2	2.3	0	2.4	97	6.9	3.5	0	4.1	53	3.6	1.6	0	1.2
..Brain & other CNS cancer (191-192)	152	5.2	3.5	0	3.3	79	5.6	4.1	0	3.9	73	4.9	3.0	0	2.8
..Leukemia (204-208)	258	8.9	5.0	0	4.7	129	9.1	6.0	0	5.8	129	8.6	4.2	0	3.9
Diabetes mellitus (250)	556	19.2	9.4	0	8.6	242	17.2	10.6	0	9.6	314	21.0	8.3	0	7.8
..Diabetes-related (250)	2,256	77.7	35.0	0	34.5	1,035	73.4	41.6	0	40.7	1,221	81.8	29.9	0	29.8
..Diabetic ketoacidosis (DKA) (250.1)	11	0.4	.	.	.	4	0.3	.	.	.	7	0.5	.	.	.
Alzheimer's diseases (331.0)	249	8.6	2.5	0	2.4	72	5.1	2.3	0	2.5	177	11.9	2.6	0	2.3
Cardiovascular disease (390-459)	11,507	396.4	150.3	0	153.5	5,208	369.2	197.6	0	206.1	6,299	422.1	112.3	0	111.4
..Diseases of the heart (390-398,402,404-429)	9,121	314.2	121.8	0	125.2	4,298	304.7	165.5	0	172.3	4,823	323.2	86.7	0	87.3
....Heart disease-related (390-398,402,404-429)	15,377	529.7	212.5	0	210.3	7,291	516.9	281.3	0	279.8	8,086	541.9	158.9	0	156.2
....Coronary heart disease (CHD) (402,410-414,429.2)	6,634	228.5	88.7	0	90.9	3,231	229.0	125.7	0	128.1	3,403	228.1	58.9	0	60.8
....Congestive heart failure (CHF) (428.0)	502	17.3	4.7	0	4.5	189	13.4	5.6	0	5.1	313	21.0	4.2	0	4.0
..Hypertension with or without renal disease (401,403)	143	4.9	1.8	0	1.7	53	3.8	2.1	0	2.2	90	6.0	1.5	0	1.3
....Hypertension-related (401,403)	1,600	55.1	21.2	0	21.4	637	45.2	24.6	0	24.1	963	64.5	18.0	0	18.8
..Cerebrovascular disease (430-438)	1,696	58.4	20.0	0	20.0	631	44.7	22.0	0	22.0	1,065	71.4	18.3	0	18.6
..Atherosclerosis (440)	190	6.5	1.6	0	1.6	56	4.0	1.7	0	2.1	134	9.0	1.6	0	1.2
....Atherosclerosis-related (440)	851	29.3	8.6	0	8.9	333	23.6	10.5	0	10.2	518	34.7	7.1	0	7.8
..Aortic aneurysm (441)	176	6.1	2.6	0	2.7	103	7.3	4.0	0	4.4	73	4.9	1.7	0	1.4
Pneumonia & influenza (480-487)	1,106	38.1	11.7	0	12.3	487	34.5	15.5	0	16.0	619	41.5	9.2	0	10.0

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,139	39.2	16.1	0	14.7	537	38.1	18.9	0	18.0	602	40.3	14.7	0	12.7
..COPD-related (490-496)	2,701	93.0	37.7	0	36.3	1,390	98.5	49.0	0	48.5	1,311	87.9	30.7	0	28.5
..Asthma (493)	37	1.3	0.9	0	0.9	12	0.9	.	.	.	25	1.7	1.1	0	1.0
Chronic liver disease and cirrhosis (571)	282	9.7	6.9	0	6.6	180	12.8	9.9	0	10.0	102	6.8	4.1	0	3.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	277	9.5	3.7	0	3.7	145	10.3	5.1	0	5.0	132	8.8	2.8	0	2.8
..Nephritis-related (580-589)	1,343	46.3	19.4	0	20.0	710	50.3	26.7	0	28.5	633	42.4	14.3	0	14.3
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	328	11.3	4.3	0	4.3	173	12.3	5.9	0	5.9	155	10.4	3.3	0	3.3
Unintentional injuries (E800-E949)	892	30.7	23.8	0	22.7	577	40.9	35.3	0	33.6	315	21.1	12.8	0	12.2
..Motor vehicle accidents (E810-E825)	296	10.2	10.3	0	10.9	204	14.5	14.8	0	15.5	92	6.2	6.0	0	6.2
..Falls and fall related injuries (E880-E888)	178	6.1	2.4	0	2.2	81	5.7	3.4	0	3.0	97	6.5	1.6	0	1.6
..Drowning (E830,E832,E910)	30	1.0	1.0	0	0.8	25	1.8	1.6	0	1.3	5	0.3	.	.	.
..Residential fires (E890-E899)	35	1.2	1.1	1	.	20	1.4	1.4	1	.	15	1.0	0.9	.	.
Suicide (E950-E959)	296	10.2	9.2	0	8.7	228	16.2	14.7	0	14.0	68	4.6	4.0	0	3.6
Homicide and legal intervention (E960-E978)	112	3.9	4.6	0	4.3	81	5.7	6.7	0	6.2	31	2.1	2.4	0	2.2
..Homicide (E960-E969)	112	3.9	4.6	0	4.2	81	5.7	6.7	0	6.1	31	2.1	2.4	0	2.2
All injury (E800-E999)	1,315	45.3	38.0	0	36.8	898	63.7	57.4	0	55.9	417	27.9	19.3	0	18.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	286	9.9	10.0	0	10.6	196	13.9	14.2	0	15.0	90	6.0	5.8	0	6.2
..All falls (E880-E886,E888,E957,E968.1,E987)	137	4.7	2.3	0	1.9	75	5.3	3.4	0	2.9	62	4.2	1.4	0	1.1
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	205	7.1	7.4	0	7.6	178	12.6	13.0	0	12.4	27	1.8	2.0	0	3.0
....Suicide (E955.0-.4)	128	4.4	4.2	0	4.4	114	8.1	7.5	0	7.3	14	0.9	.	.	1.6
....Homicide (E965.0-.4)	71	2.4	3.0	0	3.1	59	4.2	5.0	0	4.9	12	0.8	.	.	1.4
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	226	7.8	6.9	0	7.5	169	12.0	10.7	0	11.8	57	3.8	3.2	0	3.2
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	160	5.5	4.5	0	4.2	122	8.6	7.2	0	6.8	38	2.5	1.9	0	1.8
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	188	6.5	5.9	0	6.3	140	9.9	8.9	0	10.1	48	3.2	2.8	0	2.6

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
All causes	26,895	926.5	599.8	0	599.6	13,021	923.1	760.3	0	762.2	13,874	929.8	480.2	0	479.2
Infectious diseases and parasitic disease (1-139)	788	27.1	18.7	0	19.4	476	33.7	26.6	0	25.9	312	20.9	11.6	0	13.4
..Septicemia (038)	349	12.0	7.2	0	8.0	158	11.2	9.0	0	8.9	191	12.8	6.0	0	7.2
....Septicemia-related (038)	1,227	42.3	26.0	0	27.3	533	37.8	30.3	0	31.3	694	46.5	23.1	0	24.5
..HIV infection (042-044)	332	11.4	8.9	0	8.1	261	18.5	14.3	0	13.1	71	4.8	3.7	0	3.2
All cancer (140-208)	6,642	228.8	161.7	0	159.3	3,400	241.0	200.1	0	191.3	3,242	217.3	136.6	0	139.9
..Oral cavity or pharynx (140.0-149.9)	99	3.4	2.6	0	2.7	53	3.8	3.3	0	4.1	46	3.1	1.9	0	1.6
..Colorectal cancer (153.0-154.3,154.8,159.0)	793	27.3	17.9	0	17.9	402	28.5	23.5	0	22.0	391	26.2	13.9	0	15.1
....Colon cancer (153)	635	21.9	14.3	0	13.9	316	22.4	18.5	0	16.9	319	21.4	11.3	0	11.9
....Rectal cancer (154)	147	5.1	3.4	0	3.7	82	5.8	4.8	0	4.8	65	4.4	2.4	0	2.9
..Pancreatic cancer (157)	357	12.3	8.5	0	8.5	181	12.8	10.7	0	10.4	176	11.8	6.7	0	7.1
..Lung and other respiratory cancer (160-165)	1,792	61.7	45.4	0	43.4	1,042	73.9	62.0	0	58.2	750	50.3	33.9	0	33.6
....Lung cancer (162.2-.9)	1,739	59.9	44.1	0	41.9	1,003	71.1	59.7	0	55.9	736	49.3	33.3	0	32.6
..Malignant melanoma of skin (172)	88	3.0	2.4	0	2.4	53	3.8	3.3	0	3.0	35	2.3	1.6	0	1.8
..Female breast cancer (174)	544	544	36.5	24.8	0	25.5
..Cervical cancer (180)	37	37	2.5	2.0	0	1.4
..Endometrial cancer (182)	43	43	2.9	1.7	0	1.4
..Ovarian cancer (183)	170	170	11.4	7.5	0	8.2
..Prostate cancer (185)	389	389	27.6	21.4	0	20.4
..Bladder cancer (188)	150	5.2	3.4	0	3.6	97	6.9	5.5	0	6.4	53	3.6	2.1	0	1.9
..Brain & other CNS cancer (191-192)	152	5.2	4.1	0	3.9	79	5.6	4.8	0	4.7	73	4.9	3.6	0	3.3
..Leukemia (204-208)	258	8.9	6.5	0	6.0	129	9.1	7.8	0	7.6	129	8.6	5.5	0	4.9
Diabetes mellitus (250)	556	19.2	12.8	0	11.9	242	17.2	14.2	0	13.4	314	21.0	11.5	0	10.9
..Diabetes-related (250)	2,256	77.7	50.3	0	50.1	1,035	73.4	59.7	0	58.9	1,221	81.8	43.5	0	43.8
..Diabetic ketoacidosis (DKA) (250.1)	11	0.4	.	.	.	4	0.3	.	.	.	7	0.5	.	.	.
Alzheimer's diseases (331.0)	249	8.6	4.6	0	4.5	72	5.1	4.0	0	4.7	177	11.9	4.8	0	4.3
Cardiovascular disease (390-459)	11,507	396.4	235.2	0	241.2	5,208	369.2	298.8	0	311.7	6,299	422.1	186.9	0	187.8
..Diseases of the heart (390-398,402,404-429)	9,121	314.2	188.4	0	194.5	4,298	304.7	247.7	0	257.0	4,823	323.2	143.7	0	146.7
....Heart disease-related (390-398,402,404-429)	15,377	529.7	322.3	0	321.8	7,291	516.9	418.8	0	418.2	8,086	541.9	252.3	0	251.8
....Coronary heart disease (CHD) (402,410-414,429.2)	6,634	228.5	137.4	0	141.8	3,231	229.0	186.9	0	190.7	3,403	228.1	99.8	0	103.9
....Congestive heart failure (CHF) (428.0)	502	17.3	8.9	0	8.3	189	13.4	10.4	0	9.5	313	21.0	8.1	0	7.6
..Hypertension with or without renal disease (401,403)	143	4.9	2.9	0	2.5	53	3.8	3.0	0	3.3	90	6.0	2.6	0	2.0
....Hypertension-related (401,403)	1,600	55.1	33.1	0	33.1	637	45.2	36.5	0	35.7	963	64.5	29.6	0	30.4
..Cerebrovascular disease (430-438)	1,696	58.4	33.1	0	33.6	631	44.7	35.4	0	36.5	1,065	71.4	31.0	0	31.6
..Atherosclerosis (440)	190	6.5	3.2	0	3.1	56	4.0	3.0	0	3.8	134	9.0	3.2	0	2.6
....Atherosclerosis-related (440)	851	29.3	15.5	0	16.0	333	23.6	18.4	0	17.6	518	34.7	13.5	0	14.6
..Aortic aneurysm (441)	176	6.1	3.9	0	4.0	103	7.3	5.9	0	6.5	73	4.9	2.5	0	2.2
Pneumonia & influenza (480-487)	1,106	38.1	20.5	0	21.6	487	34.5	27.1	0	28.3	619	41.5	16.6	0	17.8

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1994*****					*****1994*****					*****1994*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,139	39.2	24.4	0	22.6	537	38.1	30.1	0	28.5	602	40.3	21.5	0	19.3
..COPD-related (490-496)	2,701	93.0	57.6	0	56.0	1,390	98.5	78.0	0	77.7	1,311	87.9	45.9	0	43.5
..Asthma (493)	37	1.3	0.9	0	1.0	12	0.9	.	.	.	25	1.7	1.1	0	1.2
Chronic liver disease and cirrhosis (571)	282	9.7	7.8	0	7.3	180	12.8	11.1	0	11.3	102	6.8	4.8	0	3.9
Nephritis, nephrotic syndrome/nephrosis (580-589)	277	9.5	5.7	0	5.6	145	10.3	8.2	0	7.9	132	8.8	4.2	0	4.3
..Nephritis-related (580-589)	1,343	46.3	28.8	0	30.0	710	50.3	40.5	0	44.0	633	42.4	21.4	0	21.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	328	11.3	6.7	0	6.6	173	12.3	9.8	0	9.2	155	10.4	5.0	0	5.1
Unintentional injuries (E800-E949)	892	30.7	25.0	0	23.8	577	40.9	36.3	0	34.6	315	21.1	14.7	0	14.0
..Motor vehicle accidents (E810-E825)	296	10.2	10.2	0	10.6	204	14.5	14.5	0	14.9	92	6.2	6.1	0	6.3
..Falls and fall related injuries (E880-E888)	178	6.1	3.6	0	3.4	81	5.7	4.7	0	4.4	97	6.5	2.7	0	2.7
..Drowning (E830,E832,E910)	30	1.0	1.0	0	0.7	25	1.8	1.5	0	1.2	5	0.3	.	.	.
..Residential fires (E890-E899)	35	1.2	1.2	1	.	20	1.4	1.5	1	.	15	1.0	1.0	.	.
Suicide (E950-E959)	296	10.2	8.9	0	8.3	228	16.2	14.5	0	13.4	68	4.6	3.9	0	3.4
Homicide and legal intervention (E960-E978)	112	3.9	4.2	0	4.0	81	5.7	6.1	0	5.9	31	2.1	2.2	0	2.1
..Homicide (E960-E969)	112	3.9	4.2	0	4.0	81	5.7	6.1	0	5.8	31	2.1	2.2	0	2.1
All injury (E800-E999)	1,315	45.3	38.5	0	37.1	898	63.7	57.6	0	55.6	417	27.9	21.0	0	19.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	286	9.9	9.9	0	10.4	196	13.9	14.0	0	14.4	90	6.0	6.0	0	6.3
..All falls (E880-E886,E888,E957,E968.1,E987)	137	4.7	3.0	0	2.6	75	5.3	4.4	0	4.0	62	4.2	2.0	0	1.7
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	205	7.1	7.0	0	7.2	178	12.6	12.5	0	11.8	27	1.8	1.8	0	2.7
....Suicide (E955.0-.4)	128	4.4	4.0	0	4.1	114	8.1	7.5	0	7.1	14	0.9	.	.	1.4
....Homicide (E965.0-.4)	71	2.4	2.8	0	2.9	59	4.2	4.6	0	4.5	12	0.8	.	.	1.3
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	226	7.8	6.0	0	6.6	169	12.0	9.2	0	10.4	57	3.8	2.9	0	3.1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	160	5.5	4.6	0	4.3	122	8.6	7.5	0	7.2	38	2.5	2.0	0	1.8
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	188	6.5	4.9	0	5.4	140	9.9	7.5	0	8.5	48	3.2	2.4	0	2.4

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1993 AAMR
*****Causes of Death*****															
All causes	26,895	926.5	820.0	0	825.0	13,021	923.1	1032.0	0	1039.8	13,874	929.8	673.1	0	676.4
Infectious diseases and parasitic disease (1-139)	788	27.1	24.9	0	25.7	476	33.7	34.9	0	33.5	312	20.9	16.1	0	18.2
..Septicemia (038)	349	12.0	10.6	0	11.7	158	11.2	12.9	0	12.6	191	12.8	9.0	0	10.8
....Septicemia-related (038)	1,227	42.3	37.1	0	39.3	533	37.8	43.0	0	44.8	694	46.5	33.2	0	35.5
..HIV infection (042-044)	332	11.4	11.0	0	9.8	261	18.5	17.6	0	16.0	71	4.8	4.5	0	3.8
All cancer (140-208)	6,642	228.8	202.5	0	201.2	3,400	241.0	256.9	0	248.5	3,242	217.3	169.9	0	174.5
..Oral cavity or pharynx (140.0-149.9)	99	3.4	3.1	0	3.2	53	3.8	3.8	0	4.9	46	3.1	2.3	0	1.9
..Colorectal cancer (153.0-154.3,154.8,159.0)	793	27.3	23.9	0	23.7	402	28.5	31.4	0	29.2	391	26.2	19.0	0	20.1
....Colon cancer (153)	635	21.9	19.1	0	18.5	316	22.4	24.8	0	22.8	319	21.4	15.5	0	15.9
....Rectal cancer (154)	147	5.1	4.4	0	4.7	82	5.8	6.2	0	6.0	65	4.4	3.2	0	3.7
..Pancreatic cancer (157)	357	12.3	10.8	0	10.9	181	12.8	13.4	0	13.1	176	11.8	8.7	0	9.2
..Lung and other respiratory cancer (160-165)	1,792	61.7	54.5	0	52.3	1,042	73.9	76.8	0	73.0	750	50.3	40.2	0	39.4
....Lung cancer (162.2-.9)	1,739	59.9	52.9	0	50.5	1,003	71.1	73.9	0	70.1	736	49.3	39.5	0	38.4
..Malignant melanoma of skin (172)	88	3.0	2.8	0	2.8	53	3.8	3.9	0	3.7	35	2.3	2.0	0	2.2
..Female breast cancer (174)	544	544	36.5	29.9	0	31.2
..Cervical cancer (180)	37	37	2.5	2.3	0	1.7
..Endometrial cancer (182)	43	43	2.9	2.2	0	1.8
..Ovarian cancer (183)	170	170	11.4	9.2	0	10.2
..Prostate cancer (185)	389	389	27.6	31.9	0	30.8
..Bladder cancer (188)	150	5.2	4.5	0	5.0	97	6.9	7.9	0	9.3	53	3.6	2.7	0	2.7
..Brain & other CNS cancer (191-192)	152	5.2	4.8	0	4.5	79	5.6	5.7	0	5.5	73	4.9	4.2	0	3.7
..Leukemia (204-208)	258	8.9	7.9	0	7.6	129	9.1	9.6	0	10.0	129	8.6	6.7	0	6.0
Diabetes mellitus (250)	556	19.2	16.9	0	15.9	242	17.2	18.5	0	17.7	314	21.0	15.6	0	14.5
..Diabetes-related (250)	2,256	77.7	67.7	0	67.7	1,035	73.4	80.0	0	79.3	1,221	81.8	59.2	0	59.9
..Diabetic ketoacidosis (DKA) (250.1)	11	0.4	.	.	.	4	0.3	.	.	.	7	0.5	.	.	.
Alzheimer's diseases (331.0)	249	8.6	7.4	0	7.5	72	5.1	6.3	0	7.6	177	11.9	7.9	0	7.3
Cardiovascular disease (390-459)	11,507	396.4	346.5	0	356.1	5,208	369.2	426.8	0	445.0	6,299	422.1	288.6	0	292.1
..Diseases of the heart (390-398,402,404-429)	9,121	314.2	275.0	0	284.1	4,298	304.7	350.9	0	362.0	4,823	323.2	221.2	0	227.3
....Heart disease-related (390-398,402,404-429)	15,377	529.7	463.8	0	466.1	7,291	516.9	592.0	0	593.3	8,086	541.9	377.0	0	379.1
....Coronary heart disease (CHD) (402,410-414,429.2)	6,634	228.5	200.0	0	206.7	3,231	229.0	262.5	0	266.8	3,403	228.1	155.2	0	162.3
....Congestive heart failure (CHF) (428.0)	502	17.3	15.0	0	13.7	189	13.4	17.1	0	15.7	313	21.0	13.7	0	12.6
..Hypertension with or without renal disease (401,403)	143	4.9	4.3	0	3.7	53	3.8	4.1	0	4.9	90	6.0	4.1	0	3.0
....Hypertension-related (401,403)	1,600	55.1	47.8	0	47.4	637	45.2	50.0	0	49.6	963	64.5	44.4	0	44.6
..Cerebrovascular disease (430-438)	1,696	58.4	50.9	0	52.6	631	44.7	53.2	0	56.3	1,065	71.4	48.6	0	50.0
..Atherosclerosis (440)	190	6.5	5.7	0	5.5	56	4.0	5.1	0	6.2	134	9.0	5.8	0	4.8
....Atherosclerosis-related (440)	851	29.3	25.4	0	26.0	333	23.6	29.1	0	27.6	518	34.7	22.8	0	24.4
..Aortic aneurysm (441)	176	6.1	5.2	0	5.3	103	7.3	8.0	0	8.7	73	4.9	3.5	0	3.1
Pneumonia & influenza (480-487)	1,106	38.1	33.3	0	35.1	487	34.5	43.6	0	46.3	619	41.5	27.7	0	29.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1994*****				*****1994*****				*****1994*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,139	39.2	33.8	0	31.4	537	38.1	43.8	0	40.8	602	40.3	29.1	0	26.5
..COPD-related (490-496)	2,701	93.0	80.1	0	78.7	1,390	98.5	112.8	0	112.8	1,311	87.9	62.9	0	60.6
..Asthma (493)	37	1.3	1.2	0	1.3	12	0.9	.	.	.	25	1.7	1.4	0	1.5
Chronic liver disease and cirrhosis (571)	282	9.7	9.1	0	8.6	180	12.8	12.9	0	13.6	102	6.8	5.8	0	4.7
Nephritis, nephrotic syndrome/nephrosis (580-589)	277	9.5	8.4	0	8.1	145	10.3	12.5	0	11.8	132	8.8	6.3	0	6.2
..Nephritis-related (580-589)	1,343	46.3	40.5	0	42.5	710	50.3	58.5	0	64.3	633	42.4	30.3	0	30.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	328	11.3	9.9	0	9.5	173	12.3	15.0	0	13.5	155	10.4	7.4	0	7.3
Unintentional injuries (E800-E949)	892	30.7	29.1	0	27.7	577	40.9	42.7	0	40.3	315	21.1	17.5	0	16.8
..Motor vehicle accidents (E810-E825)	296	10.2	10.2	0	10.8	204	14.5	14.8	0	15.1	92	6.2	6.0	0	6.6
..Falls and fall related injuries (E880-E888)	178	6.1	5.5	0	5.1	81	5.7	6.9	0	6.7	97	6.5	4.4	0	4.2
..Drowning (E830,E832,E910)	30	1.0	1.0	0	0.8	25	1.8	1.8	0	1.3	5	0.3	.	.	.
..Residential fires (E890-E899)	35	1.2	1.2	1	.	20	1.4	1.5	0	.	15	1.0	1.0	.	.
Suicide (E950-E959)	296	10.2	9.9	0	9.2	228	16.2	16.3	0	15.1	68	4.6	4.3	0	3.8
Homicide and legal intervention (E960-E978)	112	3.9	4.0	0	3.8	81	5.7	5.8	0	5.6	31	2.1	2.1	0	2.1
..Homicide (E960-E969)	112	3.9	4.0	0	3.8	81	5.7	5.8	0	5.4	31	2.1	2.1	0	2.1
All injury (E800-E999)	1,315	45.3	43.5	0	41.9	898	63.7	65.6	0	63.0	417	27.9	24.2	0	23.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	286	9.9	9.9	0	10.5	196	13.9	14.2	0	14.6	90	6.0	5.9	0	6.6
..All falls (E880-E886,E888,E957,E968.1,E987)	137	4.7	4.3	0	3.7	75	5.3	6.1	0	5.8	62	4.2	3.0	0	2.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	205	7.1	7.1	0	7.4	178	12.6	12.9	0	12.3	27	1.8	1.8	0	2.8
....Suicide (E955.0-.4)	128	4.4	4.3	0	4.6	114	8.1	8.3	0	7.9	14	0.9	.	.	1.6
....Homicide (E965.0-.4)	71	2.4	2.6	0	2.7	59	4.2	4.3	0	4.1	12	0.8	.	.	1.2
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	226	7.8	7.4	0	7.6	169	12.0	11.4	0	12.2	57	3.8	3.6	0	3.3
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	160	5.5	5.4	0	5.0	122	8.6	8.7	0	8.2	38	2.5	2.4	0	2.1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	188	6.5	6.1	0	6.4	140	9.9	9.3	0	10.1	48	3.2	3.0	0	2.8

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994 AAMR is significantly different (prob<0.05) from the 1993 AAMR.
 0 - The 1994 AAMR is not significantly different (prob>0.05) from the 1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	26,895	5,667	11,229	103,338	185,633	4046.2	3917.4	0	6339.1	6150.6	0
Infectious diseases and parasitic disease (1-139)	788	417	488	9,806	14,328	341.0	356.8	0	467.4	480.1	0
..Septicemia (038)	349	47	103	663	1,403	23.6	32.9	0	43.7	53.8	0
...Septicemia-related (038)	1,227	194	428	2,911	5,911	109.0	121.8	0	191.2	204.0	0
..HIV infection (042-044)	332	328	330	8,142	11,437	279.2	274.8	0	371.6	358.6	0
All cancer (140-208)	6,642	1,673	3,753	18,801	45,326	675.3	653.8	0	1406.3	1362.0	0
..Oral cavity or pharynx (140.0-149.9)	99	32	62	290	750	10.2	9.0	0	23.3	23.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	793	136	362	1,215	3,625	41.8	45.2	0	106.7	114.5	0
...Colon cancer (153)	635	111	280	958	2,860	32.8	29.1	0	84.3	79.1	0
...Rectal cancer (154)	147	24	80	235	725	8.3	15.7	0	21.3	34.2	0
..Pancreatic cancer (157)	357	73	199	703	1,998	24.3	25.1	0	59.4	60.3	0
..Lung and other respiratory cancer (160-165)	1,792	479	1,131	4,133	12,078	142.3	134.3	0	360.4	341.8	0
...Lung cancer (162.2-.9)	1,739	469	1,099	4,013	11,743	138.2	128.0	0	350.5	327.5	0
..Malignant melanoma of skin (172)	88	42	61	530	1,043	18.1	18.1	0	32.9	32.4	0
..Female breast cancer (174)	544	187	349	2,183	4,853
..Cervical cancer (180)	37	26	31	400	688
..Endometrial cancer (182)	43	5	21	33	153
..Ovarian cancer (183)	170	55	98	593	1,310
..Prostate cancer (185)	389	17	124	113	740
..Bladder cancer (188)	150	18	68	185	600	7.3	6.0	0	18.2	15.5	0
..Brain & other CNS cancer (191-192)	152	67	107	1,088	1,968	41.4	43.2	0	66.8	66.5	0
..Leukemia (204-208)	258	71	151	1,434	2,504	61.5	48.1	0	91.5	77.5	0
Diabetes mellitus (250)	556	123	267	1,623	3,523	57.7	39.6	0	110.2	86.4	0
..Diabetes-related (250)	2,256	337	985	3,493	9,878	122.4	117.4	0	292.7	284.3	0
..Diabetic ketoacidosis (DKA) (250.1)	11	5	7	188	248
Alzheimer's diseases (331.0)	249	11	39	68	318	2.4	0.8	0	9.0	4.8	0
Cardiovascular disease (390-459)	11,507	1,393	3,526	15,385	38,992	547.7	557.5	0	1187.1	1195.6	0
..Diseases of the heart (390-398,402,404-429)	9,121	1,186	2,936	13,003	32,788	465.1	459.9	0	1003.1	998.3	0
...Heart disease-related (390-398,402,404-429)	15,377	2,151	5,243	26,381	61,981	955.7	973.5	0	1922.4	1895.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,634	857	2,148	8,080	22,552	280.8	273.2	0	674.9	663.2	0
....Congestive heart failure (CHF) (428.0)	502	15	71	118	498	4.0	6.5	0	13.4	16.1	0
..Hypertension with or without renal disease (401,403)	143	14	48	110	385	3.7	8.9	0	10.8	16.7	0
...Hypertension-related (401,403)	1,600	158	516	1,370	4,550	48.9	52.7	0	132.9	141.8	0
..Cerebrovascular disease (430-438)	1,696	152	388	1,834	4,424	63.1	69.4	0	132.6	136.3	0
..Atherosclerosis (440)	190	3	21	78	193	2.5	2.7	0	5.1	5.8	0
...Atherosclerosis-related (440)	851	38	145	355	1,208	11.9	9.7	0	33.7	31.5	0
..Aortic aneurysm (441)	176	15	78	163	625	6.3	5.0	0	18.0	16.5	0
Pneumonia & influenza (480-487)	1,106	79	193	1,354	2,624	49.6	52.6	0	83.6	88.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,139	119	415	1,085	3,650	38.3	30.2	0	104.6	87.0	0
..COPD-related (490-496)	2,701	255	990	2,090	7,982	74.0	70.2	0	225.3	208.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	37	21	28	423	655	14.9	13.0	0	21.4	19.0	0
Chronic liver disease and cirrhosis (571)	282	146	233	2,085	3,963	70.1	81.9	0	123.2	133.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	277	38	83	477	1,050	16.7	11.3	0	32.4	26.7	0
..Nephritis-related (580-589)	1,343	204	484	3,133	6,453	115.7	87.3	0	205.4	174.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	328	41	98	510	1,162	17.8	13.8	0	35.5	32.4	0
Unintentional injuries (E800-E949)	892	529	620	16,271	21,968	706.1	681.5	0	882.1	850.4	0
..Motor vehicle accidents (E810-E825)	296	229	259	7,711	10,136	367.7	378.3	0	448.6	463.1	0
..Falls and fall related injuries (E880-E888)	178	34	53	640	1,048	25.0	24.6	0	36.9	35.7	0
..Drowning (E830,E832,E910)	30	24	26	834	1,084	36.4	29.0	0	44.2	35.3	0
..Residential fires (E890-E899)	35	27	29	936	1,216	43.0	.	1	51.9	.	1
Suicide (E950-E959)	296	235	259	6,093	8,578	252.8	230.8	0	329.0	303.0	0
Homicide and legal intervention (E960-E978)	112	106	111	3,791	4,879	181.6	160.6	0	218.7	195.4	0
..Homicide (E960-E969)	112	106	111	3,791	4,879	181.6	159.0	0	218.7	193.3	0
All injury (E800-E999)	1,315	884	1,004	26,509	35,919	1152.7	1108.1	0	1445.8	1393.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	286	221	250	7,394	9,736	353.2	368.2	0	431.6	451.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	137	41	58	803	1,280	30.7	25.7	0	44.6	36.8	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	205	177	189	5,578	7,413	258.2	249.1	0	319.0	312.2	0
....Suicide (E955.0-.4)	128	102	112	2,850	3,925	123.8	114.2	0	157.9	150.9	0
....Homicide (E965.0-.4)	71	69	71	2,498	3,198	123.4	131.3	0	148.0	156.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	226	208	216	5,440	7,555	193.2	232.1	0	252.8	294.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	160	116	147	1,930	3,278	66.1	59.8	0	104.7	95.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	188	178	182	4,895	6,690	173.6	196.3	0	223.9	249.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	13,021	3,599	6,753	66,539	117,344	5194.8	5137.2	0	8161.9	8034.5	0
Infectious diseases and parasitic disease (1-139)	476	315	357	7,154	10,519	492.0	489.7	0	683.8	670.5	0
..Septicemia (038)	158	27	62	308	750	21.4	25.2	0	46.8	48.5	0
...Septicemia-related (038)	533	107	229	1,500	3,140	108.2	132.0	0	202.5	226.8	0
..HIV infection (042-044)	261	258	260	6,142	8,737	418.4	418.6	0	565.3	554.0	0
All cancer (140-208)	3,400	879	2,009	9,527	23,642	696.3	637.1	0	1515.2	1387.4	0
..Oral cavity or pharynx (140.0-149.9)	53	24	38	230	535	16.4	14.2	0	35.1	35.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	402	88	222	755	2,250	53.4	47.4	0	139.7	125.9	0
...Colon cancer (153)	316	69	168	548	1,690	38.8	28.2	0	104.9	83.3	0
...Rectal cancer (154)	82	18	52	185	520	13.2	19.1	0	32.4	42.6	0
..Pancreatic cancer (157)	181	51	119	523	1,343	36.7	27.1	0	84.5	71.7	0
..Lung and other respiratory cancer (160-165)	1,042	275	650	2,108	6,675	149.3	148.7	0	415.5	392.2	0
...Lung cancer (162.2-.9)	1,003	266	625	2,005	6,408	142.1	142.6	0	398.8	375.6	0
..Malignant melanoma of skin (172)	53	27	39	293	623	20.8	18.9	0	40.9	35.1	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	389	17	124	113	740	7.8	15.7	0	40.3	51.1	0
..Bladder cancer (188)	97	9	42	78	330	5.8	12.0	0	19.8	28.5	0
..Brain & other CNS cancer (191-192)	79	39	58	648	1,140	48.9	40.7	0	78.2	69.5	0
..Leukemia (204-208)	129	38	85	807	1,420	68.7	51.6	0	104.3	85.2	0
Diabetes mellitus (250)	242	71	136	948	1,995	70.2	40.9	0	131.9	91.1	0
..Diabetes-related (250)	1,035	199	521	2,073	5,608	149.6	137.2	0	352.4	334.5	0
..Diabetic ketoacidosis (DKA) (250.1)	4	4	4	155	195	.	.	0	.	.	0
Alzheimer's diseases (331.0)	72	5	17	28	138	2.1	0.3	0	8.4	4.2	0
Cardiovascular disease (390-459)	5,208	965	2,262	10,711	26,403	773.9	789.1	0	1681.2	1726.7	0
..Diseases of the heart (390-398,402,404-429)	4,298	845	1,946	9,257	22,819	670.0	676.9	0	1456.5	1489.5	0
...Heart disease-related (390-398,402,404-429)	7,291	1,437	3,299	17,563	40,558	1278.3	1276.3	0	2604.3	2560.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,231	652	1,502	6,352	16,877	450.6	437.1	0	1063.5	1048.5	0
....Congestive heart failure (CHF) (428.0)	189	9	36	73	275	4.8	5.1	0	15.7	15.7	0
..Hypertension with or without renal disease (401,403)	53	10	28	90	270	6.2	15.6	0	16.3	26.4	0
...Hypertension-related (401,403)	637	103	300	868	2,800	61.5	76.7	0	171.6	188.8	0
..Cerebrovascular disease (430-438)	631	86	201	1,089	2,487	77.0	68.9	0	156.9	143.6	0
..Atherosclerosis (440)	56	2	11	50	118	3.3	3.9	0	6.8	9.0	0
...Atherosclerosis-related (440)	333	21	90	188	715	12.8	14.0	0	41.4	42.9	0
..Aortic aneurysm (441)	103	10	53	125	438	10.2	8.6	0	27.3	29.3	0
Pneumonia & influenza (480-487)	487	49	122	822	1,649	60.1	53.8	0	106.6	98.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	537	55	197	458	1,668	33.8	27.3	0	100.8	90.3	0
..COPD-related (490-496)	1,390	134	532	1,085	4,225	79.2	76.1	0	251.9	244.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	12	6	9	165	238
Chronic liver disease and cirrhosis (571)	180	105	158	1,418	2,740	97.4	115.9	0	176.0	194.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	145	23	47	285	625	20.8	16.7	0	40.6	36.4	0
..Nephritis-related (580-589)	710	135	289	2,075	4,155	153.9	119.3	0	273.5	233.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	173	24	55	297	680	21.7	19.1	0	43.8	42.8	0
Unintentional injuries (E800-E949)	577	407	458	12,476	16,778	1052.0	1014.2	0	1317.4	1269.0	0
..Motor vehicle accidents (E810-E825)	204	167	185	5,647	7,402	522.9	550.2	0	639.2	672.3	0
..Falls and fall related injuries (E880-E888)	81	27	37	543	853	43.3	32.1	0	62.2	48.1	0
..Drowning (E830,E832,E910)	25	20	21	664	872	53.4	48.4	0	65.9	59.0	0
..Residential fires (E890-E899)	20	17	18	577	749	50.8	.	1	61.7	.	1
Suicide (E950-E959)	228	182	198	4,940	6,845	412.3	371.1	0	531.1	486.4	0
Homicide and legal intervention (E960-E978)	81	79	81	2,723	3,528	259.9	240.9	0	315.2	292.5	0
..Homicide (E960-E969)	81	79	81	2,723	3,528	259.9	237.7	0	315.2	288.3	0
All injury (E800-E999)	898	679	748	20,426	27,548	1744.1	1689.7	0	2189.9	2128.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	196	161	178	5,397	7,089	500.2	530.3	0	612.6	648.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	75	31	41	643	998	50.6	35.2	0	72.1	52.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	178	153	163	4,808	6,393	441.2	396.4	0	546.4	497.8	0
....Suicide (E955.0-.4)	114	89	99	2,503	3,448	217.3	185.4	0	277.7	245.6	0
....Homicide (E965.0-.4)	59	59	59	2,108	2,698	204.4	203.6	0	245.7	243.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	169	160	164	4,295	5,910	307.3	364.5	0	399.1	463.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	122	91	112	1,518	2,560	106.4	86.8	0	168.5	144.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	140	136	138	3,745	5,110	266.2	315.4	0	343.1	400.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	13,874	2,068	4,476	36,799	68,289	2894.8	2692.2	0	4560.8	4309.1	0
Infectious diseases and parasitic disease (1-139)	312	102	131	2,652	3,810	192.2	226.7	0	255.5	294.7	0
..Septicemia (038)	191	20	41	355	653	26.3	41.1	0	41.7	60.2	0
...Septicemia-related (038)	694	87	199	1,412	2,772	110.9	112.7	0	182.4	183.6	0
..HIV infection (042-044)	71	70	70	2,000	2,700	141.7	132.3	0	180.8	165.8	0
All cancer (140-208)	3,242	794	1,744	9,274	21,684	654.6	670.3	0	1309.9	1345.5	0
..Oral cavity or pharynx (140.0-149.9)	46	8	24	60	215	4.2	4.0	0	12.1	11.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	391	48	140	460	1,375	30.6	43.2	0	76.4	104.6	0
...Colon cancer (153)	319	42	112	410	1,170	27.1	29.9	0	65.4	75.8	0
...Rectal cancer (154)	65	6	28	50	205	3.5	12.4	0	10.9	26.5	0
..Pancreatic cancer (157)	176	22	80	180	655	12.3	23.5	0	35.6	50.3	0
..Lung and other respiratory cancer (160-165)	750	204	481	2,025	5,403	136.0	120.5	0	311.8	297.3	0
...Lung cancer (162.2-.9)	736	203	474	2,008	5,335	134.8	114.0	0	308.3	284.8	0
..Malignant melanoma of skin (172)	35	15	22	238	420	15.5	17.5	0	25.5	30.0	0
..Female breast cancer (174)	544	187	349	2,183	4,853	145.5	163.5	0	289.4	310.7	0
..Cervical cancer (180)	37	26	31	400	688	26.2	20.7	0	42.6	31.5	0
..Endometrial cancer (182)	43	5	21	33	153	2.3	4.7	0	8.0	11.5	0
..Ovarian cancer (183)	170	55	98	593	1,310	41.8	37.2	0	81.4	79.8	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	53	9	26	108	270	9.0	0.3	0	17.4	3.5	0
..Brain & other CNS cancer (191-192)	73	28	49	440	828	34.0	46.5	0	55.7	64.8	0
..Leukemia (204-208)	129	33	66	627	1,084	54.3	45.1	0	79.3	70.8	0
Diabetes mellitus (250)	314	52	131	675	1,528	45.2	38.3	0	89.1	82.3	0
..Diabetes-related (250)	1,221	138	464	1,420	4,270	96.0	98.9	0	236.8	238.3	0
..Diabetic ketoacidosis (DKA) (250.1)	7	1	3	33	53	.	.	0	.	.	0
Alzheimer's diseases (331.0)	177	6	22	40	180	2.7	1.2	0	9.6	5.5	0
Cardiovascular disease (390-459)	6,299	428	1,264	4,674	12,589	327.5	334.4	0	724.0	702.1	0
..Diseases of the heart (390-398,402,404-429)	4,823	341	990	3,747	9,969	266.1	250.7	0	579.0	541.0	0
...Heart disease-related (390-398,402,404-429)	8,086	714	1,944	8,818	21,423	640.8	681.9	0	1281.8	1275.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,403	205	646	1,728	5,675	117.1	115.7	0	312.9	305.5	0
....Congestive heart failure (CHF) (428.0)	313	6	35	45	223	3.1	8.0	0	11.3	16.8	0
..Hypertension with or without renal disease (401,403)	90	4	20	20	115	1.4	2.4	0	5.7	7.3	0
...Hypertension-related (401,403)	963	55	216	503	1,750	37.2	29.5	0	97.9	97.7	0
..Cerebrovascular disease (430-438)	1,065	66	187	745	1,938	49.2	70.1	0	109.1	130.4	0
..Atherosclerosis (440)	134	1	10	28	75	1.7	1.7	0	3.6	2.9	0
...Atherosclerosis-related (440)	518	17	55	168	493	11.1	5.6	0	27.0	21.0	0
..Aortic aneurysm (441)	73	5	25	38	188	2.4	1.6	0	9.4	5.1	0
Pneumonia & influenza (480-487)	619	30	71	532	975	39.3	52.2	0	62.1	80.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	602	64	218	627	1,982	42.8	33.2	0	108.7	85.1	0
..COPD-related (490-496)	1,311	121	458	1,005	3,757	68.9	64.5	0	202.1	178.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	25	15	19	258	418	16.3	17.3	0	24.9	23.5	0
Chronic liver disease and cirrhosis (571)	102	41	75	668	1,223	44.0	49.1	0	73.3	76.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	132	15	36	193	425	12.5	6.0	0	24.4	17.6	0
..Nephritis-related (580-589)	633	69	195	1,059	2,299	77.7	55.8	0	139.9	118.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	155	17	43	213	483	13.8	8.6	0	27.5	22.8	0
Unintentional injuries (E800-E949)	315	122	162	3,795	5,190	354.5	342.6	0	441.3	426.0	0
..Motor vehicle accidents (E810-E825)	92	62	74	2,064	2,734	208.1	201.0	0	253.4	247.8	0
..Falls and fall related injuries (E880-E888)	97	7	16	98	195	6.5	17.4	0	11.6	23.8	0
..Drowning (E830,E832,E910)	5	4	5	170	213
..Residential fires (E890-E899)	15	10	11	359	467	35.1	.	.	42.2	.	.
Suicide (E950-E959)	68	53	61	1,153	1,733	89.8	89.0	0	123.7	118.7	0
Homicide and legal intervention (E960-E978)	31	27	30	1,069	1,351	100.7	77.1	0	119.2	94.8	0
..Homicide (E960-E969)	31	27	30	1,069	1,351	100.7	77.1	0	119.2	94.8	0
All injury (E800-E999)	417	205	256	6,084	8,371	549.4	515.2	0	690.3	648.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	90	60	72	1,997	2,647	202.1	201.0	0	246.3	247.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	62	10	17	160	283	10.4	16.5	0	17.0	21.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	24	26	770	1,020	69.7	97.6	0	85.8	122.5	0
....Suicide (E955.0-.4)	14	13	13	348	478	.	41.7	.	.	55.4	.
....Homicide (E965.0-.4)	12	10	12	390	500	.	55.9	.	.	67.0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	57	48	52	1,145	1,645	79.3	99.8	0	107.1	125.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	38	25	35	413	718	26.4	34.0	0	42.8	49.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	48	42	44	1,150	1,580	81.4	77.4	0	105.3	98.3	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	26,895	5,667	11,229	103,338	185,633	3966.9	3829.6	0	6403.2	6203.6	0
Infectious diseases and parasitic disease (1-139)	788	417	488	9,806	14,328	296.3	312.2	0	409.0	422.3	0
..Septicemia (038)	349	47	103	663	1,403	24.3	31.6	0	46.4	54.2	0
...Septicemia-related (038)	1,227	194	428	2,911	5,911	106.7	117.0	0	196.1	205.4	0
..HIV infection (042-044)	332	328	330	8,142	11,437	235.1	231.7	0	312.2	300.7	0
All cancer (140-208)	6,642	1,673	3,753	18,801	45,326	674.5	651.9	0	1490.3	1442.9	0
..Oral cavity or pharynx (140.0-149.9)	99	32	62	290	750	10.7	9.2	0	25.4	25.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	793	136	362	1,215	3,625	42.6	46.2	0	117.0	125.4	0
...Colon cancer (153)	635	111	280	958	2,860	33.3	30.1	0	92.3	87.9	0
...Rectal cancer (154)	147	24	80	235	725	8.6	15.6	0	23.5	36.2	0
..Pancreatic cancer (157)	357	73	199	703	1,998	24.9	26.4	0	64.8	66.6	0
..Lung and other respiratory cancer (160-165)	1,792	479	1,131	4,133	12,078	146.4	137.9	0	395.3	375.0	0
...Lung cancer (162.2-.9)	1,739	469	1,099	4,013	11,743	142.3	132.1	0	384.7	360.2	0
..Malignant melanoma of skin (172)	88	42	61	530	1,043	17.0	17.2	0	32.6	32.1	0
..Female breast cancer (174)	544	187	349	2,183	4,853
..Cervical cancer (180)	37	26	31	400	688
..Endometrial cancer (182)	43	5	21	33	153
..Ovarian cancer (183)	170	55	98	593	1,310
..Prostate cancer (185)	389	17	124	113	740
..Bladder cancer (188)	150	18	68	185	600	7.5	6.1	0	20.2	17.1	0
..Brain & other CNS cancer (191-192)	152	67	107	1,088	1,968	41.0	43.6	0	67.6	68.2	0
..Leukemia (204-208)	258	71	151	1,434	2,504	62.2	47.6	0	94.6	78.9	0
Diabetes mellitus (250)	556	123	267	1,623	3,523	55.4	38.7	0	112.7	91.0	0
..Diabetes-related (250)	2,256	337	985	3,493	9,878	122.1	116.9	0	316.4	307.5	0
..Diabetic ketoacidosis (DKA) (250.1)	11	5	7	188	248
Alzheimer's diseases (331.0)	249	11	39	68	318	2.7	0.9	0	10.5	5.9	0
Cardiovascular disease (390-459)	11,507	1,393	3,526	15,385	38,992	544.3	557.8	0	1264.9	1276.9	0
..Diseases of the heart (390-398,402,404-429)	9,121	1,186	2,936	13,003	32,788	463.1	463.6	0	1069.0	1071.4	0
...Heart disease-related (390-398,402,404-429)	15,377	2,151	5,243	26,381	61,981	944.2	962.7	0	2023.0	1989.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,634	857	2,148	8,080	22,552	284.5	277.9	0	732.5	722.7	0
....Congestive heart failure (CHF) (428.0)	502	15	71	118	498	4.1	6.7	0	15.4	18.0	0
..Hypertension with or without renal disease (401,403)	143	14	48	110	385	3.7	8.7	0	11.9	17.0	0
...Hypertension-related (401,403)	1,600	158	516	1,370	4,550	50.1	54.3	0	147.7	157.5	0
..Cerebrovascular disease (430-438)	1,696	152	388	1,834	4,424	62.0	67.3	0	139.7	141.7	0
..Atherosclerosis (440)	190	3	21	78	193	2.0	2.6	0	5.0	6.1	0
...Atherosclerosis-related (440)	851	38	145	355	1,208	11.8	10.1	0	37.2	36.0	0
..Aortic aneurysm (441)	176	15	78	163	625	6.3	5.0	0	20.0	18.7	0
Pneumonia & influenza (480-487)	1,106	79	193	1,354	2,624	48.2	51.7	0	84.9	90.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,139	119	415	1,085	3,650	38.4	30.7	0	116.0	97.9	0
..COPD-related (490-496)	2,701	255	990	2,090	7,982	76.6	72.0	0	255.6	235.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	37	21	28	423	655	13.3	12.0	0	19.4	17.9	0
Chronic liver disease and cirrhosis (571)	282	146	233	2,085	3,963	67.0	75.7	0	122.2	128.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	277	38	83	477	1,050	16.2	10.7	0	33.5	28.2	0
..Nephritis-related (580-589)	1,343	204	484	3,133	6,453	115.0	84.1	0	213.7	180.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	328	41	98	510	1,162	17.3	13.1	0	37.0	34.2	0
Unintentional injuries (E800-E949)	892	529	620	16,271	21,968	667.6	642.8	0	823.9	792.7	0
..Motor vehicle accidents (E810-E825)	296	229	259	7,711	10,136	356.0	359.3	0	428.5	434.0	0
..Falls and fall related injuries (E880-E888)	178	34	53	640	1,048	23.2	24.5	0	35.1	35.8	0
..Drowning (E830,E832,E910)	30	24	26	834	1,084	34.7	29.0	0	41.4	34.4	0
..Residential fires (E890-E899)	35	27	29	936	1,216	44.5	.	1	52.9	.	1
Suicide (E950-E959)	296	235	259	6,093	8,578	229.5	207.3	0	298.1	271.7	0
Homicide and legal intervention (E960-E978)	112	106	111	3,791	4,879	173.0	154.7	0	204.9	185.4	0
..Homicide (E960-E969)	112	106	111	3,791	4,879	173.0	153.4	0	204.9	183.7	0
All injury (E800-E999)	1,315	884	1,004	26,509	35,919	1080.1	1035.9	0	1340.1	1288.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	286	221	250	7,394	9,736	341.5	350.3	0	411.7	423.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	137	41	58	803	1,280	27.9	25.3	0	41.5	36.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	205	177	189	5,578	7,413	242.9	233.2	0	296.2	288.8	0
....Suicide (E955.0-.4)	128	102	112	2,850	3,925	114.4	102.7	0	144.8	135.7	0
....Homicide (E965.0-.4)	71	69	71	2,498	3,198	118.3	127.1	0	139.6	149.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	226	208	216	5,440	7,555	162.5	203.0	0	211.7	254.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	160	116	147	1,930	3,278	61.4	55.3	0	99.7	90.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	188	178	182	4,895	6,690	144.6	167.1	0	184.8	210.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	13,021	3,599	6,753	66,539	117,344	5045.8	4973.4	0	8189.1	8038.2	0
Infectious diseases and parasitic disease (1-139)	476	315	357	7,154	10,519	426.5	420.4	0	598.2	581.4	0
..Septicemia (038)	158	27	62	308	750	21.4	24.8	0	49.8	50.8	0
...Septicemia-related (038)	533	107	229	1,500	3,140	103.9	126.0	0	207.0	227.6	0
..HIV infection (042-044)	261	258	260	6,142	8,737	356.4	354.2	0	481.5	467.4	0
All cancer (140-208)	3,400	879	2,009	9,527	23,642	699.1	635.9	0	1623.3	1483.2	0
..Oral cavity or pharynx (140.0-149.9)	53	24	38	230	535	17.1	14.5	0	37.6	39.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	402	88	222	755	2,250	55.1	48.9	0	154.3	139.4	0
...Colon cancer (153)	316	69	168	548	1,690	40.0	29.8	0	116.5	94.0	0
...Rectal cancer (154)	82	18	52	185	520	13.7	19.1	0	35.5	45.2	0
..Pancreatic cancer (157)	181	51	119	523	1,343	37.3	28.1	0	91.2	79.2	0
..Lung and other respiratory cancer (160-165)	1,042	275	650	2,108	6,675	156.5	152.4	0	464.3	432.5	0
...Lung cancer (162.2-.9)	1,003	266	625	2,005	6,408	149.3	146.4	0	446.4	414.4	0
..Malignant melanoma of skin (172)	53	27	39	293	623	20.1	18.2	0	41.9	35.5	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	389	17	124	113	740	7.8	16.9	0	47.8	58.9	0
..Bladder cancer (188)	97	9	42	78	330	6.2	12.1	0	22.7	30.9	0
..Brain & other CNS cancer (191-192)	79	39	58	648	1,140	47.3	41.8	0	77.8	72.8	0
..Leukemia (204-208)	129	38	85	807	1,420	68.3	47.9	0	106.8	83.2	0
Diabetes mellitus (250)	242	71	136	948	1,995	68.1	40.7	0	135.3	97.1	0
..Diabetes-related (250)	1,035	199	521	2,073	5,608	150.4	138.5	0	381.6	363.7	0
..Diabetic ketoacidosis (DKA) (250.1)	4	4	4	155	195	.	.	0	.	.	0
Alzheimer's diseases (331.0)	72	5	17	28	138	2.4	0.4	0	10.0	5.2	0
Cardiovascular disease (390-459)	5,208	965	2,262	10,711	26,403	776.1	788.7	0	1798.0	1844.5	0
..Diseases of the heart (390-398,402,404-429)	4,298	845	1,946	9,257	22,819	673.7	679.8	0	1559.1	1595.0	0
...Heart disease-related (390-398,402,404-429)	7,291	1,437	3,299	17,563	40,558	1265.4	1251.7	0	2746.7	2682.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,231	652	1,502	6,352	16,877	456.4	443.8	0	1150.3	1138.4	0
....Congestive heart failure (CHF) (428.0)	189	9	36	73	275	4.9	5.4	0	17.8	18.1	0
..Hypertension with or without renal disease (401,403)	53	10	28	90	270	5.9	15.0	0	17.5	26.0	0
...Hypertension-related (401,403)	637	103	300	868	2,800	63.8	78.0	0	191.7	205.9	0
..Cerebrovascular disease (430-438)	631	86	201	1,089	2,487	76.2	67.2	0	165.4	151.4	0
..Atherosclerosis (440)	56	2	11	50	118	2.8	4.0	0	6.6	9.9	0
...Atherosclerosis-related (440)	333	21	90	188	715	12.6	14.7	0	46.6	48.8	0
..Aortic aneurysm (441)	103	10	53	125	438	10.0	8.6	0	30.1	33.1	0
Pneumonia & influenza (480-487)	487	49	122	822	1,649	58.6	50.5	0	109.4	98.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	537	55	197	458	1,668	34.3	27.9	0	113.6	103.4	0
..COPD-related (490-496)	1,390	134	532	1,085	4,225	82.4	78.9	0	288.1	279.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	12	6	9	165	238
Chronic liver disease and cirrhosis (571)	180	105	158	1,418	2,740	95.1	107.8	0	177.5	188.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	145	23	47	285	625	20.6	15.2	0	42.8	37.2	0
..Nephritis-related (580-589)	710	135	289	2,075	4,155	153.2	113.4	0	284.4	239.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	173	24	55	297	680	21.6	17.8	0	46.4	44.3	0
Unintentional injuries (E800-E949)	577	407	458	12,476	16,778	981.4	946.5	0	1214.3	1170.3	0
..Motor vehicle accidents (E810-E825)	204	167	185	5,647	7,402	501.2	521.5	0	604.3	628.3	0
..Falls and fall related injuries (E880-E888)	81	27	37	543	853	40.0	31.5	0	58.6	47.7	0
..Drowning (E830,E832,E910)	25	20	21	664	872	48.7	48.6	0	59.1	57.8	0
..Residential fires (E890-E899)	20	17	18	577	749	53.5	.	1	63.7	.	1
Suicide (E950-E959)	228	182	198	4,940	6,845	374.2	333.6	0	480.1	436.4	0
Homicide and legal intervention (E960-E978)	81	79	81	2,723	3,528	245.3	233.6	0	293.1	279.3	0
..Homicide (E960-E969)	81	79	81	2,723	3,528	245.3	231.0	0	293.1	275.7	0
All injury (E800-E999)	898	679	748	20,426	27,548	1617.6	1570.2	0	2009.1	1956.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	196	161	178	5,397	7,089	479.0	503.7	0	578.7	607.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	75	31	41	643	998	45.8	34.0	0	66.7	51.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	178	153	163	4,808	6,393	414.5	373.3	0	507.3	463.6	0
....Suicide (E955.0-.4)	114	89	99	2,503	3,448	201.5	168.8	0	255.9	223.5	0
....Homicide (E965.0-.4)	59	59	59	2,108	2,698	194.7	197.9	0	230.2	232.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	169	160	164	4,295	5,910	257.9	312.7	0	332.7	393.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	122	91	112	1,518	2,560	98.9	81.6	0	160.6	139.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	140	136	138	3,745	5,110	221.8	265.6	0	283.2	334.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	13,874	2,068	4,476	36,799	68,289	2885.6	2680.3	0	4673.2	4422.7	0
Infectious diseases and parasitic disease (1-139)	312	102	131	2,652	3,810	168.4	207.0	0	224.4	268.6	0
..Septicemia (038)	191	20	41	355	653	27.7	38.9	0	44.3	58.8	0
...Septicemia-related (038)	694	87	199	1,412	2,772	110.7	109.2	0	188.1	185.7	0
..HIV infection (042-044)	71	70	70	2,000	2,700	115.5	110.6	0	145.8	136.5	0
All cancer (140-208)	3,242	794	1,744	9,274	21,684	650.5	667.8	0	1373.1	1414.2	0
..Oral cavity or pharynx (140.0-149.9)	46	8	24	60	215	4.5	4.2	0	13.7	12.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	391	48	140	460	1,375	30.6	43.7	0	82.9	113.2	0
...Colon cancer (153)	319	42	112	410	1,170	26.9	30.5	0	70.4	82.9	0
...Rectal cancer (154)	65	6	28	50	205	3.8	12.2	0	12.4	27.9	0
..Pancreatic cancer (157)	176	22	80	180	655	13.0	25.0	0	40.1	55.6	0
..Lung and other respiratory cancer (160-165)	750	204	481	2,025	5,403	137.1	124.0	0	334.4	324.7	0
...Lung cancer (162.2-.9)	736	203	474	2,008	5,335	136.0	118.3	0	330.7	312.6	0
..Malignant melanoma of skin (172)	35	15	22	238	420	14.1	16.3	0	24.1	29.2	0
..Female breast cancer (174)	544	187	349	2,183	4,853	141.9	159.0	0	297.8	316.9	0
..Cervical cancer (180)	37	26	31	400	688	24.6	18.8	0	40.9	29.0	0
..Endometrial cancer (182)	43	5	21	33	153	2.4	5.0	0	9.2	12.7	0
..Ovarian cancer (183)	170	55	98	593	1,310	42.2	37.7	0	85.2	84.8	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	53	9	26	108	270	9.0	0.4	0	18.4	4.4	0
..Brain & other CNS cancer (191-192)	73	28	49	440	828	34.8	46.3	0	57.8	65.0	0
..Leukemia (204-208)	129	33	66	627	1,084	56.1	47.9	0	83.2	75.7	0
Diabetes mellitus (250)	314	52	131	675	1,528	42.8	36.8	0	90.8	85.6	0
..Diabetes-related (250)	1,221	138	464	1,420	4,270	94.5	96.6	0	255.6	256.2	0
..Diabetic ketoacidosis (DKA) (250.1)	7	1	3	33	53	.	.	0	.	.	0
Alzheimer's diseases (331.0)	177	6	22	40	180	2.9	1.4	0	11.1	6.6	0
Cardiovascular disease (390-459)	6,299	428	1,264	4,674	12,589	318.8	336.1	0	768.6	753.8	0
..Diseases of the heart (390-398,402,404-429)	4,823	341	990	3,747	9,969	258.8	256.0	0	613.4	587.8	0
...Heart disease-related (390-398,402,404-429)	8,086	714	1,944	8,818	21,423	631.0	685.7	0	1348.7	1351.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,403	205	646	1,728	5,675	119.2	119.0	0	346.1	339.7	0
....Congestive heart failure (CHF) (428.0)	313	6	35	45	223	3.4	8.2	0	13.2	18.2	0
..Hypertension with or without renal disease (401,403)	90	4	20	20	115	1.5	2.6	0	6.8	8.3	0
...Hypertension-related (401,403)	963	55	216	503	1,750	37.4	31.5	0	108.2	112.2	0
..Cerebrovascular disease (430-438)	1,065	66	187	745	1,938	47.7	67.4	0	114.9	133.8	0
..Atherosclerosis (440)	134	1	10	28	75	1.3	1.3	0	3.5	2.6	0
...Atherosclerosis-related (440)	518	17	55	168	493	11.0	5.6	0	29.3	24.2	0
..Aortic aneurysm (441)	73	5	25	38	188	2.5	1.5	0	10.8	5.8	0
Pneumonia & influenza (480-487)	619	30	71	532	975	38.0	53.7	0	62.1	84.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	602	64	218	627	1,982	42.4	33.6	0	118.9	94.3	0
..COPD-related (490-496)	1,311	121	458	1,005	3,757	70.8	65.4	0	227.4	198.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	25	15	19	258	418	13.9	16.1	0	22.2	22.1	0
Chronic liver disease and cirrhosis (571)	102	41	75	668	1,223	40.1	44.8	0	70.0	71.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	132	15	36	193	425	11.7	6.3	0	24.6	19.9	0
..Nephritis-related (580-589)	633	69	195	1,059	2,299	76.9	55.1	0	146.1	126.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	155	17	43	213	483	13.0	8.6	0	28.0	24.9	0
Unintentional injuries (E800-E949)	315	122	162	3,795	5,190	347.8	332.7	0	428.3	409.2	0
..Motor vehicle accidents (E810-E825)	92	62	74	2,064	2,734	206.5	191.6	0	248.3	233.6	0
..Falls and fall related injuries (E880-E888)	97	7	16	98	195	6.2	17.8	0	11.6	24.4	0
..Drowning (E830,E832,E910)	5	4	5	170	213
..Residential fires (E890-E899)	15	10	11	359	467	35.4	.	.	42.1	.	.
Suicide (E950-E959)	68	53	61	1,153	1,733	81.4	79.6	0	113.0	106.5	0
Homicide and legal intervention (E960-E978)	31	27	30	1,069	1,351	98.1	72.5	0	113.9	88.0	0
..Homicide (E960-E969)	31	27	30	1,069	1,351	98.1	72.5	0	113.9	88.0	0
All injury (E800-E999)	417	205	256	6,084	8,371	530.8	490.2	0	660.2	611.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	90	60	72	1,997	2,647	200.0	191.6	0	240.6	233.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	62	10	17	160	283	9.8	16.8	0	16.4	22.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	24	26	770	1,020	65.7	88.8	0	79.6	110.1	0
....Suicide (E955.0-.4)	14	13	13	348	478	.	35.5	.	.	47.3	.
....Homicide (E965.0-.4)	12	10	12	390	500	.	53.4	.	.	62.8	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	57	48	52	1,145	1,645	67.2	93.3	0	91.2	116.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	38	25	35	413	718	24.6	30.1	0	40.9	44.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	48	42	44	1,150	1,580	67.7	68.8	0	87.0	86.8	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	26,895	5,667	11,229	103,338	185,633	4155.0	4020.7	0	6732.6	6529.9	0
Infectious diseases and parasitic disease (1-139)	788	417	488	9,806	14,328	367.1	373.3	0	500.6	501.6	0
..Septicemia (038)	349	47	103	663	1,403	27.2	35.0	0	51.0	59.6	0
...Septicemia-related (038)	1,227	194	428	2,911	5,911	116.9	131.4	0	212.2	227.1	0
..HIV infection (042-044)	332	328	330	8,142	11,437	300.2	288.0	0	395.0	372.0	0
All cancer (140-208)	6,642	1,673	3,753	18,801	45,326	769.5	742.9	0	1633.1	1577.3	0
..Oral cavity or pharynx (140.0-149.9)	99	32	62	290	750	12.3	10.9	0	27.8	27.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	793	136	362	1,215	3,625	50.1	53.7	0	128.5	136.2	0
...Colon cancer (153)	635	111	280	958	2,860	39.1	34.3	0	101.0	94.1	0
...Rectal cancer (154)	147	24	80	235	725	10.0	18.8	0	26.0	40.6	0
..Pancreatic cancer (157)	357	73	199	703	1,998	29.2	29.4	0	71.7	71.6	0
..Lung and other respiratory cancer (160-165)	1,792	479	1,131	4,133	12,078	171.0	161.1	0	431.7	409.2	0
...Lung cancer (162.2-.9)	1,739	469	1,099	4,013	11,743	166.0	154.0	0	419.8	392.7	0
..Malignant melanoma of skin (172)	88	42	61	530	1,043	21.0	21.4	0	37.9	37.8	0
..Female breast cancer (174)	544	187	349	2,183	4,853
..Cervical cancer (180)	37	26	31	400	688
..Endometrial cancer (182)	43	5	21	33	153
..Ovarian cancer (183)	170	55	98	593	1,310
..Prostate cancer (185)	389	17	124	113	740
..Bladder cancer (188)	150	18	68	185	600	7.9	7.4	0	21.2	19.2	0
..Brain & other CNS cancer (191-192)	152	67	107	1,088	1,968	44.9	44.7	0	73.6	70.6	0
..Leukemia (204-208)	258	71	151	1,434	2,504	58.7	51.2	0	91.4	84.4	0
Diabetes mellitus (250)	556	123	267	1,623	3,523	64.7	46.5	0	126.2	101.8	0
..Diabetes-related (250)	2,256	337	985	3,493	9,878	141.9	135.5	0	347.7	335.5	0
..Diabetic ketoacidosis (DKA) (250.1)	11	5	7	188	248
Alzheimer's diseases (331.0)	249	11	39	68	318	2.8	0.9	0	10.9	6.0	0
Cardiovascular disease (390-459)	11,507	1,393	3,526	15,385	38,992	624.5	636.7	0	1387.8	1398.8	0
..Diseases of the heart (390-398,402,404-429)	9,121	1,186	2,936	13,003	32,788	528.9	526.5	0	1169.9	1169.1	0
...Heart disease-related (390-398,402,404-429)	15,377	2,151	5,243	26,381	61,981	1068.2	1075.0	0	2213.6	2164.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,634	857	2,148	8,080	22,552	332.6	323.9	0	805.8	792.8	0
....Congestive heart failure (CHF) (428.0)	502	15	71	118	498	4.8	6.9	0	16.8	18.7	0
..Hypertension with or without renal disease (401,403)	1,43	14	48	110	385	4.3	10.8	0	12.9	20.1	0
...Hypertension-related (401,403)	1,600	158	516	1,370	4,550	56.6	63.4	0	159.2	172.1	0
..Cerebrovascular disease (430-438)	1,696	152	388	1,834	4,424	73.5	76.9	0	156.8	156.3	0
..Atherosclerosis (440)	190	3	21	78	193	2.8	3.3	0	6.1	7.2	0
...Atherosclerosis-related (440)	851	38	145	355	1,208	14.1	11.6	0	41.0	39.4	0
..Aortic aneurysm (441)	176	15	78	163	625	6.7	6.1	0	21.1	20.7	0
Pneumonia & influenza (480-487)	1,106	79	193	1,354	2,624	54.4	55.7	0	94.4	97.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,139	119	415	1,085	3,650	43.5	32.3	0	124.5	101.9	0
..COPD-related (490-496)	2,701	255	990	2,090	7,982	84.8	77.9	0	271.6	248.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	37	21	28	423	655	16.5	12.9	0	23.6	19.2	0
Chronic liver disease and cirrhosis (571)	282	146	233	2,085	3,963	85.0	93.8	0	147.0	152.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	277	38	83	477	1,050	18.7	13.2	0	37.1	31.6	0
..Nephritis-related (580-589)	1,343	204	484	3,133	6,453	124.2	98.2	0	229.0	201.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	328	41	98	510	1,162	20.1	16.2	0	41.0	38.6	0
Unintentional injuries (E800-E949)	892	529	620	16,271	21,968	659.2	632.9	0	821.6	787.5	0
..Motor vehicle accidents (E810-E825)	296	229	259	7,711	10,136	324.6	337.2	0	393.7	410.2	0
..Falls and fall related injuries (E880-E888)	178	34	53	640	1,048	25.8	25.3	0	38.7	37.3	0
..Drowning (E830,E832,E910)	30	24	26	834	1,084	33.6	28.6	0	40.4	34.5	0
..Residential fires (E890-E899)	35	27	29	936	1,216	39.5	.	1	47.5	.	1
Suicide (E950-E959)	296	235	259	6,093	8,578	240.8	225.2	0	314.0	296.0	0
Homicide and legal intervention (E960-E978)	112	106	111	3,791	4,879	159.1	142.1	0	189.4	171.6	0
..Homicide (E960-E969)	112	106	111	3,791	4,879	159.1	140.2	0	189.4	169.0	0
All injury (E800-E999)	1,315	884	1,004	26,509	35,919	1072.3	1035.1	0	1342.2	1299.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	286	221	250	7,394	9,736	311.8	328.5	0	378.8	399.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	137	41	58	803	1,280	31.7	26.3	0	46.6	38.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	205	177	189	5,578	7,413	231.4	229.3	0	284.5	286.6	0
....Suicide (E955.0-.4)	128	102	112	2,850	3,925	115.0	112.3	0	146.6	148.8	0
....Homicide (E965.0-.4)	71	69	71	2,498	3,198	107.0	113.3	0	126.7	133.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	226	208	216	5,440	7,555	202.6	226.5	0	262.7	285.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	160	116	147	1,930	3,278	77.7	69.6	0	121.5	110.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	188	178	182	4,895	6,690	181.1	194.1	0	231.0	244.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	13,021	3,599	6,753	66,539	117,344	5333.4	5274.3	0	8665.6	8527.9	0
Infectious diseases and parasitic disease (1-139)	476	315	357	7,154	10,519	539.1	526.5	0	744.0	718.1	0
..Septicemia (038)	158	27	62	308	750	26.0	29.5	0	56.7	58.0	0
...Septicemia-related (038)	533	107	229	1,500	3,140	119.4	146.5	0	229.8	258.0	0
..HIV infection (042-044)	261	258	260	6,142	8,737	458.2	446.9	0	611.9	585.5	0
All cancer (140-208)	3,400	879	2,009	9,527	23,642	786.5	721.1	0	1758.2	1613.4	0
..Oral cavity or pharynx (140.0-149.9)	53	24	38	230	535	19.9	17.1	0	41.7	42.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	402	88	222	755	2,250	63.4	56.2	0	167.5	150.6	0
...Colon cancer (153)	316	69	168	548	1,690	45.4	33.8	0	124.9	100.2	0
...Rectal cancer (154)	82	18	52	185	520	16.0	22.5	0	39.5	50.1	0
..Pancreatic cancer (157)	181	51	119	523	1,343	44.1	32.5	0	101.6	86.0	0
..Lung and other respiratory cancer (160-165)	1,042	275	650	2,108	6,675	178.4	179.2	0	497.6	473.5	0
...Lung cancer (162.2-.9)	1,003	266	625	2,005	6,408	169.8	171.8	0	477.4	453.5	0
..Malignant melanoma of skin (172)	53	27	39	293	623	23.8	22.6	0	46.8	41.8	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	389	17	124	113	740	8.8	18.8	0	51.1	62.9	0
..Bladder cancer (188)	97	9	42	78	330	6.9	14.8	0	24.5	34.9	0
..Brain & other CNS cancer (191-192)	79	39	58	648	1,140	53.2	44.8	0	86.2	77.6	0
..Leukemia (204-208)	129	38	85	807	1,420	65.2	56.1	0	104.3	94.5	0
Diabetes mellitus (250)	242	71	136	948	1,995	77.2	48.7	0	148.6	108.6	0
..Diabetes-related (250)	1,035	199	521	2,073	5,608	173.1	159.8	0	417.3	396.3	0
..Diabetic ketoacidosis (DKA) (250.1)	4	4	4	155	195	.	.	0	.	.	0
Alzheimer's diseases (331.0)	72	5	17	28	138	2.4	0.4	0	10.1	5.3	0
Cardiovascular disease (390-459)	5,208	965	2,262	10,711	26,403	888.0	912.5	0	1971.0	2031.8	0
..Diseases of the heart (390-398,402,404-429)	4,298	845	1,946	9,257	22,819	769.9	782.7	0	1707.8	1750.7	0
...Heart disease-related (390-398,402,404-429)	7,291	1,437	3,299	17,563	40,558	1439.7	1436.9	0	3013.3	2960.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,231	652	1,502	6,352	16,877	533.4	517.8	0	1267.5	1249.4	0
....Congestive heart failure (CHF) (428.0)	189	9	36	73	275	6.0	6.0	0	19.7	19.7	0
..Hypertension with or without renal disease (401,403)	53	10	28	90	270	7.0	18.9	0	19.1	31.5	0
...Hypertension-related (401,403)	637	103	300	868	2,800	73.7	92.4	0	208.2	228.3	0
..Cerebrovascular disease (430-438)	631	86	201	1,089	2,487	88.6	78.9	0	184.1	169.4	0
..Atherosclerosis (440)	56	2	11	50	118	3.5	4.7	0	7.8	11.3	0
...Atherosclerosis-related (440)	333	21	90	188	715	14.8	16.8	0	50.6	53.1	0
..Aortic aneurysm (441)	103	10	53	125	438	10.4	10.4	0	31.5	36.1	0
Pneumonia & influenza (480-487)	487	49	122	822	1,649	66.5	58.0	0	121.7	109.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	537	55	197	458	1,668	38.0	29.6	0	120.4	108.0	0
..COPD-related (490-496)	1,390	134	532	1,085	4,225	89.9	84.7	0	304.5	292.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	12	6	9	165	238
Chronic liver disease and cirrhosis (571)	180	105	158	1,418	2,740	119.3	134.5	0	211.5	224.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	145	23	47	285	625	22.3	19.2	0	45.3	42.8	0
..Nephritis-related (580-589)	710	135	289	2,075	4,155	165.8	134.0	0	305.1	270.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	173	24	55	297	680	23.4	22.1	0	49.4	50.5	0
Unintentional injuries (E800-E949)	577	407	458	12,476	16,778	989.9	948.6	0	1235.8	1182.5	0
..Motor vehicle accidents (E810-E825)	204	167	185	5,647	7,402	463.1	491.1	0	562.5	595.5	0
..Falls and fall related injuries (E880-E888)	81	27	37	543	853	43.7	33.7	0	63.7	51.1	0
..Drowning (E830,E832,E910)	25	20	21	664	872	50.2	48.1	0	61.3	58.0	0
..Residential fires (E890-E899)	20	17	18	577	749	47.8	.	1	57.6	.	1
Suicide (E950-E959)	228	182	198	4,940	6,845	388.5	361.9	0	500.6	475.3	0
Homicide and legal intervention (E960-E978)	81	79	81	2,723	3,528	226.5	213.5	0	272.0	257.1	0
..Homicide (E960-E969)	81	79	81	2,723	3,528	226.5	209.6	0	272.0	251.9	0
All injury (E800-E999)	898	679	748	20,426	27,548	1626.6	1586.4	0	2036.6	1993.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	196	161	178	5,397	7,089	443.2	473.9	0	539.6	575.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	75	31	41	643	998	50.6	36.9	0	73.2	55.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	178	153	163	4,808	6,393	395.3	365.0	0	487.5	457.8	0
....Suicide (E955.0-.4)	114	89	99	2,503	3,448	201.3	182.0	0	257.7	242.1	0
....Homicide (E965.0-.4)	59	59	59	2,108	2,698	177.4	175.7	0	210.5	206.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	169	160	164	4,295	5,910	320.8	359.1	0	412.7	452.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	122	91	112	1,518	2,560	123.3	102.7	0	193.3	168.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	140	136	138	3,745	5,110	278.3	314.3	0	354.9	395.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
All causes	13,874	2,068	4,476	36,799	68,289	2980.5	2768.7	0	4866.3	4597.8	0
Infectious diseases and parasitic disease (1-139)	312	102	131	2,652	3,810	197.9	223.4	0	262.7	291.3	0
..Septicemia (038)	191	20	41	355	653	28.8	40.9	0	46.6	62.3	0
...Septicemia-related (038)	694	87	199	1,412	2,772	115.5	117.4	0	197.4	199.0	0
..HIV infection (042-044)	71	70	70	2,000	2,700	144.4	130.9	0	181.9	161.9	0
All cancer (140-208)	3,242	794	1,744	9,274	21,684	752.9	764.4	0	1524.3	1553.6	0
..Oral cavity or pharynx (140.0-149.9)	46	8	24	60	215	4.9	4.9	0	14.5	13.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	391	48	140	460	1,375	37.4	51.3	0	92.9	123.8	0
...Colon cancer (153)	319	42	112	410	1,170	33.1	35.0	0	79.4	89.1	0
...Rectal cancer (154)	65	6	28	50	205	4.2	15.2	0	13.5	31.8	0
..Pancreatic cancer (157)	176	22	80	180	655	14.9	26.7	0	43.6	58.9	0
..Lung and other respiratory cancer (160-165)	750	204	481	2,025	5,403	164.3	143.8	0	374.2	352.7	0
...Lung cancer (162.2-.9)	736	203	474	2,008	5,335	162.9	136.9	0	370.0	339.2	0
..Malignant melanoma of skin (172)	35	15	22	238	420	18.2	20.3	0	29.7	34.4	0
..Female breast cancer (174)	544	187	349	2,183	4,853	174.5	193.6	0	343.2	364.6	0
..Cervical cancer (180)	37	26	31	400	688	31.5	24.5	0	50.1	36.5	0
..Endometrial cancer (182)	43	5	21	33	153	2.7	5.8	0	9.8	13.7	0
..Ovarian cancer (183)	170	55	98	593	1,310	48.9	45.6	0	95.1	95.8	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	53	9	26	108	270	9.0	0.3	0	18.8	4.6	0
..Brain & other CNS cancer (191-192)	73	28	49	440	828	36.8	45.4	0	61.4	65.0	0
..Leukemia (204-208)	129	33	66	627	1,084	52.2	46.8	0	79.4	75.5	0
Diabetes mellitus (250)	314	52	131	675	1,528	52.3	44.4	0	104.5	95.8	0
..Diabetes-related (250)	1,221	138	464	1,420	4,270	111.7	112.5	0	282.9	279.8	0
..Diabetic ketoacidosis (DKA) (250.1)	7	1	3	33	53	.	.	0	.	.	0
Alzheimer's diseases (331.0)	177	6	22	40	180	3.2	1.4	0	11.6	6.7	0
Cardiovascular disease (390-459)	6,299	428	1,264	4,674	12,589	368.5	371.1	0	844.6	813.4	0
..Diseases of the heart (390-398,402,404-429)	4,823	341	990	3,747	9,969	295.4	279.9	0	669.5	630.2	0
...Heart disease-related (390-398,402,404-429)	8,086	714	1,944	8,818	21,423	706.6	726.3	0	1467.6	1426.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,403	205	646	1,728	5,675	139.1	137.7	0	377.8	371.0	0
....Congestive heart failure (CHF) (428.0)	313	6	35	45	223	3.7	7.9	0	14.1	18.2	0
..Hypertension with or without renal disease (401,403)	90	4	20	20	115	1.6	2.9	0	7.2	8.9	0
...Hypertension-related (401,403)	963	55	216	503	1,750	40.6	35.4	0	114.9	119.4	0
..Cerebrovascular disease (430-438)	1,065	66	187	745	1,938	58.5	75.0	0	130.7	145.3	0
..Atherosclerosis (440)	134	1	10	28	75	2.0	2.0	0	4.5	3.6	0
...Atherosclerosis-related (440)	518	17	55	168	493	13.4	6.7	0	33.0	26.8	0
..Aortic aneurysm (441)	73	5	25	38	188	3.0	2.0	0	11.7	7.0	0
Pneumonia & influenza (480-487)	619	30	71	532	975	42.6	54.0	0	69.2	86.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	602	64	218	627	1,982	49.0	34.9	0	129.1	97.6	0
..COPD-related (490-496)	1,311	121	458	1,005	3,757	79.9	71.4	0	243.4	210.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1994			Years of life lost, 1994		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994	1993	Signif- icance	1994	1993	Signif- icance
*****Causes of Death*****											
..Asthma (493)	25	15	19	258	418	19.1	16.3	0	28.7	22.7	0
Chronic liver disease and cirrhosis (571)	102	41	75	668	1,223	52.0	54.4	0	86.1	84.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	132	15	36	193	425	15.1	7.2	0	29.3	21.2	0
..Nephritis-related (580-589)	633	69	195	1,059	2,299	83.1	63.0	0	156.4	138.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	155	17	43	213	483	16.7	10.4	0	33.2	27.5	0
Unintentional injuries (E800-E949)	315	122	162	3,795	5,190	324.4	312.8	0	404.6	389.2	0
..Motor vehicle accidents (E810-E825)	92	62	74	2,064	2,734	182.7	179.0	0	221.6	220.3	0
..Falls and fall related injuries (E880-E888)	97	7	16	98	195	7.8	17.1	0	13.9	24.0	0
..Drowning (E830,E832,E910)	5	4	5	170	213
..Residential fires (E890-E899)	15	10	11	359	467	31.2	.	.	37.3	.	.
Suicide (E950-E959)	68	53	61	1,153	1,733	90.7	87.7	0	125.5	117.2	0
Homicide and legal intervention (E960-E978)	31	27	30	1,069	1,351	89.8	68.2	0	104.7	83.4	0
..Homicide (E960-E969)	31	27	30	1,069	1,351	89.8	68.2	0	104.7	83.4	0
All injury (E800-E999)	417	205	256	6,084	8,371	509.6	476.0	0	641.2	599.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	90	60	72	1,997	2,647	177.2	179.0	0	215.1	220.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	62	10	17	160	283	12.6	16.0	0	20.3	21.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	24	26	770	1,020	63.3	90.4	0	77.5	112.8	0
....Suicide (E955.0-.4)	14	13	13	348	478	.	41.9	.	.	55.5	.
....Homicide (E965.0-.4)	12	10	12	390	500	.	48.5	.	.	57.3	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	57	48	52	1,145	1,645	85.1	94.4	0	113.8	118.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	38	25	35	413	718	33.0	37.8	0	52.1	54.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	48	42	44	1,150	1,580	84.5	74.5	0	108.2	94.3	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).