

**Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
White Residents, 1995-1996**

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, White Residents, 1995-1996 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, White Residents, 1995-1996 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT White Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****			
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance
*****Causes of Death*****												
All causes	54,531	942.6	420.1	0	427.6	26,099	927.0	529.8	1	548.6	28,432	957.5
Infectious diseases and parasitic disease (1-139)	1,521	26.3	15.9	0	17.4	905	32.1	22.9	0	24.9	616	20.7
..Septicemia (038)	713	12.3	4.5	0	4.9	325	11.5	5.7	0	5.9	388	13.1
....Septicemia-related (038)	2,480	42.9	17.8	0	17.9	1,149	40.8	21.8	0	20.8	1,331	44.8
...HIV infection (042-044)	569	9.8	8.9	0	10.0	444	15.8	13.8	0	15.9	125	4.2
All cancer (140-208)	13,311	230.1	119.6	0	120.9	6,649	236.2	139.1	0	142.4	6,662	224.4
..Oral cavity or pharynx (140.0-149.9)	181	3.1	1.9	0	2.1	119	4.2	3.0	0	3.0	62	2.1
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,414	24.4	11.4	0	12.6	689	24.5	14.3	0	15.9	725	24.4
....Colon cancer (153)	1,137	19.7	8.9	0	9.8	545	19.4	11.0	0	12.1	592	19.9
....Rectal cancer (154)	255	4.4	2.4	0	2.7	133	4.7	3.1	0	3.6	122	4.1
...Pancreatic cancer (157)	732	12.7	6.4	0	6.3	326	11.6	7.0	0	7.9	406	13.7
..Lung and other respiratory cancer (160-165)	3,631	62.8	34.7	0	34.1	2,060	73.2	44.6	0	44.4	1,571	52.9
....Lung cancer (162.2-.9)	3,526	61.0	33.6	0	33.0	1,981	70.4	42.7	0	42.7	1,545	52.0
..Malignant melanoma of skin (172)	195	3.4	2.1	0	2.0	124	4.4	2.9	0	2.6	71	2.4
..Female breast cancer (174)	1,149	.-	.-	0	.-	.-	.-	.-	0	.-	1,149	38.7
..Cervical cancer (180)	76	.-	.-	0	.-	.-	.-	.-	0	.-	76	2.6
..Endometrial cancer (182)	88	.-	.-	0	.-	.-	.-	.-	0	.-	88	3.0
..Ovarian cancer (183)	325	.-	.-	0	.-	.-	.-	.-	0	.-	325	10.9
..Prostate cancer (185)	794	.-	.-	0	.-	794	28.2	12.4	0	12.5	.-	.-
..Bladder cancer (188)	349	6.0	2.6	0	2.4	246	8.7	4.5	0	3.8	103	3.5
..Brain & other CNS cancer (191-192)	276	4.8	3.3	0	3.4	148	5.3	3.9	0	4.0	128	4.3
..Leukemia (204-208)	508	8.8	4.7	0	4.8	283	10.1	6.2	0	5.9	225	7.6
Diabetes mellitus (250)	1,161	20.1	9.2	0	9.0	524	18.6	10.3	0	10.1	637	21.5
..Diabetes-related (250)	4,534	78.4	34.1	0	34.8	2,116	75.2	40.8	0	41.1	2,418	81.4
...Diabetic ketoacidosis (DKA) (250.1)	22	0.4	0.3	0	0.2	13	0.5	.-	0	0.3	.-	.-
Alzheimer's diseases (331.0)	468	8.1	2.1	0	2.5	151	5.4	2.0	0	2.4	317	10.7
Cardiovascular disease (390-459)	23,526	406.7	148.0	0	151.9	10,596	376.3	192.7	1	201.8	12,930	435.4
..Diseases of the heart (390-398,402,404-429)	18,530	320.3	119.3	0	123.5	8,600	305.4	158.8	1	168.9	9,930	334.4
....Heart disease-related (390-398,402,404-429)	30,784	532.1	204.3	1	211.4	14,358	510.0	265.0	1	280.5	16,426	553.2
....Coronary heart disease (CHD) (402,410-414,429.2)	13,362	231.0	86.6	0	89.8	6,493	230.6	121.0	0	126.9	6,869	231.3
....Congestive heart failure (CHF) (428.0)	1,015	17.5	4.6	0	4.6	348	12.4	5.0	0	5.4	667	22.5
..Hypertension with or without renal disease (401,403)	248	4.3	1.5	0	1.7	97	3.4	1.7	0	2.1	151	5.1
....Hypertension-related (401,403)	3,484	60.2	22.5	0	21.3	1,374	48.8	26.1	0	24.3	2,110	71.1
..Cerebrovascular disease (430-438)	3,594	62.1	20.2	0	20.0	1,352	48.0	22.6	0	22.0	2,242	75.5
..Atherosclerosis (440)	368	6.4	1.6	0	1.6	143	5.1	2.0	0	1.9	225	7.6
....Atherosclerosis-related (440)	1,583	27.4	7.8	0	8.7	620	22.0	9.6	0	10.4	963	32.4
..Aortic aneurysm (441)	433	7.5	3.0	0	2.7	259	9.2	4.8	0	4.2	174	5.9
Pneumonia & influenza (480-487)	2,136	36.9	11.0	0	12.0	929	33.0	14.0	0	15.8	1,207	40.6

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.

0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT White Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes						Male						Female					
	*****1995-1996*****			1993-			*****1995-1996*****			1993-			*****1995-1996*****			1993-		
	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance
*****Causes of Death*****																		
Chronic obstructive pulmonary disease (COPD) (490-496)	2,302	39.8	15.9	0	15.4	1,089	38.7	18.6	0	18.4	1,213	40.9	14.4	0	13.7			
..COPD-related (490-496)	5,371	92.8	36.7	0	37.0	2,705	96.1	46.5	0	48.8	2,666	89.8	30.4	0	29.6			
..Asthma (493)	85	1.5	1.0	0	0.9	25	0.9	0.7	0	0.7	60	2.0	1.3	0	1.0			
Chronic liver disease and cirrhosis (571)	584	10.1	6.9	0	6.7	361	12.8	9.7	0	10.0	223	7.5	4.2	0	3.8			
Nephritis, nephrotic syndrome/nephrosis (580-589)	637	11.0	4.0	0	3.7	315	11.2	5.2	0	5.0	322	10.8	3.1	0	2.8			
..Nephritis-related (580-589)	2,705	46.8	19.1	0	19.7	1,412	50.2	25.4	0	27.6	1,293	43.5	14.7	0	14.3			
End stage renal disease (ESRD) (581-588,591,593.8,593.9)	750	13.0	4.8	0	4.3	372	13.2	6.2	0	5.9	378	12.7	3.9	0	3.3			
Unintentional injuries (E800-E949)	1,853	32.0	24.0	0	23.3	1,162	41.3	34.7	0	34.4	691	23.3	13.7	0	12.5			
..Motor vehicle accidents (E810-E825)	593	10.3	10.3	0	10.6	392	13.9	14.1	0	15.1	201	6.8	6.5	0	6.1			
..Falls and fall related injuries (E880-E888)	403	7.0	2.6	0	2.3	190	6.7	3.6	0	3.2	213	7.2	1.8	0	1.6			
..Drowning (E830,E832,E910)	58	1.0	1.1	0	0.9	46	1.6	1.8	0	1.4	121	0.4	.	0	.			
..Residential fires (E890-E899)	60	1.0	0.9	0	0.7	37	1.3	1.1	0	0.9	23	0.8	0.6	0	0.6			
Suicide (E950-E959)	567	9.8	9.1	0	9.0	455	16.2	14.9	0	14.4	112	3.8	3.6	0	3.8			
Homicide and legal intervention (E960-E978)	166	2.9	3.2	1	4.4	119	4.2	4.7	0	6.5	47	1.6	1.7	0	2.3			
..Homicide (E960-E969)	164	2.8	3.2	1	4.4	117	4.2	4.7	0	6.4	47	1.6	1.7	0	2.3			
All injury (E800-E999)	2,634	45.5	37.1	0	37.4	1,766	62.7	55.2	0	56.6	868	29.2	19.5	0	18.8			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	579	10.0	10.1	0	10.3	380	13.5	13.8	0	14.6	199	6.7	6.5	0	6.0			
..All falls (E880-E886,E888,E957,E968.1,E987)	308	5.3	2.3	0	2.1	156	5.5	3.2	0	3.2	152	5.1	1.5	0	1.2			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	360	6.2	6.2	0	7.5	316	11.2	10.9	0	12.7	44	1.5	1.5	0	2.5			
....Suicide (E955.0-.4)	243	4.2	3.8	0	4.3	222	7.9	7.0	0	7.4	21	0.7	0.7	0	1.3			
....Homicide (E965.0-.4)	106	1.8	2.2	0	3.1	84	3.0	3.6	0	4.9	22	0.7	0.8	0	1.2			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	477	8.2	7.7	0	7.2	356	12.6	11.6	0	11.3	121	4.1	3.8	0	3.2			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	334	5.8	4.5	0	4.3	245	8.7	7.0	0	7.0	89	3.0	2.2	0	1.9			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	402	6.9	6.5	0	6.1	298	10.6	9.7	0	9.5	104	3.5	3.3	0	2.7			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.

0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT White Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****			
	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance	No. of deaths	Crude rate	AAMR	Significance
*****Causes of Death*****												
All causes	54,531	942.6	591.6	0	599.7	26,099	927.0	740.6	1	761.2	28,432	957.5
Infectious diseases and parasitic disease (1-139)	1,521	26.3	17.6	0	19.1	905	32.1	24.6	0	26.2	616	20.7
..Septicemia (038)	713	12.3	7.0	0	7.6	325	11.5	8.8	0	8.9	388	13.1
....Septicemia-related (038)	2,480	42.9	26.1	0	26.7	1,149	40.8	31.9	0	30.8	1,331	44.8
...HIV infection (042-044)	569	9.8	7.5	0	8.5	444	15.8	11.8	0	13.7	125	4.2
All cancer (140-208)	13,311	230.1	159.3	0	160.5	6,649	236.2	191.9	0	195.7	6,662	224.4
..Oral cavity or pharynx (140.0-149.9)	181	3.1	2.4	0	2.6	119	4.2	3.7	0	3.7	62	2.1
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,414	24.4	16.0	1	17.9	689	24.5	19.9	0	22.8	725	24.4
....Colon cancer (153)	1,137	19.7	12.7	0	14.1	545	19.4	15.6	0	17.7	592	19.9
....Rectal cancer (154)	255	4.4	3.1	0	3.6	133	4.7	4.0	0	4.8	122	4.1
...Pancreatic cancer (157)	732	12.7	8.7	0	8.5	326	11.6	9.4	0	10.6	406	13.7
..Lung and other respiratory cancer (160-165)	3,631	62.8	45.5	0	44.4	2,060	73.2	60.4	0	60.1	1,571	52.9
....Lung cancer (162.2-.9)	3,526	61.0	44.1	0	43.0	1,981	70.4	58.0	0	57.8	1,545	52.0
..Malignant melanoma of skin (172)	195	3.4	2.5	0	2.4	124	4.4	3.6	0	3.2	71	2.4
..Female breast cancer (174)	1,149	.-	.-	0	.-	.-	.-	.-	0	.-	1,149	38.7
..Cervical cancer (180)	76	.-	.-	0	.-	.-	.-	.-	0	.-	76	2.6
..Endometrial cancer (182)	88	.-	.-	0	.-	.-	.-	.-	0	.-	88	3.0
..Ovarian cancer (183)	325	.-	.-	0	.-	.-	.-	.-	0	.-	325	10.9
..Prostate cancer (185)	794	.-	.-	0	.-	794	28.2	21.1	0	20.9	.-	.-
..Bladder cancer (188)	349	6.0	3.8	0	3.5	246	8.7	6.8	0	5.9	103	3.5
..Brain & other CNS cancer (191-192)	276	4.8	3.8	0	4.0	148	5.3	4.6	0	4.8	128	4.3
..Leukemia (204-208)	508	8.8	6.1	0	6.2	283	10.1	8.3	0	7.7	225	7.6
Diabetes mellitus (250)	1,161	20.1	12.9	0	12.4	524	18.6	14.8	0	13.8	637	21.5
..Diabetes-related (250)	4,534	78.4	49.6	0	50.2	2,116	75.2	59.6	0	59.3	2,418	81.4
..Diabetic ketoacidosis (DKA) (250.1)	22	0.4	0.3	0	0.2	13	0.5	.-	0	0.3	.-	.-
Alzheimer's diseases (331.0)	468	8.1	4.0	0	4.5	151	5.4	3.9	0	4.4	317	10.7
Cardiovascular disease (390-459)	23,526	406.7	232.9	0	238.2	10,596	376.3	293.9	0	305.2	12,930	435.4
..Diseases of the heart (390-398,402,404-429)	18,530	320.3	185.5	1	191.4	8,600	305.4	239.5	1	252.3	9,930	334.4
....Heart disease-related (390-398,402,404-429)	30,784	532.1	312.6	1	322.0	14,358	510.0	398.9	1	418.4	16,426	553.2
....Coronary heart disease (CHD) (402,410-414,429.2)	13,362	231.0	134.4	1	139.6	6,493	230.6	181.4	0	188.8	6,869	231.3
....Congestive heart failure (CHF) (428.0)	1,015	17.5	8.7	0	8.6	348	12.4	9.2	0	10.0	667	22.5
..Hypertension with or without renal disease (401,403)	248	4.3	2.4	0	2.7	97	3.4	2.7	0	3.1	151	5.1
....Hypertension-related (401,403)	3,484	60.2	35.2	0	33.1	1,374	48.8	38.7	0	36.1	2,110	71.1
..Cerebrovascular disease (430-438)	3,594	62.1	33.7	0	33.3	1,352	48.0	36.7	0	35.9	2,242	75.5
..Atherosclerosis (440)	368	6.4	3.1	0	3.2	143	5.1	3.7	0	3.4	225	7.6
....Atherosclerosis-related (440)	1,583	27.4	14.1	1	15.8	620	22.0	16.6	0	18.0	963	32.4
..Aortic aneurysm (441)	433	7.5	4.5	0	3.9	259	9.2	7.2	0	6.2	174	5.9
Pneumonia & influenza (480-487)	2,136	36.9	19.2	1	21.0	929	33.0	24.8	0	27.7	1,207	40.6

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.

0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT White Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes						Male						Female					
	*****1995-1996*****			1993-			*****1995-1996*****			1993-			*****1995-1996*****			1993-		
	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance	No. of deaths	Crude rate	Signif-icance
*****Causes of Death*****																		
Chronic obstructive pulmonary disease (COPD) (490-496)	2,302	39.8	24.2	0	23.5	1,089	38.7	29.6	0	29.3	1,213	40.9	21.3	0	20.4			
..COPD-related (490-496)	5,371	92.8	56.1	0	56.8	2,705	96.1	73.7	0	77.9	2,666	89.8	45.8	0	44.7			
..Asthma (493)	85	1.5	1.2	0	1.0	25	0.9	0.8	0	0.8	60	2.0	1.5	0	1.2			
Chronic liver disease and cirrhosis (571)	584	10.1	7.8	0	7.5	361	12.8	10.8	0	11.2	223	7.5	5.1	0	4.3			
Nephritis, nephrotic syndrome/nephrosis (580-589)	637	11.0	6.3	0	5.7	315	11.2	8.5	0	8.1	322	10.8	5.0	0	4.3			
..Nephritis-related (580-589)	2,705	46.8	28.3	0	29.4	1,412	50.2	38.7	0	42.3	1,293	43.5	21.7	0	21.5			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	750	13.0	7.5	0	6.7	372	13.2	10.0	0	9.5	378	12.7	6.0	0	5.1			
Unintentional injuries (E800-E949)	1,853	32.0	25.4	0	24.4	1,162	41.3	36.1	0	35.4	691	23.3	15.6	0	14.3			
..Motor vehicle accidents (E810-E825)	593	10.3	10.1	0	10.4	392	13.9	13.8	0	14.7	201	6.8	6.5	0	6.2			
..Falls and fall related injuries (E880-E888)	403	7.0	4.0	0	3.5	190	6.7	5.2	0	4.6	213	7.2	3.0	0	2.7			
..Drowning (E830,E832,E910)	58	1.0	1.1	0	0.8	46	1.6	1.7	0	1.4	121	0.4	.	0	.			
..Residential fires (E890-E899)	60	1.0	0.9	0	0.8	37	1.3	1.2	0	1.0	23	0.8	0.7	0	0.6			
Suicide (E950-E959)	567	9.8	8.7	0	8.6	455	16.2	14.4	0	14.0	112	3.8	3.3	0	3.7			
Homicide and legal intervention (E960-E978)	166	2.9	3.0	1	4.1	119	4.2	4.3	0	6.0	47	1.6	1.6	0	2.2			
..Homicide (E960-E969)	164	2.8	2.9	1	4.1	117	4.2	4.3	0	5.9	47	1.6	1.6	0	2.2			
All injury (E800-E999)	2,634	45.5	37.7	0	37.8	1,766	62.7	55.6	0	56.6	868	29.2	21.0	0	20.3			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	579	10.0	9.9	0	10.1	380	13.5	13.4	0	14.2	199	6.7	6.5	0	6.1			
..All falls (E880-E886,E888,E957,E968.1,E987)	308	5.3	3.2	0	2.8	156	5.5	4.4	0	4.2	152	5.1	2.3	0	1.8			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	360	6.2	5.8	0	7.1	316	11.2	10.4	0	12.2	441	1.5	1.4	0	2.3			
....Suicide (E955.0-.4)	243	4.2	3.6	0	4.1	222	7.9	6.9	0	7.3	21	0.7	0.6	0	1.1			
....Homicide (E965.0-.4)	106	1.8	2.0	0	2.9	84	3.0	3.2	0	4.6	22	0.7	0.8	0	1.1			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	477	8.2	6.8	0	6.3	356	12.6	10.1	0	9.8	121	4.1	3.4	0	3.0			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	334	5.8	4.7	0	4.5	245	8.7	7.3	0	7.3	89	3.0	2.4	0	1.9			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	402	6.9	5.6	0	5.2	298	10.6	8.3	0	8.0	104	3.5	2.9	0	2.4			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.

0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT White Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1993- 1994	
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****					
	No. of deaths	Crude rate	Signif-icance	AAMR	No. of deaths	Crude rate	Signif-icance	AAMR	No. of deaths	Crude rate	Signif-icance	AAMR		
*****Causes of Death*****														
All causes	54,531	942.6	813.5	0	822.4	26,099	927.0	1014.5	0	1035.8	28,432	957.5	675.1	0
Infectious diseases and parasitic disease (1-139)	1,521	26.3	23.5	0	25.3	905	32.1	32.8	0	34.2	616	20.7	15.6	0
..Septicemia (038)	713	12.3	10.4	0	11.1	325	11.5	13.1	0	12.8	388	13.1	8.8	0
....Septicemia-related (038)	2,480	42.9	36.7	0	38.2	1,149	40.8	45.1	0	43.9	1,331	44.8	31.4	0
...HIV infection (042-044)	569	9.8	9.4	0	10.4	444	15.8	14.8	0	16.8	125	4.2	4.1	0
All cancer (140-208)	13,311	230.1	200.8	0	201.8	6,649	236.2	248.7	0	252.7	6,662	224.4	172.9	0
..Oral cavity or pharynx (140.0-149.9)	181	3.1	2.8	0	3.1	119	4.2	4.3	0	4.4	62	2.1	1.6	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,414	24.4	21.0	1	23.8	689	24.5	25.8	1	30.3	725	24.4	17.5	0
....Colon cancer (153)	1,137	19.7	16.8	0	18.8	545	19.4	20.6	0	23.8	592	19.9	14.2	0
....Rectal cancer (154)	255	4.4	3.9	0	4.6	133	4.7	4.8	0	6.1	122	4.1	3.1	0
...Pancreatic cancer (157)	732	12.7	11.0	0	10.8	326	11.6	12.0	0	13.3	406	13.7	10.2	0
..Lung and other respiratory cancer (160-165)	3,631	62.8	54.9	0	53.4	2,060	73.2	74.8	0	74.9	1,571	52.9	41.8	0
....Lung cancer (162.2-.9)	3,526	61.0	53.3	0	51.7	1,981	70.4	72.0	0	72.0	1,545	52.0	41.1	0
..Malignant melanoma of skin (172)	195	3.4	3.0	0	2.8	124	4.4	4.6	0	3.8	71	2.4	2.0	0
..Female breast cancer (174)	1,149	.-	.-	.-	.-	.-	.-	.-	.-	.-	1,149	38.7	31.4	0
..Cervical cancer (180)	76	.-	.-	.-	.-	.-	.-	.-	.-	.-	76	2.6	2.2	0
..Endometrial cancer (182)	88	.-	.-	.-	.-	.-	.-	.-	.-	.-	88	3.0	2.2	0
..Ovarian cancer (183)	325	.-	.-	.-	.-	.-	.-	.-	.-	.-	325	10.9	8.6	0
..Prostate cancer (185)	794	.-	.-	.-	.-	794	28.2	32.2	0	31.4	.-	.-	.-	.-
..Bladder cancer (188)	349	6.0	5.1	0	4.8	246	8.7	9.6	0	8.6	103	3.5	2.5	0
..Brain & other CNS cancer (191-192)	276	4.8	4.4	0	4.7	148	5.3	5.4	0	5.6	128	4.3	3.7	0
..Leukemia (204-208)	508	8.8	7.7	0	7.7	283	10.1	10.6	0	9.8	225	7.6	5.8	0
Diabetes mellitus (250)	1,161	20.1	17.3	0	16.4	524	18.6	20.0	0	18.1	637	21.5	15.6	0
..Diabetes-related (250)	4,534	78.4	66.9	0	67.7	2,116	75.2	80.6	0	79.7	2,418	81.4	57.9	0
..Diabetic ketoacidosis (DKA) (250.1)	22	0.4	0.3	0	0.3	13	0.5	.-	0	0.3	.-	.-	.-	.-
Alzheimer's diseases (331.0)	468	8.1	6.7	0	7.5	151	5.4	6.6	0	6.9	317	10.7	6.8	0
Cardiovascular disease (390-459)	23,526	406.7	344.5	0	351.2	10,596	376.3	422.8	0	435.8	12,930	435.4	288.1	0
..Diseases of the heart (390-398,402,404-429)	18,530	320.3	271.9	0	279.5	8,600	305.4	341.6	0	356.4	9,930	334.4	222.0	0
....Heart disease-related (390-398,402,404-429)	30,784	532.1	452.3	1	464.9	14,358	510.0	568.8	1	592.6	16,426	553.2	373.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	13,362	231.0	196.1	1	203.4	6,493	230.6	256.7	0	264.6	6,869	231.3	152.7	0
....Congestive heart failure (CHF) (428.0)	1,015	17.5	14.6	0	14.3	348	12.4	15.0	0	16.4	667	22.5	14.1	0
..Hypertension with or without renal disease (401,403)	248	4.3	3.6	0	4.0	97	3.4	4.0	0	4.5	151	5.1	3.4	0
....Hypertension-related (401,403)	3,484	60.2	51.0	1	47.6	1,374	48.8	53.5	0	49.8	2,110	71.1	47.5	0
..Cerebrovascular disease (430-438)	3,594	62.1	52.2	0	51.7	1,352	48.0	55.3	0	54.7	2,242	75.5	49.3	0
..Atherosclerosis (440)	368	6.4	5.3	0	5.6	143	5.1	6.2	0	5.6	225	7.6	4.7	0
..Atherosclerosis-related (440)	1,583	27.4	22.8	1	25.7	620	22.0	25.8	0	28.3	963	32.4	20.5	1
..Aortic aneurysm (441)	433	7.5	6.3	0	5.2	259	9.2	9.9	0	8.3	174	5.9	4.0	0
Pneumonia & influenza (480-487)	2,136	36.9	31.0	1	34.2	929	33.0	40.3	0	44.9	1,207	40.6	26.2	0

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.

0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT White Resident DEATHS, 1995-1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1995-1996*****				*****1995-1996*****				*****1995-1996*****			
	No. of deaths	Crude rate	Signif-icance	AAMR	No. of deaths	Crude rate	Signif-icance	AAMR	No. of deaths	Crude rate	Signif-icance	AAMR
*****Causes of Death*****												
Chronic obstructive pulmonary disease (COPD) (490-496)	2,302	39.8	33.5	0	32.6	1,089	38.7	42.5	0	42.3	1,213	40.9
..COPD-related (490-496)	5,371	92.8	78.1	0	79.4	2,705	96.1	105.7	0	112.8	2,666	89.8
..Asthma (493)	85	1.5	1.4	0	1.3	25	0.9	0.9	0	1.0	60	2.0
Chronic liver disease and cirrhosis (571)	584	10.1	9.3	0	8.9	361	12.8	12.8	0	13.2	223	7.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	637	11.0	9.3	0	8.2	315	11.2	12.8	0	12.2	322	10.8
..Nephritis-related (580-589)	2,705	46.8	39.7	0	41.5	1,412	50.2	55.7	0	61.4	1,293	43.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	750	13.0	10.9	0	9.7	372	13.2	15.1	0	14.3	378	12.7
Unintentional injuries (E800-E949)	1,853	32.0	30.0	0	28.4	1,162	41.3	42.9	0	41.5	691	23.3
..Motor vehicle accidents (E810-E825)	593	10.3	10.3	0	10.5	392	13.9	14.3	0	15.0	201	6.8
..Falls and fall related injuries (E880-E888)	403	7.0	5.9	0	5.3	190	6.7	7.8	0	6.8	213	7.2
..Drowning (E830,E832,E910)	58	1.0	1.0	0	0.9	46	1.6	1.6	0	1.5	12	0.4
..Residential fires (E890-E899)	60	1.0	1.0	0	0.8	37	1.3	1.3	0	1.1	23	0.8
Suicide (E950-E959)	567	9.8	9.5	0	9.5	455	16.2	16.0	0	15.7	112	3.8
Homicide and legal intervention (E960-E978)	166	2.9	2.9	0	3.9	119	4.2	4.3	0	5.7	47	1.6
..Homicide (E960-E969)	164	2.8	2.9	0	3.9	117	4.2	4.2	0	5.6	47	1.6
All injury (E800-E999)	2,634	45.5	43.3	0	42.7	1,766	62.7	64.2	0	64.3	868	29.2
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	579	10.0	10.1	0	10.2	380	13.5	13.8	0	14.4	199	6.7
..All falls (E880-E886,E888,E957,E968.1,E987)	308	5.3	4.6	0	4.0	156	5.5	6.1	0	5.9	152	5.1
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	360	6.2	6.1	0	7.3	316	11.2	11.2	0	12.6	44	1.5
....Suicide (E955.0-.4)	243	4.2	4.0	0	4.5	222	7.9	7.8	0	8.1	21	0.7
....Homicide (E965.0-.4)	106	1.8	1.9	0	2.6	84	3.0	3.0	0	4.2	22	0.7
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	477	8.2	8.0	0	7.5	356	12.6	12.1	0	11.8	121	4.1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-3,790.3,E860)	334	5.8	5.5	0	5.2	245	8.7	8.6	0	8.5	89	3.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-5,E962.0,E980.0-.5)	402	6.9	6.7	0	6.3	298	10.6	10.0	0	9.7	104	3.5

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1995-1996 AAMR is significantly different (prob<0.05) from the 1993-1994 AAMR.

0 - The 1995-1996 AAMR is not significantly different (prob>0.05) from the 1993-1994 AAMR.

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
All causes	54,531	10,906	21,494	192,337	349,427	3765.7	3982.3	1	5976.5	6245.5	1	
Infectious diseases and parasitic disease (1-139)	1,521	752	908	17,684	25,939	308.2	349.3	0	422.6	474.3	0	
..Septicemia (038)	713	82	192	1,253	2,563	23.1	28.4	0	40.9	49.0	0	
....Septicemia-related (038)	2,480	411	895	5,888	12,208	106.5	115.4	0	193.5	197.6	0	
..HIV infection (042-044)	569	563	568	14,005	19,667	239.0	277.3	0	317.4	365.5	0	
All cancer (140-208)	13,311	3,287	7,094	36,437	87,154	646.5	664.7	0	1356.9	1384.4	0	
..Oral cavity or pharynx (140.0-149.9)	181	62	127	560	1,473	9.8	9.6	0	22.7	23.2	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,414	257	660	2,448	6,880	43.0	43.5	0	104.0	110.7	0	
....Colon cancer (153)	1,137	185	511	1,748	5,083	30.4	30.9	0	75.9	81.7	0	
....Rectal cancer (154)	255	67	140	653	1,675	11.7	12.0	0	26.2	27.8	0	
..Pancreatic cancer (157)	732	163	382	1,473	4,065	25.0	24.7	0	61.1	59.9	0	
..Lung and other respiratory cancer (160-165)	3,631	925	2,187	7,793	23,103	133.3	138.3	0	346.8	351.1	0	
....Lung cancer (162.2-.9)	3,526	893	2,117	7,493	22,268	128.2	133.1	0	334.3	339.0	0	
..Malignant melanoma of skin (172)	195	78	121	1,135	2,133	19.8	18.1	0	34.2	32.6	0	
..Female breast cancer (174)	1,149	406	686	4,875	10,335	
..Cervical cancer (180)	76	39	52	688	1,135	
..Endometrial cancer (182)	88	14	45	115	403	
..Ovarian cancer (183)	325	92	181	955	2,303	
..Prostate cancer (185)	794	45	212	223	1,395	
..Bladder cancer (188)	349	46	145	340	1,238	5.9	6.7	0	18.0	16.9	0	
..Brain & other CNS cancer (191-192)	276	130	215	2,184	3,887	41.5	42.3	0	65.9	66.7	0	
..Leukemia (204-208)	508	137	264	2,534	4,471	50.9	54.5	0	78.4	84.2	0	
Diabetes mellitus (250)	1,161	227	500	2,318	5,815	39.2	48.6	0	87.8	98.3	0	
..Diabetes-related (250)	4,534	694	1,816	6,065	18,190	102.9	120.0	0	269.0	288.7	0	
..Diabetic ketoacidosis (DKA) (250.1)	22	11	17	228	358	3.9	4.6	0	5.7	6.0	0	
Alzheimer's diseases (331.0)	468	13	47	68	328	1.2	1.6	0	4.7	6.9	0	
Cardiovascular disease (390-459)	23,526	2,673	6,783	30,166	75,256	532.5	552.5	0	1148.7	1191.2	0	
..Diseases of the heart (390-398,402,404-429)	18,530	2,265	5,586	25,122	62,724	443.1	462.3	0	959.3	1000.5	0	
....Heart disease-related (390-398,402,404-429)	30,784	4,028	9,767	50,160	116,128	903.8	964.9	0	1808.4	1909.0	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	13,362	1,624	4,107	16,182	43,665	276.0	277.1	0	652.3	669.3	0	
....Congestive heart failure (CHF) (428.0)	1,015	27	144	173	905	3.0	5.3	0	12.2	14.7	0	
..Hypertension with or without renal disease (401,403)	248	25	75	243	693	4.1	6.3	0	10.1	13.7	0	
....Hypertension-related (401,403)	3,484	379	1,056	3,313	10,150	57.3	50.7	0	150.6	137.3	0	
..Cerebrovascular disease (430-438)	3,594	279	803	3,450	8,540	61.8	66.4	0	129.9	134.5	0	
..Atherosclerosis (440)	368	11	39	153	358	2.5	2.6	0	5.0	5.5	0	
....Atherosclerosis-related (440)	1,583	64	275	505	2,043	8.6	10.8	0	28.4	32.5	0	
..Aortic aneurysm (441)	433	37	161	418	1,338	7.2	5.7	0	19.0	17.2	0	
Pneumonia & influenza (480-487)	2,136	152	390	2,419	4,954	47.2	51.3	0	81.7	86.2	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,302	213	796	1,958	6,635	38.3	34.4	0	100.1	95.9	0	
..COPD-related (490-496)	5,371	491	1,851	4,013	14,923	74.0	72.3	0	217.5	217.2	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
..Asthma (493)	85	40	61	880	1,358	19.7	14.1	0	27.1	20.3	0	
Chronic liver disease and cirrhosis (571)	584	294	447	4,440	8,128	73.8	76.2	0	125.8	128.7	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	637	58	178	862	1,997	15.8	14.0	0	30.8	29.5	0	
..Nephritis-related (580-589)	2,705	370	971	5,411	11,784	98.5	101.4	0	184.1	189.8	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	750	76	224	1,102	2,542	20.0	15.8	0	39.1	34.0	0	
Unintentional injuries (E800-E949)	1,853	1,072	1,247	31,046	42,469	677.0	693.8	0	854.5	866.3	0	
..Motor vehicle accidents (E810-E825)	593	473	515	14,719	19,624	350.5	373.0	0	432.7	455.8	0	
..Falls and fall related injuries (E880-E888)	403	58	115	1,272	2,070	26.1	24.7	0	37.4	36.2	0	
..Drowning (E830,E832,E910)	58	52	58	1,762	2,322	40.3	32.6	0	49.2	39.6	0	
..Residential fires (E890-E899)	60	39	48	1,302	1,719	28.4	25.9	0	34.7	31.6	0	
Suicide (E950-E959)	567	461	524	12,023	16,960	250.8	241.6	0	326.4	315.7	0	
Homicide and legal intervention (E960-E978)	166	151	160	5,221	6,778	123.2	171.0	0	149.4	206.9	1	
..Homicide (E960-E969)	164	149	158	5,166	6,703	122.3	170.2	0	148.2	205.9	1	
All injury (E800-E999)	2,634	1,727	1,978	49,521	67,893	1073.6	1130.1	0	1359.3	1419.4	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	579	463	504	14,444	19,246	345.1	360.7	0	425.8	441.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	308	62	113	1,342	2,160	26.8	28.1	0	38.4	40.6	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	360	295	333	8,675	11,820	193.4	253.5	1	243.6	315.3	1	
...Suicide (E955.0-.4)	243	182	217	4,820	6,818	100.8	118.8	0	131.3	154.1	0	
...Homicide (E965.0-.4)	106	104	106	3,612	4,662	87.6	127.4	0	105.9	152.4	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	477	446	464	11,988	16,548	227.0	213.2	0	293.1	274.2	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	334	230	298	3,630	6,280	60.2	63.0	0	97.9	100.1	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	402	387	394	10,567	14,474	196.9	185.3	0	253.0	237.1	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
All causes	26,099	6,810	12,744	123,688	219,018	4828.6	5166.6	0	7627.2	8098.8	1	
Infectious diseases and parasitic disease (1-139)	905	565	648	13,023	19,065	446.5	491.5	0	616.3	678.0	0	
..Septicemia (038)	325	53	110	767	1,549	27.8	23.4	0	50.4	47.7	0	
....Septicemia-related (038)	1,149	237	499	3,498	7,088	127.3	120.1	0	230.9	214.5	0	
..HIV infection (042-044)	444	438	443	10,685	15,098	362.5	419.1	0	485.3	560.5	0	
All cancer (140-208)	6,649	1,638	3,690	18,155	44,185	666.0	666.8	0	1430.3	1451.2	0	
..Oral cavity or pharynx (140.0-149.9)	119	49	96	448	1,155	16.1	15.3	0	37.5	35.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	689	161	389	1,688	4,298	57.7	50.4	0	136.2	132.9	0	
....Colon cancer (153)	545	114	297	1,110	3,113	39.3	33.5	0	97.3	94.1	0	
....Rectal cancer (154)	133	45	87	473	1,123	17.5	16.2	0	37.0	37.5	0	
..Pancreatic cancer (157)	326	86	200	935	2,325	32.0	31.9	0	72.2	78.2	0	
..Lung and other respiratory cancer (160-165)	2,060	508	1,262	4,045	12,710	142.6	148.9	0	396.8	403.6	0	
....Lung cancer (162.2-.9)	1,981	483	1,207	3,833	12,083	135.1	142.2	0	377.1	386.9	0	
..Malignant melanoma of skin (172)	124	50	80	755	1,420	26.9	19.8	0	46.8	37.9	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	794	45	212	223	1,395	8.1	11.7	0	40.6	45.6	0	
..Bladder cancer (188)	246	33	108	263	920	9.3	8.9	0	28.1	24.1	0	
..Brain & other CNS cancer (191-192)	148	76	117	1,349	2,302	51.9	44.7	0	80.4	73.8	0	
..Leukemia (204-208)	283	83	165	1,672	2,877	67.8	60.0	0	103.0	94.5	0	
Diabetes mellitus (250)	524	112	257	1,120	2,878	38.2	55.5	0	89.3	111.5	0	
..Diabetes-related (250)	2,116	387	1,000	3,388	10,110	117.0	143.4	0	311.9	343.5	0	
..Diabetic ketoacidosis (DKA) (250.1)	13	8	12	140	235	
Alzheimer's diseases (331.0)	151	6	21	25	143	0.9	1.2	0	4.2	6.3	0	
Cardiovascular disease (390-459)	10,596	1,852	4,286	20,763	50,348	737.3	781.4	0	1597.0	1703.9	0	
..Diseases of the heart (390-398,402,404-429)	8,600	1,593	3,603	17,661	42,836	624.9	673.5	0	1358.3	1473.1	0	
....Heart disease-related (390-398,402,404-429)	14,358	2,636	5,990	33,138	74,763	1197.7	1277.5	0	2404.0	2582.7	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,493	1,229	2,795	12,625	32,145	438.7	444.1	0	1007.9	1056.6	0	
....Congestive heart failure (CHF) (428.0)	348	17	74	88	490	3.2	4.9	0	14.5	15.7	0	
..Hypertension with or without renal disease (401,403)	97	18	39	185	448	6.3	10.9	0	14.0	21.2	0	
....Hypertension-related (401,403)	1,374	261	620	2,358	6,590	83.3	69.0	0	207.4	180.0	0	
..Cerebrovascular disease (430-438)	1,352	168	436	2,110	4,930	78.2	72.9	0	159.2	150.3	0	
..Atherosclerosis (440)	143	9	26	133	285	4.3	3.6	0	8.5	7.9	0	
....Atherosclerosis-related (440)	620	44	173	365	1,363	12.7	13.3	0	40.6	42.1	0	
..Aortic aneurysm (441)	259	31	119	338	1,058	11.9	9.4	0	31.9	28.3	0	
Pneumonia & influenza (480-487)	929	83	225	1,488	2,928	58.0	57.1	0	98.6	102.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,089	92	390	805	3,095	31.2	30.6	0	94.9	95.7	0	
..COPD-related (490-496)	2,705	256	990	2,015	7,890	74.5	77.8	0	238.9	248.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
..Asthma (493)	25	14	19	300	458	13.6	11.2	0	18.7	16.2	0	
Chronic liver disease and cirrhosis (571)	361	215	301	3,338	5,918	112.8	106.9	0	188.4	185.6	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	315	35	101	545	1,190	20.8	18.7	0	38.9	38.4	0	
..Nephritis-related (580-589)	1,412	221	562	3,203	6,935	115.4	136.6	0	220.9	253.3	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	372	43	124	665	1,452	25.3	20.4	0	47.4	43.2	0	
Unintentional injuries (E800-E949)	1,162	800	895	23,247	31,635	989.5	1033.0	0	1250.1	1293.2	0	
..Motor vehicle accidents (E810-E825)	392	328	350	10,363	13,733	482.2	536.5	0	594.6	655.7	0	
..Falls and fall related injuries (E880-E888)	190	42	76	880	1,435	35.7	37.5	0	52.1	54.9	0	
..Drowning (E830,E832,E910)	46	43	46	1,451	1,903	66.5	50.8	0	81.3	62.2	0	
..Residential fires (E890-E899)	37	26	32	803	1,083	33.0	29.1	0	41.4	36.1	0	
Suicide (E950-E959)	455	369	420	9,618	13,565	399.4	391.3	0	521.5	508.2	0	
Homicide and legal intervention (E960-E978)	119	111	117	3,891	5,036	182.7	250.0	0	221.2	303.4	0	
..Homicide (E960-E969)	117	109	115	3,836	4,961	180.8	248.4	0	218.9	301.3	0	
All injury (E800-E999)	1,766	1,307	1,461	37,535	51,295	1599.7	1716.2	0	2028.7	2158.2	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	380	318	339	10,088	13,356	471.5	515.1	0	580.8	630.4	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	156	45	78	938	1,520	36.7	42.6	0	53.8	62.0	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	316	257	289	7,585	10,320	334.4	418.1	0	421.9	521.2	0	
...Suicide (E955.0-.4)	222	164	196	4,330	6,135	179.9	200.9	0	235.4	261.1	0	
...Homicide (E965.0-.4)	84	84	84	3,012	3,852	144.6	203.8	0	173.9	244.1	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	356	339	350	9,112	12,559	341.3	336.8	0	441.2	432.3	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	245	179	221	2,903	4,893	97.7	96.5	0	156.0	156.2	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	298	292	295	8,037	10,975	297.4	291.4	0	381.6	372.9	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
All causes	28,432	4,096	8,750	68,649	130,409	2694.3	2793.8	0	4353.6	4435.7	0	
Infectious diseases and parasitic disease (1-139)	616	187	260	4,662	6,874	171.5	209.7	0	232.0	275.4	0	
..Septicemia (038)	388	29	82	487	1,014	18.5	34.0	0	31.9	51.3	0	
....Septicemia-related (038)	1,331	174	396	2,390	5,120	85.7	111.9	0	157.6	183.2	0	
..HIV infection (042-044)	125	125	125	3,320	4,570	116.6	137.1	0	151.4	173.4	0	
All cancer (140-208)	6,662	1,649	3,404	18,282	42,969	624.9	662.7	0	1289.3	1328.3	0	
..Oral cavity or pharynx (140.0-149.9)	62	13	31	113	318	3.6	4.1	0	8.9	11.6	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	725	96	271	840	2,583	28.5	37.0	0	73.6	90.6	0	
....Colon cancer (153)	592	71	214	638	1,970	21.8	28.5	0	56.0	70.7	0	
....Rectal cancer (154)	122	22	53	180	553	6.0	8.0	0	15.8	18.7	0	
..Pancreatic cancer (157)	406	77	182	538	1,740	18.2	17.9	0	50.4	43.0	0	
..Lung and other respiratory cancer (160-165)	1,571	417	925	3,748	10,393	124.5	128.4	0	302.3	304.9	0	
....Lung cancer (162.2-.9)	1,545	410	910	3,660	10,185	121.8	124.6	0	296.5	296.9	0	
..Malignant melanoma of skin (172)	71	28	41	380	713	12.7	16.5	0	22.0	27.8	0	
..Female breast cancer (174)	1,149	406	686	4,875	10,335	160.0	154.6	0	309.8	300.2	0	
..Cervical cancer (180)	76	39	52	688	1,135	23.7	23.5	0	36.1	37.1	0	
..Endometrial cancer (182)	88	14	45	115	403	3.8	3.5	0	11.1	9.8	0	
..Ovarian cancer (183)	325	92	181	955	2,303	31.9	39.5	0	68.5	80.6	0	
..Prostate cancer (185)	0	.	.	0	
..Bladder cancer (188)	103	13	37	78	318	2.6	4.6	0	8.8	10.4	0	
..Brain & other CNS cancer (191-192)	128	54	98	835	1,585	30.8	40.4	0	51.4	60.4	0	
..Leukemia (204-208)	225	54	99	862	1,595	33.6	49.3	0	53.9	74.6	0	
Diabetes mellitus (250)	637	115	243	1,198	2,938	40.2	41.8	0	86.9	85.8	0	
..Diabetes-related (250)	2,418	307	816	2,678	8,080	89.6	97.6	0	229.9	237.8	0	
..Diabetic ketoacidosis (DKA) (250.1)	9	3	5	88	123	.	.	0	.	.	0	
Alzheimer's diseases (331.0)	317	7	26	43	185	1.5	2.0	0	5.1	7.5	0	
Cardiovascular disease (390-459)	12,930	821	2,497	9,403	24,908	334.1	330.7	0	727.2	712.7	0	
..Diseases of the heart (390-398,402,404-429)	9,930	672	1,983	7,461	19,889	267.0	258.0	0	584.5	559.4	0	
....Heart disease-related (390-398,402,404-429)	16,426	1,392	3,777	17,022	41,365	615.4	661.7	0	1243.8	1279.3	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,869	395	1,312	3,558	11,520	118.2	116.4	0	317.9	309.1	0	
....Congestive heart failure (CHF) (428.0)	667	10	70	85	415	2.8	5.6	0	10.2	14.1	0	
..Hypertension with or without renal disease (401,403)	151	7	36	58	245	1.9	1.9	0	6.3	6.5	0	
....Hypertension-related (401,403)	2,110	118	436	955	3,560	32.2	33.4	0	97.1	97.9	0	
..Cerebrovascular disease (430-438)	2,242	111	367	1,340	3,610	45.1	59.9	0	101.3	120.0	0	
..Atherosclerosis (440)	225	2	13	20	73	0.6	1.7	0	1.8	3.2	0	
....Atherosclerosis-related (440)	963	20	102	140	680	4.7	8.4	0	17.4	24.0	0	
..Aortic aneurysm (441)	174	6	42	80	280	2.6	2.0	0	7.1	7.2	0	
Pneumonia & influenza (480-487)	1,207	69	165	932	2,027	36.1	45.8	0	65.2	71.5	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,213	121	406	1,153	3,540	45.5	38.1	0	106.4	97.1	0	
..COPD-related (490-496)	2,666	235	861	1,998	7,033	73.7	66.9	0	199.6	190.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1995-1996				Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
..Asthma (493)	60	26	42	580	900	26.0	16.9	0	35.5	24.3	0	
Chronic liver disease and cirrhosis (571)	223	79	146	1,103	2,210	35.7	46.7	0	65.2	74.8	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	322	23	77	318	808	10.7	9.3	0	22.8	21.1	0	
..Nephritis-related (580-589)	1,293	149	409	2,209	4,849	82.1	66.6	0	149.8	129.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	378	33	100	438	1,090	14.5	11.2	0	30.9	25.2	0	
Unintentional injuries (E800-E949)	691	272	352	7,799	10,834	357.1	348.6	0	451.5	433.7	0	
..Motor vehicle accidents (E810-E825)	201	145	165	4,356	5,891	214.4	204.6	0	265.9	250.7	0	
..Falls and fall related injuries (E880-E888)	213	16	39	392	635	16.4	12.0	0	22.8	17.7	0	
..Drowning (E830,E832,E910)	12	9	12	312	419	
..Residential fires (E890-E899)	23	13	16	499	636	23.8	22.8	0	28.2	27.3	0	
Suicide (E950-E959)	112	92	104	2,405	3,395	99.1	89.4	0	128.9	121.2	0	
Homicide and legal intervention (E960-E978)	47	40	43	1,330	1,743	61.3	89.2	0	74.7	107.3	0	
..Homicide (E960-E969)	47	40	43	1,330	1,743	61.3	89.2	0	74.7	107.3	0	
All injury (E800-E999)	868	420	517	11,986	16,599	534.5	532.6	0	677.2	669.7	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	199	145	165	4,356	5,891	214.4	201.6	0	265.9	247.1	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	152	17	35	405	640	16.8	13.5	0	23.2	19.4	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	44	38	44	1,090	1,500	48.0	83.9	0	60.9	104.4	0	
....Suicide (E955.0-.4)	21	18	21	490	683	20.1	34.9	0	25.9	45.8	0	
....Homicide (E965.0-.4)	22	20	22	600	810	28.0	47.9	0	34.9	57.3	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	121	107	114	2,877	3,989	111.9	89.6	0	144.4	116.5	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	89	51	77	728	1,388	23.6	30.3	0	41.6	46.2	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	104	95	99	2,530	3,500	95.7	79.4	0	123.7	101.9	0	

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
All causes	54,531	10,906	21,494	192,337	349,427	3691.8	3898.6	0	6048.8	6304.0	0	
Infectious diseases and parasitic disease (1-139)	1,521	752	908	17,684	25,939	270.0	304.7	0	372.6	416.2	0	
..Septicemia (038)	713	82	192	1,253	2,563	23.0	28.1	0	42.7	50.5	0	
....Septicemia-related (038)	2,480	411	895	5,888	12,208	105.2	111.9	0	200.5	200.8	0	
..HIV infection (042-044)	569	563	568	14,005	19,667	202.9	233.8	0	268.0	306.9	0	
All cancer (140-208)	13,311	3,287	7,094	36,437	87,154	647.1	663.4	0	1440.3	1466.9	0	
..Oral cavity or pharynx (140.0-149.9)	181	62	127	560	1,473	10.0	10.0	0	24.6	25.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,414	257	660	2,448	6,880	43.6	44.4	0	113.3	121.3	0	
....Colon cancer (153)	1,137	185	511	1,748	5,083	30.6	31.7	0	82.8	90.2	0	
....Rectal cancer (154)	255	67	140	653	1,675	12.1	12.1	0	28.4	29.9	0	
..Pancreatic cancer (157)	732	163	382	1,473	4,065	25.5	25.7	0	66.6	65.7	0	
..Lung and other respiratory cancer (160-165)	3,631	925	2,187	7,793	23,103	138.6	142.2	0	383.2	385.2	0	
....Lung cancer (162.2-.9)	3,526	893	2,117	7,493	22,268	133.5	137.2	0	369.7	372.5	0	
..Malignant melanoma of skin (172)	195	78	121	1,135	2,133	18.4	17.1	0	33.4	32.3	0	
..Female breast cancer (174)	1,149	406	686	4,875	10,335	
..Cervical cancer (180)	76	39	52	688	1,135	
..Endometrial cancer (182)	88	14	45	115	403	
..Ovarian cancer (183)	325	92	181	955	2,303	
..Prostate cancer (185)	794	45	212	223	1,395	
..Bladder cancer (188)	349	46	145	340	1,238	6.2	6.8	0	20.4	18.6	0	
..Brain & other CNS cancer (191-192)	276	130	215	2,184	3,887	43.2	42.4	0	69.1	67.9	0	
..Leukemia (204-208)	508	137	264	2,534	4,471	50.6	54.7	0	79.8	86.4	0	
Diabetes mellitus (250)	1,161	227	500	2,318	5,815	38.8	47.0	0	93.4	101.9	0	
..Diabetes-related (250)	4,534	694	1,816	6,065	18,190	104.9	119.6	0	295.9	312.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	22	11	17	228	358	3.4	4.2	0	5.1	5.5	0	
Alzheimer's diseases (331.0)	468	13	47	68	328	1.3	1.8	0	5.5	8.2	0	
Cardiovascular disease (390-459)	23,526	2,673	6,783	30,166	75,256	531.5	551.0	0	1226.3	1270.7	0	
..Diseases of the heart (390-398,402,404-429)	18,530	2,265	5,586	25,122	62,724	442.3	463.2	0	1024.0	1070.0	0	
....Heart disease-related (390-398,402,404-429)	30,784	4,028	9,767	50,160	116,128	899.3	953.8	0	1910.7	2006.3	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	13,362	1,624	4,107	16,182	43,665	278.6	281.3	0	705.9	727.8	0	
....Congestive heart failure (CHF) (428.0)	1,015	27	144	173	905	3.3	5.5	0	14.4	16.7	0	
..Hypertension with or without renal disease (401,403)	248	25	75	243	693	4.2	6.1	0	11.1	14.4	0	
....Hypertension-related (401,403)	3,484	379	1,056	3,313	10,150	59.7	52.2	0	167.4	152.6	0	
..Cerebrovascular disease (430-438)	3,594	279	803	3,450	8,540	62.1	64.7	0	139.3	140.8	0	
..Atherosclerosis (440)	368	11	39	153	358	2.3	2.3	0	5.2	5.5	0	
....Atherosclerosis-related (440)	1,583	64	275	505	2,043	9.1	10.9	0	32.7	36.6	0	
..Aortic aneurysm (441)	433	37	161	418	1,338	6.9	5.6	0	20.6	19.3	0	
Pneumonia & influenza (480-487)	2,136	152	390	2,419	4,954	47.1	50.1	0	85.3	88.1	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,302	213	796	1,958	6,635	38.7	34.7	0	111.4	107.1	0	
..COPD-related (490-496)	5,371	491	1,851	4,013	14,923	75.6	74.5	0	245.3	245.9	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
..Asthma (493)	85	40	61	880	1,358	18.8	12.8	0	26.0	18.8	0	
Chronic liver disease and cirrhosis (571)	584	294	447	4,440	8,128	69.8	71.5	0	123.3	125.4	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	637	58	178	862	1,997	14.9	13.5	0	31.7	30.9	0	
..Nephritis-related (580-589)	2,705	370	971	5,411	11,784	97.4	99.4	0	192.5	197.2	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	750	76	224	1,102	2,542	18.8	15.2	0	40.1	35.6	0	
Unintentional injuries (E800-E949)	1,853	1,072	1,247	31,046	42,469	636.7	655.2	0	795.4	808.3	0	
..Motor vehicle accidents (E810-E825)	593	473	515	14,719	19,624	335.4	357.6	0	408.8	431.2	0	
..Falls and fall related injuries (E880-E888)	403	58	115	1,272	2,070	24.6	23.8	0	36.0	35.3	0	
..Drowning (E830,E832,E910)	58	52	58	1,762	2,322	40.2	31.8	0	48.4	37.8	0	
..Residential fires (E890-E899)	60	39	48	1,302	1,719	30.1	26.7	0	36.1	32.1	0	
Suicide (E950-E959)	567	461	524	12,023	16,960	228.8	218.3	0	296.7	284.6	0	
Homicide and legal intervention (E960-E978)	166	151	160	5,221	6,778	115.9	163.7	0	138.3	195.0	1	
..Homicide (E960-E969)	164	149	158	5,166	6,703	115.2	163.1	0	137.4	194.2	1	
All injury (E800-E999)	2,634	1,727	1,978	49,521	67,893	1001.2	1057.8	0	1255.5	1314.2	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	579	463	504	14,444	19,246	330.7	345.8	0	402.8	417.5	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	308	62	113	1,342	2,160	24.9	26.5	0	36.5	38.9	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	360	295	333	8,675	11,820	176.6	237.8	1	220.6	292.3	1	
...Suicide (E955.0-.4)	243	182	217	4,820	6,818	91.1	108.4	0	118.4	140.0	0	
...Homicide (E965.0-.4)	106	104	106	3,612	4,662	81.2	122.7	1	96.6	144.3	1	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	477	446	464	11,988	16,548	197.9	183.2	0	253.4	233.7	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	334	230	298	3,630	6,280	55.8	58.3	0	93.6	95.3	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	402	387	394	10,567	14,474	169.3	156.2	0	215.3	198.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
All causes	26,099	6,810	12,744	123,688	219,018	4686.6	5010.2	0	7654.2	8114.2	1	
Infectious diseases and parasitic disease (1-139)	905	565	648	13,023	19,065	386.8	424.0	0	538.0	590.6	0	
..Septicemia (038)	325	53	110	767	1,549	27.0	23.2	0	51.7	50.4	0	
....Septicemia-related (038)	1,149	237	499	3,498	7,088	124.2	114.9	0	237.2	217.2	0	
..HIV infection (042-044)	444	438	443	10,685	15,098	308.1	355.9	0	410.8	475.2	0	
All cancer (140-208)	6,649	1,638	3,690	18,155	44,185	671.9	667.5	0	1534.1	1553.1	0	
..Oral cavity or pharynx (140.0-149.9)	119	49	96	448	1,155	16.5	15.8	0	40.6	38.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	689	161	389	1,688	4,298	58.6	52.0	0	147.9	146.9	0	
....Colon cancer (153)	545	114	297	1,110	3,113	39.6	34.9	0	106.0	105.3	0	
....Rectal cancer (154)	133	45	87	473	1,123	18.2	16.4	0	39.8	40.4	0	
..Pancreatic cancer (157)	326	86	200	935	2,325	31.6	32.8	0	76.9	85.3	0	
..Lung and other respiratory cancer (160-165)	2,060	508	1,262	4,045	12,710	149.8	154.4	0	444.1	448.1	0	
....Lung cancer (162.2-.9)	1,981	483	1,207	3,833	12,083	142.0	147.8	0	422.3	430.1	0	
..Malignant melanoma of skin (172)	124	50	80	755	1,420	24.8	19.1	0	45.6	38.6	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	794	45	212	223	1,395	9.1	12.3	0	48.7	53.3	0	
..Bladder cancer (188)	246	33	108	263	920	9.8	9.2	0	31.8	26.8	0	
..Brain & other CNS cancer (191-192)	148	76	117	1,349	2,302	54.7	44.5	0	84.9	75.2	0	
..Leukemia (204-208)	283	83	165	1,672	2,877	68.8	58.0	0	106.5	94.8	0	
Diabetes mellitus (250)	524	112	257	1,120	2,878	38.4	54.3	0	96.1	116.1	0	
..Diabetes-related (250)	2,116	387	1,000	3,388	10,110	120.4	144.5	0	345.2	372.8	0	
..Diabetic ketoacidosis (DKA) (250.1)	13	8	12	140	235	
Alzheimer's diseases (331.0)	151	6	21	25	143	1.0	1.4	0	5.0	7.6	0	
Cardiovascular disease (390-459)	10,596	1,852	4,286	20,763	50,348	736.9	782.3	0	1704.7	1821.3	0	
..Diseases of the heart (390-398,402,404-429)	8,600	1,593	3,603	17,661	42,836	623.1	676.7	0	1447.5	1577.2	0	
....Heart disease-related (390-398,402,404-429)	14,358	2,636	5,990	33,138	74,763	1187.4	1258.8	0	2534.3	2714.5	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,493	1,229	2,795	12,625	32,145	442.7	450.4	0	1085.7	1144.9	0	
....Congestive heart failure (CHF) (428.0)	348	17	74	88	490	3.6	5.1	0	17.3	17.9	0	
..Hypertension with or without renal disease (401,403)	97	18	39	185	448	6.4	10.4	0	15.0	21.6	0	
....Hypertension-related (401,403)	1,374	261	620	2,358	6,590	87.1	70.8	0	229.2	198.6	0	
..Cerebrovascular disease (430-438)	1,352	168	436	2,110	4,930	79.7	71.7	0	171.7	158.4	0	
..Atherosclerosis (440)	143	9	26	133	285	4.1	3.4	0	8.6	8.3	0	
....Atherosclerosis-related (440)	620	44	173	365	1,363	13.4	13.6	0	46.3	47.6	0	
..Aortic aneurysm (441)	259	31	119	338	1,058	11.5	9.3	0	34.8	31.6	0	
Pneumonia & influenza (480-487)	929	83	225	1,488	2,928	56.6	54.7	0	101.4	104.4	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,089	92	390	805	3,095	31.5	31.2	0	107.3	108.6	0	
..COPD-related (490-496)	2,705	256	990	2,015	7,890	76.1	80.8	0	271.8	283.7	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
..Asthma (493)	25	14	19	300	458	12.9	10.3	0	17.9	15.1	0	
Chronic liver disease and cirrhosis (571)	361	215	301	3,338	5,918	106.7	101.6	0	183.7	183.0	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	315	35	101	545	1,190	20.1	17.9	0	40.4	39.9	0	
..Nephritis-related (580-589)	1,412	221	562	3,203	6,935	113.3	133.3	0	230.7	262.0	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	372	43	124	665	1,452	24.1	19.6	0	48.8	45.3	0	
Unintentional injuries (E800-E949)	1,162	800	895	23,247	31,635	921.4	963.9	0	1151.4	1192.2	0	
..Motor vehicle accidents (E810-E825)	392	328	350	10,363	13,733	459.1	511.2	0	558.5	616.2	0	
..Falls and fall related injuries (E880-E888)	190	42	76	880	1,435	33.0	35.6	0	49.5	52.9	0	
..Drowning (E830,E832,E910)	46	43	46	1,451	1,903	65.9	48.5	0	79.4	58.3	0	
..Residential fires (E890-E899)	37	26	32	803	1,083	34.5	30.0	0	42.4	36.6	0	
Suicide (E950-E959)	455	369	420	9,618	13,565	364.0	353.6	0	474.2	457.8	0	
Homicide and legal intervention (E960-E978)	119	111	117	3,891	5,036	170.6	239.1	0	203.4	285.7	0	
..Homicide (E960-E969)	117	109	115	3,836	4,961	169.1	237.7	0	201.5	284.0	0	
All injury (E800-E999)	1,766	1,307	1,461	37,535	51,295	1480.4	1593.3	0	1859.8	1981.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	380	318	339	10,088	13,356	449.9	491.2	0	546.7	592.9	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	156	45	78	938	1,520	33.3	39.7	0	50.3	58.8	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	316	257	289	7,585	10,320	305.4	393.3	0	382.3	484.7	0	
...Suicide (E955.0-.4)	222	164	196	4,330	6,135	163.0	184.8	0	213.1	239.3	0	
...Homicide (E965.0-.4)	84	84	84	3,012	3,852	133.9	196.1	0	158.2	230.8	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	356	339	350	9,112	12,559	295.1	286.1	0	378.4	364.0	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	245	179	221	2,903	4,893	90.8	90.1	0	148.6	150.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	298	292	295	8,037	10,975	254.3	244.3	0	322.8	309.5	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
All causes	28,432	4,096	8,750	68,649	130,409	2689.2	2783.1	0	4480.9	4548.5	0	
Infectious diseases and parasitic disease (1-139)	616	187	260	4,662	6,874	155.0	188.0	0	210.5	246.8	0	
..Septicemia (038)	388	29	82	487	1,014	19.3	33.6	0	34.3	51.9	0	
....Septicemia-related (038)	1,331	174	396	2,390	5,120	86.3	110.1	0	165.5	187.1	0	
..HIV infection (042-044)	125	125	125	3,320	4,570	98.7	113.1	0	127.0	141.3	0	
All cancer (140-208)	6,662	1,649	3,404	18,282	42,969	620.0	659.5	0	1354.5	1394.3	0	
..Oral cavity or pharynx (140.0-149.9)	62	13	31	113	318	3.7	4.4	0	9.8	13.1	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	725	96	271	840	2,583	29.0	37.2	0	81.0	98.2	0	
....Colon cancer (153)	592	71	214	638	1,970	21.9	28.8	0	61.4	76.8	0	
....Rectal cancer (154)	122	22	53	180	553	6.2	8.0	0	17.5	20.2	0	
..Pancreatic cancer (157)	406	77	182	538	1,740	19.6	19.0	0	56.8	47.9	0	
..Lung and other respiratory cancer (160-165)	1,571	417	925	3,748	10,393	128.0	130.8	0	329.3	329.9	0	
....Lung cancer (162.2-.9)	1,545	410	910	3,660	10,185	125.5	127.3	0	323.4	322.0	0	
..Malignant melanoma of skin (172)	71	28	41	380	713	12.0	15.2	0	21.7	26.7	0	
..Female breast cancer (174)	1,149	406	686	4,875	10,335	156.7	150.5	0	317.8	307.5	0	
..Cervical cancer (180)	76	39	52	688	1,135	21.3	21.7	0	33.5	35.0	0	
..Endometrial cancer (182)	88	14	45	115	403	4.0	3.7	0	12.5	11.0	0	
..Ovarian cancer (183)	325	92	181	955	2,303	32.2	40.0	0	72.6	85.0	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	103	13	37	78	318	2.7	4.6	0	10.0	11.3	0	
..Brain & other CNS cancer (191-192)	128	54	98	835	1,585	31.4	40.7	0	53.1	61.6	0	
..Leukemia (204-208)	225	54	99	862	1,595	31.9	51.6	0	53.3	79.0	0	
Diabetes mellitus (250)	637	115	243	1,198	2,938	39.3	39.8	0	91.3	88.3	0	
..Diabetes-related (250)	2,418	307	816	2,678	8,080	90.1	95.6	0	251.3	256.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	9	3	5	88	123	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	317	7	26	43	185	1.7	2.2	0	6.0	8.8	0	
Cardiovascular disease (390-459)	12,930	821	2,497	9,403	24,908	332.6	327.2	0	779.6	760.8	0	
..Diseases of the heart (390-398,402,404-429)	9,930	672	1,983	7,461	19,889	267.6	257.1	0	629.1	600.1	0	
....Heart disease-related (390-398,402,404-429)	16,426	1,392	3,777	17,022	41,365	617.0	658.7	0	1324.4	1350.3	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,869	395	1,312	3,558	11,520	119.8	119.1	0	351.2	342.8	0	
....Congestive heart failure (CHF) (428.0)	667	10	70	85	415	2.9	5.8	0	11.8	15.8	0	
..Hypertension with or without renal disease (401,403)	151	7	36	58	245	2.0	2.0	0	7.3	7.5	0	
....Hypertension-related (401,403)	2,110	118	436	955	3,560	33.3	34.5	0	109.5	110.4	0	
..Cerebrovascular disease (430-438)	2,242	111	367	1,340	3,610	44.1	57.7	0	107.9	124.5	0	
..Atherosclerosis (440)	225	2	13	20	73	0.6	1.3	0	2.0	3.0	0	
....Atherosclerosis-related (440)	963	20	102	140	680	5.0	8.3	0	20.3	26.8	0	
..Aortic aneurysm (441)	174	6	42	80	280	2.5	2.0	0	7.7	8.3	0	
Pneumonia & influenza (480-487)	1,207	69	165	932	2,027	37.3	46.0	0	69.9	73.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,213	121	406	1,153	3,540	45.9	38.1	0	116.7	106.7	0	
..COPD-related (490-496)	2,666	235	861	1,998	7,033	75.3	68.3	0	223.0	213.1	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
..Asthma (493)	60	26	42	580	900	24.8	15.2	0	34.2	22.3	0	
Chronic liver disease and cirrhosis (571)	223	79	146	1,103	2,210	33.7	42.5	0	64.9	70.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	322	23	77	318	808	9.7	9.0	0	23.3	22.3	0	
..Nephritis-related (580-589)	1,293	149	409	2,209	4,849	82.0	65.9	0	157.1	135.9	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	378	33	100	438	1,090	13.3	10.8	0	31.6	26.5	0	
Unintentional injuries (E800-E949)	691	272	352	7,799	10,834	344.7	340.3	0	432.3	418.8	0	
..Motor vehicle accidents (E810-E825)	201	145	165	4,356	5,891	207.2	199.1	0	254.3	241.0	0	
..Falls and fall related injuries (E880-E888)	213	16	39	392	635	16.2	12.0	0	22.8	18.0	0	
..Drowning (E830,E832,E910)	12	9	12	312	419	
..Residential fires (E890-E899)	23	13	16	499	636	25.8	23.5	0	30.1	27.8	0	
Suicide (E950-E959)	112	92	104	2,405	3,395	90.7	80.5	0	117.3	105.7	0	
Homicide and legal intervention (E960-E978)	47	40	43	1,330	1,743	58.8	85.5	0	70.4	101.2	0	
..Homicide (E960-E969)	47	40	43	1,330	1,743	58.8	85.5	0	70.4	101.2	0	
All injury (E800-E999)	868	420	517	11,986	16,599	509.3	510.7	0	639.4	635.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	199	145	165	4,356	5,891	207.2	195.8	0	254.3	237.1	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	152	17	35	405	640	16.6	13.4	0	23.1	19.3	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	44	38	44	1,090	1,500	43.7	77.5	0	54.9	95.1	0	
...Suicide (E955.0-.4)	21	18	21	490	683	17.6	30.3	0	22.6	39.6	0	
....Homicide (E965.0-.4)	22	20	22	600	810	26.1	46.4	0	32.1	54.5	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	121	107	114	2,877	3,989	100.0	80.4	0	127.9	103.7	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	89	51	77	728	1,388	21.7	27.5	0	40.4	42.9	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	104	95	99	2,530	3,500	83.7	68.3	0	107.3	87.0	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
All causes	54,531	10,906	21,494	192,337	349,427	3890.6	4088.4	0	6385.3	6632.0	0	
Infectious diseases and parasitic disease (1-139)	1,521	752	908	17,684	25,939	333.0	370.6	0	454.7	501.6	0	
..Septicemia (038)	713	82	192	1,253	2,563	25.0	31.2	0	45.9	55.5	0	
....Septicemia-related (038)	2,480	411	895	5,888	12,208	118.3	124.2	0	220.3	219.6	0	
...HIV infection (042-044)	569	563	568	14,005	19,667	260.2	294.4	0	341.4	383.9	0	
All cancer (140-208)	13,311	3,287	7,094	36,437	87,154	737.6	756.4	0	1574.8	1605.5	0	
..Oral cavity or pharynx (140.0-149.9)	181	62	127	560	1,473	11.4	11.6	0	26.8	27.7	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,414	257	660	2,448	6,880	50.1	51.9	0	123.3	132.4	0	
....Colon cancer (153)	1,137	185	511	1,748	5,083	35.4	36.8	0	90.2	97.6	0	
....Rectal cancer (154)	255	67	140	653	1,675	13.7	14.4	0	30.8	33.3	0	
...Pancreatic cancer (157)	732	163	382	1,473	4,065	29.7	29.3	0	72.8	71.7	0	
...Lung and other respiratory cancer (160-165)	3,631	925	2,187	7,793	23,103	159.9	166.1	0	415.2	420.5	0	
....Lung cancer (162.2-.9)	3,526	893	2,117	7,493	22,268	153.8	160.1	0	400.3	406.3	0	
..Malignant melanoma of skin (172)	195	78	121	1,135	2,133	22.2	21.2	0	38.5	37.8	0	
..Female breast cancer (174)	1,149	406	686	4,875	10,335	
..Cervical cancer (180)	76	39	52	688	1,135	
..Endometrial cancer (182)	88	14	45	115	403	
..Ovarian cancer (183)	325	92	181	955	2,303	
..Prostate cancer (185)	794	45	212	223	1,395	
..Bladder cancer (188)	349	46	145	340	1,238	6.9	7.6	0	21.7	20.2	0	
..Brain & other CNS cancer (191-192)	276	130	215	2,184	3,887	44.9	44.9	0	72.5	72.2	0	
..Leukemia (204-208)	508	137	264	2,534	4,471	51.9	54.7	0	82.5	87.6	0	
Diabetes mellitus (250)	1,161	227	500	2,318	5,815	46.3	55.6	0	104.2	114.0	0	
..Diabetic-related (250)	4,534	694	1,816	6,065	18,190	122.4	138.8	0	322.3	341.8	0	
..Diabetic ketoacidosis (DKA) (250.1)	22	11	17	228	358	4.4	4.4	0	6.4	5.8	0	
Alzheimer's diseases (331.0)	468	13	47	68	328	1.4	1.9	0	5.7	8.4	0	
Cardiovascular disease (390-459)	23,526	2,673	6,783	30,166	75,256	608.8	630.5	0	1345.6	1393.2	0	
..Diseases of the heart (390-398,402,404-429)	18,530	2,265	5,586	25,122	62,724	507.5	527.6	0	1123.5	1169.4	0	
....Heart disease-related (390-398,402,404-429)	30,784	4,028	9,767	50,160	116,128	1009.3	1072.0	0	2081.5	2189.3	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	13,362	1,624	4,107	16,182	43,665	327.9	328.4	0	780.7	799.6	0	
....Congestive heart failure (CHF) (428.0)	1,015	27	144	173	905	3.6	5.9	0	15.3	17.7	0	
..Hypertension with or without renal disease (401,403)	248	25	75	243	693	5.0	7.5	0	12.4	16.5	0	
....Hypertension-related (401,403)	3,484	379	1,056	3,313	10,150	67.9	60.0	0	181.0	165.6	0	
..Cerebrovascular disease (430-438)	3,594	279	803	3,450	8,540	69.3	75.3	0	151.3	156.6	0	
..Atherosclerosis (440)	368	11	39	153	358	3.0	3.0	0	6.3	6.6	0	
....Atherosclerosis-related (440)	1,583	64	275	505	2,043	10.3	12.8	0	35.2	40.2	0	
..Aortic aneurysm (441)	433	37	161	418	1,338	8.3	6.4	0	23.0	20.9	0	
Pneumonia & influenza (480-487)	2,136	152	390	2,419	4,954	49.0	55.2	0	89.3	96.1	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	2,302	213	796	1,958	6,635	40.6	38.0	0	116.2	113.3	0	
..COPD-related (490-496)	5,371	491	1,851	4,013	14,923	82.3	81.5	0	258.8	260.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
..Asthma (493)	85	40	61	880	1,358	18.7	14.8	0	26.3	21.5	0	
Chronic liver disease and cirrhosis (571)	584	294	447	4,440	8,128	87.6	89.5	0	147.7	149.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	637	58	178	862	1,997	17.1	15.9	0	35.0	34.4	0	
..Nephritis-related (580-589)	2,705	370	971	5,411	11,784	108.3	111.2	0	210.1	215.4	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	750	76	224	1,102	2,542	21.7	18.1	0	44.5	39.8	0	
Unintentional injuries (E800-E949)	1,853	1,072	1,247	31,046	42,469	638.1	646.1	0	805.0	804.7	0	
..Motor vehicle accidents (E810-E825)	593	473	515	14,719	19,624	314.3	330.9	0	386.3	401.9	0	
..Falls and fall related injuries (E880-E888)	403	58	115	1,272	2,070	26.1	25.5	0	38.4	37.9	0	
..Drowning (E830,E832,E910)	58	52	58	1,762	2,322	37.1	31.0	0	45.1	37.3	0	
..Residential fires (E890-E899)	60	39	48	1,302	1,719	27.1	24.3	0	33.1	29.5	0	
Suicide (E950-E959)	567	461	524	12,023	16,960	241.8	232.8	0	315.3	304.8	0	
Homicide and legal intervention (E960-E978)	166	151	160	5,221	6,778	109.9	150.5	0	131.9	180.4	0	
..Homicide (E960-E969)	164	149	158	5,166	6,703	108.9	149.5	0	130.6	179.1	1	
All injury (E800-E999)	2,634	1,727	1,978	49,521	67,893	1013.0	1053.5	0	1281.8	1320.6	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	579	463	504	14,444	19,246	309.0	320.1	0	379.6	389.4	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	308	62	113	1,342	2,160	27.1	28.9	0	39.8	42.4	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	360	295	333	8,675	11,820	177.9	230.1	1	223.7	285.3	1	
...Suicide (E955.0-.4)	243	182	217	4,820	6,818	96.7	113.4	0	126.3	147.4	0	
...Homicide (E965.0-.4)	106	104	106	3,612	4,662	76.3	110.1	0	91.2	130.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	477	446	464	11,988	16,548	231.0	215.0	0	296.3	274.5	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	334	230	298	3,630	6,280	70.9	73.7	0	113.8	115.8	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	402	387	394	10,567	14,474	201.7	187.9	0	256.9	238.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male												
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75				
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance		
*****Causes of Death*****													
All causes	26,099	6,810	12,744	123,688	219,018	4986.6	5304.5	0	8139.5	8597.4	1		
Infectious diseases and parasitic disease (1-139)	905	565	648	13,023	19,065	490.2	533.4	0	671.9	731.8	0		
..Septicemia (038)	325	53	110	767	1,549	30.7	27.8	0	57.1	57.4	0		
....Septicemia-related (038)	1,149	237	499	3,498	7,088	141.0	132.9	0	262.5	243.7	0		
....HIV infection (042-044)	444	438	443	10,685	15,098	399.4	453.1	0	528.0	599.4	0		
All cancer (140-208)	6,649	1,638	3,690	18,155	44,185	746.0	753.9	0	1650.8	1685.7	0		
..Oral cavity or pharynx (140.0-149.9)	119	49	96	448	1,155	18.7	18.5	0	43.8	42.4	0		
..Colorectal cancer (153.0-154.3,154.8,159.0)	689	161	389	1,668	4,298	67.1	59.8	0	161.3	159.1	0		
....Colon cancer (153)	545	114	297	1,110	3,113	45.9	39.6	0	115.8	112.6	0		
....Rectal cancer (154)	133	45	87	473	1,123	20.2	19.3	0	43.2	44.9	0		
....Pancreatic cancer (157)	326	86	200	935	2,325	37.9	38.3	0	86.2	93.9	0		
...Lung and other respiratory cancer (160-165)	2,060	508	1,262	4,045	12,710	170.0	178.7	0	476.2	485.2	0		
....Lung cancer (162.2-.9)	1,981	483	1,207	3,833	12,083	161.1	170.7	0	452.6	465.1	0		
..Malignant melanoma of skin (172)	124	50	80	755	1,420	29.6	23.2	0	52.0	44.2	0		
..Female breast cancer (174)		
..Cervical cancer (180)		
..Endometrial cancer (182)		
..Ovarian cancer (183)		
..Prostate cancer (185)	794	45	212	223	1,395	9.5	13.7	0	50.6	56.9	0		
..Bladder cancer (188)	246	33	108	263	920	11.1	10.8	0	34.2	29.7	0		
..Brain & other CNS cancer (191-192)	148	76	117	1,349	2,302	55.6	49.0	0	87.5	81.9	0		
..Leukemia (204-208)	283	83	165	1,672	2,877	68.6	60.4	0	108.2	99.1	0		
Diabetes mellitus (250)	524	112	257	1,120	2,878	46.0	62.9	0	107.5	128.6	0		
..Diabetes-related (250)	2,116	387	1,000	3,388	10,110	140.5	166.5	0	376.4	406.9	0		
..Diabetic ketoacidosis (DKA) (250.1)	13	8	12	140	235	.	.	0	.	.	.		
Alzheimer's diseases (331.0)	151	6	21	25	143	1.0	1.4	0	5.2	7.7	0		
Cardiovascular disease (390-459)	10,596	1,852	4,286	20,763	50,348	849.7	900.2	0	1876.6	2001.5	0		
..Diseases of the heart (390-398,402,404-429)	8,600	1,593	3,603	17,661	42,836	723.2	776.3	0	1597.9	1729.4	0		
....Heart disease-related (390-398,402,404-429)	14,358	2,636	5,990	33,138	74,763	1344.4	1438.6	0	2774.8	2987.2	1		
....Coronary heart disease (CHD) (402,410-414,429.2)	6,493	1,229	2,795	12,625	32,145	520.7	525.9	0	1202.8	1259.0	0		
....Congestive heart failure (CHF) (428.0)	348	17	74	88	490	3.8	6.0	0	18.0	19.6	0		
...Hypertension with or without renal disease (401,403)	97	18	39	185	448	7.7	12.9	0	17.0	25.2	0		
....Hypertension-related (401,403)	1,374	261	620	2,358	6,590	99.0	83.0	0	248.5	218.1	0		
..Cerebrovascular disease (430-438)	1,352	168	436	2,110	4,930	85.7	83.7	0	182.6	176.7	0		
..Atherosclerosis (440)	143	9	26	133	285	5.4	4.1	0	10.5	9.5	0		
....Atherosclerosis-related (440)	620	44	173	365	1,363	15.3	15.8	0	50.2	51.8	0		
..Aortic aneurysm (441)	259	31	119	338	1,058	13.6	10.4	0	38.4	33.8	0		
Pneumonia & influenza (480-487)	929	83	225	1,488	2,928	60.0	62.4	0	107.8	116.1	0		
Chronic obstructive pulmonary disease (COPD) (490-496)	1,089	92	390	805	3,095	33.6	33.9	0	112.6	114.3	0		
..COPD-related (490-496)	2,705	256	990	2,015	7,890	83.5	87.5	0	287.2	298.7	0		

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
..Asthma (493)	25	14	19	300	458	12.7	11.7	0	17.9	17.1	0	
Chronic liver disease and cirrhosis (571)	361	215	301	3,338	5,918	133.7	127.1	0	220.8	218.0	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	315	35	101	545	1,190	22.0	20.7	0	43.7	44.0	0	
..Nephritis-related (580-589)	1,412	221	562	3,203	6,935	128.5	149.9	0	254.7	287.6	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	372	43	124	665	1,452	26.6	22.7	0	52.9	49.9	0	
Unintentional injuries (E800-E949)	1,162	800	895	23,247	31,635	940.2	969.2	0	1185.9	1209.2	0	
..Motor vehicle accidents (E810-E825)	392	328	350	10,363	13,733	433.8	477.0	0	532.2	578.9	0	
..Falls and fall related injuries (E880-E888)	190	42	76	880	1,435	35.9	38.5	0	53.9	57.2	0	
..Drowning (E830,E832,E910)	46	43	46	1,451	1,903	60.4	49.0	0	73.4	59.5	0	
..Residential fires (E890-E899)	37	26	32	803	1,083	32.4	28.3	0	40.7	35.0	0	
Suicide (E950-E959)	455	369	420	9,618	13,565	385.1	374.9	0	504.0	487.4	0	
Homicide and legal intervention (E960-E978)	119	111	117	3,891	5,036	162.0	219.6	0	194.2	264.1	0	
..Homicide (E960-E969)	117	109	115	3,836	4,961	160.0	217.7	0	191.7	261.6	0	
All injury (E800-E999)	1,766	1,307	1,461	37,535	51,295	1516.6	1605.9	0	1921.1	2014.1	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	380	318	339	10,088	13,356	423.3	458.5	0	518.8	557.3	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	156	45	78	938	1,520	37.5	43.6	0	56.3	64.2	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	316	257	289	7,585	10,320	308.2	379.6	0	388.4	471.9	0	
...Suicide (E955.0-.4)	222	164	196	4,330	6,135	173.0	191.3	0	227.2	249.4	0	
...Homicide (E965.0-.4)	84	84	84	3,012	3,852	125.7	176.3	0	149.0	208.4	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	356	339	350	9,112	12,559	349.5	340.7	0	448.5	433.7	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	245	179	221	2,903	4,893	115.1	112.9	0	181.4	180.7	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	298	292	295	8,037	10,975	306.0	296.9	0	389.0	376.1	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
All causes	28,432	4,096	8,750	68,649	130,409	2792.8	2875.0	0	4679.0	4732.9	0	
Infectious diseases and parasitic disease (1-139)	616	187	260	4,662	6,874	178.0	210.9	0	241.4	277.3	0	
..Septicemia (038)	388	29	82	487	1,014	19.6	35.1	0	35.4	54.8	0	
....Septicemia-related (038)	1,331	174	396	2,390	5,120	95.7	116.6	0	180.2	198.4	0	
..HIV infection (042-044)	125	125	125	3,320	4,570	122.6	137.8	0	157.4	172.0	0	
All cancer (140-208)	6,662	1,649	3,404	18,282	42,969	727.1	759.0	0	1507.8	1539.7	0	
..Oral cavity or pharynx (140.0-149.9)	62	13	31	113	318	4.4	4.9	0	10.9	14.0	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	725	96	271	840	2,583	33.4	44.4	0	87.8	108.5	0	
....Colon cancer (153)	592	71	214	638	1,970	25.2	34.1	0	66.5	84.4	0	
....Rectal cancer (154)	122	22	53	180	553	7.3	9.7	0	19.1	22.7	0	
..Pancreatic cancer (157)	406	77	182	538	1,740	21.7	20.8	0	60.2	51.2	0	
..Lung and other respiratory cancer (160-165)	1,571	417	925	3,748	10,393	150.4	154.3	0	361.6	363.8	0	
....Lung cancer (162.2-.9)	1,545	410	910	3,660	10,185	147.0	150.1	0	354.6	355.0	0	
..Malignant melanoma of skin (172)	71	28	41	380	713	14.9	19.3	0	25.6	32.1	0	
..Female breast cancer (174)	1,149	406	686	4,875	10,335	192.4	184.1	0	367.1	354.0	0	
..Cervical cancer (180)	76	39	52	688	1,135	26.5	28.0	0	40.3	43.3	0	
..Endometrial cancer (182)	88	14	45	115	403	4.7	4.2	0	13.5	11.8	0	
..Ovarian cancer (183)	325	92	181	955	2,303	38.1	47.2	0	81.3	95.5	0	
..Prostate cancer (185)	0	.	.	0	
..Bladder cancer (188)	103	13	37	78	318	3.0	4.6	0	10.5	11.6	0	
..Brain & other CNS cancer (191-192)	128	54	98	835	1,585	34.0	41.2	0	57.5	63.4	0	
..Leukemia (204-208)	225	54	99	862	1,595	34.8	49.2	0	57.4	77.1	0	
Diabetes mellitus (250)	637	115	243	1,198	2,938	46.7	48.4	0	101.5	100.3	0	
..Diabetes-related (250)	2,418	307	816	2,678	8,080	105.2	112.2	0	273.3	281.6	0	
..Diabetic ketoacidosis (DKA) (250.1)	9	3	5	88	123	.	.	0	.	.	0	
Alzheimer's diseases (331.0)	317	7	26	43	185	1.8	2.3	0	6.2	9.1	0	
Cardiovascular disease (390-459)	12,930	821	2,497	9,403	24,908	375.4	369.7	0	849.1	828.6	0	
..Diseases of the heart (390-398,402,404-429)	9,930	672	1,983	7,461	19,889	298.7	287.3	0	680.1	649.4	0	
....Heart disease-related (390-398,402,404-429)	16,426	1,392	3,777	17,022	41,365	681.4	716.9	0	1429.1	1447.7	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,869	395	1,312	3,558	11,520	141.2	138.4	0	385.6	374.3	0	
....Congestive heart failure (CHF) (428.0)	667	10	70	85	415	3.4	5.8	0	13.0	16.2	0	
..Hypertension with or without renal disease (401,403)	151	7	36	58	245	2.3	2.2	0	8.0	8.1	0	
....Hypertension-related (401,403)	2,110	118	436	955	3,560	38.0	38.0	0	117.6	117.3	0	
..Cerebrovascular disease (430-438)	2,242	111	367	1,340	3,610	52.7	66.9	0	121.3	138.2	0	
..Atherosclerosis (440)	225	2	13	20	73	0.8	2.0	0	2.3	4.0	0	
....Atherosclerosis-related (440)	963	20	102	140	680	5.6	10.0	0	21.7	29.9	0	
..Aortic aneurysm (441)	174	6	42	80	280	3.1	2.5	0	8.9	9.3	0	
Pneumonia & influenza (480-487)	1,207	69	165	932	2,027	37.9	48.4	0	71.6	78.2	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,213	121	406	1,153	3,540	47.7	42.1	0	120.9	113.5	0	
..COPD-related (490-496)	2,666	235	861	1,998	7,033	81.3	75.8	0	235.0	226.9	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1995-1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1995-1996			Years of life lost, 1995-1996		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1995-1996	1993-1994	Significance	1995-1996	1993-1994	Significance	
*****Causes of Death*****												
..Asthma (493)	60	26	42	580	900	24.8	17.8	0	34.6	25.8	0	
Chronic liver disease and cirrhosis (571)	223	79	146	1,103	2,210	42.6	53.3	0	77.1	85.3	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	322	23	77	318	808	12.1	11.2	0	26.7	25.3	0	
..Nephritis-related (580-589)	1,293	149	409	2,209	4,849	88.6	72.9	0	168.7	147.1	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	378	33	100	438	1,090	16.7	13.5	0	36.4	30.4	0	
Unintentional injuries (E800-E949)	691	272	352	7,799	10,834	330.6	318.7	0	419.5	397.0	0	
..Motor vehicle accidents (E810-E825)	201	145	165	4,356	5,891	191.3	180.9	0	236.9	221.0	0	
..Falls and fall related injuries (E880-E888)	213	16	39	392	635	16.2	12.5	0	23.3	19.0	0	
..Drowning (E830,E832,E910)	12	9	12	312	419	
..Residential fires (E890-E899)	23	13	16	499	636	21.8	20.4	0	25.7	24.3	0	
Suicide (E950-E959)	112	92	104	2,405	3,395	96.5	89.2	0	125.7	121.3	0	
Homicide and legal intervention (E960-E978)	47	40	43	1,330	1,743	55.7	79.2	0	67.4	94.3	0	
..Homicide (E960-E969)	47	40	43	1,330	1,743	55.7	79.2	0	67.4	94.3	0	
All injury (E800-E999)	868	420	517	11,986	16,599	500.2	493.1	0	634.8	620.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	199	145	165	4,356	5,891	191.3	178.2	0	236.9	217.8	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	152	17	35	405	640	16.7	14.4	0	23.7	21.0	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	44	38	44	1,090	1,500	44.3	77.1	0	56.2	95.4	0	
....Suicide (E955.0-.4)	21	18	21	490	683	19.3	34.5	0	24.9	45.1	0	
....Homicide (E965.0-.4)	22	20	22	600	810	25.0	41.6	0	31.1	49.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	121	107	114	2,877	3,989	112.4	89.8	0	144.2	116.3	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	89	51	77	728	1,388	27.7	35.5	0	48.2	53.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	104	95	99	2,530	3,500	97.2	79.6	0	124.8	101.4	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).