

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
White Residents, 1997

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables
by Cause of Death and Sex, White Residents, 1997

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables
by Cause of Death and Sex, White Residents, 1997

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT White Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR
*****Causes of Death*****															
All causes	27,320	946.7	407.7	0	415.1	12,938	920.1	509.4	0	519.8	14,382	971.9	325.5	0	330.3
Infectious diseases and parasitic disease (1-139)	593	20.5	11.0	1	13.7	311	22.1	14.5	1	19.3	282	19.1	7.9	0	8.5
..Septicemia (038)	336	11.6	4.3	0	4.1	137	9.7	4.8	0	5.3	199	13.4	3.8	0	3.2
....Septicemia-related (038)	1,275	44.2	18.3	0	17.4	568	40.4	21.0	0	21.2	707	47.8	16.3	0	14.4
..HIV infection (042-044)	120	4.2	3.8	1	6.9	93	6.6	5.8	1	10.4	27	1.8	1.8	0	3.4
All cancer (140-208)	6,614	229.2	116.3	0	119.5	3,224	229.3	132.1	0	138.4	3,390	229.1	105.8	0	106.7
..Oral cavity or pharynx (140.0-149.9)	79	2.7	1.5	0	1.9	49	3.5	2.3	0	2.7	30	2.0	0.8	0	1.2
..Colorectal cancer (153.0-154.3,154.8,159.0)	696	24.1	11.1	0	10.8	331	23.5	13.1	0	13.9	365	24.7	9.5	0	8.3
....Colon cancer (153)	575	19.9	9.2	0	8.6	265	18.8	10.6	0	11.0	310	20.9	8.1	0	6.7
....Rectal cancer (154)	108	3.7	1.8	0	2.0	58	4.1	2.3	0	2.6	50	3.4	1.3	0	1.5
..Pancreatic cancer (157)	367	12.7	6.5	0	6.8	168	11.9	7.4	0	7.7	199	13.4	5.7	0	5.9
..Lung and other respiratory cancer (160-165)	1,797	62.3	33.9	0	35.1	974	69.3	41.8	0	44.6	823	55.6	27.9	0	27.9
....Lung cancer (162.2-.9)	1,747	60.5	33.0	0	34.1	942	67.0	40.5	0	42.9	805	54.4	27.3	0	27.4
..Malignant melanoma of skin (172)	90	3.1	1.7	0	2.3	42	3.0	1.9	1	3.4	48	3.2	1.5	0	1.4
..Female breast cancer (174)	547	547	37.0	19.4	0	20.9
..Cervical cancer (180)	29	29	2.0	1.4	0	1.8
..Endometrial cancer (182)	35	35	2.4	0.9	0	1.5
..Ovarian cancer (183)	170	170	11.5	5.9	0	4.8
..Prostate cancer (185)	358	358	25.5	10.8	0	12.6
..Bladder cancer (188)	180	6.2	2.4	0	2.6	117	8.3	4.0	0	4.3	63	4.3	1.2	0	1.4
..Brain & other CNS cancer (191-192)	143	5.0	3.0	0	3.5	74	5.3	3.6	0	4.2	69	4.7	2.5	0	3.0
..Leukemia (204-208)	258	8.9	4.7	0	4.3	138	9.8	6.0	0	5.6	120	8.1	3.6	0	3.3
Diabetes mellitus (250)	559	19.4	8.9	0	9.9	275	19.6	11.1	0	11.2	284	19.2	7.1	0	9.0
..Diabetes-related (250)	2,215	76.8	33.2	0	34.3	1,126	80.1	42.5	0	41.6	1,089	73.6	26.2	0	28.6
..Diabetic ketoacidosis (DKA) (250.1)	8	0.3	.	.	0.3	6	0.4	.	.	.	2	0.1	.	.	.
Alzheimer's diseases (331.0)	258	8.9	2.2	0	2.1	71	5.0	2.0	0	1.8	187	12.6	2.2	0	2.2
Cardiovascular disease (390-459)	11,707	405.7	143.8	0	148.2	5,334	379.4	190.3	0	191.4	6,373	430.7	105.7	0	112.9
..Diseases of the heart (390-398,402,404-429)	9,200	318.8	115.4	0	119.2	4,339	308.6	157.0	0	157.8	4,861	328.5	81.6	0	87.8
....Heart disease-related (390-398,402,404-429)	15,303	530.3	196.4	0	203.4	7,239	514.8	259.9	0	260.6	8,064	544.9	146.2	1	158.2
....Coronary heart disease (CHD) (402,410-414,429.2)	6,638	230.0	84.0	0	86.2	3,256	231.6	118.6	0	120.0	3,382	228.5	55.8	0	58.8
....Congestive heart failure (CHF) (428.0)	553	19.2	4.8	0	4.6	192	13.7	5.1	0	4.5	361	24.4	4.7	0	4.6
..Hypertension with or without renal disease (401,403)	147	5.1	1.6	0	1.4	48	3.4	1.5	0	1.3	99	6.7	1.6	0	1.4
....Hypertension-related (401,403)	1,927	66.8	24.7	0	22.6	780	55.5	28.5	0	26.9	1,147	77.5	21.2	0	18.5
..Cerebrovascular disease (430-438)	1,794	62.2	19.3	0	20.3	661	47.0	21.1	0	22.2	1,133	76.6	17.8	0	18.8
..Atherosclerosis (440)	151	5.2	1.4	0	1.8	54	3.8	1.6	0	2.2	97	6.6	1.3	0	1.5
....Atherosclerosis-related (440)	735	25.5	7.1	0	8.4	297	21.1	8.9	0	10.6	438	29.6	5.8	0	6.5
..Aortic aneurysm (441)	228	7.9	3.3	0	3.1	139	9.9	5.3	0	5.1	89	6.0	1.6	0	1.6
Pneumonia & influenza (480-487)	1,172	40.6	11.8	0	10.8	545	38.8	16.3	0	14.0	627	42.4	8.6	0	8.8

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,229	42.6	16.8	0	16.1	539	38.3	18.5	0	18.8	690	46.6	16.0	0	14.5
..COPD-related (490-496)	2,810	97.4	37.8	0	36.8	1,362	96.9	46.1	0	46.4	1,448	97.9	32.4	0	30.6
..Asthma (493)	53	1.8	1.0	0	0.9	12	0.9	.	.	.	41	2.8	1.3	0	1.1
Chronic liver disease and cirrhosis (571)	274	9.5	6.4	0	6.6	171	12.2	9.2	0	9.5	103	7.0	3.8	0	4.0
Nephritis, nephrotic syndrome/nephrosis (580-589)	313	10.8	3.7	0	4.0	162	11.5	4.9	0	5.0	151	10.2	3.0	0	3.4
..Nephritis-related (580-589)	1,430	49.6	19.4	0	19.2	792	56.3	26.8	0	25.6	638	43.1	14.4	0	14.8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	363	12.6	4.5	0	5.0	193	13.7	6.1	0	6.2	170	11.5	3.5	0	4.2
Unintentional injuries (E800-E949)	949	32.9	25.0	0	22.5	603	42.9	35.1	0	32.8	346	23.4	15.5	0	12.7
..Motor vehicle accidents (E810-E825)	311	10.8	10.7	0	9.6	189	13.4	13.3	0	12.9	122	8.2	8.3	0	6.5
..Falls and fall related injuries (E880-E888)	183	6.3	2.4	0	2.9	111	7.9	4.1	0	4.2	72	4.9	1.1	0	1.8
..Drowning (E830,E832,E910)	26	0.9	0.9	0	0.9	24	1.7	1.6	0	1.5	2	0.1	.	.	.
..Residential fires (E890-E899)	22	0.8	0.6	0	0.9	11	0.8	.	.	1.2	11	0.7	.	.	.
Suicide (E950-E959)	257	8.9	7.8	0	8.4	197	14.0	12.2	0	13.6	60	4.1	3.5	0	3.3
Homicide and legal intervention (E960-E978)	57	2.0	2.2	0	3.3	42	3.0	3.4	0	4.7	15	1.0	1.0	0	1.9
..Homicide (E960-E969)	57	2.0	2.2	0	3.2	42	3.0	3.4	0	4.6	15	1.0	1.0	0	1.9
All injury (E800-E999)	1,306	45.3	36.4	0	35.2	871	61.9	52.6	0	52.3	435	29.4	20.9	0	18.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	305	10.6	10.4	0	9.4	184	13.1	12.8	0	12.5	121	8.2	8.2	0	6.5
..All falls (E880-E886,E888,E957,E968.1,E987)	132	4.6	2.1	0	2.5	89	6.3	3.7	0	3.7	43	2.9	0.7	0	1.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	130	4.5	4.2	1	5.9	117	8.3	7.7	0	10.0	13	0.9	.	.	1.9
....Suicide (E955.0-.4)	101	3.5	3.0	0	3.4	92	6.5	5.5	0	6.1	9	0.6	.	.	.
....Homicide (E965.0-.4)	28	1.0	1.2	1	2.4	24	1.7	2.1	0	3.6	4	0.3	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	274	9.5	8.6	0	7.1	203	14.4	12.9	0	10.8	71	4.8	4.2	0	3.4
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	124	4.3	3.3	0	4.2	96	6.8	5.5	0	6.3	28	1.9	1.3	0	2.3
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	8.4	7.7	1	5.8	176	12.5	11.4	0	8.5	65	4.4	3.9	0	3.0

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

*****Causes of Death*****	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	Signif- AAMR	Signif- icance	1996 AAMR
All causes	27,320	946.7	578.8	0	587.2	12,938	920.1	718.5	0	729.6	14,382	971.9	474.4	0	481.4
Infectious diseases and parasitic disease (1-139)	593	20.5	13.3	0	15.4	311	22.1	17.0	1	21.3	282	19.1	10.2	0	10.3
..Septicemia (038)	336	11.6	6.6	0	6.5	137	9.7	7.3	0	8.4	199	13.4	6.0	0	5.2
....Septicemia-related (038)	1,275	44.2	26.6	0	25.5	568	40.4	30.9	0	31.1	707	47.8	23.8	0	21.7
..HIV infection (042-044)	120	4.2	3.3	1	5.8	93	6.6	5.0	1	8.9	27	1.8	1.6	0	2.8
All cancer (140-208)	6,614	229.2	155.4	0	159.0	3,224	229.3	183.1	0	190.9	3,390	229.1	138.0	0	138.9
..Oral cavity or pharynx (140.0-149.9)	79	2.7	2.0	0	2.4	49	3.5	2.9	0	3.3	30	2.0	1.2	0	1.5
..Colorectal cancer (153.0-154.3,154.8,159.0)	696	24.1	15.4	0	15.4	331	23.5	18.4	0	19.6	365	24.7	13.3	0	12.2
....Colon cancer (153)	575	19.9	12.8	0	12.4	265	18.8	14.8	0	15.9	310	20.9	11.3	0	9.9
....Rectal cancer (154)	108	3.7	2.4	0	2.7	58	4.1	3.2	0	3.5	50	3.4	1.8	0	2.1
..Pancreatic cancer (157)	367	12.7	8.7	0	9.2	168	11.9	9.9	0	10.4	199	13.4	7.7	0	8.3
..Lung and other respiratory cancer (160-165)	1,797	62.3	44.6	0	46.0	974	69.3	56.6	0	60.0	823	55.6	36.1	0	36.0
....Lung cancer (162.2-.9)	1,747	60.5	43.4	0	44.7	942	67.0	54.7	0	57.9	805	54.4	35.4	0	35.4
..Malignant melanoma of skin (172)	90	3.1	2.1	0	2.7	42	3.0	2.4	1	4.2	48	3.2	1.9	0	1.6
..Female breast cancer (174)	547	547	37.0	23.8	0	25.5
..Cervical cancer (180)	29	29	2.0	1.4	0	2.0
..Endometrial cancer (182)	35	35	2.4	1.3	0	2.0
..Ovarian cancer (183)	170	170	11.5	7.4	0	6.1
..Prostate cancer (185)	358	358	25.5	18.5	0	21.3
..Bladder cancer (188)	180	6.2	3.7	0	3.9	117	8.3	6.3	0	6.6	63	4.3	2.0	0	2.1
..Brain & other CNS cancer (191-192)	143	5.0	3.7	0	4.2	74	5.3	4.3	0	5.0	69	4.7	3.1	0	3.4
..Leukemia (204-208)	258	8.9	6.1	0	5.7	138	9.8	8.1	0	7.5	120	8.1	4.7	0	4.4
Diabetes mellitus (250)	559	19.4	12.3	0	13.9	275	19.6	15.4	0	16.1	284	19.2	10.0	0	12.5
..Diabetes-related (250)	2,215	76.8	47.8	0	50.1	1,126	80.1	61.9	0	60.8	1,089	73.6	38.0	0	42.3
..Diabetic ketoacidosis (DKA) (250.1)	8	0.3	.	.	0.4	6	0.4	.	.	.	2	0.1	.	.	.
Alzheimer's diseases (331.0)	258	8.9	4.2	0	4.0	71	5.0	3.6	0	3.5	187	12.6	4.4	0	4.3
Cardiovascular disease (390-459)	11,707	405.7	226.1	0	233.4	5,334	379.4	288.3	0	291.3	6,373	430.7	177.5	1	188.5
..Diseases of the heart (390-398,402,404-429)	9,200	318.8	179.7	0	185.4	4,339	308.6	235.4	0	237.3	4,861	328.5	136.3	1	145.5
....Heart disease-related (390-398,402,404-429)	15,303	530.3	302.6	0	311.0	7,239	514.8	392.2	0	391.0	8,064	544.9	236.3	1	251.9
....Coronary heart disease (CHD) (402,410-414,429.2)	6,638	230.0	130.4	0	134.1	3,256	231.6	177.0	0	179.6	3,382	228.5	94.2	0	99.1
....Congestive heart failure (CHF) (428.0)	553	19.2	9.1	0	8.6	192	13.7	9.6	0	8.3	361	24.4	8.9	0	8.6
..Hypertension with or without renal disease (401,403)	147	5.1	2.7	0	2.2	48	3.4	2.5	0	1.9	99	6.7	2.7	0	2.3
....Hypertension-related (401,403)	1,927	66.8	38.4	0	35.6	780	55.5	42.7	0	40.0	1,147	77.5	34.3	0	31.1
..Cerebrovascular disease (430-438)	1,794	62.2	32.5	0	34.1	661	47.0	34.5	0	36.2	1,133	76.6	30.6	0	32.1
..Atherosclerosis (440)	151	5.2	2.5	0	3.4	54	3.8	2.8	0	3.9	97	6.6	2.3	0	3.0
....Atherosclerosis-related (440)	735	25.5	12.7	1	14.8	297	21.1	15.4	0	17.6	438	29.6	10.9	0	12.5
..Aortic aneurysm (441)	228	7.9	4.8	0	4.7	139	9.9	7.8	0	7.7	89	6.0	2.7	0	2.6
Pneumonia & influenza (480-487)	1,172	40.6	20.4	0	19.1	545	38.8	28.0	0	24.8	627	42.4	15.7	0	15.7

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1996 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,229	42.6	25.5	0	24.4	539	38.3	28.9	0	29.8	690	46.6	23.8	0	21.6
..COPD-related (490-496)	2,810	97.4	57.7	0	56.3	1,362	96.9	72.7	0	73.7	1,448	97.9	48.7	0	46.2
..Asthma (493)	53	1.8	1.2	0	1.0	12	0.9	.	.	.	41	2.8	1.6	0	1.3
Chronic liver disease and cirrhosis (571)	274	9.5	7.4	0	7.5	171	12.2	10.3	0	10.8	103	7.0	4.7	0	4.7
Nephritis, nephrotic syndrome/nephrosis (580-589)	313	10.8	5.9	0	6.2	162	11.5	8.3	0	8.0	151	10.2	4.6	0	5.2
..Nephritis-related (580-589)	1,430	49.6	29.0	0	28.4	792	56.3	42.0	0	39.2	638	43.1	21.2	0	21.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	363	12.6	7.0	0	7.5	193	13.7	10.0	0	9.8	170	11.5	5.4	0	6.3
Unintentional injuries (E800-E949)	949	32.9	26.3	0	24.1	603	42.9	36.6	0	34.5	346	23.4	17.2	0	14.7
..Motor vehicle accidents (E810-E825)	311	10.8	10.6	0	9.6	189	13.4	13.0	0	12.7	122	8.2	8.3	0	6.6
..Falls and fall related injuries (E880-E888)	183	6.3	3.7	0	4.2	111	7.9	6.2	0	5.9	72	4.9	1.9	0	2.9
..Drowning (E830,E832,E910)	26	0.9	0.9	0	0.9	24	1.7	1.6	0	1.4	2	0.1	.	.	.
..Residential fires (E890-E899)	22	0.8	0.7	0	1.0	11	0.8	.	.	1.3	11	0.7	.	.	.
Suicide (E950-E959)	257	8.9	7.4	0	8.0	197	14.0	11.9	0	13.1	60	4.1	3.3	0	3.2
Homicide and legal intervention (E960-E978)	57	2.0	2.2	0	3.1	42	3.0	3.3	0	4.3	15	1.0	1.0	0	1.8
..Homicide (E960-E969)	57	2.0	2.2	0	3.0	42	3.0	3.3	0	4.2	15	1.0	1.0	0	1.8
All injury (E800-E999)	1,306	45.3	37.0	0	36.0	871	61.9	53.4	0	52.9	435	29.4	22.2	0	20.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	305	10.6	10.3	0	9.3	184	13.1	12.6	0	12.4	121	8.2	8.2	0	6.5
..All falls (E880-E886,E888,E957,E968.1,E987)	132	4.6	2.9	0	3.4	89	6.3	5.1	0	4.8	43	2.9	1.2	1	2.3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	130	4.5	3.9	1	5.5	117	8.3	7.4	0	9.5	13	0.9	.	.	1.7
....Suicide (E955.0-.4)	101	3.5	2.8	0	3.3	92	6.5	5.4	0	6.0	9	0.6	.	.	.
....Homicide (E965.0-.4)	28	1.0	1.1	1	2.1	24	1.7	1.9	0	3.1	4	0.3	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	274	9.5	7.5	0	6.3	203	14.4	11.2	0	9.4	71	4.8	3.9	0	3.1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	124	4.3	3.5	0	4.5	96	6.8	5.8	0	6.6	28	1.9	1.4	0	2.5
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	8.4	6.6	1	4.9	176	12.5	9.6	0	7.2	65	4.4	3.6	0	2.6

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR
*****Causes of Death*****															
All causes	27,320	946.7	798.9	0	809.0	12,938	920.1	985.8	0	1001.3	14,382	971.9	668.5	0	676.2
Infectious diseases and parasitic disease (1-139)	593	20.5	17.9	0	20.5	311	22.1	22.6	1	28.3	282	19.1	13.8	0	13.9
..Septicemia (038)	336	11.6	9.6	0	9.6	137	9.7	10.7	0	12.4	199	13.4	8.9	0	7.9
....Septicemia-related (038)	1,275	44.2	37.1	0	36.1	568	40.4	43.8	0	44.1	707	47.8	33.0	0	31.0
..HIV infection (042-044)	120	4.2	4.0	1	7.3	93	6.6	6.2	1	11.1	27	1.8	1.8	1	3.5
All cancer (140-208)	6,614	229.2	197.1	0	200.6	3,224	229.3	237.8	0	248.1	3,390	229.1	173.7	0	173.0
..Oral cavity or pharynx (140.0-149.9)	79	2.7	2.4	0	2.7	49	3.5	3.6	0	3.8	30	2.0	1.5	0	1.8
..Colorectal cancer (153.0-154.3,154.8,159.0)	696	24.1	20.4	0	20.4	331	23.5	24.5	0	26.2	365	24.7	17.7	0	16.5
....Colon cancer (153)	575	19.9	16.9	0	16.7	265	18.8	19.6	0	21.3	310	20.9	15.0	0	13.6
....Rectal cancer (154)	108	3.7	3.2	0	3.5	58	4.1	4.2	0	4.5	50	3.4	2.4	0	2.7
..Pancreatic cancer (157)	367	12.7	10.9	0	11.8	168	11.9	12.0	0	13.3	199	13.4	9.9	0	10.6
..Lung and other respiratory cancer (160-165)	1,797	62.3	53.9	0	55.5	974	69.3	70.1	0	74.2	823	55.6	43.4	0	43.0
....Lung cancer (162.2-.9)	1,747	60.5	52.4	0	54.1	942	67.0	67.8	0	71.8	805	54.4	42.4	0	42.3
..Malignant melanoma of skin (172)	90	3.1	2.7	0	3.2	42	3.0	3.0	0	5.2	48	3.2	2.5	0	1.9
..Female breast cancer (174)	547	547	37.0	29.4	0	30.9
..Cervical cancer (180)	29	29	2.0	1.7	0	2.4
..Endometrial cancer (182)	35	35	2.4	1.7	0	2.5
..Ovarian cancer (183)	170	170	11.5	9.0	0	7.5
..Prostate cancer (185)	358	358	25.5	28.3	0	32.1
..Bladder cancer (188)	180	6.2	5.2	0	5.3	117	8.3	9.1	0	9.4	63	4.3	2.9	0	2.9
..Brain & other CNS cancer (191-192)	143	5.0	4.4	0	4.7	74	5.3	5.2	0	5.8	69	4.7	3.7	0	4.0
..Leukemia (204-208)	258	8.9	7.7	0	7.3	138	9.8	10.2	0	9.9	120	8.1	6.0	0	5.6
Diabetes mellitus (250)	559	19.4	16.4	0	18.6	275	19.6	20.5	0	21.7	284	19.2	13.6	0	16.7
..Diabetes-related (250)	2,215	76.8	64.5	0	68.0	1,126	80.1	84.3	0	82.4	1,089	73.6	51.7	1	58.4
..Diabetic ketoacidosis (DKA) (250.1)	8	0.3	.	.	0.5	6	0.4	.	.	.	2	0.1	.	.	.
Alzheimer's diseases (331.0)	258	8.9	7.1	0	6.7	71	5.0	5.9	0	6.0	187	12.6	7.7	0	7.1
Cardiovascular disease (390-459)	11,707	405.7	334.8	0	345.2	5,334	379.4	412.7	0	418.2	6,373	430.7	276.0	1	291.3
..Diseases of the heart (390-398,402,404-429)	9,200	318.8	263.8	0	271.8	4,339	308.6	334.4	0	337.7	4,861	328.5	211.0	1	223.5
....Heart disease-related (390-398,402,404-429)	15,303	530.3	439.3	0	449.6	7,239	514.8	559.1	0	555.9	8,064	544.9	356.0	1	375.8
....Coronary heart disease (CHD) (402,410-414,429.2)	6,638	230.0	190.5	0	195.9	3,256	231.6	249.7	0	254.1	3,382	228.5	146.3	0	153.7
....Congestive heart failure (CHF) (428.0)	553	19.2	15.4	0	14.3	192	13.7	16.3	0	13.6	361	24.4	14.9	0	14.5
....Hypertension with or without renal disease (401,403)	147	5.1	4.1	0	3.3	48	3.4	3.8	0	2.7	99	6.7	4.3	0	3.5
....Hypertension-related (401,403)	1,927	66.8	55.3	0	51.9	780	55.5	59.4	0	55.3	1,147	77.5	51.0	0	47.5
..Cerebrovascular disease (430-438)	1,794	62.2	50.6	0	52.7	661	47.0	52.5	0	54.7	1,133	76.6	48.6	0	50.6
..Atherosclerosis (440)	151	5.2	4.2	1	5.8	54	3.8	4.5	0	6.4	97	6.6	4.0	0	5.3
....Atherosclerosis-related (440)	735	25.5	20.6	0	23.7	297	21.1	24.5	0	26.8	438	29.6	18.2	0	21.0
..Aortic aneurysm (441)	228	7.9	6.6	0	6.6	139	9.9	10.6	0	10.9	89	6.0	4.0	0	3.9
Pneumonia & influenza (480-487)	1,172	40.6	33.0	0	30.9	545	38.8	44.9	0	40.0	627	42.4	26.1	0	26.0

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1997*****				*****1997*****				*****1997*****						
	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR	No. of deaths	Crude rate	AAMR	Significance	1996 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,229	42.6	35.2	0	33.8	539	38.3	41.2	0	43.2	690	46.6	32.5	0	29.3
..COPD-related (490-496)	2,810	97.4	80.5	0	78.7	1,362	96.9	104.3	0	106.4	1,448	97.9	67.5	0	63.8
..Asthma (493)	53	1.8	1.6	0	1.3	12	0.9	.	.	.	41	2.8	2.1	0	1.6
Chronic liver disease and cirrhosis (571)	274	9.5	8.7	0	8.9	171	12.2	12.0	0	12.9	103	7.0	5.6	0	5.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	313	10.8	8.9	0	8.9	162	11.5	13.1	0	11.9	151	10.2	6.8	0	7.4
..Nephritis-related (580-589)	1,430	49.6	41.3	0	39.9	792	56.3	61.9	0	56.4	638	43.1	29.8	0	30.4
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	363	12.6	10.4	0	10.8	193	13.7	15.5	0	14.6	170	11.5	7.7	0	8.8
Unintentional injuries (E800-E949)	949	32.9	30.6	0	28.7	603	42.9	43.8	0	41.4	346	23.4	19.6	0	17.7
..Motor vehicle accidents (E810-E825)	311	10.8	10.8	0	9.7	189	13.4	13.6	0	13.3	122	8.2	8.2	0	6.5
..Falls and fall related injuries (E880-E888)	183	6.3	5.3	0	6.2	111	7.9	8.8	0	8.4	72	4.9	3.0	1	4.7
..Drowning (E830,E832,E910)	26	0.9	0.9	0	0.8	24	1.7	1.7	0	1.3	2	0.1	.	.	.
..Residential fires (E890-E899)	22	0.8	0.7	0	1.1	11	0.8	.	.	1.5	11	0.7	.	.	.
Suicide (E950-E959)	257	8.9	8.5	0	8.8	197	14.0	13.8	0	14.6	60	4.1	3.9	0	3.5
Homicide and legal intervention (E960-E978)	57	2.0	2.1	0	3.1	42	3.0	3.1	0	4.3	15	1.0	1.0	0	1.9
..Homicide (E960-E969)	57	2.0	2.1	0	3.0	42	3.0	3.1	0	4.1	15	1.0	1.0	0	1.9
All injury (E800-E999)	1,306	45.3	42.6	0	41.6	871	61.9	62.7	0	61.5	435	29.4	25.5	0	23.8
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	305	10.6	10.5	0	9.5	184	13.1	13.2	0	12.9	121	8.2	8.1	0	6.4
..All falls (E880-E886,E888,E957,E968.1,E987)	132	4.6	3.9	0	4.8	89	6.3	6.8	0	6.4	43	2.9	1.9	1	3.5
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	130	4.5	4.4	0	5.8	117	8.3	8.3	0	10.2	13	0.9	.	.	1.7
....Suicide (E955.0-.4)	101	3.5	3.3	0	3.6	92	6.5	6.4	0	6.8	9	0.6	.	.	.
....Homicide (E965.0-.4)	28	1.0	1.0	1	2.1	24	1.7	1.8	0	3.1	4	0.3	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	274	9.5	9.1	0	7.4	203	14.4	13.7	0	11.1	71	4.8	4.6	0	3.6
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	124	4.3	4.0	0	5.2	96	6.8	6.7	0	7.9	28	1.9	1.7	0	2.8
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	8.4	8.0	1	5.9	176	12.5	11.8	0	8.6	65	4.4	4.2	0	3.2

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1997 AAMR is significantly different (prob<0.05) from the 1996 AAMR.
 0 - The 1997 AAMR is not significantly different (prob>0.05) from the 1996 AAMR.

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	27,320	5,230	10,230	90,102	165,372	3530.4	3579.5	0	5657.6	5748.1	0
Infectious diseases and parasitic disease (1-139)	593	221	304	4,785	7,412	171.9	255.0	1	245.4	352.5	1
..Septicemia (038)	336	44	93	642	1,330	23.5	14.9	0	42.6	31.0	0
...Septicemia-related (038)	1,275	218	455	3,109	6,387	117.5	96.3	0	209.6	180.8	0
..HIV infection (042-044)	120	117	120	2,913	4,105	102.1	187.6	1	135.4	248.5	1
All cancer (140-208)	6,614	1,614	3,393	17,799	42,287	617.9	659.2	0	1305.8	1367.4	0
..Oral cavity or pharynx (140.0-149.9)	79	26	44	215	560	7.1	7.5	0	17.2	20.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	696	136	311	1,500	3,668	49.9	38.3	0	109.8	93.1	0
...Colon cancer (153)	575	113	255	1,178	2,998	38.8	28.8	0	89.2	71.3	0
...Rectal cancer (154)	108	23	51	323	658	11.1	9.0	0	20.4	20.4	0
..Pancreatic cancer (157)	367	81	192	738	2,085	24.4	27.9	0	61.8	65.0	0
..Lung and other respiratory cancer (160-165)	1,797	452	1,054	3,775	11,215	125.3	138.5	0	333.7	355.1	0
...Lung cancer (162.2-.9)	1,747	437	1,029	3,673	10,913	121.8	133.2	0	324.3	342.3	0
..Malignant melanoma of skin (172)	90	31	48	408	795	13.0	25.4	0	23.9	41.8	0
..Female breast cancer (174)	547	193	323	2,433	4,973
..Cervical cancer (180)	29	19	22	353	560
..Endometrial cancer (182)	35	4	13	30	108
..Ovarian cancer (183)	170	51	97	573	1,303
..Prostate cancer (185)	358	19	93	128	643
..Bladder cancer (188)	180	22	53	165	533	5.5	6.5	0	15.8	18.3	0
..Brain & other CNS cancer (191-192)	143	56	91	944	1,672	35.0	45.1	0	55.9	71.4	0
..Leukemia (204-208)	258	59	127	1,143	2,083	50.8	43.4	0	78.1	67.8	0
Diabetes mellitus (250)	559	112	249	1,240	3,008	41.0	43.0	0	89.9	95.9	0
..Diabetes-related (250)	2,215	367	866	3,568	9,515	118.9	104.9	0	284.1	269.4	0
..Diabetic ketoacidosis (DKA) (250.1)	8	3	5	38	78	.	4.0	.	.	6.2	.
Alzheimer's diseases (331.0)	258	4	25	30	153	1.0	0.6	0	4.1	3.9	0
Cardiovascular disease (390-459)	11,707	1,343	3,220	15,254	37,181	526.3	543.9	0	1130.9	1157.9	0
..Diseases of the heart (390-398,402,404-429)	9,200	1,136	2,626	12,543	30,718	432.0	452.3	0	936.1	966.9	0
...Heart disease-related (390-398,402,404-429)	15,303	1,918	4,550	22,426	53,641	793.5	914.8	1	1657.5	1816.0	1
....Coronary heart disease (CHD) (402,410-414,429.2)	6,638	827	1,924	8,288	21,635	276.3	279.3	0	646.6	651.7	0
....Congestive heart failure (CHF) (428.0)	553	15	69	195	575	7.4	3.7	0	17.2	12.9	0
..Hypertension with or without renal disease (401,403)	147	9	32	165	362	6.3	3.3	0	11.5	8.6	0
...Hypertension-related (401,403)	1,927	229	571	1,965	5,735	66.0	54.2	0	170.6	144.0	0
..Cerebrovascular disease (430-438)	1,794	128	374	1,774	4,109	61.1	63.3	0	123.0	131.5	0
..Atherosclerosis (440)	151	10	26	140	310	4.5	3.5	0	8.9	6.7	0
...Atherosclerosis-related (440)	735	45	118	448	1,245	14.6	10.6	0	36.4	33.3	0
..Aortic aneurysm (441)	228	28	87	250	798	8.4	7.3	0	23.3	19.0	0
Pneumonia & influenza (480-487)	1,172	87	195	1,424	2,774	53.3	44.3	0	90.6	78.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,229	118	429	1,017	3,580	35.4	34.6	0	103.7	99.0	0
..COPD-related (490-496)	2,810	264	948	2,317	7,937	80.6	69.4	0	230.2	213.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
..Asthma (493)	53	24	27	335	583	11.5	13.6	0	18.9	20.3	0
Chronic liver disease and cirrhosis (571)	274	142	206	1,885	3,640	61.5	71.5	0	111.2	122.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	313	33	78	515	1,012	19.5	20.9	0	33.2	38.2	0
..Nephritis-related (580-589)	1,430	212	451	2,713	5,846	97.1	96.8	0	184.7	184.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	363	41	97	689	1,319	27.1	25.4	0	44.4	47.8	0
Unintentional injuries (E800-E949)	949	545	644	16,120	22,052	714.4	620.5	0	899.6	786.0	0
..Motor vehicle accidents (E810-E825)	311	239	269	7,660	10,190	369.1	324.4	0	453.8	401.0	0
..Falls and fall related injuries (E880-E888)	183	21	48	538	885	26.1	31.3	0	36.5	44.9	0
..Drowning (E830,E832,E910)	26	21	23	771	991	35.0	37.8	0	41.9	45.0	0
..Residential fires (E890-E899)	22	15	16	392	544	17.0	27.7	0	21.7	34.5	0
Suicide (E950-E959)	257	205	230	5,123	7,285	203.8	230.6	0	268.1	300.8	0
Homicide and legal intervention (E960-E978)	57	51	55	1,796	2,331	87.5	121.0	0	105.5	147.9	0
..Homicide (E960-E969)	57	51	55	1,796	2,331	87.5	119.2	0	105.5	145.6	0
All injury (E800-E999)	1,306	842	971	24,110	33,158	1045.4	998.9	0	1324.9	1269.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	305	232	263	7,382	9,845	355.2	319.4	0	437.4	394.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	132	25	46	588	950	27.2	31.3	0	38.3	44.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	130	108	119	2,855	3,988	119.8	190.1	1	154.7	238.6	1
...Suicide (E955.0-.4)	101	80	90	1,955	2,800	74.2	92.4	0	98.8	119.9	0
...Homicide (E965.0-.4)	28	27	28	863	1,140	43.9	91.9	1	53.7	111.5	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	274	248	259	6,445	8,978	240.5	206.1	0	313.5	267.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	124	90	109	1,385	2,398	44.8	56.1	0	73.6	91.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	225	232	6,003	8,280	224.9	175.6	0	290.7	225.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	12,938	3,209	6,031	56,314	101,579	4391.7	4579.0	0	7052.0	7308.8	0
Infectious diseases and parasitic disease (1-139)	311	155	195	3,368	5,108	235.6	361.2	1	334.2	501.8	1
..Septicemia (038)	137	25	51	400	770	28.9	14.6	0	50.2	35.3	0
...Septicemia-related (038)	568	117	238	1,776	3,513	132.4	112.7	0	233.6	215.2	0
..HIV infection (042-044)	93	90	93	2,125	3,048	143.7	277.9	1	195.0	370.4	1
All cancer (140-208)	3,224	778	1,727	8,075	20,378	579.2	687.2	0	1303.8	1444.0	0
..Oral cavity or pharynx (140.0-149.9)	49	20	30	175	430	11.7	12.1	0	27.3	31.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	331	76	167	825	2,008	55.0	54.6	0	123.7	126.5	0
...Colon cancer (153)	265	62	132	640	1,610	43.1	39.4	0	99.8	95.4	0
...Rectal cancer (154)	58	14	34	185	395	12.0	14.6	0	23.7	29.4	0
..Pancreatic cancer (157)	168	47	103	363	1,123	24.7	37.7	0	70.0	81.1	0
..Lung and other respiratory cancer (160-165)	974	238	592	1,940	6,085	131.3	157.8	0	374.3	414.6	0
...Lung cancer (162.2-.9)	942	227	576	1,863	5,875	125.9	150.9	0	360.6	395.8	0
..Malignant melanoma of skin (172)	42	16	26	195	400	12.8	31.9	0	24.8	54.5	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	358	19	93	128	643	8.9	8.1	0	37.6	42.1	0
..Bladder cancer (188)	117	17	41	123	408	8.4	11.9	0	25.3	29.6	0
..Brain & other CNS cancer (191-192)	74	33	52	553	975	40.9	54.4	0	65.9	85.0	0
..Leukemia (204-208)	138	32	74	620	1,185	57.9	58.9	0	92.5	88.6	0
Diabetes mellitus (250)	275	68	145	770	1,843	50.3	40.9	0	112.4	97.2	0
..Diabetes-related (250)	1,126	226	497	2,195	5,713	146.4	121.6	0	352.1	322.3	0
..Diabetic ketoacidosis (DKA) (250.1)	6	2	3	30	58
Alzheimer's diseases (331.0)	71	2	14	5	85	0.4	0.4	0	4.8	2.9	0
Cardiovascular disease (390-459)	5,334	956	2,107	10,640	25,458	727.7	761.3	0	1589.0	1619.3	0
..Diseases of the heart (390-398,402,404-429)	4,339	823	1,758	8,994	21,546	612.9	646.0	0	1344.8	1379.2	0
...Heart disease-related (390-398,402,404-429)	7,239	1,298	2,875	15,313	35,691	1079.7	1205.3	0	2265.6	2401.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,256	621	1,341	6,543	16,128	440.2	439.9	0	998.6	1006.0	0
....Congestive heart failure (CHF) (428.0)	192	7	32	73	245	5.0	2.3	0	14.4	12.1	0
..Hypertension with or without renal disease (401,403)	48	2	15	35	123	2.2	5.6	0	6.8	12.0	0
...Hypertension-related (401,403)	780	143	326	1,213	3,465	82.3	79.8	0	214.9	205.4	0
..Cerebrovascular disease (430-438)	661	73	202	955	2,222	65.8	76.2	0	137.4	154.3	0
..Atherosclerosis (440)	54	6	16	85	190	5.6	6.8	0	11.4	12.2	0
...Atherosclerosis-related (440)	297	26	77	280	803	18.5	18.9	0	48.1	53.0	0
..Aortic aneurysm (441)	139	27	67	248	703	17.0	13.9	0	43.6	34.3	0
Pneumonia & influenza (480-487)	545	59	128	972	1,869	70.5	53.8	0	121.9	93.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	539	52	208	477	1,677	35.3	37.2	0	102.8	106.2	0
..COPD-related (490-496)	1,362	133	507	1,120	4,040	80.7	75.4	0	245.5	242.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
..Asthma (493)	12	9	10	158	250
Chronic liver disease and cirrhosis (571)	171	106	144	1,425	2,700	93.4	109.5	0	168.0	183.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	162	17	40	273	525	21.4	30.7	0	35.9	49.7	0
..Nephritis-related (580-589)	792	123	262	1,577	3,419	112.5	111.5	0	219.7	220.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	193	23	51	380	725	30.2	36.1	0	50.2	60.4	0
Unintentional injuries (E800-E949)	603	392	455	11,485	15,733	975.8	891.5	0	1237.4	1135.9	0
..Motor vehicle accidents (E810-E825)	189	150	171	4,640	6,248	430.7	419.3	0	536.5	520.9	0
..Falls and fall related injuries (E880-E888)	111	21	37	538	833	51.3	46.8	0	70.1	68.4	0
..Drowning (E830,E832,E910)	24	19	21	704	904	62.5	61.1	0	75.0	73.1	0
..Residential fires (E890-E899)	11	8	8	192	272	.	31.4	.	.	40.7	.
Suicide (E950-E959)	197	156	174	3,960	5,605	316.3	365.1	0	415.5	478.1	0
Homicide and legal intervention (E960-E978)	42	38	41	1,386	1,784	137.1	178.4	0	164.6	216.6	0
..Homicide (E960-E969)	42	38	41	1,386	1,784	137.1	174.7	0	164.6	211.9	0
All injury (E800-E999)	871	613	698	17,519	24,086	1479.9	1468.7	0	1884.1	1874.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	184	144	166	4,395	5,945	406.5	409.2	0	508.1	507.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	89	24	38	550	865	50.0	46.2	0	69.9	67.8	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	117	96	106	2,600	3,605	221.2	314.7	0	284.2	395.8	0
....Suicide (E955.0-.4)	92	71	81	1,758	2,513	135.4	161.1	0	180.3	209.9	0
....Homicide (E965.0-.4)	24	24	24	805	1,045	82.2	142.3	0	99.6	171.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	203	188	194	5,030	6,940	372.9	319.0	0	482.7	412.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	96	73	86	1,113	1,925	73.5	86.6	0	121.1	138.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	176	170	173	4,650	6,358	345.4	265.2	0	443.4	338.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	14,382	2,021	4,199	33,789	63,794	2660.5	2572.2	0	4288.9	4213.7	0
Infectious diseases and parasitic disease (1-139)	282	66	109	1,417	2,305	108.8	149.9	0	157.7	205.5	0
..Septicemia (038)	199	19	42	243	560	18.2	15.4	0	35.3	27.4	0
...Septicemia-related (038)	707	101	217	1,334	2,874	103.0	80.5	0	186.6	148.6	0
..HIV infection (042-044)	27	27	27	788	1,058	61.3	97.9	0	77.1	127.8	0
All cancer (140-208)	3,390	836	1,666	9,724	21,909	655.5	629.3	0	1313.6	1295.4	0
..Oral cavity or pharynx (140.0-149.9)	30	6	14	40	130	2.7	3.0	0	7.6	10.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	365	60	144	675	1,660	45.0	22.3	0	96.9	61.6	0
...Colon cancer (153)	310	51	123	538	1,388	34.6	18.3	0	79.2	48.5	0
...Rectal cancer (154)	50	9	17	138	263	10.4	3.5	0	17.4	11.8	0
..Pancreatic cancer (157)	199	34	89	375	963	24.1	18.2	0	54.5	49.4	0
..Lung and other respiratory cancer (160-165)	823	214	462	1,835	5,130	119.6	119.9	0	297.8	300.7	0
...Lung cancer (162.2-.9)	805	210	453	1,810	5,038	118.0	116.3	0	292.5	293.3	0
..Malignant melanoma of skin (172)	48	15	22	213	395	13.1	18.7	0	23.1	29.6	0
..Female breast cancer (174)	547	193	323	2,433	4,973	154.4	159.7	0	291.9	310.3	0
..Cervical cancer (180)	29	19	22	353	560	24.2	24.4	0	35.9	37.9	0
..Endometrial cancer (182)	35	4	13	30	108	2.0	5.2	0	6.0	13.6	0
..Ovarian cancer (183)	170	51	97	573	1,303	38.6	28.7	0	78.4	59.9	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	63	5	12	43	125	2.8	1.4	0	7.2	7.9	0
..Brain & other CNS cancer (191-192)	69	23	39	392	697	29.4	35.4	0	46.2	57.6	0
..Leukemia (204-208)	120	27	53	523	898	43.4	27.9	0	64.1	47.1	0
Diabetes mellitus (250)	284	44	104	470	1,165	31.9	45.1	0	68.9	95.2	0
..Diabetes-related (250)	1,089	141	369	1,373	3,803	92.6	89.0	0	220.6	221.0	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	2	8	20	.	.	0	.	.	0
Alzheimer's diseases (331.0)	187	2	11	25	68	1.7	0.9	0	3.6	4.8	0
Cardiovascular disease (390-459)	6,373	387	1,113	4,614	11,724	332.6	331.7	0	701.0	721.7	0
..Diseases of the heart (390-398,402,404-429)	4,861	313	868	3,550	9,172	258.2	263.4	0	552.5	577.5	0
...Heart disease-related (390-398,402,404-429)	8,064	620	1,675	7,113	17,951	513.9	629.3	0	1081.9	1260.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,382	206	583	1,745	5,508	117.3	123.5	0	314.5	318.3	0
....Congestive heart failure (CHF) (428.0)	361	8	37	122	330	10.1	5.1	0	20.2	13.8	0
..Hypertension with or without renal disease (401,403)	99	7	17	130	240	10.5	1.2	0	16.3	5.2	0
...Hypertension-related (401,403)	1,147	86	245	752	2,270	50.7	29.6	0	129.5	86.5	0
..Cerebrovascular disease (430-438)	1,133	55	172	820	1,887	56.5	50.2	0	109.8	109.1	0
..Atherosclerosis (440)	97	4	10	55	120	3.4	0.2	0	6.7	1.4	0
...Atherosclerosis-related (440)	438	19	41	168	443	10.9	2.6	1	25.7	15.0	0
..Aortic aneurysm (441)	89	1	20	3	95	0.2	0.7	0	4.2	4.7	0
Pneumonia & influenza (480-487)	627	28	67	452	905	36.1	34.2	0	60.6	63.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	690	66	221	540	1,903	35.2	31.8	0	104.6	92.4	0
..COPD-related (490-496)	1,448	131	441	1,198	3,898	80.1	63.3	0	217.2	188.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
..Asthma (493)	41	15	17	178	333	11.3	12.9	0	20.2	21.1	0
Chronic liver disease and cirrhosis (571)	103	36	62	460	940	30.5	34.3	0	56.7	62.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	16	38	242	487	17.7	10.7	0	30.6	26.2	0
..Nephritis-related (580-589)	638	89	189	1,137	2,427	82.2	82.6	0	151.9	150.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	170	18	46	309	594	24.1	14.3	0	39.0	34.7	0
Unintentional injuries (E800-E949)	346	153	189	4,635	6,320	448.3	344.2	0	557.6	431.1	0
..Motor vehicle accidents (E810-E825)	122	89	98	3,020	3,942	306.5	227.3	0	370.5	278.6	0
..Falls and fall related injuries (E880-E888)	72	.	11	0	53	0.0	15.5	1	2.2	21.3	1
..Drowning (E830,E832,E910)	2	2	2	67	87
..Residential fires (E890-E899)	11	7	8	200	272
Suicide (E950-E959)	60	49	56	1,163	1,680	89.2	93.9	0	119.0	121.9	0
Homicide and legal intervention (E960-E978)	15	13	14	410	547	35.2	61.0	0	43.4	76.3	0
..Homicide (E960-E969)	15	13	14	410	547	35.2	61.0	0	43.4	76.3	0
All injury (E800-E999)	435	229	273	6,592	9,072	601.4	519.0	0	756.8	656.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	121	88	97	2,987	3,900	303.5	227.3	0	366.8	278.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	43	1	8	38	85	3.7	16.3	0	6.1	22.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	13	12	13	255	383	.	61.9	.	.	77.9	.
....Suicide (E955.0-.4)	9	9	9	198	288
....Homicide (E965.0-.4)	4	3	4	58	95
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	71	60	65	1,415	2,038	106.7	91.7	0	142.8	121.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	28	17	23	273	473	16.8	26.2	0	27.5	45.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	65	55	59	1,353	1,923	103.2	85.0	0	136.4	111.1	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	27,320	5,230	10,230	90,102	165,372	3487.4	3521.3	0	5768.5	5841.5	0
Infectious diseases and parasitic disease (1-139)	593	221	304	4,785	7,412	155.5	225.9	1	225.7	314.7	1
..Septicemia (038)	336	44	93	642	1,330	22.9	15.1	0	43.9	33.3	0
...Septicemia-related (038)	1,275	218	455	3,109	6,387	115.8	94.2	0	216.9	186.7	0
..HIV infection (042-044)	120	117	120	2,913	4,105	87.4	159.3	1	115.4	209.8	1
All cancer (140-208)	6,614	1,614	3,393	17,799	42,287	614.1	662.1	0	1381.9	1451.2	0
..Oral cavity or pharynx (140.0-149.9)	79	26	44	215	560	7.3	8.0	0	18.8	23.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	696	136	311	1,500	3,668	48.5	38.9	0	115.6	101.5	0
...Colon cancer (153)	575	113	255	1,178	2,998	38.2	29.0	0	94.9	77.8	0
...Rectal cancer (154)	108	23	51	323	658	10.4	9.3	0	20.4	22.1	0
..Pancreatic cancer (157)	367	81	192	738	2,085	25.2	27.8	0	68.0	69.8	0
..Lung and other respiratory cancer (160-165)	1,797	452	1,054	3,775	11,215	130.3	144.2	0	369.8	391.9	0
...Lung cancer (162.2-.9)	1,747	437	1,029	3,673	10,913	126.4	138.8	0	359.2	377.9	0
..Malignant melanoma of skin (172)	90	31	48	408	795	12.4	23.4	0	24.0	40.4	0
..Female breast cancer (174)	547	193	323	2,433	4,973
..Cervical cancer (180)	29	19	22	353	560
..Endometrial cancer (182)	35	4	13	30	108
..Ovarian cancer (183)	170	51	97	573	1,303
..Prostate cancer (185)	358	19	93	128	643
..Bladder cancer (188)	180	22	53	165	533	5.9	6.7	0	17.9	20.5	0
..Brain & other CNS cancer (191-192)	143	56	91	944	1,672	34.1	48.0	0	55.8	76.0	0
..Leukemia (204-208)	258	59	127	1,143	2,083	49.5	43.0	0	78.7	68.7	0
Diabetes mellitus (250)	559	112	249	1,240	3,008	39.6	42.8	0	94.2	102.0	0
..Diabetes-related (250)	2,215	367	866	3,568	9,515	119.5	107.1	0	306.9	296.0	0
..Diabetic ketoacidosis (DKA) (250.1)	8	3	5	38	78	.	3.7	.	.	5.8	.
Alzheimer's diseases (331.0)	258	4	25	30	153	1.1	0.7	0	4.8	4.7	0
Cardiovascular disease (390-459)	11,707	1,343	3,220	15,254	37,181	526.0	541.7	0	1206.2	1233.4	0
..Diseases of the heart (390-398,402,404-429)	9,200	1,136	2,626	12,543	30,718	432.6	451.3	0	999.4	1030.6	0
...Heart disease-related (390-398,402,404-429)	15,303	1,918	4,550	22,426	53,641	794.8	914.0	1	1766.3	1921.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,638	827	1,924	8,288	21,635	279.4	281.8	0	698.3	703.9	0
....Congestive heart failure (CHF) (428.0)	553	15	69	195	575	8.0	3.9	0	19.5	15.0	0
..Hypertension with or without renal disease (401,403)	147	9	32	165	362	6.5	3.5	0	12.4	9.5	0
...Hypertension-related (401,403)	1,927	229	571	1,965	5,735	68.9	56.0	0	189.3	159.8	0
..Cerebrovascular disease (430-438)	1,794	128	374	1,774	4,109	60.1	63.4	0	129.6	140.7	0
...Atherosclerosis (440)	151	10	26	140	310	4.3	3.3	0	9.2	6.8	0
...Atherosclerosis-related (440)	735	45	118	448	1,245	14.8	11.2	0	39.6	38.1	0
..Aortic aneurysm (441)	228	28	87	250	798	8.2	6.9	0	25.6	20.6	0
Pneumonia & influenza (480-487)	1,172	87	195	1,424	2,774	51.8	45.3	0	92.3	83.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,229	118	429	1,017	3,580	36.7	34.4	0	117.1	110.2	0
..COPD-related (490-496)	2,810	264	948	2,317	7,937	83.4	70.8	0	259.4	241.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
..Asthma (493)	53	24	27	335	583	10.8	12.2	0	18.1	18.7	0
Chronic liver disease and cirrhosis (571)	274	142	206	1,885	3,640	59.5	67.9	0	111.9	120.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	313	33	78	515	1,012	19.3	20.2	0	34.2	39.4	0
..Nephritis-related (580-589)	1,430	212	451	2,713	5,846	95.4	96.4	0	192.0	193.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	363	41	97	689	1,319	27.5	24.5	0	46.5	49.4	0
Unintentional injuries (E800-E949)	949	545	644	16,120	22,052	672.8	590.5	0	838.4	740.0	0
..Motor vehicle accidents (E810-E825)	311	239	269	7,660	10,190	355.8	314.5	0	431.4	383.7	0
..Falls and fall related injuries (E880-E888)	183	21	48	538	885	25.8	29.2	0	36.8	42.8	0
..Drowning (E830,E832,E910)	26	21	23	771	991	33.7	38.8	0	39.7	45.3	0
..Residential fires (E890-E899)	22	15	16	392	544	17.0	29.3	0	21.4	35.9	0
Suicide (E950-E959)	257	205	230	5,123	7,285	182.4	210.6	0	239.3	273.6	0
Homicide and legal intervention (E960-E978)	57	51	55	1,796	2,331	87.4	114.1	0	103.6	137.4	0
..Homicide (E960-E969)	57	51	55	1,796	2,331	87.4	112.7	0	103.6	135.5	0
All injury (E800-E999)	1,306	842	971	24,110	33,158	976.2	938.2	0	1224.7	1180.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	305	232	263	7,382	9,845	342.0	310.4	0	415.6	378.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	132	25	46	588	950	26.5	28.8	0	37.9	42.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	130	108	119	2,855	3,988	106.8	174.8	1	137.2	217.1	1
...Suicide (E955.0-.4)	101	80	90	1,955	2,800	63.9	84.1	0	85.5	108.8	0
...Homicide (E965.0-.4)	28	27	28	863	1,140	41.4	85.5	0	50.0	102.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	274	248	259	6,445	8,978	205.7	180.0	0	266.3	232.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	124	90	109	1,385	2,398	41.2	52.0	0	70.0	87.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	225	232	6,003	8,280	191.3	150.7	0	245.1	191.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	12,938	3,209	6,031	56,314	101,579	4307.3	4456.5	0	7156.1	7360.8	0
Infectious diseases and parasitic disease (1-139)	311	155	195	3,368	5,108	210.0	317.7	1	302.5	445.2	1
..Septicemia (038)	137	25	51	400	770	27.8	14.3	0	50.8	38.1	0
...Septicemia-related (038)	568	117	238	1,776	3,513	128.5	107.6	0	238.9	219.7	0
..HIV infection (042-044)	93	90	93	2,125	3,048	120.5	237.1	1	164.1	314.2	1
All cancer (140-208)	3,224	778	1,727	8,075	20,378	582.8	694.5	0	1404.2	1544.7	0
..Oral cavity or pharynx (140.0-149.9)	49	20	30	175	430	11.9	12.9	0	29.5	34.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	331	76	167	825	2,008	53.9	54.7	0	131.1	136.2	0
...Colon cancer (153)	265	62	132	640	1,610	42.5	39.2	0	106.5	103.3	0
...Rectal cancer (154)	58	14	34	185	395	11.5	14.9	0	24.5	31.0	0
..Pancreatic cancer (157)	168	47	103	363	1,123	26.4	36.4	0	78.7	84.8	0
..Lung and other respiratory cancer (160-165)	974	238	592	1,940	6,085	137.3	165.0	0	419.2	460.3	0
...Lung cancer (162.2-.9)	942	227	576	1,863	5,875	131.4	157.8	0	403.9	439.4	0
..Malignant melanoma of skin (172)	42	16	26	195	400	12.3	29.5	0	25.3	53.2	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	358	19	93	128	643	9.7	9.2	0	44.4	50.5	0
..Bladder cancer (188)	117	17	41	123	408	9.0	12.0	0	28.7	32.3	0
..Brain & other CNS cancer (191-192)	74	33	52	553	975	38.0	59.2	0	63.9	92.2	0
..Leukemia (204-208)	138	32	74	620	1,185	55.7	58.8	0	93.3	89.8	0
Diabetes mellitus (250)	275	68	145	770	1,843	48.5	41.5	0	117.9	105.1	0
..Diabetes-related (250)	1,126	226	497	2,195	5,713	147.7	125.2	0	381.2	356.4	0
..Diabetic ketoacidosis (DKA) (250.1)	6	2	3	30	58
Alzheimer's diseases (331.0)	71	2	14	5	85	0.4	0.4	0	5.9	3.6	0
Cardiovascular disease (390-459)	5,334	956	2,107	10,640	25,458	724.5	758.4	0	1691.9	1722.5	0
..Diseases of the heart (390-398,402,404-429)	4,339	823	1,758	8,994	21,546	612.5	643.5	0	1433.4	1466.5	0
...Heart disease-related (390-398,402,404-429)	7,239	1,298	2,875	15,313	35,691	1079.1	1197.8	0	2409.9	2531.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,256	621	1,341	6,543	16,128	443.0	442.7	0	1070.9	1081.5	0
....Congestive heart failure (CHF) (428.0)	192	7	32	73	245	5.2	2.6	0	16.4	14.6	0
..Hypertension with or without renal disease (401,403)	48	2	15	35	123	1.9	5.7	0	7.4	12.8	0
...Hypertension-related (401,403)	780	143	326	1,213	3,465	85.6	82.7	0	238.0	226.8	0
..Cerebrovascular disease (430-438)	661	73	202	955	2,222	63.6	76.7	0	144.3	165.3	0
..Atherosclerosis (440)	54	6	16	85	190	5.5	6.4	0	12.0	12.1	0
...Atherosclerosis-related (440)	297	26	77	280	803	18.6	19.8	0	52.7	59.6	0
..Aortic aneurysm (441)	139	27	67	248	703	16.6	13.1	0	47.3	36.7	0
Pneumonia & influenza (480-487)	545	59	128	972	1,869	69.6	54.9	0	125.6	100.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	539	52	208	477	1,677	36.1	36.6	0	116.4	117.7	0
..COPD-related (490-496)	1,362	133	507	1,120	4,040	84.8	76.7	0	281.1	275.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
..Asthma (493)	12	9	10	158	250
Chronic liver disease and cirrhosis (571)	171	106	144	1,425	2,700	90.8	104.3	0	169.0	179.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	162	17	40	273	525	21.0	29.9	0	36.7	50.6	0
..Nephritis-related (580-589)	792	123	262	1,577	3,419	111.1	111.6	0	229.9	233.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	193	23	51	380	725	30.5	34.9	0	52.3	61.4	0
Unintentional injuries (E800-E949)	603	392	455	11,485	15,733	901.3	834.9	0	1132.2	1053.1	0
..Motor vehicle accidents (E810-E825)	189	150	171	4,640	6,248	407.5	402.7	0	501.8	493.7	0
..Falls and fall related injuries (E880-E888)	111	21	37	538	833	50.7	43.2	0	70.1	65.1	0
..Drowning (E830,E832,E910)	24	19	21	704	904	59.3	61.8	0	69.9	72.6	0
..Residential fires (E890-E899)	11	8	8	192	272	.	30.9	.	.	39.6	.
Suicide (E950-E959)	197	156	174	3,960	5,605	283.1	331.8	0	371.1	433.4	0
Homicide and legal intervention (E960-E978)	42	38	41	1,386	1,784	136.4	166.4	0	161.1	198.9	0
..Homicide (E960-E969)	42	38	41	1,386	1,784	136.4	163.5	0	161.1	195.1	0
All injury (E800-E999)	871	613	698	17,519	24,086	1364.3	1362.3	0	1721.2	1722.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	184	144	166	4,395	5,945	383.1	394.5	0	473.9	482.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	89	24	38	550	865	49.2	41.7	0	69.7	63.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	117	96	106	2,600	3,605	197.1	287.4	0	252.2	358.2	0
....Suicide (E955.0-.4)	92	71	81	1,758	2,513	116.5	146.1	0	156.0	190.1	0
....Homicide (E965.0-.4)	24	24	24	805	1,045	77.7	131.2	0	92.7	155.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	203	188	194	5,030	6,940	316.9	277.4	0	406.5	355.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	96	73	86	1,113	1,925	67.7	80.8	0	115.5	132.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	176	170	173	4,650	6,358	292.0	227.5	0	370.7	287.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	14,382	2,021	4,199	33,789	63,794	2659.3	2579.0	0	4415.7	4357.8	0
Infectious diseases and parasitic disease (1-139)	282	66	109	1,417	2,305	101.5	135.0	0	150.1	186.7	0
..Septicemia (038)	199	19	42	243	560	18.1	16.2	0	37.2	29.5	0
...Septicemia-related (038)	707	101	217	1,334	2,874	103.4	81.4	0	196.1	156.4	0
..HIV infection (042-044)	27	27	27	788	1,058	55.2	82.1	0	68.1	106.5	0
All cancer (140-208)	3,390	836	1,666	9,724	21,909	644.3	627.8	0	1367.7	1364.3	0
..Oral cavity or pharynx (140.0-149.9)	30	6	14	40	130	2.9	3.3	0	8.7	11.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	365	60	144	675	1,660	43.3	23.3	0	101.3	68.9	0
...Colon cancer (153)	310	51	123	538	1,388	34.0	18.9	0	84.1	53.9	0
...Rectal cancer (154)	50	9	17	138	263	9.4	3.8	0	16.7	13.6	0
..Pancreatic cancer (157)	199	34	89	375	963	24.2	19.4	0	58.3	55.5	0
..Lung and other respiratory cancer (160-165)	823	214	462	1,835	5,130	123.6	124.2	0	326.2	329.6	0
...Lung cancer (162.2-.9)	805	210	453	1,810	5,038	121.7	120.6	0	320.1	322.0	0
..Malignant melanoma of skin (172)	48	15	22	213	395	12.4	17.3	0	22.8	28.1	0
..Female breast cancer (174)	547	193	323	2,433	4,973	151.2	157.7	0	297.9	319.7	0
..Cervical cancer (180)	29	19	22	353	560	21.4	22.8	0	32.5	36.3	0
..Endometrial cancer (182)	35	4	13	30	108	2.1	5.3	0	6.8	14.9	0
..Ovarian cancer (183)	170	51	97	573	1,303	37.8	28.7	0	81.3	63.1	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	63	5	12	43	125	2.9	1.6	0	8.0	9.5	0
..Brain & other CNS cancer (191-192)	69	23	39	392	697	30.3	36.3	0	48.2	59.6	0
..Leukemia (204-208)	120	27	53	523	898	43.1	26.9	0	64.7	47.7	0
Diabetes mellitus (250)	284	44	104	470	1,165	30.9	44.1	0	72.2	99.6	0
..Diabetes-related (250)	1,089	141	369	1,373	3,803	92.5	89.8	0	237.9	240.9	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	2	8	20	.	.	0	.	.	0
Alzheimer's diseases (331.0)	187	2	11	25	68	1.7	1.0	0	4.0	5.8	0
Cardiovascular disease (390-459)	6,373	387	1,113	4,614	11,724	335.6	330.5	0	753.9	774.3	0
..Diseases of the heart (390-398,402,404-429)	4,861	313	868	3,550	9,172	260.1	264.2	0	594.9	621.9	0
...Heart disease-related (390-398,402,404-429)	8,064	620	1,675	7,113	17,951	517.4	635.5	0	1161.3	1346.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,382	206	583	1,745	5,508	121.0	126.0	0	349.0	351.0	0
....Congestive heart failure (CHF) (428.0)	361	8	37	122	330	10.9	5.2	0	22.9	15.5	0
..Hypertension with or without renal disease (401,403)	99	7	17	130	240	11.2	1.3	0	17.6	6.2	0
...Hypertension-related (401,403)	1,147	86	245	752	2,270	53.1	30.4	0	144.4	97.3	1
..Cerebrovascular disease (430-438)	1,133	55	172	820	1,887	56.8	49.9	0	116.4	116.8	0
..Atherosclerosis (440)	97	4	10	55	120	3.1	0.2	0	6.7	1.8	0
...Atherosclerosis-related (440)	438	19	41	168	443	11.1	2.9	1	27.8	18.2	0
..Aortic aneurysm (441)	89	1	20	3	95	0.2	0.8	0	5.3	5.8	0
Pneumonia & influenza (480-487)	627	28	67	452	905	34.0	35.1	0	60.5	67.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	690	66	221	540	1,903	36.9	32.0	0	118.0	103.4	0
..COPD-related (490-496)	1,448	131	441	1,198	3,898	81.7	64.9	0	240.8	212.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
..Asthma (493)	41	15	17	178	333	11.2	11.7	0	20.5	20.1	0
Chronic liver disease and cirrhosis (571)	103	36	62	460	940	29.2	32.2	0	57.3	62.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	16	38	242	487	17.6	10.1	0	31.8	27.8	0
..Nephritis-related (580-589)	638	89	189	1,137	2,427	80.3	81.8	0	156.8	157.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	170	18	46	309	594	24.5	13.7	0	41.0	37.0	0
Unintentional injuries (E800-E949)	346	153	189	4,635	6,320	439.7	341.0	0	541.0	422.5	0
..Motor vehicle accidents (E810-E825)	122	89	98	3,020	3,942	303.3	224.0	0	360.8	271.4	0
..Falls and fall related injuries (E880-E888)	72	.	11	0	53	0.0	14.8	1	2.8	20.7	0
..Drowning (E830,E832,E910)	2	2	2	67	87
..Residential fires (E890-E899)	11	7	8	200	272
Suicide (E950-E959)	60	49	56	1,163	1,680	79.6	87.4	0	106.0	112.6	0
Homicide and legal intervention (E960-E978)	15	13	14	410	547	35.7	59.4	0	43.2	73.1	0
..Homicide (E960-E969)	15	13	14	410	547	35.7	59.4	0	43.2	73.1	0
All injury (E800-E999)	435	229	273	6,592	9,072	578.8	504.2	0	720.4	630.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	121	88	97	2,987	3,900	300.8	224.0	0	357.7	271.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	43	1	8	38	85	3.0	15.7	0	5.6	21.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	13	12	13	255	383	.	58.8	.	.	72.9	.
....Suicide (E955.0-.4)	9	9	9	198	288
....Homicide (E965.0-.4)	4	3	4	58	95
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	71	60	65	1,415	2,038	93.3	81.3	0	124.9	107.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	28	17	23	273	473	15.3	23.9	0	26.0	43.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	65	55	59	1,353	1,923	89.5	72.9	0	118.2	94.6	0

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	27,320	5,230	10,230	90,102	165,372	3659.5	3718.8	0	6068.7	6176.0	0
Infectious diseases and parasitic disease (1-139)	593	221	304	4,785	7,412	184.9	274.9	1	264.7	379.0	1
..Septicemia (038)	336	44	93	642	1,330	25.7	16.6	0	47.9	35.7	0
...Septicemia-related (038)	1,275	218	455	3,109	6,387	125.7	107.6	0	232.2	206.7	0
..HIV infection (042-044)	120	117	120	2,913	4,105	109.8	203.2	1	144.1	266.1	1
All cancer (140-208)	6,614	1,614	3,393	17,799	42,287	707.6	751.7	0	1518.5	1586.0	0
..Oral cavity or pharynx (140.0-149.9)	79	26	44	215	560	8.5	9.0	0	20.3	24.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	696	136	311	1,500	3,668	58.6	45.1	0	130.0	111.4	0
...Colon cancer (153)	575	113	255	1,178	2,998	46.1	33.6	0	106.2	85.0	0
...Rectal cancer (154)	108	23	51	323	658	12.5	10.9	0	23.4	24.7	0
..Pancreatic cancer (157)	367	81	192	738	2,085	29.4	33.1	0	74.3	77.7	0
..Lung and other respiratory cancer (160-165)	1,797	452	1,054	3,775	11,215	150.1	165.1	0	399.3	423.5	0
...Lung cancer (162.2-.9)	1,747	437	1,029	3,673	10,913	146.0	158.8	0	388.3	408.0	0
..Malignant melanoma of skin (172)	90	31	48	408	795	15.8	28.0	0	28.5	46.6	0
..Female breast cancer (174)	547	193	323	2,433	4,973
..Cervical cancer (180)	29	19	22	353	560
..Endometrial cancer (182)	35	4	13	30	108
..Ovarian cancer (183)	170	51	97	573	1,303
..Prostate cancer (185)	358	19	93	128	643
..Bladder cancer (188)	180	22	53	165	533	6.6	7.8	0	19.0	22.3	0
..Brain & other CNS cancer (191-192)	143	56	91	944	1,672	37.3	48.1	0	60.6	77.6	0
..Leukemia (204-208)	258	59	127	1,143	2,083	48.4	45.6	0	78.4	73.1	0
Diabetes mellitus (250)	559	112	249	1,240	3,008	48.1	51.6	0	106.2	114.5	0
..Diabetes-related (250)	2,215	367	866	3,568	9,515	140.5	125.7	0	338.2	324.2	0
..Diabetic ketoacidosis (DKA) (250.1)	8	3	5	38	78	.	4.9	.	.	7.5	.
Alzheimer's diseases (331.0)	258	4	25	30	153	1.2	0.7	0	5.2	4.8	0
Cardiovascular disease (390-459)	11,707	1,343	3,220	15,254	37,181	606.0	616.0	0	1328.1	1348.8	0
..Diseases of the heart (390-398,402,404-429)	9,200	1,136	2,626	12,543	30,718	498.7	514.2	0	1099.0	1127.4	0
...Heart disease-related (390-398,402,404-429)	15,303	1,918	4,550	22,426	53,641	894.3	1017.1	1	1920.5	2084.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,638	827	1,924	8,288	21,635	328.7	332.4	0	772.1	780.6	0
....Congestive heart failure (CHF) (428.0)	553	15	69	195	575	8.0	4.4	0	20.3	16.3	0
..Hypertension with or without renal disease (401,403)	147	9	32	165	362	6.7	4.1	0	12.9	10.5	0
...Hypertension-related (401,403)	1,927	229	571	1,965	5,735	78.3	63.7	0	204.4	172.5	0
..Cerebrovascular disease (430-438)	1,794	128	374	1,774	4,109	70.0	70.1	0	145.4	151.8	0
..Atherosclerosis (440)	151	10	26	140	310	5.5	4.2	0	10.9	8.4	0
...Atherosclerosis-related (440)	735	45	118	448	1,245	17.7	12.6	0	44.0	41.0	0
..Aortic aneurysm (441)	228	28	87	250	798	9.7	8.0	0	27.7	22.4	0
Pneumonia & influenza (480-487)	1,172	87	195	1,424	2,774	56.8	46.1	0	100.1	85.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,229	118	429	1,017	3,580	40.6	39.4	0	124.8	118.8	0
..COPD-related (490-496)	2,810	264	948	2,317	7,937	92.8	81.0	0	277.6	259.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
..Asthma (493)	53	24	27	335	583	13.0	14.6	0	21.1	21.9	0
Chronic liver disease and cirrhosis (571)	274	142	206	1,885	3,640	74.0	84.7	0	131.7	143.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	313	33	78	515	1,012	20.8	21.8	0	36.9	42.1	0
..Nephritis-related (580-589)	1,430	212	451	2,713	5,846	107.9	106.6	0	210.6	210.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	363	41	97	689	1,319	28.2	27.0	0	48.4	53.2	0
Unintentional injuries (E800-E949)	949	545	644	16,120	22,052	671.0	591.0	0	844.4	748.8	0
..Motor vehicle accidents (E810-E825)	311	239	269	7,660	10,190	331.1	293.3	0	405.3	361.3	0
..Falls and fall related injuries (E880-E888)	183	21	48	538	885	23.5	31.8	0	34.3	46.7	0
..Drowning (E830,E832,E910)	26	21	23	771	991	32.2	34.4	0	38.3	40.6	0
..Residential fires (E890-E899)	22	15	16	392	544	16.5	27.5	0	21.1	34.2	0
Suicide (E950-E959)	257	205	230	5,123	7,285	203.8	223.5	0	267.9	291.9	0
Homicide and legal intervention (E960-E978)	57	51	55	1,796	2,331	79.0	109.7	0	94.5	133.1	0
..Homicide (E960-E969)	57	51	55	1,796	2,331	79.0	107.7	0	94.5	130.6	0
All injury (E800-E999)	1,306	842	971	24,110	33,158	995.0	952.7	0	1260.0	1211.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	305	232	263	7,382	9,845	318.8	288.2	0	391.1	354.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	132	25	46	588	950	24.9	32.3	0	36.2	47.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	130	108	119	2,855	3,988	115.6	175.6	1	149.0	219.8	1
...Suicide (E955.0-.4)	101	80	90	1,955	2,800	75.5	88.5	0	100.2	115.0	0
...Homicide (E965.0-.4)	28	27	28	863	1,140	38.7	81.3	1	47.0	97.5	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	274	248	259	6,445	8,978	248.9	210.7	0	321.9	271.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	124	90	109	1,385	2,398	52.9	66.1	0	85.4	106.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	225	232	6,003	8,280	231.5	180.3	0	296.5	229.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	12,938	3,209	6,031	56,314	101,579	4556.1	4756.0	0	7570.8	7842.7	0
Infectious diseases and parasitic disease (1-139)	311	155	195	3,368	5,108	258.1	396.3	1	365.5	547.9	1
..Septicemia (038)	137	25	51	400	770	31.7	16.4	0	56.5	41.5	0
...Septicemia-related (038)	568	117	238	1,776	3,513	142.8	126.9	0	260.3	247.5	0
..HIV infection (042-044)	93	90	93	2,125	3,048	159.1	305.6	1	213.3	402.4	1
All cancer (140-208)	3,224	778	1,727	8,075	20,378	656.1	770.3	0	1516.0	1665.1	0
..Oral cavity or pharynx (140.0-149.9)	49	20	30	175	430	14.1	14.4	0	32.2	37.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	331	76	167	825	2,008	65.6	63.8	0	147.7	150.4	0
...Colon cancer (153)	265	62	132	640	1,610	51.1	45.3	0	118.6	112.7	0
...Rectal cancer (154)	58	14	34	185	395	14.5	17.8	0	29.0	35.7	0
..Pancreatic cancer (157)	168	47	103	363	1,123	29.8	44.5	0	83.8	96.7	0
..Lung and other respiratory cancer (160-165)	974	238	592	1,940	6,085	157.6	186.6	0	450.4	494.4	0
...Lung cancer (162.2-.9)	942	227	576	1,863	5,875	151.2	178.3	0	434.4	471.8	0
..Malignant melanoma of skin (172)	42	16	26	195	400	15.4	34.4	0	29.4	60.1	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	358	19	93	128	643	10.6	9.4	0	46.9	51.9	0
..Bladder cancer (188)	117	17	41	123	408	10.1	14.2	0	30.4	36.1	0
..Brain & other CNS cancer (191-192)	74	33	52	553	975	43.0	56.8	0	70.8	90.8	0
..Leukemia (204-208)	138	32	74	620	1,185	53.1	61.9	0	91.0	95.7	0
Diabetes mellitus (250)	275	68	145	770	1,843	60.4	49.5	0	134.3	116.8	0
..Diabetes-related (250)	1,126	226	497	2,195	5,713	175.8	146.2	0	422.3	388.7	0
..Diabetic ketoacidosis (DKA) (250.1)	6	2	3	30	58
Alzheimer's diseases (331.0)	71	2	14	5	85	0.4	0.4	0	6.0	3.6	0
Cardiovascular disease (390-459)	5,334	956	2,107	10,640	25,458	852.9	869.0	0	1882.7	1890.7	0
..Diseases of the heart (390-398,402,404-429)	4,339	823	1,758	8,994	21,546	722.1	740.3	0	1595.5	1612.6	0
...Heart disease-related (390-398,402,404-429)	7,239	1,298	2,875	15,313	35,691	1231.0	1349.5	0	2641.0	2765.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,256	621	1,341	6,543	16,128	526.6	522.8	0	1195.0	1201.0	0
....Congestive heart failure (CHF) (428.0)	192	7	32	73	245	6.0	2.6	0	18.1	15.1	0
..Hypertension with or without renal disease (401,403)	48	2	15	35	123	2.6	6.8	0	8.5	14.3	0
...Hypertension-related (401,403)	780	143	326	1,213	3,465	98.4	94.3	0	257.8	245.2	0
..Cerebrovascular disease (430-438)	661	73	202	955	2,222	75.5	82.5	0	162.6	175.4	0
..Atherosclerosis (440)	54	6	16	85	190	6.9	8.4	0	14.1	15.1	0
...Atherosclerosis-related (440)	297	26	77	280	803	22.5	22.6	0	58.8	64.8	0
..Aortic aneurysm (441)	139	27	67	248	703	19.5	15.3	0	51.4	40.2	0
Pneumonia & influenza (480-487)	545	59	128	972	1,869	77.5	54.8	0	137.7	102.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	539	52	208	477	1,677	38.5	41.8	0	122.5	127.1	0
..COPD-related (490-496)	1,362	133	507	1,120	4,040	91.5	87.6	0	297.0	295.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
..Asthma (493)	12	9	10	158	250
Chronic liver disease and cirrhosis (571)	171	106	144	1,425	2,700	113.6	130.3	0	200.2	215.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	162	17	40	273	525	22.6	30.8	0	39.8	52.5	0
..Nephritis-related (580-589)	792	123	262	1,577	3,419	126.5	124.0	0	253.4	253.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	193	23	51	380	725	31.5	36.8	0	54.8	64.7	0
Unintentional injuries (E800-E949)	603	392	455	11,485	15,733	931.6	860.6	0	1180.1	1095.9	0
..Motor vehicle accidents (E810-E825)	189	150	171	4,640	6,248	390.4	383.8	0	485.3	475.2	0
..Falls and fall related injuries (E880-E888)	111	21	37	538	833	46.1	46.7	0	65.1	70.1	0
..Drowning (E830,E832,E910)	24	19	21	704	904	57.7	55.5	0	68.5	65.6	0
..Residential fires (E890-E899)	11	8	8	192	272	.	32.2	.	.	41.8	.
Suicide (E950-E959)	197	156	174	3,960	5,605	313.8	354.5	0	412.1	464.8	0
Homicide and legal intervention (E960-E978)	42	38	41	1,386	1,784	121.3	159.8	0	144.3	192.3	0
..Homicide (E960-E969)	42	38	41	1,386	1,784	121.3	155.8	0	144.3	187.2	0
All injury (E800-E999)	871	613	698	17,519	24,086	1419.9	1410.8	0	1806.0	1798.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	184	144	166	4,395	5,945	369.0	373.6	0	460.8	461.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	89	24	38	550	865	46.1	46.8	0	66.5	70.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	117	96	106	2,600	3,605	209.8	291.9	0	269.3	366.1	0
....Suicide (E955.0-.4)	92	71	81	1,758	2,513	135.4	154.7	0	180.2	202.1	0
....Homicide (E965.0-.4)	24	24	24	805	1,045	71.4	125.6	0	85.6	149.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	203	188	194	5,030	6,940	386.7	325.6	0	495.9	418.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	96	73	86	1,113	1,925	86.0	102.7	0	139.7	161.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	176	170	173	4,650	6,358	356.7	271.7	0	453.2	343.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
All causes	14,382	2,021	4,199	33,789	63,794	2759.4	2679.9	0	4609.7	4554.3	0
Infectious diseases and parasitic disease (1-139)	282	66	109	1,417	2,305	112.3	155.0	0	165.4	213.2	0
..Septicemia (038)	199	19	42	243	560	19.7	16.9	0	39.6	31.0	0
...Septicemia-related (038)	707	101	217	1,334	2,874	108.9	89.0	0	205.5	168.6	0
..HIV infection (042-044)	27	27	27	788	1,058	61.3	101.8	0	76.4	131.4	0
All cancer (140-208)	3,390	836	1,666	9,724	21,909	758.0	731.3	0	1529.4	1514.5	0
..Oral cavity or pharynx (140.0-149.9)	30	6	14	40	130	3.2	3.7	0	9.1	12.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	365	60	144	675	1,660	51.9	26.8	0	113.6	74.7	0
...Colon cancer (153)	310	51	123	538	1,388	41.3	22.1	0	94.6	59.1	0
...Rectal cancer (154)	50	9	17	138	263	10.6	4.1	0	18.4	14.2	0
..Pancreatic cancer (157)	199	34	89	375	963	29.1	21.8	0	65.9	59.6	0
..Lung and other respiratory cancer (160-165)	823	214	462	1,835	5,130	143.0	144.6	0	354.4	359.3	0
...Lung cancer (162.2-.9)	805	210	453	1,810	5,038	141.0	140.0	0	348.1	350.3	0
..Malignant melanoma of skin (172)	48	15	22	213	395	16.2	21.5	0	27.8	33.9	0
..Female breast cancer (174)	547	193	323	2,433	4,973	188.0	192.0	0	349.3	367.2	0
..Cervical cancer (180)	29	19	22	353	560	26.7	27.2	0	39.4	42.3	0
..Endometrial cancer (182)	35	4	13	30	108	2.4	6.4	0	7.3	16.6	0
..Ovarian cancer (183)	170	51	97	573	1,303	44.3	34.1	0	90.7	70.9	0
..Prostate cancer (185)	0	.	.	0
..Bladder cancer (188)	63	5	12	43	125	3.4	1.6	0	8.6	9.5	0
..Brain & other CNS cancer (191-192)	69	23	39	392	697	31.8	39.0	0	50.9	64.3	0
..Leukemia (204-208)	120	27	53	523	898	43.5	29.3	0	66.4	51.0	0
Diabetes mellitus (250)	284	44	104	470	1,165	36.2	53.7	0	80.0	112.9	0
..Diabetes-related (250)	1,089	141	369	1,373	3,803	106.6	106.2	0	259.7	265.5	0
..Diabetic ketoacidosis (DKA) (250.1)	2	1	2	8	20	.	.	0	.	.	0
Alzheimer's diseases (331.0)	187	2	11	25	68	2.0	1.0	0	4.6	5.9	0
Cardiovascular disease (390-459)	6,373	387	1,113	4,614	11,724	368.1	369.6	0	809.3	839.5	0
..Diseases of the heart (390-398,402,404-429)	4,861	313	868	3,550	9,172	283.5	294.0	0	634.3	671.5	0
...Heart disease-related (390-398,402,404-429)	8,064	620	1,675	7,113	17,951	566.0	691.6	0	1242.2	1441.5	1
....Coronary heart disease (CHD) (402,410-414,429.2)	3,382	206	583	1,745	5,508	136.9	147.9	0	374.6	386.8	0
....Congestive heart failure (CHF) (428.0)	361	8	37	122	330	10.3	6.2	0	22.8	17.6	0
..Hypertension with or without renal disease (401,403)	99	7	17	130	240	10.9	1.4	0	17.6	6.7	0
...Hypertension-related (401,403)	1,147	86	245	752	2,270	59.2	34.4	0	154.8	104.6	1
..Cerebrovascular disease (430-438)	1,133	55	172	820	1,887	64.8	57.5	0	129.7	128.9	0
..Atherosclerosis (440)	97	4	10	55	120	4.1	0.2	0	8.0	1.9	0
...Atherosclerosis-related (440)	438	19	41	168	443	13.0	3.0	1	30.6	18.9	0
..Aortic aneurysm (441)	89	1	20	3	95	0.2	0.8	0	5.6	6.0	0
Pneumonia & influenza (480-487)	627	28	67	452	905	36.2	36.9	0	64.0	70.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	690	66	221	540	1,903	42.3	36.8	0	127.3	111.3	0
..COPD-related (490-496)	1,448	131	441	1,198	3,898	93.8	74.6	0	261.5	228.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1997
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1997			Years of life lost, 1997		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1997	1996	Signif- icance	1997	1996	Signif- icance
*****Causes of Death*****											
..Asthma (493)	41	15	17	178	333	13.7	15.1	0	23.9	24.6	0
Chronic liver disease and cirrhosis (571)	103	36	62	460	940	35.6	40.2	0	66.0	73.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	16	38	242	487	19.2	12.6	0	34.3	31.4	0
..Nephritis-related (580-589)	638	89	189	1,137	2,427	89.8	89.9	0	170.8	171.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	170	18	46	309	594	25.1	16.8	0	42.4	41.5	0
Unintentional injuries (E800-E949)	346	153	189	4,635	6,320	407.1	317.9	0	506.7	399.3	0
..Motor vehicle accidents (E810-E825)	122	89	98	3,020	3,942	271.2	201.2	0	325.2	245.8	0
..Falls and fall related injuries (E880-E888)	72	.	11	0	53	0.0	16.7	1	3.0	23.6	1
..Drowning (E830,E832,E910)	2	2	2	67	87
..Residential fires (E890-E899)	11	7	8	200	272
Suicide (E950-E959)	60	49	56	1,163	1,680	92.3	91.2	0	123.0	118.6	0
Homicide and legal intervention (E960-E978)	15	13	14	410	547	34.5	57.5	0	42.3	71.8	0
..Homicide (E960-E969)	15	13	14	410	547	34.5	57.5	0	42.3	71.8	0
All injury (E800-E999)	435	229	273	6,592	9,072	563.0	487.6	0	709.0	618.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	121	88	97	2,987	3,900	268.5	201.2	0	321.9	245.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	43	1	8	38	85	3.0	17.8	0	5.7	24.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	13	12	13	255	383	.	56.6	.	.	71.2	.
....Suicide (E955.0-.4)	9	9	9	198	288
....Homicide (E965.0-.4)	4	3	4	58	95
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	71	60	65	1,415	2,038	110.4	95.0	0	147.2	125.2	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	28	17	23	273	473	20.5	30.4	0	32.9	52.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	65	55	59	1,353	1,923	105.4	88.2	0	138.9	114.3	0

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).