

**Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
White Residents, 1998**

	Page
Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, White Residents, 1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6
Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, White Residents, 1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT White Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
*****Causes of Death*****												
All causes	27,355	949.2	399.1	0	407.7	12,758	910.2	491.5	0	509.4	14,597	986.1
Infectious diseases and parasitic disease (1-139)	604	21.0	10.7	0	11.0	313	22.3	13.9	0	14.5	291	19.7
..Septicemia (038)	378	13.1	4.8	0	4.3	169	12.1	5.8	0	4.8	209	14.1
....Septicemia-related (038)	1,338	46.4	18.7	0	18.3	621	44.3	22.7	0	21.0	717	48.4
...HIV infection (042-044)	99	3.4	3.1	0	3.8	77	5.5	4.9	0	5.8	22	1.5
All cancer (140-208)	6,580	228.3	115.3	0	116.3	3,276	233.7	133.0	0	132.1	3,304	223.2
..Oral cavity or pharynx (140.0-149.9)	81	2.8	1.5	0	1.5	47	3.4	2.1	0	2.3	34	2.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	707	24.5	10.8	0	11.1	321	22.9	12.2	0	13.1	386	26.1
....Colon cancer (153)	575	20.0	8.6	0	9.2	263	18.8	9.9	0	10.6	312	21.1
....Rectal cancer (154)	120	4.2	2.0	0	1.8	55	3.9	2.2	0	2.3	65	4.4
...Pancreatic cancer (157)	389	13.5	6.5	0	6.5	189	13.5	7.8	0	7.4	200	13.5
..Lung and other respiratory cancer (160-165)	1,787	62.0	33.8	0	33.9	1,000	71.3	42.9	0	41.8	787	53.2
....Lung cancer (162.2-.9)	1,735	60.2	32.8	0	33.0	959	68.4	41.1	0	40.5	776	52.4
..Malignant melanoma of skin (172)	86	3.0	1.7	0	1.7	47	3.4	2.2	0	1.9	39	2.6
..Female breast cancer (174)	542	.-	.-	0	.-	.-	.-	.-	0	.-	542	36.6
..Cervical cancer (180)	30	.-	.-	0	.-	.-	.-	.-	0	30	2.0	1.2
..Endometrial cancer (182)	41	.-	.-	0	.-	.-	.-	.-	0	41	2.8	1.2
..Ovarian cancer (183)	192	.-	.-	0	.-	.-	.-	.-	0	192	13.0	6.7
..Prostate cancer (185)	371	.-	.-	0	.-	371	26.5	11.0	0	10.8	.-	.-
..Bladder cancer (188)	180	6.2	2.4	0	2.4	125	8.9	4.2	0	4.0	55	3.7
..Brain & other CNS cancer (191-192)	143	5.0	3.3	0	3.0	82	5.9	4.2	0	3.6	61	4.1
..Leukemia (204-208)	252	8.7	4.7	0	4.7	139	9.9	5.8	0	6.0	113	7.6
Diabetes mellitus (250)	581	20.2	8.8	0	8.9	264	18.8	10.0	0	11.1	317	21.4
..Diabetes-related (250)	2,326	80.7	33.8	0	33.2	1,131	80.7	42.4	0	42.5	1,195	80.7
...Diabetic ketoacidosis (DKA) (250.1)	9	0.3	.-	0	.-	4	0.3	.-	0	5	0.3	.-
Alzheimer's diseases (331.0)	254	8.8	2.1	0	2.2	80	5.7	2.0	0	2.0	174	11.8
Cardiovascular disease (390-459)	11,574	401.6	138.3	0	143.8	5,135	366.3	178.8	1	190.3	6,439	435.0
..Diseases of the heart (390-398,402,404-429)	9,005	312.5	109.8	0	115.4	4,143	295.6	147.2	0	157.0	4,862	328.5
....Heart disease-related (390-398,402,404-429)	15,279	530.2	191.9	0	196.4	7,014	500.4	246.6	1	259.9	8,265	558.4
....Coronary heart disease (CHD) (402,410-414,429.2)	6,395	221.9	78.7	1	84.0	3,038	216.7	108.6	1	118.6	3,357	226.8
....Congestive heart failure (CHF) (428.0)	570	19.8	5.0	0	4.8	194	13.8	5.3	0	5.1	376	25.4
..Hypertension with or without renal disease (401,403)	146	5.1	1.7	0	1.6	57	4.1	1.9	0	1.5	89	6.0
....Hypertension-related (401,403)	1,995	69.2	23.9	0	24.7	772	55.1	27.0	0	28.5	1,223	82.6
..Cerebrovascular disease (430-438)	1,839	63.8	19.6	0	19.3	677	48.3	21.2	0	21.1	1,162	78.5
....Atherosclerosis (440)	177	6.1	1.5	0	1.4	64	4.6	1.7	0	1.6	113	7.6
....Atherosclerosis-related (440)	665	23.1	6.3	0	7.1	242	17.3	7.0	0	8.9	423	28.6
..Aortic aneurysm (441)	206	7.1	2.7	0	3.3	112	8.0	3.9	0	5.3	94	6.4
Pneumonia & influenza (480-487)	1,168	40.5	10.8	0	11.8	511	36.5	13.8	0	16.3	657	44.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT White Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes						Male						Female					
	*****1998*****			*****1998*****			*****1998*****			*****1998*****			*****1998*****			*****1998*****		
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate
*****Causes of Death*****																		
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	41.7	15.8	0	16.8	554	39.5	17.6	0	18.5	648	43.8	14.8	0	16.0			
..COPD-related (490-496)	2,707	93.9	36.3	0	37.8	1,310	93.5	43.6	0	46.1	1,397	94.4	31.5	0	32.4			
..Asthma (493)	45	1.6	1.0	0	1.0	14	1.0	.	.	.	31	2.1	1.1	0	1.3			
Chronic liver disease and cirrhosis (571)	267	9.3	6.2	0	6.4	157	11.2	8.2	0	9.2	110	7.4	4.2	0	3.8			
Nephritis, nephrotic syndrome/nephrosis (580-589)	331	11.5	4.1	0	3.7	151	10.8	4.8	0	4.9	180	12.2	3.7	0	3.0			
..Nephritis-related (580-589)	1,449	50.3	19.5	0	19.4	744	53.1	25.0	0	26.8	705	47.6	15.7	0	14.4			
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	389	13.5	4.9	0	4.5	182	13.0	5.9	0	6.1	207	14.0	4.3	0	3.5			
Unintentional injuries (E800-E949)	1,000	34.7	25.3	0	25.0	623	44.4	36.8	0	35.1	377	25.5	14.1	0	15.5			
..Motor vehicle accidents (E810-E825)	295	10.2	9.9	0	10.7	188	13.4	13.8	0	13.3	107	7.2	5.9	0	8.3			
..Falls and fall related injuries (E880-E888)	206	7.1	2.4	0	2.4	97	6.9	3.4	0	4.1	109	7.4	1.7	0	1.1			
..Drowning (E830,E832,E910)	21	0.7	0.7	0	0.9	16	1.1	1.3	0	1.6	51	0.3	.	0	.			
..Residential fires (E890-E899)	25	0.9	0.7	0	0.6	13	0.9	.	.	.	12	0.8	.	0	.			
Suicide (E950-E959)	243	8.4	7.5	0	7.8	182	13.0	11.5	0	12.2	61	4.1	3.6	0	3.5			
Homicide and legal intervention (E960-E978)	74	2.6	3.0	0	2.2	56	4.0	4.6	0	3.4	181	1.2	1.4	0	1.0			
..Homicide (E960-E969)	73	2.5	3.0	0	2.2	55	3.9	4.5	0	3.4	181	1.2	1.4	0	1.0			
All injury (E800-E999)	1,342	46.6	36.6	0	36.4	876	62.5	54.0	0	52.6	466	31.5	19.7	0	20.9			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	288	10.0	9.6	0	10.4	184	13.1	13.5	0	12.8	104	7.0	5.7	0	8.2			
..All falls (E880-E886,E888,E957,E968.1,E987)	147	5.1	2.2	0	2.1	82	5.9	3.3	0	3.7	65	4.4	1.2	0	0.7			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	123	4.3	4.3	0	4.2	108	7.7	7.7	0	7.7	151	1.0	1.0	0	.			
....Suicide (E955.0-.4)	80	2.8	2.5	0	3.0	71	5.1	4.5	0	5.5	9	0.6	.	0	.			
....Homicide (E965.0-.4)	36	1.2	1.6	0	1.2	31	2.2	2.8	0	2.1	51	0.3	.	0	.			
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	288	10.0	9.3	0	8.6	199	14.2	13.0	0	12.9	89	6.0	5.6	0	4.2			
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	145	5.0	4.0	0	3.3	103	7.3	5.9	0	5.5	42	2.8	2.3	0	1.3			
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	258	9.0	8.5	0	7.7	174	12.4	11.7	0	11.4	84	5.7	5.3	0	3.9			

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT White Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
*****Causes of Death*****												
All causes	27,355	949.2	568.6	0	578.8	12,758	910.2	692.3	1	718.5	14,597	986.1
Infectious diseases and parasitic disease (1-139)	604	21.0	13.3	0	13.3	313	22.3	17.0	0	17.0	291	19.7
..Septicemia (038)	378	13.1	7.4	0	6.6	169	12.1	8.8	0	7.3	209	14.1
...Septicemia-related (038)	1,338	46.4	27.3	0	26.6	621	44.3	33.1	0	30.9	717	48.4
...HIV infection (042-044)	99	3.4	2.8	0	3.3	77	5.5	4.3	0	5.0	22	1.5
All cancer (140-208)	6,580	228.3	154.0	0	155.4	3,276	233.7	182.8	0	183.1	3,304	223.2
..Oral cavity or pharynx (140.0-149.9)	81	2.8	2.0	0	2.0	47	3.4	2.6	0	2.9	34	2.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	707	24.5	15.4	0	15.4	321	22.9	17.5	0	18.4	386	26.1
....Colon cancer (153)	575	20.0	12.4	0	12.8	263	18.8	14.3	0	14.8	312	21.1
....Rectal cancer (154)	120	4.2	2.7	0	2.4	55	3.9	3.0	0	3.2	65	4.4
...Pancreatic cancer (157)	389	13.5	8.9	0	8.7	189	13.5	10.7	0	9.9	200	13.5
..Lung and other respiratory cancer (160-165)	1,787	62.0	44.3	0	44.6	1,000	71.3	57.4	0	56.6	787	53.2
....Lung cancer (162.2-.9)	1,735	60.2	43.0	0	43.4	959	68.4	55.1	0	54.7	776	52.4
..Malignant melanoma of skin (172)	86	3.0	2.1	0	2.1	47	3.4	2.7	0	2.4	39	2.6
..Female breast cancer (174)	542	.-	.-	0	.-	.-	.-	.-	0	.-	542	36.6
..Cervical cancer (180)	30	.-	.-	0	.-	.-	.-	.-	0	30	2.0	1.3
..Endometrial cancer (182)	41	.-	.-	0	.-	.-	.-	.-	0	41	2.8	1.6
..Ovarian cancer (183)	192	.-	.-	0	.-	.-	.-	.-	0	192	13.0	8.4
..Prostate cancer (185)	371	.-	.-	0	.-	371	26.5	18.6	0	18.5	.-	.-
..Bladder cancer (188)	180	6.2	3.7	0	3.7	125	8.9	6.5	0	6.3	55	3.7
..Brain & other CNS cancer (191-192)	143	5.0	3.8	0	3.7	82	5.9	5.0	0	4.3	61	4.1
..Leukemia (204-208)	252	8.7	6.1	0	6.1	139	9.9	7.7	0	8.1	113	7.6
Diabetes mellitus (250)	581	20.2	12.5	0	12.3	264	18.8	14.3	0	15.4	317	21.4
..Diabetes-related (250)	2,326	80.7	49.4	0	47.8	1,131	80.7	61.5	0	61.9	1,195	80.7
...Diabetic ketoacidosis (DKA) (250.1)	9	0.3	.-	0	.-	4	0.3	.-	0	0.3	5	0.3
Alzheimer's diseases (331.0)	254	8.8	4.1	0	4.2	80	5.7	3.8	0	3.6	174	11.8
Cardiovascular disease (390-459)	11,574	401.6	218.5	0	226.1	5,135	366.3	270.9	1	288.3	6,439	435.0
..Diseases of the heart (390-398,402,404-429)	9,005	312.5	171.9	0	179.7	4,143	295.6	220.3	1	235.4	4,862	328.5
....Heart disease-related (390-398,402,404-429)	15,279	530.2	296.1	0	302.6	7,014	500.4	371.1	1	392.2	8,265	558.4
....Coronary heart disease (CHD) (402,410-414,429.2)	6,395	221.9	122.8	0	130.4	3,038	216.7	162.0	1	177.0	3,357	226.8
....Congestive heart failure (CHF) (428.0)	570	19.8	9.3	0	9.1	194	13.8	9.5	0	9.6	376	25.4
..Hypertension with or without renal disease (401,403)	146	5.1	2.7	0	2.7	57	4.1	2.9	0	2.5	89	6.0
....Hypertension-related (401,403)	1,995	69.2	38.0	0	38.4	772	55.1	40.8	0	42.7	1,223	82.6
..Cerebrovascular disease (430-438)	1,839	63.8	32.8	0	32.5	677	48.3	34.3	0	34.5	1,162	78.5
..Atherosclerosis (440)	177	6.1	2.9	0	2.5	64	4.6	3.1	0	2.8	113	7.6
...Atherosclerosis-related (440)	665	23.1	11.3	0	12.7	242	17.3	12.0	1	15.4	423	28.6
..Aortic aneurysm (441)	206	7.1	4.2	0	4.8	112	8.0	5.9	0	7.8	94	6.4
Pneumonia & influenza (480-487)	1,168	40.5	19.5	0	20.4	511	36.5	24.8	0	28.0	657	44.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT White Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
*****Causes of Death*****												
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	41.7	24.2	0	25.5	554	39.5	28.4	0	28.9	648	43.8
..COPD-related (490-496)	2,707	93.9	55.1	0	57.7	1,310	93.5	68.2	0	72.7	1,397	94.4
..Asthma (493)	45	1.6	1.2	0	1.2	14	1.0	.	.	31	2.1	1.3
Chronic liver disease and cirrhosis (571)	267	9.3	7.1	0	7.4	157	11.2	9.3	0	10.3	110	7.4
Nephritis, nephrotic syndrome/nephrosis (580-589)	331	11.5	6.4	0	5.9	151	10.8	7.7	0	8.3	180	12.2
..Nephritis-related (580-589)	1,449	50.3	29.2	0	29.0	744	53.1	38.6	0	42.0	705	47.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	389	13.5	7.6	0	7.0	182	13.0	9.4	0	10.0	207	14.0
Unintentional injuries (E800-E949)	1,000	34.7	26.4	0	26.3	623	44.4	37.9	0	36.6	377	25.5
..Motor vehicle accidents (E810-E825)	295	10.2	9.5	0	10.6	188	13.4	13.1	0	13.0	107	7.2
..Falls and fall related injuries (E880-E888)	206	7.1	3.7	0	3.7	97	6.9	4.9	0	6.2	109	7.4
..Drowning (E830,E832,E910)	21	0.7	0.7	0	0.9	16	1.1	1.2	0	1.6	51	0.3
..Residential fires (E890-E899)	25	0.9	0.8	0	0.7	13	0.9	.	.	.	12	0.8
Suicide (E950-E959)	243	8.4	7.0	0	7.4	182	13.0	10.9	0	11.9	61	4.1
Homicide and legal intervention (E960-E978)	74	2.6	2.8	0	2.2	56	4.0	4.2	0	3.3	18	1.2
..Homicide (E960-E969)	73	2.5	2.8	0	2.2	55	3.9	4.2	0	3.3	18	1.2
All injury (E800-E999)	1,342	46.6	36.9	0	37.0	876	62.5	54.0	0	53.4	466	31.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	288	10.0	9.3	0	10.3	184	13.1	12.8	0	12.6	104	7.0
..All falls (E880-E886,E888,E957,E968.1,E987)	147	5.1	3.0	0	2.9	82	5.9	4.4	0	5.1	65	4.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	123	4.3	4.0	0	3.9	108	7.7	7.3	0	7.4	15	1.0
....Suicide (E955.0-.4)	80	2.8	2.3	0	2.8	71	5.1	4.3	0	5.4	9	0.6
....Homicide (E965.0-.4)	36	1.2	1.5	0	1.1	31	2.2	2.5	0	1.9	51	0.3
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	288	10.0	8.1	0	7.5	199	14.2	11.4	0	11.2	89	6.0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	145	5.0	4.1	0	3.5	103	7.3	6.0	0	5.8	42	2.8
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	258	9.0	7.3	0	6.6	174	12.4	10.0	0	9.6	84	5.7

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.
 0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT White Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
*****Causes of Death*****												
All causes	27,355	949.2	786.6	0	798.9	12,758	910.2	948.4	1	985.8	14,597	986.1
Infectious diseases and parasitic disease (1-139)	604	21.0	17.9	0	17.9	313	22.3	22.7	0	22.6	291	19.7
..Septicemia (038)	378	13.1	10.7	0	9.6	169	12.1	12.7	0	10.7	209	14.1
....Septicemia-related (038)	1,338	46.4	38.2	0	37.1	621	44.3	46.1	0	43.8	717	48.4
...HIV infection (042-044)	99	3.4	3.3	0	4.0	77	5.5	5.2	0	6.2	22	1.5
All cancer (140-208)	6,580	228.3	194.5	0	197.1	3,276	233.7	235.6	0	237.8	3,304	223.2
..Oral cavity or pharynx (140.0-149.9)	81	2.8	2.4	0	2.4	47	3.4	3.3	0	3.6	34	2.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	707	24.5	20.4	0	20.4	321	22.9	23.2	0	24.5	386	26.1
....Colon cancer (153)	575	20.0	16.5	0	16.9	263	18.8	19.0	0	19.6	312	21.1
....Rectal cancer (154)	120	4.2	3.5	0	3.2	55	3.9	4.0	0	4.2	65	4.4
...Pancreatic cancer (157)	389	13.5	11.4	0	10.9	189	13.5	13.5	0	12.0	200	13.5
..Lung and other respiratory cancer (160-165)	1,787	62.0	53.5	0	53.9	1,000	71.3	71.0	0	70.1	787	53.2
....Lung cancer (162.2-.9)	1,735	60.2	51.9	0	52.4	959	68.4	68.0	0	67.8	776	52.4
..Malignant melanoma of skin (172)	86	3.0	2.6	0	2.7	47	3.4	3.3	0	3.0	39	2.6
..Female breast cancer (174)	542	542	36.6
..Cervical cancer (180)	30	30	2.0
..Endometrial cancer (182)	41	41	2.8
..Ovarian cancer (183)	192	192	10.2
..Prostate cancer (185)	371	371	26.5	28.2	0	28.3
..Bladder cancer (188)	180	6.2	5.1	0	5.2	125	8.9	9.2	0	9.1	55	3.7
..Brain & other CNS cancer (191-192)	143	5.0	4.5	0	4.4	82	5.9	5.8	0	5.2	61	4.1
..Leukemia (204-208)	252	8.7	7.5	0	7.7	139	9.9	9.9	0	10.2	113	7.6
Diabetes mellitus (250)	581	20.2	16.8	0	16.4	264	18.8	19.3	0	20.5	317	21.4
..Diabetes-related (250)	2,326	80.7	66.7	0	64.5	1,131	80.7	82.4	0	84.3	1,195	80.7
...Diabetic ketoacidosis (DKA) (250.1)	9	0.3	4	0.3	5	0.3
Alzheimer's diseases (331.0)	254	8.8	6.8	0	7.1	80	5.7	6.3	0	5.9	174	11.8
Cardiovascular disease (390-459)	11,574	401.6	324.2	0	334.8	5,135	366.3	386.7	1	412.7	6,439	435.0
..Diseases of the heart (390-398,402,404-429)	9,005	312.5	252.9	1	263.8	4,143	295.6	311.5	1	334.4	4,862	328.5
....Heart disease-related (390-398,402,404-429)	15,279	530.2	430.5	0	439.3	7,014	500.4	526.8	1	559.1	8,265	558.4
....Coronary heart disease (CHD) (402,410-414,429.2)	6,395	221.9	179.8	1	190.5	3,038	216.7	227.9	1	249.7	3,357	226.8
....Congestive heart failure (CHF) (428.0)	570	19.8	15.5	0	15.4	194	13.8	15.2	0	16.3	376	25.4
..Hypertension with or without renal disease (401,403)	146	5.1	4.1	0	4.1	57	4.1	4.3	0	3.8	89	6.0
....Hypertension-related (401,403)	1,995	69.2	55.8	0	55.3	772	55.1	57.4	0	59.4	1,223	82.6
..Cerebrovascular disease (430-438)	1,839	63.8	50.8	0	50.6	677	48.3	51.5	0	52.5	1,162	78.5
....Atherosclerosis (440)	177	6.1	4.8	0	4.2	64	4.6	5.2	0	4.5	113	7.6
....Atherosclerosis-related (440)	665	23.1	18.2	0	20.6	242	17.3	18.7	1	24.5	423	28.6
..Aortic aneurysm (441)	206	7.1	5.8	0	6.6	112	8.0	8.2	0	10.6	94	6.4
Pneumonia & influenza (480-487)	1,168	40.5	31.9	0	33.0	511	36.5	40.7	0	44.9	657	44.4

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT White Resident DEATHS, 1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female			
	*****1998*****				*****1998*****				*****1998*****			
	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997	No. of deaths	Crude rate	Significance	1997
*****Causes of Death*****												
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	41.7	33.9	0	35.2	554	39.5	41.5	0	41.2	648	43.8
..COPD-related (490-496)	2,707	93.9	76.7	0	80.5	1,310	93.5	97.3	0	104.3	1,397	94.4
..Asthma (493)	45	1.6	1.4	0	1.6	14	1.0	.	.	31	2.1	1.7
Chronic liver disease and cirrhosis (571)	267	9.3	8.4	0	8.7	157	11.2	10.9	0	12.0	110	7.4
Nephritis, nephrotic syndrome/nephrosis (580-589)	331	11.5	9.3	0	8.9	151	10.8	11.5	0	13.1	180	12.2
..Nephritis-related (580-589)	1,449	50.3	41.2	0	41.3	744	53.1	56.0	0	61.9	705	47.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	389	13.5	11.0	0	10.4	182	13.0	13.9	0	15.5	207	14.0
Unintentional injuries (E800-E949)	1,000	34.7	31.7	0	30.6	623	44.4	45.3	0	43.8	377	25.5
..Motor vehicle accidents (E810-E825)	295	10.2	10.1	0	10.8	188	13.4	13.6	0	13.6	107	7.2
..Falls and fall related injuries (E880-E888)	206	7.1	5.8	0	5.3	97	6.9	7.5	0	8.8	109	7.4
..Drowning (E830,E832,E910)	21	0.7	0.7	0	0.9	16	1.1	1.2	0	1.7	51	0.3
..Residential fires (E890-E899)	25	0.9	0.8	0	0.7	13	0.9	.	.	.	12	0.8
Suicide (E950-E959)	243	8.4	8.1	0	8.5	182	13.0	12.7	0	13.8	61	4.1
Homicide and legal intervention (E960-E978)	74	2.6	2.7	0	2.1	56	4.0	4.1	0	3.1	18	1.2
..Homicide (E960-E969)	73	2.5	2.7	0	2.1	55	3.9	4.1	0	3.1	18	1.2
All injury (E800-E999)	1,342	46.6	43.4	0	42.6	876	62.5	63.2	0	62.7	466	31.5
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	288	10.0	9.8	0	10.5	184	13.1	13.3	0	13.2	104	7.0
..All falls (E880-E886,E888,E957,E968.1,E987)	147	5.1	4.2	0	3.9	82	5.9	6.1	0	6.8	65	4.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	123	4.3	4.3	0	4.4	108	7.7	7.8	0	8.3	15	1.0
....Suicide (E955.0-.4)	80	2.8	2.7	0	3.3	71	5.1	5.0	0	6.4	9	0.6
....Homicide (E965.0-.4)	36	1.2	1.4	0	1.0	31	2.2	2.4	0	1.8	51	0.3
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	288	10.0	9.7	0	9.1	199	14.2	13.6	0	13.7	89	6.0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	145	5.0	4.7	0	4.0	103	7.3	7.1	0	6.7	42	2.8
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	258	9.0	8.7	0	8.0	174	12.4	11.9	0	11.8	84	5.7

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1998 AAMR is significantly different (prob<0.05) from the 1997 AAMR.

0 - The 1998 AAMR is not significantly different (prob>0.05) from the 1997 AAMR.

CONNECTICUT White Resident DEATHS, 1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1940 U.S. standard population *****

	Both Sexes											
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
				All	< 65	< 75	< 65	< 75	1998	1997	Significance	
*****Causes of Death*****												
All causes	27,355	5,055	9,933	85,901	158,446	3376.7	3530.4	0	5428.4	5657.6	0	0
Infectious diseases and parasitic disease (1-139)	604	202	292	4,094	6,494	148.8	171.9	0	215.9	245.4	0	0
..Septicemia (038)	378	48	110	734	1,469	27.1	23.5	0	47.2	42.6	0	0
....Septicemia-related (038)	1,338	215	473	3,058	6,298	110.5	117.5	0	199.9	209.6	0	0
...HIV infection (042-044)	99	97	99	2,280	3,260	81.3	102.1	0	108.9	135.4	0	0
All cancer (140-208)	6,580	1,594	3,373	17,695	41,883	604.9	617.9	0	1280.6	1305.8	0	0
..Oral cavity or pharynx (140.0-149.9)	81	25	43	318	678	10.2	7.1	0	20.4	17.2	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	707	115	288	1,098	3,085	35.6	49.9	0	90.4	109.8	0	0
....Colon cancer (153)	575	89	227	883	2,458	28.7	38.8	0	72.0	89.2	0	0
....Rectal cancer (154)	120	23	57	183	558	5.9	11.1	0	16.3	20.4	0	0
..Pancreatic cancer (157)	389	78	190	785	2,090	26.1	24.4	0	62.1	61.8	0	0
..Lung and other respiratory cancer (160-165)	1,787	471	1,043	3,973	11,368	129.5	125.3	0	337.2	333.7	0	0
....Lung cancer (162.2-.9)	1,735	453	1,011	3,813	10,963	124.3	121.8	0	325.0	324.3	0	0
..Malignant melanoma of skin (172)	86	29	52	393	790	12.8	13.0	0	23.8	23.9	0	0
..Female breast cancer (174)	542	179	323	2,148	4,573
..Cervical cancer (180)	30	14	19	225	398
..Endometrial cancer (182)	41	11	16	88	220
..Ovarian cancer (183)	192	57	114	598	1,450
..Prostate cancer (185)	371	20	93	125	678
..Bladder cancer (188)	180	17	57	133	483	4.3	5.5	0	13.7	15.8	0	0
..Brain & other CNS cancer (191-192)	143	67	103	1,120	1,970	41.6	35.0	0	65.8	55.9	0	0
..Leukemia (204-208)	252	77	132	1,397	2,379	53.6	50.8	0	81.5	78.1	0	0
Diabetes mellitus (250)	581	103	238	918	2,580	29.7	41.0	0	76.0	89.9	0	0
..Diabetes-related (250)	2,326	349	880	3,025	8,882	102.3	118.9	0	265.0	284.1	0	0
..Diabetic ketoacidosis (DKA) (250.1)	9	4	4	70	110
Alzheimer's diseases (331.0)	254	3	27	38	168	1.2	1.0	0	4.3	4.1	0	0
Cardiovascular disease (390-459)	11,574	1,285	3,044	14,345	35,047	503.8	526.3	0	1078.2	1130.9	0	0
..Diseases of the heart (390-398,402,404-429)	9,005	1,070	2,478	11,675	28,720	411.4	432.0	0	886.4	936.1	0	0
....Heart disease-related (390-398,402,404-429)	15,279	1,899	4,400	22,375	52,517	802.1	793.5	0	1640.7	1657.5	0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	6,395	764	1,814	7,315	19,735	240.3	276.3	0	584.3	646.6	0	0
....Congestive heart failure (CHF) (428.0)	570	24	76	175	615	5.7	7.4	0	17.7	17.2	0	0
....Hypertension with or without renal disease (401,403)	146	19	37	188	453	5.9	6.3	0	13.3	11.5	0	0
....Hypertension-related (401,403)	1,995	190	530	1,655	5,070	54.0	66.0	0	147.4	170.6	0	0
..Cerebrovascular disease (430-438)	1,839	147	370	1,845	4,232	64.5	61.1	0	129.6	123.0	0	0
..Atherosclerosis (440)	177	5	24	48	190	1.6	4.5	0	5.3	8.9	0	0
....Atherosclerosis-related (440)	665	27	110	248	885	8.7	14.6	0	25.7	36.4	0	0
..Aortic aneurysm (441)	206	14	69	180	568	5.7	8.4	0	15.6	23.3	0	0
Pneumonia & influenza (480-487)	1,168	59	165	842	1,882	30.5	53.3	0	58.5	90.6	0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	108	373	1,045	3,283	38.2	35.4	0	98.6	103.7	0	0
..COPD-related (490-496)	2,707	282	865	2,600	7,978	92.4	80.6	0	239.1	230.2	0	0

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
..Asthma (493)	45	22	26	440	675	18.5	11.5	0	25.6	18.9	0	
Chronic liver disease and cirrhosis (571)	267	135	200	1,975	3,627	64.9	61.5	0	111.1	111.2	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	331	39	93	455	1,065	16.3	19.5	0	33.2	33.2	0	
..Nephritis-related (580-589)	1,449	204	481	2,262	5,485	75.0	97.1	0	163.4	184.7	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	389	47	115	585	1,330	21.1	27.1	0	41.6	44.4	0	
Unintentional injuries (E800-E949)	1,000	560	656	15,953	21,993	693.7	714.4	0	881.3	899.6	0	
..Motor vehicle accidents (E810-E825)	295	218	247	6,872	9,190	325.3	369.1	0	402.4	453.8	0	
..Falls and fall related injuries (E880-E888)	206	30	50	540	950	18.7	26.1	0	30.1	36.5	0	
..Drowning (E830,E832,E910)	21	17	17	597	767	28.6	35.0	0	34.3	41.9	0	
..Residential fires (E890-E899)	25	15	21	448	633	20.1	17.0	0	25.7	21.7	0	
Suicide (E950-E959)	243	197	211	5,098	7,153	207.3	203.8	0	269.2	268.1	0	
Homicide and legal intervention (E960-E978)	74	71	72	2,332	3,044	114.2	87.5	0	138.8	105.5	0	
..Homicide (E960-E969)	73	70	71	2,309	3,012	113.6	87.5	0	137.9	105.5	0	
All injury (E800-E999)	1,342	853	964	24,005	33,062	1039.7	1045.4	0	1321.2	1324.9	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	288	213	241	6,725	8,995	317.9	355.2	0	393.3	437.4	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	147	33	50	663	1,090	25.0	27.2	0	37.3	38.3	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	123	107	112	2,958	4,060	136.3	119.8	0	172.5	154.7	0	
....Suicide (E955.0-.4)	80	64	69	1,585	2,258	65.8	74.2	0	86.5	98.8	0	
....Homicide (E965.0-.4)	36	36	36	1,225	1,585	64.4	43.9	0	77.8	53.7	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	288	266	274	7,147	9,842	277.5	240.5	0	356.5	313.5	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	145	110	136	1,765	3,005	56.6	44.8	0	91.1	73.6	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	258	245	249	6,725	9,190	263.1	224.9	0	335.8	290.7	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 1940 U.S. standard population *****

	Male											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
All causes	12,758	3,078	5,806	53,618	96,973	4242.5	4391.7	0	6800.0	7052.0	0	
Infectious diseases and parasitic disease (1-139)	313	137	186	2,711	4,308	193.8	235.6	0	285.5	334.2	0	
..Septicemia (038)	169	28	61	377	805	27.7	28.9	0	52.4	50.2	0	
....Septicemia-related (038)	621	122	274	1,674	3,554	120.5	132.4	0	228.6	233.6	0	
...HIV infection (042-044)	77	75	77	1,668	2,428	117.3	143.7	0	160.6	195.0	0	
All cancer (140-208)	3,276	796	1,749	8,601	21,104	600.3	579.2	0	1331.6	1303.8	0	
..Oral cavity or pharynx (140.0-149.9)	47	17	28	248	490	16.2	11.7	0	30.2	27.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	321	59	154	563	1,610	37.1	55.0	0	97.5	123.7	0	
....Colon cancer (153)	263	45	123	443	1,288	29.2	43.1	0	77.8	99.8	0	
....Rectal cancer (154)	55	13	30	113	305	7.4	12.0	0	18.6	23.7	0	
..Pancreatic cancer (157)	189	46	106	420	1,185	27.6	24.7	0	72.3	70.0	0	
..Lung and other respiratory cancer (160-165)	1,000	272	604	2,335	6,615	155.7	131.3	0	407.5	374.3	0	
....Lung cancer (162.2-.9)	959	258	578	2,195	6,280	146.5	125.9	0	386.8	360.6	0	
..Malignant melanoma of skin (172)	47	18	33	245	503	16.0	12.8	0	30.8	24.8	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	371	20	93	125	678	8.5	8.9	0	39.9	37.6	0	
..Bladder cancer (188)	125	16	40	110	390	7.4	8.4	0	24.0	25.3	0	
..Brain & other CNS cancer (191-192)	82	44	59	782	1,325	59.2	40.9	0	91.5	65.9	0	
..Leukemia (204-208)	139	36	74	560	1,070	43.5	57.9	0	73.5	92.5	0	
Diabetes mellitus (250)	264	52	125	495	1,358	32.4	50.3	0	82.3	112.4	0	
..Diabetes-related (250)	1,131	220	516	1,972	5,477	135.6	146.4	0	340.9	352.1	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	3	3	48	78	
Alzheimer's diseases (331.0)	80	1	10	23	85	1.3	0.4	0	4.7	4.8	0	
Cardiovascular disease (390-459)	5,135	905	1,983	9,934	23,904	697.4	727.7	0	1513.8	1589.0	0	
..Diseases of the heart (390-398,402,404-429)	4,143	792	1,670	8,631	20,551	610.3	612.9	0	1309.9	1344.8	0	
....Heart disease-related (390-398,402,404-429)	7,014	1,257	2,756	14,838	34,225	1068.2	1079.7	0	2200.8	2265.6	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,038	587	1,261	5,758	14,728	385.9	440.2	0	910.5	998.6	0	
....Congestive heart failure (CHF) (428.0)	194	11	39	88	318	5.8	5.0	0	18.8	14.4	0	
....Hypertension with or without renal disease (401,403)	57	11	21	133	288	8.4	2.2	0	17.2	6.8	0	
....Hypertension-related (401,403)	772	124	303	1,170	3,238	77.5	82.3	0	197.4	214.9	0	
..Cerebrovascular disease (430-438)	677	79	196	863	2,180	58.8	65.8	0	134.7	137.4	0	
..Atherosclerosis (440)	64	2	13	25	93	1.7	5.6	0	5.3	11.4	0	
....Atherosclerosis-related (440)	242	14	61	160	508	11.7	18.5	0	31.3	48.1	0	
..Aortic aneurysm (441)	112	8	47	100	368	6.4	17.0	0	21.0	43.6	0	
Pneumonia & influenza (480-487)	511	36	97	482	1,105	34.7	70.5	0	70.2	121.9	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	554	47	171	503	1,513	39.4	35.3	0	97.1	102.8	0	
..COPD-related (490-496)	1,310	137	453	1,278	4,033	96.2	80.7	0	254.7	245.5	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male													
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65				Adjusted YPLL < 75			
	All		< 65	< 75	< 65		< 75	1998	1997	Significance		1998	1997	Significance
	All	< 65	< 75	< 65	< 75	1998	1997	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****														
..Asthma (493)	14	10	10	235	335
Chronic liver disease and cirrhosis (571)	157	94	132	1,357	2,462	90.0	93.4	0	154.0	168.0	0	0	0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	20	49	185	488	12.2	21.4	0	29.6	35.9	0	0	0	0
..Nephritis-related (580-589)	744	114	272	1,270	3,055	84.3	112.5	0	186.6	219.7	0	0	0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	182	26	62	280	675	19.6	30.2	0	42.4	50.2	0	0	0	0
Unintentional injuries (E800-E949)	623	412	467	12,049	16,437	1051.7	975.8	0	1328.7	1237.4	0	0	0	0
..Motor vehicle accidents (E810-E825)	188	154	166	5,065	6,665	482.1	430.7	0	591.0	536.5	0	0	0	0
..Falls and fall related injuries (E880-E888)	97	22	35	430	728	30.1	51.3	0	47.1	70.1	0	0	0	0
..Drowning (E830,E832,E910)	16	15	15	557	707	52.3	62.5	0	62.4	75.0	0	0	0	0
..Residential fires (E890-E899)	13	8	11	305	408	.	.	0	.	.	0	0	0	0
Suicide (E950-E959)	182	149	159	3,843	5,393	313.7	316.3	0	408.3	415.5	0	0	0	0
Homicide and legal intervention (E960-E978)	56	54	55	1,745	2,288	171.0	137.1	0	208.7	164.6	0	0	0	0
..Homicide (E960-E969)	55	53	54	1,723	2,255	169.6	137.1	0	206.9	164.6	0	0	0	0
All injury (E800-E999)	876	630	696	18,034	24,664	1568.1	1479.9	0	1986.5	1884.1	0	0	0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	184	150	163	4,920	6,488	467.7	406.5	0	574.0	508.1	0	0	0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	82	25	38	553	880	42.6	50.0	0	61.8	69.9	0	0	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	108	93	98	2,588	3,550	237.5	221.2	0	301.1	284.2	0	0	0	0
....Suicide (E955.0-.4)	71	56	61	1,400	1,993	116.7	135.4	0	153.6	180.3	0	0	0	0
....Homicide (E965.0-.4)	31	31	31	1,068	1,378	110.5	82.2	0	133.4	99.6	0	0	0	0
All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	199	184	190	5,010	6,875	390.1	372.9	0	500.3	482.7	0	0	0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	103	80	95	1,315	2,188	85.7	73.5	0	135.6	121.1	0	0	0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	174	168	170	4,710	6,395	369.6	345.4	0	469.5	443.4	0	0	0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
All causes	14,597	1,977	4,127	32,283	61,473	2505.4	2660.5	0	4083.1	4288.9	0	
Infectious diseases and parasitic disease (1-139)	291	65	106	1,384	2,186	104.9	108.8	0	148.7	157.7	0	
..Septicemia (038)	209	20	49	357	665	26.7	18.2	0	42.6	35.3	0	
....Septicemia-related (038)	717	93	199	1,384	2,744	101.0	103.0	0	173.6	186.6	0	
..HIV infection (042-044)	22	22	22	612	832	46.3	61.3	0	58.7	77.1	0	
All cancer (140-208)	3,304	798	1,624	9,094	20,779	609.2	655.5	0	1237.1	1313.6	0	
..Oral cavity or pharynx (140.0-149.9)	34	8	15	70	188	4.4	2.7	0	10.8	7.6	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	386	56	134	535	1,475	34.3	45.0	0	84.2	96.9	0	
....Colon cancer (153)	312	44	104	440	1,170	28.3	34.6	0	67.0	79.2	0	
....Rectal cancer (154)	65	10	27	70	253	4.4	10.4	0	14.1	17.4	0	
..Pancreatic cancer (157)	200	32	84	365	905	24.7	24.1	0	52.8	54.5	0	
..Lung and other respiratory cancer (160-165)	787	199	439	1,638	4,753	104.3	119.6	0	272.0	297.8	0	
....Lung cancer (162.2-.9)	776	195	433	1,618	4,683	103.0	118.0	0	267.8	292.5	0	
..Malignant melanoma of skin (172)	39	11	19	148	288	9.6	13.1	0	17.2	23.1	0	
..Female breast cancer (174)	542	179	323	2,148	4,573	135.0	154.4	0	265.0	291.9	0	
..Cervical cancer (180)	30	14	19	225	398	14.4	24.2	0	23.8	35.9	0	
..Endometrial cancer (182)	41	11	16	88	220	5.7	2.0	0	13.3	6.0	0	
..Ovarian cancer (183)	192	57	114	598	1,450	37.5	38.6	0	83.1	78.4	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	55	1	17	23	93	1.3	2.8	0	4.2	7.2	0	
..Brain & other CNS cancer (191-192)	61	23	44	338	645	23.8	29.4	0	40.3	46.2	0	
..Leukemia (204-208)	113	41	58	837	1,309	64.2	43.4	0	90.5	64.1	0	
Diabetes mellitus (250)	317	51	113	423	1,223	27.0	31.9	0	70.2	68.9	0	
..Diabetes-related (250)	1,195	129	364	1,053	3,405	70.0	92.6	0	193.6	220.6	0	
..Diabetic ketoacidosis (DKA) (250.1)	5	1	1	23	33	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	174	2	17	15	83	1.0	1.7	0	4.0	3.6	0	
Cardiovascular disease (390-459)	6,439	380	1,061	4,411	11,144	315.7	332.6	0	667.6	701.0	0	
..Diseases of the heart (390-398,402,404-429)	4,862	278	808	3,044	8,169	217.9	258.2	0	485.2	552.5	0	
....Heart disease-related (390-398,402,404-429)	8,265	642	1,644	7,537	18,292	541.1	513.9	0	1109.3	1081.9	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,357	177	553	1,558	5,068	99.5	117.3	0	277.0	314.5	0	
....Congestive heart failure (CHF) (428.0)	376	13	37	88	298	5.7	10.1	0	16.7	20.2	0	
....Hypertension with or without renal disease (401,403)	89	8	16	55	165	3.5	10.5	0	9.6	16.3	0	
....Hypertension-related (401,403)	1,223	66	227	485	1,833	31.2	50.7	0	100.2	129.5	0	
..Cerebrovascular disease (430-438)	1,162	68	174	982	2,052	70.5	56.5	0	126.1	109.8	0	
..Atherosclerosis (440)	113	3	11	23	98	1.5	3.4	0	5.3	6.7	0	
....Atherosclerosis-related (440)	423	13	49	88	378	5.7	10.9	0	20.4	25.7	0	
..Aortic aneurysm (441)	94	6	22	80	200	5.0	0.2	0	10.9	4.2	0	
Pneumonia & influenza (480-487)	657	23	68	360	777	26.5	36.1	0	47.8	60.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	648	61	202	543	1,770	36.8	35.2	0	99.8	104.6	0	
..COPD-related (490-496)	1,397	145	412	1,323	3,945	88.3	80.1	0	225.0	217.2	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
..Asthma (493)	31	12	16	205	340	15.1	11.3	0	22.6	20.2	0	
Chronic liver disease and cirrhosis (571)	110	41	68	618	1,165	40.4	30.5	0	69.8	56.7	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	180	19	44	270	577	20.7	17.7	0	37.2	30.6	0	
..Nephritis-related (580-589)	705	90	209	992	2,430	66.2	82.2	0	142.3	151.9	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	207	21	53	305	655	22.9	24.1	0	41.4	39.0	0	
Unintentional injuries (E800-E949)	377	148	189	3,904	5,557	328.1	448.3	0	426.5	557.6	0	
..Motor vehicle accidents (E810-E825)	107	64	81	1,807	2,525	163.6	306.5	1	208.3	370.5	1	
..Falls and fall related injuries (E880-E888)	109	8	15	110	223	7.4	0.0	1	13.5	2.2	1	
..Drowning (E830,E832,E910)	5	2	2	40	60	
..Residential fires (E890-E899)	12	7	10	143	225	
Suicide (E950-E959)	61	48	52	1,255	1,760	99.9	89.2	0	129.5	119.0	0	
Homicide and legal intervention (E960-E978)	18	17	17	587	757	55.6	35.2	0	66.8	43.4	0	
..Homicide (E960-E969)	18	17	17	587	757	55.6	35.2	0	66.8	43.4	0	
All injury (E800-E999)	466	223	268	5,971	8,398	500.7	601.4	0	645.7	756.8	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	104	63	78	1,805	2,567	163.4	303.5	1	207.3	366.8	1	
..All falls (E880-E886,E888,E957,E968.1,E987)	65	8	12	110	210	7.4	3.7	0	13.0	6.1	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	15	14	14	370	510	32.9	.	0	41.8	.	0	
....Suicide (E955.0-.4)	9	8	8	185	265	
....Homicide (E965.0-.4)	5	5	5	158	208	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	89	82	84	2,137	2,967	164.6	106.7	0	212.8	142.8	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	42	30	41	450	818	28.1	16.8	0	47.9	27.5	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	84	77	79	2,015	2,795	156.3	103.2	0	201.7	136.4	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
				All	< 65	< 75	< 65	< 75	1998	1997	Significance	
*****Causes of Death*****												
All causes	27,355	5,055	9,933	85,901	158,446	3320.5	3487.4	0	5521.7	5768.5	0	
Infectious diseases and parasitic disease (1-139)	604	202	292	4,094	6,494	138.3	155.5	0	204.0	225.7	0	
..Septicemia (038)	378	48	110	734	1,469	27.6	22.9	0	49.6	43.9	0	
....Septicemia-related (038)	1,338	215	473	3,058	6,298	109.1	115.8	0	207.3	216.9	0	
..HIV infection (042-044)	99	97	99	2,280	3,260	71.5	87.4	0	95.4	115.4	0	
All cancer (140-208)	6,580	1,594	3,373	17,695	41,883	607.0	614.1	0	1362.9	1381.9	0	
..Oral cavity or pharynx (140.0-149.9)	81	25	43	318	678	9.6	7.3	0	20.5	18.8	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	707	115	288	1,098	3,085	35.9	48.5	0	98.6	115.6	0	
....Colon cancer (153)	575	89	227	883	2,458	28.6	38.2	0	78.1	94.9	0	
....Rectal cancer (154)	120	23	57	183	558	6.2	10.4	0	18.2	20.4	0	
..Pancreatic cancer (157)	389	78	190	785	2,090	26.5	25.2	0	67.3	68.0	0	
..Lung and other respiratory cancer (160-165)	1,787	471	1,043	3,973	11,368	135.1	130.3	0	373.1	369.8	0	
....Lung cancer (162.2-.9)	1,735	453	1,011	3,813	10,963	129.7	126.4	0	359.9	359.2	0	
..Malignant melanoma of skin (172)	86	29	52	393	790	12.0	12.4	0	23.7	24.0	0	
..Female breast cancer (174)	542	179	323	2,148	4,573	
..Cervical cancer (180)	30	14	19	225	398	
..Endometrial cancer (182)	41	11	16	88	220	
..Ovarian cancer (183)	192	57	114	598	1,450	
..Prostate cancer (185)	371	20	93	125	678	
..Bladder cancer (188)	180	17	57	133	483	4.5	5.9	0	15.6	17.9	0	
..Brain & other CNS cancer (191-192)	143	67	103	1,120	1,970	41.8	34.1	0	67.1	55.8	0	
..Leukemia (204-208)	252	77	132	1,397	2,379	54.4	49.5	0	83.9	78.7	0	
Diabetes mellitus (250)	581	103	238	918	2,580	30.3	39.6	0	83.3	94.2	0	
..Diabetes-related (250)	2,326	349	880	3,025	8,882	105.8	119.5	0	293.7	306.9	0	
..Diabetic ketoacidosis (DKA) (250.1)	9	4	4	70	110	
Alzheimer's diseases (331.0)	254	3	27	381	168	1.2	1.1	0	5.0	4.8	0	
Cardiovascular disease (390-459)	11,574	1,285	3,044	14,345	35,047	501.4	526.0	0	1149.2	1206.2	0	
..Diseases of the heart (390-398,402,404-429)	9,005	1,070	2,478	11,675	28,720	412.8	432.6	0	949.1	999.4	0	
....Heart disease-related (390-398,402,404-429)	15,279	1,899	4,400	22,375	52,517	800.6	794.8	0	1742.6	1766.3	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,395	764	1,814	7,315	19,735	243.4	279.4	0	635.3	698.3	0	
....Congestive heart failure (CHF) (428.0)	570	24	76	175	615	6.0	8.0	0	20.1	19.5	0	
....Hypertension with or without renal disease (401,403)	146	19	37	188	453	6.0	6.5	0	14.3	12.4	0	
....Hypertension-related (401,403)	1,995	190	530	1,655	5,070	55.4	68.9	0	163.6	189.3	0	
..Cerebrovascular disease (430-438)	1,839	147	370	1,845	4,232	62.5	60.1	0	135.2	129.6	0	
..Atherosclerosis (440)	177	5	24	48	190	1.6	4.3	0	6.1	9.2	0	
....Atherosclerosis-related (440)	665	27	110	248	885	8.5	14.8	0	28.5	39.6	0	
..Aortic aneurysm (441)	206	14	69	180	568	5.3	8.2	0	16.8	25.6	0	
Pneumonia & influenza (480-487)	1,168	59	165	842	1,882	30.9	51.8	0	62.5	92.3	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	108	373	1,045	3,283	39.4	36.7	0	110.2	117.1	0	
..COPD-related (490-496)	2,707	282	865	2,600	7,978	95.1	83.4	0	266.0	259.4	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
..Asthma (493)	45	22	26	440	675	18.4	10.8	0	25.4	18.1	0	
Chronic liver disease and cirrhosis (571)	267	135	200	1,975	3,627	61.5	59.5	0	109.6	111.9	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	331	39	93	455	1,065	16.5	19.3	0	35.5	34.2	0	
..Nephritis-related (580-589)	1,449	204	481	2,262	5,485	74.1	95.4	0	173.5	192.0	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	389	47	115	585	1,330	20.9	27.5	0	43.8	46.5	0	
Unintentional injuries (E800-E949)	1,000	560	656	15,953	21,993	634.4	672.8	0	799.5	838.4	0	
..Motor vehicle accidents (E810-E825)	295	218	247	6,872	9,190	302.0	355.8	0	369.1	431.4	0	
..Falls and fall related injuries (E880-E888)	206	30	50	540	950	16.4	25.8	0	27.9	36.8	0	
..Drowning (E830,E832,E910)	21	17	17	597	767	27.7	33.7	0	32.7	39.7	0	
..Residential fires (E890-E899)	25	15	21	448	633	20.7	17.0	0	26.2	21.4	0	
Suicide (E950-E959)	243	197	211	5,098	7,153	184.4	182.4	0	238.1	239.3	0	
Homicide and legal intervention (E960-E978)	74	71	72	2,332	3,044	109.1	87.4	0	130.5	103.6	0	
..Homicide (E960-E969)	73	70	71	2,309	3,012	108.5	87.4	0	129.7	103.6	0	
All injury (E800-E999)	1,342	853	964	24,005	33,062	949.3	976.2	0	1195.7	1224.7	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	288	213	241	6,725	8,995	295.7	342.0	0	361.3	415.6	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	147	33	50	663	1,090	22.6	26.5	0	34.7	37.9	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	123	107	112	2,958	4,060	123.5	106.8	0	155.2	137.2	0	
....Suicide (E955.0-.4)	80	64	69	1,585	2,258	58.0	63.9	0	76.2	85.5	0	
....Homicide (E965.0-.4)	36	36	36	1,225	1,585	59.8	41.4	0	71.2	50.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	288	266	274	7,147	9,842	239.9	205.7	0	305.2	266.3	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	145	110	136	1,765	3,005	52.2	41.2	0	86.5	70.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	258	245	249	6,725	9,190	227.4	191.3	0	286.8	245.1	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75		< 65	< 75	1998	1997	Significance	1998	1997	Significance
*****Causes of Death*****												
All causes	12,758	3,078	5,806	53,618	96,973	4133.3	4307.3	0	6868.6	7156.1	0	
Infectious diseases and parasitic disease (1-139)	313	137	186	2,711	4,308	177.7	210.0	0	267.0	302.5	0	
..Septicemia (038)	169	28	61	377	805	28.0	27.8	0	55.5	50.8	0	
....Septicemia-related (038)	621	122	274	1,674	3,554	117.8	128.5	0	237.4	238.9	0	
..HIV infection (042-044)	77	75	77	1,668	2,428	101.4	120.5	0	139.2	164.1	0	
All cancer (140-208)	3,276	796	1,749	8,601	21,104	602.6	582.8	0	1429.1	1404.2	0	
..Oral cavity or pharynx (140.0-149.9)	47	17	28	248	490	14.7	11.9	0	29.5	29.5	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	321	59	154	563	1,610	37.7	53.9	0	107.2	131.1	0	
....Colon cancer (153)	263	45	123	443	1,288	29.4	42.5	0	85.4	106.5	0	
....Rectal cancer (154)	55	13	30	113	305	7.7	11.5	0	20.6	24.5	0	
..Pancreatic cancer (157)	189	46	106	420	1,185	28.4	26.4	0	79.8	78.7	0	
..Lung and other respiratory cancer (160-165)	1,000	272	604	2,335	6,615	161.5	137.3	0	450.7	419.2	0	
....Lung cancer (162.2-.9)	959	258	578	2,195	6,280	152.2	131.4	0	428.6	403.9	0	
..Malignant melanoma of skin (172)	47	18	33	245	503	15.5	12.3	0	31.3	25.3	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	371	20	93	125	678	9.2	9.7	0	47.1	44.4	0	
..Bladder cancer (188)	125	16	40	110	390	8.0	9.0	0	27.4	28.7	0	
..Brain & other CNS cancer (191-192)	82	44	59	782	1,325	59.2	38.0	0	92.7	63.9	0	
..Leukemia (204-208)	139	36	74	560	1,070	41.2	55.7	0	73.6	93.3	0	
Diabetes mellitus (250)	264	52	125	495	1,358	33.2	48.5	0	90.3	117.9	0	
..Diabetes-related (250)	1,131	220	516	1,972	5,477	140.5	147.7	0	376.8	381.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	3	3	48	78	
Alzheimer's diseases (331.0)	80	1	10	23	85	1.2	0.4	0	5.2	5.9	0	
Cardiovascular disease (390-459)	5,135	905	1,983	9,934	23,904	696.7	724.5	0	1617.1	1691.9	0	
..Diseases of the heart (390-398,402,404-429)	4,143	792	1,670	8,631	20,551	612.0	612.5	0	1399.3	1433.4	0	
....Heart disease-related (390-398,402,404-429)	7,014	1,257	2,756	14,838	34,225	1065.6	1079.1	0	2337.9	2409.9	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,038	587	1,261	5,758	14,728	390.7	443.0	0	985.3	1070.9	0	
....Congestive heart failure (CHF) (428.0)	194	11	39	88	318	5.9	5.2	0	21.3	16.4	0	
..Hypertension with or without renal disease (401,403)	57	11	21	133	288	8.4	1.9	0	18.0	7.4	0	
....Hypertension-related (401,403)	772	124	303	1,170	3,238	78.6	85.6	0	215.9	238.0	0	
..Cerebrovascular disease (430-438)	677	79	196	863	2,180	58.2	63.6	0	144.6	144.3	0	
..Atherosclerosis (440)	64	2	13	25	93	1.7	5.5	0	6.1	12.0	0	
....Atherosclerosis-related (440)	242	14	61	160	508	10.8	18.6	0	33.7	52.7	0	
..Aortic aneurysm (441)	112	8	47	100	368	5.8	16.6	0	23.2	47.3	1	
Pneumonia & influenza (480-487)	511	36	97	482	1,105	33.9	69.6	0	73.9	125.6	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	554	47	171	503	1,513	40.6	36.1	0	108.5	116.4	0	
..COPD-related (490-496)	1,310	137	453	1,278	4,033	99.1	84.8	0	285.2	281.1	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male												
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All		< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance		
*****Causes of Death*****													
..Asthma (493)	14	10	10	235	335
Chronic liver disease and cirrhosis (571)	157	94	132	1,357	2,462	86.1	90.8	0	152.7	169.0	0	0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	20	49	185	488	12.7	21.0	0	32.6	36.7	0	0	0
..Nephritis-related (580-589)	744	114	272	1,270	3,055	82.7	111.1	0	197.9	229.9	0	0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	182	26	62	280	675	19.3	30.5	0	45.0	52.3	0	0	0
Unintentional injuries (E800-E949)	623	412	467	12,049	16,437	961.4	901.3	0	1203.3	1132.2	0	0	0
..Motor vehicle accidents (E810-E825)	188	154	166	5,065	6,665	447.6	407.5	0	541.0	501.8	0	0	0
..Falls and fall related injuries (E880-E888)	97	22	35	430	728	26.1	50.7	0	43.0	70.1	0	0	0
..Drowning (E830,E832,E910)	16	15	15	557	707	51.1	59.3	0	59.7	69.9	0	0	0
..Residential fires (E890-E899)	13	8	11	305	408	0	0
Suicide (E950-E959)	182	149	159	3,843	5,393	278.5	283.1	0	360.8	371.1	0	0	0
Homicide and legal intervention (E960-E978)	56	54	55	1,745	2,288	161.3	136.4	0	194.0	161.1	0	0	0
..Homicide (E960-E969)	55	53	54	1,723	2,255	160.1	136.4	0	192.4	161.1	0	0	0
All injury (E800-E999)	876	630	696	18,034	24,664	1428.7	1364.3	0	1792.9	1721.2	0	0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	184	150	163	4,920	6,488	435.2	383.1	0	526.8	473.9	0	0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	82	25	38	553	880	38.3	49.2	0	57.0	69.7	0	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	108	93	98	2,588	3,550	214.9	197.1	0	270.7	252.2	0	0	0
....Suicide (E955.0-.4)	71	56	61	1,400	1,993	102.4	116.5	0	135.1	156.0	0	0	0
....Homicide (E965.0-.4)	31	31	31	1,068	1,378	102.6	77.7	0	121.9	92.7	0	0	0
All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	199	184	190	5,010	6,875	335.5	316.9	0	425.9	406.5	0	0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	103	80	95	1,315	2,188	78.0	67.7	0	127.1	115.5	0	0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	174	168	170	4,710	6,395	317.2	292.0	0	397.8	370.7	0	0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
All causes	14,597	1,977	4,127	32,283	61,473	2502.5	2659.3	0	4209.2	4415.7	0	
Infectious diseases and parasitic disease (1-139)	291	65	106	1,384	2,186	100.1	101.5	0	143.5	150.1	0	
..Septicemia (038)	209	20	49	357	665	27.4	18.1	0	44.6	37.2	0	
....Septicemia-related (038)	717	93	199	1,384	2,744	101.0	103.4	0	180.0	196.1	0	
..HIV infection (042-044)	22	22	22	612	832	42.6	55.2	0	53.0	68.1	0	
All cancer (140-208)	3,304	798	1,624	9,094	20,779	611.4	644.3	0	1306.4	1367.7	0	
..Oral cavity or pharynx (140.0-149.9)	34	8	15	70	188	4.6	2.9	0	11.9	8.7	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	386	56	134	535	1,475	34.1	43.3	0	91.0	101.3	0	
....Colon cancer (153)	312	44	104	440	1,170	27.8	34.0	0	71.7	84.1	0	
....Rectal cancer (154)	65	10	27	70	253	4.6	9.4	0	16.0	16.7	0	
..Pancreatic cancer (157)	200	32	84	365	905	24.7	24.2	0	56.1	58.3	0	
..Lung and other respiratory cancer (160-165)	787	199	439	1,638	4,753	109.6	123.6	0	301.7	326.2	0	
....Lung cancer (162.2-.9)	776	195	433	1,618	4,683	108.1	121.7	0	296.8	320.1	0	
..Malignant melanoma of skin (172)	39	11	19	148	288	8.7	12.4	0	16.6	22.8	0	
..Female breast cancer (174)	542	179	323	2,148	4,573	132.5	151.2	0	273.0	297.9	0	
..Cervical cancer (180)	30	14	19	225	398	12.9	21.4	0	22.2	32.5	0	
..Endometrial cancer (182)	41	11	16	88	220	6.1	2.1	0	14.6	6.8	0	
..Ovarian cancer (183)	192	57	114	598	1,450	38.0	37.8	0	88.6	81.3	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	55	1	17	23	93	1.2	2.9	0	4.7	8.0	0	
..Brain & other CNS cancer (191-192)	61	23	44	338	645	24.1	30.3	0	41.6	48.2	0	
..Leukemia (204-208)	113	41	58	837	1,309	68.2	43.1	0	95.4	64.7	0	
Diabetes mellitus (250)	317	51	113	423	1,223	27.5	30.9	0	77.0	72.2	0	
..Diabetes-related (250)	1,195	129	364	1,053	3,405	72.2	92.5	0	215.9	237.9	0	
..Diabetic ketoacidosis (DKA) (250.1)	5	1	1	23	33	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	174	2	17	15	83	1.1	1.7	0	4.8	4.0	0	
Cardiovascular disease (390-459)	6,439	380	1,061	4,411	11,144	312.2	335.6	0	710.9	753.9	0	
..Diseases of the heart (390-398,402,404-429)	4,862	278	808	3,044	8,169	219.2	260.1	0	525.2	594.9	0	
....Heart disease-related (390-398,402,404-429)	8,265	642	1,644	7,537	18,292	541.0	517.4	0	1181.8	1161.3	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,357	177	553	1,558	5,068	101.4	121.0	0	307.6	349.0	0	
....Congestive heart failure (CHF) (428.0)	376	13	37	88	298	6.2	10.9	0	19.1	22.9	0	
....Hypertension with or without renal disease (401,403)	89	8	16	55	165	3.8	11.2	0	10.7	17.6	0	
....Hypertension-related (401,403)	1,223	66	227	485	1,833	33.1	53.1	0	114.6	144.4	0	
..Cerebrovascular disease (430-438)	1,162	68	174	982	2,052	67.0	56.8	0	127.6	116.4	0	
..Atherosclerosis (440)	113	3	11	23	98	1.5	3.1	0	6.1	6.7	0	
....Atherosclerosis-related (440)	423	13	49	88	378	6.2	11.1	0	23.8	27.8	0	
..Aortic aneurysm (441)	94	6	22	80	200	4.7	0.2	0	11.3	5.3	0	
Pneumonia & influenza (480-487)	657	23	68	360	777	28.3	34.0	0	52.4	60.5	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	648	61	202	543	1,770	37.9	36.9	0	111.5	118.0	0	
..COPD-related (490-496)	1,397	145	412	1,323	3,945	90.7	81.7	0	249.1	240.8	0	

(CONTINUED)

- * - Age-adjusted YPLL are calculated per 100,000 population.
- . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
..Asthma (493)	31	12	16	205	340	14.7	11.2	0	22.3	20.5	0	
Chronic liver disease and cirrhosis (571)	110	41	68	618	1,165	37.6	29.2	0	68.1	57.3	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	180	19	44	270	577	20.6	17.6	0	38.9	31.8	0	
..Nephritis-related (580-589)	705	90	209	992	2,430	66.0	80.3	0	151.4	156.8	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	207	21	53	305	655	22.8	24.5	0	43.3	41.0	0	
Unintentional injuries (E800-E949)	377	148	189	3,904	5,557	299.6	439.7	0	388.3	541.0	0	
..Motor vehicle accidents (E810-E825)	107	64	81	1,807	2,525	151.4	303.3	1	191.7	360.8	1	
..Falls and fall related injuries (E880-E888)	109	8	15	110	223	6.9	0.0	1	13.4	2.8	1	
..Drowning (E830,E832,E910)	5	2	2	40	60	
..Residential fires (E890-E899)	12	7	10	143	225	
Suicide (E950-E959)	61	48	52	1,255	1,760	89.3	79.6	0	114.9	106.0	0	
Homicide and legal intervention (E960-E978)	18	17	17	587	757	55.0	35.7	0	65.0	43.2	0	
..Homicide (E960-E969)	18	17	17	587	757	55.0	35.7	0	65.0	43.2	0	
All injury (E800-E999)	466	223	268	5,971	8,398	459.3	578.8	0	588.6	720.4	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	104	63	78	1,805	2,567	151.2	300.8	1	190.5	357.7	1	
..All falls (E880-E886,E888,E957,E968.1,E987)	65	8	12	110	210	6.9	3.0	0	12.7	5.6	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	15	14	14	370	510	30.0	.	0	37.8	.	0	
....Suicide (E955.0-.4)	9	8	8	185	265	
....Homicide (E965.0-.4)	5	5	5	158	208	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	89	82	84	2,137	2,967	144.2	93.3	0	184.6	124.9	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	42	30	41	450	818	27.0	15.3	0	47.2	26.0	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	84	77	79	2,015	2,795	137.2	89.5	0	175.4	118.2	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes											
	Number of Deaths, 1998			Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75			
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
All causes	27,355	5,055	9,933	85,901	158,446	3489.3	3659.5	0	5814.7	6068.7	0	
Infectious diseases and parasitic disease (1-139)	604	202	292	4,094	6,494	160.6	184.9	0	234.6	264.7	0	
..Septicemia (038)	378	48	110	734	1,469	29.4	25.7	0	53.2	47.9	0	
....Septicemia-related (038)	1,338	215	473	3,058	6,298	121.4	125.7	0	226.5	232.2	0	
....HIV infection (042-044)	99	97	99	2,280	3,260	87.9	109.8	0	116.7	144.1	0	
All cancer (140-208)	6,580	1,594	3,373	17,695	41,883	694.2	707.6	0	1493.4	1518.5	0	
..Oral cavity or pharynx (140.0-149.9)	81	25	43	318	678	12.0	8.5	0	23.7	20.3	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	707	115	288	1,098	3,085	42.4	58.6	0	108.4	130.0	0	
....Colon cancer (153)	575	89	227	883	2,458	34.0	46.1	0	86.1	106.2	0	
....Rectal cancer (154)	120	23	57	183	558	7.1	12.5	0	19.7	23.4	0	
....Pancreatic cancer (157)	389	78	190	785	2,090	30.8	29.4	0	74.1	74.3	0	
....Lung and other respiratory cancer (160-165)	1,787	471	1,043	3,973	11,368	155.3	150.1	0	403.4	399.3	0	
....Lung cancer (162.2-.9)	1,735	453	1,011	3,813	10,963	149.1	146.0	0	389.0	388.3	0	
..Malignant melanoma of skin (172)	86	29	52	393	790	14.9	15.8	0	27.8	28.5	0	
..Female breast cancer (174)	542	179	323	2,148	4,573	
..Cervical cancer (180)	30	14	19	225	398	
..Endometrial cancer (182)	41	11	16	88	220	
..Ovarian cancer (183)	192	57	114	598	1,450	
..Prostate cancer (185)	371	20	93	125	678	
..Bladder cancer (188)	180	17	57	133	483	5.2	6.6	0	16.8	19.0	0	
..Brain & other CNS cancer (191-192)	143	67	103	1,120	1,970	44.7	37.3	0	71.9	60.6	0	
..Leukemia (204-208)	252	77	132	1,397	2,379	56.0	48.4	0	87.1	78.4	0	
Diabetes mellitus (250)	581	103	238	918	2,580	35.6	48.1	0	91.1	106.2	0	
..Diabetes-related (250)	2,326	349	880	3,025	8,882	119.2	140.5	0	314.9	338.2	0	
..Diabetic ketoacidosis (DKA) (250.1)	9	4	4	70	110	
Alzheimer's diseases (331.0)	254	3	27	381	168	1.4	1.2	0	5.6	5.2	0	
Cardiovascular disease (390-459)	11,574	1,285	3,044	14,345	35,047	565.5	606.0	0	1248.4	1328.1	0	
..Diseases of the heart (390-398,402,404-429)	9,005	1,070	2,478	11,675	28,720	461.4	498.7	0	1025.0	1099.0	0	
....Heart disease-related (390-398,402,404-429)	15,279	1,899	4,400	22,375	52,517	887.3	894.3	0	1879.3	1920.5	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	6,395	764	1,814	7,315	19,735	284.6	328.7	0	697.4	772.1	0	
....Congestive heart failure (CHF) (428.0)	570	24	76	175	615	6.8	8.0	0	21.5	20.3	0	
....Hypertension with or without renal disease (401,403)	146	19	37	188	453	7.3	6.7	0	16.1	12.9	0	
....Hypertension-related (401,403)	1,995	190	530	1,655	5,070	64.3	78.3	0	177.9	204.4	0	
..Cerebrovascular disease (430-438)	1,839	147	370	1,845	4,232	72.2	70.0	0	150.1	145.4	0	
..Atherosclerosis (440)	177	5	24	48	190	1.9	5.5	0	6.6	10.9	0	
....Atherosclerosis-related (440)	665	27	110	248	885	9.6	17.7	0	30.7	44.0	0	
..Aortic aneurysm (441)	206	14	69	180	568	6.8	9.7	0	19.4	27.7	0	
Pneumonia & influenza (480-487)	1,168	59	165	842	1,882	33.5	56.8	0	67.2	100.1	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	1,202	108	373	1,045	3,283	42.2	40.6	0	116.1	124.8	0	
..COPD-related (490-496)	2,707	282	865	2,600	7,978	103.7	92.8	0	282.2	277.6	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Both Sexes											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All		< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
..Asthma (493)	45	22	26	440	675	18.5	13.0	0	26.0	21.1	0	
Chronic liver disease and cirrhosis (571)	267	135	200	1,975	3,627	76.1	74.0	0	129.4	131.7	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	331	39	93	455	1,065	18.1	20.8	0	38.2	36.9	0	
..Nephritis-related (580-589)	1,449	204	481	2,262	5,485	88.1	107.9	0	194.3	210.6	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	389	47	115	585	1,330	23.3	28.2	0	47.7	48.4	0	
Unintentional injuries (E800-E949)	1,000	560	656	15,953	21,993	658.2	671.0	0	835.4	844.4	0	
..Motor vehicle accidents (E810-E825)	295	218	247	6,872	9,190	293.8	331.1	0	361.6	405.3	0	
..Falls and fall related injuries (E880-E888)	206	30	50	540	950	20.6	23.5	0	33.5	34.3	0	
..Drowning (E830,E832,E910)	21	17	17	597	767	25.7	32.2	0	30.5	38.3	0	
..Residential fires (E890-E899)	25	15	21	448	633	19.1	16.5	0	24.6	21.1	0	
Suicide (E950-E959)	243	197	211	5,098	7,153	205.3	203.8	0	265.9	267.9	0	
Homicide and legal intervention (E960-E978)	74	71	72	2,332	3,044	102.0	79.0	0	122.9	94.5	0	
..Homicide (E960-E969)	73	70	71	2,309	3,012	101.2	79.0	0	121.7	94.5	0	
All injury (E800-E999)	1,342	853	964	24,005	33,062	990.6	995.0	0	1256.5	1260.0	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	288	213	241	6,725	8,995	287.5	318.8	0	353.9	391.1	0	
..All falls (E880-E886,E888,E957,E968.1,E987)	147	33	50	663	1,090	26.2	24.9	0	39.6	36.2	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	123	107	112	2,958	4,060	125.5	115.6	0	158.5	149.0	0	
....Suicide (E955.0-.4)	80	64	69	1,585	2,258	64.1	75.5	0	84.2	100.2	0	
....Homicide (E965.0-.4)	36	36	36	1,225	1,585	55.4	38.7	0	66.2	47.0	0	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	288	266	274	7,147	9,842	281.9	248.9	0	359.4	321.9	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	145	110	136	1,765	3,005	67.2	52.9	0	106.6	85.4	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	258	245	249	6,725	9,190	265.8	231.5	0	336.3	296.5	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
***** Age-adjusted using 2000 U.S. standard population *****

	Male											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
All causes	12,758	3,078	5,806	53,618	96,973	4364.5	4556.1	0	7257.0	7570.8	0	
Infectious diseases and parasitic disease (1-139)	313	137	186	2,711	4,308	212.6	258.1	0	314.1	365.5	0	
..Septicemia (038)	169	28	61	377	805	30.5	31.7	0	59.8	56.5	0	
....Septicemia-related (038)	621	122	274	1,674	3,554	134.0	142.8	0	262.5	260.3	0	
..HIV infection (042-044)	77	75	77	1,668	2,428	128.7	159.1	0	174.5	213.3	0	
All cancer (140-208)	3,276	796	1,749	8,601	21,104	685.4	656.1	0	1555.1	1516.0	0	
..Oral cavity or pharynx (140.0-149.9)	47	17	28	248	490	18.7	14.1	0	34.9	32.2	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	321	59	154	563	1,610	44.3	65.6	0	117.7	147.7	0	
....Colon cancer (153)	263	45	123	443	1,288	34.8	51.1	0	93.8	118.6	0	
....Rectal cancer (154)	55	13	30	113	305	9.0	14.5	0	22.6	29.0	0	
..Pancreatic cancer (157)	189	46	106	420	1,185	33.4	29.8	0	87.1	83.8	0	
..Lung and other respiratory cancer (160-165)	1,000	272	604	2,335	6,615	185.9	157.6	0	487.9	450.4	0	
....Lung cancer (162.2-.9)	959	258	578	2,195	6,280	174.9	151.2	0	463.3	434.4	0	
..Malignant melanoma of skin (172)	47	18	33	245	503	19.2	15.4	0	36.7	29.4	0	
..Female breast cancer (174)	
..Cervical cancer (180)	
..Endometrial cancer (182)	
..Ovarian cancer (183)	
..Prostate cancer (185)	371	20	93	125	678	10.1	10.6	0	49.5	46.9	0	
..Bladder cancer (188)	125	16	40	110	390	8.9	10.1	0	28.8	30.4	0	
..Brain & other CNS cancer (191-192)	82	44	59	782	1,325	63.0	43.0	0	98.6	70.8	0	
..Leukemia (204-208)	139	36	74	560	1,070	45.0	53.1	0	79.3	91.0	0	
Diabetes mellitus (250)	264	52	125	495	1,358	39.1	60.4	0	99.5	134.3	0	
..Diabetes-related (250)	1,131	220	516	1,972	5,477	158.1	175.8	0	405.0	422.3	0	
..Diabetic ketoacidosis (DKA) (250.1)	4	3	3	48	78	
Alzheimer's diseases (331.0)	80	1	10	23	85	1.7	0.4	0	6.0	6.0	0	
Cardiovascular disease (390-459)	5,135	905	1,983	9,934	23,984	792.2	852.9	0	1763.0	1882.7	0	
..Diseases of the heart (390-398,402,404-429)	4,143	792	1,670	8,631	20,551	690.5	722.1	0	1519.4	1595.5	0	
....Heart disease-related (390-398,402,404-429)	7,014	1,257	2,756	14,838	34,225	1189.0	1231.0	0	2530.6	2641.0	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,038	587	1,261	5,758	14,728	456.6	526.6	0	1083.8	1195.0	0	
....Congestive heart failure (CHF) (428.0)	194	11	39	88	318	6.8	6.0	0	23.1	18.1	0	
..Hypertension with or without renal disease (401,403)	57	11	21	133	288	10.4	2.6	0	21.0	8.5	0	
....Hypertension-related (401,403)	772	124	303	1,170	3,238	92.2	98.4	0	237.1	257.8	0	
..Cerebrovascular disease (430-438)	677	79	196	863	2,180	67.9	75.5	0	159.3	162.6	0	
..Atherosclerosis (440)	64	2	13	25	93	2.0	6.9	0	6.7	14.1	0	
....Atherosclerosis-related (440)	242	14	61	160	508	12.5	22.5	0	36.8	58.8	0	
..Aortic aneurysm (441)	112	8	47	100	368	7.6	19.5	0	26.2	51.4	0	
Pneumonia & influenza (480-487)	511	36	97	482	1,105	38.3	77.5	0	81.0	137.7	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	554	47	171	503	1,513	41.8	38.5	0	112.8	122.5	0	
..COPD-related (490-496)	1,310	137	453	1,278	4,033	105.0	91.5	0	299.5	297.0	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male												
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75			Significance
	All	< 65	< 75	1998	1997	1998	1997	1998	1997	1998	1997	Significance	
	1	2	3	4	5	6	7	8	9	10	11	12	13
*****Causes of Death*****													
..Asthma (493)	14	10	10	235	335	179.8	200.2	.	.
Chronic liver disease and cirrhosis (571)	157	94	132	1,357	2,462	106.1	113.6	0	0	179.8	200.2	0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	20	49	185	488	14.8	22.6	0	0	36.1	39.8	0	0
..Nephritis-related (580-589)	744	114	272	1,270	3,055	100.1	126.5	0	0	224.0	253.4	0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	182	26	62	280	675	22.4	31.5	0	0	49.9	54.8	0	0
Unintentional injuries (E800-E949)	623	412	467	12,049	16,437	992.2	931.6	0	0	1250.8	1180.1	0	0
..Motor vehicle accidents (E810-E825)	188	154	166	5,065	6,665	430.7	390.4	0	0	523.8	485.3	0	0
..Falls and fall related injuries (E880-E888)	97	22	35	430	728	32.9	46.1	0	0	52.1	65.1	0	0
..Drowning (E830,E832,E910)	16	15	15	557	707	47.4	57.7	0	0	55.7	68.5	0	0
..Residential fires (E890-E899)	13	8	11	305	408	.	.	0	0	.	.	0	0
Suicide (E950-E959)	182	149	159	3,843	5,393	310.1	313.8	0	0	402.7	412.1	0	0
Homicide and legal intervention (E960-E978)	56	54	55	1,745	2,288	152.1	121.3	0	0	184.1	144.3	0	0
..Homicide (E960-E969)	55	53	54	1,723	2,255	150.3	121.3	0	0	181.8	144.3	0	0
All injury (E800-E999)	876	630	696	18,034	24,664	1486.3	1419.9	0	0	1878.4	1806.0	0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	184	150	163	4,920	6,488	418.4	369.0	0	0	509.7	460.8	0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	82	25	38	553	880	44.1	46.1	0	0	64.9	66.5	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	108	93	98	2,588	3,550	218.2	209.8	0	0	276.2	269.3	0	0
...Suicide (E955.0-.4)	71	56	61	1,400	1,993	113.0	135.4	0	0	148.9	180.2	0	0
....Homicide (E965.0-.4)	31	31	31	1,068	1,378	95.3	71.4	0	0	113.6	85.6	0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	199	184	190	5,010	6,875	395.4	386.7	0	0	503.1	495.9	0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	103	80	95	1,315	2,188	101.1	86.0	0	0	157.6	139.7	0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	174	168	170	4,710	6,395	372.2	356.7	0	0	468.5	453.2	0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
for selected causes of death by sex of decedent
*** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
All causes	14,597	1,977	4,127	32,283	61,473	2614.1	2759.4	0	4415.5	4609.7	0	
Infectious diseases and parasitic disease (1-139)	291	65	106	1,384	2,186	110.0	112.3	0	157.9	165.4	0	
..Septicemia (038)	209	20	49	357	665	28.7	19.7	0	47.3	39.6	0	
....Septicemia-related (038)	717	93	199	1,384	2,744	109.4	108.9	0	193.7	205.5	0	
..HIV infection (042-044)	22	22	22	612	832	48.2	61.3	0	60.5	76.4	0	
All cancer (140-208)	3,304	798	1,624	9,094	20,779	702.8	758.0	0	1441.7	1529.4	0	
..Oral cavity or pharynx (140.0-149.9)	34	8	15	70	188	5.3	3.2	0	12.9	9.1	0	
..Colorectal cancer (153.0-154.3,154.8,159.0)	386	56	134	535	1,475	40.7	51.9	0	100.2	113.6	0	
....Colon cancer (153)	312	44	104	440	1,170	33.3	41.3	0	79.5	94.6	0	
....Rectal cancer (154)	65	10	27	70	253	5.4	10.6	0	17.0	18.4	0	
..Pancreatic cancer (157)	200	32	84	365	905	28.4	29.1	0	62.2	65.9	0	
..Lung and other respiratory cancer (160-165)	787	199	439	1,638	4,753	125.7	143.0	0	325.6	354.4	0	
....Lung cancer (162.2-.9)	776	195	433	1,618	4,683	124.1	141.0	0	320.7	348.1	0	
..Malignant melanoma of skin (172)	39	11	19	148	288	10.9	16.2	0	19.6	27.8	0	
..Female breast cancer (174)	542	179	323	2,148	4,573	163.3	188.0	0	316.5	349.3	0	
..Cervical cancer (180)	30	14	19	225	398	16.8	26.7	0	27.4	39.4	0	
..Endometrial cancer (182)	41	11	16	88	220	6.8	2.4	0	15.5	7.3	0	
..Ovarian cancer (183)	192	57	114	598	1,450	45.5	44.3	0	99.6	90.7	0	
..Prostate cancer (185)	0	.	.	.	
..Bladder cancer (188)	55	1	17	23	93	1.7	3.4	0	5.7	8.6	0	
..Brain & other CNS cancer (191-192)	61	23	44	338	645	26.3	31.8	0	45.4	50.9	0	
..Leukemia (204-208)	113	41	58	837	1,309	67.5	43.5	0	96.0	66.4	0	
Diabetes mellitus (250)	317	51	113	423	1,223	32.3	36.2	0	83.6	80.0	0	
..Diabetes-related (250)	1,195	129	364	1,053	3,405	81.5	106.6	0	230.6	259.7	0	
..Diabetic ketoacidosis (DKA) (250.1)	5	1	1	23	33	.	.	0	.	.	.	
Alzheimer's diseases (331.0)	174	2	17	15	83	1.1	2.0	0	5.2	4.6	0	
Cardiovascular disease (390-459)	6,439	380	1,061	4,411	11,144	345.8	368.1	0	766.0	809.3	0	
..Diseases of the heart (390-398,402,404-429)	4,862	278	808	3,044	8,169	239.0	283.5	0	559.4	634.3	0	
....Heart disease-related (390-398,402,404-429)	8,265	642	1,644	7,537	18,292	592.6	566.0	0	1266.2	1242.2	0	
....Coronary heart disease (CHD) (402,410-414,429.2)	3,357	177	553	1,558	5,068	118.4	136.9	0	335.0	374.6	0	
....Congestive heart failure (CHF) (428.0)	376	13	37	88	298	6.7	10.3	0	20.2	22.8	0	
....Hypertension with or without renal disease (401,403)	89	8	16	55	165	4.2	10.9	0	11.4	17.6	0	
....Hypertension-related (401,403)	1,223	66	227	485	1,833	37.3	59.2	0	122.1	154.8	0	
..Cerebrovascular disease (430-438)	1,162	68	174	982	2,052	76.8	64.8	0	142.7	129.7	0	
..Atherosclerosis (440)	113	3	11	23	98	1.8	4.1	0	6.5	8.0	0	
..Atherosclerosis-related (440)	423	13	49	88	378	6.7	13.0	0	25.0	30.6	0	
..Aortic aneurysm (441)	94	6	22	80	200	6.1	0.2	0	13.4	5.6	0	
Pneumonia & influenza (480-487)	657	23	68	360	777	29.1	36.2	0	54.7	64.0	0	
Chronic obstructive pulmonary disease (COPD) (490-496)	648	61	202	543	1,770	42.2	42.3	0	119.2	127.3	0	
..COPD-related (490-496)	1,397	145	412	1,323	3,945	102.1	93.8	0	267.4	261.5	0	

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female											
	Number of Deaths, 1998				Years of life lost, 1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1998	1997	Significance	1998	1997	Significance	
*****Causes of Death*****												
..Asthma (493)	31	12	16	205	340	16.4	13.7	0	24.8	23.9	0	
Chronic liver disease and cirrhosis (571)	110	41	68	618	1,165	47.0	35.6	0	81.0	66.0	0	
Nephritis, nephrotic syndrome/nephrosis (580-589)	180	19	44	270	577	21.7	19.2	0	40.8	34.3	0	
..Nephritis-related (580-589)	705	90	209	992	2,430	76.7	89.8	0	167.3	170.8	0	
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	207	21	53	305	655	24.4	25.1	0	46.1	42.4	0	
Unintentional injuries (E800-E949)	377	148	189	3,904	5,557	318.8	407.1	0	415.3	506.7	0	
..Motor vehicle accidents (E810-E825)	107	64	81	1,807	2,525	153.0	271.2	1	195.2	325.2	1	
..Falls and fall related injuries (E880-E888)	109	8	15	110	223	8.4	0.0	1	15.4	3.0	1	
..Drowning (E830,E832,E910)	5	2	2	40	60	
..Residential fires (E890-E899)	12	7	10	143	225	
Suicide (E950-E959)	61	48	52	1,255	1,760	100.1	92.3	0	129.3	123.0	0	
Homicide and legal intervention (E960-E978)	18	17	17	587	757	50.6	34.5	0	60.1	42.3	0	
..Homicide (E960-E969)	18	17	17	587	757	50.6	34.5	0	60.1	42.3	0	
All injury (E800-E999)	466	223	268	5,971	8,398	487.5	563.0	0	628.8	709.0	0	
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	104	63	78	1,805	2,567	152.8	268.5	1	194.0	321.9	1	
..All falls (E880-E886,E888,E957,E968.1,E987)	65	8	12	110	210	8.4	3.0	0	14.7	5.7	0	
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	15	14	14	370	510	31.3	.	0	39.6	.	0	
....Suicide (E955.0-.4)	9	8	8	185	265	
....Homicide (E965.0-.4)	5	5	5	158	208	
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	89	82	84	2,137	2,967	168.7	110.4	0	216.5	147.2	0	
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	42	30	41	450	818	34.1	20.5	0	57.0	32.9	0	
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	84	77	79	2,015	2,795	159.6	105.4	0	204.5	138.9	0	

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).