Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
All causes

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2,203	188.4	4.01	1,262	210.4	5.92	941	165.2	5.38
5-9	176	16.6	1.25	103	18.9	1.86	73	14.1	1.65
10-14	181	18.2	1.36	120	23.7	2.16	61	12.5	1.61
15-19	703	68.9	2.60	530	101.0	4.39	173	34.9	2.65
20-24	1,083	89.9	2.73	831	136.0	4.72	252	42.5	2.68
25-29	1,386	101.6	2.73	977	143.1	4.58	409	60.0	2.97
30-34	2,015	136.5	3.04	1,429	194.5	5.15	586	79.0	3.26
35-39	2,341	172.0	3.56	1,622	241.1	5.99	719	104.5	3.90
40-44	2,735	221.5	4.23	1,824	302.8	7.09	911	144.0	4.77
45-49	3,115	302.0	5.41	2,037	403.9	8.95	1,078	204.5	6.23
50-54	3,817	474.2	7.68	2,320	592.8	12.31	1,497	362.0	9.36
55-59	5,586	781.8	10.46	3,402	987.3	16.93	2,184	590.4	12.63
60-64	8,997	1246.4	13.14	5,429	1587.8	21.55	3,568	939.1	15.72
65-69	13,124	1916.3	16.73	7,698	2506.8	28.57	5,426	1436.3	19.50
70-74	17,260	2933.2	22.33	9,602	3844.6	39.23	7,658	2261.2	25.84
75-79	20,072	4444.6	31.37	10,528	5943.5	57.93	9,544	3477.2	35.59
80-84	20,563	7209.6	50.28	9,271	9574.4	99.44	11,292	5994.1	56.41
85+	35,433	14703.4	78.11	10,895	17528.5	167.93	24,538	13721.5	87.60
Total deaths	140,790			69,880			70,910		
Connecticut									
. Crude rate		857.9	-		878.5	-		838.5	-
. AAMR (1940 Std. mil.)		449.5	1.38		585.3	2.35		341.9	1.61
. AAMR (1970 Std. mil.)		623.9	1.72		805.5	3.07		491.7	2.00
. AAMR (2000 Std. mil.)		848.0	2.27		1088.2	4.30		685.6	2.60
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		527.3	-		688.4	-		396.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Infectious diseases and parasitic disease (1-139)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	65	5.6	0.69	34	5.7	0.97	31	5.4	0.98
5-9	16	1.5	0.38	5	0.9	0.41	11	2.1	0.64
10-14	4	0.4	0.20	3	0.6	0.34	1	0.2	0.21
15-19	13	1.3	0.35	6	1.1	0.47	7	1.4	0.53
20-24	53	4.4	0.60	33	5.4	0.94	20	3.4	0.75
25-29	213	15.6	1.07	136	19.9	1.71	77	11.3	1.29
30-34	472	32.0	1.47	363	49.4	2.59	109	14.7	1.41
35-39	508	37.3	1.66	395	58.7	2.95	113	16.4	1.55
40-44	395	32.0	1.61	312	51.8	2.93	83	13.1	1.44
45-49	240	23.3	1.50	198	39.3	2.79	42	8.0	1.23
50-54	165	20.5	1.60	122	31.2	2.82	43	10.4	1.59
55-59	146	20.4	1.69	104	30.2	2.96	42	11.4	1.75
60-64	168	23.3	1.80	113	33.0	3.11	55	14.5	1.95
65-69	216	31.5	2.15	124	40.4	3.63	92	24.4	2.54
70-74	290	49.3	2.89	156	62.5	5.00	134	39.6	3.42
75-79	386	85.5	4.35	183	103.3	7.64	203	74.0	5.19
80-84	398	139.5	6.99	168	173.5	13.39	230	122.1	8.05
85+	701	290.9	10.99	182	292.8	21.70	519	290.2	12.74
Total deaths	4,449			2,637			1,812		
Connecticut									
. Crude rate		27.1	-		33.2	-		21.4	-
. AAMR (1940 Std. mil.)		18.6	0.31		26.5	0.53		11.1	0.32
. AAMR (1970 Std. mil.)		20.1	0.31		27.6	0.55		13.4	0.34
. AAMR (2000 Std. mil.)		26.6	0.40		36.0	0.73		18.2	0.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.4	-		25.2	-		8.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Septicemia (038)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	22	1.9	0.40	11	1.8	0.55	11	1.9	0.58
5-9	2	0.2	0.13	0	0.0	0.00	2	0.4	0.27
10-14	1	0.1	0.10	0	0.0	0.00	1	0.2	0.21
15-19	2	0.2	0.14	1	0.2	0.19	1	0.2	0.20
20-24	7	0.6	0.22	4	0.7	0.33	3	0.5	0.29
25-29	15	1.1	0.28	8	1.2	0.41	7	1.0	0.39
30-34	25	1.7	0.34	14	1.9	0.51	11	1.5	0.45
35-39	29	2.1	0.40	14	2.1	0.56	15	2.2	0.56
40-44	38	3.1	0.50	30	5.0	0.91	8	1.3	0.45
45-49	36	3.5	0.58	24	4.8	0.97	12	2.3	0.66
50-54	41	5.1	0.80	22	5.6	1.20	19	4.6	1.05
55-59	48	6.7	0.97	29	8.4	1.56	19	5.1	1.18
60-64	89	12.3	1.31	49	14.3	2.05	40	10.5	1.66
65-69	150	21.9	1.79	79	25.7	2.89	71	18.8	2.23
70-74	232	39.4	2.59	127	50.9	4.51	105	31.0	3.03
75-79	319	70.6	3.95	154	86.9	7.01	165	60.1	4.68
80-84	336	117.8	6.43	138	142.5	12.13	198	105.1	7.47
85+	608	252.3	10.23	157	252.6	20.16	451	252.2	11.88
Total deaths	2,000			861			1,139		
Connecticut									
. Crude rate		12.2	-		10.8	-		13.5	-
. AAMR (1940 Std. mil.)		5.7	0.15		6.7	0.24		4.9	0.18
. AAMR (1970 Std. mil.)		8.4	0.19		9.8	0.34		7.4	0.24
. AAMR (2000 Std. mil.)		12.1	0.27		13.9	0.50		10.8	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.0	-		4.6	-		3.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Septicemia-related (038)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	53	4.5	0.62	27	4.5	0.87	26	4.6	0.89
5-9	6	0.6	0.23	2	0.4	0.26	4	0.8	0.39
10-14	6	0.6	0.25	3	0.6	0.34	3	0.6	0.36
15-19	10	1.0	0.31	4	0.8	0.38	6	1.2	0.49
20-24	18	1.5	0.35	9	1.5	0.49	9	1.5	0.51
25-29	56	4.1	0.55	32	4.7	0.83	24	3.5	0.72
30-34	94	6.4	0.66	61	8.3	1.06	33	4.4	0.77
35-39	128	9.4	0.83	74	11.0	1.28	54	7.9	1.07
40-44	177	14.3	1.08	119	19.8	1.81	58	9.2	1.20
45-49	145	14.1	1.17	94	18.6	1.92	51	9.7	1.35
50-54	182	22.6	1.68	102	26.1	2.58	80	19.3	2.16
55-59	222	31.1	2.09	136	39.5	3.38	86	23.2	2.51
60-64	385	53.3	2.72	218	63.8	4.32	167	44.0	3.40
65-69	586	85.6	3.53	311	101.3	5.74	275	72.8	4.39
70-74	871	148.0	5.02	454	181.8	8.53	417	123.1	6.03
75-79	1,068	236.5	7.24	529	298.6	12.98	539	196.4	8.46
80-84	1,125	394.4	11.76	472	487.4	22.44	653	346.6	13.56
85+	1,888	783.5	18.03	569	915.4	38.38	1,319	737.6	20.31
Total deaths	7,020			3,216			3,804		
Connecticut									
. Crude rate		42.8	-		40.4	-		45.0	-
. AAMR (1940 Std. mil.)		21.1	0.29		25.7	0.48		17.6	0.36
. AAMR (1970 Std. mil.)		30.2	0.37		36.7	0.65		25.7	0.45
. AAMR (2000 Std. mil.)		42.4	0.51		51.5	0.95		36.6	0.60
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------HIV infection (042-044)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	23	2.0	0.41	14	2.3	0.62	9	1.6	0.53
5-9	9	0.8	0.28	3	0.6	0.32	6	1.2	0.47
10-14	2	0.2	0.14	2	0.4	0.28	0	0.0	0.00
15-19	2	0.2	0.14	1	0.2	0.19	1	0.2	0.20
20-24	41	3.4	0.53	24	3.9	0.80	17	2.9	0.69
25-29	185	13.6	1.00	119	17.4	1.60	66	9.7	1.19
30-34	418	28.3	1.38	328	44.6	2.47	90	12.1	1.28
35-39	448	32.9	1.56	354	52.6	2.80	94	13.7	1.41
40-44	331	26.8	1.47	268	44.5	2.72	63	10.0	1.25
45-49	168	16.3	1.26	148	29.3	2.41	20	3.8	0.85
50-54	95	11.8	1.21	84	21.5	2.34	11	2.7	0.80
55-59	59	8.3	1.08	52	15.1	2.09	7	1.9	0.72
60-64	47	6.5	0.95	40	11.7	1.85	7	1.8	0.70
65-69	20	2.9	0.65	17	5.5	1.34	3	0.8	0.46
70-74	8	1.4	0.48	5	2.0	0.90	3	0.9	0.51
75-79	6	1.3	0.54	1	0.6	0.56	5	1.8	0.81
80-84	1	0.4	0.35	1	1.0	1.03	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	1,863			1,461			402		
Connecticut									
. Crude rate		11.4	-		18.4	-		4.8	-
. AAMR (1940 Std. mil.)		10.5	0.24		16.7	0.44		4.5	0.23
. AAMR (1970 Std. mil.)		8.9	0.21		14.2	0.38		3.8	0.19
. AAMR (2000 Std. mil.)		10.9	0.26		17.6	0.47		4.5	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.7	-		15.7	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
All cancer (140-208)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	26	2.2	0.44	15	2.5	0.65	11	1.9	0.58
5-9	35	3.3	0.56	18	3.3	0.78	17	3.3	0.80
10-14	19	1.9	0.44	13	2.6	0.71	6	1.2	0.50
15-19	36	3.5	0.59	18	3.4	0.81	18	3.6	0.86
20-24	71	5.9	0.70	42	6.9	1.06	29	4.9	0.91
25-29	104	7.6	0.75	58	8.5	1.12	46	6.7	0.99
30-34	222	15.0	1.01	115	15.7	1.46	107	14.4	1.39
35-39	386	28.4	1.44	168	25.0	1.93	218	31.7	2.15
40-44	667	54.0	2.09	302	50.1	2.89	365	57.7	3.02
45-49	1,031	99.9	3.11	509	100.9	4.47	522	99.0	4.33
50-54	1,465	182.0	4.76	721	184.2	6.86	744	179.9	6.60
55-59	2,270	317.7	6.67	1,173	340.4	9.94	1,097	296.6	8.95
60-64	3,607	499.7	8.32	1,954	571.5	12.93	1,653	435.1	10.70
65-69	5,039	735.8	10.36	2,789	908.2	17.20	2,250	595.6	12.56
70-74	5,802	986.0	12.94	3,147	1260.1	22.46	2,655	783.9	15.21
75-79	5,543	1227.4	16.49	2,890	1631.5	30.35	2,653	966.6	18.77
80-84	4,391	1539.5	23.23	2,183	2254.4	48.25	2,208	1172.1	24.94
85+	4,320	1792.6	27.27	1,715	2759.2	66.63	2,605	1456.7	28.54
Total deaths	35,034			17,830			17,204		
Connecticut									
. Crude rate		213.5	-		224.1	-		203.4	-
. AAMR (1940 Std. mil.)		125.7	0.74		151.0	1.19		108.4	0.95
. AAMR (1970 Std. mil.)		165.8	0.91		206.1	1.55		140.2	1.13
. AAMR (2000 Std. mil.)		207.8	1.12		264.8	2.05		174.4	1.35
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		134.3	-		165.4	-		112.2	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Oral cavity or pharynx (140.0-149.9)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.1	0.07	1	0.1	0.15	0	0.0	0.00
30-34	3	0.2	0.12	3	0.4	0.24	0	0.0	0.00
35-39	8	0.6	0.21	7	1.0	0.39	1	0.1	0.15
40-44	16	1.3	0.32	10	1.7	0.52	6	0.9	0.39
45-49	35	3.4	0.57	29	5.7	1.07	6	1.1	0.46
50-54	48	6.0	0.86	38	9.7	1.58	10	2.4	0.76
55-59	64	9.0	1.12	46	13.4	1.97	18	4.9	1.15
60-64	82	11.4	1.25	63	18.4	2.32	19	5.0	1.15
65-69	105	15.3	1.50	74	24.1	2.80	31	8.2	1.47
70-74	81	13.8	1.53	48	19.2	2.77	33	9.7	1.70
75-79	81	17.9	1.99	43	24.3	3.70	38	13.8	2.25
80-84	49	17.2	2.45	28	28.9	5.46	21	11.1	2.43
85+	47	19.5	2.84	21	33.8	7.37	26	14.5	2.85
Total deaths	620			411			209		
Connecticut									
. Crude rate		3.8	-		5.2	-		2.5	-
. AAMR (1940 Std. mil.)		2.6	0.11		4.0	0.20		1.4	0.11
. AAMR (1970 Std. mil.)		3.1	0.13		4.9	0.24		1.8	0.13
. AAMR (2000 Std. mil.)		3.7	0.15		5.8	0.29		2.1	0.15
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		3.7	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Colorectal cancer (153.0-154.3,154.8,159.0)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.1	0.10	1	0.2	0.19	0	0.0	0.00
20-24	1	0.1	0.08	1	0.2	0.16	0	0.0	0.00
25-29	3	0.2	0.13	3	0.4	0.25	0	0.0	0.00
30-34	13	0.9	0.24	3	0.4	0.24	10	1.3	0.43
35-39	25	1.8	0.37	14	2.1	0.56	11	1.6	0.48
40-44	57	4.6	0.61	26	4.3	0.85	31	4.9	0.88
45-49	80	7.8	0.87	47	9.3	1.36	33	6.3	1.09
50-54	120	14.9	1.36	64	16.4	2.04	56	13.5	1.81
55-59	197	27.6	1.96	108	31.3	3.02	89	24.1	2.55
60-64	361	50.0	2.63	203	59.4	4.17	158	41.6	3.31
65-69	507	74.0	3.29	283	92.2	5.48	224	59.3	3.96
70-74	694	117.9	4.48	385	154.2	7.86	309	91.2	5.19
75-79	726	160.8	5.97	387	218.5	11.11	339	123.5	6.71
80-84	618	216.7	8.72	271	279.9	17.00	347	184.2	9.89
85+	799	331.6	11.73	263	423.1	26.09	536	299.7	12.95
Total deaths	4,202			2,059			2,143		
Connecticut									
. Crude rate		25.6	-		25.9	-		25.3	-
. AAMR (1940 Std. mil.)		13.3	0.23		16.5	0.38		11.1	0.28
. AAMR (1970 Std. mil.)		18.8	0.30		23.7	0.52		15.6	0.36
. AAMR (2000 Std. mil.)		25.0	0.39		31.6	0.72		20.9	0.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.0	-		17.0	-		11.7	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Colon cancer (153)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.1	0.08	1	0.2	0.16	0	0.0	0.00
25-29	3	0.2	0.13	3	0.4	0.25	0	0.0	0.00
30-34	11	0.7	0.22	2	0.3	0.19	9	1.2	0.40
35-39	17	1.2	0.30	9	1.3	0.45	8	1.2	0.41
40-44	46	3.7	0.55	21	3.5	0.76	25	4.0	0.79
45-49	61	5.9	0.76	32	6.3	1.12	29	5.5	1.02
50-54	93	11.6	1.20	48	12.3	1.77	45	10.9	1.62
55-59	163	22.8	1.79	89	25.8	2.74	74	20.0	2.33
60-64	292	40.5	2.37	166	48.5	3.77	126	33.2	2.95
65-69	420	61.3	2.99	230	74.9	4.94	190	50.3	3.65
70-74	564	95.8	4.04	310	124.1	7.05	254	75.0	4.71
75-79	602	133.3	5.43	319	180.1	10.08	283	103.1	6.13
80-84	522	183.0	8.01	225	232.4	15.49	297	157.7	9.15
85+	657	272.6	10.64	222	357.2	23.97	435	243.2	11.66
Total deaths	3,452			1,677			1,775		
Connecticut									
. Crude rate		21.0	-		21.1	-		21.0	-
. AAMR (1940 Std. mil.)		10.9	0.21		13.4	0.34		9.2	0.26
. AAMR (1970 Std. mil.)		15.4	0.27		19.3	0.47		12.9	0.33
. AAMR (2000 Std. mil.)		20.5	0.35		25.9	0.66		17.3	0.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.7	-		14.2	-		10.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Rectal cancer (154)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.1	0.10	1	0.2	0.19	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.1	0.07	1	0.1	0.14	0	0.0	0.00
35-39	8	0.6	0.21	5	0.7	0.33	3	0.4	0.25
40-44	11	0.9	0.27	5	0.8	0.37	6	0.9	0.39
45-49	18	1.7	0.41	14	2.8	0.74	4	0.8	0.38
50-54	25	3.1	0.62	16	4.1	1.02	9	2.2	0.73
55-59	34	4.8	0.82	19	5.5	1.27	15	4.1	1.05
60-64	63	8.7	1.10	32	9.4	1.65	31	8.2	1.47
65-69	84	12.3	1.34	52	16.9	2.35	32	8.5	1.50
70-74	113	19.2	1.81	66	26.4	3.25	47	13.9	2.02
75-79	112	24.8	2.34	60	33.9	4.37	52	18.9	2.63
80-84	81	28.4	3.16	38	39.2	6.37	43	22.8	3.48
85+	117	48.6	4.49	32	51.5	9.10	85	47.5	5.16
Total deaths	668			341			327		
Connecticut									
. Crude rate		4.1	-		4.3	-		3.9	-
. AAMR (1940 Std. mil.)		2.2	0.10		2.9	0.16		1.7	0.11
. AAMR (1970 Std. mil.)		3.1	0.12		3.9	0.21		2.4	0.14
. AAMR (2000 Std. mil.)		4.0	0.16		5.1	0.28		3.2	0.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Pancreatic cancer (157)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.1	0.09	0	0.0	0.00	1	0.2	0.18
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	0.3	0.14	3	0.4	0.24	1	0.1	0.13
35-39	10	0.7	0.23	3	0.4	0.26	7	1.0	0.38
40-44	16	1.3	0.32	10	1.7	0.52	6	0.9	0.39
45-49	42	4.1	0.63	28	5.6	1.05	14	2.7	0.71
50-54	64	8.0	0.99	43	11.0	1.68	21	5.1	1.11
55-59	104	14.6	1.43	59	17.1	2.23	45	12.2	1.81
60-64	178	24.7	1.85	101	29.5	2.94	77	20.3	2.31
65-69	278	40.6	2.43	162	52.8	4.14	116	30.7	2.85
70-74	324	55.1	3.06	164	65.7	5.13	160	47.2	3.73
75-79	309	68.4	3.89	125	70.6	6.31	184	67.0	4.94
80-84	237	83.1	5.40	102	105.3	10.43	135	71.7	6.17
85+	271	112.5	6.83	70	112.6	13.46	201	112.4	7.93
Total deaths	1,838			870			968		
Connecticut									
. Crude rate		11.2	-		10.9	-		11.4	-
. AAMR (1940 Std. mil.)		6.2	0.16		7.5	0.27		5.2	0.19
. AAMR (1970 Std. mil.)		8.5	0.20		10.1	0.34		7.3	0.25
. AAMR (2000 Std. mil.)		10.9	0.25		12.7	0.44		9.5	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.4	-		7.5	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Lung and other respiratory cancer (160-165)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.1	0.10	1	0.2	0.20	0	0.0	0.00
15-19	1	0.1	0.10	1	0.2	0.19	0	0.0	0.00
20-24	1	0.1	0.08	0	0.0	0.00	1	0.2	0.17
25-29	4	0.3	0.15	2	0.3	0.21	2	0.3	0.21
30-34	19	1.3	0.30	10	1.4	0.43	9	1.2	0.40
35-39	47	3.5	0.50	29	4.3	0.80	18	2.6	0.62
40-44	123	10.0	0.90	77	12.8	1.46	46	7.3	1.07
45-49	286	27.7	1.64	165	32.7	2.55	121	23.0	2.09
50-54	444	55.2	2.62	250	63.9	4.04	194	46.9	3.37
55-59	753	105.4	3.84	437	126.8	6.07	316	85.4	4.81
60-64	1,196	165.7	4.79	737	215.5	7.94	459	120.8	5.64
65-69	1,682	245.6	5.99	1,014	330.2	10.37	668	176.8	6.84
70-74	1,727	293.5	7.06	1,054	422.0	13.00	673	198.7	7.66
75-79	1,481	327.9	8.52	883	498.5	16.78	598	217.9	8.91
80-84	960	336.6	10.86	601	620.7	25.32	359	190.6	10.06
85+	575	238.6	9.95	327	526.1	29.09	248	138.7	8.81
Total deaths	9,300			5,588			3,712		
Connecticut									
. Crude rate		56.7	-		70.2	-		43.9	-
. AAMR (1940 Std. mil.)		35.6	0.40		48.8	0.68		25.9	0.47
. AAMR (1970 Std. mil.)		45.8	0.49		64.9	0.87		32.6	0.56
. AAMR (2000 Std. mil.)		54.5	0.57		79.8	1.10		38.2	0.64
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.7	-		60.4	-		25.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Lung cancer (162.2-.9)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.1	0.08	0	0.0	0.00	1	0.2	0.17
25-29	3	0.2	0.13	1	0.1	0.15	2	0.3	0.21
30-34	17	1.2	0.28	10	1.4	0.43	7	0.9	0.36
35-39	45	3.3	0.49	27	4.0	0.77	18	2.6	0.62
40-44	117	9.5	0.88	72	12.0	1.41	45	7.1	1.06
45-49	274	26.6	1.60	158	31.3	2.49	116	22.0	2.04
50-54	427	53.0	2.57	238	60.8	3.94	189	45.7	3.32
55-59	730	102.2	3.78	420	121.9	5.95	310	83.8	4.76
60-64	1,156	160.1	4.71	709	207.4	7.79	447	117.7	5.56
65-69	1,622	236.8	5.88	971	316.2	10.15	651	172.3	6.75
70-74	1,679	285.3	6.96	1,019	408.0	12.78	660	194.9	7.59
75-79	1,434	317.5	8.39	850	479.9	16.46	584	212.8	8.80
80-84	917	321.5	10.62	566	584.5	24.57	351	186.3	9.95
85+	554	229.9	9.77	316	508.4	28.60	238	133.1	8.63
Total deaths	8,976			5,357			3,619		
Connecticut									
. Crude rate		54.7	-		67.3	-		42.8	-
. AAMR (1940 Std. mil.)		34.4	0.39		46.8	0.67		25.3	0.47
. AAMR (1970 Std. mil.)		44.2	0.48		62.2	0.85		31.8	0.55
. AAMR (2000 Std. mil.)		52.6	0.56		76.5	1.08		37.2	0.63
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.3	-		57.9	-		25.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is lower
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Malignant melanoma of skin (172)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	4	0.3	0.17	3	0.5	0.28	1	0.2	0.17
25-29	2	0.1	0.10	1	0.1	0.15	1	0.1	0.15
30-34	15	1.0	0.26	7	1.0	0.36	8	1.1	0.38
35-39	22	1.6	0.34	13	1.9	0.54	9	1.3	0.44
40-44	28	2.3	0.43	18	3.0	0.70	10	1.6	0.50
45-49	20	1.9	0.43	11	2.2	0.66	9	1.7	0.57
50-54	30	3.7	0.68	16	4.1	1.02	14	3.4	0.90
55-59	41	5.7	0.90	20	5.8	1.30	21	5.7	1.24
60-64	40	5.5	0.88	22	6.4	1.37	18	4.7	1.12
65-69	64	9.3	1.17	35	11.4	1.93	29	7.7	1.43
70-74	67	11.4	1.39	48	19.2	2.77	19	5.6	1.29
75-79	52	11.5	1.60	30	16.9	3.09	22	8.0	1.71
80-84	30	10.5	1.92	16	16.5	4.13	14	7.4	1.99
85+	30	12.4	2.27	10	16.1	5.09	20	11.2	2.50
Total deaths	445			250			195		
Connecticut									
. Crude rate		2.7	-		3.1	-		2.3	-
. AAMR (1940 Std. mil.)		1.9	0.10		2.4	0.15		1.5	0.12
. AAMR (1970 Std. mil.)		2.2	0.11		2.8	0.18		1.7	0.13
. AAMR (2000 Std. mil.)		2.7	0.13		3.5	0.22		2.1	0.15
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.6	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Female breast cancer (174)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.1	0.09	-	-	-	1	0.2	0.18
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.1	0.08	-	-	-	1	0.2	0.17
25-29	10	0.7	0.23	-	-	-	10	1.5	0.46
30-34	26	1.8	0.35	-	-	-	26	3.5	0.69
35-39	84	6.2	0.67	-	-	-	84	12.2	1.33
40-44	134	10.9	0.94	-	-	-	134	21.2	1.83
45-49	164	15.9	1.24	-	-	-	164	31.1	2.43
50-54	192	23.9	1.72	-	-	-	192	46.4	3.35
55-59	248	34.7	2.20	-	-	-	248	67.0	4.26
60-64	351	48.6	2.60	-	-	-	351	92.4	4.93
65-69	378	55.2	2.84	-	-	-	378	100.1	5.15
70-74	420	71.4	3.48	-	-	-	420	124.0	6.05
75-79	383	84.8	4.33	-	-	-	383	139.5	7.13
80-84	305	106.9	6.12	-	-	-	305	161.9	9.27
85+	380	157.7	8.09	-	-	-	380	212.5	10.90
Total deaths	3,077			-			3,077		
Connecticut									
. Crude rate		-	-		-	-		36.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		22.0	0.45
. AAMR (1970 Std. mil.)		-	-		-	-		26.6	0.50
. AAMR (2000 Std. mil.)		-	-		-	-		32.4	0.59
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		23.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is lower
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Cervical cancer (180)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.1	0.08	-	-	-	1	0.2	0.17
25-29	3	0.2	0.13	-	-	-	3	0.4	0.25
30-34	7	0.5	0.18	-	-	-	7	0.9	0.36
35-39	15	1.1	0.28	-	-	-	15	2.2	0.56
40-44	20	1.6	0.36	-	-	-	20	3.2	0.71
45-49	21	2.0	0.44	-	-	-	21	4.0	0.87
50-54	26	3.2	0.63	-	-	-	26	6.3	1.23
55-59	9	1.3	0.42	-	-	-	9	2.4	0.81
60-64	14	1.9	0.52	-	-	-	14	3.7	0.98
65-69	22	3.2	0.68	-	-	-	22	5.8	1.24
70-74	17	2.9	0.70	-	-	-	17	5.0	1.22
75-79	27	6.0	1.15	-	-	-	27	9.8	1.89
80-84	16	5.6	1.40	-	-	-	16	8.5	2.12
85+	20	8.3	1.86	-	-	-	20	11.2	2.50
Total deaths	218			-			218		
Connecticut									
. Crude rate	-	-		-	-			2.6	-
. AAMR (1940 Std. mil.)	-	-		-	-			1.8	0.13
. AAMR (1970 Std. mil.)	-	-		-	-			2.0	0.14
. AAMR (2000 Std. mil.)	-	-		-	-			2.4	0.17
. HP 2000 (1940 Std. mil.)	-	-		-	-			1.1	-
United States									
. AAMR (1940 Std. mil.)	-	-		-	-			2.6	-
. HP 2000 (1940 Std. mil.)	-	-		-	-			1.3	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Endometrial cancer (182)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	2	0.2	0.11	-	-	-	2	0.3	0.22
45-49	1	0.1	0.10	-	-	-	1	0.2	0.19
50-54	3	0.4	0.22	-	-	-	3	0.7	0.42
55-59	16	2.2	0.56	-	-	-	16	4.3	1.08
60-64	26	3.6	0.71	-	-	-	26	6.8	1.34
65-69	35	5.1	0.86	-	-	-	35	9.3	1.57
70-74	38	6.5	1.05	-	-	-	38	11.2	1.82
75-79	27	6.0	1.15	-	-	-	27	9.8	1.89
80-84	26	9.1	1.79	-	-	-	26	13.8	2.71
85+	36	14.9	2.49	-	-	-	36	20.1	3.36
Total deaths	210			-			210		
Connecticut									
. Crude rate	-	-		-	-			2.5	-
. AAMR (1940 Std. mil.)	-	-		-	-			1.2	0.10
. AAMR (1970 Std. mil.)	-	-		-	-			1.7	0.12
. AAMR (2000 Std. mil.)	-	-		-	-			2.1	0.14
. HP 2000 (1940 Std. mil.)	-	-		-	-			-	-
United States									
. AAMR (1940 Std. mil.)	-	-		-	-			1.2	-
. HP 2000 (1940 Std. mil.)	-	-		-	-			-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Ovarian cancer (183)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	1	0.1	0.10	-	-	-	1	0.2	0.21
15-19	1	0.1	0.10	-	-	-	1	0.2	0.20
20-24	1	0.1	0.08	-	-	-	1	0.2	0.17
25-29	3	0.2	0.13	-	-	-	3	0.4	0.25
30-34	4	0.3	0.14	-	-	-	4	0.5	0.27
35-39	4	0.3	0.15	-	-	-	4	0.6	0.29
40-44	25	2.0	0.40	-	-	-	25	4.0	0.79
45-49	34	3.3	0.57	-	-	-	34	6.4	1.11
50-54	50	6.2	0.88	-	-	-	50	12.1	1.71
55-59	70	9.8	1.17	-	-	-	70	18.9	2.26
60-64	105	14.5	1.42	-	-	-	105	27.6	2.70
65-69	134	19.6	1.69	-	-	-	134	35.5	3.06
70-74	138	23.5	2.00	-	-	-	138	40.7	3.47
75-79	124	27.5	2.47	-	-	-	124	45.2	4.06
80-84	104	36.5	3.58	-	-	-	104	55.2	5.41
85+	109	45.2	4.33	-	-	-	109	61.0	5.84
Total deaths	907			-			907		
Connecticut									
. Crude rate		-	-		-	-		10.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.2	0.23
. AAMR (1970 Std. mil.)		-	-		-	-		7.8	0.27
. AAMR (2000 Std. mil.)		-	-		-	-		9.4	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Prostate cancer (185)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	1	0.1	0.08	1	0.2	0.17	-	-	-
45-49	10	1.0	0.31	10	2.0	0.63	-	-	-
50-54	14	1.7	0.46	14	3.6	0.96	-	-	-
55-59	42	5.9	0.91	42	12.2	1.88	-	-	-
60-64	131	18.1	1.59	131	38.3	3.35	-	-	-
65-69	225	32.9	2.19	225	73.3	4.88	-	-	-
70-74	391	66.4	3.36	391	156.6	7.92	-	-	-
75-79	466	103.2	4.78	466	263.1	12.19	-	-	-
80-84	447	156.7	7.41	447	461.6	21.83	-	-	-
85+	411	170.6	8.41	411	661.2	32.62	-	-	-
Total deaths	2,138			2,138			-		
Connecticut									
. Crude rate	-	-			26.9	-		-	-
. AAMR (1940 Std. mil.)	-	-			15.0	0.34		-	-
. AAMR (1970 Std. mil.)	-	-			24.3	0.53		-	-
. AAMR (2000 Std. mil.)	-	-			35.5	0.80		-	-
. HP 2000 (1940 Std. mil.)	-	-			-	-		-	-
United States									
. AAMR (1940 Std. mil.)	-	-			16.0	-		-	-
. HP 2000 (1940 Std. mil.)	-	-			-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Bladder cancer (188)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	0.2	0.13	3	0.4	0.26	0	0.0	0.00
40-44	3	0.2	0.14	2	0.3	0.23	1	0.2	0.16
45-49	11	1.1	0.32	6	1.2	0.49	5	0.9	0.42
50-54	11	1.4	0.41	6	1.5	0.63	5	1.2	0.54
55-59	23	3.2	0.67	17	4.9	1.20	6	1.6	0.66
60-64	62	8.6	1.09	48	14.0	2.03	14	3.7	0.98
65-69	81	11.8	1.31	61	19.9	2.54	20	5.3	1.18
70-74	137	23.3	1.99	99	39.6	3.98	38	11.2	1.82
75-79	167	37.0	2.86	113	63.8	6.00	54	19.7	2.68
80-84	156	54.7	4.38	92	95.0	9.91	64	34.0	4.25
85+	193	80.1	5.76	106	170.5	16.56	87	48.6	5.22
Total deaths	847			553			294		
Connecticut									
. Crude rate		5.2	-		7.0	-		3.5	-
. AAMR (1940 Std. mil.)		2.4	0.09		4.0	0.18		1.3	0.09
. AAMR (1970 Std. mil.)		3.6	0.13		6.3	0.27		2.0	0.12
. AAMR (2000 Std. mil.)		5.1	0.17		9.0	0.40		2.8	0.17
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.8	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Brain & other CNS cancer (191-192)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	6	0.5	0.21	4	0.7	0.33	2	0.4	0.25
5-9	9	0.8	0.28	5	0.9	0.41	4	0.8	0.39
10-14	3	0.3	0.17	1	0.2	0.20	2	0.4	0.29
15-19	4	0.4	0.20	1	0.2	0.19	3	0.6	0.35
20-24	10	0.8	0.26	4	0.7	0.33	6	1.0	0.41
25-29	12	0.9	0.25	10	1.5	0.46	2	0.3	0.21
30-34	19	1.3	0.30	9	1.2	0.41	10	1.3	0.43
35-39	22	1.6	0.34	14	2.1	0.56	8	1.2	0.41
40-44	28	2.3	0.43	19	3.2	0.72	9	1.4	0.47
45-49	39	3.8	0.61	27	5.4	1.03	12	2.3	0.66
50-54	57	7.1	0.94	40	10.2	1.62	17	4.1	1.00
55-59	74	10.4	1.20	48	13.9	2.01	26	7.0	1.38
60-64	95	13.2	1.35	58	17.0	2.23	37	9.7	1.60
65-69	95	13.9	1.42	52	16.9	2.35	43	11.4	1.74
70-74	118	20.1	1.85	55	22.0	2.97	63	18.6	2.34
75-79	92	20.4	2.12	35	19.8	3.34	57	20.8	2.75
80-84	50	17.5	2.48	26	26.9	5.27	24	12.7	2.60
85+	36	14.9	2.49	14	22.5	6.02	22	12.3	2.62
Total deaths	769			422			347		
Connecticut									
. Crude rate		4.7	-		5.3	-		4.1	-
. AAMR (1940 Std. mil.)		3.4	0.13		4.3	0.22		2.7	0.16
. AAMR (1970 Std. mil.)		4.0	0.15		5.0	0.25		3.2	0.18
. AAMR (2000 Std. mil.)		4.6	0.17		5.8	0.29		3.6	0.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.4	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Leukemia (204-208)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	6	0.5	0.21	3	0.5	0.29	3	0.5	0.30
5-9	16	1.5	0.38	8	1.5	0.52	8	1.5	0.55
10-14	8	0.8	0.28	6	1.2	0.48	2	0.4	0.29
15-19	13	1.3	0.35	7	1.3	0.50	6	1.2	0.49
20-24	13	1.1	0.30	10	1.6	0.52	3	0.5	0.29
25-29	14	1.0	0.27	8	1.2	0.41	6	0.9	0.36
30-34	27	1.8	0.35	16	2.2	0.54	11	1.5	0.45
35-39	38	2.8	0.45	21	3.1	0.68	17	2.5	0.60
40-44	42	3.4	0.52	28	4.6	0.88	14	2.2	0.59
45-49	41	4.0	0.62	21	4.2	0.91	20	3.8	0.85
50-54	46	5.7	0.84	22	5.6	1.20	24	5.8	1.18
55-59	72	10.1	1.19	38	11.0	1.79	34	9.2	1.58
60-64	90	12.5	1.31	53	15.5	2.13	37	9.7	1.60
65-69	138	20.1	1.72	80	26.1	2.91	58	15.4	2.02
70-74	177	30.1	2.26	101	40.4	4.02	76	22.4	2.57
75-79	183	40.5	3.00	93	52.5	5.44	90	32.8	3.46
80-84	149	52.2	4.28	75	77.5	8.94	74	39.3	4.57
85+	179	74.3	5.55	64	103.0	12.87	115	64.3	6.00
Total deaths	1,252			654			598		
Connecticut									
. Crude rate		7.6	-		8.2	-		7.1	-
. AAMR (1940 Std. mil.)		4.7	0.15		5.8	0.24		3.9	0.19
. AAMR (1970 Std. mil.)		6.0	0.18		7.6	0.30		4.9	0.22
. AAMR (2000 Std. mil.)		7.5	0.21		9.7	0.39		6.1	0.25
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.5	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Diabetes mellitus (250)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.1	0.09	0	0.0	0.00	1	0.2	0.19
10-14	2	0.2	0.14	1	0.2	0.20	1	0.2	0.21
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.1	0.08	0	0.0	0.00	1	0.2	0.17
25-29	6	0.4	0.18	3	0.4	0.25	3	0.4	0.25
30-34	22	1.5	0.32	11	1.5	0.45	11	1.5	0.45
35-39	26	1.9	0.37	15	2.2	0.58	11	1.6	0.48
40-44	47	3.8	0.56	33	5.5	0.95	14	2.2	0.59
45-49	58	5.6	0.74	35	6.9	1.17	23	4.4	0.91
50-54	76	9.4	1.08	45	11.5	1.71	31	7.5	1.35
55-59	123	17.2	1.55	66	19.2	2.36	57	15.4	2.04
60-64	225	31.2	2.08	120	35.1	3.20	105	27.6	2.70
65-69	291	42.5	2.49	155	50.5	4.05	136	36.0	3.09
70-74	380	64.6	3.31	180	72.1	5.37	200	59.1	4.18
75-79	453	100.3	4.71	200	112.9	7.98	253	92.2	5.80
80-84	386	135.3	6.89	149	153.9	12.61	237	125.8	8.17
85+	454	188.4	8.84	104	167.3	16.41	350	195.7	10.46
Total deaths	2,551			1,117			1,434		
Connecticut									
. Crude rate		15.5	-		14.0	-		17.0	-
. AAMR (1940 Std. mil.)		8.3	0.18		9.4	0.29		7.3	0.23
. AAMR (1970 Std. mil.)		11.5	0.23		12.8	0.39		10.4	0.29
. AAMR (2000 Std. mil.)		15.2	0.30		16.7	0.52		14.0	0.37
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.6	-		12.3	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Diabetes-related (250)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.1	0.09	0	0.0	0.00	1	0.2	0.18
5-9	1	0.1	0.09	0	0.0	0.00	1	0.2	0.19
10-14	2	0.2	0.14	1	0.2	0.20	1	0.2	0.21
15-19	2	0.2	0.14	0	0.0	0.00	2	0.4	0.29
20-24	3	0.2	0.14	1	0.2	0.16	2	0.3	0.24
25-29	13	1.0	0.26	9	1.3	0.44	4	0.6	0.29
30-34	48	3.3	0.47	27	3.7	0.71	21	2.8	0.62
35-39	66	4.9	0.60	36	5.4	0.89	30	4.4	0.80
40-44	114	9.2	0.86	77	12.8	1.46	37	5.8	0.96
45-49	173	16.8	1.28	103	20.4	2.01	70	13.3	1.59
50-54	259	32.2	2.00	153	39.1	3.16	106	25.6	2.49
55-59	464	64.9	3.01	258	74.9	4.66	206	55.7	3.88
60-64	910	126.1	4.18	500	146.2	6.54	410	107.9	5.33
65-69	1,399	204.3	5.46	726	236.4	8.77	673	178.1	6.87
70-74	1,864	316.8	7.34	934	374.0	12.24	930	274.6	9.00
75-79	2,117	468.8	10.19	1,025	578.7	18.07	1,092	397.9	12.04
80-84	1,875	657.4	15.18	758	782.8	28.43	1,117	592.9	17.74
85+	2,360	979.3	20.16	655	1053.8	41.18	1,705	953.4	23.09
Total deaths	11,671			5,263			6,408		
Connecticut									
. Crude rate		71.1	-		66.2	-		75.8	-
. AAMR (1940 Std. mil.)		35.6	0.37		41.9	0.61		30.8	0.46
. AAMR (1970 Std. mil.)		51.5	0.49		60.3	0.83		45.1	0.60
. AAMR (2000 Std. mil.)		69.4	0.65		81.0	1.16		61.5	0.78
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Diabetic ketoacidosis (DKA) (250.1)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.1	0.09	0	0.0	0.00	1	0.2	0.19
10-14	1	0.1	0.10	1	0.2	0.20	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	0.3	0.14	1	0.1	0.14	3	0.4	0.23
35-39	2	0.1	0.10	1	0.1	0.15	1	0.1	0.15
40-44	2	0.2	0.11	2	0.3	0.23	0	0.0	0.00
45-49	2	0.2	0.14	1	0.2	0.20	1	0.2	0.19
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	0.1	0.14	0	0.0	0.00	1	0.3	0.27
60-64	6	0.8	0.34	2	0.6	0.41	4	1.1	0.53
65-69	3	0.4	0.25	1	0.3	0.33	2	0.5	0.37
70-74	3	0.5	0.29	2	0.8	0.57	1	0.3	0.30
75-79	2	0.4	0.31	2	1.1	0.80	0	0.0	0.00
80-84	4	1.4	0.70	3	3.1	1.79	1	0.5	0.53
85+	6	2.5	1.02	2	3.2	2.28	4	2.2	1.12
Total deaths	37			18			19		
Connecticut									
. Crude rate		0.2	-		0.2	-		0.2	-
. AAMR (1940 Std. mil.)		0.2	0.03		0.2	0.04		0.1	0.04
. AAMR (1970 Std. mil.)		0.2	0.03		0.2	0.05		0.2	0.04
. AAMR (2000 Std. mil.)		0.2	0.04		0.3	0.07		0.2	0.05
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.6	-		0.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Alzheimer's diseases (331.0)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.1	0.07	0	0.0	0.00	1	0.1	0.15
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	0.1	0.12	0	0.0	0.00	1	0.2	0.24
55-59	9	1.3	0.42	5	1.5	0.65	4	1.1	0.54
60-64	20	2.8	0.62	12	3.5	1.01	8	2.1	0.74
65-69	54	7.9	1.07	27	8.8	1.69	27	7.1	1.38
70-74	82	13.9	1.54	38	15.2	2.47	44	13.0	1.96
75-79	170	37.6	2.89	85	48.0	5.20	85	31.0	3.36
80-84	230	80.6	5.32	90	92.9	9.80	140	74.3	6.28
85+	463	192.1	8.93	124	199.5	17.92	339	189.6	10.30
Total deaths	1,030			381			649		
Connecticut									
. Crude rate		6.3	-		4.8	-		7.7	-
. AAMR (1940 Std. mil.)		2.1	0.07		2.4	0.13		1.9	0.09
. AAMR (1970 Std. mil.)		3.9	0.12		4.4	0.22		3.6	0.15
. AAMR (2000 Std. mil.)		6.3	0.20		7.0	0.37		5.9	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.1	-		2.4	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Cardiovascular disease (390-459)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	92	7.9	0.82	50	8.3	1.18	42	7.4	1.14
5-9	13	1.2	0.34	6	1.1	0.45	7	1.4	0.51
10-14	12	1.2	0.35	6	1.2	0.48	6	1.2	0.50
15-19	23	2.3	0.47	16	3.0	0.76	7	1.4	0.53
20-24	35	2.9	0.49	16	2.6	0.65	19	3.2	0.73
25-29	100	7.3	0.73	60	8.8	1.13	40	5.9	0.93
30-34	218	14.8	1.00	150	20.4	1.67	68	9.2	1.11
35-39	307	22.6	1.29	213	31.7	2.17	94	13.7	1.41
40-44	560	45.3	1.92	406	67.4	3.35	154	24.3	1.96
45-49	875	84.8	2.87	650	128.9	5.05	225	42.7	2.85
50-54	1,205	149.7	4.31	836	213.6	7.39	369	89.2	4.64
55-59	1,923	269.2	6.14	1,349	391.5	10.66	574	155.2	6.48
60-64	3,275	453.7	7.93	2,206	645.2	13.74	1,069	281.4	8.61
65-69	5,088	742.9	10.42	3,240	1055.1	18.54	1,848	489.2	11.38
70-74	7,259	1233.6	14.48	4,175	1671.7	25.87	3,084	910.6	16.40
75-79	9,146	2025.2	21.18	4,886	2758.3	39.46	4,260	1552.1	23.78
80-84	10,242	3591.0	35.48	4,397	4540.9	68.48	5,845	3102.7	40.58
85+	20,286	8418.0	59.10	5,664	9112.6	121.08	14,622	8176.5	67.62
Total deaths	60,659			28,326			32,333		
Connecticut									
. Crude rate		369.6	-		356.1	-		382.4	-
. AAMR (1940 Std. mil.)		162.5	0.77		217.2	1.37		120.0	0.84
. AAMR (1970 Std. mil.)		252.0	1.06		326.7	1.95		197.5	1.18
. AAMR (2000 Std. mil.)		368.2	1.50		464.0	2.88		302.0	1.69
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		197.2	-		260.2	-		147.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Diseases of the heart (390-398,402,404-429)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	81	6.9	0.77	42	7.0	1.08	39	6.8	1.10
5-9	11	1.0	0.31	6	1.1	0.45	5	1.0	0.43
10-14	11	1.1	0.33	5	1.0	0.44	6	1.2	0.50
15-19	16	1.6	0.39	10	1.9	0.60	6	1.2	0.49
20-24	29	2.4	0.45	14	2.3	0.61	15	2.5	0.65
25-29	69	5.1	0.61	50	7.3	1.04	19	2.8	0.64
30-34	164	11.1	0.87	119	16.2	1.48	45	6.1	0.90
35-39	248	18.2	1.16	175	26.0	1.97	73	10.6	1.24
40-44	445	36.0	1.71	336	55.8	3.04	109	17.2	1.65
45-49	723	70.1	2.61	563	111.6	4.70	160	30.3	2.40
50-54	1,010	125.5	3.95	732	187.1	6.91	278	67.2	4.03
55-59	1,661	232.5	5.70	1,200	348.3	10.05	461	124.6	5.80
60-64	2,837	393.0	7.38	1,967	575.3	12.97	870	229.0	7.76
65-69	4,298	627.6	9.57	2,764	900.1	17.12	1,534	406.1	10.37
70-74	5,923	1006.6	13.08	3,493	1398.6	23.66	2,430	717.5	14.56
75-79	7,299	1616.2	18.92	3,956	2233.3	35.51	3,343	1218.0	21.07
80-84	7,924	2778.2	31.21	3,476	3589.8	60.89	4,448	2361.1	35.40
85+	15,602	6474.3	51.83	4,465	7183.5	107.50	11,137	6227.7	59.01
Total deaths	48,351			23,373			24,978		
Connecticut									
. Crude rate		294.6	-		293.8	-		295.4	-
. AAMR (1940 Std. mil.)		132.2	0.70		181.7	1.26		93.7	0.75
. AAMR (1970 Std. mil.)		202.8	0.95		270.0	1.77		153.6	1.04
. AAMR (2000 Std. mil.)		293.0	1.34		379.2	2.59		233.4	1.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		157.5	-		213.9	-		112.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Heart disease-related (390-398,402,404-429)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	252	21.5	1.36	130	21.7	1.90	122	21.4	1.94
5-9	52	4.9	0.68	27	5.0	0.95	25	4.8	0.96
10-14	35	3.5	0.60	18	3.6	0.84	17	3.5	0.85
15-19	63	6.2	0.78	37	7.0	1.16	26	5.2	1.03
20-24	85	7.1	0.77	39	6.4	1.02	46	7.8	1.14
25-29	206	15.1	1.05	131	19.2	1.68	75	11.0	1.27
30-34	457	30.9	1.45	306	41.7	2.38	151	20.4	1.66
35-39	632	46.4	1.85	426	63.3	3.07	206	29.9	2.09
40-44	904	73.2	2.43	639	106.1	4.20	265	41.9	2.57
45-49	1,256	121.8	3.44	916	181.6	6.00	340	64.5	3.50
50-54	1,729	214.8	5.17	1,144	292.3	8.64	585	141.4	5.85
55-59	2,692	376.8	7.26	1,816	527.0	12.37	876	236.8	8.00
60-64	4,663	646.0	9.46	2,997	876.5	16.01	1,666	438.5	10.74
65-69	7,066	1031.7	12.27	4,315	1405.1	21.39	2,751	728.2	13.88
70-74	10,020	1702.8	17.01	5,729	2293.9	30.31	4,291	1267.0	19.34
75-79	12,140	2688.2	24.40	6,515	3678.0	45.57	5,625	2049.4	27.33
80-84	13,174	4618.9	40.24	5,883	6075.5	79.21	7,291	3870.2	45.33
85+	24,217	10049.2	64.58	7,186	11561.2	136.38	17,031	9523.6	72.98
Total deaths	79,643			38,254			41,389		
Connecticut									
. Crude rate		485.3	-		480.9	-		489.4	-
. AAMR (1940 Std. mil.)		223.5	0.92		297.4	1.61		167.3	1.04
. AAMR (1970 Std. mil.)		336.8	1.23		440.5	2.26		263.5	1.39
. AAMR (2000 Std. mil.)		481.8	1.72		620.0	3.31		390.3	1.93
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Coronary heart disease (CHD) (402,410-414,429.2)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	7	0.6	0.23	2	0.3	0.24	5	0.9	0.39
5-9	2	0.2	0.13	1	0.2	0.18	1	0.2	0.19
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	0.3	0.17	0	0.0	0.00	3	0.6	0.35
20-24	3	0.2	0.14	1	0.2	0.16	2	0.3	0.24
25-29	23	1.7	0.35	18	2.6	0.62	5	0.7	0.33
30-34	59	4.0	0.52	51	6.9	0.97	8	1.1	0.38
35-39	125	9.2	0.82	98	14.6	1.47	27	3.9	0.76
40-44	302	24.5	1.41	235	39.0	2.54	67	10.6	1.29
45-49	526	51.0	2.22	436	86.4	4.14	90	17.1	1.80
50-54	734	91.2	3.37	561	143.4	6.05	173	41.8	3.18
55-59	1,236	173.0	4.92	924	268.2	8.82	312	84.3	4.78
60-64	2,157	298.8	6.43	1,553	454.2	11.53	604	159.0	6.47
65-69	3,220	470.2	8.29	2,141	697.2	15.07	1,079	285.6	8.69
70-74	4,485	762.2	11.38	2,684	1074.7	20.74	1,801	531.8	12.53
75-79	5,414	1198.8	16.29	3,022	1706.0	31.03	2,392	871.5	17.82
80-84	5,872	2058.8	26.87	2,593	2677.9	52.59	3,279	1740.6	30.40
85+	11,564	4798.6	44.62	3,295	5301.2	92.35	8,269	4624.0	50.85
Total deaths	35,732			17,615			18,117		
Connecticut									
. Crude rate		217.7	-		221.4	-		214.2	-
. AAMR (1940 Std. mil.)		96.9	0.59		136.9	1.09		65.7	0.61
. AAMR (1970 Std. mil.)		149.6	0.82		203.6	1.54		109.8	0.87
. AAMR (2000 Std. mil.)		216.4	1.15		285.0	2.24		168.5	1.26
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		125.6	-		174.7	-		87.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Congestive heart failure (CHF) (428.0)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	5	0.4	0.19	3	0.5	0.29	2	0.4	0.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.1	0.10	0	0.0	0.00	1	0.2	0.20
20-24	3	0.2	0.14	1	0.2	0.16	2	0.3	0.24
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.1	0.10	1	0.1	0.14	1	0.1	0.13
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	0.2	0.14	2	0.3	0.23	1	0.2	0.16
45-49	8	0.8	0.27	6	1.2	0.49	2	0.4	0.27
50-54	8	1.0	0.35	4	1.0	0.51	4	1.0	0.48
55-59	26	3.6	0.71	15	4.4	1.12	11	3.0	0.90
60-64	42	5.8	0.90	26	7.6	1.49	16	4.2	1.05
65-69	103	15.0	1.48	56	18.2	2.44	47	12.4	1.81
70-74	182	30.9	2.29	91	36.4	3.82	91	26.9	2.82
75-79	301	66.7	3.84	147	83.0	6.84	154	56.1	4.52
80-84	388	136.0	6.91	156	161.1	12.90	232	123.2	8.09
85+	1,060	439.9	13.51	298	479.4	27.77	762	426.1	15.44
Total deaths	2,132			806			1,326		
Connecticut									
. Crude rate		13.0	-		10.1	-		15.7	-
. AAMR (1940 Std. mil.)		4.4	0.11		5.1	0.19		3.9	0.13
. AAMR (1970 Std. mil.)		8.0	0.18		9.3	0.33		7.3	0.21
. AAMR (2000 Std. mil.)		13.1	0.29		15.1	0.55		12.1	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		6.6	-		5.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
--------Hypertension with or without renal disease (401,403)--------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.1	0.07	1	0.1	0.15	0	0.0	0.00
30-34	6	0.4	0.17	5	0.7	0.30	1	0.1	0.13
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	6	0.5	0.20	6	1.0	0.41	0	0.0	0.00
45-49	14	1.4	0.36	9	1.8	0.59	5	0.9	0.42
50-54	16	2.0	0.50	9	2.3	0.77	7	1.7	0.64
55-59	22	3.1	0.66	16	4.6	1.16	6	1.6	0.66
60-64	29	4.0	0.75	19	5.6	1.27	10	2.6	0.83
65-69	59	8.6	1.12	36	11.7	1.95	23	6.1	1.27
70-74	71	12.1	1.43	29	11.6	2.16	42	12.4	1.91
75-79	98	21.7	2.19	40	22.6	3.57	58	21.1	2.77
80-84	117	41.0	3.79	42	43.4	6.69	75	39.8	4.60
85+	190	78.8	5.72	55	88.5	11.93	135	75.5	6.50
Total deaths	629			267			362		
Connecticut									
. Crude rate		3.8	-		3.4	-		4.3	-
. AAMR (1940 Std. mil.)		1.7	0.08		2.1	0.14		1.4	0.09
. AAMR (1970 Std. mil.)		2.6	0.11		3.1	0.19		2.3	0.13
. AAMR (2000 Std. mil.)		3.8	0.15		4.4	0.28		3.4	0.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.1	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Hypertension-related (401,403)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.1	0.09	1	0.2	0.17	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	0.2	0.14	1	0.2	0.19	1	0.2	0.20
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	5	0.4	0.16	3	0.4	0.25	2	0.3	0.21
30-34	21	1.4	0.31	17	2.3	0.56	4	0.5	0.27
35-39	28	2.1	0.39	19	2.8	0.65	9	1.3	0.44
40-44	66	5.3	0.66	49	8.1	1.16	17	2.7	0.65
45-49	136	13.2	1.13	84	16.7	1.82	52	9.9	1.37
50-54	176	21.9	1.65	108	27.6	2.66	68	16.4	1.99
55-59	263	36.8	2.27	180	52.2	3.89	83	22.4	2.46
60-64	510	70.7	3.13	286	83.6	4.95	224	59.0	3.94
65-69	814	118.9	4.17	451	146.9	6.92	363	96.1	5.04
70-74	1,145	194.6	5.75	528	211.4	9.20	617	182.2	7.33
75-79	1,381	305.8	8.23	552	311.6	13.26	829	302.0	10.49
80-84	1,442	505.6	13.31	499	515.3	23.07	943	500.6	16.30
85+	2,287	949.0	19.84	492	791.6	35.69	1,795	1003.8	23.69
Total deaths	8,277			3,270			5,007		
Connecticut									
. Crude rate		50.4	-		41.1	-		59.2	-
. AAMR (1940 Std. mil.)		23.2	0.29		26.0	0.48		20.5	0.35
. AAMR (1970 Std. mil.)		35.2	0.40		37.7	0.66		32.4	0.49
. AAMR (2000 Std. mil.)		49.8	0.55		51.5	0.94		47.2	0.67
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Cerebrovascular disease (430-438)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	8	0.7	0.24	6	1.0	0.41	2	0.4	0.25
5-9	2	0.2	0.13	0	0.0	0.00	2	0.4	0.27
10-14	1	0.1	0.10	1	0.2	0.20	0	0.0	0.00
15-19	4	0.4	0.20	4	0.8	0.38	0	0.0	0.00
20-24	5	0.4	0.19	2	0.3	0.23	3	0.5	0.29
25-29	20	1.5	0.33	6	0.9	0.36	14	2.1	0.55
30-34	39	2.6	0.42	22	3.0	0.64	17	2.3	0.56
35-39	44	3.2	0.49	30	4.5	0.81	14	2.0	0.54
40-44	80	6.5	0.72	43	7.1	1.09	37	5.8	0.96
45-49	107	10.4	1.00	55	10.9	1.47	52	9.9	1.37
50-54	139	17.3	1.46	68	17.4	2.11	71	17.2	2.04
55-59	167	23.4	1.81	87	25.2	2.71	80	21.6	2.42
60-64	283	39.2	2.33	140	40.9	3.46	143	37.6	3.15
65-69	484	70.7	3.21	271	88.2	5.36	213	56.4	3.86
70-74	890	151.3	5.07	432	173.0	8.32	458	135.2	6.32
75-79	1,295	286.8	7.97	631	356.2	14.18	664	241.9	9.39
80-84	1,714	600.9	14.52	638	658.9	26.09	1,076	571.2	17.41
85+	3,445	1429.5	24.36	850	1367.5	46.91	2,595	1451.1	28.49
Total deaths	8,727			3,286			5,441		
Connecticut									
. Crude rate		53.2	-		41.3	-		64.3	-
. AAMR (1940 Std. mil.)		20.9	0.26		23.2	0.43		19.3	0.33
. AAMR (1970 Std. mil.)		34.6	0.38		37.6	0.66		32.4	0.47
. AAMR (2000 Std. mil.)		53.5	0.58		57.2	1.04		50.8	0.69
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		28.1	-		31.0	-		26.1	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Atherosclerosis (440)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.1	0.09	0	0.0	0.00	1	0.2	0.18
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.1	0.07	0	0.0	0.00	1	0.1	0.15
40-44	1	0.1	0.08	1	0.2	0.17	0	0.0	0.00
45-49	6	0.6	0.24	3	0.6	0.34	3	0.6	0.33
50-54	9	1.1	0.37	4	1.0	0.51	5	1.2	0.54
55-59	11	1.5	0.46	8	2.3	0.82	3	0.8	0.47
60-64	20	2.8	0.62	13	3.8	1.05	7	1.8	0.70
65-69	37	5.4	0.89	21	6.8	1.49	16	4.2	1.06
70-74	78	13.3	1.50	44	17.6	2.66	34	10.0	1.72
75-79	105	23.3	2.27	60	33.9	4.37	45	16.4	2.44
80-84	141	49.4	4.16	58	59.9	7.87	83	44.1	4.84
85+	588	244.0	10.06	136	218.8	18.76	452	252.8	11.89
Total deaths	998			348			650		
Connecticut									
. Crude rate		6.1	-		4.4	-		7.7	-
. AAMR (1940 Std. mil.)		1.9	0.07		2.2	0.13		1.7	0.09
. AAMR (1970 Std. mil.)		3.7	0.12		4.0	0.22		3.3	0.14
. AAMR (2000 Std. mil.)		6.2	0.20		6.6	0.36		5.9	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.0	-		3.4	-		2.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Atherosclerosis-related (440)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.1	0.09	0	0.0	0.00	1	0.2	0.18
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.1	0.07	0	0.0	0.00	1	0.1	0.13
35-39	2	0.1	0.10	1	0.1	0.15	1	0.1	0.15
40-44	7	0.6	0.21	5	0.8	0.37	2	0.3	0.22
45-49	18	1.7	0.41	12	2.4	0.69	6	1.1	0.46
50-54	33	4.1	0.71	16	4.1	1.02	17	4.1	1.00
55-59	58	8.1	1.07	35	10.2	1.72	23	6.2	1.30
60-64	134	18.6	1.60	83	24.3	2.66	51	13.4	1.88
65-69	278	40.6	2.43	176	57.3	4.32	102	27.0	2.67
70-74	491	83.4	3.77	267	106.9	6.54	224	66.1	4.42
75-79	716	158.5	5.93	382	215.7	11.03	334	121.7	6.66
80-84	899	315.2	10.51	372	384.2	19.92	527	279.7	12.19
85+	2,472	1025.8	20.63	611	983.0	39.77	1,861	1040.7	24.12
Total deaths	5,110			1,960			3,150		
Connecticut									
. Crude rate		31.1	-		24.6	-		37.3	-
. AAMR (1940 Std. mil.)		10.7	0.17		12.9	0.31		9.1	0.20
. AAMR (1970 Std. mil.)		19.4	0.28		22.5	0.51		17.1	0.32
. AAMR (2000 Std. mil.)		31.4	0.44		35.2	0.83		28.7	0.51
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Aortic aneurysm (441)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2	0.2	0.12	2	0.3	0.24	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.1	0.10	1	0.2	0.19	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	0.3	0.15	2	0.3	0.21	2	0.3	0.21
30-34	2	0.1	0.10	1	0.1	0.14	1	0.1	0.13
35-39	4	0.3	0.15	2	0.3	0.21	2	0.3	0.21
40-44	7	0.6	0.21	5	0.8	0.37	2	0.3	0.22
45-49	7	0.7	0.26	7	1.4	0.52	0	0.0	0.00
50-54	8	1.0	0.35	7	1.8	0.68	1	0.2	0.24
55-59	28	3.9	0.74	17	4.9	1.20	11	3.0	0.90
60-64	58	8.0	1.06	44	12.9	1.94	14	3.7	0.98
65-69	133	19.4	1.68	105	34.2	3.34	28	7.4	1.40
70-74	181	30.8	2.29	118	47.2	4.35	63	18.6	2.34
75-79	188	41.6	3.04	113	63.8	6.00	75	27.3	3.16
80-84	203	71.2	5.00	113	116.7	10.98	90	47.8	5.04
85+	199	82.6	5.85	78	125.5	14.21	121	67.7	6.15
Total deaths	1,025			615			410		
Connecticut									
. Crude rate		6.2	-		7.7	-		4.8	-
. AAMR (1940 Std. mil.)		3.0	0.10		4.7	0.20		1.7	0.10
. AAMR (1970 Std. mil.)		4.4	0.14		7.0	0.28		2.7	0.14
. AAMR (2000 Std. mil.)		6.0	0.19		9.5	0.40		3.9	0.19
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.7	-		5.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Pneumonia & influenza (480-487)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	35	3.0	0.51	15	2.5	0.65	20	3.5	0.78
5-9	4	0.4	0.19	2	0.4	0.26	2	0.4	0.27
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	0.4	0.20	2	0.4	0.27	2	0.4	0.29
20-24	10	0.8	0.26	6	1.0	0.40	4	0.7	0.34
25-29	9	0.7	0.22	8	1.2	0.41	1	0.1	0.15
30-34	18	1.2	0.29	14	1.9	0.51	4	0.5	0.27
35-39	35	2.6	0.43	21	3.1	0.68	14	2.0	0.54
40-44	46	3.7	0.55	29	4.8	0.89	17	2.7	0.65
45-49	55	5.3	0.72	39	7.7	1.24	16	3.0	0.76
50-54	53	6.6	0.90	32	8.2	1.45	21	5.1	1.11
55-59	79	11.1	1.24	55	16.0	2.15	24	6.5	1.32
60-64	139	19.3	1.63	87	25.4	2.73	52	13.7	1.90
65-69	231	33.7	2.22	132	43.0	3.74	99	26.2	2.63
70-74	428	72.7	3.52	262	104.9	6.48	166	49.0	3.80
75-79	716	158.5	5.93	386	217.9	11.09	330	120.2	6.62
80-84	1,029	360.8	11.25	470	485.4	22.39	559	296.7	12.55
85+	2,764	1147.0	21.82	917	1475.3	48.72	1,847	1032.8	24.03
Total deaths	5,655			2,477			3,178		
Connecticut									
. Crude rate		34.5	-		31.1	-		37.6	-
. AAMR (1940 Std. mil.)		12.3	0.20		16.4	0.35		9.7	0.23
. AAMR (1970 Std. mil.)		21.6	0.30		28.6	0.58		17.6	0.33
. AAMR (2000 Std. mil.)		35.0	0.47		46.2	0.96		29.2	0.52
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		18.2	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
-------Chronic obstructive pulmonary disease (COPD) (490-496)-------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	4	0.3	0.17	3	0.5	0.29	1	0.2	0.18
5-9	1	0.1	0.09	0	0.0	0.00	1	0.2	0.19
10-14	1	0.1	0.10	1	0.2	0.20	0	0.0	0.00
15-19	2	0.2	0.14	1	0.2	0.19	1	0.2	0.20
20-24	5	0.4	0.19	2	0.3	0.23	3	0.5	0.29
25-29	10	0.7	0.23	5	0.7	0.33	5	0.7	0.33
30-34	9	0.6	0.20	4	0.5	0.27	5	0.7	0.30
35-39	8	0.6	0.21	2	0.3	0.21	6	0.9	0.36
40-44	19	1.5	0.35	10	1.7	0.52	9	1.4	0.47
45-49	30	2.9	0.53	13	2.6	0.71	17	3.2	0.78
50-54	54	6.7	0.91	20	5.1	1.14	34	8.2	1.41
55-59	151	21.1	1.72	77	22.3	2.55	74	20.0	2.33
60-64	313	43.4	2.45	163	47.7	3.73	150	39.5	3.22
65-69	598	87.3	3.57	344	112.0	6.04	254	67.2	4.22
70-74	916	155.7	5.14	488	195.4	8.85	428	126.4	6.11
75-79	1,075	238.0	7.26	566	319.5	13.43	509	185.4	8.22
80-84	963	337.6	10.88	509	525.7	23.30	454	241.0	11.31
85+	1,061	440.3	13.52	477	767.4	35.14	584	326.6	13.51
Total deaths	5,220			2,685			2,535		
Connecticut									
. Crude rate		31.8	-		33.8	-		30.0	-
. AAMR (1940 Std. mil.)		14.9	0.23		19.4	0.39		12.2	0.28
. AAMR (1970 Std. mil.)		22.5	0.32		30.6	0.59		17.9	0.38
. AAMR (2000 Std. mil.)		30.9	0.43		43.7	0.88		24.3	0.49
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		19.5	-		26.9	-		14.8	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is lower
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
COPD-related (490-496)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	9	0.8	0.26	6	1.0	0.41	3	0.5	0.30
5-9	2	0.2	0.13	1	0.2	0.18	1	0.2	0.19
10-14	1	0.1	0.10	1	0.2	0.20	0	0.0	0.00
15-19	4	0.4	0.20	3	0.6	0.33	1	0.2	0.20
20-24	5	0.4	0.19	2	0.3	0.23	3	0.5	0.29
25-29	14	1.0	0.27	8	1.2	0.41	6	0.9	0.36
30-34	18	1.2	0.29	9	1.2	0.41	9	1.2	0.40
35-39	23	1.7	0.35	11	1.6	0.49	12	1.7	0.50
40-44	38	3.1	0.50	19	3.2	0.72	19	3.0	0.69
45-49	78	7.6	0.86	45	8.9	1.33	33	6.3	1.09
50-54	138	17.1	1.46	65	16.6	2.06	73	17.7	2.07
55-59	345	48.3	2.60	189	54.9	3.99	156	42.2	3.38
60-64	748	103.6	3.79	418	122.2	5.98	330	86.9	4.78
65-69	1,365	199.3	5.39	803	261.5	9.23	562	148.8	6.28
70-74	2,131	362.2	7.85	1,176	470.9	13.73	955	282.0	9.12
75-79	2,493	552.0	11.06	1,427	805.6	21.33	1,066	388.4	11.90
80-84	2,312	810.6	16.86	1,257	1298.1	36.61	1,055	560.0	17.24
85+	2,648	1098.8	21.35	1,244	2001.4	56.74	1,404	785.1	20.95
Total deaths	12,372			6,684			5,688		
Connecticut									
. Crude rate		75.4	-		84.0	-		67.3	-
. AAMR (1940 Std. mil.)		34.8	0.35		48.1	0.62		26.6	0.42
. AAMR (1970 Std. mil.)		53.0	0.49		76.2	0.93		39.7	0.56
. AAMR (2000 Std. mil.)		73.4	0.66		109.7	1.40		54.3	0.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Asthma (493)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.1	0.09	1	0.2	0.17	0	0.0	0.00
5-9	1	0.1	0.09	0	0.0	0.00	1	0.2	0.19
10-14	1	0.1	0.10	1	0.2	0.20	0	0.0	0.00
15-19	2	0.2	0.14	1	0.2	0.19	1	0.2	0.20
20-24	4	0.3	0.17	1	0.2	0.16	3	0.5	0.29
25-29	8	0.6	0.21	5	0.7	0.33	3	0.4	0.25
30-34	7	0.5	0.18	3	0.4	0.24	4	0.5	0.27
35-39	3	0.2	0.13	1	0.1	0.15	2	0.3	0.21
40-44	10	0.8	0.26	4	0.7	0.33	6	0.9	0.39
45-49	10	1.0	0.31	6	1.2	0.49	4	0.8	0.38
50-54	10	1.2	0.39	3	0.8	0.44	7	1.7	0.64
55-59	20	2.8	0.63	7	2.0	0.77	13	3.5	0.97
60-64	14	1.9	0.52	10	2.9	0.92	4	1.1	0.53
65-69	26	3.8	0.74	8	2.6	0.92	18	4.8	1.12
70-74	27	4.6	0.88	5	2.0	0.90	22	6.5	1.38
75-79	23	5.1	1.06	9	5.1	1.69	14	5.1	1.36
80-84	21	7.4	1.61	4	4.1	2.07	17	9.0	2.19
85+	44	18.3	2.75	10	16.1	5.09	34	19.0	3.26
Total deaths	232			79			153		
Connecticut									
. Crude rate		1.4	-		1.0	-		1.8	-
. AAMR (1940 Std. mil.)		0.9	0.07		0.8	0.09		1.0	0.10
. AAMR (1970 Std. mil.)		1.1	0.08		0.9	0.11		1.2	0.11
. AAMR (2000 Std. mil.)		1.4	0.09		1.2	0.14		1.6	0.13
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Chronic liver disease and cirrhosis (571)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.1	0.08	0	0.0	0.00	1	0.2	0.17
25-29	15	1.1	0.28	9	1.3	0.44	6	0.9	0.36
30-34	42	2.8	0.44	29	3.9	0.73	13	1.8	0.49
35-39	81	6.0	0.66	54	8.0	1.09	27	3.9	0.76
40-44	111	9.0	0.85	76	12.6	1.45	35	5.5	0.94
45-49	112	10.9	1.03	82	16.3	1.80	30	5.7	1.04
50-54	153	19.0	1.54	114	29.1	2.73	39	9.4	1.51
55-59	154	21.6	1.74	111	32.2	3.06	43	11.6	1.77
60-64	179	24.8	1.85	120	35.1	3.20	59	15.5	2.02
65-69	203	29.6	2.08	115	37.4	3.49	88	23.3	2.48
70-74	180	30.6	2.28	106	42.4	4.12	74	21.8	2.54
75-79	145	32.1	2.67	77	43.5	4.95	68	24.8	3.00
80-84	88	30.9	3.29	46	47.5	7.00	42	22.3	3.44
85+	49	20.3	2.90	24	38.6	7.88	25	14.0	2.80
Total deaths	1,513			963			550		
Connecticut									
. Crude rate		9.2	-		12.1	-		6.5	-
. AAMR (1940 Std. mil.)		7.0	0.19		9.9	0.33		4.4	0.20
. AAMR (1970 Std. mil.)		7.8	0.21		11.2	0.36		5.0	0.22
. AAMR (2000 Std. mil.)		9.2	0.24		13.2	0.43		5.9	0.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.2	-		12.8	-		5.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Nephritis, nephrotic syndrome/nephrosis (580-589)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	6	0.5	0.21	4	0.7	0.33	2	0.4	0.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.1	0.10	0	0.0	0.00	1	0.2	0.21
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	0.2	0.14	2	0.3	0.23	1	0.2	0.17
25-29	4	0.3	0.15	3	0.4	0.25	1	0.1	0.15
30-34	12	0.8	0.23	9	1.2	0.41	3	0.4	0.23
35-39	23	1.7	0.35	14	2.1	0.56	9	1.3	0.44
40-44	13	1.1	0.29	10	1.7	0.52	3	0.5	0.27
45-49	22	2.1	0.45	16	3.2	0.79	6	1.1	0.46
50-54	24	3.0	0.61	15	3.8	0.99	9	2.2	0.73
55-59	39	5.5	0.87	23	6.7	1.39	16	4.3	1.08
60-64	100	13.9	1.39	61	17.8	2.28	39	10.3	1.64
65-69	129	18.8	1.66	63	20.5	2.58	66	17.5	2.15
70-74	184	31.3	2.31	95	38.0	3.90	89	26.3	2.79
75-79	229	50.7	3.35	134	75.6	6.53	95	34.6	3.55
80-84	292	102.4	5.99	134	138.4	11.95	158	83.9	6.67
85+	432	179.3	8.62	181	291.2	21.64	251	140.4	8.86
Total deaths	1,513			764			749		
Connecticut									
. Crude rate		9.2	-		9.6	-		8.9	-
. AAMR (1940 Std. mil.)		4.2	0.12		5.6	0.22		3.3	0.15
. AAMR (1970 Std. mil.)		6.4	0.17		8.7	0.32		5.0	0.19
. AAMR (2000 Std. mil.)		9.1	0.24		12.9	0.49		7.1	0.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		5.7	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Nephritis-related (580-589)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	28	2.4	0.45	13	2.2	0.60	15	2.6	0.68
5-9	2	0.2	0.13	2	0.4	0.26	0	0.0	0.00
10-14	4	0.4	0.20	1	0.2	0.20	3	0.6	0.36
15-19	4	0.4	0.20	1	0.2	0.19	3	0.6	0.35
20-24	6	0.5	0.20	4	0.7	0.33	2	0.3	0.24
25-29	34	2.5	0.43	21	3.1	0.67	13	1.9	0.53
30-34	84	5.7	0.62	66	9.0	1.11	18	2.4	0.57
35-39	116	8.5	0.79	75	11.1	1.29	41	6.0	0.93
40-44	118	9.6	0.88	89	14.8	1.57	29	4.6	0.85
45-49	154	14.9	1.20	100	19.8	1.98	54	10.2	1.39
50-54	181	22.5	1.67	107	27.3	2.64	74	17.9	2.08
55-59	278	38.9	2.33	160	46.4	3.67	118	31.9	2.94
60-64	496	68.7	3.09	291	85.1	4.99	205	54.0	3.77
65-69	795	116.1	4.12	421	137.1	6.68	374	99.0	5.12
70-74	1,163	197.6	5.80	659	263.9	10.28	504	148.8	6.63
75-79	1,406	311.3	8.30	803	453.3	16.00	603	219.7	8.95
80-84	1,385	485.6	13.05	709	732.2	27.50	676	358.8	13.80
85+	1,951	809.6	18.33	821	1320.9	46.10	1,130	631.9	18.80
Total deaths	8,205			4,343			3,862		
Connecticut									
. Crude rate		50.0	-		54.6	-		45.7	-
. AAMR (1940 Std. mil.)		24.4	0.31		33.1	0.53		18.5	0.36
. AAMR (1970 Std. mil.)		35.4	0.40		49.5	0.75		26.9	0.46
. AAMR (2000 Std. mil.)		49.2	0.55		70.8	1.12		37.2	0.60
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
------End stage renal disease (ESRD) (581-588,591,593.8,593.9)------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	6	0.5	0.21	4	0.7	0.33	2	0.4	0.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.1	0.10	0	0.0	0.00	1	0.2	0.21
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	0.2	0.14	2	0.3	0.23	1	0.2	0.17
25-29	4	0.3	0.15	3	0.4	0.25	1	0.1	0.15
30-34	12	0.8	0.23	8	1.1	0.39	4	0.5	0.27
35-39	27	2.0	0.38	17	2.5	0.61	10	1.5	0.46
40-44	14	1.1	0.30	11	1.8	0.55	3	0.5	0.27
45-49	22	2.1	0.45	16	3.2	0.79	6	1.1	0.46
50-54	28	3.5	0.66	18	4.6	1.08	10	2.4	0.76
55-59	43	6.0	0.92	24	7.0	1.42	19	5.1	1.18
60-64	111	15.4	1.46	67	19.6	2.39	44	11.6	1.75
65-69	148	21.6	1.78	76	24.7	2.84	72	19.1	2.25
70-74	206	35.0	2.44	107	42.8	4.14	99	29.2	2.94
75-79	259	57.4	3.56	145	81.9	6.80	114	41.5	3.89
80-84	317	111.1	6.24	149	153.9	12.61	168	89.2	6.88
85+	481	199.6	9.10	197	316.9	22.58	284	158.8	9.42
Total deaths	1,682			844			838		
Connecticut									
. Crude rate		10.2	-		10.6	-		9.9	-
. AAMR (1940 Std. mil.)		4.7	0.13		6.2	0.23		3.7	0.16
. AAMR (1970 Std. mil.)		7.1	0.18		9.7	0.33		5.6	0.21
. AAMR (2000 Std. mil.)		10.1	0.25		14.2	0.51		7.9	0.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.5	-		4.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Unintentional injuries (E800-E949)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	115	9.8	0.92	74	12.3	1.43	41	7.2	1.12
5-9	49	4.6	0.66	37	6.8	1.12	12	2.3	0.67
10-14	67	6.8	0.82	48	9.5	1.37	19	3.9	0.90
15-19	313	30.7	1.73	240	45.7	2.95	73	14.7	1.72
20-24	422	35.0	1.71	336	55.0	3.00	86	14.5	1.56
25-29	354	25.9	1.38	276	40.4	2.43	78	11.4	1.30
30-34	350	23.7	1.27	283	38.5	2.29	67	9.0	1.10
35-39	297	21.8	1.27	242	36.0	2.31	55	8.0	1.08
40-44	249	20.2	1.28	193	32.0	2.31	56	8.9	1.18
45-49	171	16.6	1.27	132	26.2	2.28	39	7.4	1.18
50-54	131	16.3	1.42	93	23.8	2.46	38	9.2	1.49
55-59	163	22.8	1.79	118	34.2	3.15	45	12.2	1.81
60-64	183	25.4	1.87	130	38.0	3.33	53	14.0	1.92
65-69	220	32.1	2.17	127	41.4	3.67	93	24.6	2.55
70-74	273	46.4	2.81	155	62.1	4.98	118	34.8	3.21
75-79	280	62.0	3.71	137	77.3	6.61	143	52.1	4.36
80-84	329	115.4	6.36	150	154.9	12.65	179	95.0	7.10
85+	601	249.4	10.17	209	336.3	23.26	392	219.2	11.07
Total deaths	4,567			2,980			1,587		
Connecticut									
. Crude rate		27.8	-		37.5	-		18.8	-
. AAMR (1940 Std. mil.)		22.4	0.37		33.6	0.65		11.8	0.36
. AAMR (1970 Std. mil.)		23.9	0.37		35.0	0.66		13.6	0.38
. AAMR (2000 Std. mil.)		27.3	0.41		39.8	0.76		16.4	0.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		33.8	-		49.4	-		18.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Motor vehicle accidents (E810-E825)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	33	2.8	0.49	24	4.0	0.82	9	1.6	0.53
5-9	28	2.6	0.50	20	3.7	0.82	8	1.5	0.55
10-14	30	3.0	0.55	19	3.8	0.86	11	2.3	0.68
15-19	243	23.8	1.53	182	34.7	2.57	61	12.3	1.58
20-24	326	27.1	1.50	260	42.5	2.64	66	11.1	1.37
25-29	231	16.9	1.11	173	25.3	1.93	58	8.5	1.12
30-34	182	12.3	0.91	134	18.2	1.58	48	6.5	0.93
35-39	108	7.9	0.76	84	12.5	1.36	24	3.5	0.71
40-44	91	7.4	0.77	65	10.8	1.34	26	4.1	0.81
45-49	63	6.1	0.77	43	8.5	1.30	20	3.8	0.85
50-54	55	6.8	0.92	40	10.2	1.62	15	3.6	0.94
55-59	67	9.4	1.15	47	13.6	1.99	20	5.4	1.21
60-64	57	7.9	1.05	42	12.3	1.90	15	3.9	1.02
65-69	83	12.1	1.33	40	13.0	2.06	43	11.4	1.74
70-74	76	12.9	1.48	35	14.0	2.37	41	12.1	1.89
75-79	86	19.0	2.05	42	23.7	3.66	44	16.0	2.42
80-84	68	23.8	2.89	29	29.9	5.56	39	20.7	3.32
85+	37	15.4	2.52	16	25.7	6.44	21	11.7	2.56
Total deaths	1,864			1,295			569		
Connecticut									
. Crude rate		11.4	-		16.3	-		6.7	-
. AAMR (1940 Std. mil.)		11.2	0.27		16.4	0.47		6.1	0.28
. AAMR (1970 Std. mil.)		10.9	0.27		15.8	0.46		6.1	0.28
. AAMR (2000 Std. mil.)		11.0	0.26		15.8	0.45		6.3	0.27
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.8	-		26.7	-		11.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Falls and fall related injuries (E880-E888)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	6	0.5	0.21	4	0.7	0.33	2	0.4	0.25
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	4	0.4	0.20	4	0.8	0.39	0	0.0	0.00
15-19	8	0.8	0.28	7	1.3	0.50	1	0.2	0.20
20-24	5	0.4	0.19	4	0.7	0.33	1	0.2	0.17
25-29	10	0.7	0.23	8	1.2	0.41	2	0.3	0.21
30-34	8	0.5	0.19	8	1.1	0.39	0	0.0	0.00
35-39	12	0.9	0.25	11	1.6	0.49	1	0.1	0.15
40-44	13	1.1	0.29	10	1.7	0.52	3	0.5	0.27
45-49	18	1.7	0.41	16	3.2	0.79	2	0.4	0.27
50-54	11	1.4	0.41	5	1.3	0.57	6	1.5	0.59
55-59	20	2.8	0.63	15	4.4	1.12	5	1.4	0.60
60-64	46	6.4	0.94	32	9.4	1.65	14	3.7	0.98
65-69	43	6.3	0.96	29	9.4	1.75	14	3.7	0.99
70-74	69	11.7	1.41	42	16.8	2.59	27	8.0	1.53
75-79	93	20.6	2.14	42	23.7	3.66	51	18.6	2.60
80-84	135	47.3	4.07	58	59.9	7.87	77	40.9	4.66
85+	369	153.1	7.97	108	173.8	16.72	261	145.9	9.03
Total deaths	870			403			467		
Connecticut									
. Crude rate		5.3	-		5.1	-		5.5	-
. AAMR (1940 Std. mil.)		2.3	0.10		3.2	0.17		1.5	0.09
. AAMR (1970 Std. mil.)		3.6	0.13		4.7	0.24		2.7	0.13
. AAMR (2000 Std. mil.)		5.3	0.18		6.8	0.36		4.3	0.20
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		3.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Drowning (E830,E832,E910)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	19	1.6	0.37	11	1.8	0.55	8	1.4	0.50
5-9	8	0.8	0.27	8	1.5	0.52	0	0.0	0.00
10-14	9	0.9	0.30	9	1.8	0.59	0	0.0	0.00
15-19	16	1.6	0.39	13	2.5	0.69	3	0.6	0.35
20-24	15	1.2	0.32	15	2.5	0.63	0	0.0	0.00
25-29	14	1.0	0.27	12	1.8	0.51	2	0.3	0.21
30-34	24	1.6	0.33	23	3.1	0.65	1	0.1	0.13
35-39	17	1.2	0.30	15	2.2	0.58	2	0.3	0.21
40-44	18	1.5	0.34	16	2.7	0.66	2	0.3	0.22
45-49	10	1.0	0.31	10	2.0	0.63	0	0.0	0.00
50-54	8	1.0	0.35	6	1.5	0.63	2	0.5	0.34
55-59	7	1.0	0.37	6	1.7	0.71	1	0.3	0.27
60-64	6	0.8	0.34	5	1.5	0.65	1	0.3	0.26
65-69	6	0.9	0.36	5	1.6	0.73	1	0.3	0.26
70-74	13	2.2	0.61	9	3.6	1.20	4	1.2	0.59
75-79	4	0.9	0.44	3	1.7	0.98	1	0.4	0.36
80-84	5	1.8	0.78	1	1.0	1.03	4	2.1	1.06
85+	6	2.5	1.02	3	4.8	2.79	3	1.7	0.97
Total deaths	205			170			35		
Connecticut									
. Crude rate		1.2	-		2.1	-		0.4	-
. AAMR (1940 Std. mil.)		1.2	0.09		2.1	0.17		0.3	0.07
. AAMR (1970 Std. mil.)		1.2	0.09		2.1	0.17		0.4	0.07
. AAMR (2000 Std. mil.)		1.2	0.09		2.1	0.17		0.4	0.07
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		3.2	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Residential fires (E890-E899)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	24	2.1	0.42	13	2.2	0.60	11	1.9	0.58
5-9	5	0.5	0.21	3	0.6	0.32	2	0.4	0.27
10-14	5	0.5	0.23	3	0.6	0.34	2	0.4	0.29
15-19	5	0.5	0.22	4	0.8	0.38	1	0.2	0.20
20-24	13	1.1	0.30	8	1.3	0.46	5	0.8	0.38
25-29	5	0.4	0.16	3	0.4	0.25	2	0.3	0.21
30-34	5	0.3	0.15	2	0.3	0.19	3	0.4	0.23
35-39	6	0.4	0.18	4	0.6	0.30	2	0.3	0.21
40-44	10	0.8	0.26	6	1.0	0.41	4	0.6	0.32
45-49	9	0.9	0.29	5	1.0	0.44	4	0.8	0.38
50-54	8	1.0	0.35	3	0.8	0.44	5	1.2	0.54
55-59	11	1.5	0.46	8	2.3	0.82	3	0.8	0.47
60-64	8	1.1	0.39	5	1.5	0.65	3	0.8	0.46
65-69	14	2.0	0.55	9	2.9	0.98	5	1.3	0.59
70-74	16	2.7	0.68	9	3.6	1.20	7	2.1	0.78
75-79	6	1.3	0.54	2	1.1	0.80	4	1.5	0.73
80-84	12	4.2	1.21	6	6.2	2.53	6	3.2	1.30
85+	7	2.9	1.10	5	8.0	3.60	2	1.1	0.79
Total deaths	169			98			71		
Connecticut									
. Crude rate		1.0	-		1.2	-		0.8	-
. AAMR (1940 Std. mil.)		0.9	0.07		1.1	0.12		0.7	0.09
. AAMR (1970 Std. mil.)		1.0	0.08		1.2	0.13		0.8	0.10
. AAMR (2000 Std. mil.)		1.0	0.08		1.3	0.14		0.8	0.10
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.0	-		1.1	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Suicide (E950-E959)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	9	0.9	0.30	8	1.6	0.56	1	0.2	0.21
15-19	80	7.8	0.88	65	12.4	1.54	15	3.0	0.78
20-24	162	13.4	1.06	151	24.7	2.01	11	1.9	0.56
25-29	161	11.8	0.93	129	18.9	1.66	32	4.7	0.83
30-34	168	11.4	0.88	130	17.7	1.55	38	5.1	0.83
35-39	159	11.7	0.93	127	18.9	1.67	32	4.7	0.82
40-44	144	11.7	0.97	121	20.1	1.83	23	3.6	0.76
45-49	118	11.4	1.05	93	18.4	1.91	25	4.7	0.95
50-54	85	10.6	1.15	63	16.1	2.03	22	5.3	1.13
55-59	83	11.6	1.28	58	16.8	2.21	25	6.8	1.35
60-64	77	10.7	1.22	61	17.8	2.28	16	4.2	1.05
65-69	75	11.0	1.26	62	20.2	2.56	13	3.4	0.95
70-74	71	12.1	1.43	62	24.8	3.15	9	2.7	0.89
75-79	58	12.8	1.69	40	22.6	3.57	18	6.6	1.55
80-84	43	15.1	2.30	33	34.1	5.93	10	5.3	1.68
85+	31	12.9	2.31	25	40.2	8.04	6	3.4	1.37
Total deaths	1,524			1,228			296		
Connecticut									
. Crude rate		9.3	-		15.4	-		3.5	-
. AAMR (1940 Std. mil.)		8.5	0.23		14.2	0.42		3.1	0.19
. AAMR (1970 Std. mil.)		8.1	0.22		13.8	0.40		3.0	0.18
. AAMR (2000 Std. mil.)		9.0	0.23		15.5	0.45		3.4	0.20
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.8	-		4.6	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Homicide and legal intervention (E960-E978)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	21	1.8	0.39	11	1.8	0.55	10	1.8	0.56
5-9	9	0.8	0.28	4	0.7	0.37	5	1.0	0.43
10-14	19	1.9	0.44	15	3.0	0.76	4	0.8	0.41
15-19	151	14.8	1.20	136	25.9	2.22	15	3.0	0.78
20-24	190	15.8	1.14	157	25.7	2.05	33	5.6	0.97
25-29	164	12.0	0.94	131	19.2	1.68	33	4.8	0.84
30-34	125	8.5	0.76	94	12.8	1.32	31	4.2	0.75
35-39	75	5.5	0.64	49	7.3	1.04	26	3.8	0.74
40-44	40	3.2	0.51	28	4.6	0.88	12	1.9	0.55
45-49	47	4.6	0.66	38	7.5	1.22	9	1.7	0.57
50-54	22	2.7	0.58	17	4.3	1.05	5	1.2	0.54
55-59	16	2.2	0.56	12	3.5	1.01	4	1.1	0.54
60-64	19	2.6	0.60	15	4.4	1.13	4	1.1	0.53
65-69	16	2.3	0.58	13	4.2	1.17	3	0.8	0.46
70-74	20	3.4	0.76	10	4.0	1.27	10	3.0	0.93
75-79	7	1.6	0.59	4	2.3	1.13	3	1.1	0.63
80-84	9	3.2	1.05	3	3.1	1.79	6	3.2	1.30
85+	5	2.1	0.93	1	1.6	1.61	4	2.2	1.12
Total deaths	955			738			217		
Connecticut									
. Crude rate		5.8	-		9.3	-		2.6	-
. AAMR (1940 Std. mil.)		6.3	0.21		9.9	0.37		2.6	0.18
. AAMR (1970 Std. mil.)		5.7	0.20		9.1	0.35		2.4	0.17
. AAMR (2000 Std. mil.)		5.6	0.18		8.7	0.32		2.4	0.17
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.4	-		14.6	-		4.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Homicide (E960-E969)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	21	1.8	0.39	11	1.8	0.55	10	1.8	0.56
5-9	9	0.8	0.28	4	0.7	0.37	5	1.0	0.43
10-14	19	1.9	0.44	15	3.0	0.76	4	0.8	0.41
15-19	151	14.8	1.20	136	25.9	2.22	15	3.0	0.78
20-24	190	15.8	1.14	157	25.7	2.05	33	5.6	0.97
25-29	163	11.9	0.94	130	19.0	1.67	33	4.8	0.84
30-34	124	8.4	0.75	93	12.7	1.31	31	4.2	0.75
35-39	73	5.4	0.63	48	7.1	1.03	25	3.6	0.73
40-44	39	3.2	0.51	27	4.5	0.86	12	1.9	0.55
45-49	46	4.5	0.66	37	7.3	1.21	9	1.7	0.57
50-54	22	2.7	0.58	17	4.3	1.05	5	1.2	0.54
55-59	16	2.2	0.56	12	3.5	1.01	4	1.1	0.54
60-64	19	2.6	0.60	15	4.4	1.13	4	1.1	0.53
65-69	16	2.3	0.58	13	4.2	1.17	3	0.8	0.46
70-74	20	3.4	0.76	10	4.0	1.27	10	3.0	0.93
75-79	7	1.6	0.59	4	2.3	1.13	3	1.1	0.63
80-84	9	3.2	1.05	3	3.1	1.79	6	3.2	1.30
85+	5	2.1	0.93	1	1.6	1.61	4	2.2	1.12
Total deaths	949			733			216		
Connecticut									
. Crude rate		5.8	-		9.2	-		2.6	-
. AAMR (1940 Std. mil.)		6.2	0.21		9.8	0.37		2.6	0.18
. AAMR (1970 Std. mil.)		5.7	0.19		9.0	0.35		2.4	0.17
. AAMR (2000 Std. mil.)		5.5	0.18		8.6	0.32		2.4	0.17
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.3	-		14.3	-		4.2	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
All injury (E800-E999)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	139	11.9	1.01	88	14.7	1.56	51	9.0	1.25
5-9	59	5.5	0.72	42	7.7	1.19	17	3.3	0.80
10-14	96	9.7	0.99	72	14.2	1.68	24	4.9	1.01
15-19	548	53.7	2.29	445	84.8	4.02	103	20.8	2.05
20-24	787	65.3	2.33	657	107.5	4.19	130	21.9	1.92
25-29	702	51.4	1.94	552	80.9	3.44	150	22.0	1.80
30-34	675	45.7	1.76	528	71.9	3.13	147	19.8	1.63
35-39	569	41.8	1.75	451	67.0	3.16	118	17.2	1.58
40-44	468	37.9	1.75	368	61.1	3.18	100	15.8	1.58
45-49	356	34.5	1.83	278	55.1	3.31	78	14.8	1.68
50-54	244	30.3	1.94	176	45.0	3.39	68	16.4	1.99
55-59	266	37.2	2.28	191	55.4	4.01	75	20.3	2.34
60-64	283	39.2	2.33	209	61.1	4.23	74	19.5	2.26
65-69	316	46.1	2.60	205	66.8	4.66	111	29.4	2.79
70-74	367	62.4	3.26	229	91.7	6.06	138	40.7	3.47
75-79	348	77.1	4.13	184	103.9	7.66	164	59.8	4.67
80-84	383	134.3	6.86	187	193.1	14.12	196	104.0	7.43
85+	640	265.6	10.50	236	379.7	24.72	404	225.9	11.24
Total deaths	7,246			5,098			2,148		
Connecticut									
. Crude rate		44.2	-		64.1	-		25.4	-
. AAMR (1940 Std. mil.)		38.3	0.49		59.5	0.87		18.0	0.46
. AAMR (1970 Std. mil.)		38.7	0.48		59.5	0.86		19.4	0.46
. AAMR (2000 Std. mil.)		43.1	0.51		65.8	0.95		22.8	0.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		55.6	-		84.4	-		28.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
--------All motor vehicle accidents (E810-E819,E958.5,E988.5)--------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	33	2.8	0.49	24	4.0	0.82	9	1.6	0.53
5-9	28	2.6	0.50	20	3.7	0.82	8	1.5	0.55
10-14	30	3.0	0.55	19	3.8	0.86	11	2.3	0.68
15-19	239	23.4	1.51	178	33.9	2.54	61	12.3	1.58
20-24	320	26.6	1.49	254	41.6	2.61	66	11.1	1.37
25-29	229	16.8	1.11	171	25.0	1.92	58	8.5	1.12
30-34	180	12.2	0.91	132	18.0	1.56	48	6.5	0.93
35-39	107	7.9	0.76	83	12.3	1.35	24	3.5	0.71
40-44	90	7.3	0.77	64	10.6	1.33	26	4.1	0.81
45-49	62	6.0	0.76	42	8.3	1.28	20	3.8	0.85
50-54	54	6.7	0.91	40	10.2	1.62	14	3.4	0.90
55-59	64	9.0	1.12	44	12.8	1.93	20	5.4	1.21
60-64	56	7.8	1.04	41	12.0	1.87	15	3.9	1.02
65-69	77	11.2	1.28	36	11.7	1.95	41	10.9	1.69
70-74	75	12.7	1.47	35	14.0	2.37	40	11.8	1.87
75-79	85	18.8	2.04	42	23.7	3.66	43	15.7	2.39
80-84	65	22.8	2.83	26	26.9	5.27	39	20.7	3.32
85+	36	14.9	2.49	15	24.1	6.23	21	11.7	2.56
Total deaths	1,830			1,266			564		
Connecticut									
. Crude rate		11.2	-		15.9	-		6.7	-
. AAMR (1940 Std. mil.)		11.0	0.27		16.1	0.47		6.0	0.28
. AAMR (1970 Std. mil.)		10.7	0.26		15.5	0.45		6.1	0.28
. AAMR (2000 Std. mil.)		10.8	0.25		15.5	0.44		6.3	0.27
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.6	-		26.1	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------All falls (E880-E886,E888,E957,E968.1,E987)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	6	0.5	0.21	4	0.7	0.33	2	0.4	0.25
5-9	1	0.1	0.09	1	0.2	0.18	0	0.0	0.00
10-14	4	0.4	0.20	4	0.8	0.39	0	0.0	0.00
15-19	7	0.7	0.26	6	1.1	0.47	1	0.2	0.20
20-24	6	0.5	0.20	6	1.0	0.40	0	0.0	0.00
25-29	13	1.0	0.26	9	1.3	0.44	4	0.6	0.29
30-34	14	0.9	0.25	12	1.6	0.47	2	0.3	0.19
35-39	16	1.2	0.29	15	2.2	0.58	1	0.1	0.15
40-44	11	0.9	0.27	9	1.5	0.50	2	0.3	0.22
45-49	20	1.9	0.43	17	3.4	0.82	3	0.6	0.33
50-54	14	1.7	0.46	7	1.8	0.68	7	1.7	0.64
55-59	20	2.8	0.63	16	4.6	1.16	4	1.1	0.54
60-64	45	6.2	0.93	31	9.1	1.63	14	3.7	0.98
65-69	40	5.8	0.92	27	8.8	1.69	13	3.4	0.95
70-74	60	10.2	1.32	39	15.6	2.50	21	6.2	1.35
75-79	73	16.2	1.89	35	19.8	3.34	38	13.8	2.25
80-84	102	35.8	3.54	42	43.4	6.69	60	31.8	4.11
85+	253	105.0	6.60	80	128.7	14.39	173	96.7	7.36
Total deaths	705			360			345		
Connecticut									
. Crude rate		4.3	-		4.5	-		4.1	-
. AAMR (1940 Std. mil.)		2.1	0.10		3.1	0.17		1.3	0.09
. AAMR (1970 Std. mil.)		3.0	0.12		4.2	0.22		2.1	0.12
. AAMR (2000 Std. mil.)		4.3	0.16		5.8	0.32		3.2	0.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	3	0.3	0.15	2	0.3	0.24	1	0.2	0.18
5-9	7	0.7	0.25	4	0.7	0.37	3	0.6	0.33
10-14	26	2.6	0.51	23	4.5	0.95	3	0.6	0.36
15-19	183	17.9	1.33	170	32.4	2.48	13	2.6	0.73
20-24	254	21.1	1.32	231	37.8	2.49	23	3.9	0.81
25-29	198	14.5	1.03	168	24.6	1.90	30	4.4	0.80
30-34	150	10.2	0.83	123	16.7	1.51	27	3.6	0.70
35-39	128	9.4	0.83	99	14.7	1.48	29	4.2	0.78
40-44	89	7.2	0.76	73	12.1	1.42	16	2.5	0.63
45-49	80	7.8	0.87	68	13.5	1.63	12	2.3	0.66
50-54	49	6.1	0.87	40	10.2	1.62	9	2.2	0.73
55-59	41	5.7	0.90	34	9.9	1.69	7	1.9	0.72
60-64	41	5.7	0.89	39	11.4	1.83	2	0.5	0.37
65-69	43	6.3	0.96	39	12.7	2.03	4	1.1	0.53
70-74	46	7.8	1.15	39	15.6	2.50	7	2.1	0.78
75-79	22	4.9	1.04	21	11.9	2.59	1	0.4	0.36
80-84	22	7.7	1.64	20	20.7	4.62	2	1.1	0.75
85+	15	6.2	1.61	14	22.5	6.02	1	0.6	0.56
Total deaths	1,397			1,207			190		
Connecticut									
. Crude rate		8.5	-		15.2	-		2.2	-
. AAMR (1940 Std. mil.)		8.8	0.24		15.4	0.45		2.3	0.17
. AAMR (1970 Std. mil.)		8.2	0.23		14.6	0.43		2.1	0.16
. AAMR (2000 Std. mil.)		8.2	0.22		14.7	0.43		2.2	0.16
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		23.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Firearm suicide (E955.0-.4)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	4	0.4	0.20	4	0.8	0.39	0	0.0	0.00
15-19	39	3.8	0.61	35	6.7	1.13	4	0.8	0.40
20-24	81	6.7	0.75	79	12.9	1.45	2	0.3	0.24
25-29	78	5.7	0.65	63	9.2	1.16	15	2.2	0.57
30-34	60	4.1	0.52	48	6.5	0.94	12	1.6	0.47
35-39	77	5.7	0.64	65	9.7	1.20	12	1.7	0.50
40-44	61	4.9	0.63	50	8.3	1.17	11	1.7	0.52
45-49	50	4.8	0.69	42	8.3	1.28	8	1.5	0.54
50-54	36	4.5	0.75	30	7.7	1.40	6	1.5	0.59
55-59	35	4.9	0.83	28	8.1	1.54	7	1.9	0.72
60-64	33	4.6	0.80	33	9.7	1.68	0	0.0	0.00
65-69	38	5.5	0.90	35	11.4	1.93	3	0.8	0.46
70-74	36	6.1	1.02	34	13.6	2.33	2	0.6	0.42
75-79	19	4.2	0.97	18	10.2	2.40	1	0.4	0.36
80-84	18	6.3	1.49	17	17.6	4.26	1	0.5	0.53
85+	13	5.4	1.50	13	20.9	5.80	0	0.0	0.00
Total deaths	678			594			84		
Connecticut									
. Crude rate		4.1	-		7.5	-		1.0	-
. AAMR (1940 Std. mil.)		3.8	0.15		6.9	0.29		1.0	0.11
. AAMR (1970 Std. mil.)		3.7	0.15		6.8	0.29		0.9	0.10
. AAMR (2000 Std. mil.)		4.0	0.16		7.5	0.32		1.0	0.11
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.0	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Firearm homicide (E965.0-.4)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2	0.2	0.12	1	0.2	0.17	1	0.2	0.18
5-9	6	0.6	0.23	3	0.6	0.32	3	0.6	0.33
10-14	18	1.8	0.43	15	3.0	0.76	3	0.6	0.36
15-19	135	13.2	1.14	126	24.0	2.14	9	1.8	0.61
20-24	159	13.2	1.05	140	22.9	1.94	19	3.2	0.73
25-29	115	8.4	0.79	100	14.6	1.46	15	2.2	0.57
30-34	82	5.6	0.61	69	9.4	1.13	13	1.8	0.49
35-39	49	3.6	0.51	33	4.9	0.85	16	2.3	0.58
40-44	23	1.9	0.39	18	3.0	0.70	5	0.8	0.35
45-49	27	2.6	0.50	23	4.6	0.95	4	0.8	0.38
50-54	13	1.6	0.45	10	2.6	0.81	3	0.7	0.42
55-59	4	0.6	0.28	4	1.2	0.58	0	0.0	0.00
60-64	7	1.0	0.37	6	1.8	0.72	1	0.3	0.26
65-69	5	0.7	0.33	4	1.3	0.65	1	0.3	0.26
70-74	8	1.4	0.48	4	1.6	0.80	4	1.2	0.59
75-79	1	0.2	0.22	1	0.6	0.56	0	0.0	0.00
80-84	4	1.4	0.70	3	3.1	1.79	1	0.5	0.53
85+	1	0.4	0.41	1	1.6	1.61	0	0.0	0.00
Total deaths	659			561			98		
Connecticut									
. Crude rate		4.0	-		7.1	-		1.2	-
. AAMR (1940 Std. mil.)		4.5	0.18		7.7	0.33		1.2	0.13
. AAMR (1970 Std. mil.)		4.1	0.17		7.1	0.31		1.1	0.12
. AAMR (2000 Std. mil.)		3.9	0.15		6.6	0.28		1.1	0.12
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		9.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
-------All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)-------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	5	0.4	0.19	4	0.7	0.33	1	0.2	0.18
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	5	0.5	0.23	3	0.6	0.34	2	0.4	0.29
15-19	27	2.6	0.51	17	3.2	0.79	10	2.0	0.64
20-24	59	4.9	0.64	49	8.0	1.15	10	1.7	0.53
25-29	94	6.9	0.71	77	11.3	1.29	17	2.5	0.60
30-34	156	10.6	0.85	127	17.3	1.53	29	3.9	0.73
35-39	159	11.7	0.93	130	19.3	1.69	29	4.2	0.78
40-44	129	10.4	0.92	101	16.8	1.67	28	4.4	0.84
45-49	82	7.9	0.88	66	13.1	1.61	16	3.0	0.76
50-54	40	5.0	0.79	25	6.4	1.28	15	3.6	0.94
55-59	34	4.8	0.82	19	5.5	1.27	15	4.1	1.05
60-64	31	4.3	0.77	18	5.3	1.24	13	3.4	0.95
65-69	26	3.8	0.74	19	6.2	1.42	7	1.9	0.70
70-74	27	4.6	0.88	18	7.2	1.70	9	2.7	0.89
75-79	24	5.3	1.08	7	4.0	1.49	17	6.2	1.50
80-84	17	6.0	1.45	9	9.3	3.10	8	4.2	1.50
85+	17	7.1	1.71	12	19.3	5.57	5	2.8	1.25
Total deaths	932			701			231		
Connecticut									
. Crude rate		5.7	-		8.8	-		2.7	-
. AAMR (1940 Std. mil.)		5.2	0.17		8.0	0.31		2.4	0.17
. AAMR (1970 Std. mil.)		4.7	0.16		7.2	0.28		2.3	0.16
. AAMR (2000 Std. mil.)		5.5	0.18		8.6	0.33		2.7	0.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		6.9	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.1	0.09	1	0.2	0.17	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	4	0.3	0.17	2	0.3	0.23	2	0.3	0.24
25-29	14	1.0	0.27	9	1.3	0.44	5	0.7	0.33
30-34	49	3.3	0.47	34	4.6	0.79	15	2.0	0.52
35-39	74	5.4	0.63	54	8.0	1.09	20	2.9	0.65
40-44	101	8.2	0.81	68	11.3	1.37	33	5.2	0.91
45-49	92	8.9	0.93	74	14.7	1.71	18	3.4	0.80
50-54	121	15.0	1.37	85	21.7	2.36	36	8.7	1.45
55-59	112	15.7	1.48	84	24.4	2.66	28	7.6	1.43
60-64	89	12.3	1.31	64	18.7	2.34	25	6.6	1.32
65-69	113	16.5	1.55	81	26.4	2.93	32	8.5	1.50
70-74	75	12.7	1.47	47	18.8	2.74	28	8.3	1.56
75-79	37	8.2	1.35	31	17.5	3.14	6	2.2	0.89
80-84	22	7.7	1.64	16	16.5	4.13	6	3.2	1.30
85+	11	4.6	1.38	6	9.7	3.94	5	2.8	1.25
Total deaths	915			656			259		
Connecticut									
. Crude rate		5.6	-		8.2	-		3.1	-
. AAMR (1940 Std. mil.)		4.7	0.16		7.2	0.29		2.5	0.16
. AAMR (1970 Std. mil.)		4.9	0.17		7.5	0.30		2.6	0.17
. AAMR (2000 Std. mil.)		5.7	0.19		8.8	0.35		3.0	0.19
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.4	-		11.6	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2	0.2	0.12	1	0.2	0.17	1	0.2	0.18
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.1	0.10	1	0.2	0.20	0	0.0	0.00
15-19	13	1.3	0.35	7	1.3	0.50	6	1.2	0.49
20-24	36	3.0	0.50	28	4.6	0.87	8	1.3	0.48
25-29	80	5.9	0.66	63	9.2	1.16	17	2.5	0.60
30-34	127	8.6	0.76	108	14.7	1.41	19	2.6	0.59
35-39	145	10.7	0.88	115	17.1	1.59	30	4.4	0.80
40-44	103	8.3	0.82	79	13.1	1.48	24	3.8	0.77
45-49	52	5.0	0.70	41	8.1	1.27	11	2.1	0.63
50-54	14	1.7	0.46	7	1.8	0.68	7	1.7	0.64
55-59	19	2.7	0.61	8	2.3	0.82	11	3.0	0.90
60-64	16	2.2	0.55	9	2.6	0.88	7	1.8	0.70
65-69	10	1.5	0.46	5	1.6	0.73	5	1.3	0.59
70-74	15	2.5	0.66	8	3.2	1.13	7	2.1	0.78
75-79	13	2.9	0.80	3	1.7	0.98	10	3.6	1.15
80-84	4	1.4	0.70	0	0.0	0.00	4	2.1	1.06
85+	10	4.1	1.31	7	11.3	4.26	3	1.7	0.97
Total deaths	660			490			170		
Connecticut									
. Crude rate		4.0	-		6.2	-		2.0	-
. AAMR (1940 Std. mil.)		3.7	0.15		5.6	0.25		1.8	0.14
. AAMR (1970 Std. mil.)		3.2	0.13		4.7	0.22		1.7	0.13
. AAMR (2000 Std. mil.)		3.8	0.15		5.8	0.27		1.9	0.15
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		5.5	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is higher