

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	2.1	0.68	5	2.1	0.93	5	2.2	0.98
5-9	5	1.1	0.50	3	1.3	0.75	2	0.9	0.65
10-14	3	0.7	0.42	1	0.5	0.47	2	1.0	0.69
15-19	2	0.5	0.37	2	1.0	0.71	0	0.0	0.00
20-24	16	3.7	0.94	10	4.6	1.45	6	2.9	1.17
25-29	100	20.3	2.03	62	25.2	3.20	38	15.5	2.51
30-34	213	36.7	2.51	166	57.4	4.46	47	16.1	2.35
35-39	286	50.2	2.97	208	73.6	5.10	78	27.1	3.07
40-44	201	40.4	2.85	165	67.9	5.28	36	14.1	2.36
45-49	118	26.8	2.47	103	47.8	4.71	15	6.7	1.72
50-54	55	15.7	2.12	49	28.7	4.11	6	3.3	1.36
55-59	41	14.7	2.30	33	24.5	4.26	8	5.6	1.96
60-64	26	9.8	1.92	25	19.8	3.96	1	0.7	0.72
65-69	11	4.1	1.25	10	8.3	2.64	1	0.7	0.69
70-74	3	1.3	0.72	3	2.9	1.68	0	0.0	0.00
75-79	1	0.5	0.52	0	0.0	0.00	1	0.9	0.87
80-84	1	0.8	0.81	1	2.3	2.34	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	1,092			846			246		
Connecticut									
. Crude rate		16.7	-		26.7	-		7.3	-
. AAMR (1940 Std. mil.)		15.3	0.47		24.0	0.83		7.0	0.45
. AAMR (1970 Std. mil.)		13.0	0.40		20.6	0.73		5.8	0.38
. AAMR (2000 Std. mil.)		16.1	0.49		25.5	0.88		7.0	0.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.8	-		24.1	-		3.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	5	0.9	0.39	3	1.0	0.60	2	0.7	0.49
35-39	6	1.1	0.43	2	0.7	0.50	4	1.4	0.70
40-44	19	3.8	0.88	8	3.3	1.16	11	4.3	1.30
45-49	34	7.7	1.32	23	10.7	2.22	11	4.9	1.47
50-54	56	16.0	2.14	32	18.8	3.32	24	13.3	2.72
55-59	70	25.1	3.00	46	34.1	5.03	24	16.7	3.40
60-64	144	54.3	4.53	82	65.0	7.17	62	44.7	5.67
65-69	193	72.6	5.23	107	89.3	8.63	86	58.9	6.35
70-74	257	107.1	6.68	153	148.7	12.02	104	75.9	7.44
75-79	268	140.1	8.56	139	182.0	15.44	129	112.3	9.89
80-84	243	197.6	12.67	104	243.1	23.84	139	173.2	14.69
85+	358	342.1	18.08	119	434.6	39.84	239	309.4	20.01
Total deaths	1,653			818			835		
Connecticut									
. Crude rate		25.3	-		25.8	-		24.8	-
. AAMR (1940 Std. mil.)		12.7	0.36		16.1	0.60		10.2	0.43
. AAMR (1970 Std. mil.)		18.0	0.46		22.8	0.80		14.5	0.54
. AAMR (2000 Std. mil.)		23.8	0.59		30.3	1.09		19.6	0.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		15.8	-		11.1	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	10	1.7	0.54	4	1.4	0.69	6	2.1	0.84
35-39	21	3.7	0.80	12	4.2	1.23	9	3.1	1.04
40-44	60	12.1	1.56	30	12.3	2.25	30	11.8	2.15
45-49	102	23.1	2.29	50	23.2	3.28	52	23.1	3.20
50-54	172	49.1	3.74	97	56.9	5.78	75	41.7	4.81
55-59	248	88.9	5.65	143	106.1	8.87	105	72.9	7.11
60-64	429	161.8	7.81	252	199.6	12.58	177	127.5	9.58
65-69	658	247.5	9.65	392	327.0	16.52	266	182.2	11.17
70-74	698	290.9	11.01	415	403.3	19.80	283	206.5	12.27
75-79	633	331.0	13.16	376	492.4	25.39	257	223.7	13.96
80-84	428	348.0	16.82	242	565.8	36.37	186	231.8	17.00
85+	274	261.9	15.82	158	577.0	45.90	116	150.2	13.94
Total deaths	3,733			2,171			1,562		
Connecticut									
. Crude rate		57.1	-		68.4	-		46.4	-
. AAMR (1940 Std. mil.)		34.5	0.62		45.5	1.03		26.3	0.75
. AAMR (1970 Std. mil.)		44.7	0.75		61.2	1.32		33.4	0.89
. AAMR (2000 Std. mil.)		53.7	0.88		75.9	1.66		39.4	1.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.8	-		58.1	-		27.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.2	0.23	-	-	-	1	0.5	0.48
25-29	2	0.4	0.29	-	-	-	2	0.8	0.58
30-34	8	1.4	0.49	-	-	-	8	2.7	0.97
35-39	30	5.3	0.96	-	-	-	30	10.4	1.91
40-44	44	8.8	1.33	-	-	-	44	17.3	2.60
45-49	65	14.8	1.83	-	-	-	65	28.9	3.58
50-54	97	27.7	2.81	-	-	-	97	53.9	5.47
55-59	84	30.1	3.29	-	-	-	84	58.3	6.36
60-64	115	43.4	4.05	-	-	-	115	82.8	7.72
65-69	152	57.2	4.64	-	-	-	152	104.1	8.45
70-74	167	69.6	5.39	-	-	-	167	121.9	9.43
75-79	162	84.7	6.66	-	-	-	162	141.0	11.08
80-84	115	93.5	8.72	-	-	-	115	143.3	13.37
85+	160	152.9	12.09	-	-	-	160	207.1	16.37
Total deaths	1,202			-			1,202		
Connecticut									
. Crude rate		-	-		-	-		35.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		21.0	0.69
. AAMR (1970 Std. mil.)		-	-		-	-		25.5	0.78
. AAMR (2000 Std. mil.)		-	-		-	-		31.1	0.91
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	4	0.7	0.34	-	-	-	4	1.4	0.69
35-39	5	0.9	0.39	-	-	-	5	1.7	0.78
40-44	8	1.6	0.57	-	-	-	8	3.1	1.11
45-49	12	2.7	0.79	-	-	-	12	5.3	1.54
50-54	7	2.0	0.75	-	-	-	7	3.9	1.47
55-59	9	3.2	1.08	-	-	-	9	6.2	2.08
60-64	5	1.9	0.84	-	-	-	5	3.6	1.61
65-69	5	1.9	0.84	-	-	-	5	3.4	1.53
70-74	4	1.7	0.83	-	-	-	4	2.9	1.46
75-79	6	3.1	1.28	-	-	-	6	5.2	2.13
80-84	7	5.7	2.15	-	-	-	7	8.7	3.30
85+	4	3.8	1.91	-	-	-	4	5.2	2.59
Total deaths	76			-			76		
Connecticut									
. Crude rate		-	-		-	-		2.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.7	0.21
. AAMR (1970 Std. mil.)		-	-		-	-		1.8	0.21
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.25
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.2	0.20	-	-	-	1	0.4	0.39
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	3	0.9	0.49	-	-	-	3	1.7	0.96
55-59	5	1.8	0.80	-	-	-	5	3.5	1.55
60-64	11	4.1	1.25	-	-	-	11	7.9	2.39
65-69	7	2.6	1.00	-	-	-	7	4.8	1.81
70-74	17	7.1	1.72	-	-	-	17	12.4	3.01
75-79	19	9.9	2.28	-	-	-	19	16.5	3.79
80-84	10	8.1	2.57	-	-	-	10	12.5	3.94
85+	13	12.4	3.45	-	-	-	13	16.8	4.67
Total deaths	86			-			86		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	0.16
. AAMR (1970 Std. mil.)		-	-		-	-		1.7	0.20
. AAMR (2000 Std. mil.)		-	-		-	-		2.1	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	1	0.3	0.26	-	-	-	1	0.5	0.54
20-24	1	0.2	0.23	-	-	-	1	0.5	0.48
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	2	0.4	0.25	-	-	-	2	0.7	0.49
40-44	10	2.0	0.64	-	-	-	10	3.9	1.24
45-49	15	3.4	0.88	-	-	-	15	6.7	1.72
50-54	25	7.1	1.43	-	-	-	25	13.9	2.78
55-59	25	9.0	1.79	-	-	-	25	17.3	3.47
60-64	40	15.1	2.39	-	-	-	40	28.8	4.56
65-69	37	13.9	2.29	-	-	-	37	25.4	4.17
70-74	59	24.6	3.20	-	-	-	59	43.0	5.60
75-79	46	24.1	3.55	-	-	-	46	40.0	5.90
80-84	57	46.3	6.14	-	-	-	57	71.0	9.41
85+	60	57.3	7.40	-	-	-	60	77.7	10.03
Total deaths	378			-			378		
Connecticut									
. Crude rate		-	-		-	-		11.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	0.36
. AAMR (1970 Std. mil.)		-	-		-	-		7.7	0.43
. AAMR (2000 Std. mil.)		-	-		-	-		9.5	0.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available













































## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.4	0.30	0	0.0	0.00	2	0.9	0.62
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	0.5	0.34	2	0.9	0.67	0	0.0	0.00
15-19	1	0.3	0.26	1	0.5	0.50	0	0.0	0.00
20-24	5	1.2	0.52	3	1.4	0.80	2	1.0	0.67
25-29	4	0.8	0.41	3	1.2	0.70	1	0.4	0.41
30-34	4	0.7	0.34	1	0.3	0.35	3	1.0	0.59
35-39	10	1.8	0.55	3	1.1	0.61	7	2.4	0.92
40-44	7	1.4	0.53	5	2.1	0.92	2	0.8	0.56
45-49	16	3.6	0.91	9	4.2	1.39	7	3.1	1.18
50-54	24	6.8	1.40	7	4.1	1.55	17	9.4	2.29
55-59	51	18.3	2.56	24	17.8	3.64	27	18.7	3.61
60-64	129	48.7	4.28	65	51.5	6.39	64	46.1	5.76
65-69	240	90.3	5.83	127	106.0	9.40	113	77.4	7.28
70-74	361	150.5	7.92	181	175.9	13.08	180	131.3	9.79
75-79	466	243.7	11.29	231	302.5	19.90	235	204.6	13.34
80-84	450	365.8	17.25	210	491.0	33.88	240	299.1	19.31
85+	506	483.6	21.50	216	788.8	53.67	290	375.4	22.04
Total deaths	2,278			1,088			1,190		
Connecticut									
. Crude rate		34.8	-		34.3	-		35.3	-
. AAMR (1940 Std. mil.)		15.5	0.37		18.7	0.60		13.6	0.47
. AAMR (1970 Std. mil.)		23.5	0.51		29.5	0.90		20.2	0.63
. AAMR (2000 Std. mil.)		32.5	0.68		42.4	1.32		27.5	0.80
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.4	-		27.8	-		17.2	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower











## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	19	4.1	0.93	11	4.6	1.39	8	3.5	1.24
5-9	3	0.7	0.39	2	0.9	0.62	1	0.5	0.46
10-14	2	0.5	0.34	1	0.5	0.47	1	0.5	0.49
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	0.7	0.41	1	0.5	0.46	2	1.0	0.67
25-29	14	2.8	0.76	10	4.1	1.29	4	1.6	0.81
30-34	37	6.4	1.05	27	9.3	1.80	10	3.4	1.09
35-39	49	8.6	1.23	32	11.3	2.00	17	5.9	1.43
40-44	51	10.2	1.43	36	14.8	2.47	15	5.9	1.52
45-49	57	12.9	1.71	40	18.6	2.93	17	7.6	1.83
50-54	74	21.1	2.45	54	31.7	4.31	20	11.1	2.49
55-59	87	31.2	3.34	51	37.8	5.30	36	25.0	4.16
60-64	157	59.2	4.73	90	71.3	7.52	67	48.3	5.90
65-69	265	99.7	6.12	155	129.3	10.39	110	75.4	7.19
70-74	401	167.1	8.35	222	215.8	14.48	179	130.6	9.76
75-79	515	269.3	11.87	290	379.8	22.30	225	195.9	13.06
80-84	558	453.6	19.20	276	645.3	38.84	282	351.5	20.93
85+	787	752.1	26.81	353	1289.1	68.61	434	561.8	26.97
Total deaths	3,079			1,651			1,428		
Connecticut									
. Crude rate		47.1	-		52.0	-		42.4	-
. AAMR (1940 Std. mil.)		22.0	0.46		30.2	0.80		16.2	0.53
. AAMR (1970 Std. mil.)		31.8	0.59		44.8	1.11		23.7	0.68
. AAMR (2000 Std. mil.)		44.4	0.80		64.5	1.64		33.0	0.88
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	44	9.4	1.42	26	10.9	2.13	18	7.9	1.87
5-9	22	4.9	1.05	19	8.3	1.90	3	1.4	0.79
10-14	36	8.7	1.44	24	11.3	2.31	12	5.9	1.70
15-19	107	27.8	2.69	72	36.2	4.27	35	18.8	3.17
20-24	132	30.9	2.69	102	46.9	4.65	30	14.3	2.61
25-29	150	30.5	2.49	121	49.2	4.47	29	11.8	2.19
30-34	169	29.1	2.24	134	46.3	4.00	35	12.0	2.03
35-39	163	28.6	2.24	129	45.6	4.02	34	11.8	2.03
40-44	133	26.7	2.32	113	46.5	4.37	20	7.9	1.76
45-49	95	21.6	2.21	78	36.2	4.10	17	7.6	1.83
50-54	56	16.0	2.14	35	20.5	3.47	21	11.7	2.55
55-59	63	22.6	2.85	49	36.4	5.19	14	9.7	2.60
60-64	57	21.5	2.85	39	30.9	4.95	18	13.0	3.06
65-69	88	33.1	3.53	48	40.0	5.78	40	27.4	4.33
70-74	105	43.8	4.27	57	55.4	7.34	48	35.0	5.06
75-79	122	63.8	5.78	56	73.3	9.80	66	57.5	7.07
80-84	151	122.8	9.99	76	177.7	20.38	75	93.5	10.79
85+	265	253.3	15.56	98	357.9	36.15	167	216.2	16.73
Total deaths	1,958			1,276			682		
Connecticut									
. Crude rate		29.9	-		40.2	-		20.2	-
. AAMR (1940 Std. mil.)		23.9	0.61		35.5	1.05		12.9	0.62
. AAMR (1970 Std. mil.)		25.0	0.60		36.5	1.06		14.6	0.64
. AAMR (2000 Std. mil.)		29.1	0.66		42.6	1.23		17.5	0.68
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		44.2	-		17.0	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	1.9	0.64	5	2.1	0.93	4	1.8	0.88
5-9	12	2.7	0.77	11	4.8	1.44	1	0.5	0.46
10-14	18	4.3	1.02	11	5.2	1.56	7	3.4	1.30
15-19	80	20.8	2.32	54	27.2	3.70	26	13.9	2.73
20-24	101	23.6	2.35	79	36.3	4.09	22	10.5	2.23
25-29	77	15.7	1.79	60	24.4	3.15	17	6.9	1.68
30-34	70	12.1	1.44	47	16.3	2.37	23	7.9	1.65
35-39	42	7.4	1.14	33	11.7	2.03	9	3.1	1.04
40-44	31	6.2	1.12	26	10.7	2.10	5	2.0	0.88
45-49	28	6.4	1.20	22	10.2	2.18	6	2.7	1.09
50-54	26	7.4	1.45	15	8.8	2.27	11	6.1	1.84
55-59	24	8.6	1.76	20	14.8	3.32	4	2.8	1.39
60-64	22	8.3	1.77	15	11.9	3.07	7	5.0	1.91
65-69	35	13.2	2.23	18	15.0	3.54	17	11.6	2.82
70-74	34	14.2	2.43	18	17.5	4.12	16	11.7	2.92
75-79	32	16.7	2.96	12	15.7	4.54	20	17.4	3.89
80-84	32	26.0	4.60	17	39.7	9.64	15	18.7	4.83
85+	16	15.3	3.82	9	32.9	10.96	7	9.1	3.42
Total deaths	689			472			217		
Connecticut									
. Crude rate		10.5	-		14.9	-		6.4	-
. AAMR (1940 Std. mil.)		10.5	0.43		15.1	0.73		6.0	0.45
. AAMR (1970 Std. mil.)		10.3	0.42		14.8	0.71		6.1	0.45
. AAMR (2000 Std. mil.)		10.4	0.40		15.0	0.70		6.1	0.43
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available













## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	2.1	0.68	4	1.7	0.84	6	2.6	1.08
5-9	4	0.9	0.45	1	0.4	0.44	3	1.4	0.79
10-14	9	2.2	0.72	7	3.3	1.25	2	1.0	0.69
15-19	74	19.2	2.23	65	32.7	4.06	9	4.8	1.61
20-24	89	20.8	2.21	74	34.0	3.96	15	7.1	1.85
25-29	74	15.1	1.75	57	23.2	3.07	17	6.9	1.68
30-34	47	8.1	1.18	31	10.7	1.93	16	5.5	1.37
35-39	27	4.7	0.91	20	7.1	1.58	7	2.4	0.92
40-44	19	3.8	0.88	13	5.3	1.48	6	2.4	0.96
45-49	22	5.0	1.06	17	7.9	1.91	5	2.2	0.99
50-54	10	2.9	0.90	8	4.7	1.66	2	1.1	0.79
55-59	8	2.9	1.01	7	5.2	1.96	1	0.7	0.69
60-64	5	1.9	0.84	4	3.2	1.58	1	0.7	0.72
65-69	4	1.5	0.75	2	1.7	1.18	2	1.4	0.97
70-74	8	3.3	1.18	2	1.9	1.37	6	4.4	1.79
75-79	2	1.0	0.74	1	1.3	1.31	1	0.9	0.87
80-84	3	2.4	1.41	0	0.0	0.00	3	3.7	2.16
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	415			313			102		
Connecticut									
. Crude rate		6.3	-		9.9	-		3.0	-
. AAMR (1940 Std. mil.)		7.4	0.37		11.4	0.66		3.2	0.34
. AAMR (1970 Std. mil.)		6.8	0.35		10.4	0.61		3.0	0.32
. AAMR (2000 Std. mil.)		6.4	0.32		9.7	0.55		3.0	0.30
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.6	-		16.6	-		4.5	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is not significantly different



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	1.7	0.61	5	2.1	0.93	3	1.3	0.76
5-9	11	2.5	0.74	10	4.4	1.38	1	0.5	0.46
10-14	18	4.3	1.02	11	5.2	1.56	7	3.4	1.30
15-19	78	20.3	2.29	52	26.2	3.63	26	13.9	2.73
20-24	99	23.2	2.33	77	35.4	4.04	22	10.5	2.23
25-29	74	15.1	1.75	57	23.2	3.07	17	6.9	1.68
30-34	67	11.5	1.41	44	15.2	2.29	23	7.9	1.65
35-39	41	7.2	1.12	32	11.3	2.00	9	3.1	1.04
40-44	31	6.2	1.12	26	10.7	2.10	5	2.0	0.88
45-49	28	6.4	1.20	22	10.2	2.18	6	2.7	1.09
50-54	26	7.4	1.45	15	8.8	2.27	11	6.1	1.84
55-59	24	8.6	1.76	20	14.8	3.32	4	2.8	1.39
60-64	21	7.9	1.73	15	11.9	3.07	6	4.3	1.76
65-69	35	13.2	2.23	18	15.0	3.54	17	11.6	2.82
70-74	33	13.8	2.39	17	16.5	4.01	16	11.7	2.92
75-79	32	16.7	2.96	12	15.7	4.54	20	17.4	3.89
80-84	30	24.4	4.45	15	35.1	9.05	15	18.7	4.83
85+	16	15.3	3.82	9	32.9	10.96	7	9.1	3.42
Total deaths	672			457			215		
Connecticut									
. Crude rate		10.3	-		14.4	-		6.4	-
. AAMR (1940 Std. mil.)		10.3	0.42		14.7	0.71		5.9	0.45
. AAMR (1970 Std. mil.)		10.1	0.41		14.3	0.70		6.0	0.45
. AAMR (2000 Std. mil.)		10.2	0.40		14.5	0.69		6.1	0.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		22.1	-		9.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.2	0.21	0	0.0	0.00	1	0.4	0.44
5-9	5	1.1	0.50	2	0.9	0.62	3	1.4	0.79
10-14	10	2.4	0.76	10	4.7	1.49	0	0.0	0.00
15-19	83	21.6	2.37	76	38.3	4.39	7	3.8	1.42
20-24	113	26.4	2.49	101	46.5	4.62	12	5.7	1.65
25-29	78	15.9	1.80	64	26.0	3.25	14	5.7	1.52
30-34	64	11.0	1.38	48	16.6	2.40	16	5.5	1.37
35-39	47	8.2	1.20	39	13.8	2.21	8	2.8	0.98
40-44	39	7.8	1.25	33	13.6	2.36	6	2.4	0.96
45-49	38	8.6	1.40	32	14.8	2.62	6	2.7	1.09
50-54	24	6.8	1.40	20	11.7	2.62	4	2.2	1.11
55-59	27	9.7	1.86	22	16.3	3.48	5	3.5	1.55
60-64	11	4.1	1.25	11	8.7	2.63	0	0.0	0.00
65-69	13	4.9	1.36	12	10.0	2.89	1	0.7	0.69
70-74	17	7.1	1.72	13	12.6	3.50	4	2.9	1.46
75-79	10	5.2	1.65	10	13.1	4.14	0	0.0	0.00
80-84	7	5.7	2.15	6	14.0	5.73	1	1.2	1.25
85+	8	7.6	2.70	8	29.2	10.33	0	0.0	0.00
Total deaths	595			507			88		
Connecticut									
. Crude rate		9.1	-		16.0	-		2.6	-
. AAMR (1940 Std. mil.)		9.9	0.42		17.0	0.78		2.8	0.31
. AAMR (1970 Std. mil.)		9.2	0.40		16.1	0.75		2.5	0.28
. AAMR (2000 Std. mil.)		9.1	0.38		16.1	0.72		2.6	0.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.5	-		26.9	-		4.6	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower









