

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	13	15.4	4.27	7	16.4	6.20	6	14.3	5.86
5-9	3	4.1	2.35	1	2.6	2.65	2	5.6	3.95
10-14	1	1.4	1.43	1	2.8	2.85	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	8	9.3	3.30	5	11.6	5.19	3	7.1	4.07
25-29	49	56.5	8.08	22	53.2	11.33	27	59.6	11.47
30-34	107	140.0	13.53	79	218.9	24.63	28	69.4	13.12
35-39	92	144.7	15.09	66	225.6	27.77	26	75.8	14.86
40-44	79	142.5	16.03	58	230.2	30.22	21	69.4	15.15
45-49	35	81.4	13.76	25	128.7	25.74	10	42.4	13.42
50-54	28	79.8	15.09	20	129.5	28.95	8	40.8	14.41
55-59	16	56.5	14.13	10	79.5	25.14	6	38.2	15.58
60-64	10	41.3	13.05	7	64.0	24.20	3	22.6	13.02
65-69	17	86.3	20.94	14	168.9	45.13	3	26.3	15.19
70-74	17	127.3	30.87	10	188.6	59.64	7	86.9	32.85
75-79	14	149.0	39.81	5	150.7	67.41	9	148.0	49.33
80-84	10	189.4	59.88	5	286.9	128.29	5	141.3	63.20
85+	23	537.5	112.08	9	813.0	271.00	14	441.4	117.96
Total deaths	522			344			178		
Connecticut									
. Crude rate		61.3	-		84.6	-		40.0	-
. AAMR (1940 Std. mil.)		60.9	2.71		91.2	5.02		36.4	2.80
. AAMR (1970 Std. mil.)		59.6	2.79		89.0	5.36		36.9	2.90
. AAMR (2000 Std. mil.)		77.0	3.74		115.7	7.51		47.8	3.88
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.4	-		25.2	-		8.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	9.5	3.35	6	14.1	5.74	2	4.8	3.38
5-9	2	2.7	1.92	1	2.6	2.65	1	2.8	2.79
10-14	1	1.4	1.43	1	2.8	2.85	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	7	8.2	3.09	4	9.3	4.64	3	7.1	4.07
25-29	40	46.2	7.30	17	41.1	9.96	23	50.8	10.59
30-34	92	120.4	12.55	70	194.0	23.18	22	54.5	11.63
35-39	85	133.7	14.50	61	208.5	26.70	24	70.0	14.28
40-44	69	124.4	14.98	51	202.4	28.34	18	59.5	14.02
45-49	25	58.1	11.63	18	92.6	21.84	7	29.7	11.23
50-54	16	45.6	11.41	14	90.6	24.22	2	10.2	7.21
55-59	6	21.2	8.65	6	47.7	19.47	0	0.0	0.00
60-64	6	24.8	10.11	5	45.7	20.45	1	7.5	7.52
65-69	3	15.2	8.80	3	36.2	20.89	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	360			257			103		
Connecticut									
. Crude rate		42.2	-		63.2	-		23.1	-
. AAMR (1940 Std. mil.)		41.5	2.21		65.2	4.13		21.5	2.13
. AAMR (1970 Std. mil.)		34.9	1.91		55.5	3.64		17.7	1.78
. AAMR (2000 Std. mil.)		43.6	2.38		69.5	4.51		21.7	2.22
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.7	-		15.7	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.4	1.67	1	2.3	2.34	1	2.4	2.39
5-9	5	6.8	3.04	3	7.9	4.58	2	5.6	3.95
10-14	2	2.9	2.03	1	2.8	2.85	1	2.9	2.89
15-19	1	1.4	1.35	1	2.6	2.63	0	0.0	0.00
20-24	3	3.5	2.02	1	2.3	2.32	2	4.7	3.33
25-29	9	10.4	3.46	5	12.1	5.40	4	8.8	4.42
30-34	13	17.0	4.72	7	19.4	7.33	6	14.9	6.07
35-39	34	53.5	9.17	14	47.9	12.79	20	58.3	13.04
40-44	44	79.3	11.96	21	83.3	18.19	23	76.0	15.85
45-49	75	174.4	20.14	47	241.9	35.29	28	118.8	22.45
50-54	90	256.6	27.05	54	349.6	47.58	36	183.4	30.57
55-59	125	441.6	39.50	78	620.0	70.20	47	298.8	43.59
60-64	171	705.6	53.96	120	1097.7	100.21	51	383.4	53.69
65-69	175	888.7	67.18	100	1206.3	120.63	75	657.8	75.95
70-74	147	1100.6	90.78	95	1791.8	183.83	52	645.6	89.53
75-79	100	1064.1	106.41	41	1236.1	193.04	59	970.2	126.31
80-84	84	1590.6	173.55	55	3155.5	425.48	29	819.7	152.21
85+	75	1752.7	202.39	32	2890.7	511.01	43	1355.6	206.73
Total deaths	1,155			676			479		
Connecticut									
. Crude rate		135.5	-		166.2	-		107.6	-
. AAMR (1940 Std. mil.)		156.2	4.67		224.9	8.70		108.3	5.10
. AAMR (1970 Std. mil.)		197.9	5.92		291.4	11.64		136.1	6.31
. AAMR (2000 Std. mil.)		241.0	7.49		358.9	15.65		168.0	7.91
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		134.3	-		165.4	-		112.2	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	3.6	2.55	1	4.0	3.97	1	3.3	3.31
45-49	5	11.6	5.20	4	20.6	10.29	1	4.2	4.24
50-54	4	11.4	5.70	3	19.4	11.21	1	5.1	5.10
55-59	6	21.2	8.65	6	47.7	19.47	0	0.0	0.00
60-64	4	16.5	8.25	4	36.6	18.29	0	0.0	0.00
65-69	5	25.4	11.36	5	60.3	26.97	0	0.0	0.00
70-74	3	22.5	12.97	3	56.6	32.67	0	0.0	0.00
75-79	2	21.3	15.05	0	0.0	0.00	2	32.9	23.26
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	23.4	23.37	0	0.0	0.00	1	31.5	31.53
Total deaths	32			26			6		
Connecticut									
. Crude rate		3.8	-		6.4	-		1.3	-
. AAMR (1940 Std. mil.)		4.6	0.82		8.9	1.75		-	-
. AAMR (1970 Std. mil.)		5.3	0.95		10.0	1.99		-	-
. AAMR (2000 Std. mil.)		6.0	1.10		10.6	2.12		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		3.7	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.4	1.35	1	2.6	2.63	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.6	1.57	0	0.0	0.00	1	2.9	2.91
40-44	5	9.0	4.03	2	7.9	5.61	3	9.9	5.72
45-49	6	14.0	5.70	5	25.7	11.51	1	4.2	4.24
50-54	10	28.5	9.02	7	45.3	17.13	3	15.3	8.83
55-59	10	35.3	11.17	2	15.9	11.24	8	50.9	17.98
60-64	8	33.0	11.67	5	45.7	20.45	3	22.6	13.02
65-69	13	66.0	18.31	7	84.4	31.91	6	52.6	21.48
70-74	11	82.4	24.83	7	132.0	49.90	4	49.7	24.83
75-79	16	170.2	42.56	8	241.2	85.27	8	131.6	46.51
80-84	12	227.2	65.60	7	401.6	151.79	5	141.3	63.20
85+	16	373.9	93.48	6	542.0	221.27	10	315.3	99.69
Total deaths	109			57			52		
Connecticut									
. Crude rate		12.8	-		14.0	-		11.7	-
. AAMR (1940 Std. mil.)		13.9	1.36		18.8	2.51		10.7	1.57
. AAMR (1970 Std. mil.)		19.3	1.87		27.0	3.71		14.8	2.08
. AAMR (2000 Std. mil.)		26.1	2.63		37.3	5.58		20.0	2.84
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.0	-		17.0	-		11.7	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.6	1.57	0	0.0	0.00	1	2.9	2.91
40-44	5	9.0	4.03	2	7.9	5.61	3	9.9	5.72
45-49	5	11.6	5.20	4	20.6	10.29	1	4.2	4.24
50-54	7	20.0	7.54	4	25.9	12.95	3	15.3	8.83
55-59	8	28.3	9.99	2	15.9	11.24	6	38.2	15.58
60-64	8	33.0	11.67	5	45.7	20.45	3	22.6	13.02
65-69	11	55.9	16.84	6	72.4	29.55	5	43.9	19.61
70-74	9	67.4	22.46	5	94.3	42.17	4	49.7	24.83
75-79	15	159.6	41.21	8	241.2	85.27	7	115.1	43.51
80-84	12	227.2	65.60	7	401.6	151.79	5	141.3	63.20
85+	15	350.5	90.51	6	542.0	221.27	9	283.7	94.58
Total deaths	96			49			47		
Connecticut									
. Crude rate		11.3	-		12.0	-		10.6	-
. AAMR (1940 Std. mil.)		12.0	1.26		16.1	2.32		9.6	1.48
. AAMR (1970 Std. mil.)		17.1	1.76		23.9	3.54		13.4	1.97
. AAMR (2000 Std. mil.)		23.5	2.52		33.9	5.44		18.1	2.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.7	-		14.2	-		10.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.4	1.35	1	2.6	2.63	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	2.3	2.33	1	5.1	5.15	0	0.0	0.00
50-54	3	8.6	4.94	3	19.4	11.21	0	0.0	0.00
55-59	2	7.1	5.00	0	0.0	0.00	2	12.7	8.99
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	10.2	7.18	1	12.1	12.06	1	8.8	8.77
70-74	1	7.5	7.49	1	18.9	18.86	0	0.0	0.00
75-79	1	10.6	10.64	0	0.0	0.00	1	16.4	16.44
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	11			7			4		
Connecticut									
. Crude rate		1.3	-		1.7	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	5.4	3.12	2	7.9	5.61	1	3.3	3.31
45-49	3	7.0	4.03	2	10.3	7.28	1	4.2	4.24
50-54	2	5.7	4.03	2	12.9	9.16	0	0.0	0.00
55-59	7	24.7	9.35	4	31.8	15.90	3	19.1	11.01
60-64	6	24.8	10.11	3	27.4	15.84	3	22.6	13.02
65-69	12	60.9	17.59	6	72.4	29.55	6	52.6	21.48
70-74	7	52.4	19.81	3	56.6	32.67	4	49.7	24.83
75-79	11	117.0	35.29	2	60.3	42.64	9	148.0	49.33
80-84	3	56.8	32.80	2	114.7	81.14	1	28.3	28.26
85+	3	70.1	40.48	2	180.7	127.75	1	31.5	31.53
Total deaths	57			28			29		
Connecticut									
. Crude rate		6.7	-		6.9	-		6.5	-
. AAMR (1940 Std. mil.)		7.7	1.04		9.3	1.77		6.6	1.24
. AAMR (1970 Std. mil.)		10.2	1.36		12.3	2.41		8.8	1.65
. AAMR (2000 Std. mil.)		12.5	1.73		15.6	3.35		10.7	2.03
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.4	-		7.5	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	2.6	1.85	1	2.8	2.77	1	2.5	2.48
35-39	10	15.7	4.98	4	13.7	6.84	6	17.5	7.14
40-44	7	12.6	4.77	5	19.8	8.87	2	6.6	4.67
45-49	15	34.9	9.01	12	61.8	17.83	3	12.7	7.35
50-54	29	82.7	15.36	18	116.5	27.47	11	56.1	16.90
55-59	38	134.2	21.78	30	238.5	43.54	8	50.9	17.98
60-64	71	293.0	34.77	61	558.0	71.44	10	75.2	23.77
65-69	52	264.1	36.62	32	386.0	68.24	20	175.4	39.22
70-74	37	277.0	45.54	27	509.2	98.00	10	124.2	39.26
75-79	15	159.6	41.21	5	150.7	67.41	10	164.4	52.00
80-84	24	454.5	92.77	17	975.3	236.55	7	197.9	74.78
85+	3	70.1	40.48	3	271.0	156.46	0	0.0	0.00
Total deaths	303			215			88		
Connecticut									
. Crude rate		35.6	-		52.9	-		19.8	-
. AAMR (1940 Std. mil.)		43.1	2.49		72.8	4.98		21.2	2.29
. AAMR (1970 Std. mil.)		52.5	3.05		90.2	6.33		25.7	2.77
. AAMR (2000 Std. mil.)		59.4	3.56		103.0	7.73		29.9	3.26
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.3	-		57.9	-		25.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	1.2	1.15	-	-	-	1	2.2	2.21
30-34	3	3.9	2.27	-	-	-	3	7.4	4.29
35-39	8	12.6	4.45	-	-	-	8	23.3	8.24
40-44	7	12.6	4.77	-	-	-	7	23.1	8.74
45-49	11	25.6	7.71	-	-	-	11	46.7	14.07
50-54	9	25.7	8.55	-	-	-	9	45.9	15.29
55-59	8	28.3	9.99	-	-	-	8	50.9	17.98
60-64	13	53.6	14.88	-	-	-	13	97.7	27.11
65-69	10	50.8	16.06	-	-	-	10	87.7	27.73
70-74	6	44.9	18.34	-	-	-	6	74.5	30.41
75-79	3	31.9	18.43	-	-	-	3	49.3	28.48
80-84	6	113.6	46.38	-	-	-	6	169.6	69.23
85+	7	163.6	61.83	-	-	-	7	220.7	83.41
Total deaths	92			-			92		
Connecticut									
. Crude rate		-	-		-	-		20.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		21.4	2.29
. AAMR (1970 Std. mil.)		-	-		-	-		24.6	2.63
. AAMR (2000 Std. mil.)		-	-		-	-		30.1	3.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		23.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	1.2	1.17	-	-	-	1	2.4	2.35
25-29	1	1.2	1.15	-	-	-	1	2.2	2.21
30-34	1	1.3	1.31	-	-	-	1	2.5	2.48
35-39	1	1.6	1.57	-	-	-	1	2.9	2.91
40-44	4	7.2	3.61	-	-	-	4	13.2	6.61
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	4	11.4	5.70	-	-	-	4	20.4	10.19
55-59	1	3.5	3.53	-	-	-	1	6.4	6.36
60-64	3	12.4	7.15	-	-	-	3	22.6	13.02
65-69	2	10.2	7.18	-	-	-	2	17.5	12.40
70-74	1	7.5	7.49	-	-	-	1	12.4	12.42
75-79	2	21.3	15.05	-	-	-	2	32.9	23.26
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	1	23.4	23.37	-	-	-	1	31.5	31.53
Total deaths	22			-			22		
Connecticut									
. Crude rate		-	-		-	-		4.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.1	1.11
. AAMR (1970 Std. mil.)		-	-		-	-		5.6	1.23
. AAMR (2000 Std. mil.)		-	-		-	-		6.6	1.47
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	5.1	5.08	-	-	-	1	8.8	8.77
70-74	2	15.0	10.59	-	-	-	2	24.8	17.56
75-79	3	31.9	18.43	-	-	-	3	49.3	28.48
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	6			-			6		
Connecticut									
. Crude rate		-	-		-	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	1	1.4	1.43	-	-	-	1	2.9	2.89
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	2	5.7	4.03	-	-	-	2	10.2	7.21
55-59	3	10.6	6.12	-	-	-	3	19.1	11.01
60-64	1	4.1	4.13	-	-	-	1	7.5	7.52
65-69	3	15.2	8.80	-	-	-	3	26.3	15.19
70-74	3	22.5	12.97	-	-	-	3	37.2	21.51
75-79	4	42.6	21.28	-	-	-	4	65.8	32.89
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	17			-			17		
Connecticut									
. Crude rate		-	-		-	-		3.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		4.2	1.02
. AAMR (1970 Std. mil.)		-	-		-	-		5.3	1.28
. AAMR (2000 Std. mil.)		-	-		-	-		5.9	1.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	2.9	2.85	0	0.0	0.00	1	5.1	5.10
55-59	4	14.1	7.07	2	15.9	11.24	2	12.7	8.99
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	10.2	7.18	1	12.1	12.06	1	8.8	8.77
70-74	4	29.9	14.97	1	18.9	18.86	3	37.2	21.51
75-79	3	31.9	18.43	2	60.3	42.64	1	16.4	16.44
80-84	1	18.9	18.94	0	0.0	0.00	1	28.3	28.26
85+	3	70.1	40.48	0	0.0	0.00	3	94.6	54.60
Total deaths	18			6			12		
Connecticut									
. Crude rate		2.1	-		1.5	-		2.7	-
. AAMR (1940 Std. mil.)		2.3	0.57		-	-		-	-
. AAMR (1970 Std. mil.)		3.3	0.79		-	-		-	-
. AAMR (2000 Std. mil.)		4.5	1.09		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.8	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.2	1.18	0	0.0	0.00	1	2.4	2.39
5-9	4	5.4	2.72	3	7.9	4.58	1	2.8	2.79
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	2.6	1.85	1	2.8	2.77	1	2.5	2.48
35-39	2	3.1	2.22	0	0.0	0.00	2	5.8	4.12
40-44	1	1.8	1.80	0	0.0	0.00	1	3.3	3.31
45-49	1	2.3	2.33	0	0.0	0.00	1	4.2	4.24
50-54	2	5.7	4.03	1	6.5	6.47	1	5.1	5.10
55-59	5	17.7	7.90	3	23.8	13.77	2	12.7	8.99
60-64	4	16.5	8.25	2	18.3	12.94	2	15.0	10.63
65-69	3	15.2	8.80	2	24.1	17.06	1	8.8	8.77
70-74	4	29.9	14.97	3	56.6	32.67	1	12.4	12.42
75-79	1	10.6	10.64	0	0.0	0.00	1	16.4	16.44
80-84	2	37.9	26.78	1	57.4	57.37	1	28.3	28.26
85+	3	70.1	40.48	0	0.0	0.00	3	94.6	54.60
Total deaths	35			16			19		
Connecticut									
. Crude rate		4.1	-		3.9	-		4.3	-
. AAMR (1940 Std. mil.)		4.5	0.78		5.1	1.29		4.0	0.96
. AAMR (1970 Std. mil.)		5.6	0.97		6.2	1.62		4.9	1.15
. AAMR (2000 Std. mil.)		6.6	1.22		6.7	1.86		6.2	1.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.5	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	2.6	1.85	2	5.5	3.92	0	0.0	0.00
35-39	3	4.7	2.72	1	3.4	3.42	2	5.8	4.12
40-44	7	12.6	4.77	5	19.8	8.87	2	6.6	4.67
45-49	7	16.3	6.15	3	15.4	8.92	4	17.0	8.49
50-54	14	39.9	10.67	6	38.8	15.86	8	40.8	14.41
55-59	15	53.0	13.68	6	47.7	19.47	9	57.2	19.08
60-64	16	66.0	16.51	9	82.3	27.44	7	52.6	19.89
65-69	21	106.6	23.27	9	108.6	36.19	12	105.2	30.38
70-74	21	157.2	34.31	9	169.7	56.58	12	149.0	43.01
75-79	17	180.9	43.87	4	120.6	60.30	13	213.8	59.29
80-84	9	170.4	56.81	3	172.1	99.37	6	169.6	69.23
85+	11	257.1	77.51	3	271.0	156.46	8	252.2	89.17
Total deaths	143			60			83		
Connecticut									
. Crude rate		16.8	-		14.7	-		18.6	-
. AAMR (1940 Std. mil.)		19.2	1.64		19.8	2.57		18.7	2.12
. AAMR (1970 Std. mil.)		24.8	2.11		25.1	3.38		24.4	2.70
. AAMR (2000 Std. mil.)		31.0	2.72		31.0	4.53		30.7	3.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.6	-		12.3	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	1.8	1.80	1	4.0	3.97	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	4.1	4.13	0	0.0	0.00	1	7.5	7.52
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	2			1			1		
Connecticut									
. Crude rate		0.2	-		0.2	-		0.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.6	-		0.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	9.5	3.35	3	7.0	4.06	5	12.0	5.35
5-9	2	2.7	1.92	2	5.3	3.74	0	0.0	0.00
10-14	1	1.4	1.43	0	0.0	0.00	1	2.9	2.89
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	6	7.0	2.86	3	7.0	4.02	3	7.1	4.07
25-29	16	18.5	4.62	10	24.2	7.64	6	13.2	5.41
30-34	41	53.6	8.38	29	80.4	14.92	12	29.7	8.59
35-39	53	83.4	11.45	31	106.0	19.03	22	64.1	13.67
40-44	68	122.6	14.87	42	166.7	25.72	26	85.9	16.85
45-49	87	202.3	21.69	59	303.7	39.54	28	118.8	22.45
50-54	107	305.1	29.50	61	394.9	50.56	46	234.4	34.56
55-59	144	508.7	42.39	97	771.0	78.28	47	298.8	43.59
60-64	193	796.4	57.33	112	1024.5	96.81	81	608.9	67.66
65-69	222	1127.4	75.66	130	1568.2	137.54	92	806.9	84.12
70-74	225	1684.6	112.31	108	2037.0	196.01	117	1452.7	134.30
75-79	219	2330.3	157.47	97	2924.3	296.92	122	2006.2	181.64
80-84	176	3332.7	251.21	77	4417.7	503.44	99	2798.2	281.23
85+	278	6496.8	389.65	83	7497.7	822.98	195	6147.5	440.23
Total deaths	1,846			944			902		
Connecticut									
. Crude rate		216.6	-		232.1	-		202.6	-
. AAMR (1940 Std. mil.)		231.8	5.55		305.5	10.04		179.1	6.31
. AAMR (1970 Std. mil.)		318.9	7.56		413.5	14.15		255.1	8.62
. AAMR (2000 Std. mil.)		427.8	10.59		547.1	20.59		351.3	12.04
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		197.2	-		260.2	-		147.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	37	43.8	7.20	19	44.5	10.22	18	43.0	10.14
5-9	8	10.9	3.84	6	15.9	6.48	2	5.6	3.95
10-14	2	2.9	2.03	0	0.0	0.00	2	5.8	4.09
15-19	3	4.1	2.34	2	5.3	3.72	1	2.8	2.79
20-24	14	16.4	4.37	7	16.2	6.14	7	16.5	6.22
25-29	41	47.3	7.39	18	43.5	10.25	23	50.8	10.59
30-34	88	115.1	12.27	55	152.4	20.55	33	81.8	14.24
35-39	109	171.5	16.43	66	225.6	27.77	43	125.3	19.11
40-44	126	227.2	20.24	81	321.5	35.72	45	148.7	22.17
45-49	131	304.7	26.62	87	447.8	48.01	44	186.7	28.14
50-54	168	479.0	36.96	97	628.0	63.76	71	361.8	42.94
55-59	211	745.4	51.31	136	1081.0	92.69	75	476.9	55.07
60-64	284	1171.9	69.54	169	1545.9	118.92	115	864.5	80.62
65-69	306	1553.9	88.83	171	2062.7	157.74	135	1184.0	101.90
70-74	318	2381.0	133.52	162	3055.5	240.06	156	1936.9	155.08
75-79	295	3139.0	182.76	134	4039.8	348.99	161	2647.6	208.66
80-84	235	4449.9	290.28	115	6597.8	615.25	120	3391.7	309.62
85+	365	8530.0	446.48	111	10027.1	951.73	254	8007.6	502.44
Total deaths	2,741			1,436			1,305		
Connecticut									
. Crude rate		321.7	-		353.0	-		293.0	-
. AAMR (1940 Std. mil.)		344.5	6.76		457.9	12.22		263.8	7.69
. AAMR (1970 Std. mil.)		459.7	9.00		607.3	16.99		361.2	10.19
. AAMR (2000 Std. mil.)		608.0	12.44		797.9	24.52		487.6	13.99
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.2	1.17	1	2.3	2.32	0	0.0	0.00
25-29	5	5.8	2.58	3	7.2	4.19	2	4.4	3.12
30-34	8	10.5	3.70	6	16.6	6.79	2	5.0	3.51
35-39	17	26.7	6.49	8	27.3	9.67	9	26.2	8.74
40-44	28	50.5	9.54	18	71.4	16.84	10	33.1	10.45
45-49	37	86.1	14.15	27	139.0	26.75	10	42.4	13.42
50-54	53	151.1	20.76	33	213.6	37.19	20	101.9	22.79
55-59	81	286.1	31.79	57	453.1	60.01	24	152.6	31.15
60-64	112	462.2	43.67	69	631.2	75.98	43	323.3	49.30
65-69	120	609.4	55.63	71	856.5	101.64	49	429.7	61.39
70-74	141	1055.7	88.91	69	1301.4	156.67	72	894.0	105.35
75-79	121	1287.5	117.05	52	1567.7	217.40	69	1134.7	136.60
80-84	75	1420.2	163.99	33	1893.3	329.58	42	1187.1	183.18
85+	144	3365.3	280.44	42	3794.0	585.43	102	3215.6	318.40
Total deaths	943			489			454		
Connecticut									
. Crude rate		110.7	-		120.2	-		101.9	-
. AAMR (1940 Std. mil.)		120.2	4.03		161.7	7.36		90.2	4.48
. AAMR (1970 Std. mil.)		167.1	5.51		219.7	10.32		130.6	6.21
. AAMR (2000 Std. mil.)		221.7	7.62		285.4	14.75		179.7	8.63
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		125.6	-		174.7	-		87.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.2	1.18	0	0.0	0.00	1	2.4	2.39
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	1.8	1.80	0	0.0	0.00	1	3.3	3.31
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	4	14.1	7.07	1	7.9	7.95	3	19.1	11.01
60-64	3	12.4	7.15	2	18.3	12.94	1	7.5	7.52
65-69	5	25.4	11.36	3	36.2	20.89	2	17.5	12.40
70-74	2	15.0	10.59	0	0.0	0.00	2	24.8	17.56
75-79	2	21.3	15.05	2	60.3	42.64	0	0.0	0.00
80-84	8	151.5	53.56	3	172.1	99.37	5	141.3	63.20
85+	11	257.1	77.51	7	632.3	239.00	4	126.1	63.05
Total deaths	37			18			19		
Connecticut									
. Crude rate		4.3	-		4.4	-		4.3	-
. AAMR (1940 Std. mil.)		4.2	0.72		5.5	1.31		3.7	0.90
. AAMR (1970 Std. mil.)		6.7	1.11		10.2	2.45		5.4	1.27
. AAMR (2000 Std. mil.)		10.0	1.73		16.8	4.37		7.5	1.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		6.6	-		5.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	2.6	1.85	2	5.5	3.92	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	7.0	4.03	2	10.3	7.28	1	4.2	4.24
50-54	2	5.7	4.03	1	6.5	6.47	1	5.1	5.10
55-59	1	3.5	3.53	1	7.9	7.95	0	0.0	0.00
60-64	3	12.4	7.15	3	27.4	15.84	0	0.0	0.00
65-69	6	30.5	12.44	4	48.3	24.13	2	17.5	12.40
70-74	6	44.9	18.34	3	56.6	32.67	3	37.2	21.51
75-79	6	63.8	26.06	0	0.0	0.00	6	98.7	40.28
80-84	5	94.7	42.34	1	57.4	57.37	4	113.1	56.53
85+	6	140.2	57.24	3	271.0	156.46	3	94.6	54.60
Total deaths	40			20			20		
Connecticut									
. Crude rate		4.7	-		4.9	-		4.5	-
. AAMR (1940 Std. mil.)		5.0	0.81		6.3	1.44		3.8	0.89
. AAMR (1970 Std. mil.)		7.1	1.15		8.7	2.05		6.0	1.34
. AAMR (2000 Std. mil.)		9.8	1.63		11.7	3.12		8.6	1.94
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.1	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.2	1.18	1	2.3	2.34	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.2	1.17	0	0.0	0.00	1	2.4	2.35
25-29	1	1.2	1.15	0	0.0	0.00	1	2.2	2.21
30-34	8	10.5	3.70	6	16.6	6.79	2	5.0	3.51
35-39	9	14.2	4.72	7	23.9	9.04	2	5.8	4.12
40-44	11	19.8	5.98	7	27.8	10.50	4	13.2	6.61
45-49	20	46.5	10.40	13	66.9	18.56	7	29.7	11.23
50-54	15	42.8	11.04	9	58.3	19.42	6	30.6	12.48
55-59	16	56.5	14.13	13	103.3	28.66	3	19.1	11.01
60-64	18	74.3	17.51	8	73.2	25.87	10	75.2	23.77
65-69	24	121.9	24.88	16	193.0	48.25	8	70.2	24.81
70-74	31	232.1	41.69	13	245.2	68.00	18	223.5	52.68
75-79	30	319.2	58.28	16	482.4	120.59	14	230.2	61.53
80-84	34	643.8	110.41	15	860.6	222.20	19	537.0	123.20
85+	58	1355.5	177.98	13	1174.3	325.70	45	1418.7	211.48
Total deaths	277			137			140		
Connecticut									
. Crude rate		32.5	-		33.7	-		31.4	-
. AAMR (1940 Std. mil.)		33.1	2.06		43.8	3.78		25.3	2.30
. AAMR (1970 Std. mil.)		47.6	2.92		60.1	5.45		38.6	3.31
. AAMR (2000 Std. mil.)		68.1	4.35		82.9	8.18		57.4	4.98
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		28.1	-		31.0	-		26.1	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	5.7	4.03	0	0.0	0.00	2	10.2	7.21
55-59	1	3.5	3.53	0	0.0	0.00	1	6.4	6.36
60-64	3	12.4	7.15	1	9.1	9.15	2	15.0	10.63
65-69	1	5.1	5.08	0	0.0	0.00	1	8.8	8.77
70-74	1	7.5	7.49	0	0.0	0.00	1	12.4	12.42
75-79	4	42.6	21.28	2	60.3	42.64	2	32.9	23.26
80-84	7	132.6	50.10	3	172.1	99.37	4	113.1	56.53
85+	5	116.8	52.26	1	90.3	90.33	4	126.1	63.05
Total deaths	24			7			17		
Connecticut									
. Crude rate		2.8	-		1.7	-		3.8	-
. AAMR (1940 Std. mil.)		2.8	0.59		-	-		3.3	0.85
. AAMR (1970 Std. mil.)		4.5	0.93		-	-		5.0	1.21
. AAMR (2000 Std. mil.)		6.7	1.43		-	-		7.1	1.76
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.0	-		3.4	-		2.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.3	1.31	1	2.8	2.77	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	3.6	2.55	2	7.9	5.61	0	0.0	0.00
45-49	1	2.3	2.33	1	5.1	5.15	0	0.0	0.00
50-54	1	2.9	2.85	0	0.0	0.00	1	5.1	5.10
55-59	3	10.6	6.12	0	0.0	0.00	3	19.1	11.01
60-64	1	4.1	4.13	0	0.0	0.00	1	7.5	7.52
65-69	7	35.5	13.44	4	48.3	24.13	3	26.3	15.19
70-74	1	7.5	7.49	0	0.0	0.00	1	12.4	12.42
75-79	2	21.3	15.05	0	0.0	0.00	2	32.9	23.26
80-84	2	37.9	26.78	2	114.7	81.14	0	0.0	0.00
85+	4	93.5	46.74	2	180.7	127.75	2	63.1	44.58
Total deaths	25			12			13		
Connecticut									
. Crude rate		2.9	-		2.9	-		2.9	-
. AAMR (1940 Std. mil.)		3.2	0.65		-	-		-	-
. AAMR (1970 Std. mil.)		4.2	0.86		-	-		-	-
. AAMR (2000 Std. mil.)		5.6	1.19		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.7	-		5.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	4.7	2.37	1	2.3	2.34	3	7.2	4.14
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	2.7	1.91	1	2.6	2.63	1	2.8	2.79
20-24	2	2.3	1.65	0	0.0	0.00	2	4.7	3.33
25-29	2	2.3	1.63	2	4.8	3.42	0	0.0	0.00
30-34	3	3.9	2.27	3	8.3	4.80	0	0.0	0.00
35-39	7	11.0	4.16	6	20.5	8.37	1	2.9	2.91
40-44	7	12.6	4.77	5	19.8	8.87	2	6.6	4.67
45-49	6	14.0	5.70	6	30.9	12.61	0	0.0	0.00
50-54	4	11.4	5.70	1	6.5	6.47	3	15.3	8.83
55-59	7	24.7	9.35	6	47.7	19.47	1	6.4	6.36
60-64	10	41.3	13.05	4	36.6	18.29	6	45.1	18.41
65-69	13	66.0	18.31	9	108.6	36.19	4	35.1	17.54
70-74	15	112.3	29.00	9	169.7	56.58	6	74.5	30.41
75-79	16	170.2	42.56	8	241.2	85.27	8	131.6	46.51
80-84	15	284.0	73.34	12	688.5	198.74	3	84.8	48.96
85+	23	537.5	112.08	4	361.3	180.67	19	599.0	137.42
Total deaths	136			77			59		
Connecticut									
. Crude rate		16.0	-		18.9	-		13.2	-
. AAMR (1940 Std. mil.)		16.3	1.44		24.2	2.80		10.8	1.51
. AAMR (1970 Std. mil.)		22.7	2.00		32.9	4.02		15.9	2.11
. AAMR (2000 Std. mil.)		31.4	2.90		44.4	5.84		22.7	3.08
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		18.2	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.2	1.15	1	2.4	2.42	0	0.0	0.00
30-34	2	2.6	1.85	1	2.8	2.77	1	2.5	2.48
35-39	1	1.6	1.57	0	0.0	0.00	1	2.9	2.91
40-44	3	5.4	3.12	1	4.0	3.97	2	6.6	4.67
45-49	5	11.6	5.20	0	0.0	0.00	5	21.2	9.49
50-54	3	8.6	4.94	0	0.0	0.00	3	15.3	8.83
55-59	10	35.3	11.17	5	39.7	17.77	5	31.8	14.22
60-64	10	41.3	13.05	5	45.7	20.45	5	37.6	16.81
65-69	14	71.1	19.00	10	120.6	38.15	4	35.1	17.54
70-74	12	89.8	25.94	6	113.2	46.20	6	74.5	30.41
75-79	16	170.2	42.56	12	361.8	104.43	4	65.8	32.89
80-84	11	208.3	62.80	8	459.0	162.27	3	84.8	48.96
85+	12	280.4	80.96	8	722.7	255.50	4	126.1	63.05
Total deaths	100			57			43		
Connecticut									
. Crude rate		11.7	-		14.0	-		9.7	-
. AAMR (1940 Std. mil.)		12.8	1.31		18.6	2.48		9.8	1.55
. AAMR (1970 Std. mil.)		17.8	1.80		29.0	3.96		12.3	1.90
. AAMR (2000 Std. mil.)		23.5	2.48		41.3	6.12		15.3	2.39
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		19.5	-		26.9	-		14.8	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.2	1.15	1	2.4	2.42	0	0.0	0.00
30-34	2	2.6	1.85	1	2.8	2.77	1	2.5	2.48
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	5.4	3.12	1	4.0	3.97	2	6.6	4.67
45-49	1	2.3	2.33	0	0.0	0.00	1	4.2	4.24
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	10.6	6.12	0	0.0	0.00	3	19.1	11.01
60-64	2	8.3	5.84	0	0.0	0.00	2	15.0	10.63
65-69	3	15.2	8.80	1	12.1	12.06	2	17.5	12.40
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	21.3	15.05	2	60.3	42.64	0	0.0	0.00
80-84	1	18.9	18.94	0	0.0	0.00	1	28.3	28.26
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	18			6			12		
Connecticut									
. Crude rate		2.1	-		1.5	-		2.7	-
. AAMR (1940 Std. mil.)		2.4	0.56		-	-		-	-
. AAMR (1970 Std. mil.)		2.7	0.66		-	-		-	-
. AAMR (2000 Std. mil.)		3.1	0.79		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	2.6	1.85	1	2.8	2.77	1	2.5	2.48
35-39	8	12.6	4.45	4	13.7	6.84	4	11.7	5.83
40-44	12	21.6	6.25	6	23.8	9.72	6	19.8	8.10
45-49	8	18.6	6.58	7	36.0	13.62	1	4.2	4.24
50-54	8	22.8	8.07	7	45.3	17.13	1	5.1	5.10
55-59	9	31.8	10.60	6	47.7	19.47	3	19.1	11.01
60-64	7	28.9	10.92	5	45.7	20.45	2	15.0	10.63
65-69	6	30.5	12.44	3	36.2	20.89	3	26.3	15.19
70-74	2	15.0	10.59	2	37.7	26.67	0	0.0	0.00
75-79	3	31.9	18.43	2	60.3	42.64	1	16.4	16.44
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	23.4	23.37	0	0.0	0.00	1	31.5	31.53
Total deaths	66			43			23		
Connecticut									
. Crude rate		7.7	-		10.6	-		5.2	-
. AAMR (1940 Std. mil.)		9.0	1.12		13.8	2.12		5.3	1.13
. AAMR (1970 Std. mil.)		9.5	1.21		14.6	2.32		5.5	1.19
. AAMR (2000 Std. mil.)		11.2	1.42		16.8	2.68		6.7	1.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.2	-		12.8	-		5.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	19	22.5	5.16	13	30.5	8.45	6	14.3	5.86
5-9	6	8.2	3.33	4	10.6	5.29	2	5.6	3.95
10-14	8	11.5	4.06	6	17.1	6.97	2	5.8	4.09
15-19	19	25.7	5.89	17	44.7	10.84	2	5.6	3.94
20-24	21	24.5	5.35	15	34.8	8.99	6	14.1	5.76
25-29	28	32.3	6.11	19	45.9	10.53	9	19.9	6.62
30-34	18	23.6	5.55	14	38.8	10.37	4	9.9	4.96
35-39	20	31.5	7.04	15	51.3	13.24	5	14.6	6.52
40-44	19	34.3	7.86	14	55.6	14.85	5	16.5	7.39
45-49	9	20.9	6.98	9	46.3	15.44	0	0.0	0.00
50-54	7	20.0	7.54	5	32.4	14.48	2	10.2	7.21
55-59	11	38.9	11.72	4	31.8	15.90	7	44.5	16.82
60-64	11	45.4	13.69	9	82.3	27.44	2	15.0	10.63
65-69	9	45.7	15.23	6	72.4	29.55	3	26.3	15.19
70-74	13	97.3	27.00	9	169.7	56.58	4	49.7	24.83
75-79	6	63.8	26.06	2	60.3	42.64	4	65.8	32.89
80-84	3	56.8	32.80	2	114.7	81.14	1	28.3	28.26
85+	9	210.3	70.11	2	180.7	127.75	7	220.7	83.41
Total deaths	236			165			71		
Connecticut									
. Crude rate		27.7	-		40.6	-		15.9	-
. AAMR (1940 Std. mil.)		27.8	1.84		42.7	3.41		14.8	1.81
. AAMR (1970 Std. mil.)		29.2	2.01		44.1	3.76		16.5	2.03
. AAMR (2000 Std. mil.)		32.6	2.40		48.5	4.55		19.2	2.48
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		33.8	-		49.4	-		18.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	7.1	2.90	3	7.0	4.06	3	7.2	4.14
5-9	4	5.4	2.72	2	5.3	3.74	2	5.6	3.95
10-14	4	5.7	2.87	3	8.5	4.93	1	2.9	2.89
15-19	14	18.9	5.06	12	31.5	9.10	2	5.6	3.94
20-24	13	15.2	4.21	10	23.2	7.34	3	7.1	4.07
25-29	17	19.6	4.76	11	26.6	8.01	6	13.2	5.41
30-34	5	6.5	2.93	3	8.3	4.80	2	5.0	3.51
35-39	9	14.2	4.72	6	20.5	8.37	3	8.7	5.05
40-44	6	10.8	4.42	4	15.9	7.94	2	6.6	4.67
45-49	2	4.7	3.29	2	10.3	7.28	0	0.0	0.00
50-54	2	5.7	4.03	2	12.9	9.16	0	0.0	0.00
55-59	5	17.7	7.90	1	7.9	7.95	4	25.4	12.72
60-64	3	12.4	7.15	3	27.4	15.84	0	0.0	0.00
65-69	4	20.3	10.16	2	24.1	17.06	2	17.5	12.40
70-74	3	22.5	12.97	2	37.7	26.67	1	12.4	12.42
75-79	2	21.3	15.05	1	30.1	30.15	1	16.4	16.44
80-84	1	18.9	18.94	1	57.4	57.37	0	0.0	0.00
85+	2	46.7	33.05	1	90.3	90.33	1	31.5	31.53
Total deaths	102			69			33		
Connecticut									
. Crude rate		12.0	-		17.0	-		7.4	-
. AAMR (1940 Std. mil.)		11.9	1.19		17.2	2.12		7.2	1.27
. AAMR (1970 Std. mil.)		12.0	1.26		17.7	2.34		7.3	1.33
. AAMR (2000 Std. mil.)		12.5	1.39		18.8	2.84		7.6	1.42
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.8	-		26.7	-		11.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.2	1.18	1	2.3	2.34	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	2.3	1.63	2	4.8	3.42	0	0.0	0.00
30-34	1	1.3	1.31	1	2.8	2.77	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	4	9.3	4.65	4	20.6	10.29	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	7.1	5.00	1	7.9	7.95	1	6.4	6.36
60-64	2	8.3	5.84	2	18.3	12.94	0	0.0	0.00
65-69	1	5.1	5.08	1	12.1	12.06	0	0.0	0.00
70-74	1	7.5	7.49	1	18.9	18.86	0	0.0	0.00
75-79	1	10.6	10.64	0	0.0	0.00	1	16.4	16.44
80-84	1	18.9	18.94	1	57.4	57.37	0	0.0	0.00
85+	4	93.5	46.74	1	90.3	90.33	3	94.6	54.60
Total deaths	20			15			5		
Connecticut									
. Crude rate		2.3	-		3.7	-		1.1	-
. AAMR (1940 Std. mil.)		2.4	0.55		-	-		-	-
. AAMR (1970 Std. mil.)		3.1	0.71		-	-		-	-
. AAMR (2000 Std. mil.)		4.1	1.03		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		3.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.4	1.67	2	4.7	3.31	0	0.0	0.00
5-9	2	2.7	1.92	2	5.3	3.74	0	0.0	0.00
10-14	1	1.4	1.43	1	2.8	2.85	0	0.0	0.00
15-19	1	1.4	1.35	1	2.6	2.63	0	0.0	0.00
20-24	4	4.7	2.34	4	9.3	4.64	0	0.0	0.00
25-29	2	2.3	1.63	2	4.8	3.42	0	0.0	0.00
30-34	3	3.9	2.27	3	8.3	4.80	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	1.8	1.80	1	4.0	3.97	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	3.5	3.53	1	7.9	7.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	15.0	10.59	1	18.9	18.86	1	12.4	12.42
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	19			18			1		
Connecticut									
. Crude rate		2.2	-		4.4	-		0.2	-
. AAMR (1940 Std. mil.)		2.1	0.50		4.2	1.00		-	-
. AAMR (1970 Std. mil.)		2.2	0.53		4.1	1.04		-	-
. AAMR (2000 Std. mil.)		2.1	0.53		3.9	1.04		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		3.2	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	5.9	2.65	3	7.0	4.06	2	4.8	3.38
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	2.9	2.03	1	2.8	2.85	1	2.9	2.89
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.2	1.17	0	0.0	0.00	1	2.4	2.35
25-29	2	2.3	1.63	2	4.8	3.42	0	0.0	0.00
30-34	2	2.6	1.85	1	2.8	2.77	1	2.5	2.48
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	1.8	1.80	0	0.0	0.00	1	3.3	3.31
45-49	2	4.7	3.29	2	10.3	7.28	0	0.0	0.00
50-54	1	2.9	2.85	0	0.0	0.00	1	5.1	5.10
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	4.1	4.13	1	9.1	9.15	0	0.0	0.00
65-69	2	10.2	7.18	2	24.1	17.06	0	0.0	0.00
70-74	2	15.0	10.59	2	37.7	26.67	0	0.0	0.00
75-79	1	10.6	10.64	0	0.0	0.00	1	16.4	16.44
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	23.4	23.37	0	0.0	0.00	1	31.5	31.53
Total deaths	23			14			9		
Connecticut									
. Crude rate		2.7	-		3.4	-		2.0	-
. AAMR (1940 Std. mil.)		2.7	0.58		-	-		-	-
. AAMR (1970 Std. mil.)		3.0	0.66		-	-		-	-
. AAMR (2000 Std. mil.)		3.3	0.78		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.0	-		1.1	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	1	2.8	2.85	0	0.0	0.00
15-19	2	2.7	1.91	0	0.0	0.00	2	5.6	3.94
20-24	12	14.0	4.05	11	25.5	7.70	1	2.4	2.35
25-29	6	6.9	2.83	4	9.7	4.83	2	4.4	3.12
30-34	10	13.1	4.14	8	22.2	7.84	2	5.0	3.51
35-39	9	14.2	4.72	8	27.3	9.67	1	2.9	2.91
40-44	1	1.8	1.80	1	4.0	3.97	0	0.0	0.00
45-49	2	4.7	3.29	1	5.1	5.15	1	4.2	4.24
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	7.1	5.00	1	7.9	7.95	1	6.4	6.36
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	7.5	7.49	1	18.9	18.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	46			36			10		
Connecticut									
. Crude rate		5.4	-		8.8	-		2.2	-
. AAMR (1940 Std. mil.)		5.1	0.76		8.3	1.41		-	-
. AAMR (1970 Std. mil.)		4.4	0.68		7.2	1.27		-	-
. AAMR (2000 Std. mil.)		4.8	0.75		8.0	1.44		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.8	-		4.6	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	5.9	2.65	2	4.7	3.31	3	7.2	4.14
5-9	1	1.4	1.36	1	2.6	2.65	0	0.0	0.00
10-14	5	7.2	3.21	4	11.4	5.69	1	2.9	2.89
15-19	44	59.5	8.97	41	107.8	16.83	3	8.4	4.82
20-24	59	68.9	8.97	50	116.1	16.41	9	21.2	7.06
25-29	49	56.5	8.08	39	94.2	15.09	10	22.1	6.98
30-34	27	35.3	6.80	26	72.0	14.13	1	2.5	2.48
35-39	9	14.2	4.72	5	17.1	7.64	4	11.7	5.83
40-44	7	12.6	4.77	7	27.8	10.50	0	0.0	0.00
45-49	8	18.6	6.58	7	36.0	13.62	1	4.2	4.24
50-54	6	17.1	6.98	5	32.4	14.48	1	5.1	5.10
55-59	1	3.5	3.53	1	7.9	7.95	0	0.0	0.00
60-64	1	4.1	4.13	1	9.1	9.15	0	0.0	0.00
65-69	4	20.3	10.16	4	48.3	24.13	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	10.6	10.64	1	30.1	30.15	0	0.0	0.00
80-84	2	37.9	26.78	0	0.0	0.00	2	56.5	39.97
85+	1	23.4	23.37	1	90.3	90.33	0	0.0	0.00
Total deaths	230			195			35		
Connecticut									
. Crude rate		27.0	-		47.9	-		7.9	-
. AAMR (1940 Std. mil.)		25.6	1.71		45.2	3.29		7.3	1.24
. AAMR (1970 Std. mil.)		23.6	1.62		41.8	3.16		6.8	1.19
. AAMR (2000 Std. mil.)		23.0	1.65		40.9	3.37		6.9	1.28
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.3	-		14.3	-		4.2	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	7.1	2.90	3	7.0	4.06	3	7.2	4.14
5-9	4	5.4	2.72	2	5.3	3.74	2	5.6	3.95
10-14	4	5.7	2.87	3	8.5	4.93	1	2.9	2.89
15-19	13	17.6	4.88	11	28.9	8.72	2	5.6	3.94
20-24	13	15.2	4.21	10	23.2	7.34	3	7.1	4.07
25-29	17	19.6	4.76	11	26.6	8.01	6	13.2	5.41
30-34	5	6.5	2.93	3	8.3	4.80	2	5.0	3.51
35-39	9	14.2	4.72	6	20.5	8.37	3	8.7	5.05
40-44	6	10.8	4.42	4	15.9	7.94	2	6.6	4.67
45-49	2	4.7	3.29	2	10.3	7.28	0	0.0	0.00
50-54	2	5.7	4.03	2	12.9	9.16	0	0.0	0.00
55-59	5	17.7	7.90	1	7.9	7.95	4	25.4	12.72
60-64	3	12.4	7.15	3	27.4	15.84	0	0.0	0.00
65-69	3	15.2	8.80	1	12.1	12.06	2	17.5	12.40
70-74	2	15.0	10.59	2	37.7	26.67	0	0.0	0.00
75-79	2	21.3	15.05	1	30.1	30.15	1	16.4	16.44
80-84	1	18.9	18.94	1	57.4	57.37	0	0.0	0.00
85+	2	46.7	33.05	1	90.3	90.33	1	31.5	31.53
Total deaths	99			67			32		
Connecticut									
. Crude rate		11.6	-		16.5	-		7.2	-
. AAMR (1940 Std. mil.)		11.5	1.17		16.7	2.08		6.9	1.24
. AAMR (1970 Std. mil.)		11.5	1.22		17.0	2.29		7.0	1.28
. AAMR (2000 Std. mil.)		12.0	1.35		18.2	2.81		7.2	1.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.6	-		26.1	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.2	1.18	1	2.3	2.34	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	3.5	2.00	2	4.8	3.42	1	2.2	2.21
30-34	1	1.3	1.31	1	2.8	2.77	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	4	9.3	4.65	4	20.6	10.29	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	7.1	5.00	1	7.9	7.95	1	6.4	6.36
60-64	2	8.3	5.84	2	18.3	12.94	0	0.0	0.00
65-69	1	5.1	5.08	1	12.1	12.06	0	0.0	0.00
70-74	1	7.5	7.49	1	18.9	18.86	0	0.0	0.00
75-79	1	10.6	10.64	0	0.0	0.00	1	16.4	16.44
80-84	1	18.9	18.94	1	57.4	57.37	0	0.0	0.00
85+	3	70.1	40.48	1	90.3	90.33	2	63.1	44.58
Total deaths	20			15			5		
Connecticut									
. Crude rate		2.3	-		3.7	-		1.1	-
. AAMR (1940 Std. mil.)		2.4	0.56		-	-		-	-
. AAMR (1970 Std. mil.)		3.0	0.69		-	-		-	-
. AAMR (2000 Std. mil.)		3.9	0.97		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.4	1.67	2	4.7	3.31	0	0.0	0.00
5-9	1	1.4	1.36	1	2.6	2.65	0	0.0	0.00
10-14	7	10.0	3.79	6	17.1	6.97	1	2.9	2.89
15-19	44	59.5	8.97	42	110.4	17.03	2	5.6	3.94
20-24	57	66.6	8.82	53	123.0	16.90	4	9.4	4.70
25-29	39	45.0	7.21	34	82.2	14.09	5	11.0	4.94
30-34	24	31.4	6.41	24	66.5	13.58	0	0.0	0.00
35-39	10	15.7	4.98	8	27.3	9.67	2	5.8	4.12
40-44	7	12.6	4.77	7	27.8	10.50	0	0.0	0.00
45-49	5	11.6	5.20	4	20.6	10.29	1	4.2	4.24
50-54	2	5.7	4.03	2	12.9	9.16	0	0.0	0.00
55-59	1	3.5	3.53	1	7.9	7.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	5.1	5.08	1	12.1	12.06	0	0.0	0.00
70-74	2	15.0	10.59	2	37.7	26.67	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	23.4	23.37	1	90.3	90.33	0	0.0	0.00
Total deaths	203			188			15		
Connecticut									
. Crude rate		23.8	-		46.2	-		3.4	-
. AAMR (1940 Std. mil.)		22.5	1.60		42.9	3.16		-	-
. AAMR (1970 Std. mil.)		20.6	1.49		39.4	3.02		-	-
. AAMR (2000 Std. mil.)		19.5	1.45		38.1	3.18		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		23.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.4	1.43	1	2.8	2.85	0	0.0	0.00
15-19	1	1.4	1.35	0	0.0	0.00	1	2.8	2.79
20-24	8	9.3	3.30	8	18.6	6.57	0	0.0	0.00
25-29	2	2.3	1.63	2	4.8	3.42	0	0.0	0.00
30-34	4	5.2	2.62	4	11.1	5.54	0	0.0	0.00
35-39	4	6.3	3.15	4	13.7	6.84	0	0.0	0.00
40-44	1	1.8	1.80	1	4.0	3.97	0	0.0	0.00
45-49	1	2.3	2.33	1	5.1	5.15	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	3.5	3.53	1	7.9	7.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	7.5	7.49	1	18.9	18.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	24			23			1		
Connecticut									
. Crude rate		2.8	-		5.7	-		0.2	-
. AAMR (1940 Std. mil.)		2.7	0.56		5.5	1.16		-	-
. AAMR (1970 Std. mil.)		2.4	0.52		4.9	1.10		-	-
. AAMR (2000 Std. mil.)		2.6	0.56		5.3	1.22		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.0	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.2	1.18	1	2.3	2.34	0	0.0	0.00
5-9	1	1.4	1.36	1	2.6	2.65	0	0.0	0.00
10-14	5	7.2	3.21	4	11.4	5.69	1	2.9	2.89
15-19	41	55.4	8.66	40	105.1	16.62	1	2.8	2.79
20-24	49	57.2	8.18	45	104.4	15.57	4	9.4	4.70
25-29	37	42.7	7.02	32	77.3	13.67	5	11.0	4.94
30-34	19	24.9	5.70	19	52.6	12.08	0	0.0	0.00
35-39	6	9.4	3.85	4	13.7	6.84	2	5.8	4.12
40-44	6	10.8	4.42	6	23.8	9.72	0	0.0	0.00
45-49	4	9.3	4.65	3	15.4	8.92	1	4.2	4.24
50-54	2	5.7	4.03	2	12.9	9.16	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	5.1	5.08	1	12.1	12.06	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	23.4	23.37	1	90.3	90.33	0	0.0	0.00
Total deaths	173			159			14		
Connecticut									
. Crude rate		20.3	-		39.1	-		3.1	-
. AAMR (1940 Std. mil.)		19.1	1.47		35.9	2.87		-	-
. AAMR (1970 Std. mil.)		17.4	1.36		32.9	2.71		-	-
. AAMR (2000 Std. mil.)		16.2	1.30		31.2	2.84		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		9.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.2	1.18	1	2.3	2.34	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	2.7	1.91	2	5.3	3.72	0	0.0	0.00
20-24	4	4.7	2.34	2	4.6	3.28	2	4.7	3.33
25-29	4	4.6	2.31	2	4.8	3.42	2	4.4	3.12
30-34	11	14.4	4.34	9	24.9	8.31	2	5.0	3.51
35-39	14	22.0	5.89	12	41.0	11.84	2	5.8	4.12
40-44	7	12.6	4.77	6	23.8	9.72	1	3.3	3.31
45-49	2	4.7	3.29	2	10.3	7.28	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	7.1	5.00	1	7.9	7.95	1	6.4	6.36
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	7.5	7.49	1	18.9	18.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	48			38			10		
Connecticut									
. Crude rate		5.6	-		9.3	-		2.2	-
. AAMR (1940 Std. mil.)		5.5	0.80		9.4	1.54		-	-
. AAMR (1970 Std. mil.)		4.6	0.69		7.9	1.36		-	-
. AAMR (2000 Std. mil.)		5.6	0.85		9.9	1.70		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		6.9	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.2	1.17	0	0.0	0.00	1	2.4	2.35
25-29	2	2.3	1.63	0	0.0	0.00	2	4.4	3.12
30-34	5	6.5	2.93	3	8.3	4.80	2	5.0	3.51
35-39	5	7.9	3.52	3	10.3	5.92	2	5.8	4.12
40-44	17	30.7	7.44	9	35.7	11.91	8	26.4	9.35
45-49	8	18.6	6.58	8	41.2	14.56	0	0.0	0.00
50-54	11	31.4	9.46	7	45.3	17.13	4	20.4	10.19
55-59	12	42.4	12.24	6	47.7	19.47	6	38.2	15.58
60-64	4	16.5	8.25	4	36.6	18.29	0	0.0	0.00
65-69	7	35.5	13.44	5	60.3	26.97	2	17.5	12.40
70-74	3	22.5	12.97	2	37.7	26.67	1	12.4	12.42
75-79	3	31.9	18.43	3	90.4	52.22	0	0.0	0.00
80-84	1	18.9	18.94	1	57.4	57.37	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	79			51			28		
Connecticut									
. Crude rate		9.3	-		12.5	-		6.3	-
. AAMR (1940 Std. mil.)		10.7	1.22		16.1	2.28		6.7	1.28
. AAMR (1970 Std. mil.)		11.1	1.30		17.4	2.56		6.6	1.29
. AAMR (2000 Std. mil.)		13.0	1.51		20.6	3.09		7.6	1.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.4	-		11.6	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.2	1.18	1	2.3	2.34	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	2.7	1.91	2	5.3	3.72	0	0.0	0.00
20-24	3	3.5	2.02	2	4.6	3.28	1	2.4	2.35
25-29	6	6.9	2.83	2	4.8	3.42	4	8.8	4.42
30-34	11	14.4	4.34	8	22.2	7.84	3	7.4	4.29
35-39	18	28.3	6.67	14	47.9	12.79	4	11.7	5.83
40-44	6	10.8	4.42	5	19.8	8.87	1	3.3	3.31
45-49	2	4.7	3.29	2	10.3	7.28	0	0.0	0.00
50-54	1	2.9	2.85	1	6.5	6.47	0	0.0	0.00
55-59	1	3.5	3.53	0	0.0	0.00	1	6.4	6.36
60-64	1	4.1	4.13	1	9.1	9.15	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	52			38			14		
Connecticut									
. Crude rate		6.1	-		9.3	-		3.1	-
. AAMR (1940 Std. mil.)		5.9	0.82		9.3	1.53		-	-
. AAMR (1970 Std. mil.)		4.9	0.70		7.8	1.30		-	-
. AAMR (2000 Std. mil.)		6.0	0.86		9.7	1.63		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		5.5	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher