

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	121	429.6	39.05	59	415.4	54.08	62	444.0	56.38
5-9	5	20.6	9.20	3	24.0	13.86	2	16.9	11.98
10-14	4	17.3	8.65	2	17.2	12.19	2	17.4	12.27
15-19	31	120.9	21.72	24	181.0	36.94	7	56.6	21.38
20-24	37	121.3	19.94	24	149.8	30.58	13	89.7	24.89
25-29	61	207.6	26.58	34	237.9	40.80	27	178.9	34.43
30-34	86	343.1	37.00	54	459.7	62.55	32	240.3	42.48
35-39	86	409.8	44.19	56	586.5	78.38	30	262.2	47.88
40-44	97	525.6	53.37	63	756.3	95.29	34	335.8	57.60
45-49	90	623.1	65.68	57	870.9	115.35	33	417.8	72.73
50-54	102	875.3	86.67	60	1177.2	151.97	42	640.6	98.85
55-59	135	1431.4	123.20	84	2006.7	218.95	51	972.4	136.16
60-64	166	2044.8	158.71	106	2887.5	280.46	60	1349.2	174.18
65-69	187	2827.3	206.76	112	4020.1	379.86	75	1959.2	226.23
70-74	161	3553.3	280.04	83	4606.0	505.57	78	2858.2	323.63
75-79	161	4929.6	388.51	74	6357.4	739.03	87	4138.9	443.74
80-84	111	5848.3	555.09	61	9807.1	1255.67	50	3918.5	554.16
85+	185	10979.2	807.21	49	11722.5	1674.64	136	10734.0	920.43
Total deaths	1,826			1,005			821		
Connecticut									
. Crude rate		635.7	-		729.4	-		549.3	-
. AAMR (1940 Std. mil.)		664.6	16.04		896.1	28.83		492.1	18.13
. AAMR (1970 Std. mil.)		822.4	19.94		1102.8	37.26		623.8	22.40
. AAMR (2000 Std. mil.)		1029.1	25.96		1370.4	50.47		796.4	28.97
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		519.6	-		679.3	-		390.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	10.7	6.15	1	7.0	7.04	2	14.3	10.13
5-9	1	4.1	4.12	0	0.0	0.00	1	8.5	8.47
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	3.3	3.28	1	6.2	6.24	0	0.0	0.00
25-29	14	47.6	12.73	6	42.0	17.14	8	53.0	18.74
30-34	39	155.6	24.92	27	229.8	44.23	12	90.1	26.02
35-39	33	157.2	27.37	25	261.8	52.37	8	69.9	24.72
40-44	20	108.4	24.23	15	180.1	46.49	5	49.4	22.09
45-49	10	69.2	21.89	7	107.0	40.42	3	38.0	21.93
50-54	7	60.1	22.70	3	58.9	33.98	4	61.0	30.51
55-59	3	31.8	18.37	2	47.8	33.78	1	19.1	19.07
60-64	6	73.9	30.17	3	81.7	47.18	3	67.5	38.95
65-69	7	105.8	40.00	6	215.4	87.92	1	26.1	26.12
70-74	5	110.4	49.35	3	166.5	96.12	2	73.3	51.82
75-79	5	153.1	68.47	1	85.9	85.91	4	190.3	95.15
80-84	2	105.4	74.51	2	321.5	227.37	0	0.0	0.00
85+	5	296.7	132.70	2	478.5	338.33	3	236.8	136.70
Total deaths	161			104			57		
Connecticut									
. Crude rate		56.0	-		75.5	-		38.1	-
. AAMR (1940 Std. mil.)		56.3	4.51		82.1	8.19		35.7	4.84
. AAMR (1970 Std. mil.)		53.4	4.49		77.8	8.43		35.0	4.87
. AAMR (2000 Std. mil.)		67.9	5.78		100.9	11.43		43.3	6.08
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		17.3	-		26.9	-		8.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.4	3.40	1	7.0	7.00	0	0.0	0.00
30-34	4	16.0	7.98	1	8.5	8.51	3	22.5	13.01
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	10.8	7.66	2	24.0	16.98	0	0.0	0.00
45-49	4	27.7	13.85	3	45.8	26.46	1	12.7	12.66
50-54	1	8.6	8.58	0	0.0	0.00	1	15.3	15.25
55-59	1	10.6	10.60	0	0.0	0.00	1	19.1	19.07
60-64	2	24.6	17.42	1	27.2	27.24	1	22.5	22.49
65-69	6	90.7	37.03	5	179.5	80.26	1	26.1	26.12
70-74	4	88.3	44.14	3	166.5	96.12	1	36.6	36.64
75-79	2	61.2	43.30	0	0.0	0.00	2	95.1	67.28
80-84	2	105.4	74.51	2	321.5	227.37	0	0.0	0.00
85+	4	237.4	118.69	2	478.5	338.33	2	157.9	111.62
Total deaths	33			20			13		
Connecticut									
. Crude rate		11.5	-		14.5	-		8.7	-
. AAMR (1940 Std. mil.)		12.1	2.17		18.3	4.15		-	-
. AAMR (1970 Std. mil.)		15.0	2.71		24.1	5.69		-	-
. AAMR (2000 Std. mil.)		19.4	3.59		32.0	8.25		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.9	-		4.6	-		3.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	1	7.0	7.04	0	0.0	0.00
5-9	1	4.1	4.12	0	0.0	0.00	1	8.5	8.47
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	3.3	3.28	1	6.2	6.24	0	0.0	0.00
25-29	11	37.4	11.29	4	28.0	13.99	7	46.4	17.53
30-34	31	123.7	22.22	24	204.3	41.70	7	52.6	19.87
35-39	31	147.7	26.53	23	240.9	50.23	8	69.9	24.72
40-44	17	92.1	22.34	13	156.1	43.28	4	39.5	19.76
45-49	5	34.6	15.48	3	45.8	26.46	2	25.3	17.91
50-54	4	34.3	17.16	3	58.9	33.98	1	15.3	15.25
55-59	2	21.2	15.00	2	47.8	33.78	0	0.0	0.00
60-64	3	37.0	21.34	2	54.5	38.52	1	22.5	22.49
65-69	1	15.1	15.12	1	35.9	35.89	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	108			77			31		
Connecticut									
. Crude rate		37.6	-		55.9	-		20.7	-
. AAMR (1940 Std. mil.)		37.3	3.63		58.5	6.76		19.6	3.55
. AAMR (1970 Std. mil.)		31.0	3.11		48.7	5.82		16.3	3.04
. AAMR (2000 Std. mil.)		39.1	3.88		62.1	7.32		19.9	3.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.8	-		17.8	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	0	0.0	0.00	1	7.2	7.16
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	3.3	3.28	0	0.0	0.00	1	6.9	6.90
25-29	3	10.2	5.89	1	7.0	7.00	2	13.3	9.37
30-34	4	16.0	7.98	1	8.5	8.51	3	22.5	13.01
35-39	6	28.6	11.67	2	20.9	14.81	4	35.0	17.48
40-44	11	59.6	17.97	6	72.0	29.41	5	49.4	22.09
45-49	22	152.3	32.48	12	183.3	52.93	10	126.6	40.04
50-54	31	266.0	47.78	20	392.4	87.74	11	167.8	50.59
55-59	43	455.9	69.53	26	621.1	121.81	17	324.1	78.61
60-64	55	677.5	91.35	37	1007.9	165.70	18	404.8	95.40
65-69	61	922.3	118.09	37	1328.1	218.33	24	627.0	127.98
70-74	59	1302.1	169.52	35	1942.3	328.31	24	879.4	179.52
75-79	32	979.8	173.20	20	1718.2	384.20	12	570.9	164.80
80-84	20	1053.7	235.62	16	2572.3	643.09	4	313.5	156.74
85+	27	1602.4	308.38	8	1913.9	676.66	19	1499.6	344.03
Total deaths	376			221			155		
Connecticut									
. Crude rate		130.9	-		160.4	-		103.7	-
. AAMR (1940 Std. mil.)		151.3	7.96		220.6	14.91		103.7	8.67
. AAMR (1970 Std. mil.)		190.8	9.97		285.2	19.65		128.5	10.52
. AAMR (2000 Std. mil.)		228.6	12.24		344.9	25.36		155.0	12.70
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		134.8	-		166.1	-		112.6	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.4	5.42	1	12.0	12.00	0	0.0	0.00
45-49	2	13.8	9.79	1	15.3	15.28	1	12.7	12.66
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	31.8	18.37	3	71.7	41.38	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	15.1	15.12	1	35.9	35.89	0	0.0	0.00
70-74	2	44.1	31.21	2	111.0	78.48	0	0.0	0.00
75-79	1	30.6	30.62	0	0.0	0.00	1	47.6	47.57
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	59.3	59.35	0	0.0	0.00	1	78.9	78.93
Total deaths	11			8			3		
Connecticut									
. Crude rate		3.8	-		5.8	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		3.8	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	21.7	10.84	2	24.0	16.98	2	19.8	13.97
45-49	4	27.7	13.85	3	45.8	26.46	1	12.7	12.66
50-54	6	51.5	21.02	4	78.5	39.24	2	30.5	21.57
55-59	4	42.4	21.21	1	23.9	23.89	3	57.2	33.02
60-64	4	49.3	24.64	2	54.5	38.52	2	45.0	31.80
65-69	6	90.7	37.03	6	215.4	87.92	0	0.0	0.00
70-74	6	132.4	54.06	5	277.5	124.09	1	36.6	36.64
75-79	4	122.5	61.24	3	257.7	148.80	1	47.6	47.57
80-84	3	158.1	91.26	2	321.5	227.37	1	78.4	78.37
85+	7	415.4	157.02	2	478.5	338.33	5	394.6	176.49
Total deaths	48			30			18		
Connecticut									
. Crude rate		16.7	-		21.8	-		12.0	-
. AAMR (1940 Std. mil.)		18.3	2.74		29.5	5.43		10.8	2.77
. AAMR (1970 Std. mil.)		23.8	3.47		38.8	7.29		14.0	3.37
. AAMR (2000 Std. mil.)		30.9	4.62		49.8	10.00		18.9	4.53
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.8	-		17.1	-		11.4	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	21.7	10.84	2	24.0	16.98	2	19.8	13.97
45-49	4	27.7	13.85	3	45.8	26.46	1	12.7	12.66
50-54	4	34.3	17.16	2	39.2	27.75	2	30.5	21.57
55-59	3	31.8	18.37	1	23.9	23.89	2	38.1	26.96
60-64	4	49.3	24.64	2	54.5	38.52	2	45.0	31.80
65-69	5	75.6	33.81	5	179.5	80.26	0	0.0	0.00
70-74	5	110.4	49.35	4	222.0	110.99	1	36.6	36.64
75-79	4	122.5	61.24	3	257.7	148.80	1	47.6	47.57
80-84	3	158.1	91.26	2	321.5	227.37	1	78.4	78.37
85+	7	415.4	157.02	2	478.5	338.33	5	394.6	176.49
Total deaths	43			26			17		
Connecticut									
. Crude rate		15.0	-		18.9	-		11.4	-
. AAMR (1940 Std. mil.)		16.1	2.54		25.3	4.99		9.9	2.63
. AAMR (1970 Std. mil.)		21.2	3.27		33.9	6.86		13.1	3.24
. AAMR (2000 Std. mil.)		28.0	4.45		44.3	9.61		18.0	4.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.6	-		14.2	-		10.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	17.2	12.14	2	39.2	27.75	0	0.0	0.00
55-59	1	10.6	10.60	0	0.0	0.00	1	19.1	19.07
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	15.1	15.12	1	35.9	35.89	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00

Total deaths 4 3 1

Connecticut

. Crude rate	1.4	-	2.2	-	0.7	-
. AAMR (1940 Std. mil.)	-	-	-	-	-	-
. AAMR (1970 Std. mil.)	-	-	-	-	-	-
. AAMR (2000 Std. mil.)	-	-	-	-	-	-
. HP 2000 (1940 Std. mil.)	-	-	-	-	-	-

United States

. AAMR (1940 Std. mil.)	2.0	-	2.5	-	1.5	-
. HP 2000 (1940 Std. mil.)	-	-	-	-	-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	10.8	7.66	2	24.0	16.98	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	31.8	18.37	1	23.9	23.89	2	38.1	26.96
60-64	3	37.0	21.34	1	27.2	27.24	2	45.0	31.80
65-69	4	60.5	30.24	3	107.7	62.17	1	26.1	26.12
70-74	3	66.2	38.23	1	55.5	55.49	2	73.3	51.82
75-79	2	61.2	43.30	1	85.9	85.91	1	47.6	47.57
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	17			9			8		
Connecticut									
. Crude rate		5.9	-		6.5	-		5.4	-
. AAMR (1940 Std. mil.)		7.2	1.75		-	-		-	-
. AAMR (1970 Std. mil.)		8.8	2.15		-	-		-	-
. AAMR (2000 Std. mil.)		9.7	2.41		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.5	-		7.5	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.4	5.42	1	12.0	12.00	0	0.0	0.00
45-49	7	48.5	18.32	5	76.4	34.16	2	25.3	17.91
50-54	10	85.8	27.14	7	137.3	51.91	3	45.8	26.42
55-59	13	137.8	38.23	10	238.9	75.54	3	57.2	33.02
60-64	21	258.7	56.45	18	490.3	115.57	3	67.5	38.95
65-69	20	302.4	67.62	12	430.7	124.34	8	209.0	73.89
70-74	18	397.3	93.64	9	499.4	166.48	9	329.8	109.93
75-79	4	122.5	61.24	4	343.6	171.82	0	0.0	0.00
80-84	5	263.4	117.81	5	803.9	359.50	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	99			71			28		
Connecticut									
. Crude rate		34.5	-		51.5	-		18.7	-
. AAMR (1940 Std. mil.)		42.9	4.33		72.2	8.58		21.5	4.07
. AAMR (1970 Std. mil.)		52.0	5.25		89.0	10.75		25.7	4.87
. AAMR (2000 Std. mil.)		57.0	5.87		99.9	12.65		27.7	5.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		41.3	-		61.1	-		26.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	5	34.6	15.48	5	76.4	34.16	0	0.0	0.00
50-54	10	85.8	27.14	7	137.3	51.91	3	45.8	26.42
55-59	12	127.2	36.73	9	215.0	71.67	3	57.2	33.02
60-64	21	258.7	56.45	18	490.3	115.57	3	67.5	38.95
65-69	18	272.1	64.15	10	358.9	113.51	8	209.0	73.89
70-74	17	375.2	91.00	9	499.4	166.48	8	293.1	103.64
75-79	2	61.2	43.30	2	171.8	121.50	0	0.0	0.00
80-84	5	263.4	117.81	5	803.9	359.50	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	90			65			25		
Connecticut									
. Crude rate		31.3	-		47.2	-		16.7	-
. AAMR (1940 Std. mil.)		39.2	4.15		66.3	8.24		19.2	3.85
. AAMR (1970 Std. mil.)		47.5	5.03		81.4	10.26		23.2	4.65
. AAMR (2000 Std. mil.)		51.7	5.58		90.7	11.99		24.7	4.98
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.9	-		58.3	-		25.6	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	3.4	3.40	-	-	-	1	6.6	6.63
30-34	1	4.0	3.99	-	-	-	1	7.5	7.51
35-39	2	9.5	6.74	-	-	-	2	17.5	12.36
40-44	2	10.8	7.66	-	-	-	2	19.8	13.97
45-49	3	20.8	11.99	-	-	-	3	38.0	21.93
50-54	4	34.3	17.16	-	-	-	4	61.0	30.51
55-59	3	31.8	18.37	-	-	-	3	57.2	33.02
60-64	6	73.9	30.17	-	-	-	6	134.9	55.08
65-69	4	60.5	30.24	-	-	-	4	104.5	52.25
70-74	3	66.2	38.23	-	-	-	3	109.9	63.47
75-79	1	30.6	30.62	-	-	-	1	47.6	47.57
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	3	178.0	102.79	-	-	-	3	236.8	136.70
Total deaths	33			-			33		
Connecticut									
. Crude rate		-	-		-	-		22.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		23.2	4.17
. AAMR (1970 Std. mil.)		-	-		-	-		26.3	4.69
. AAMR (2000 Std. mil.)		-	-		-	-		30.6	5.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		23.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	3.4	3.40	-	-	-	1	6.6	6.63
30-34	1	4.0	3.99	-	-	-	1	7.5	7.51
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	5.4	5.42	-	-	-	1	9.9	9.88
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	8.6	8.58	-	-	-	1	15.3	15.25
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	12.3	12.32	-	-	-	1	22.5	22.49
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	22.1	22.07	-	-	-	1	36.6	36.64
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	6			-			6		
Connecticut									
. Crude rate		-	-		-	-		4.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	2	61.2	43.30	-	-	-	2	95.1	67.28
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	2			-			2		
Connecticut									
. Crude rate		-	-		-	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	8.6	8.58	-	-	-	1	15.3	15.25
55-59	1	10.6	10.60	-	-	-	1	19.1	19.07
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	2	30.2	21.38	-	-	-	2	52.2	36.94
70-74	2	44.1	31.21	-	-	-	2	73.3	51.82
75-79	1	30.6	30.62	-	-	-	1	47.6	47.57
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	7			-			7		
Connecticut									
. Crude rate		-	-		-	-		4.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	0	0.0	0.00	0	0.0	0.00	-	-	-
60-64	4	49.3	24.64	4	109.0	54.48	-	-	-
65-69	3	45.4	26.19	3	107.7	62.17	-	-	-
70-74	8	176.6	62.42	8	444.0	156.96	-	-	-
75-79	11	336.8	101.55	11	945.0	284.93	-	-	-
80-84	4	210.7	105.37	4	643.1	321.54	-	-	-
85+	5	296.7	132.70	5	1196.2	534.94	-	-	-
Total deaths	35			35			-		
Connecticut									
. Crude rate		-	-		25.4	-		-	-
. AAMR (1940 Std. mil.)		-	-		33.6	5.72		-	-
. AAMR (1970 Std. mil.)		-	-		54.2	9.24		-	-
. AAMR (2000 Std. mil.)		-	-		77.6	13.96		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.7	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	0	0.0	0.00	1	7.2	7.16
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	4.0	3.99	0	0.0	0.00	1	7.5	7.51
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	10.6	10.60	1	23.9	23.89	0	0.0	0.00
60-64	2	24.6	17.42	1	27.2	27.24	1	22.5	22.49
65-69	1	15.1	15.12	1	35.9	35.89	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	118.7	83.93	0	0.0	0.00	2	157.9	111.62
Total deaths	8			3			5		
Connecticut									
. Crude rate		2.8	-		2.2	-		3.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		6.3	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.4	5.42	0	0.0	0.00	1	9.9	9.88
45-49	1	6.9	6.92	0	0.0	0.00	1	12.7	12.66
50-54	2	17.2	12.14	1	19.6	19.62	1	15.3	15.25
55-59	4	42.4	21.21	1	23.9	23.89	3	57.2	33.02
60-64	3	37.0	21.34	3	81.7	47.18	0	0.0	0.00
65-69	11	166.3	50.15	5	179.5	80.26	6	156.7	63.99
70-74	7	154.5	58.39	2	111.0	78.48	5	183.2	81.94
75-79	6	183.7	75.00	1	85.9	85.91	5	237.9	106.38
80-84	3	158.1	91.26	1	160.8	160.77	2	156.7	110.83
85+	5	296.7	132.70	0	0.0	0.00	5	394.6	176.49
Total deaths	43			14			29		
Connecticut									
. Crude rate		15.0	-		10.2	-		19.4	-
. AAMR (1940 Std. mil.)		16.6	2.60		-	-		17.6	3.46
. AAMR (1970 Std. mil.)		22.6	3.47		-	-		24.5	4.60
. AAMR (2000 Std. mil.)		28.5	4.49		-	-		32.0	6.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.7	-		12.5	-		11.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	10.7	6.15	1	7.0	7.04	2	14.3	10.13
5-9	1	4.1	4.12	1	8.0	8.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	6.6	4.64	0	0.0	0.00	2	13.8	9.76
25-29	7	23.8	9.00	4	28.0	13.99	3	19.9	11.48
30-34	9	35.9	11.97	5	42.6	19.03	4	30.0	15.02
35-39	9	42.9	14.29	6	62.8	25.65	3	26.2	15.14
40-44	29	157.1	29.18	18	216.1	50.93	11	108.7	32.76
45-49	29	200.8	37.29	19	290.3	66.60	10	126.6	40.04
50-54	36	308.9	51.49	19	372.8	85.52	17	259.3	62.89
55-59	53	562.0	77.19	37	883.9	145.31	16	305.1	76.26
60-64	65	800.7	99.31	42	1144.1	176.54	23	517.2	107.84
65-69	72	1088.6	128.29	45	1615.2	240.78	27	705.3	135.74
70-74	60	1324.2	170.95	26	1442.8	282.96	34	1245.9	213.67
75-79	86	2633.2	283.94	32	2749.1	485.98	54	2569.0	349.59
80-84	50	2634.4	372.55	21	3376.2	736.75	29	2272.7	422.03
85+	95	5638.0	578.44	28	6698.6	1265.91	67	5288.1	646.04
Total deaths	606			304			302		
Connecticut									
. Crude rate		211.0	-		220.6	-		202.0	-
. AAMR (1940 Std. mil.)		221.8	9.35		289.3	16.77		171.8	10.60
. AAMR (1970 Std. mil.)		301.6	12.45		385.2	22.93		242.8	14.25
. AAMR (2000 Std. mil.)		398.9	16.95		499.7	32.44		332.2	19.50
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		190.8	-		251.6	-		143.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	10.7	6.15	1	7.0	7.04	2	14.3	10.13
5-9	1	4.1	4.12	1	8.0	8.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	6.6	4.64	0	0.0	0.00	2	13.8	9.76
25-29	6	20.4	8.34	4	28.0	13.99	2	13.3	9.37
30-34	6	23.9	9.77	3	25.5	14.74	3	22.5	13.01
35-39	7	33.4	12.61	4	41.9	20.95	3	26.2	15.14
40-44	22	119.2	25.42	15	180.1	46.49	7	69.1	26.13
45-49	22	152.3	32.48	15	229.2	59.17	7	88.6	33.50
50-54	31	266.0	47.78	16	313.9	78.48	15	228.8	59.08
55-59	43	455.9	69.53	30	716.7	130.85	13	247.9	68.74
60-64	56	689.8	92.18	38	1035.1	167.92	18	404.8	95.40
65-69	60	907.2	117.11	36	1292.2	215.36	24	627.0	127.98
70-74	52	1147.6	159.15	22	1220.9	260.29	30	1099.3	200.70
75-79	70	2143.3	256.17	28	2405.5	454.60	42	1998.1	308.31
80-84	38	2002.1	324.78	17	2733.1	662.88	21	1645.8	359.14
85+	62	3679.5	467.30	21	5023.9	1096.31	41	3236.0	505.38
Total deaths	481			251			230		
Connecticut									
. Crude rate		167.4	-		182.2	-		153.9	-
. AAMR (1940 Std. mil.)		179.9	8.47		239.7	15.28		136.4	9.54
. AAMR (1970 Std. mil.)		240.9	11.16		318.1	20.81		188.4	12.65
. AAMR (2000 Std. mil.)		311.7	14.86		408.6	29.11		250.5	16.86
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		152.1	-		206.7	-		108.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	39.1	11.77	6	42.2	17.25	5	35.8	16.01
5-9	2	8.2	5.82	1	8.0	8.00	1	8.5	8.47
10-14	1	4.3	4.32	0	0.0	0.00	1	8.7	8.68
15-19	1	3.9	3.90	1	7.5	7.54	0	0.0	0.00
20-24	4	13.1	6.56	1	6.2	6.24	3	20.7	11.96
25-29	15	51.0	13.18	6	42.0	17.14	9	59.6	19.88
30-34	29	115.7	21.49	16	136.2	34.05	13	97.6	27.08
35-39	30	142.9	26.10	19	199.0	45.65	11	96.2	28.99
40-44	45	243.8	36.35	28	336.1	63.52	17	167.9	40.73
45-49	43	297.7	45.40	29	443.1	82.28	14	177.3	47.37
50-54	51	437.7	61.28	27	529.7	101.95	24	366.1	74.73
55-59	77	816.5	93.04	52	1242.2	172.27	25	476.6	95.33
60-64	98	1207.2	121.94	58	1580.0	207.46	40	899.5	142.22
65-69	101	1527.1	151.95	56	2010.1	268.60	45	1175.5	175.24
70-74	95	2096.7	215.11	44	2441.7	368.10	51	1868.8	261.69
75-79	117	3582.4	331.19	53	4553.3	625.44	64	3044.7	380.59
80-84	70	3688.1	440.81	36	5787.8	964.63	34	2664.6	456.97
85+	126	7477.7	666.17	37	8851.7	1455.21	89	7024.5	744.59
Total deaths	916			470			446		
Connecticut									
. Crude rate		318.9	-		341.1	-		298.4	-
. AAMR (1940 Std. mil.)		336.2	11.50		441.2	20.59		261.8	13.21
. AAMR (1970 Std. mil.)		444.3	15.02		581.4	28.09		353.3	17.13
. AAMR (2000 Std. mil.)		580.5	20.20		757.0	39.66		469.5	22.82
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.4	3.40	0	0.0	0.00	1	6.6	6.63
30-34	1	4.0	3.99	0	0.0	0.00	1	7.5	7.51
35-39	3	14.3	8.25	1	10.5	10.47	2	17.5	12.36
40-44	13	70.4	19.54	9	108.0	36.01	4	39.5	19.76
45-49	12	83.1	23.98	9	137.5	45.84	3	38.0	21.93
50-54	15	128.7	33.24	7	137.3	51.91	8	122.0	43.14
55-59	27	286.3	55.10	22	525.6	112.05	5	95.3	42.63
60-64	43	529.7	80.78	29	790.0	146.69	14	314.8	84.14
65-69	36	544.3	90.72	23	825.6	172.14	13	339.6	94.19
70-74	40	882.8	139.58	17	943.4	228.81	23	842.8	175.74
75-79	49	1500.3	214.33	20	1718.2	384.20	29	1379.6	256.19
80-84	22	1159.1	247.12	7	1125.4	425.36	15	1175.5	303.53
85+	42	2492.6	384.61	12	2870.8	828.73	30	2367.8	432.30
Total deaths	304			156			148		
Connecticut									
. Crude rate		105.8	-		113.2	-		99.0	-
. AAMR (1940 Std. mil.)		114.1	6.76		152.3	12.27		85.1	7.47
. AAMR (1970 Std. mil.)		156.1	9.06		202.0	16.59		122.2	10.23
. AAMR (2000 Std. mil.)		202.5	12.05		253.6	22.60		166.2	13.88
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		121.6	-		169.0	-		84.1	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	12.0	6.91	2	17.0	12.04	1	7.5	7.51
35-39	2	9.5	6.74	2	20.9	14.81	0	0.0	0.00
40-44	5	27.1	12.12	2	24.0	16.98	3	29.6	17.11
45-49	6	41.5	16.96	3	45.8	26.46	3	38.0	21.93
50-54	3	25.7	14.86	3	58.9	33.98	0	0.0	0.00
55-59	7	74.2	28.05	6	143.3	58.52	1	19.1	19.07
60-64	5	61.6	27.54	3	81.7	47.18	2	45.0	31.80
65-69	7	105.8	40.00	6	215.4	87.92	1	26.1	26.12
70-74	5	110.4	49.35	2	111.0	78.48	3	109.9	63.47
75-79	12	367.4	106.07	4	343.6	171.82	8	380.6	134.56
80-84	8	421.5	149.02	2	321.5	227.37	6	470.2	191.97
85+	25	1483.7	296.74	5	1196.2	534.94	20	1578.5	352.97
Total deaths	88			40			48		
Connecticut									
. Crude rate		30.6	-		29.0	-		32.1	-
. AAMR (1940 Std. mil.)		28.9	3.27		37.3	5.98		21.8	3.50
. AAMR (1970 Std. mil.)		42.2	4.59		49.3	8.17		35.3	5.22
. AAMR (2000 Std. mil.)		62.0	6.90		66.4	12.07		55.9	8.18
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		27.7	-		30.1	-		25.5	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	0	0.0	0.00	1	7.2	7.16
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	3.3	3.28	0	0.0	0.00	1	6.9	6.90
25-29	1	3.4	3.40	1	7.0	7.00	0	0.0	0.00
30-34	2	8.0	5.64	2	17.0	12.04	0	0.0	0.00
35-39	1	4.8	4.76	1	10.5	10.47	0	0.0	0.00
40-44	2	10.8	7.66	1	12.0	12.00	1	9.9	9.88
45-49	4	27.7	13.85	4	61.1	30.56	0	0.0	0.00
50-54	1	8.6	8.58	0	0.0	0.00	1	15.3	15.25
55-59	2	21.2	15.00	1	23.9	23.89	1	19.1	19.07
60-64	4	49.3	24.64	0	0.0	0.00	4	89.9	44.97
65-69	3	45.4	26.19	3	107.7	62.17	0	0.0	0.00
70-74	3	66.2	38.23	3	166.5	96.12	0	0.0	0.00
75-79	6	183.7	75.00	5	429.6	192.10	1	47.6	47.57
80-84	7	368.8	139.40	5	803.9	359.50	2	156.7	110.83
85+	10	593.5	187.67	1	239.2	239.23	9	710.3	236.78
Total deaths	48			27			21		
Connecticut									
. Crude rate		16.7	-		19.6	-		14.0	-
. AAMR (1940 Std. mil.)		16.0	2.41		25.0	4.86		10.2	2.52
. AAMR (1970 Std. mil.)		22.7	3.37		34.6	7.07		15.3	3.42
. AAMR (2000 Std. mil.)		32.4	4.96		47.7	10.22		22.2	5.00
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.1	-		18.6	-		11.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	4.0	3.99	0	0.0	0.00	1	7.5	7.51
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	10.8	7.66	1	12.0	12.00	1	9.9	9.88
45-49	4	27.7	13.85	0	0.0	0.00	4	50.6	25.32
50-54	1	8.6	8.58	0	0.0	0.00	1	15.3	15.25
55-59	5	53.0	23.71	3	71.7	41.38	2	38.1	26.96
60-64	2	24.6	17.42	0	0.0	0.00	2	45.0	31.80
65-69	5	75.6	33.81	3	107.7	62.17	2	52.2	36.94
70-74	5	110.4	49.35	3	166.5	96.12	2	73.3	51.82
75-79	8	244.9	86.60	6	515.5	210.44	2	95.1	67.28
80-84	3	158.1	91.26	3	482.3	278.46	0	0.0	0.00
85+	4	237.4	118.69	1	239.2	239.23	3	236.8	136.70
Total deaths	40			20			20		
Connecticut									
. Crude rate		13.9	-		14.5	-		13.4	-
. AAMR (1940 Std. mil.)		15.2	2.47		19.7	4.43		13.2	3.10
. AAMR (1970 Std. mil.)		20.4	3.26		29.3	6.68		16.0	3.64
. AAMR (2000 Std. mil.)		26.4	4.34		39.7	9.46		19.9	4.53
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		19.7	-		27.2	-		14.6	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	14.3	8.25	3	31.4	18.14	0	0.0	0.00
40-44	4	21.7	10.84	1	12.0	12.00	3	29.6	17.11
45-49	2	13.8	9.79	2	30.6	21.61	0	0.0	0.00
50-54	3	25.7	14.86	3	58.9	33.98	0	0.0	0.00
55-59	6	63.6	25.97	3	71.7	41.38	3	57.2	33.02
60-64	1	12.3	12.32	1	27.2	27.24	0	0.0	0.00
65-69	3	45.4	26.19	1	35.9	35.89	2	52.2	36.94
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	59.3	59.35	0	0.0	0.00	1	78.9	78.93
Total deaths	23			14			9		
Connecticut									
. Crude rate		8.0	-		10.2	-		6.0	-
. AAMR (1940 Std. mil.)		9.5	2.01		-	-		-	-
. AAMR (1970 Std. mil.)		9.9	2.13		-	-		-	-
. AAMR (2000 Std. mil.)		11.6	2.46		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.6	-		12.1	-		5.3	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	14.2	7.10	3	21.1	12.19	1	7.2	7.16
5-9	1	4.1	4.12	1	8.0	8.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	23.4	9.55	6	45.2	18.47	0	0.0	0.00
20-24	6	19.7	8.03	3	18.7	10.81	3	20.7	11.96
25-29	6	20.4	8.34	6	42.0	17.14	0	0.0	0.00
30-34	5	19.9	8.92	5	42.6	19.03	0	0.0	0.00
35-39	7	33.4	12.61	6	62.8	25.65	1	8.7	8.74
40-44	4	21.7	10.84	4	48.0	24.01	0	0.0	0.00
45-49	2	13.8	9.79	2	30.6	21.61	0	0.0	0.00
50-54	3	25.7	14.86	3	58.9	33.98	0	0.0	0.00
55-59	6	63.6	25.97	3	71.7	41.38	3	57.2	33.02
60-64	5	61.6	27.54	4	109.0	54.48	1	22.5	22.49
65-69	2	30.2	21.38	1	35.9	35.89	1	26.1	26.12
70-74	5	110.4	49.35	4	222.0	110.99	1	36.6	36.64
75-79	2	61.2	43.30	1	85.9	85.91	1	47.6	47.57
80-84	2	105.4	74.51	2	321.5	227.37	0	0.0	0.00
85+	4	237.4	118.69	1	239.2	239.23	3	236.8	136.70
Total deaths	70			55			15		
Connecticut									
. Crude rate		24.4	-		39.9	-		10.0	-
. AAMR (1940 Std. mil.)		24.9	3.05		44.0	6.09		9.0	2.48
. AAMR (1970 Std. mil.)		27.0	3.41		47.1	7.01		11.0	2.94
. AAMR (2000 Std. mil.)		31.3	4.15		54.9	8.92		13.2	3.61
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		32.6	-		47.7	-		17.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	0	0.0	0.00	1	7.2	7.16
5-9	1	4.1	4.12	1	8.0	8.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	11.7	6.76	3	22.6	13.06	0	0.0	0.00
20-24	3	9.8	5.68	3	18.7	10.81	0	0.0	0.00
25-29	4	13.6	6.81	4	28.0	13.99	0	0.0	0.00
30-34	1	4.0	3.99	1	8.5	8.51	0	0.0	0.00
35-39	5	23.8	10.65	4	41.9	20.95	1	8.7	8.74
40-44	1	5.4	5.42	1	12.0	12.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	17.2	12.14	2	39.2	27.75	0	0.0	0.00
55-59	2	21.2	15.00	0	0.0	0.00	2	38.1	26.96
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	15.1	15.12	0	0.0	0.00	1	26.1	26.12
70-74	1	22.1	22.07	0	0.0	0.00	1	36.6	36.64
75-79	1	30.6	30.62	1	85.9	85.91	0	0.0	0.00
80-84	1	52.7	52.69	1	160.8	160.77	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	27			21			6		
Connecticut									
. Crude rate		9.4	-		15.2	-		4.0	-
. AAMR (1940 Std. mil.)		9.5	1.87		15.4	3.43		-	-
. AAMR (1970 Std. mil.)		9.6	1.96		15.3	3.74		-	-
. AAMR (2000 Std. mil.)		10.7	2.27		17.9	4.84		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.5	-		26.3	-		11.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	1	7.0	7.04	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.4	3.40	1	7.0	7.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	13.8	9.79	2	30.6	21.61	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	21.2	15.00	1	23.9	23.89	1	19.1	19.07
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	15.1	15.12	1	35.9	35.89	0	0.0	0.00
70-74	1	22.1	22.07	1	55.5	55.49	0	0.0	0.00
75-79	1	30.6	30.62	0	0.0	0.00	1	47.6	47.57
80-84	1	52.7	52.69	1	160.8	160.77	0	0.0	0.00
85+	3	178.0	102.79	1	239.2	239.23	2	157.9	111.62
Total deaths	13			9			4		
Connecticut									
. Crude rate		4.5	-		6.5	-		2.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.8	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	3.3	3.28	0	0.0	0.00	1	6.9	6.90
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	12.3	12.32	1	27.2	27.24	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	22.1	22.07	1	55.5	55.49	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	3			2			1		
Connecticut									
. Crude rate		1.0	-		1.5	-		0.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.9	-		1.0	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	7.8	5.52	0	0.0	0.00	2	16.2	11.43
20-24	2	6.6	4.64	2	12.5	8.83	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	12.0	6.91	2	17.0	12.04	1	7.5	7.51
35-39	3	14.3	8.25	2	20.9	14.81	1	8.7	8.74
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	6.9	6.92	0	0.0	0.00	1	12.7	12.66
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	11			6			5		
Connecticut									
. Crude rate		3.8	-		4.4	-		3.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.5	-		19.1	-		4.4	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	1	7.0	7.04	0	0.0	0.00
5-9	1	4.1	4.12	1	8.0	8.00	0	0.0	0.00
10-14	3	13.0	7.49	2	17.2	12.19	1	8.7	8.68
15-19	19	74.1	17.00	16	120.7	30.16	3	24.2	14.00
20-24	18	59.0	13.91	15	93.6	24.18	3	20.7	11.96
25-29	17	57.9	14.03	11	77.0	23.21	6	39.8	16.23
30-34	6	23.9	9.77	5	42.6	19.03	1	7.5	7.51
35-39	1	4.8	4.76	1	10.5	10.47	0	0.0	0.00
40-44	3	16.3	9.39	3	36.0	20.79	0	0.0	0.00
45-49	1	6.9	6.92	1	15.3	15.28	0	0.0	0.00
50-54	2	17.2	12.14	1	19.6	19.62	1	15.3	15.25
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	15.1	15.12	1	35.9	35.89	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	73			58			15		
Connecticut									
. Crude rate		25.4	-		42.1	-		10.0	-
. AAMR (1940 Std. mil.)		23.9	2.83		38.3	5.11		9.6	2.52
. AAMR (1970 Std. mil.)		22.0	2.66		35.4	4.81		8.7	2.34
. AAMR (2000 Std. mil.)		20.0	2.44		32.6	4.54		7.8	2.09
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.3	-		16.3	-		4.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	1	7.0	7.04	0	0.0	0.00
5-9	1	4.1	4.12	1	8.0	8.00	0	0.0	0.00
10-14	3	13.0	7.49	2	17.2	12.19	1	8.7	8.68
15-19	19	74.1	17.00	16	120.7	30.16	3	24.2	14.00
20-24	18	59.0	13.91	15	93.6	24.18	3	20.7	11.96
25-29	17	57.9	14.03	11	77.0	23.21	6	39.8	16.23
30-34	6	23.9	9.77	5	42.6	19.03	1	7.5	7.51
35-39	1	4.8	4.76	1	10.5	10.47	0	0.0	0.00
40-44	3	16.3	9.39	3	36.0	20.79	0	0.0	0.00
45-49	1	6.9	6.92	1	15.3	15.28	0	0.0	0.00
50-54	2	17.2	12.14	1	19.6	19.62	1	15.3	15.25
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	15.1	15.12	1	35.9	35.89	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	73			58			15		
Connecticut									
. Crude rate		25.4	-		42.1	-		10.0	-
. AAMR (1940 Std. mil.)		23.9	2.83		38.3	5.11		9.6	2.52
. AAMR (1970 Std. mil.)		22.0	2.66		35.4	4.81		8.7	2.34
. AAMR (2000 Std. mil.)		20.0	2.44		32.6	4.54		7.8	2.09
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.2	-		16.0	-		4.2	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	17.8	7.94	4	28.2	14.08	1	7.2	7.16
5-9	2	8.2	5.82	2	16.0	11.32	0	0.0	0.00
10-14	3	13.0	7.49	2	17.2	12.19	1	8.7	8.68
15-19	27	105.3	20.27	22	165.9	35.37	5	40.4	18.07
20-24	26	85.2	16.71	20	124.9	27.92	6	41.4	16.91
25-29	24	81.7	16.67	17	119.0	28.85	7	46.4	17.53
30-34	14	55.9	14.93	12	102.1	29.49	2	15.0	10.62
35-39	11	52.4	15.80	9	94.3	31.42	2	17.5	12.36
40-44	8	43.4	15.33	8	96.0	33.95	0	0.0	0.00
45-49	4	27.7	13.85	3	45.8	26.46	1	12.7	12.66
50-54	5	42.9	19.19	4	78.5	39.24	1	15.3	15.25
55-59	6	63.6	25.97	3	71.7	41.38	3	57.2	33.02
60-64	5	61.6	27.54	4	109.0	54.48	1	22.5	22.49
65-69	4	60.5	30.24	3	107.7	62.17	1	26.1	26.12
70-74	5	110.4	49.35	4	222.0	110.99	1	36.6	36.64
75-79	2	61.2	43.30	1	85.9	85.91	1	47.6	47.57
80-84	2	105.4	74.51	2	321.5	227.37	0	0.0	0.00
85+	4	237.4	118.69	1	239.2	239.23	3	236.8	136.70
Total deaths	157			121			36		
Connecticut									
. Crude rate		54.7	-		87.8	-		24.1	-
. AAMR (1940 Std. mil.)		53.5	4.35		88.1	8.22		22.8	3.92
. AAMR (1970 Std. mil.)		53.2	4.48		87.6	8.71		23.4	4.06
. AAMR (2000 Std. mil.)		56.0	4.99		93.5	10.25		24.8	4.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		55.1	-		84.3	-		26.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	0	0.0	0.00	1	7.2	7.16
5-9	1	4.1	4.12	1	8.0	8.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	11.7	6.76	3	22.6	13.06	0	0.0	0.00
20-24	3	9.8	5.68	3	18.7	10.81	0	0.0	0.00
25-29	4	13.6	6.81	4	28.0	13.99	0	0.0	0.00
30-34	1	4.0	3.99	1	8.5	8.51	0	0.0	0.00
35-39	5	23.8	10.65	4	41.9	20.95	1	8.7	8.74
40-44	1	5.4	5.42	1	12.0	12.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	17.2	12.14	2	39.2	27.75	0	0.0	0.00
55-59	2	21.2	15.00	0	0.0	0.00	2	38.1	26.96
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	15.1	15.12	0	0.0	0.00	1	26.1	26.12
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	30.6	30.62	1	85.9	85.91	0	0.0	0.00
80-84	1	52.7	52.69	1	160.8	160.77	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	26			21			5		
Connecticut									
. Crude rate		9.1	-		15.2	-		3.3	-
. AAMR (1940 Std. mil.)		9.1	1.81		15.4	3.43		-	-
. AAMR (1970 Std. mil.)		9.0	1.87		15.3	3.74		-	-
. AAMR (2000 Std. mil.)		10.0	2.16		17.9	4.84		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.2	-		25.8	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	1	7.0	7.04	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.4	3.40	1	7.0	7.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	13.8	9.79	2	30.6	21.61	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	21.2	15.00	1	23.9	23.89	1	19.1	19.07
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	15.1	15.12	1	35.9	35.89	0	0.0	0.00
70-74	1	22.1	22.07	1	55.5	55.49	0	0.0	0.00
75-79	1	30.6	30.62	0	0.0	0.00	1	47.6	47.57
80-84	1	52.7	52.69	1	160.8	160.77	0	0.0	0.00
85+	2	118.7	83.93	1	239.2	239.23	1	78.9	78.93
Total deaths	12			9			3		
Connecticut									
. Crude rate		4.2	-		6.5	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	1	7.0	7.04	0	0.0	0.00
5-9	1	4.1	4.12	1	8.0	8.00	0	0.0	0.00
10-14	3	13.0	7.49	2	17.2	12.19	1	8.7	8.68
15-19	18	70.2	16.55	16	120.7	30.16	2	16.2	11.43
20-24	14	45.9	12.26	13	81.2	22.51	1	6.9	6.90
25-29	13	44.2	12.27	9	63.0	20.99	4	26.5	13.25
30-34	4	16.0	7.98	4	34.0	17.02	0	0.0	0.00
35-39	2	9.5	6.74	2	20.9	14.81	0	0.0	0.00
40-44	3	16.3	9.39	3	36.0	20.79	0	0.0	0.00
45-49	1	6.9	6.92	1	15.3	15.28	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	22.1	22.07	1	55.5	55.49	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	61			53			8		
Connecticut									
. Crude rate		21.2	-		38.5	-		5.4	-
. AAMR (1940 Std. mil.)		20.0	2.58		35.1	4.89		-	-
. AAMR (1970 Std. mil.)		18.6	2.46		32.8	4.68		-	-
. AAMR (2000 Std. mil.)		16.9	2.26		30.4	4.50		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.5	-		25.3	-		4.4	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	3.9	3.90	0	0.0	0.00	1	8.1	8.08
20-24	1	3.3	3.28	1	6.2	6.24	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.8	4.76	1	10.5	10.47	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	3			2			1		
Connecticut									
. Crude rate		1.0	-		1.5	-		0.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.9	-		12.5	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.6	3.55	1	7.0	7.04	0	0.0	0.00
5-9	1	4.1	4.12	1	8.0	8.00	0	0.0	0.00
10-14	3	13.0	7.49	2	17.2	12.19	1	8.7	8.68
15-19	16	62.4	15.60	15	113.1	29.21	1	8.1	8.08
20-24	13	42.6	11.82	12	74.9	21.62	1	6.9	6.90
25-29	13	44.2	12.27	9	63.0	20.99	4	26.5	13.25
30-34	4	16.0	7.98	4	34.0	17.02	0	0.0	0.00
35-39	1	4.8	4.76	1	10.5	10.47	0	0.0	0.00
40-44	3	16.3	9.39	3	36.0	20.79	0	0.0	0.00
45-49	1	6.9	6.92	1	15.3	15.28	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	56			49			7		
Connecticut									
. Crude rate		19.5	-		35.6	-		4.7	-
. AAMR (1940 Std. mil.)		18.2	2.45		32.0	4.62		-	-
. AAMR (1970 Std. mil.)		16.8	2.30		29.5	4.31		-	-
. AAMR (2000 Std. mil.)		15.0	2.07		26.8	4.00		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.7	-		11.4	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	3.9	3.90	1	7.5	7.54	0	0.0	0.00
20-24	1	3.3	3.28	0	0.0	0.00	1	6.9	6.90
25-29	1	3.4	3.40	0	0.0	0.00	1	6.6	6.63
30-34	3	12.0	6.91	3	25.5	14.74	0	0.0	0.00
35-39	2	9.5	6.74	2	20.9	14.81	0	0.0	0.00
40-44	2	10.8	7.66	2	24.0	16.98	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	10.6	10.60	1	23.9	23.89	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	11			9			2		
Connecticut									
. Crude rate		3.8	-		6.5	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		6.3	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
 U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
 for
 Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	3.9	3.90	1	7.5	7.54	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.4	3.40	0	0.0	0.00	1	6.6	6.63
30-34	4	16.0	7.98	3	25.5	14.74	1	7.5	7.51
35-39	4	19.1	9.53	2	20.9	14.81	2	17.5	12.36
40-44	1	5.4	5.42	1	12.0	12.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	11			7			4		
Connecticut									
. Crude rate		3.8	-		5.1	-		2.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		4.5	-		2.6	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
 . The CT HP 2000 target: No comparison is available
 . The U.S. AAMR (1940 Std. mil.): No comparison is available
 . THE U.S. HP 2000 target: No comparison is available