

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.8	2.68	0	0.0	0.00	2	7.7	5.47
5-9	1	1.8	1.76	1	3.5	3.48	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.9	1.94	1	4.1	4.07	0	0.0	0.00
30-34	4	7.1	3.55	2	7.7	5.41	2	6.6	4.69
35-39	3	5.9	3.41	1	4.2	4.20	2	7.4	5.25
40-44	3	7.3	4.22	2	10.7	7.58	1	4.5	4.46
45-49	5	14.5	6.48	4	25.9	12.93	1	5.3	5.25
50-54	4	15.0	7.48	2	16.9	11.97	2	13.4	9.47
55-59	4	18.4	9.20	2	21.5	15.21	2	16.1	11.37
60-64	10	60.2	19.03	7	97.8	36.96	3	31.7	18.31
65-69	8	54.7	19.35	5	77.5	34.65	3	36.8	21.22
70-74	7	68.2	25.79	3	74.6	43.06	4	64.1	32.06
75-79	6	83.6	34.13	2	73.2	51.73	4	90.0	45.02
80-84	5	123.2	55.08	1	77.5	77.52	4	144.4	72.20
85+	9	261.2	87.06	1	100.2	100.20	8	326.8	115.54
Total deaths	72			34			38		
Connecticut									
. Crude rate		12.2	-		12.1	-		12.2	-
. AAMR (1940 Std. mil.)		12.1	1.47		14.5	2.52		10.0	1.71
. AAMR (1970 Std. mil.)		15.5	1.88		17.2	3.10		13.6	2.26
. AAMR (2000 Std. mil.)		19.9	2.50		20.0	3.79		18.6	3.13
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.0	-		4.5	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	11.4	4.65	4	14.9	7.46	2	7.7	5.47
5-9	2	3.5	2.48	1	3.5	3.48	1	3.5	3.54
10-14	1	1.9	1.93	0	0.0	0.00	1	4.0	3.97
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.6	3.25	2	9.2	6.49	0	0.0	0.00
25-29	25	48.5	9.70	10	40.7	12.88	15	55.5	14.34
30-34	57	101.3	13.42	34	130.1	22.32	23	76.3	15.91
35-39	100	197.2	19.72	70	294.3	35.17	30	111.4	20.33
40-44	108	263.0	25.30	76	407.3	46.72	32	142.8	25.24
45-49	58	168.1	22.07	43	278.0	42.39	15	78.8	20.34
50-54	26	97.2	19.07	19	160.9	36.91	7	46.9	17.73
55-59	16	73.6	18.40	13	139.8	38.78	3	24.1	13.92
60-64	7	42.1	15.92	5	69.9	31.24	2	21.1	14.95
65-69	4	27.4	13.68	3	46.5	26.84	1	12.3	12.25
70-74	4	39.0	19.49	3	74.6	43.06	1	16.0	16.03
75-79	1	13.9	13.94	1	36.6	36.58	0	0.0	0.00
80-84	1	24.6	24.63	1	77.5	77.52	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	418			285			133		
Connecticut									
. Crude rate		70.7	-		101.5	-		42.8	-
. AAMR (1940 Std. mil.)		68.1	3.36		103.1	6.19		39.5	3.45
. AAMR (1970 Std. mil.)		60.3	3.07		92.8	5.80		34.1	3.05
. AAMR (2000 Std. mil.)		75.7	3.80		116.8	7.19		42.3	3.74
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		26.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.8	2.68	0	0.0	0.00	2	7.7	5.47
5-9	1	1.8	1.76	1	3.5	3.48	0	0.0	0.00
10-14	2	3.9	2.73	1	3.8	3.77	1	4.0	3.97
15-19	1	2.1	2.09	1	4.1	4.09	0	0.0	0.00
20-24	4	9.2	4.59	3	13.8	7.95	1	4.6	4.59
25-29	5	9.7	4.34	1	4.1	4.07	4	14.8	7.41
30-34	6	10.7	4.35	2	7.7	5.41	4	13.3	6.64
35-39	20	39.4	8.82	8	33.6	11.89	12	44.6	12.86
40-44	25	60.9	12.17	15	80.4	20.76	10	44.6	14.11
45-49	47	136.2	19.87	25	161.6	32.32	22	115.6	24.64
50-54	73	273.0	31.96	43	364.1	55.52	30	201.0	36.70
55-59	90	414.0	43.64	58	623.9	81.92	32	257.2	45.47
60-64	113	680.1	63.98	71	991.9	117.72	42	444.1	68.52
65-69	116	793.7	73.69	74	1146.6	133.29	42	514.6	79.40
70-74	98	955.2	96.49	58	1442.1	189.35	40	641.2	101.39
75-79	97	1351.7	137.25	48	1755.7	253.41	49	1103.1	157.59
80-84	55	1354.7	182.66	25	1938.0	387.60	30	1083.0	197.73
85+	62	1799.2	228.50	30	3006.0	548.82	32	1307.2	231.08
Total deaths	817			464			353		
Connecticut									
. Crude rate		138.1	-		165.3	-		113.6	-
. AAMR (1940 Std. mil.)		146.6	5.23		205.4	9.63		105.5	5.80
. AAMR (1970 Std. mil.)		188.0	6.67		267.1	12.73		135.1	7.30
. AAMR (2000 Std. mil.)		230.5	8.44		328.7	16.82		168.3	9.20
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		129.9	-		156.8	-		110.5	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.1	2.09	1	4.1	4.09	0	0.0	0.00
20-24	1	2.3	2.29	1	4.6	4.59	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.0	1.97	1	4.2	4.20	0	0.0	0.00
40-44	1	2.4	2.43	1	5.4	5.36	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	7	32.2	12.17	6	64.5	26.35	1	8.0	8.04
60-64	2	12.0	8.51	2	27.9	19.76	0	0.0	0.00
65-69	1	6.8	6.84	1	15.5	15.49	0	0.0	0.00
70-74	1	9.7	9.75	1	24.9	24.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	29.0	29.02	1	100.2	100.20	0	0.0	0.00
Total deaths	16			15			1		
Connecticut									
. Crude rate		2.7	-		5.3	-		0.3	-
. AAMR (1940 Std. mil.)		3.0	0.77		-	-		-	-
. AAMR (1970 Std. mil.)		3.4	0.87		-	-		-	-
. AAMR (2000 Std. mil.)		3.7	0.96		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.2	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.9	1.94	0	0.0	0.00	1	3.7	3.70
30-34	1	1.8	1.78	0	0.0	0.00	1	3.3	3.32
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	7.3	4.22	2	10.7	7.58	1	4.5	4.46
45-49	4	11.6	5.80	0	0.0	0.00	4	21.0	10.50
50-54	7	26.2	9.90	3	25.4	14.67	4	26.8	13.40
55-59	9	41.4	13.80	6	64.5	26.35	3	24.1	13.92
60-64	13	78.2	21.70	7	97.8	36.96	6	63.4	25.90
65-69	10	68.4	21.64	6	93.0	37.95	4	49.0	24.50
70-74	7	68.2	25.79	5	124.3	55.60	2	32.1	22.67
75-79	4	55.7	27.87	1	36.6	36.58	3	67.5	38.99
80-84	6	147.8	60.33	2	155.0	109.63	4	144.4	72.20
85+	7	203.1	76.78	3	300.6	173.55	4	163.4	81.70
Total deaths	72			35			37		
Connecticut									
. Crude rate		12.2	-		12.5	-		11.9	-
. AAMR (1940 Std. mil.)		13.0	1.57		15.8	2.69		11.1	1.90
. AAMR (1970 Std. mil.)		16.5	1.97		20.5	3.54		13.9	2.33
. AAMR (2000 Std. mil.)		20.2	2.50		24.9	4.67		17.3	2.93
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		15.4	-		10.6	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.9	1.94	0	0.0	0.00	1	3.7	3.70
30-34	1	1.8	1.78	0	0.0	0.00	1	3.3	3.32
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	7.3	4.22	2	10.7	7.58	1	4.5	4.46
45-49	4	11.6	5.80	0	0.0	0.00	4	21.0	10.50
50-54	6	22.4	9.16	2	16.9	11.97	4	26.8	13.40
55-59	8	36.8	13.01	5	53.8	24.05	3	24.1	13.92
60-64	12	72.2	20.85	6	83.8	34.22	6	63.4	25.90
65-69	8	54.7	19.35	4	62.0	30.99	4	49.0	24.50
70-74	7	68.2	25.79	5	124.3	55.60	2	32.1	22.67
75-79	2	27.9	19.71	0	0.0	0.00	2	45.0	31.84
80-84	5	123.2	55.08	2	155.0	109.63	3	108.3	62.53
85+	6	174.1	71.08	3	300.6	173.55	3	122.5	70.75
Total deaths	63			29			34		
Connecticut									
. Crude rate		10.7	-		10.3	-		10.9	-
. AAMR (1940 Std. mil.)		11.4	1.47		13.0	2.44		10.5	1.87
. AAMR (1970 Std. mil.)		14.4	1.84		17.2	3.27		12.8	2.23
. AAMR (2000 Std. mil.)		17.4	2.30		21.3	4.40		15.4	2.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.6	-		12.6	-		9.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.0	1.97	0	0.0	0.00	1	3.7	3.71
40-44	1	2.4	2.43	0	0.0	0.00	1	4.5	4.46
45-49	2	5.8	4.10	1	6.5	6.46	1	5.3	5.25
50-54	7	26.2	9.90	6	50.8	20.74	1	6.7	6.70
55-59	2	9.2	6.51	1	10.8	10.76	1	8.0	8.04
60-64	8	48.1	17.02	6	83.8	34.22	2	21.1	14.95
65-69	7	47.9	18.10	7	108.5	40.99	0	0.0	0.00
70-74	8	78.0	27.57	1	24.9	24.86	7	112.2	42.41
75-79	9	125.4	41.81	2	73.2	51.73	7	157.6	59.56
80-84	3	73.9	42.66	1	77.5	77.52	2	72.2	51.05
85+	5	145.1	64.89	1	100.2	100.20	4	163.4	81.70
Total deaths	53			26			27		
Connecticut									
. Crude rate		9.0	-		9.3	-		8.7	-
. AAMR (1940 Std. mil.)		9.4	1.32		11.9	2.34		7.3	1.45
. AAMR (1970 Std. mil.)		12.5	1.74		14.6	2.92		10.4	2.04
. AAMR (2000 Std. mil.)		15.8	2.26		16.8	3.58		14.3	2.81
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	0	0.0	0.00	1	3.3	3.32
35-39	3	5.9	3.41	1	4.2	4.20	2	7.4	5.25
40-44	8	19.5	6.89	7	37.5	14.18	1	4.5	4.46
45-49	8	23.2	8.20	7	45.3	17.10	1	5.3	5.25
50-54	22	82.3	17.54	14	118.5	31.68	8	53.6	18.95
55-59	32	147.2	26.02	24	258.1	52.69	8	64.3	22.73
60-64	28	168.5	31.85	22	307.3	65.53	6	63.4	25.90
65-69	26	177.9	34.89	20	309.9	69.29	6	73.5	30.01
70-74	28	272.9	51.57	15	372.9	96.29	13	208.4	57.80
75-79	25	348.4	69.68	16	585.2	146.31	9	202.6	67.54
80-84	10	246.3	77.89	6	465.1	189.88	4	144.4	72.20
85+	9	261.2	87.06	3	300.6	173.55	6	245.1	100.06
Total deaths	200			135			65		
Connecticut									
. Crude rate		33.8	-		48.1	-		20.9	-
. AAMR (1940 Std. mil.)		37.1	2.66		61.2	5.29		19.5	2.50
. AAMR (1970 Std. mil.)		46.5	3.33		76.5	6.74		25.3	3.18
. AAMR (2000 Std. mil.)		55.3	4.06		89.8	8.32		31.5	4.00
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.6	-		55.2	-		27.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	0	0.0	0.00	1	3.3	3.32
35-39	3	5.9	3.41	1	4.2	4.20	2	7.4	5.25
40-44	8	19.5	6.89	7	37.5	14.18	1	4.5	4.46
45-49	6	17.4	7.10	5	32.3	14.46	1	5.3	5.25
50-54	22	82.3	17.54	14	118.5	31.68	8	53.6	18.95
55-59	28	128.8	24.34	21	225.9	49.29	7	56.3	21.26
60-64	23	138.4	28.86	18	251.5	59.27	5	52.9	23.64
65-69	26	177.9	34.89	20	309.9	69.29	6	73.5	30.01
70-74	26	253.4	49.70	14	348.1	93.03	12	192.4	55.53
75-79	25	348.4	69.68	16	585.2	146.31	9	202.6	67.54
80-84	10	246.3	77.89	6	465.1	189.88	4	144.4	72.20
85+	9	261.2	87.06	3	300.6	173.55	6	245.1	100.06
Total deaths	187			125			62		
Connecticut									
. Crude rate		31.6	-		44.5	-		19.9	-
. AAMR (1940 Std. mil.)		34.4	2.55		56.4	5.07		18.5	2.43
. AAMR (1970 Std. mil.)		43.5	3.22		71.1	6.51		24.1	3.09
. AAMR (2000 Std. mil.)		52.2	3.97		84.3	8.14		30.2	3.92
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.3	-		52.8	-		26.9	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	1.9	1.94	-	-	-	1	3.7	3.70
30-34	1	1.8	1.78	-	-	-	1	3.3	3.32
35-39	5	9.9	4.41	-	-	-	5	18.6	8.30
40-44	3	7.3	4.22	-	-	-	3	13.4	7.73
45-49	9	26.1	8.69	-	-	-	9	47.3	15.76
50-54	7	26.2	9.90	-	-	-	7	46.9	17.73
55-59	9	41.4	13.80	-	-	-	9	72.3	24.11
60-64	11	66.2	19.96	-	-	-	11	116.3	35.07
65-69	7	47.9	18.10	-	-	-	7	85.8	32.42
70-74	6	58.5	23.87	-	-	-	6	96.2	39.27
75-79	5	69.7	31.16	-	-	-	5	112.6	50.34
80-84	5	123.2	55.08	-	-	-	5	180.5	80.72
85+	4	116.1	58.04	-	-	-	4	163.4	81.70
Total deaths	73			-			73		
Connecticut									
. Crude rate		-	-		-	-		23.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		22.9	2.74
. AAMR (1970 Std. mil.)		-	-		-	-		27.0	3.22
. AAMR (2000 Std. mil.)		-	-		-	-		32.2	3.88
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	1.8	1.78	-	-	-	1	3.3	3.32
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	2	4.9	3.44	-	-	-	2	8.9	6.31
45-49	3	8.7	5.02	-	-	-	3	15.8	9.10
50-54	1	3.7	3.74	-	-	-	1	6.7	6.70
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	6.0	6.02	-	-	-	1	10.6	10.57
65-69	3	20.5	11.85	-	-	-	3	36.8	21.22
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	2	27.9	19.71	-	-	-	2	45.0	31.84
80-84	1	24.6	24.63	-	-	-	1	36.1	36.10
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	14			-			14		
Connecticut									
. Crude rate		-	-		-	-		4.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	6.0	6.02	-	-	-	1	10.6	10.57
65-69	2	13.7	9.68	-	-	-	2	24.5	17.33
70-74	1	9.7	9.75	-	-	-	1	16.0	16.03
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	4			-			4		
Connecticut									
. Crude rate		-	-		-	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	1	4.6	4.60	-	-	-	1	8.0	8.04
60-64	2	12.0	8.51	-	-	-	2	21.1	14.95
65-69	1	6.8	6.84	-	-	-	1	12.3	12.25
70-74	1	9.7	9.75	-	-	-	1	16.0	16.03
75-79	1	13.9	13.94	-	-	-	1	22.5	22.51
80-84	1	24.6	24.63	-	-	-	1	36.1	36.10
85+	1	29.0	29.02	-	-	-	1	40.8	40.85
Total deaths	8			-			8		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	6.0	6.02	0	0.0	0.00	1	10.6	10.57
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	19.5	13.78	2	49.7	35.16	0	0.0	0.00
75-79	3	41.8	24.14	1	36.6	36.58	2	45.0	31.84
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	4	116.1	58.04	1	100.2	100.20	3	122.5	70.75
Total deaths	10			4			6		
Connecticut									
. Crude rate		1.7	-		1.4	-		1.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.1	-		3.7	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.8	2.68	0	0.0	0.00	2	7.7	5.47
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.9	1.93	0	0.0	0.00	1	4.0	3.97
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.9	1.94	0	0.0	0.00	1	3.7	3.70
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.0	1.97	0	0.0	0.00	1	3.7	3.71
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	8.7	5.02	1	6.5	6.46	2	10.5	7.43
50-54	4	15.0	7.48	3	25.4	14.67	1	6.7	6.70
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	3	18.1	10.42	3	41.9	24.20	0	0.0	0.00
65-69	5	34.2	15.30	3	46.5	26.84	2	24.5	17.33
70-74	4	39.0	19.49	3	74.6	43.06	1	16.0	16.03
75-79	3	41.8	24.14	0	0.0	0.00	3	67.5	38.99
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	4	116.1	58.04	3	300.6	173.55	1	40.8	40.85
Total deaths	31			16			15		
Connecticut									
. Crude rate		5.2	-		5.7	-		4.8	-
. AAMR (1940 Std. mil.)		5.3	0.99		6.9	1.76		-	-
. AAMR (1970 Std. mil.)		6.7	1.23		9.4	2.39		-	-
. AAMR (2000 Std. mil.)		8.3	1.58		12.3	3.45		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.4	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.9	1.93	1	3.8	3.77	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.29	0	0.0	0.00	1	4.6	4.59
25-29	4	7.8	3.88	1	4.1	4.07	3	11.1	6.41
30-34	4	7.1	3.55	3	11.5	6.63	1	3.3	3.32
35-39	3	5.9	3.41	3	12.6	7.28	0	0.0	0.00
40-44	7	17.0	6.44	4	21.4	10.72	3	13.4	7.73
45-49	10	29.0	9.16	6	38.8	15.83	4	21.0	10.50
50-54	37	138.4	22.75	16	135.5	33.87	21	140.7	30.70
55-59	60	276.0	35.63	28	301.2	56.92	32	257.2	45.47
60-64	55	331.0	44.63	22	307.3	65.53	33	348.9	60.74
65-69	62	424.2	53.87	32	495.8	87.65	30	367.6	67.11
70-74	55	536.1	72.28	20	497.3	111.19	35	561.1	94.84
75-79	53	738.6	101.45	17	621.8	150.81	36	810.4	135.07
80-84	41	1009.9	157.71	13	1007.8	279.50	28	1010.8	191.03
85+	51	1480.0	207.24	11	1102.2	332.33	40	1634.0	258.36
Total deaths	444			177			267		
Connecticut									
. Crude rate		75.1	-		63.1	-		85.9	-
. AAMR (1940 Std. mil.)		77.9	3.80		78.3	5.94		76.8	4.92
. AAMR (1970 Std. mil.)		104.7	5.02		102.4	7.92		104.9	6.48
. AAMR (2000 Std. mil.)		132.6	6.59		126.6	10.53		134.4	8.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.9	1.93	1	3.8	3.77	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	3.6	2.51	1	3.8	3.83	1	3.3	3.32
35-39	1	2.0	1.97	1	4.2	4.20	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	4.6	4.60	1	10.8	10.76	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	13.9	13.94	1	36.6	36.58	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	6			5			1		
Connecticut									
. Crude rate		1.0	-		1.8	-		0.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.7	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	1	6.8	6.84	0	-	-	1	12.3	12.25
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	1	13.9	13.94	0	-	-	1	22.5	22.51
80-84	1	24.6	24.63	0	-	-	1	36.1	36.10
85+	7	203.1	76.78	0	-	-	7	285.9	108.08
Total deaths	10			-			10		
Connecticut									
. Crude rate		1.7	-		-	-		3.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		2.7	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	20.9	6.30	6	22.4	9.14	5	19.3	8.64
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	5.8	3.35	3	11.3	6.53	0	0.0	0.00
15-19	4	8.4	4.18	3	12.3	7.08	1	4.3	4.28
20-24	6	13.8	5.62	3	13.8	7.95	3	13.8	7.95
25-29	9	17.5	5.82	6	24.4	9.98	3	11.1	6.41
30-34	14	24.9	6.65	7	26.8	10.13	7	23.2	8.78
35-39	34	67.0	11.50	23	96.7	20.16	11	40.8	12.31
40-44	52	126.6	17.56	28	150.1	28.36	24	107.1	21.86
45-49	60	173.9	22.45	35	226.3	38.24	25	131.3	26.26
50-54	100	374.0	37.40	57	482.6	63.93	43	288.1	43.93
55-59	95	437.0	44.84	55	591.6	79.77	40	321.5	50.83
60-64	133	800.4	69.41	70	977.9	116.88	63	666.1	83.92
65-69	148	1012.6	83.23	81	1255.0	139.45	67	820.9	100.29
70-74	172	1676.4	127.83	86	2138.2	230.57	86	1378.6	148.66
75-79	149	2076.4	170.10	74	2706.7	314.64	75	1688.4	194.96
80-84	155	3817.7	306.65	59	4573.6	595.44	96	3465.7	353.72
85+	203	5890.9	413.46	49	4909.8	701.40	154	6290.8	506.93
Total deaths	1,348			645			703		
Connecticut									
. Crude rate		227.9	-		229.8	-		226.1	-
. AAMR (1940 Std. mil.)		224.9	6.33		277.7	11.07		185.9	7.45
. AAMR (1970 Std. mil.)		309.8	8.58		372.4	15.24		264.1	10.10
. AAMR (2000 Std. mil.)		413.8	11.86		482.7	21.19		362.9	14.03
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		175.9	-		227.5	-		133.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	19.0	6.00	6	22.4	9.14	4	15.5	7.73
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	5.8	3.35	3	11.3	6.53	0	0.0	0.00
15-19	4	8.4	4.18	3	12.3	7.08	1	4.3	4.28
20-24	6	13.8	5.62	3	13.8	7.95	3	13.8	7.95
25-29	8	15.5	5.49	5	20.4	9.11	3	11.1	6.41
30-34	9	16.0	5.33	5	19.1	8.56	4	13.3	6.64
35-39	25	49.3	9.86	19	79.9	18.33	6	22.3	9.09
40-44	44	107.1	16.15	23	123.3	25.70	21	93.7	20.45
45-49	50	144.9	20.49	29	187.5	34.81	21	110.3	24.07
50-54	86	321.7	34.69	48	406.4	58.66	38	254.6	41.30
55-59	75	345.0	39.84	44	473.3	71.35	31	249.2	44.75
60-64	104	625.9	61.37	57	796.3	105.47	47	496.9	72.49
65-69	122	834.7	75.57	66	1022.6	125.88	56	686.1	91.68
70-74	140	1364.5	115.32	74	1839.9	213.88	66	1058.0	130.23
75-79	122	1700.1	153.92	60	2194.6	283.32	62	1395.8	177.26
80-84	114	2807.9	262.98	48	3720.9	537.07	66	2382.7	293.29
85+	160	4643.1	367.07	38	3807.6	617.68	122	4983.7	451.20
Total deaths	1,082			531			551		
Connecticut									
. Crude rate		182.9	-		189.2	-		177.3	-
. AAMR (1940 Std. mil.)		181.3	5.69		228.9	10.05		146.6	6.64
. AAMR (1970 Std. mil.)		248.2	7.67		305.8	13.80		207.0	8.94
. AAMR (2000 Std. mil.)		329.7	10.55		394.4	19.08		283.3	12.37
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		138.3	-		185.0	-		100.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	20	38.0	8.49	9	33.6	11.19	11	42.5	12.82
5-9	4	7.0	3.51	3	10.4	6.03	1	3.5	3.54
10-14	6	11.6	4.74	5	18.9	8.44	1	4.0	3.97
15-19	8	16.7	5.91	5	20.4	9.14	3	12.8	7.42
20-24	12	27.5	7.95	6	27.5	11.24	6	27.5	11.25
25-29	20	38.8	8.67	9	36.7	12.22	11	40.7	12.28
30-34	51	90.6	12.69	31	118.7	21.31	20	66.4	14.84
35-39	80	157.7	17.63	54	227.0	30.89	26	96.5	18.93
40-44	105	255.7	24.95	66	353.7	43.54	39	174.0	27.87
45-49	114	330.4	30.94	67	433.1	52.91	47	246.9	36.01
50-54	151	564.8	45.96	90	762.1	80.33	61	408.7	52.33
55-59	161	740.6	58.37	96	1032.6	105.39	65	522.4	64.80
60-64	193	1161.5	83.61	108	1508.8	145.18	85	898.7	97.48
65-69	204	1395.7	97.72	114	1766.3	165.43	90	1102.7	116.23
70-74	248	2417.2	153.49	128	3182.5	281.30	120	1923.7	175.61
75-79	200	2787.1	197.08	98	3584.5	362.09	102	2296.3	227.36
80-84	188	4630.5	337.72	76	5891.5	675.80	112	4043.3	382.06
85+	255	7399.9	463.40	64	6412.8	801.60	191	7802.3	564.55
Total deaths	2,020			1,029			991		
Connecticut									
. Crude rate		341.5	-		366.6	-		318.8	-
. AAMR (1940 Std. mil.)		340.8	7.80		437.4	13.82		269.2	9.03
. AAMR (1970 Std. mil.)		448.8	10.21		562.0	18.39		366.8	11.85
. AAMR (2000 Std. mil.)		587.1	13.83		716.4	25.08		493.3	16.14
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	3.9	2.74	1	4.1	4.07	1	3.7	3.70
30-34	1	1.8	1.78	1	3.8	3.83	0	0.0	0.00
35-39	10	19.7	6.23	8	33.6	11.89	2	7.4	5.25
40-44	18	43.8	10.33	9	48.2	16.08	9	40.2	13.39
45-49	31	89.8	16.13	19	122.8	28.18	12	63.0	18.19
50-54	56	209.5	27.99	32	271.0	47.90	24	160.8	32.82
55-59	53	243.8	33.49	31	333.4	59.89	22	176.8	37.70
60-64	71	427.3	50.71	40	558.8	88.36	31	327.8	58.87
65-69	88	602.1	64.18	47	728.2	106.22	41	502.3	78.45
70-74	95	925.9	95.00	51	1268.0	177.56	44	705.4	106.34
75-79	83	1156.6	126.96	43	1572.8	239.85	40	900.5	142.38
80-84	82	2019.7	223.04	36	2790.7	465.12	46	1660.6	244.85
85+	111	3221.1	305.74	29	2905.8	539.60	82	3349.7	369.91
Total deaths	701			347			354		
Connecticut									
. Crude rate		118.5	-		123.6	-		113.9	-
. AAMR (1940 Std. mil.)		117.5	4.59		151.9	8.24		93.5	5.29
. AAMR (1970 Std. mil.)		164.9	6.30		209.0	11.56		134.9	7.25
. AAMR (2000 Std. mil.)		220.8	8.72		273.4	16.19		185.6	10.07
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		108.0	-		148.2	-		75.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.9	1.90	0	0.0	0.00	1	3.9	3.86
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.29	1	4.6	4.59	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	0	0.0	0.00	1	3.3	3.32
35-39	1	2.0	1.97	1	4.2	4.20	0	0.0	0.00
40-44	2	4.9	3.44	1	5.4	5.36	1	4.5	4.46
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	7.5	5.29	1	8.5	8.47	1	6.7	6.70
55-59	1	4.6	4.60	0	0.0	0.00	1	8.0	8.04
60-64	3	18.1	10.42	2	27.9	19.76	1	10.6	10.57
65-69	1	6.8	6.84	1	15.5	15.49	0	0.0	0.00
70-74	4	39.0	19.49	2	49.7	35.16	2	32.1	22.67
75-79	4	55.7	27.87	2	73.2	51.73	2	45.0	31.84
80-84	2	49.3	34.83	0	0.0	0.00	2	72.2	51.05
85+	13	377.2	104.63	2	200.4	141.70	11	449.3	135.48
Total deaths	36			13			23		
Connecticut									
. Crude rate		6.1	-		4.6	-		7.4	-
. AAMR (1940 Std. mil.)		5.2	0.91		-	-		4.8	1.10
. AAMR (1970 Std. mil.)		7.9	1.35		-	-		7.8	1.67
. AAMR (2000 Std. mil.)		12.1	2.12		-	-		12.6	2.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		6.7	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.9	1.90	0	0.0	0.00	1	3.9	3.86
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	5.3	3.08	0	0.0	0.00	3	10.0	5.75
35-39	9	17.7	5.91	4	16.8	8.41	5	18.6	8.30
40-44	5	12.2	5.44	4	21.4	10.72	1	4.5	4.46
45-49	8	23.2	8.20	4	25.9	12.93	4	21.0	10.50
50-54	9	33.7	11.22	7	59.3	22.40	2	13.4	9.47
55-59	15	69.0	17.82	8	86.0	30.42	7	56.3	21.26
60-64	20	120.4	26.91	8	111.8	39.51	12	126.9	36.63
65-69	17	116.3	28.21	11	170.4	51.39	6	73.5	30.01
70-74	20	194.9	43.59	6	149.2	60.90	14	224.4	59.98
75-79	22	306.6	65.36	12	438.9	126.70	10	225.1	71.19
80-84	30	738.9	134.91	7	542.6	205.10	23	830.3	173.13
85+	31	899.6	161.57	9	901.8	300.60	22	898.7	191.60
Total deaths	190			80			110		
Connecticut									
. Crude rate		32.1	-		28.5	-		35.4	-
. AAMR (1940 Std. mil.)		30.9	2.32		33.9	3.84		28.3	2.86
. AAMR (1970 Std. mil.)		43.9	3.24		46.9	5.44		41.1	3.99
. AAMR (2000 Std. mil.)		60.3	4.61		63.3	7.89		57.3	5.62
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		28.8	-		24.7	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.4	2.43	1	5.4	5.36	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	4.6	4.60	1	10.8	10.76	0	0.0	0.00
60-64	1	6.0	6.02	0	0.0	0.00	1	10.6	10.57
65-69	1	6.8	6.84	0	0.0	0.00	1	12.3	12.25
70-74	4	39.0	19.49	1	24.9	24.86	3	48.1	27.77
75-79	1	13.9	13.94	0	0.0	0.00	1	22.5	22.51
80-84	2	49.3	34.83	1	77.5	77.52	1	36.1	36.10
85+	5	145.1	64.89	1	100.2	100.20	4	163.4	81.70
Total deaths	16			5			11		
Connecticut									
. Crude rate		2.7	-		1.8	-		3.5	-
. AAMR (1940 Std. mil.)		2.4	0.63		-	-		-	-
. AAMR (1970 Std. mil.)		3.8	0.96		-	-		-	-
. AAMR (2000 Std. mil.)		5.6	1.46		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.9	1.93	0	0.0	0.00	1	4.0	3.97
15-19	1	2.1	2.09	0	0.0	0.00	1	4.3	4.28
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.0	1.97	1	4.2	4.20	0	0.0	0.00
40-44	3	7.3	4.22	1	5.4	5.36	2	8.9	6.31
45-49	3	8.7	5.02	3	19.4	11.20	0	0.0	0.00
50-54	4	15.0	7.48	1	8.5	8.47	3	20.1	11.60
55-59	5	23.0	10.29	2	21.5	15.21	3	24.1	13.92
60-64	10	60.2	19.03	8	111.8	39.51	2	21.1	14.95
65-69	4	27.4	13.68	1	15.5	15.49	3	36.8	21.22
70-74	4	39.0	19.49	4	99.5	49.73	0	0.0	0.00
75-79	8	111.5	39.42	6	219.5	89.59	2	45.0	31.84
80-84	11	270.9	81.69	5	387.6	173.34	6	216.6	88.43
85+	7	203.1	76.78	2	200.4	141.70	5	204.2	91.34
Total deaths	62			34			28		
Connecticut									
. Crude rate		10.5	-		12.1	-		9.0	-
. AAMR (1940 Std. mil.)		10.5	1.38		15.1	2.61		7.7	1.54
. AAMR (1970 Std. mil.)		14.6	1.88		21.1	3.74		10.6	2.02
. AAMR (2000 Std. mil.)		19.2	2.57		27.7	5.21		14.1	2.74
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.8	-		26.1	-		17.1	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.9	1.93	0	0.0	0.00	1	4.0	3.97
15-19	1	2.1	2.09	0	0.0	0.00	1	4.3	4.28
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.0	1.97	1	4.2	4.20	0	0.0	0.00
40-44	1	2.4	2.43	0	0.0	0.00	1	4.5	4.46
45-49	1	2.9	2.90	1	6.5	6.46	0	0.0	0.00
50-54	3	11.2	6.48	0	0.0	0.00	3	20.1	11.60
55-59	1	4.6	4.60	0	0.0	0.00	1	8.0	8.04
60-64	1	6.0	6.02	1	14.0	13.97	0	0.0	0.00
65-69	1	6.8	6.84	0	0.0	0.00	1	12.3	12.25
70-74	2	19.5	13.78	2	49.7	35.16	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	49.3	34.83	1	77.5	77.52	1	36.1	36.10
85+	1	29.0	29.02	0	0.0	0.00	1	40.8	40.85
Total deaths	16			6			10		
Connecticut									
. Crude rate		2.7	-		2.1	-		3.2	-
. AAMR (1940 Std. mil.)		2.8	0.72		-	-		-	-
. AAMR (1970 Std. mil.)		3.4	0.88		-	-		-	-
. AAMR (2000 Std. mil.)		4.2	1.12		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.2	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.1	2.09	0	0.0	0.00	1	4.3	4.28
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.9	1.94	0	0.0	0.00	1	3.7	3.70
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	5.9	3.41	1	4.2	4.20	2	7.4	5.25
40-44	5	12.2	5.44	3	16.1	9.28	2	8.9	6.31
45-49	8	23.2	8.20	7	45.3	17.10	1	5.3	5.25
50-54	4	15.0	7.48	4	33.9	16.93	0	0.0	0.00
55-59	2	9.2	6.51	0	0.0	0.00	2	16.1	11.37
60-64	7	42.1	15.92	5	69.9	31.24	2	21.1	14.95
65-69	4	27.4	13.68	2	31.0	21.91	2	24.5	17.33
70-74	4	39.0	19.49	2	49.7	35.16	2	32.1	22.67
75-79	3	41.8	24.14	2	73.2	51.73	1	22.5	22.51
80-84	1	24.6	24.63	1	77.5	77.52	0	0.0	0.00
85+	1	29.0	29.02	1	100.2	100.20	0	0.0	0.00
Total deaths	44			28			16		
Connecticut									
. Crude rate		7.4	-		10.0	-		5.1	-
. AAMR (1940 Std. mil.)		8.1	1.23		12.0	2.29		5.2	1.32
. AAMR (1970 Std. mil.)		9.1	1.41		14.1	2.78		5.7	1.47
. AAMR (2000 Std. mil.)		10.6	1.67		17.3	3.59		6.3	1.62
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		10.9	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.29	0	0.0	0.00	1	4.6	4.59
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	3.6	2.51	2	7.7	5.41	0	0.0	0.00
35-39	3	5.9	3.41	2	8.4	5.95	1	3.7	3.71
40-44	1	2.4	2.43	1	5.4	5.36	0	0.0	0.00
45-49	4	11.6	5.80	1	6.5	6.46	3	15.8	9.10
50-54	4	15.0	7.48	3	25.4	14.67	1	6.7	6.70
55-59	6	27.6	11.27	5	53.8	24.05	1	8.0	8.04
60-64	10	60.2	19.03	4	55.9	27.94	6	63.4	25.90
65-69	8	54.7	19.35	1	15.5	15.49	7	85.8	32.42
70-74	8	78.0	27.57	5	124.3	55.60	3	48.1	27.77
75-79	6	83.6	34.13	3	109.7	63.35	3	67.5	38.99
80-84	9	221.7	73.89	1	77.5	77.52	8	288.8	102.11
85+	7	203.1	76.78	3	300.6	173.55	4	163.4	81.70
Total deaths	69			31			38		
Connecticut									
. Crude rate		11.7	-		11.0	-		12.2	-
. AAMR (1940 Std. mil.)		11.9	1.47		13.2	2.41		11.0	1.86
. AAMR (1970 Std. mil.)		15.8	1.94		17.0	3.20		14.9	2.45
. AAMR (2000 Std. mil.)		20.2	2.57		22.0	4.43		19.0	3.16
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		5.3	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.29	0	0.0	0.00	1	4.6	4.59
25-29	1	1.9	1.94	0	0.0	0.00	1	3.7	3.70
30-34	4	7.1	3.55	3	11.5	6.63	1	3.3	3.32
35-39	4	7.9	3.94	2	8.4	5.95	2	7.4	5.25
40-44	3	7.3	4.22	2	10.7	7.58	1	4.5	4.46
45-49	4	11.6	5.80	1	6.5	6.46	3	15.8	9.10
50-54	4	15.0	7.48	3	25.4	14.67	1	6.7	6.70
55-59	8	36.8	13.01	6	64.5	26.35	2	16.1	11.37
60-64	11	66.2	19.96	5	69.9	31.24	6	63.4	25.90
65-69	11	75.3	22.69	4	62.0	30.99	7	85.8	32.42
70-74	11	107.2	32.33	7	174.0	65.78	4	64.1	32.06
75-79	10	139.4	44.07	5	182.9	81.79	5	112.6	50.34
80-84	10	246.3	77.89	2	155.0	109.63	8	288.8	102.11
85+	8	232.2	82.08	3	300.6	173.55	5	204.2	91.34
Total deaths	90			43			47		
Connecticut									
. Crude rate		15.2	-		15.3	-		15.1	-
. AAMR (1940 Std. mil.)		15.5	1.67		18.4	2.85		13.4	2.04
. AAMR (1970 Std. mil.)		20.3	2.19		23.9	3.80		17.8	2.64
. AAMR (2000 Std. mil.)		25.9	2.89		30.3	5.14		22.9	3.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		6.7	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	7	13.3	5.02	3	11.2	6.46	4	15.5	7.73
5-9	2	3.5	2.48	1	3.5	3.48	1	3.5	3.54
10-14	8	15.5	5.47	6	22.6	9.24	2	7.9	5.61
15-19	8	16.7	5.91	7	28.6	10.81	1	4.3	4.28
20-24	15	34.4	8.89	9	41.3	13.77	6	27.5	11.25
25-29	21	40.7	8.89	20	81.5	18.22	1	3.7	3.70
30-34	17	30.2	7.33	13	49.8	13.80	4	13.3	6.64
35-39	22	43.4	9.25	17	71.5	17.33	5	18.6	8.30
40-44	19	46.3	10.61	16	85.7	21.44	3	13.4	7.73
45-49	33	95.6	16.65	27	174.5	33.59	6	31.5	12.87
50-54	16	59.8	14.96	14	118.5	31.68	2	13.4	9.47
55-59	14	64.4	17.21	12	129.1	37.26	2	16.1	11.37
60-64	5	30.1	13.46	3	41.9	24.20	2	21.1	14.95
65-69	5	34.2	15.30	5	77.5	34.65	0	0.0	0.00
70-74	10	97.5	30.82	6	149.2	60.90	4	64.1	32.06
75-79	4	55.7	27.87	1	36.6	36.58	3	67.5	38.99
80-84	3	73.9	42.66	2	155.0	109.63	1	36.1	36.10
85+	2	58.0	41.04	2	200.4	141.70	0	0.0	0.00
Total deaths	211			164			47		
Connecticut									
. Crude rate		35.7	-		58.4	-		15.1	-
. AAMR (1940 Std. mil.)		36.7	2.55		62.9	4.98		15.1	2.23
. AAMR (1970 Std. mil.)		36.4	2.61		62.4	5.17		15.6	2.34
. AAMR (2000 Std. mil.)		40.8	2.97		71.2	6.19		17.0	2.59
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		44.1	-		17.6	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.7	3.29	3	11.2	6.46	0	0.0	0.00
5-9	1	1.8	1.76	0	0.0	0.00	1	3.5	3.54
10-14	2	3.9	2.73	2	7.5	5.34	0	0.0	0.00
15-19	5	10.5	4.68	4	16.3	8.17	1	4.3	4.28
20-24	12	27.5	7.95	7	32.1	12.14	5	23.0	10.27
25-29	12	23.3	6.72	11	44.8	13.51	1	3.7	3.70
30-34	7	12.4	4.70	6	23.0	9.38	1	3.3	3.32
35-39	5	9.9	4.41	4	16.8	8.41	1	3.7	3.71
40-44	9	21.9	7.30	7	37.5	14.18	2	8.9	6.31
45-49	5	14.5	6.48	5	32.3	14.46	0	0.0	0.00
50-54	2	7.5	5.29	2	16.9	11.97	0	0.0	0.00
55-59	4	18.4	9.20	3	32.3	18.63	1	8.0	8.04
60-64	1	6.0	6.02	0	0.0	0.00	1	10.6	10.57
65-69	1	6.8	6.84	1	15.5	15.49	0	0.0	0.00
70-74	2	19.5	13.78	1	24.9	24.86	1	16.0	16.03
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	71			56			15		
Connecticut									
. Crude rate		12.0	-		20.0	-		4.8	-
. AAMR (1940 Std. mil.)		12.4	1.48		20.5	2.77		-	-
. AAMR (1970 Std. mil.)		11.5	1.41		18.9	2.62		-	-
. AAMR (2000 Std. mil.)		11.9	1.45		19.9	2.78		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.7	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	8.4	4.18	4	16.3	8.17	0	0.0	0.00
20-24	9	20.7	6.88	8	36.7	12.98	1	4.6	4.59
25-29	8	15.5	5.49	6	24.4	9.98	2	7.4	5.24
30-34	2	3.6	2.51	2	7.7	5.41	0	0.0	0.00
35-39	5	9.9	4.41	5	21.0	9.40	0	0.0	0.00
40-44	2	4.9	3.44	2	10.7	7.58	0	0.0	0.00
45-49	3	8.7	5.02	2	12.9	9.14	1	5.3	5.25
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	4.6	4.60	0	0.0	0.00	1	8.0	8.04
60-64	1	6.0	6.02	0	0.0	0.00	1	10.6	10.57
65-69	2	13.7	9.68	1	15.5	15.49	1	12.3	12.25
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	13.9	13.94	1	36.6	36.58	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	38			31			7		
Connecticut									
. Crude rate		6.4	-		11.0	-		2.3	-
. AAMR (1940 Std. mil.)		6.7	1.10		11.3	2.05		-	-
. AAMR (1970 Std. mil.)		6.2	1.05		10.3	1.93		-	-
. AAMR (2000 Std. mil.)		6.4	1.07		10.8	2.08		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	15.2	5.37	5	18.7	8.34	3	11.6	6.69
5-9	2	3.5	2.48	1	3.5	3.48	1	3.5	3.54
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	33	69.0	12.01	29	118.5	22.01	4	17.1	8.56
20-24	33	75.7	13.18	28	128.5	24.28	5	23.0	10.27
25-29	28	54.3	10.26	25	101.8	20.37	3	11.1	6.41
30-34	12	21.3	6.16	12	45.9	13.26	0	0.0	0.00
35-39	8	15.8	5.58	7	29.4	11.12	1	3.7	3.71
40-44	7	17.0	6.44	6	32.2	13.13	1	4.5	4.46
45-49	2	5.8	4.10	2	12.9	9.14	0	0.0	0.00
50-54	5	18.7	8.36	5	42.3	18.93	0	0.0	0.00
55-59	2	9.2	6.51	1	10.8	10.76	1	8.0	8.04
60-64	3	18.1	10.42	2	27.9	19.76	1	10.6	10.57
65-69	3	20.5	11.85	3	46.5	26.84	0	0.0	0.00
70-74	2	19.5	13.78	2	49.7	35.16	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	148			128			20		
Connecticut									
. Crude rate		25.0	-		45.6	-		6.4	-
. AAMR (1940 Std. mil.)		26.6	2.20		47.5	4.24		7.1	1.60
. AAMR (1970 Std. mil.)		24.7	2.09		44.0	4.02		6.8	1.56
. AAMR (2000 Std. mil.)		23.1	1.94		41.8	3.86		6.0	1.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.5	-		14.6	-		4.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	16	30.4	7.59	9	33.6	11.19	7	27.1	10.23
5-9	4	7.0	3.51	2	7.0	4.92	2	7.1	5.01
10-14	8	15.5	5.47	6	22.6	9.24	2	7.9	5.61
15-19	46	96.2	14.18	41	167.6	26.17	5	21.4	9.58
20-24	57	130.8	17.33	45	206.5	30.78	12	55.1	15.90
25-29	58	112.5	14.77	52	211.8	29.37	6	22.2	9.07
30-34	31	55.1	9.90	27	103.3	19.89	4	13.3	6.64
35-39	35	69.0	11.66	29	121.9	22.64	6	22.3	9.09
40-44	28	68.2	12.88	24	128.6	26.25	4	17.8	8.92
45-49	38	110.1	17.86	31	200.4	35.99	7	36.8	13.90
50-54	21	78.5	17.14	19	160.9	36.91	2	13.4	9.47
55-59	17	78.2	18.97	13	139.8	38.78	4	32.1	16.07
60-64	9	54.2	18.05	5	69.9	31.24	4	42.3	21.15
65-69	10	68.4	21.64	9	139.4	46.48	1	12.3	12.25
70-74	12	117.0	33.76	8	198.9	70.32	4	64.1	32.06
75-79	5	69.7	31.16	2	73.2	51.73	3	67.5	38.99
80-84	3	73.9	42.66	2	155.0	109.63	1	36.1	36.10
85+	2	58.0	41.04	2	200.4	141.70	0	0.0	0.00
Total deaths	400			326			74		
Connecticut									
. Crude rate		67.6	-		116.2	-		23.8	-
. AAMR (1940 Std. mil.)		70.5	3.56		122.8	6.88		24.6	2.89
. AAMR (1970 Std. mil.)		67.8	3.51		117.6	6.85		24.8	2.97
. AAMR (2000 Std. mil.)		70.6	3.72		124.7	7.60		25.4	3.07
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		52.1	-		79.2	-		26.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.7	3.29	3	11.2	6.46	0	0.0	0.00
5-9	1	1.8	1.76	0	0.0	0.00	1	3.5	3.54
10-14	2	3.9	2.73	2	7.5	5.34	0	0.0	0.00
15-19	5	10.5	4.68	4	16.3	8.17	1	4.3	4.28
20-24	12	27.5	7.95	7	32.1	12.14	5	23.0	10.27
25-29	12	23.3	6.72	11	44.8	13.51	1	3.7	3.70
30-34	6	10.7	4.35	5	19.1	8.56	1	3.3	3.32
35-39	5	9.9	4.41	4	16.8	8.41	1	3.7	3.71
40-44	9	21.9	7.30	7	37.5	14.18	2	8.9	6.31
45-49	5	14.5	6.48	5	32.3	14.46	0	0.0	0.00
50-54	2	7.5	5.29	2	16.9	11.97	0	0.0	0.00
55-59	4	18.4	9.20	3	32.3	18.63	1	8.0	8.04
60-64	1	6.0	6.02	0	0.0	0.00	1	10.6	10.57
65-69	1	6.8	6.84	1	15.5	15.49	0	0.0	0.00
70-74	2	19.5	13.78	1	24.9	24.86	1	16.0	16.03
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	70			55			15		
Connecticut									
. Crude rate		11.8	-		19.6	-		4.8	-
. AAMR (1940 Std. mil.)		12.2	1.48		20.2	2.76		-	-
. AAMR (1970 Std. mil.)		11.4	1.41		18.7	2.61		-	-
. AAMR (2000 Std. mil.)		11.7	1.45		19.6	2.77		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.0	-		22.2	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.9	1.94	1	4.1	4.07	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	5.8	4.10	1	6.5	6.46	1	5.3	5.25
50-54	1	3.7	3.74	1	8.5	8.47	0	0.0	0.00
55-59	1	4.6	4.60	1	10.8	10.76	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	19.5	13.78	1	24.9	24.86	1	16.0	16.03
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	58.0	41.04	2	200.4	141.70	0	0.0	0.00
Total deaths	9			7			2		
Connecticut									
. Crude rate		1.5	-		2.5	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3, E922.8-.9, E955.0-.4, E965.0-.4, E970, E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.7	3.29	2	7.5	5.28	1	3.9	3.86
5-9	1	1.8	1.76	0	0.0	0.00	1	3.5	3.54
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	34	71.1	12.19	30	122.6	22.38	4	17.1	8.56
20-24	35	80.3	13.58	31	142.2	25.55	4	18.4	9.18
25-29	31	60.1	10.80	29	118.1	21.94	2	7.4	5.24
30-34	8	14.2	5.03	8	30.6	10.83	0	0.0	0.00
35-39	6	11.8	4.83	6	25.2	10.30	0	0.0	0.00
40-44	6	14.6	5.96	6	32.2	13.13	0	0.0	0.00
45-49	1	2.9	2.90	1	6.5	6.46	0	0.0	0.00
50-54	3	11.2	6.48	3	25.4	14.67	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	3	18.1	10.42	1	14.0	13.97	2	21.1	14.95
65-69	1	6.8	6.84	1	15.5	15.49	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	13.9	13.94	1	36.6	36.58	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	133			119			14		
Connecticut									
. Crude rate		22.5	-		42.4	-		4.5	-
. AAMR (1940 Std. mil.)		24.1	2.11		44.1	4.06		-	-
. AAMR (1970 Std. mil.)		22.1	1.97		40.0	3.76		-	-
. AAMR (2000 Std. mil.)		20.3	1.80		37.4	3.56		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		24.1	-		3.9	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.2	2.96	2	8.2	5.78	0	0.0	0.00
20-24	5	11.5	5.13	5	22.9	10.26	0	0.0	0.00
25-29	4	7.8	3.88	4	16.3	8.15	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	5.9	3.41	3	12.6	7.28	0	0.0	0.00
40-44	1	2.4	2.43	1	5.4	5.36	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	6.0	6.02	0	0.0	0.00	1	10.6	10.57
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	13.9	13.94	1	36.6	36.58	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	17			16			1		
Connecticut									
. Crude rate		2.9	-		5.7	-		0.3	-
. AAMR (1940 Std. mil.)		3.0	0.74		5.8	1.47		-	-
. AAMR (1970 Std. mil.)		2.8	0.71		5.4	1.42		-	-
. AAMR (2000 Std. mil.)		2.9	0.73		5.6	1.56		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.5	-		11.5	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.7	3.29	2	7.5	5.28	1	3.9	3.86
5-9	1	1.8	1.76	0	0.0	0.00	1	3.5	3.54
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	30	62.7	11.45	26	106.3	20.84	4	17.1	8.56
20-24	29	66.6	12.36	25	114.7	22.94	4	18.4	9.18
25-29	27	52.4	10.08	25	101.8	20.37	2	7.4	5.24
30-34	8	14.2	5.03	8	30.6	10.83	0	0.0	0.00
35-39	3	5.9	3.41	3	12.6	7.28	0	0.0	0.00
40-44	5	12.2	5.44	5	26.8	11.98	0	0.0	0.00
45-49	1	2.9	2.90	1	6.5	6.46	0	0.0	0.00
50-54	3	11.2	6.48	3	25.4	14.67	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	12.0	8.51	1	14.0	13.97	1	10.6	10.57
65-69	1	6.8	6.84	1	15.5	15.49	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	113			100			13		
Connecticut									
. Crude rate		19.1	-		35.6	-		4.2	-
. AAMR (1940 Std. mil.)		20.5	1.95		37.1	3.73		-	-
. AAMR (1970 Std. mil.)		18.7	1.81		33.5	3.42		-	-
. AAMR (2000 Std. mil.)		17.0	1.62		30.9	3.16		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.6	-		11.0	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.9	1.93	0	0.0	0.00	1	4.0	3.97
15-19	1	2.1	2.09	1	4.1	4.09	0	0.0	0.00
20-24	2	4.6	3.25	1	4.6	4.59	1	4.6	4.59
25-29	4	7.8	3.88	4	16.3	8.15	0	0.0	0.00
30-34	9	16.0	5.33	7	26.8	10.13	2	6.6	4.69
35-39	11	21.7	6.54	11	46.2	13.94	0	0.0	0.00
40-44	7	17.0	6.44	7	37.5	14.18	0	0.0	0.00
45-49	22	63.8	13.59	17	109.9	26.65	5	26.3	11.74
50-54	5	18.7	8.36	5	42.3	18.93	0	0.0	0.00
55-59	7	32.2	12.17	5	53.8	24.05	2	16.1	11.37
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	69			58			11		
Connecticut									
. Crude rate		11.7	-		20.7	-		3.5	-
. AAMR (1940 Std. mil.)		11.8	1.44		21.7	2.89		-	-
. AAMR (1970 Std. mil.)		10.8	1.34		19.6	2.68		-	-
. AAMR (2000 Std. mil.)		12.7	1.56		23.5	3.17		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		8.5	-		3.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.0	1.97	0	0.0	0.00	1	3.7	3.71
40-44	6	14.6	5.96	4	21.4	10.72	2	8.9	6.31
45-49	5	14.5	6.48	3	19.4	11.20	2	10.5	7.43
50-54	6	22.4	9.16	5	42.3	18.93	1	6.7	6.70
55-59	2	9.2	6.51	1	10.8	10.76	1	8.0	8.04
60-64	6	36.1	14.74	4	55.9	27.94	2	21.1	14.95
65-69	3	20.5	11.85	3	46.5	26.84	0	0.0	0.00
70-74	3	29.2	16.88	2	49.7	35.16	1	16.0	16.03
75-79	2	27.9	19.71	1	36.6	36.58	1	22.5	22.51
80-84	1	24.6	24.63	1	77.5	77.52	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	35			24			11		
Connecticut									
. Crude rate		5.9	-		8.6	-		3.5	-
. AAMR (1940 Std. mil.)		6.6	1.12		10.6	2.19		-	-
. AAMR (1970 Std. mil.)		7.3	1.27		12.1	2.56		-	-
. AAMR (2000 Std. mil.)		8.5	1.47		14.0	3.04		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.8	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995-1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.1	2.09	1	4.1	4.09	0	0.0	0.00
20-24	2	4.6	3.25	1	4.6	4.59	1	4.6	4.59
25-29	3	5.8	3.36	3	12.2	7.06	0	0.0	0.00
30-34	9	16.0	5.33	7	26.8	10.13	2	6.6	4.69
35-39	15	29.6	7.64	15	63.1	16.28	0	0.0	0.00
40-44	10	24.3	7.70	8	42.9	15.16	2	8.9	6.31
45-49	22	63.8	13.59	17	109.9	26.65	5	26.3	11.74
50-54	4	15.0	7.48	4	33.9	16.93	0	0.0	0.00
55-59	4	18.4	9.20	3	32.3	18.63	1	8.0	8.04
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	70			59			11		
Connecticut									
. Crude rate		11.8	-		21.0	-		3.5	-
. AAMR (1940 Std. mil.)		11.7	1.42		21.5	2.84		-	-
. AAMR (1970 Std. mil.)		10.4	1.29		19.0	2.58		-	-
. AAMR (2000 Std. mil.)		12.8	1.55		23.5	3.13		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.3	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher