

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	279	186.7	11.18	149	192.2	15.75	130	180.7	15.85
5-9	23	17.6	3.68	15	22.4	5.79	8	12.6	4.45
10-14	33	29.0	5.06	17	29.5	7.16	16	28.5	7.13
15-19	76	68.7	7.89	64	111.4	13.92	12	22.6	6.53
20-24	115	106.8	9.96	95	170.9	17.53	20	38.4	8.59
25-29	176	147.3	11.11	124	209.3	18.80	52	86.4	11.98
30-34	241	198.9	12.81	176	294.5	22.20	65	105.8	13.13
35-39	281	266.7	15.91	217	424.4	28.81	64	118.0	14.75
40-44	273	335.7	20.32	199	512.7	36.34	74	174.1	20.24
45-49	266	429.9	26.36	193	653.0	47.01	73	225.9	26.43
50-54	235	495.2	32.30	144	651.7	54.31	91	358.8	37.62
55-59	243	708.1	45.43	153	976.3	78.93	90	482.7	50.88
60-64	247	983.8	62.60	142	1235.5	103.68	105	771.3	75.27
65-69	265	1409.2	86.57	161	1992.3	157.02	104	969.8	95.10
70-74	264	1887.5	116.17	134	2367.1	204.48	130	1561.4	136.94
75-79	284	2758.9	163.71	140	3599.0	304.17	144	2248.6	187.38
80-84	248	3744.0	237.74	109	4530.3	433.93	139	3295.4	279.51
85+	320	5857.6	327.45	129	7076.2	623.03	191	5247.3	379.68
Total deaths	3,869			2,361			1,508		
Connecticut									
. Crude rate		306.4	-		378.0	-		236.3	-
. AAMR (1940 Std. mil.)		372.5	6.33		506.2	11.12		260.2	7.11
. AAMR (1970 Std. mil.)		456.8	8.03		607.8	14.31		336.2	9.18
. AAMR (2000 Std. mil.)		575.9	10.56		761.5	19.18		432.4	12.09
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		507.1	-		654.4	-		385.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	6.7	2.12	5	6.5	2.88	5	7.0	3.11
5-9	2	1.5	1.08	1	1.5	1.49	1	1.6	1.57
10-14	6	5.3	2.16	3	5.2	3.01	3	5.4	3.09
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	5	4.6	2.08	2	3.6	2.54	3	5.8	3.33
25-29	48	40.2	5.80	32	54.0	9.55	16	26.6	6.64
30-34	98	80.9	8.17	73	122.2	14.30	25	40.7	8.14
35-39	106	100.6	9.77	82	160.4	17.71	24	44.2	9.03
40-44	93	114.4	11.86	74	190.6	22.16	19	44.7	10.25
45-49	74	119.6	13.90	60	203.0	26.21	14	43.3	11.58
50-54	28	59.0	11.15	22	99.6	21.23	6	23.7	9.66
55-59	25	72.9	14.57	16	102.1	25.52	9	48.3	16.09
60-64	9	35.8	11.95	6	52.2	21.31	3	22.0	12.72
65-69	10	53.2	16.82	5	61.9	27.67	5	46.6	20.85
70-74	7	50.0	18.92	2	35.3	24.98	5	60.1	26.86
75-79	11	106.9	32.22	6	154.2	62.97	5	78.1	34.92
80-84	7	105.7	39.94	1	41.6	41.56	6	142.2	58.07
85+	9	164.7	54.91	3	164.6	95.01	6	164.8	67.29
Total deaths	548			393			155		
Connecticut									
. Crude rate		43.4	-		62.9	-		24.3	-
. AAMR (1940 Std. mil.)		46.2	2.05		69.4	3.66		24.9	2.08
. AAMR (1970 Std. mil.)		44.1	2.10		64.4	3.68		25.5	2.26
. AAMR (2000 Std. mil.)		55.1	2.65		80.5	4.64		31.7	2.85
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		23.2	-		35.6	-		11.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.67	1	1.3	1.29	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.84	1	1.7	1.69	0	0.0	0.00
30-34	1	0.8	0.83	0	0.0	0.00	1	1.6	1.63
35-39	3	2.8	1.64	2	3.9	2.77	1	1.8	1.84
40-44	4	4.9	2.46	2	5.2	3.64	2	4.7	3.33
45-49	4	6.5	3.23	3	10.2	5.86	1	3.1	3.09
50-54	5	10.5	4.71	3	13.6	7.84	2	7.9	5.58
55-59	2	5.8	4.12	2	12.8	9.02	0	0.0	0.00
60-64	6	23.9	9.76	4	34.8	17.40	2	14.7	10.39
65-69	5	26.6	11.89	1	12.4	12.37	4	37.3	18.65
70-74	6	42.9	17.51	2	35.3	24.98	4	48.0	24.02
75-79	8	77.7	27.48	4	102.8	51.41	4	62.5	31.23
80-84	7	105.7	39.94	1	41.6	41.56	6	142.2	58.07
85+	7	128.1	48.43	2	109.7	77.58	5	137.4	61.43
Total deaths	60			28			32		
Connecticut									
. Crude rate		4.8	-		4.5	-		5.0	-
. AAMR (1940 Std. mil.)		6.3	0.85		6.8	1.35		5.7	1.06
. AAMR (1970 Std. mil.)		8.5	1.16		8.8	1.81		8.1	1.48
. AAMR (2000 Std. mil.)		11.4	1.58		11.3	2.44		11.1	2.03
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.9	-		4.4	-		3.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	2.0	1.16	1	1.3	1.29	2	2.8	1.97
5-9	2	1.5	1.08	1	1.5	1.49	1	1.6	1.57
10-14	6	5.3	2.16	3	5.2	3.01	3	5.4	3.09
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	2.8	1.61	1	1.8	1.80	2	3.8	2.72
25-29	44	36.8	5.55	28	47.3	8.93	16	26.6	6.64
30-34	88	72.6	7.74	66	110.4	13.59	22	35.8	7.64
35-39	87	82.6	8.85	65	127.1	15.77	22	40.6	8.65
40-44	75	92.2	10.65	61	157.1	20.12	14	32.9	8.80
45-49	62	100.2	12.73	51	172.6	24.16	11	34.0	10.26
50-54	22	46.4	9.88	19	86.0	19.73	3	11.8	6.83
55-59	19	55.4	12.70	11	70.2	21.16	8	42.9	15.17
60-64	2	8.0	5.63	2	17.4	12.30	0	0.0	0.00
65-69	3	16.0	9.21	3	37.1	21.43	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	416			312			104		
Connecticut									
. Crude rate		32.9	-		49.9	-		16.3	-
. AAMR (1940 Std. mil.)		33.9	1.71		53.5	3.14		16.0	1.61
. AAMR (1970 Std. mil.)		29.7	1.57		46.9	2.89		14.0	1.46
. AAMR (2000 Std. mil.)		36.2	1.87		57.9	3.47		16.5	1.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.3	-		26.4	-		4.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.3	0.95	1	1.3	1.29	1	1.4	1.39
5-9	3	2.3	1.33	2	3.0	2.11	1	1.6	1.57
10-14	4	3.5	1.76	3	5.2	3.01	1	1.8	1.78
15-19	1	0.9	0.90	0	0.0	0.00	1	1.9	1.88
20-24	9	8.4	2.79	7	12.6	4.76	2	3.8	2.72
25-29	10	8.4	2.65	3	5.1	2.92	7	11.6	4.40
30-34	20	16.5	3.69	10	16.7	5.29	10	16.3	5.15
35-39	19	18.0	4.14	12	23.5	6.77	7	12.9	4.88
40-44	28	34.4	6.51	13	33.5	9.29	15	35.3	9.11
45-49	42	67.9	10.47	23	77.8	16.23	19	58.8	13.49
50-54	58	122.2	16.05	26	117.7	23.08	32	126.2	22.31
55-59	62	180.7	22.95	34	217.0	37.21	28	150.2	28.38
60-64	74	294.7	34.26	41	356.7	55.71	33	242.4	42.20
65-69	78	414.8	46.96	47	581.6	84.84	31	289.1	51.92
70-74	59	421.8	54.92	33	582.9	101.48	26	312.3	61.24
75-79	58	563.4	73.98	31	796.9	143.13	27	421.6	81.14
80-84	51	769.9	107.81	32	1330.0	235.11	19	450.5	103.34
85+	44	805.4	121.42	23	1261.7	263.07	21	576.9	125.89
Total deaths	622			341			281		
Connecticut									
. Crude rate		49.3	-		54.6	-		44.0	-
. AAMR (1940 Std. mil.)		70.0	2.91		89.9	5.05		55.9	3.47
. AAMR (1970 Std. mil.)		88.9	3.73		118.3	6.81		69.1	4.29
. AAMR (2000 Std. mil.)		108.9	4.69		148.3	8.98		83.6	5.24
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		131.6	-		159.6	-		111.1	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.9	0.95	1	2.0	1.96	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	4.2	2.98	2	9.1	6.40	0	0.0	0.00
55-59	3	8.7	5.05	3	19.1	11.05	0	0.0	0.00
60-64	1	4.0	3.98	1	8.7	8.70	0	0.0	0.00
65-69	3	16.0	9.21	2	24.7	17.50	1	9.3	9.32
70-74	2	14.3	10.11	2	35.3	24.98	0	0.0	0.00
75-79	3	29.1	16.83	3	77.1	44.53	0	0.0	0.00
80-84	1	15.1	15.10	1	41.6	41.56	0	0.0	0.00
85+	2	36.6	25.89	1	54.9	54.85	1	27.5	27.47
Total deaths	18			16			2		
Connecticut									
. Crude rate		1.4	-		2.6	-		0.3	-
. AAMR (1940 Std. mil.)		2.1	0.51		4.5	1.15		-	-
. AAMR (1970 Std. mil.)		2.8	0.68		6.0	1.57		-	-
. AAMR (2000 Std. mil.)		3.5	0.88		7.6	2.07		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.4	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.84	1	1.7	1.69	0	0.0	0.00
30-34	2	1.7	1.17	1	1.7	1.67	1	1.6	1.63
35-39	2	1.9	1.34	2	3.9	2.77	0	0.0	0.00
40-44	3	3.7	2.13	1	2.6	2.58	2	4.7	3.33
45-49	3	4.8	2.80	3	10.2	5.86	0	0.0	0.00
50-54	3	6.3	3.65	2	9.1	6.40	1	3.9	3.94
55-59	7	20.4	7.71	3	19.1	11.05	4	21.5	10.73
60-64	12	47.8	13.80	10	87.0	27.51	2	14.7	10.39
65-69	4	21.3	10.64	3	37.1	21.43	1	9.3	9.32
70-74	4	28.6	14.30	1	17.7	17.66	3	36.0	20.80
75-79	4	38.9	19.43	4	102.8	51.41	0	0.0	0.00
80-84	9	135.9	45.29	4	166.3	83.13	5	118.5	53.01
85+	4	73.2	36.61	2	109.7	77.58	2	54.9	38.85
Total deaths	58			37			21		
Connecticut									
. Crude rate		4.6	-		5.9	-		3.3	-
. AAMR (1940 Std. mil.)		6.5	0.88		9.7	1.65		4.0	0.91
. AAMR (1970 Std. mil.)		8.4	1.15		12.7	2.21		5.3	1.19
. AAMR (2000 Std. mil.)		10.5	1.47		15.6	2.88		6.8	1.54
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.9	-		15.7	-		10.7	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.84	1	1.7	1.69	0	0.0	0.00
30-34	1	0.8	0.83	1	1.7	1.67	0	0.0	0.00
35-39	1	0.9	0.95	1	2.0	1.96	0	0.0	0.00
40-44	3	3.7	2.13	1	2.6	2.58	2	4.7	3.33
45-49	3	4.8	2.80	3	10.2	5.86	0	0.0	0.00
50-54	3	6.3	3.65	2	9.1	6.40	1	3.9	3.94
55-59	4	11.7	5.83	2	12.8	9.02	2	10.7	7.58
60-64	7	27.9	10.54	7	60.9	23.02	0	0.0	0.00
65-69	3	16.0	9.21	2	24.7	17.50	1	9.3	9.32
70-74	2	14.3	10.11	1	17.7	17.66	1	12.0	12.01
75-79	4	38.9	19.43	4	102.8	51.41	0	0.0	0.00
80-84	9	135.9	45.29	4	166.3	83.13	5	118.5	53.01
85+	4	73.2	36.61	2	109.7	77.58	2	54.9	38.85
Total deaths	45			31			14		
Connecticut									
. Crude rate		3.6	-		5.0	-		2.2	-
. AAMR (1940 Std. mil.)		4.8	0.75		8.0	1.48		-	-
. AAMR (1970 Std. mil.)		6.5	1.01		10.7	2.05		-	-
. AAMR (2000 Std. mil.)		8.5	1.35		13.7	2.77		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.8	-		12.9	-		9.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.8	0.83	0	0.0	0.00	1	1.6	1.63
35-39	1	0.9	0.95	1	2.0	1.96	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	8.7	5.05	1	6.4	6.38	2	10.7	7.58
60-64	5	19.9	8.91	3	26.1	15.07	2	14.7	10.39
65-69	1	5.3	5.32	1	12.4	12.37	0	0.0	0.00
70-74	2	14.3	10.11	0	0.0	0.00	2	24.0	16.99
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	13			6			7		
Connecticut									
. Crude rate		1.0	-		1.0	-		1.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.0	-		2.6	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.9	0.95	1	2.0	1.96	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	4.2	2.98	0	0.0	0.00	2	7.9	5.58
55-59	2	5.8	4.12	1	6.4	6.38	1	5.4	5.36
60-64	2	8.0	5.63	2	17.4	12.30	0	0.0	0.00
65-69	4	21.3	10.64	3	37.1	21.43	1	9.3	9.32
70-74	1	7.1	7.15	1	17.7	17.66	0	0.0	0.00
75-79	4	38.9	19.43	2	51.4	36.36	2	31.2	22.08
80-84	1	15.1	15.10	1	41.6	41.56	0	0.0	0.00
85+	3	54.9	31.71	1	54.9	54.85	2	54.9	38.85
Total deaths	20			12			8		
Connecticut									
. Crude rate		1.6	-		1.9	-		1.3	-
. AAMR (1940 Std. mil.)		2.3	0.53		-	-		-	-
. AAMR (1970 Std. mil.)		3.1	0.72		-	-		-	-
. AAMR (2000 Std. mil.)		4.1	0.95		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.4	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	4.9	2.46	3	7.7	4.46	1	2.4	2.35
45-49	5	8.1	3.61	5	16.9	7.57	0	0.0	0.00
50-54	4	8.4	4.21	3	13.6	7.84	1	3.9	3.94
55-59	14	40.8	10.90	8	51.0	18.05	6	32.2	13.14
60-64	13	51.8	14.36	10	87.0	27.51	3	22.0	12.72
65-69	21	111.7	24.37	13	160.9	44.62	8	74.6	26.37
70-74	15	107.2	27.69	10	176.6	55.86	5	60.1	26.86
75-79	13	126.3	35.03	5	128.5	57.48	8	124.9	44.17
80-84	7	105.7	39.94	6	249.4	101.81	1	23.7	23.71
85+	2	36.6	25.89	1	54.9	54.85	1	27.5	27.47
Total deaths	98			64			34		
Connecticut									
. Crude rate		7.8	-		10.2	-		5.3	-
. AAMR (1940 Std. mil.)		12.4	1.28		18.9	2.40		7.5	1.32
. AAMR (1970 Std. mil.)		16.0	1.65		24.3	3.14		9.9	1.71
. AAMR (2000 Std. mil.)		18.6	1.95		28.4	3.81		11.5	2.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.1	-		56.4	-		27.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	4.9	2.46	3	7.7	4.46	1	2.4	2.35
45-49	5	8.1	3.61	5	16.9	7.57	0	0.0	0.00
50-54	4	8.4	4.21	3	13.6	7.84	1	3.9	3.94
55-59	12	35.0	10.09	6	38.3	15.63	6	32.2	13.14
60-64	10	39.8	12.60	7	60.9	23.02	3	22.0	12.72
65-69	20	106.4	23.78	13	160.9	44.62	7	65.3	24.67
70-74	14	100.1	26.75	9	159.0	52.99	5	60.1	26.86
75-79	13	126.3	35.03	5	128.5	57.48	8	124.9	44.17
80-84	5	75.5	33.76	4	166.3	83.13	1	23.7	23.71
85+	2	36.6	25.89	1	54.9	54.85	1	27.5	27.47
Total deaths	89			56			33		
Connecticut									
. Crude rate		7.0	-		9.0	-		5.2	-
. AAMR (1940 Std. mil.)		11.3	1.22		16.5	2.25		7.3	1.29
. AAMR (1970 Std. mil.)		14.5	1.57		21.2	2.93		9.6	1.68
. AAMR (2000 Std. mil.)		16.9	1.86		24.8	3.54		11.2	1.99
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.6	-		54.1	-		26.6	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.84	1	1.7	1.69	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.9	0.95	0	0.0	0.00	1	1.8	1.84
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	1.6	1.62	1	3.4	3.38	0	0.0	0.00
50-54	1	2.1	2.11	1	4.5	4.53	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	4.0	3.98	0	0.0	0.00	1	7.3	7.35
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	9.7	9.71	1	25.7	25.71	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	18.3	18.30	0	0.0	0.00	1	27.5	27.47
Total deaths	7			4			3		
Connecticut									
. Crude rate		0.6	-		0.6	-		0.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.5	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	1.7	1.17	-	-	-	2	3.3	2.30
35-39	2	1.9	1.34	-	-	-	2	3.7	2.61
40-44	8	9.8	3.48	-	-	-	8	18.8	6.65
45-49	8	12.9	4.57	-	-	-	8	24.8	8.75
50-54	7	14.8	5.58	-	-	-	7	27.6	10.43
55-59	5	14.6	6.52	-	-	-	5	26.8	11.99
60-64	13	51.8	14.36	-	-	-	13	95.5	26.48
65-69	4	21.3	10.64	-	-	-	4	37.3	18.65
70-74	1	7.1	7.15	-	-	-	1	12.0	12.01
75-79	4	38.9	19.43	-	-	-	4	62.5	31.23
80-84	1	15.1	15.10	-	-	-	1	23.7	23.71
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	55			-			55		
Connecticut									
. Crude rate		-	-		-	-		8.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		11.6	1.61
. AAMR (1970 Std. mil.)		-	-		-	-		12.9	1.82
. AAMR (2000 Std. mil.)		-	-		-	-		14.4	2.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.8	0.84	-	-	-	1	1.7	1.66
30-34	3	2.5	1.43	-	-	-	3	4.9	2.82
35-39	1	0.9	0.95	-	-	-	1	1.8	1.84
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	2	3.2	2.29	-	-	-	2	6.2	4.38
50-54	1	2.1	2.11	-	-	-	1	3.9	3.94
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	4.0	3.98	-	-	-	1	7.3	7.35
65-69	1	5.3	5.32	-	-	-	1	9.3	9.32
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	1	15.1	15.10	-	-	-	1	23.7	23.71
85+	3	54.9	31.71	-	-	-	3	82.4	47.58
Total deaths	14			-			14		
Connecticut									
. Crude rate		-	-		-	-		2.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	2.1	2.11	-	-	-	1	3.9	3.94
55-59	1	2.9	2.91	-	-	-	1	5.4	5.36
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	5.3	5.32	-	-	-	1	9.3	9.32
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	1	9.7	9.71	-	-	-	1	15.6	15.62
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	4			-			4		
Connecticut									
. Crude rate		-	-		-	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.8	0.84	-	-	-	1	1.7	1.66
30-34	1	0.8	0.83	-	-	-	1	1.6	1.63
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	1	1.6	1.62	-	-	-	1	3.1	3.09
50-54	3	6.3	3.65	-	-	-	3	11.8	6.83
55-59	1	2.9	2.91	-	-	-	1	5.4	5.36
60-64	2	8.0	5.63	-	-	-	2	14.7	10.39
65-69	1	5.3	5.32	-	-	-	1	9.3	9.32
70-74	1	7.1	7.15	-	-	-	1	12.0	12.01
75-79	1	9.7	9.71	-	-	-	1	15.6	15.62
80-84	1	15.1	15.10	-	-	-	1	23.7	23.71
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	13			-			13		
Connecticut									
. Crude rate		-	-		-	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	3	8.7	5.05	3	19.1	11.05	-	-	-
60-64	1	4.0	3.98	1	8.7	8.70	-	-	-
65-69	4	21.3	10.64	4	49.5	24.75	-	-	-
70-74	3	21.4	12.38	3	53.0	30.60	-	-	-
75-79	2	19.4	13.74	2	51.4	36.36	-	-	-
80-84	6	90.6	36.98	6	249.4	101.81	-	-	-
85+	5	91.5	40.93	5	274.3	122.66	-	-	-
Total deaths	24			24			-		
Connecticut									
. Crude rate		-	-		3.8	-		-	-
. AAMR (1940 Std. mil.)		-	-		6.4	1.36		-	-
. AAMR (1970 Std. mil.)		-	-		10.2	2.11		-	-
. AAMR (2000 Std. mil.)		-	-		14.7	3.15		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.0	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	1.6	1.62	0	0.0	0.00	1	3.1	3.09
50-54	1	2.1	2.11	1	4.5	4.53	0	0.0	0.00
55-59	2	5.8	4.12	2	12.8	9.02	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	5.3	5.32	0	0.0	0.00	1	9.3	9.32
70-74	2	14.3	10.11	0	0.0	0.00	2	24.0	16.99
75-79	1	9.7	9.71	1	25.7	25.71	0	0.0	0.00
80-84	2	30.2	21.35	1	41.6	41.56	1	23.7	23.71
85+	2	36.6	25.89	1	54.9	54.85	1	27.5	27.47
Total deaths	12			6			6		
Connecticut									
. Crude rate		1.0	-		1.0	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.7	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.8	0.77	1	1.5	1.49	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.9	0.93	0	0.0	0.00	1	1.9	1.92
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.9	0.95	1	2.0	1.96	0	0.0	0.00
40-44	1	1.2	1.23	0	0.0	0.00	1	2.4	2.35
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	7	14.8	5.58	1	4.5	4.53	6	23.7	9.66
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	5.3	5.32	1	12.4	12.37	0	0.0	0.00
70-74	2	14.3	10.11	0	0.0	0.00	2	24.0	16.99
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	15.1	15.10	1	41.6	41.56	0	0.0	0.00
85+	1	18.3	18.30	0	0.0	0.00	1	27.5	27.47
Total deaths	16			5			11		
Connecticut									
. Crude rate		1.3	-		0.8	-		1.7	-
. AAMR (1940 Std. mil.)		1.7	0.43		-	-		-	-
. AAMR (1970 Std. mil.)		2.0	0.52		-	-		-	-
. AAMR (2000 Std. mil.)		2.4	0.66		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.5	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.3	0.95	1	1.3	1.29	1	1.4	1.39
5-9	2	1.5	1.08	1	1.5	1.49	1	1.6	1.57
10-14	2	1.8	1.24	2	3.5	2.46	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	5	4.6	2.08	5	9.0	4.02	0	0.0	0.00
25-29	1	0.8	0.84	0	0.0	0.00	1	1.7	1.66
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	1.9	1.34	2	3.9	2.77	0	0.0	0.00
40-44	4	4.9	2.46	2	5.2	3.64	2	4.7	3.33
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	5	10.5	4.71	1	4.5	4.53	4	15.8	7.89
55-59	1	2.9	2.91	1	6.4	6.38	0	0.0	0.00
60-64	1	4.0	3.98	1	8.7	8.70	0	0.0	0.00
65-69	7	37.2	14.07	5	61.9	27.67	2	18.6	13.19
70-74	4	28.6	14.30	3	53.0	30.60	1	12.0	12.01
75-79	3	29.1	16.83	1	25.7	25.71	2	31.2	22.08
80-84	2	30.2	21.35	2	83.1	58.78	0	0.0	0.00
85+	3	54.9	31.71	3	164.6	95.01	0	0.0	0.00
Total deaths	44			30			14		
Connecticut									
. Crude rate		3.5	-		4.8	-		2.2	-
. AAMR (1940 Std. mil.)		4.5	0.71		6.8	1.34		-	-
. AAMR (1970 Std. mil.)		5.5	0.90		9.0	1.82		-	-
. AAMR (2000 Std. mil.)		6.6	1.12		11.3	2.48		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.9	-		6.2	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.8	0.83	1	1.7	1.67	0	0.0	0.00
35-39	3	2.8	1.64	2	3.9	2.77	1	1.8	1.84
40-44	2	2.5	1.74	1	2.6	2.58	1	2.4	2.35
45-49	6	9.7	3.96	4	13.5	6.77	2	6.2	4.38
50-54	9	19.0	6.32	3	13.6	7.84	6	23.7	9.66
55-59	7	20.4	7.71	6	38.3	15.63	1	5.4	5.36
60-64	15	59.7	15.43	8	69.6	24.61	7	51.4	19.43
65-69	17	90.4	21.93	9	111.4	37.12	8	74.6	26.37
70-74	17	121.5	29.48	10	176.6	55.86	7	84.1	31.78
75-79	13	126.3	35.03	7	179.9	68.01	6	93.7	38.25
80-84	6	90.6	36.98	2	83.1	58.78	4	94.8	47.42
85+	9	164.7	54.91	2	109.7	77.58	7	192.3	72.69
Total deaths	105			55			50		
Connecticut									
. Crude rate		8.3	-		8.8	-		7.8	-
. AAMR (1940 Std. mil.)		12.5	1.26		15.9	2.19		10.0	1.49
. AAMR (1970 Std. mil.)		16.5	1.65		20.5	2.89		13.4	1.94
. AAMR (2000 Std. mil.)		20.2	2.07		24.5	3.57		17.0	2.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		14.0	-		12.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	1.7	1.17	1	1.7	1.67	1	1.6	1.63
35-39	4	3.8	1.90	3	5.9	3.39	1	1.8	1.84
40-44	17	20.9	5.07	10	25.8	8.15	7	16.5	6.22
45-49	23	37.2	7.75	18	60.9	14.36	5	15.5	6.92
50-54	28	59.0	11.15	14	63.4	16.93	14	55.2	14.75
55-59	45	131.1	19.55	28	178.7	33.77	17	91.2	22.11
60-64	62	246.9	31.36	31	269.7	48.44	31	227.7	40.90
65-69	53	281.8	38.71	27	334.1	64.30	26	242.4	47.55
70-74	46	328.9	48.49	22	388.6	82.85	24	288.3	58.84
75-79	61	592.6	75.87	25	642.7	128.53	36	562.1	93.69
80-84	46	694.4	102.39	20	831.3	185.87	26	616.4	120.89
85+	33	604.1	105.15	8	438.8	155.15	25	686.8	137.36
Total deaths	420			207			213		
Connecticut									
. Crude rate		33.3	-		33.1	-		33.4	-
. AAMR (1940 Std. mil.)		49.1	2.47		57.8	4.11		42.1	3.03
. AAMR (1970 Std. mil.)		65.9	3.29		75.9	5.50		57.9	4.04
. AAMR (2000 Std. mil.)		82.3	4.21		93.0	7.04		73.7	5.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.8	0.83	1	1.7	1.67	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	7.1	7.15	0	0.0	0.00	1	12.0	12.01
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	2			1			1		
Connecticut									
. Crude rate		0.2	-		0.2	-		0.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.5	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	2.9	2.91	0	0.0	0.00	1	5.4	5.36
60-64	1	4.0	3.98	0	0.0	0.00	1	7.3	7.35
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	21.4	12.38	0	0.0	0.00	3	36.0	20.80
75-79	1	9.7	9.71	1	25.7	25.71	0	0.0	0.00
80-84	1	15.1	15.10	1	41.6	41.56	0	0.0	0.00
85+	3	54.9	31.71	0	0.0	0.00	3	82.4	47.58
Total deaths	10			2			8		
Connecticut									
. Crude rate		0.8	-		0.3	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		2.6	-		2.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	16	10.7	2.68	9	11.6	3.87	7	9.7	3.68
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.9	0.88	1	1.7	1.74	0	0.0	0.00
15-19	3	2.7	1.57	3	5.2	3.01	0	0.0	0.00
20-24	3	2.8	1.61	2	3.6	2.54	1	1.9	1.92
25-29	11	9.2	2.78	5	8.4	3.77	6	10.0	4.07
30-34	19	15.7	3.60	13	21.8	6.03	6	9.8	3.99
35-39	35	33.2	5.61	21	41.1	8.96	14	25.8	6.90
40-44	35	43.0	7.27	24	61.8	12.62	11	25.9	7.80
45-49	52	84.0	11.65	37	125.2	20.58	15	46.4	11.98
50-54	66	139.1	17.12	38	172.0	27.90	28	110.4	20.87
55-59	80	233.1	26.06	50	319.1	45.12	30	160.9	29.38
60-64	89	354.5	37.58	54	469.9	63.94	35	257.1	43.46
65-69	97	515.8	52.37	62	767.2	97.44	35	326.4	55.17
70-74	112	800.7	75.66	61	1077.5	137.97	51	612.5	85.77
75-79	135	1311.4	112.87	58	1491.0	195.78	77	1202.4	137.02
80-84	123	1856.9	167.43	48	1995.0	287.96	75	1778.1	205.32
85+	156	2855.6	228.63	55	3017.0	406.81	101	2774.7	276.10
Total deaths	1,033			541			492		
Connecticut									
. Crude rate		81.8	-		86.6	-		77.1	-
. AAMR (1940 Std. mil.)		109.0	3.56		139.9	6.26		84.7	4.08
. AAMR (1970 Std. mil.)		152.5	4.93		190.3	8.69		123.7	5.74
. AAMR (2000 Std. mil.)		204.9	6.79		248.7	11.95		172.2	8.04
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		177.7	-		231.3	-		134.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	14	9.4	2.50	7	9.0	3.41	7	9.7	3.68
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.9	0.88	1	1.7	1.74	0	0.0	0.00
15-19	3	2.7	1.57	3	5.2	3.01	0	0.0	0.00
20-24	2	1.9	1.31	1	1.8	1.80	1	1.9	1.92
25-29	9	7.5	2.51	5	8.4	3.77	4	6.6	3.32
30-34	15	12.4	3.20	11	18.4	5.55	4	6.5	3.26
35-39	29	27.5	5.11	17	33.2	8.06	12	22.1	6.39
40-44	26	32.0	6.27	19	48.9	11.23	7	16.5	6.22
45-49	41	66.3	10.35	29	98.1	18.22	12	37.1	10.72
50-54	50	105.4	14.90	30	135.8	24.79	20	78.9	17.64
55-59	55	160.3	21.61	31	197.8	35.53	24	128.7	26.28
60-64	76	302.7	34.72	44	382.8	57.72	32	235.1	41.55
65-69	83	441.4	48.45	53	655.9	90.09	30	279.7	51.07
70-74	90	643.5	67.83	48	847.9	122.38	42	504.4	77.84
75-79	102	990.9	98.11	47	1208.2	176.24	55	858.8	115.81
80-84	100	1509.7	150.97	42	1745.6	269.36	58	1375.1	180.55
85+	127	2324.7	206.29	45	2468.5	367.98	82	2252.7	248.77
Total deaths	823			433			390		
Connecticut									
. Crude rate		65.2	-		69.3	-		61.1	-
. AAMR (1940 Std. mil.)		86.8	3.18		111.8	5.60		67.6	3.67
. AAMR (1970 Std. mil.)		121.7	4.41		153.1	7.82		98.3	5.13
. AAMR (2000 Std. mil.)		163.4	6.07		201.3	10.80		136.1	7.14
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		140.5	-		188.5	-		101.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	29	19.4	3.60	19	24.5	5.62	10	13.9	4.40
5-9	6	4.6	1.88	5	7.5	3.34	1	1.6	1.57
10-14	10	8.8	2.78	4	6.9	3.47	6	10.7	4.37
15-19	8	7.2	2.56	5	8.7	3.89	3	5.7	3.26
20-24	11	10.2	3.08	7	12.6	4.76	4	7.7	3.84
25-29	34	28.5	4.88	17	28.7	6.96	17	28.2	6.85
30-34	52	42.9	5.95	38	63.6	10.31	14	22.8	6.09
35-39	79	75.0	8.43	56	109.5	14.64	23	42.4	8.84
40-44	82	100.8	11.13	63	162.3	20.45	19	44.7	10.25
45-49	95	153.5	15.75	66	223.3	27.49	29	89.7	16.66
50-54	109	229.7	22.00	65	294.2	36.49	44	173.5	26.16
55-59	110	320.6	30.56	68	433.9	52.62	42	225.3	34.76
60-64	129	513.8	45.24	75	652.6	75.35	54	396.7	53.98
65-69	153	813.6	65.78	91	1126.1	118.05	62	578.1	73.42
70-74	162	1158.2	91.00	84	1483.8	161.90	78	936.8	106.07
75-79	179	1738.9	129.97	78	2005.1	227.04	101	1577.1	156.93
80-84	161	2430.6	191.55	68	2826.3	342.74	93	2204.8	228.63
85+	207	3789.1	263.36	81	4443.2	493.69	126	3461.5	308.38
Total deaths	1,616			890			726		
Connecticut									
. Crude rate		128.0	-		142.5	-		113.8	-
. AAMR (1940 Std. mil.)		167.8	4.39		217.3	7.65		128.5	5.07
. AAMR (1970 Std. mil.)		225.4	5.92		285.9	10.44		179.7	6.91
. AAMR (2000 Std. mil.)		297.4	8.02		372.8	14.35		242.1	9.40
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.9	0.90	1	1.7	1.74	0	0.0	0.00
20-24	1	0.9	0.93	0	0.0	0.00	1	1.9	1.92
25-29	3	2.5	1.45	2	3.4	2.39	1	1.7	1.66
30-34	4	3.3	1.65	2	3.3	2.37	2	3.3	2.30
35-39	6	5.7	2.32	3	5.9	3.39	3	5.5	3.19
40-44	14	17.2	4.60	10	25.8	8.15	4	9.4	4.70
45-49	26	42.0	8.24	17	57.5	13.95	9	27.8	9.28
50-54	37	78.0	12.82	22	99.6	21.23	15	59.2	15.27
55-59	44	128.2	19.33	24	153.1	31.26	20	107.3	23.99
60-64	58	231.0	30.33	33	287.1	49.98	25	183.6	36.73
65-69	59	313.7	40.85	39	482.6	77.28	20	186.5	41.70
70-74	63	450.4	56.75	32	565.3	99.93	31	372.3	66.87
75-79	76	738.3	84.69	39	1002.6	160.54	37	577.8	94.98
80-84	66	996.4	122.65	27	1122.2	215.97	39	924.6	148.06
85+	85	1555.9	168.76	34	1865.1	319.85	51	1401.1	196.19
Total deaths	543			285			258		
Connecticut									
. Crude rate		43.0	-		45.6	-		40.4	-
. AAMR (1940 Std. mil.)		59.5	2.67		77.1	4.71		46.5	3.09
. AAMR (1970 Std. mil.)		84.3	3.70		108.1	6.65		67.4	4.28
. AAMR (2000 Std. mil.)		112.4	5.05		142.6	9.21		91.8	5.86
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		110.2	-		151.7	-		76.6	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.67	0	0.0	0.00	1	1.4	1.39
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.9	0.95	1	2.0	1.96	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	4.0	3.98	1	8.7	8.70	0	0.0	0.00
65-69	2	10.6	7.52	1	12.4	12.37	1	9.3	9.32
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	3	29.1	16.83	2	51.4	36.36	1	15.6	15.62
80-84	9	135.9	45.29	5	207.8	92.94	4	94.8	47.42
85+	9	164.7	54.91	1	54.9	54.85	8	219.8	77.70
Total deaths	26			11			15		
Connecticut									
. Crude rate		2.1	-		1.8	-		2.4	-
. AAMR (1940 Std. mil.)		2.2	0.45		-	-		-	-
. AAMR (1970 Std. mil.)		3.9	0.79		-	-		-	-
. AAMR (2000 Std. mil.)		6.4	1.30		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.0	-		6.7	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	1.2	1.23	0	0.0	0.00	1	2.4	2.35
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	2.1	2.11	1	4.5	4.53	0	0.0	0.00
55-59	1	2.9	2.91	1	6.4	6.38	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	21.4	12.38	2	35.3	24.98	1	12.0	12.01
75-79	2	19.4	13.74	0	0.0	0.00	2	31.2	22.08
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	8			4			4		
Connecticut									
. Crude rate		0.6	-		0.6	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.8	0.77	1	1.5	1.49	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.9	0.90	0	0.0	0.00	1	1.9	1.88
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	1.9	1.34	2	3.9	2.77	0	0.0	0.00
40-44	2	2.5	1.74	1	2.6	2.58	1	2.4	2.35
45-49	6	9.7	3.96	6	20.3	8.29	0	0.0	0.00
50-54	11	23.2	6.99	5	22.6	10.12	6	23.7	9.66
55-59	19	55.4	12.70	13	83.0	23.01	6	32.2	13.14
60-64	13	51.8	14.36	7	60.9	23.02	6	44.1	17.99
65-69	14	74.4	19.90	6	74.2	30.31	8	74.6	26.37
70-74	18	128.7	30.33	7	123.7	46.74	11	132.1	39.83
75-79	35	340.0	57.47	14	359.9	96.19	21	327.9	71.56
80-84	20	301.9	67.51	9	374.1	124.69	11	260.8	78.63
85+	28	512.5	96.86	8	438.8	155.15	20	549.5	122.86
Total deaths	170			79			91		
Connecticut									
. Crude rate		13.5	-		12.6	-		14.3	-
. AAMR (1940 Std. mil.)		18.4	1.47		21.0	2.43		16.2	1.81
. AAMR (1970 Std. mil.)		26.8	2.10		29.7	3.48		24.4	2.59
. AAMR (2000 Std. mil.)		36.5	2.92		39.6	4.87		33.9	3.61
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.3	0.95	2	2.6	1.82	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.9	0.93	1	1.8	1.80	0	0.0	0.00
25-29	1	0.8	0.84	0	0.0	0.00	1	1.7	1.66
30-34	4	3.3	1.65	2	3.3	2.37	2	3.3	2.30
35-39	5	4.7	2.12	4	7.8	3.91	1	1.8	1.84
40-44	6	7.4	3.01	3	7.7	4.46	3	7.1	4.07
45-49	8	12.9	4.57	5	16.9	7.57	3	9.3	5.36
50-54	14	29.5	7.88	7	31.7	11.97	7	27.6	10.43
55-59	21	61.2	13.35	15	95.7	24.71	6	32.2	13.14
60-64	9	35.8	11.95	7	60.9	23.02	2	14.7	10.39
65-69	11	58.5	17.64	6	74.2	30.31	5	46.6	20.85
70-74	15	107.2	27.69	7	123.7	46.74	8	96.1	33.97
75-79	25	242.9	48.57	10	257.1	81.29	15	234.2	60.48
80-84	21	317.0	69.18	5	207.8	92.94	16	379.3	94.83
85+	27	494.2	95.12	10	548.5	173.47	17	467.0	113.27
Total deaths	170			84			86		
Connecticut									
. Crude rate		13.5	-		13.4	-		13.5	-
. AAMR (1940 Std. mil.)		17.6	1.41		21.2	2.41		14.5	1.66
. AAMR (1970 Std. mil.)		24.7	1.97		28.6	3.32		21.4	2.37
. AAMR (2000 Std. mil.)		33.9	2.77		37.6	4.63		30.6	3.41
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.5	-		29.0	-		24.5	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis-related (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.84	1	1.7	1.69	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	2.5	1.74	1	2.6	2.58	1	2.4	2.35
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	6	17.5	7.14	4	25.5	12.76	2	10.7	7.58
60-64	2	8.0	5.63	1	8.7	8.70	1	7.3	7.35
65-69	1	5.3	5.32	1	12.4	12.37	0	0.0	0.00
70-74	2	14.3	10.11	2	35.3	24.98	0	0.0	0.00
75-79	6	58.3	23.80	1	25.7	25.71	5	78.1	34.92
80-84	11	166.1	50.07	6	249.4	101.81	5	118.5	53.01
85+	11	201.4	60.71	3	164.6	95.01	8	219.8	77.70
Total deaths	42			20			22		
Connecticut									
. Crude rate		3.3	-		3.2	-		3.4	-
. AAMR (1940 Std. mil.)		3.9	0.64		5.0	1.16		3.1	0.72
. AAMR (1970 Std. mil.)		6.4	1.01		7.8	1.80		5.4	1.17
. AAMR (2000 Std. mil.)		9.7	1.56		11.1	2.70		8.6	1.87
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	1.6	1.62	1	3.4	3.38	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	2.9	2.91	1	6.4	6.38	0	0.0	0.00
60-64	1	4.0	3.98	1	8.7	8.70	0	0.0	0.00
65-69	2	10.6	7.52	2	24.7	17.50	0	0.0	0.00
70-74	4	28.6	14.30	4	70.7	35.33	0	0.0	0.00
75-79	4	38.9	19.43	1	25.7	25.71	3	46.8	27.05
80-84	1	15.1	15.10	0	0.0	0.00	1	23.7	23.71
85+	1	18.3	18.30	0	0.0	0.00	1	27.5	27.47
Total deaths	15			10			5		
Connecticut									
. Crude rate		1.2	-		1.6	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.3	-		5.3	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	2.0	1.16	2	2.6	1.82	1	1.4	1.39
5-9	1	0.8	0.77	1	1.5	1.49	0	0.0	0.00
10-14	1	0.9	0.88	0	0.0	0.00	1	1.8	1.78
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.9	0.93	1	1.8	1.80	0	0.0	0.00
25-29	3	2.5	1.45	2	3.4	2.39	1	1.7	1.66
30-34	2	1.7	1.17	2	3.3	2.37	0	0.0	0.00
35-39	4	3.8	1.90	4	7.8	3.91	0	0.0	0.00
40-44	2	2.5	1.74	2	5.2	3.64	0	0.0	0.00
45-49	4	6.5	3.23	1	3.4	3.38	3	9.3	5.36
50-54	3	6.3	3.65	3	13.6	7.84	0	0.0	0.00
55-59	6	17.5	7.14	4	25.5	12.76	2	10.7	7.58
60-64	4	15.9	7.97	1	8.7	8.70	3	22.0	12.72
65-69	8	42.5	15.04	4	49.5	24.75	4	37.3	18.65
70-74	6	42.9	17.51	4	70.7	35.33	2	24.0	16.99
75-79	12	116.6	33.65	7	179.9	68.01	5	78.1	34.92
80-84	10	151.0	47.74	4	166.3	83.13	6	142.2	58.07
85+	24	439.3	89.68	8	438.8	155.15	16	439.6	109.89
Total deaths	94			50			44		
Connecticut									
. Crude rate		7.4	-		8.0	-		6.9	-
. AAMR (1940 Std. mil.)		8.8	0.97		11.4	1.71		6.7	1.12
. AAMR (1970 Std. mil.)		13.1	1.41		16.3	2.53		10.7	1.65
. AAMR (2000 Std. mil.)		18.9	2.11		23.2	3.80		15.9	2.48
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.1	-		16.7	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	2.0	1.16	1	1.3	1.29	2	2.8	1.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.9	0.88	1	1.7	1.74	0	0.0	0.00
15-19	2	1.8	1.28	1	1.7	1.74	1	1.9	1.88
20-24	5	4.6	2.08	3	5.4	3.12	2	3.8	2.72
25-29	1	0.8	0.84	0	0.0	0.00	1	1.7	1.66
30-34	3	2.5	1.43	2	3.3	2.37	1	1.6	1.63
35-39	4	3.8	1.90	3	5.9	3.39	1	1.8	1.84
40-44	8	9.8	3.48	4	10.3	5.15	4	9.4	4.70
45-49	7	11.3	4.28	3	10.2	5.86	4	12.4	6.19
50-54	2	4.2	2.98	1	4.5	4.53	1	3.9	3.94
55-59	5	14.6	6.52	2	12.8	9.02	3	16.1	9.29
60-64	5	19.9	8.91	2	17.4	12.30	3	22.0	12.72
65-69	6	31.9	13.03	2	24.7	17.50	4	37.3	18.65
70-74	11	78.6	23.71	4	70.7	35.33	7	84.1	31.78
75-79	11	106.9	32.22	4	102.8	51.41	7	109.3	41.31
80-84	13	196.3	54.43	5	207.8	92.94	8	189.7	67.06
85+	8	146.4	51.77	4	219.4	109.71	4	109.9	54.95
Total deaths	95			42			53		
Connecticut									
. Crude rate		7.5	-		6.7	-		8.3	-
. AAMR (1940 Std. mil.)		9.5	1.02		9.4	1.54		9.6	1.38
. AAMR (1970 Std. mil.)		12.8	1.40		12.9	2.21		12.8	1.84
. AAMR (2000 Std. mil.)		16.8	1.90		17.5	3.20		16.5	2.41
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.1	-		26.9	-		17.0	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	2.0	1.16	1	1.3	1.29	2	2.8	1.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.9	0.88	1	1.7	1.74	0	0.0	0.00
15-19	2	1.8	1.28	1	1.7	1.74	1	1.9	1.88
20-24	5	4.6	2.08	3	5.4	3.12	2	3.8	2.72
25-29	2	1.7	1.18	0	0.0	0.00	2	3.3	2.35
30-34	3	2.5	1.43	2	3.3	2.37	1	1.6	1.63
35-39	7	6.6	2.51	6	11.7	4.79	1	1.8	1.84
40-44	11	13.5	4.08	5	12.9	5.76	6	14.1	5.76
45-49	9	14.5	4.85	4	13.5	6.77	5	15.5	6.92
50-54	7	14.8	5.58	2	9.1	6.40	5	19.7	8.82
55-59	14	40.8	10.90	5	31.9	14.27	9	48.3	16.09
60-64	18	71.7	16.90	10	87.0	27.51	8	58.8	20.78
65-69	19	101.0	23.18	10	123.7	39.13	9	83.9	27.97
70-74	21	150.1	32.76	12	212.0	61.19	9	108.1	36.03
75-79	30	291.4	53.21	15	385.6	99.56	15	234.2	60.48
80-84	30	452.9	82.69	17	706.6	171.37	13	308.2	85.48
85+	35	640.7	108.29	21	1151.9	251.38	14	384.6	102.79
Total deaths	217			115			102		
Connecticut									
. Crude rate		17.2	-		18.4	-		16.0	-
. AAMR (1940 Std. mil.)		22.2	1.59		28.2	2.76		18.6	1.94
. AAMR (1970 Std. mil.)		31.8	2.25		42.8	4.21		25.4	2.60
. AAMR (2000 Std. mil.)		43.4	3.15		61.3	6.31		33.3	3.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.67	0	0.0	0.00	1	1.4	1.39
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.9	0.88	1	1.7	1.74	0	0.0	0.00
15-19	2	1.8	1.28	1	1.7	1.74	1	1.9	1.88
20-24	5	4.6	2.08	3	5.4	3.12	2	3.8	2.72
25-29	1	0.8	0.84	0	0.0	0.00	1	1.7	1.66
30-34	2	1.7	1.17	1	1.7	1.67	1	1.6	1.63
35-39	4	3.8	1.90	3	5.9	3.39	1	1.8	1.84
40-44	3	3.7	2.13	1	2.6	2.58	2	4.7	3.33
45-49	3	4.8	2.80	0	0.0	0.00	3	9.3	5.36
50-54	2	4.2	2.98	1	4.5	4.53	1	3.9	3.94
55-59	3	8.7	5.05	1	6.4	6.38	2	10.7	7.58
60-64	4	15.9	7.97	1	8.7	8.70	3	22.0	12.72
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	21.4	12.38	2	35.3	24.98	1	12.0	12.01
75-79	1	9.7	9.71	0	0.0	0.00	1	15.6	15.62
80-84	1	15.1	15.10	0	0.0	0.00	1	23.7	23.71
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	36			15			21		
Connecticut									
. Crude rate		2.9	-		2.4	-		3.3	-
. AAMR (1940 Std. mil.)		3.6	0.62		-	-		4.0	0.89
. AAMR (1970 Std. mil.)		3.8	0.70		-	-		4.3	1.00
. AAMR (2000 Std. mil.)		4.2	0.79		-	-		4.8	1.13
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	1.7	1.18	0	0.0	0.00	2	3.3	2.35
30-34	3	2.5	1.43	1	1.7	1.67	2	3.3	2.30
35-39	10	9.5	3.00	9	17.6	5.87	1	1.8	1.84
40-44	8	9.8	3.48	8	20.6	7.29	0	0.0	0.00
45-49	24	38.8	7.92	21	71.1	15.51	3	9.3	5.36
50-54	15	31.6	8.16	11	49.8	15.01	4	15.8	7.89
55-59	11	32.1	9.66	10	63.8	20.18	1	5.4	5.36
60-64	15	59.7	15.43	9	78.3	26.10	6	44.1	17.99
65-69	9	47.9	15.95	5	61.9	27.67	4	37.3	18.65
70-74	9	64.3	21.45	4	70.7	35.33	5	60.1	26.86
75-79	6	58.3	23.80	3	77.1	44.53	3	46.8	27.05
80-84	5	75.5	33.76	1	41.6	41.56	4	94.8	47.42
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	117			82			35		
Connecticut									
. Crude rate		9.3	-		13.1	-		5.5	-
. AAMR (1940 Std. mil.)		13.2	1.25		19.9	2.28		7.3	1.27
. AAMR (1970 Std. mil.)		14.8	1.46		21.6	2.60		8.9	1.57
. AAMR (2000 Std. mil.)		17.1	1.69		24.8	2.98		10.4	1.85
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.8	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	1.7	1.18	1	1.7	1.69	1	1.7	1.66
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	1.9	1.34	0	0.0	0.00	2	3.7	2.61
40-44	2	2.5	1.74	2	5.2	3.64	0	0.0	0.00
45-49	1	1.6	1.62	1	3.4	3.38	0	0.0	0.00
50-54	2	4.2	2.98	2	9.1	6.40	0	0.0	0.00
55-59	5	14.6	6.52	2	12.8	9.02	3	16.1	9.29
60-64	6	23.9	9.76	3	26.1	15.07	3	22.0	12.72
65-69	4	21.3	10.64	0	0.0	0.00	4	37.3	18.65
70-74	7	50.0	18.92	3	53.0	30.60	4	48.0	24.02
75-79	4	38.9	19.43	1	25.7	25.71	3	46.8	27.05
80-84	3	45.3	26.15	1	41.6	41.56	2	47.4	33.53
85+	8	146.4	51.77	6	329.1	134.37	2	54.9	38.85
Total deaths	46			22			24		
Connecticut									
. Crude rate		3.6	-		3.5	-		3.8	-
. AAMR (1940 Std. mil.)		5.0	0.77		5.2	1.16		4.9	1.04
. AAMR (1970 Std. mil.)		6.8	1.04		7.7	1.72		6.4	1.36
. AAMR (2000 Std. mil.)		8.9	1.40		11.2	2.68		7.8	1.66
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.3	-		5.2	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.3	0.95	2	2.6	1.82	0	0.0	0.00
5-9	2	1.5	1.08	2	3.0	2.11	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.9	0.90	0	0.0	0.00	1	1.9	1.88
20-24	2	1.9	1.31	1	1.8	1.80	1	1.9	1.92
25-29	6	5.0	2.05	2	3.4	2.39	4	6.6	3.32
30-34	3	2.5	1.43	3	5.0	2.90	0	0.0	0.00
35-39	13	12.3	3.42	9	17.6	5.87	4	7.4	3.69
40-44	11	13.5	4.08	10	25.8	8.15	1	2.4	2.35
45-49	25	40.4	8.08	17	57.5	13.95	8	24.8	8.75
50-54	16	33.7	8.43	9	40.7	13.58	7	27.6	10.43
55-59	13	37.9	10.51	9	57.4	19.14	4	21.5	10.73
60-64	19	75.7	17.36	11	95.7	28.86	8	58.8	20.78
65-69	33	175.5	30.55	17	210.4	51.02	16	149.2	37.30
70-74	26	185.9	36.46	11	194.3	58.59	15	180.2	46.52
75-79	22	213.7	45.56	10	257.1	81.29	12	187.4	54.09
80-84	21	317.0	69.18	11	457.2	137.85	10	237.1	74.97
85+	23	421.0	87.79	12	658.3	190.02	11	302.2	91.12
Total deaths	238			136			102		
Connecticut									
. Crude rate		18.8	-		21.8	-		16.0	-
. AAMR (1940 Std. mil.)		25.8	1.75		33.4	3.00		19.9	2.06
. AAMR (1970 Std. mil.)		33.5	2.29		43.5	4.05		26.3	2.69
. AAMR (2000 Std. mil.)		42.7	2.98		56.5	5.54		33.1	3.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	2.5	1.45	2	3.4	2.39	1	1.7	1.66
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	2.8	1.64	0	0.0	0.00	3	5.5	3.19
40-44	3	3.7	2.13	2	5.2	3.64	1	2.4	2.35
45-49	1	1.6	1.62	1	3.4	3.38	0	0.0	0.00
50-54	3	6.3	3.65	2	9.1	6.40	1	3.9	3.94
55-59	7	20.4	7.71	3	19.1	11.05	4	21.5	10.73
60-64	7	27.9	10.54	4	34.8	17.40	3	22.0	12.72
65-69	7	37.2	14.07	1	12.4	12.37	6	55.9	22.84
70-74	7	50.0	18.92	3	53.0	30.60	4	48.0	24.02
75-79	8	77.7	27.48	5	128.5	57.48	3	46.8	27.05
80-84	4	60.4	30.19	1	41.6	41.56	3	71.1	41.06
85+	10	183.0	57.89	8	438.8	155.15	2	54.9	38.85
Total deaths	63			32			31		
Connecticut									
. Crude rate		5.0	-		5.1	-		4.9	-
. AAMR (1940 Std. mil.)		6.8	0.90		7.8	1.44		6.3	1.18
. AAMR (1970 Std. mil.)		9.3	1.22		11.6	2.16		8.1	1.51
. AAMR (2000 Std. mil.)		12.2	1.63		16.9	3.31		9.7	1.82
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.2	-		6.4	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	20	13.4	2.99	12	15.5	4.47	8	11.1	3.93
5-9	8	6.1	2.17	5	7.5	3.34	3	4.7	2.73
10-14	7	6.2	2.33	3	5.2	3.01	4	7.1	3.57
15-19	22	19.9	4.24	18	31.3	7.38	4	7.5	3.77
20-24	32	29.7	5.26	27	48.6	9.35	5	9.6	4.30
25-29	45	37.7	5.62	38	64.1	10.40	7	11.6	4.40
30-34	47	38.8	5.66	38	63.6	10.31	9	14.7	4.88
35-39	44	41.8	6.29	37	72.4	11.90	7	12.9	4.88
40-44	45	55.3	8.25	37	95.3	15.67	8	18.8	6.65
45-49	24	38.8	7.92	20	67.7	15.13	4	12.4	6.19
50-54	19	40.0	9.19	14	63.4	16.93	5	19.7	8.82
55-59	7	20.4	7.71	6	38.3	15.63	1	5.4	5.36
60-64	6	23.9	9.76	3	26.1	15.07	3	22.0	12.72
65-69	5	26.6	11.89	4	49.5	24.75	1	9.3	9.32
70-74	6	42.9	17.51	4	70.7	35.33	2	24.0	16.99
75-79	3	29.1	16.83	3	77.1	44.53	0	0.0	0.00
80-84	5	75.5	33.76	3	124.7	71.99	2	47.4	33.53
85+	4	73.2	36.61	0	0.0	0.00	4	109.9	54.95
Total deaths	349			272			77		
Connecticut									
. Crude rate		27.6	-		43.5	-		12.1	-
. AAMR (1940 Std. mil.)		28.5	1.58		46.3	2.94		12.0	1.42
. AAMR (1970 Std. mil.)		27.4	1.61		43.8	3.02		12.4	1.51
. AAMR (2000 Std. mil.)		31.1	1.90		49.8	3.57		14.1	1.81
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		43.9	-		17.1	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	2.0	1.16	1	1.3	1.29	2	2.8	1.97
5-9	2	1.5	1.08	2	3.0	2.11	0	0.0	0.00
10-14	4	3.5	1.76	1	1.7	1.74	3	5.4	3.09
15-19	12	10.9	3.13	9	15.7	5.22	3	5.7	3.26
20-24	18	16.7	3.94	14	25.2	6.73	4	7.7	3.84
25-29	20	16.7	3.74	17	28.7	6.96	3	5.0	2.88
30-34	9	7.4	2.48	3	5.0	2.90	6	9.8	3.99
35-39	10	9.5	3.00	8	15.6	5.53	2	3.7	2.61
40-44	11	13.5	4.08	8	20.6	7.29	3	7.1	4.07
45-49	7	11.3	4.28	5	16.9	7.57	2	6.2	4.38
50-54	12	25.3	7.30	9	40.7	13.58	3	11.8	6.83
55-59	2	5.8	4.12	2	12.8	9.02	0	0.0	0.00
60-64	3	11.9	6.90	2	17.4	12.30	1	7.3	7.35
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	7.1	7.15	1	17.7	17.66	0	0.0	0.00
75-79	1	9.7	9.71	1	25.7	25.71	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	115			83			32		
Connecticut									
. Crude rate		9.1	-		13.3	-		5.0	-
. AAMR (1940 Std. mil.)		9.7	0.93		14.6	1.67		5.1	0.93
. AAMR (1970 Std. mil.)		9.1	0.91		13.9	1.68		4.8	0.89
. AAMR (2000 Std. mil.)		9.5	0.97		14.7	1.85		4.9	0.91
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.67	0	0.0	0.00	1	1.4	1.39
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.9	0.88	1	1.7	1.74	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.9	0.93	1	1.8	1.80	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	2.5	1.43	3	5.0	2.90	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	3.7	2.13	3	7.7	4.46	0	0.0	0.00
45-49	1	1.6	1.62	1	3.4	3.38	0	0.0	0.00
50-54	1	2.1	2.11	1	4.5	4.53	0	0.0	0.00
55-59	1	2.9	2.91	1	6.4	6.38	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	5.3	5.32	1	12.4	12.37	0	0.0	0.00
70-74	1	7.1	7.15	1	17.7	17.66	0	0.0	0.00
75-79	1	9.7	9.71	1	25.7	25.71	0	0.0	0.00
80-84	2	30.2	21.35	2	83.1	58.78	0	0.0	0.00
85+	3	54.9	31.71	0	0.0	0.00	3	82.4	47.58
Total deaths	20			16			4		
Connecticut									
. Crude rate		1.6	-		2.6	-		0.6	-
. AAMR (1940 Std. mil.)		1.7	0.41		3.4	0.91		-	-
. AAMR (1970 Std. mil.)		2.2	0.55		4.1	1.19		-	-
. AAMR (2000 Std. mil.)		3.1	0.80		5.2	1.59		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.7	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	2.0	1.16	2	2.6	1.82	1	1.4	1.39
5-9	2	1.5	1.08	2	3.0	2.11	0	0.0	0.00
10-14	1	0.9	0.88	0	0.0	0.00	1	1.8	1.78
15-19	4	3.6	1.81	4	7.0	3.48	0	0.0	0.00
20-24	1	0.9	0.93	1	1.8	1.80	0	0.0	0.00
25-29	3	2.5	1.45	2	3.4	2.39	1	1.7	1.66
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.9	0.95	1	2.0	1.96	0	0.0	0.00
40-44	1	1.2	1.23	1	2.6	2.58	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	2.9	2.91	0	0.0	0.00	1	5.4	5.36
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	5.3	5.32	1	12.4	12.37	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	18			14			4		
Connecticut									
. Crude rate		1.4	-		2.2	-		0.6	-
. AAMR (1940 Std. mil.)		1.4	0.35		-	-		-	-
. AAMR (1970 Std. mil.)		1.4	0.37		-	-		-	-
. AAMR (2000 Std. mil.)		1.3	0.34		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		2.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	5.4	1.89	5	6.5	2.88	3	4.2	2.41
5-9	2	1.5	1.08	0	0.0	0.00	2	3.1	2.23
10-14	1	0.9	0.88	1	1.7	1.74	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	2.8	1.61	2	3.6	2.54	1	1.9	1.92
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.8	0.83	1	1.7	1.67	0	0.0	0.00
35-39	1	0.9	0.95	0	0.0	0.00	1	1.8	1.84
40-44	1	1.2	1.23	1	2.6	2.58	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	4.0	3.98	0	0.0	0.00	1	7.3	7.35
65-69	1	5.3	5.32	1	12.4	12.37	0	0.0	0.00
70-74	1	7.1	7.15	1	17.7	17.66	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	20			12			8		
Connecticut									
. Crude rate		1.6	-		1.9	-		1.3	-
. AAMR (1940 Std. mil.)		1.5	0.37		-	-		-	-
. AAMR (1970 Std. mil.)		1.6	0.41		-	-		-	-
. AAMR (2000 Std. mil.)		1.5	0.41		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.2	-		1.7	-		1.0	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.9	0.88	1	1.7	1.74	0	0.0	0.00
15-19	7	6.3	2.39	6	10.4	4.26	1	1.9	1.88
20-24	13	12.1	3.35	12	21.6	6.23	1	1.9	1.92
25-29	8	6.7	2.37	8	13.5	4.77	0	0.0	0.00
30-34	13	10.7	2.98	12	20.1	5.80	1	1.6	1.63
35-39	14	13.3	3.55	13	25.4	7.05	1	1.8	1.84
40-44	11	13.5	4.08	8	20.6	7.29	3	7.1	4.07
45-49	2	3.2	2.29	1	3.4	3.38	1	3.1	3.09
50-54	2	4.2	2.98	2	9.1	6.40	0	0.0	0.00
55-59	2	5.8	4.12	1	6.4	6.38	1	5.4	5.36
60-64	2	8.0	5.63	2	17.4	12.30	0	0.0	0.00
65-69	1	5.3	5.32	1	12.4	12.37	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	76			67			9		
Connecticut									
. Crude rate		6.0	-		10.7	-		1.4	-
. AAMR (1940 Std. mil.)		6.1	0.72		10.9	1.39		-	-
. AAMR (1970 Std. mil.)		5.5	0.68		9.7	1.30		-	-
. AAMR (2000 Std. mil.)		6.0	0.73		10.6	1.40		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	4.0	1.64	0	0.0	0.00	6	8.3	3.41
5-9	1	0.8	0.77	0	0.0	0.00	1	1.6	1.57
10-14	2	1.8	1.24	1	1.7	1.74	1	1.8	1.78
15-19	32	28.9	5.12	31	53.9	9.69	1	1.9	1.88
20-24	39	36.2	5.80	36	64.8	10.79	3	5.8	3.33
25-29	25	20.9	4.19	23	38.8	8.09	2	3.3	2.35
30-34	13	10.7	2.98	9	15.1	5.02	4	6.5	3.26
35-39	12	11.4	3.29	10	19.6	6.18	2	3.7	2.61
40-44	7	8.6	3.25	7	18.0	6.82	0	0.0	0.00
45-49	5	8.1	3.61	4	13.5	6.77	1	3.1	3.09
50-54	5	10.5	4.71	4	18.1	9.05	1	3.9	3.94
55-59	4	11.7	5.83	4	25.5	12.76	0	0.0	0.00
60-64	1	4.0	3.98	1	8.7	8.70	0	0.0	0.00
65-69	2	10.6	7.52	2	24.7	17.50	0	0.0	0.00
70-74	1	7.1	7.15	1	17.7	17.66	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	155			133			22		
Connecticut									
. Crude rate		12.3	-		21.3	-		3.4	-
. AAMR (1940 Std. mil.)		12.6	1.04		22.3	2.00		3.1	0.68
. AAMR (1970 Std. mil.)		11.7	1.00		20.8	1.94		2.9	0.63
. AAMR (2000 Std. mil.)		11.3	0.97		20.1	1.93		2.8	0.62
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.3	-		16.4	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	4.0	1.64	0	0.0	0.00	6	8.3	3.41
5-9	1	0.8	0.77	0	0.0	0.00	1	1.6	1.57
10-14	2	1.8	1.24	1	1.7	1.74	1	1.8	1.78
15-19	32	28.9	5.12	31	53.9	9.69	1	1.9	1.88
20-24	39	36.2	5.80	36	64.8	10.79	3	5.8	3.33
25-29	25	20.9	4.19	23	38.8	8.09	2	3.3	2.35
30-34	13	10.7	2.98	9	15.1	5.02	4	6.5	3.26
35-39	12	11.4	3.29	10	19.6	6.18	2	3.7	2.61
40-44	7	8.6	3.25	7	18.0	6.82	0	0.0	0.00
45-49	5	8.1	3.61	4	13.5	6.77	1	3.1	3.09
50-54	5	10.5	4.71	4	18.1	9.05	1	3.9	3.94
55-59	4	11.7	5.83	4	25.5	12.76	0	0.0	0.00
60-64	1	4.0	3.98	1	8.7	8.70	0	0.0	0.00
65-69	2	10.6	7.52	2	24.7	17.50	0	0.0	0.00
70-74	1	7.1	7.15	1	17.7	17.66	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	155			133			22		
Connecticut									
. Crude rate		12.3	-		21.3	-		3.4	-
. AAMR (1940 Std. mil.)		12.6	1.04		22.3	2.00		3.1	0.68
. AAMR (1970 Std. mil.)		11.7	1.00		20.8	1.94		2.9	0.63
. AAMR (2000 Std. mil.)		11.3	0.97		20.1	1.93		2.8	0.62
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.1	-		15.9	-		4.0	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	28	18.7	3.54	13	16.8	4.65	15	20.9	5.38
5-9	9	6.9	2.30	5	7.5	3.34	4	6.3	3.15
10-14	10	8.8	2.78	5	8.7	3.89	5	8.9	3.99
15-19	62	56.1	7.12	56	97.5	13.02	6	11.3	4.61
20-24	85	79.0	8.57	76	136.7	15.68	9	17.3	5.77
25-29	82	68.7	7.58	72	121.5	14.32	10	16.6	5.25
30-34	74	61.1	7.10	59	98.7	12.85	15	24.4	6.31
35-39	74	70.2	8.16	64	125.2	15.65	10	18.4	5.83
40-44	63	77.5	9.76	52	134.0	18.58	11	25.9	7.80
45-49	31	50.1	9.00	25	84.6	16.92	6	18.6	7.58
50-54	26	54.8	10.74	20	90.5	20.24	6	23.7	9.66
55-59	13	37.9	10.51	11	70.2	21.16	2	10.7	7.58
60-64	9	35.8	11.95	6	52.2	21.31	3	22.0	12.72
65-69	8	42.5	15.04	7	86.6	32.74	1	9.3	9.32
70-74	7	50.0	18.92	5	88.3	39.50	2	24.0	16.99
75-79	3	29.1	16.83	3	77.1	44.53	0	0.0	0.00
80-84	5	75.5	33.76	3	124.7	71.99	2	47.4	33.53
85+	4	73.2	36.61	0	0.0	0.00	4	109.9	54.95
Total deaths	593			482			111		
Connecticut									
. Crude rate		47.0	-		77.2	-		17.4	-
. AAMR (1940 Std. mil.)		48.2	2.04		80.9	3.84		17.0	1.67
. AAMR (1970 Std. mil.)		45.3	2.02		75.4	3.84		16.9	1.72
. AAMR (2000 Std. mil.)		49.1	2.27		81.7	4.31		18.8	2.00
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.0	-		80.9	-		25.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	2.0	1.16	1	1.3	1.29	2	2.8	1.97
5-9	2	1.5	1.08	2	3.0	2.11	0	0.0	0.00
10-14	4	3.5	1.76	1	1.7	1.74	3	5.4	3.09
15-19	12	10.9	3.13	9	15.7	5.22	3	5.7	3.26
20-24	17	15.8	3.83	13	23.4	6.49	4	7.7	3.84
25-29	19	15.9	3.65	17	28.7	6.96	2	3.3	2.35
30-34	9	7.4	2.48	3	5.0	2.90	6	9.8	3.99
35-39	10	9.5	3.00	8	15.6	5.53	2	3.7	2.61
40-44	10	12.3	3.89	7	18.0	6.82	3	7.1	4.07
45-49	7	11.3	4.28	5	16.9	7.57	2	6.2	4.38
50-54	12	25.3	7.30	9	40.7	13.58	3	11.8	6.83
55-59	2	5.8	4.12	2	12.8	9.02	0	0.0	0.00
60-64	3	11.9	6.90	2	17.4	12.30	1	7.3	7.35
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	7.1	7.15	1	17.7	17.66	0	0.0	0.00
75-79	1	9.7	9.71	1	25.7	25.71	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	112			81			31		
Connecticut									
. Crude rate		8.9	-		13.0	-		4.9	-
. AAMR (1940 Std. mil.)		9.5	0.92		14.3	1.66		5.0	0.92
. AAMR (1970 Std. mil.)		8.9	0.90		13.6	1.67		4.6	0.88
. AAMR (2000 Std. mil.)		9.3	0.96		14.4	1.84		4.8	0.90
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.8	-		22.0	-		9.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.67	0	0.0	0.00	1	1.4	1.39
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.9	0.88	1	1.7	1.74	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	1.9	1.31	2	3.6	2.54	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	2.5	1.43	3	5.0	2.90	0	0.0	0.00
35-39	1	0.9	0.95	1	2.0	1.96	0	0.0	0.00
40-44	3	3.7	2.13	3	7.7	4.46	0	0.0	0.00
45-49	2	3.2	2.29	1	3.4	3.38	1	3.1	3.09
50-54	2	4.2	2.98	2	9.1	6.40	0	0.0	0.00
55-59	1	2.9	2.91	1	6.4	6.38	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	5.3	5.32	1	12.4	12.37	0	0.0	0.00
70-74	1	7.1	7.15	1	17.7	17.66	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	30.2	21.35	2	83.1	58.78	0	0.0	0.00
85+	1	18.3	18.30	0	0.0	0.00	1	27.5	27.47
Total deaths	21			18			3		
Connecticut									
. Crude rate		1.7	-		2.9	-		0.5	-
. AAMR (1940 Std. mil.)		1.9	0.43		3.7	0.92		-	-
. AAMR (1970 Std. mil.)		2.1	0.51		4.2	1.13		-	-
. AAMR (2000 Std. mil.)		2.7	0.67		5.1	1.47		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.4	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.8	0.77	0	0.0	0.00	1	1.6	1.57
10-14	2	1.8	1.24	1	1.7	1.74	1	1.8	1.78
15-19	33	29.9	5.20	32	55.7	9.84	1	1.9	1.88
20-24	42	39.0	6.02	39	70.2	11.23	3	5.8	3.33
25-29	25	20.9	4.19	23	38.8	8.09	2	3.3	2.35
30-34	15	12.4	3.20	13	21.8	6.03	2	3.3	2.30
35-39	11	10.4	3.15	10	19.6	6.18	1	1.8	1.84
40-44	8	9.8	3.48	8	20.6	7.29	0	0.0	0.00
45-49	3	4.8	2.80	3	10.2	5.86	0	0.0	0.00
50-54	3	6.3	3.65	3	13.6	7.84	0	0.0	0.00
55-59	3	8.7	5.05	3	19.1	11.05	0	0.0	0.00
60-64	2	8.0	5.63	2	17.4	12.30	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	148			137			11		
Connecticut									
. Crude rate		11.7	-		21.9	-		1.7	-
. AAMR (1940 Std. mil.)		11.9	0.99		22.2	1.93		-	-
. AAMR (1970 Std. mil.)		10.8	0.93		20.2	1.81		-	-
. AAMR (2000 Std. mil.)		10.3	0.88		19.3	1.75		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.9	-		26.1	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	3	2.7	1.57	3	5.2	3.01	0	-	-
20-24	6	5.6	2.28	6	10.8	4.41	0	-	-
25-29	4	3.3	1.67	4	6.8	3.38	0	-	-
30-34	5	4.1	1.85	5	8.4	3.74	0	-	-
35-39	5	4.7	2.12	5	9.8	4.37	0	-	-
40-44	4	4.9	2.46	4	10.3	5.15	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	1	4.0	3.98	1	8.7	8.70	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	28			28			-		
Connecticut									
. Crude rate		2.2	-		4.5	-		-	-
. AAMR (1940 Std. mil.)		2.2	0.42		4.4	0.84		-	-
. AAMR (1970 Std. mil.)		1.9	0.38		3.8	0.77		-	-
. AAMR (2000 Std. mil.)		2.0	0.40		4.1	0.82		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		11.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.8	0.77	0	0.0	0.00	1	1.6	1.57
10-14	2	1.8	1.24	1	1.7	1.74	1	1.8	1.78
15-19	27	24.4	4.70	26	45.2	8.87	1	1.9	1.88
20-24	36	33.4	5.57	33	59.4	10.33	3	5.8	3.33
25-29	20	16.7	3.74	18	30.4	7.16	2	3.3	2.35
30-34	10	8.3	2.61	8	13.4	4.73	2	3.3	2.30
35-39	6	5.7	2.32	5	9.8	4.37	1	1.8	1.84
40-44	4	4.9	2.46	4	10.3	5.15	0	0.0	0.00
45-49	3	4.8	2.80	3	10.2	5.86	0	0.0	0.00
50-54	3	6.3	3.65	3	13.6	7.84	0	0.0	0.00
55-59	3	8.7	5.05	3	19.1	11.05	0	0.0	0.00
60-64	1	4.0	3.98	1	8.7	8.70	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	116			105			11		
Connecticut									
. Crude rate		9.2	-		16.8	-		1.7	-
. AAMR (1940 Std. mil.)		9.4	0.89		17.2	1.71		-	-
. AAMR (1970 Std. mil.)		8.7	0.83		15.8	1.61		-	-
. AAMR (2000 Std. mil.)		8.0	0.78		14.7	1.53		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		12.4	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.67	0	0.0	0.00	1	1.4	1.39
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.8	1.28	2	3.5	2.46	0	0.0	0.00
20-24	10	9.3	2.94	10	18.0	5.69	0	0.0	0.00
25-29	25	20.9	4.19	21	35.4	7.73	4	6.6	3.32
30-34	28	23.1	4.37	25	41.8	8.37	3	4.9	2.82
35-39	36	34.2	5.69	31	60.6	10.89	5	9.2	4.12
40-44	31	38.1	6.85	24	61.8	12.62	7	16.5	6.22
45-49	12	19.4	5.60	10	33.8	10.70	2	6.2	4.38
50-54	3	6.3	3.65	3	13.6	7.84	0	0.0	0.00
55-59	3	8.7	5.05	3	19.1	11.05	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	151			129			22		
Connecticut									
. Crude rate		12.0	-		20.7	-		3.4	-
. AAMR (1940 Std. mil.)		11.6	0.96		20.4	1.83		3.2	0.69
. AAMR (1970 Std. mil.)		9.7	0.83		17.1	1.59		2.7	0.58
. AAMR (2000 Std. mil.)		11.9	1.01		20.9	1.93		3.4	0.75
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.8	-		8.3	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
 U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
 for
 Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.8	0.84	1	1.7	1.69	0	0.0	0.00
30-34	6	5.0	2.02	4	6.7	3.35	2	3.3	2.30
35-39	5	4.7	2.12	4	7.8	3.91	1	1.8	1.84
40-44	8	9.8	3.48	6	15.5	6.31	2	4.7	3.33
45-49	22	35.6	7.58	19	64.3	14.75	3	9.3	5.36
50-54	13	27.4	7.60	10	45.3	14.31	3	11.8	6.83
55-59	6	17.5	7.14	6	38.3	15.63	0	0.0	0.00
60-64	6	23.9	9.76	5	43.5	19.46	1	7.3	7.35
65-69	5	26.6	11.89	4	49.5	24.75	1	9.3	9.32
70-74	2	14.3	10.11	2	35.3	24.98	0	0.0	0.00
75-79	1	9.7	9.71	1	25.7	25.71	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	75			62			13		
Connecticut									
. Crude rate		5.9	-		9.9	-		2.0	-
. AAMR (1940 Std. mil.)		8.0	0.95		14.5	1.90		-	-
. AAMR (1970 Std. mil.)		8.1	1.01		15.0	2.07		-	-
. AAMR (2000 Std. mil.)		9.3	1.12		17.0	2.31		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.9	-		10.9	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
 . The CT HP 2000 target: No comparison is available
 . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
 . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
 U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
 for
 Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.67	0	0.0	0.00	1	1.4	1.39
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.9	0.90	1	1.7	1.74	0	0.0	0.00
20-24	9	8.4	2.79	9	16.2	5.40	0	0.0	0.00
25-29	28	23.4	4.43	22	37.1	7.92	6	10.0	4.07
30-34	27	22.3	4.29	23	38.5	8.02	4	6.5	3.26
35-39	37	35.1	5.77	32	62.6	11.06	5	9.2	4.12
40-44	32	39.3	6.96	25	64.4	12.88	7	16.5	6.22
45-49	13	21.0	5.83	11	37.2	11.22	2	6.2	4.38
50-54	2	4.2	2.98	2	9.1	6.40	0	0.0	0.00
55-59	3	8.7	5.05	3	19.1	11.05	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	153			128			25		
Connecticut									
. Crude rate		12.1	-		20.5	-		3.9	-
. AAMR (1940 Std. mil.)		11.7	0.96		20.2	1.83		3.6	0.73
. AAMR (1970 Std. mil.)		9.8	0.83		17.0	1.58		3.0	0.61
. AAMR (2000 Std. mil.)		12.0	1.01		20.8	1.93		3.7	0.78
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.0	-		3.0	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
 . The CT HP 2000 target: No comparison is available
 . The U.S. AAMR (1940 Std. mil.): CT rate is higher
 . THE U.S. HP 2000 target: CT rate is higher