

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	120	194.6	17.77	66	206.5	25.42	54	181.8	24.74
5-9	7	12.7	4.81	4	14.2	7.08	3	11.2	6.48
10-14	10	21.0	6.66	4	16.6	8.30	6	25.6	10.46
15-19	23	50.5	10.53	20	84.9	18.99	3	13.7	7.88
20-24	53	123.8	17.01	46	210.0	30.97	7	33.5	12.65
25-29	57	119.0	15.77	35	148.8	25.15	22	90.3	19.26
30-34	68	136.2	16.51	42	170.6	26.33	26	102.7	20.13
35-39	81	178.2	19.80	63	288.0	36.28	18	76.3	17.99
40-44	107	304.9	29.47	69	415.2	49.99	38	205.6	33.36
45-49	95	365.4	37.49	64	514.5	64.31	31	228.6	41.06
50-54	105	504.0	49.18	62	640.1	81.29	43	385.7	58.82
55-59	108	729.3	70.18	70	1039.0	124.19	38	470.8	76.37
60-64	108	976.1	93.92	57	1128.7	149.50	51	847.9	118.73
65-69	116	1426.5	132.44	71	2041.4	242.27	45	966.9	144.14
70-74	119	2008.4	184.11	57	2330.3	308.66	62	1782.1	226.33
75-79	122	2752.1	249.16	56	3298.0	440.71	66	2413.2	297.04
80-84	111	3847.5	365.19	54	5247.8	714.14	57	3071.1	406.78
85+	149	5781.9	473.67	59	6719.8	874.85	90	5297.2	558.38
Total deaths	1,559			899			660		
Connecticut									
. Crude rate		295.5	-		346.0	-		246.6	-
. AAMR (1940 Std. mil.)		356.4	9.53		465.4	16.47		266.7	11.03
. AAMR (1970 Std. mil.)		445.4	12.18		573.5	21.41		345.3	14.21
. AAMR (2000 Std. mil.)		561.0	15.90		717.8	28.49		442.8	18.53
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		478.8	-		602.5	-		375.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	9.7	3.97	4	12.5	6.26	2	6.7	4.76
5-9	1	1.8	1.82	0	0.0	0.00	1	3.7	3.74
10-14	1	2.1	2.10	0	0.0	0.00	1	4.3	4.27
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	7.0	4.05	0	0.0	0.00	3	14.3	8.28
25-29	8	16.7	5.91	6	25.5	10.41	2	8.2	5.81
30-34	21	42.0	9.18	14	56.9	15.20	7	27.6	10.45
35-39	19	41.8	9.59	15	68.6	17.70	4	17.0	8.48
40-44	30	85.5	15.61	22	132.4	28.22	8	43.3	15.31
45-49	20	76.9	17.20	12	96.5	27.85	8	59.0	20.86
50-54	8	38.4	13.58	7	72.3	27.32	1	9.0	8.97
55-59	12	81.0	23.39	9	133.6	44.53	3	37.2	21.46
60-64	4	36.2	18.08	2	39.6	28.00	2	33.3	23.51
65-69	6	73.8	30.12	2	57.5	40.66	4	85.9	42.97
70-74	5	84.4	37.74	2	81.8	57.82	3	86.2	49.79
75-79	5	112.8	50.44	2	117.8	83.29	3	109.7	63.33
80-84	1	34.7	34.66	1	97.2	97.18	0	0.0	0.00
85+	3	116.4	67.21	1	113.9	113.90	2	117.7	83.24
Total deaths	153			99			54		
Connecticut									
. Crude rate		29.0	-		38.1	-		20.2	-
. AAMR (1940 Std. mil.)		32.6	2.74		44.3	4.67		22.2	3.14
. AAMR (1970 Std. mil.)		33.0	2.96		43.8	5.01		23.6	3.48
. AAMR (2000 Std. mil.)		39.8	3.59		53.7	6.20		27.8	4.13
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.5	-		18.1	-		9.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.6	1.62	1	3.1	3.13	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.20	0	0.0	0.00	1	4.2	4.24
40-44	2	5.7	4.03	1	6.0	6.02	1	5.4	5.41
45-49	1	3.8	3.85	0	0.0	0.00	1	7.4	7.37
50-54	1	4.8	4.80	1	10.3	10.32	0	0.0	0.00
55-59	1	6.8	6.75	1	14.8	14.84	0	0.0	0.00
60-64	2	18.1	12.78	1	19.8	19.80	1	16.6	16.63
65-69	4	49.2	24.59	0	0.0	0.00	4	85.9	42.97
70-74	5	84.4	37.74	2	81.8	57.82	3	86.2	49.79
75-79	3	67.7	39.07	1	58.9	58.89	2	73.1	51.71
80-84	1	34.7	34.66	1	97.2	97.18	0	0.0	0.00
85+	3	116.4	67.21	1	113.9	113.90	2	117.7	83.24
Total deaths	25			10			15		
Connecticut									
. Crude rate		4.7	-		3.8	-		5.6	-
. AAMR (1940 Std. mil.)		6.5	1.36		-	-		-	-
. AAMR (1970 Std. mil.)		8.7	1.82		-	-		-	-
. AAMR (2000 Std. mil.)		11.0	2.32		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		4.7	-		3.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.2	2.29	2	6.3	4.43	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.7	3.30	1	4.6	4.57	1	4.8	4.78
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.0	2.00	1	4.1	4.06	0	0.0	0.00
35-39	4	8.8	4.40	3	13.7	7.92	1	4.2	4.24
40-44	7	19.9	7.54	5	30.1	13.46	2	10.8	7.65
45-49	7	26.9	10.18	4	32.2	16.08	3	22.1	12.77
50-54	4	19.2	9.60	3	31.0	17.88	1	9.0	8.97
55-59	6	40.5	16.54	5	74.2	33.19	1	12.4	12.39
60-64	11	99.4	29.97	6	118.8	48.50	5	83.1	37.17
65-69	8	98.4	34.78	3	86.3	49.80	5	107.4	48.05
70-74	8	135.0	47.74	4	163.5	81.77	4	115.0	57.49
75-79	4	90.2	45.12	1	58.9	58.89	3	109.7	63.33
80-84	7	242.6	91.71	5	485.9	217.30	2	107.8	76.20
85+	10	388.0	122.71	3	341.7	197.27	7	412.0	155.72
Total deaths	81			46			35		
Connecticut									
. Crude rate		15.4	-		17.7	-		13.1	-
. AAMR (1940 Std. mil.)		19.9	2.33		25.7	3.96		15.2	2.75
. AAMR (1970 Std. mil.)		25.6	3.00		32.4	5.19		20.3	3.56
. AAMR (2000 Std. mil.)		32.4	3.87		40.8	6.87		26.1	4.57
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.6	1.62	0	0.0	0.00	1	3.4	3.37
5-9	1	1.8	1.82	0	0.0	0.00	1	3.7	3.74
10-14	1	2.1	2.10	0	0.0	0.00	1	4.3	4.27
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.7	3.30	0	0.0	0.00	2	9.6	6.76
25-29	8	16.7	5.91	6	25.5	10.41	2	8.2	5.81
30-34	17	34.0	8.26	12	48.7	14.07	5	19.7	8.83
35-39	13	28.6	7.93	10	45.7	14.45	3	12.7	7.34
40-44	21	59.8	13.06	16	96.3	24.07	5	27.1	12.10
45-49	16	61.5	15.38	10	80.4	25.42	6	44.2	18.06
50-54	6	28.8	11.76	6	61.9	25.29	0	0.0	0.00
55-59	10	67.5	21.35	7	103.9	39.27	3	37.2	21.46
60-64	1	9.0	9.04	1	19.8	19.80	0	0.0	0.00
65-69	2	24.6	17.39	2	57.5	40.66	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	99			70			29		
Connecticut									
. Crude rate		18.8	-		26.9	-		10.8	-
. AAMR (1940 Std. mil.)		20.5	2.13		31.1	3.88		11.2	2.12
. AAMR (1970 Std. mil.)		18.8	2.04		28.7	3.78		10.3	2.01
. AAMR (2000 Std. mil.)		22.1	2.34		34.1	4.33		11.6	2.25
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		9.1	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	4.2	2.98	1	4.2	4.15	1	4.3	4.27
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	5	11.7	5.22	4	18.3	9.13	1	4.8	4.78
25-29	5	10.4	4.67	1	4.3	4.25	4	16.4	8.21
30-34	5	10.0	4.48	1	4.1	4.06	4	15.8	7.90
35-39	10	22.0	6.96	7	32.0	12.09	3	12.7	7.34
40-44	16	45.6	11.40	6	36.1	14.74	10	54.1	17.11
45-49	14	53.8	14.39	8	64.3	22.74	6	44.2	18.06
50-54	29	139.2	25.85	14	144.5	38.63	15	134.6	34.74
55-59	28	189.1	35.73	16	237.5	59.37	12	148.7	42.92
60-64	33	298.2	51.92	16	316.8	79.21	17	282.6	68.55
65-69	34	418.1	71.70	22	632.5	134.86	12	257.8	74.43
70-74	29	489.5	90.89	13	531.5	147.41	16	459.9	114.98
75-79	24	541.4	110.51	12	706.7	204.01	12	438.8	126.66
80-84	19	658.6	151.09	14	1360.5	363.62	5	269.4	120.48
85+	18	698.5	164.63	11	1252.8	377.75	7	412.0	155.72
Total deaths	271			146			125		
Connecticut									
. Crude rate		51.4	-		56.2	-		46.7	-
. AAMR (1940 Std. mil.)		71.4	4.50		89.4	7.66		59.0	5.46
. AAMR (1970 Std. mil.)		89.6	5.69		117.1	10.23		71.5	6.68
. AAMR (2000 Std. mil.)		108.4	7.03		146.5	13.39		84.6	7.93
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		125.6	-		150.4	-		107.4	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.20	1	4.6	4.57	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	24.6	17.39	1	28.8	28.75	1	21.5	21.49
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	38.8	38.80	1	113.9	113.90	0	0.0	0.00
Total deaths	4			3			1		
Connecticut									
. Crude rate		0.8	-		1.2	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.0	-		3.1	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.09	1	4.3	4.25	0	0.0	0.00
30-34	1	2.0	2.00	0	0.0	0.00	1	3.9	3.95
35-39	2	4.4	3.11	2	9.1	6.46	0	0.0	0.00
40-44	1	2.8	2.85	0	0.0	0.00	1	5.4	5.41
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	9.6	6.79	2	20.6	14.60	0	0.0	0.00
55-59	5	33.8	15.10	2	29.7	20.99	3	37.2	21.46
60-64	6	54.2	22.14	6	118.8	48.50	0	0.0	0.00
65-69	1	12.3	12.30	1	28.8	28.75	0	0.0	0.00
70-74	2	33.8	23.87	0	0.0	0.00	2	57.5	40.65
75-79	2	45.1	31.90	2	117.8	83.29	0	0.0	0.00
80-84	4	138.6	69.32	2	194.4	137.44	2	107.8	76.20
85+	2	77.6	54.88	2	227.8	161.07	0	0.0	0.00
Total deaths	29			20			9		
Connecticut									
. Crude rate		5.5	-		7.7	-		3.4	-
. AAMR (1940 Std. mil.)		7.4	1.43		11.7	2.71		-	-
. AAMR (1970 Std. mil.)		9.5	1.84		15.5	3.66		-	-
. AAMR (2000 Std. mil.)		11.6	2.31		19.5	4.90		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.1	-		14.6	-		10.1	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.09	1	4.3	4.25	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.20	1	4.6	4.57	0	0.0	0.00
40-44	1	2.8	2.85	0	0.0	0.00	1	5.4	5.41
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	9.6	6.79	2	20.6	14.60	0	0.0	0.00
55-59	3	20.3	11.70	2	29.7	20.99	1	12.4	12.39
60-64	4	36.2	18.08	4	79.2	39.60	0	0.0	0.00
65-69	1	12.3	12.30	1	28.8	28.75	0	0.0	0.00
70-74	1	16.9	16.88	0	0.0	0.00	1	28.7	28.74
75-79	2	45.1	31.90	2	117.8	83.29	0	0.0	0.00
80-84	4	138.6	69.32	2	194.4	137.44	2	107.8	76.20
85+	2	77.6	54.88	2	227.8	161.07	0	0.0	0.00
Total deaths	22			17			5		
Connecticut									
. Crude rate		4.2	-		6.5	-		1.9	-
. AAMR (1940 Std. mil.)		5.5	1.22		9.9	2.50		-	-
. AAMR (1970 Std. mil.)		7.3	1.62		13.6	3.45		-	-
. AAMR (2000 Std. mil.)		9.4	2.14		17.6	4.77		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.1	-		12.1	-		8.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.0	2.00	0	0.0	0.00	1	3.9	3.95
35-39	1	2.2	2.20	1	4.6	4.57	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	13.5	9.55	0	0.0	0.00	2	24.8	17.52
60-64	2	18.1	12.78	2	39.6	28.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	16.9	16.88	0	0.0	0.00	1	28.7	28.74
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	7			3			4		
Connecticut									
. Crude rate		1.3	-		1.2	-		1.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.3	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.8	4.80	0	0.0	0.00	1	9.0	8.97
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	36.9	21.30	3	86.3	49.80	0	0.0	0.00
70-74	1	16.9	16.88	1	40.9	40.88	0	0.0	0.00
75-79	3	67.7	39.07	1	58.9	58.89	2	73.1	51.71
80-84	1	34.7	34.66	1	97.2	97.18	0	0.0	0.00
85+	2	77.6	54.88	1	113.9	113.90	1	58.9	58.86
Total deaths	11			7			4		
Connecticut									
. Crude rate		2.1	-		2.7	-		1.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.3	-		5.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	8.5	4.94	2	12.0	8.51	1	5.4	5.41
45-49	2	7.7	5.44	2	16.1	11.37	0	0.0	0.00
50-54	3	14.4	8.31	2	20.6	14.60	1	9.0	8.97
55-59	8	54.0	19.10	4	59.4	29.69	4	49.6	24.78
60-64	7	63.3	23.91	6	118.8	48.50	1	16.6	16.63
65-69	8	98.4	34.78	6	172.5	70.43	2	43.0	30.39
70-74	7	118.1	44.65	3	122.6	70.81	4	115.0	57.49
75-79	8	180.5	63.80	3	176.7	102.01	5	182.8	81.76
80-84	2	69.3	49.02	2	194.4	137.44	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	48			30			18		
Connecticut									
. Crude rate		9.1	-		11.5	-		6.7	-
. AAMR (1940 Std. mil.)		14.1	2.06		20.4	3.78		9.2	2.20
. AAMR (1970 Std. mil.)		17.8	2.63		25.5	4.82		12.0	2.86
. AAMR (2000 Std. mil.)		20.5	3.08		29.0	5.66		14.1	3.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.7	-		52.7	-		27.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	8.5	4.94	2	12.0	8.51	1	5.4	5.41
45-49	2	7.7	5.44	2	16.1	11.37	0	0.0	0.00
50-54	3	14.4	8.31	2	20.6	14.60	1	9.0	8.97
55-59	8	54.0	19.10	4	59.4	29.69	4	49.6	24.78
60-64	6	54.2	22.14	5	99.0	44.28	1	16.6	16.63
65-69	8	98.4	34.78	6	172.5	70.43	2	43.0	30.39
70-74	7	118.1	44.65	3	122.6	70.81	4	115.0	57.49
75-79	8	180.5	63.80	3	176.7	102.01	5	182.8	81.76
80-84	1	34.7	34.66	1	97.2	97.18	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	46			28			18		
Connecticut									
. Crude rate		8.7	-		10.8	-		6.7	-
. AAMR (1940 Std. mil.)		13.6	2.03		19.1	3.66		9.2	2.20
. AAMR (1970 Std. mil.)		17.0	2.57		23.6	4.62		12.0	2.86
. AAMR (2000 Std. mil.)		19.5	2.99		26.5	5.34		14.1	3.42
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		37.4	-		50.4	-		27.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.8	3.85	1	8.0	8.04	0	0.0	0.00
50-54	1	4.8	4.80	1	10.3	10.32	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	38.8	38.80	0	0.0	0.00	1	58.9	58.86
Total deaths	3			2			1		
Connecticut									
. Crude rate		0.6	-		0.8	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	2.0	2.00	-	-	-	1	3.9	3.95
35-39	1	2.2	2.20	-	-	-	1	4.2	4.24
40-44	6	17.1	6.98	-	-	-	6	32.5	13.26
45-49	4	15.4	7.69	-	-	-	4	29.5	14.75
50-54	2	9.6	6.79	-	-	-	2	17.9	12.69
55-59	1	6.8	6.75	-	-	-	1	12.4	12.39
60-64	6	54.2	22.14	-	-	-	6	99.8	40.72
65-69	2	24.6	17.39	-	-	-	2	43.0	30.39
70-74	1	16.9	16.88	-	-	-	1	28.7	28.74
75-79	2	45.1	31.90	-	-	-	2	73.1	51.71
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	26			-			26		
Connecticut									
. Crude rate		-	-		-	-		9.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		12.4	2.49
. AAMR (1970 Std. mil.)		-	-		-	-		13.6	2.82
. AAMR (2000 Std. mil.)		-	-		-	-		15.4	3.14
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		19.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	2.1	2.09	-	-	-	1	4.1	4.11
30-34	1	2.0	2.00	-	-	-	1	3.9	3.95
35-39	1	2.2	2.20	-	-	-	1	4.2	4.24
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	1	3.8	3.85	-	-	-	1	7.4	7.37
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	9.0	9.04	-	-	-	1	16.6	16.63
65-69	1	12.3	12.30	-	-	-	1	21.5	21.49
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	1	38.8	38.80	-	-	-	1	58.9	58.86
Total deaths	7			-			7		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	-	-	-	0	-	-
5-9	0	-	-	-	-	-	0	-	-
10-14	0	-	-	-	-	-	0	-	-
15-19	0	-	-	-	-	-	0	-	-
20-24	0	-	-	-	-	-	0	-	-
25-29	0	-	-	-	-	-	0	-	-
30-34	0	-	-	-	-	-	0	-	-
35-39	0	-	-	-	-	-	0	-	-
40-44	0	-	-	-	-	-	0	-	-
45-49	0	-	-	-	-	-	0	-	-
50-54	0	-	-	-	-	-	0	-	-
55-59	0	-	-	-	-	-	0	-	-
60-64	0	-	-	-	-	-	0	-	-
65-69	0	-	-	-	-	-	0	-	-
70-74	0	-	-	-	-	-	0	-	-
75-79	0	-	-	-	-	-	0	-	-
80-84	0	-	-	-	-	-	0	-	-
85+	0	-	-	-	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	2.1	2.09	-	-	-	1	4.1	4.11
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	2	9.6	6.79	-	-	-	2	17.9	12.69
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	2	18.1	12.78	-	-	-	2	33.3	23.51
65-69	1	12.3	12.30	-	-	-	1	21.5	21.49
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	6			-			6		
Connecticut									
. Crude rate		-	-		-	-		2.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		5.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.20	1	4.6	4.57	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	9.6	6.79	1	10.3	10.32	1	9.0	8.97
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	34.7	34.66	1	97.2	97.18	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			3			1		
Connecticut									
. Crude rate		0.8	-		1.2	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.1	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.1	2.10	1	4.2	4.15	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	7.0	4.05	3	13.7	7.91	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.20	1	4.6	4.57	0	0.0	0.00
40-44	2	5.7	4.03	1	6.0	6.02	1	5.4	5.41
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	4	19.2	9.60	0	0.0	0.00	4	35.9	17.94
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	24.6	17.39	2	57.5	40.66	0	0.0	0.00
70-74	1	16.9	16.88	1	40.9	40.88	0	0.0	0.00
75-79	1	22.6	22.56	1	58.9	58.89	0	0.0	0.00
80-84	1	34.7	34.66	1	97.2	97.18	0	0.0	0.00
85+	1	38.8	38.80	1	113.9	113.90	0	0.0	0.00
Total deaths	17			12			5		
Connecticut									
. Crude rate		3.2	-		4.6	-		1.9	-
. AAMR (1940 Std. mil.)		4.0	1.01		-	-		-	-
. AAMR (1970 Std. mil.)		4.7	1.22		-	-		-	-
. AAMR (2000 Std. mil.)		5.7	1.54		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.1	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.4	3.11	2	9.1	6.46	0	0.0	0.00
40-44	1	2.8	2.85	1	6.0	6.02	0	0.0	0.00
45-49	2	7.7	5.44	2	16.1	11.37	0	0.0	0.00
50-54	4	19.2	9.60	1	10.3	10.32	3	26.9	15.54
55-59	3	20.3	11.70	3	44.5	25.71	0	0.0	0.00
60-64	5	45.2	20.21	3	59.4	34.30	2	33.3	23.51
65-69	10	123.0	38.89	5	143.8	64.29	5	107.4	48.05
70-74	7	118.1	44.65	4	163.5	81.77	3	86.2	49.79
75-79	7	157.9	59.68	3	176.7	102.01	4	146.3	73.13
80-84	2	69.3	49.02	1	97.2	97.18	1	53.9	53.88
85+	3	116.4	67.21	2	227.8	161.07	1	58.9	58.86
Total deaths	46			27			19		
Connecticut									
. Crude rate		8.7	-		10.4	-		7.1	-
. AAMR (1940 Std. mil.)		12.9	1.96		17.3	3.44		9.6	2.26
. AAMR (1970 Std. mil.)		16.8	2.56		22.5	4.56		12.7	2.95
. AAMR (2000 Std. mil.)		20.4	3.13		27.7	5.78		15.2	3.56
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		14.8	-		12.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.4	3.11	2	9.1	6.46	0	0.0	0.00
40-44	10	28.5	9.01	7	42.1	15.92	3	16.2	9.37
45-49	11	42.3	12.76	10	80.4	25.42	1	7.4	7.37
50-54	12	57.6	16.63	5	51.6	23.09	7	62.8	23.73
55-59	18	121.5	28.65	12	178.1	51.42	6	74.3	30.35
60-64	27	244.0	46.96	11	217.8	65.68	16	266.0	66.50
65-69	22	270.5	57.68	7	201.3	76.07	15	322.3	83.22
70-74	19	320.7	73.57	9	367.9	122.65	10	287.4	90.90
75-79	28	631.6	119.37	12	706.7	204.01	16	585.0	146.25
80-84	19	658.6	151.09	10	971.8	307.32	9	484.9	161.64
85+	15	582.1	150.29	5	569.5	254.68	10	588.6	186.13
Total deaths	183			90			93		
Connecticut									
. Crude rate		34.7	-		34.6	-		34.7	-
. AAMR (1940 Std. mil.)		49.0	3.74		55.4	6.00		43.9	4.76
. AAMR (1970 Std. mil.)		65.5	4.97		73.9	8.19		59.4	6.27
. AAMR (2000 Std. mil.)		82.0	6.34		94.1	10.87		73.5	7.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	0	-	-	0	-	-
5-9	0	-	-	0	-	-	0	-	-
10-14	0	-	-	0	-	-	0	-	-
15-19	0	-	-	0	-	-	0	-	-
20-24	0	-	-	0	-	-	0	-	-
25-29	0	-	-	0	-	-	0	-	-
30-34	0	-	-	0	-	-	0	-	-
35-39	0	-	-	0	-	-	0	-	-
40-44	0	-	-	0	-	-	0	-	-
45-49	0	-	-	0	-	-	0	-	-
50-54	0	-	-	0	-	-	0	-	-
55-59	0	-	-	0	-	-	0	-	-
60-64	0	-	-	0	-	-	0	-	-
65-69	0	-	-	0	-	-	0	-	-
70-74	0	-	-	0	-	-	0	-	-
75-79	0	-	-	0	-	-	0	-	-
80-84	0	-	-	0	-	-	0	-	-
85+	0	-	-	0	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.5	-		0.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	2	33.8	23.87	0	-	-	2	57.5	40.65
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	2	77.6	54.88	0	-	-	2	117.7	83.24
Total deaths	4			-			4		
Connecticut									
. Crude rate		0.8	-		-	-		1.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		2.5	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	13.0	4.59	4	12.5	6.26	4	13.5	6.73
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.4	3.11	2	8.5	6.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	7	14.6	5.53	2	8.5	6.01	5	20.5	9.18
30-34	3	6.0	3.47	0	0.0	0.00	3	11.8	6.84
35-39	13	28.6	7.93	8	36.6	12.93	5	21.2	9.48
40-44	13	37.0	10.27	8	48.1	17.02	5	27.1	12.10
45-49	22	84.6	18.04	16	128.6	32.15	6	44.2	18.06
50-54	27	129.6	24.94	13	134.2	37.22	14	125.6	33.56
55-59	38	256.6	41.63	24	356.2	72.72	14	173.4	46.35
60-64	40	361.5	57.16	23	455.4	94.97	17	282.6	68.55
65-69	38	467.3	75.80	25	718.8	143.76	13	279.3	77.47
70-74	49	827.0	118.14	25	1022.1	204.42	24	689.9	140.82
75-79	60	1353.5	174.73	28	1649.0	311.63	32	1170.0	206.83
80-84	55	1906.4	257.06	22	2138.0	455.82	33	1778.0	309.51
85+	71	2755.1	326.98	20	2277.9	509.35	51	3001.8	420.33
Total deaths	446			220			226		
Connecticut									
. Crude rate		84.6	-		84.7	-		84.4	-
. AAMR (1940 Std. mil.)		108.4	5.41		134.3	9.39		88.3	6.33
. AAMR (1970 Std. mil.)		152.3	7.48		183.3	12.99		128.4	8.84
. AAMR (2000 Std. mil.)		204.2	10.22		236.6	17.50		178.8	12.32
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		167.1	-		214.2	-		128.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	13.0	4.59	4	12.5	6.26	4	13.5	6.73
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.4	3.11	2	8.5	6.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	5	10.4	4.67	2	8.5	6.01	3	12.3	7.11
30-34	2	4.0	2.83	0	0.0	0.00	2	7.9	5.58
35-39	10	22.0	6.96	5	22.9	10.22	5	21.2	9.48
40-44	9	25.6	8.55	6	36.1	14.74	3	16.2	9.37
45-49	16	61.5	15.38	12	96.5	27.85	4	29.5	14.75
50-54	20	96.0	21.47	10	103.2	32.65	10	89.7	28.37
55-59	22	148.6	31.67	13	193.0	53.52	9	111.5	37.17
60-64	35	316.3	53.47	19	376.2	86.31	16	266.0	66.50
65-69	30	368.9	67.35	19	546.3	125.33	11	236.4	71.26
70-74	39	658.2	105.40	20	817.7	182.83	19	546.1	125.29
75-79	47	1060.2	154.65	24	1413.4	288.51	23	841.0	175.35
80-84	42	1455.8	224.64	19	1846.5	423.61	23	1239.2	258.40
85+	54	2095.5	285.16	15	1708.4	441.11	39	2295.5	367.57
Total deaths	341			170			171		
Connecticut									
. Crude rate		64.6	-		65.4	-		63.9	-
. AAMR (1940 Std. mil.)		83.0	4.74		103.8	8.25		67.4	5.57
. AAMR (1970 Std. mil.)		117.0	6.58		143.4	11.56		97.6	7.73
. AAMR (2000 Std. mil.)		156.6	8.97		186.5	15.67		134.7	10.67
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		130.4	-		173.3	-		95.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	16	26.0	6.49	11	34.4	10.38	5	16.8	7.53
5-9	1	1.8	1.82	0	0.0	0.00	1	3.7	3.74
10-14	2	4.2	2.98	1	4.2	4.15	1	4.3	4.27
15-19	2	4.4	3.11	2	8.5	6.00	0	0.0	0.00
20-24	6	14.0	5.72	4	18.3	9.13	2	9.6	6.76
25-29	14	29.2	7.81	5	21.3	9.50	9	37.0	12.32
30-34	12	24.0	6.94	4	16.2	8.12	8	31.6	11.17
35-39	24	52.8	10.78	19	86.8	19.92	5	21.2	9.48
40-44	33	94.0	16.37	24	144.4	29.48	9	48.7	16.24
45-49	32	123.1	21.76	22	176.8	37.70	10	73.7	23.32
50-54	48	230.4	33.25	30	309.7	56.55	18	161.5	38.06
55-59	46	310.6	45.80	28	415.6	78.54	18	223.0	52.56
60-64	58	524.2	68.83	32	633.7	112.02	26	432.3	84.77
65-69	66	811.6	99.90	40	1150.1	181.84	26	558.7	109.56
70-74	70	1181.4	141.21	35	1430.9	241.87	35	1006.0	170.05
75-79	85	1917.4	207.98	36	2120.1	353.36	49	1791.6	255.94
80-84	67	2322.4	283.72	28	2721.1	514.24	39	2101.3	336.48
85+	92	3570.0	372.20	33	3758.5	654.28	59	3472.6	452.10
Total deaths	674			354			320		
Connecticut									
. Crude rate		127.8	-		136.2	-		119.5	-
. AAMR (1940 Std. mil.)		163.5	6.63		205.4	11.43		130.3	7.79
. AAMR (1970 Std. mil.)		221.9	8.96		272.4	15.53		183.2	10.63
. AAMR (2000 Std. mil.)		291.7	12.03		351.7	20.97		246.6	14.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.2	2.20	1	4.2	4.25	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	4.2	2.95	1	4.3	4.25	1	4.1	4.11
30-34	1	2.0	2.00	0	0.0	0.00	1	3.9	3.95
35-39	1	2.2	2.20	1	4.6	4.57	0	0.0	0.00
40-44	4	11.4	5.70	3	18.1	10.42	1	5.4	5.41
45-49	11	42.3	12.76	8	64.3	22.74	3	22.1	12.77
50-54	15	72.0	18.59	8	82.6	29.20	7	62.8	23.73
55-59	17	114.8	27.84	8	118.7	41.98	9	111.5	37.17
60-64	26	235.0	46.08	12	237.6	68.60	14	232.8	62.21
65-69	24	295.1	60.24	17	488.8	118.55	7	150.4	56.85
70-74	27	455.7	87.70	12	490.6	141.62	15	431.2	111.32
75-79	36	812.1	135.35	22	1295.6	276.23	14	511.9	136.81
80-84	27	935.9	180.11	13	1263.4	350.39	14	754.3	201.60
85+	33	1280.6	222.92	11	1252.8	377.75	22	1294.9	276.07
Total deaths	225			117			108		
Connecticut									
. Crude rate		42.7	-		45.0	-		40.3	-
. AAMR (1940 Std. mil.)		57.5	4.01		74.0	7.04		45.8	4.72
. AAMR (1970 Std. mil.)		81.2	5.54		104.2	9.97		65.4	6.44
. AAMR (2000 Std. mil.)		107.0	7.43		136.5	13.57		87.2	8.58
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		100.4	-		137.4	-		70.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.6	1.62	0	0.0	0.00	1	3.4	3.37
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.20	1	4.6	4.57	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	9.0	9.04	1	19.8	19.80	0	0.0	0.00
65-69	1	12.3	12.30	0	0.0	0.00	1	21.5	21.49
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	45.1	31.90	2	117.8	83.29	0	0.0	0.00
80-84	5	173.3	77.51	2	194.4	137.44	3	161.6	93.32
85+	7	271.6	102.67	1	113.9	113.90	6	353.1	144.17
Total deaths	18			7			11		
Connecticut									
. Crude rate		3.4	-		2.7	-		4.1	-
. AAMR (1940 Std. mil.)		3.3	0.83		-	-		-	-
. AAMR (1970 Std. mil.)		5.9	1.44		-	-		-	-
. AAMR (2000 Std. mil.)		9.6	2.35		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		6.6	-		5.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	6.8	6.75	1	14.8	14.84	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	33.8	23.87	1	40.9	40.88	1	28.7	28.74
75-79	1	22.6	22.56	0	0.0	0.00	1	36.6	36.56
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			2			2		
Connecticut									
. Crude rate		0.8	-		0.8	-		0.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.4	3.11	2	9.1	6.46	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	6	23.1	9.42	6	48.2	19.69	0	0.0	0.00
50-54	6	28.8	11.76	2	20.6	14.60	4	35.9	17.94
55-59	8	54.0	19.10	6	89.1	36.36	2	24.8	17.52
60-64	7	63.3	23.91	1	19.8	19.80	6	99.8	40.72
65-69	7	86.1	32.54	3	86.3	49.80	4	85.9	42.97
70-74	10	168.8	53.37	4	163.5	81.77	6	172.5	70.41
75-79	18	406.0	95.71	7	412.2	155.82	11	402.2	121.27
80-84	10	346.6	109.61	4	388.7	194.36	6	323.3	131.98
85+	16	620.9	155.22	5	569.5	254.68	11	647.4	195.21
Total deaths	90			40			50		
Connecticut									
. Crude rate		17.1	-		15.4	-		18.7	-
. AAMR (1940 Std. mil.)		22.2	2.46		23.7	3.88		20.8	3.16
. AAMR (1970 Std. mil.)		32.2	3.47		33.4	5.55		31.0	4.47
. AAMR (2000 Std. mil.)		44.0	4.82		45.6	7.86		42.4	6.09
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.09	0	0.0	0.00	1	4.1	4.11
30-34	1	2.0	2.00	0	0.0	0.00	1	3.9	3.95
35-39	3	6.6	3.81	3	13.7	7.92	0	0.0	0.00
40-44	3	8.5	4.94	1	6.0	6.02	2	10.8	7.65
45-49	4	15.4	7.69	2	16.1	11.37	2	14.7	10.43
50-54	6	28.8	11.76	3	31.0	17.88	3	26.9	15.54
55-59	13	87.8	24.35	8	118.7	41.98	5	61.9	27.70
60-64	4	36.2	18.08	3	59.4	34.30	1	16.6	16.63
65-69	7	86.1	32.54	5	143.8	64.29	2	43.0	30.39
70-74	6	101.3	41.34	2	81.8	57.82	4	115.0	57.49
75-79	10	225.6	71.33	4	235.6	117.79	6	219.4	89.56
80-84	13	450.6	124.98	3	291.5	168.32	10	538.8	170.38
85+	15	582.1	150.29	5	569.5	254.68	10	588.6	186.13
Total deaths	86			39			47		
Connecticut									
. Crude rate		16.3	-		15.0	-		17.6	-
. AAMR (1940 Std. mil.)		20.4	2.32		23.2	3.86		17.9	2.80
. AAMR (1970 Std. mil.)		28.8	3.21		31.2	5.24		26.4	3.96
. AAMR (2000 Std. mil.)		39.4	4.48		40.7	7.17		37.6	5.67
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		25.9	-		27.9	-		24.1	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	1	22.6	22.56	0	-	-	1	36.6	36.56
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	1	38.8	38.80	0	-	-	1	58.9	58.86
Total deaths	2			-			2		
Connecticut									
. Crude rate		0.4	-		-	-		0.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.1	-		2.4	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.8	3.85	1	8.0	8.04	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	6.8	6.75	1	14.8	14.84	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	33.8	23.87	2	81.8	57.82	0	0.0	0.00
75-79	1	22.6	22.56	0	0.0	0.00	1	36.6	36.56
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	38.8	38.80	0	0.0	0.00	1	58.9	58.86
Total deaths	6			4			2		
Connecticut									
. Crude rate		1.1	-		1.5	-		0.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.2	-		5.1	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.2	2.29	1	3.1	3.13	1	3.4	3.37
5-9	1	1.8	1.82	1	3.5	3.54	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	1	4.6	4.57	0	0.0	0.00
25-29	2	4.2	2.95	1	4.3	4.25	1	4.1	4.11
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.8	4.80	1	10.3	10.32	0	0.0	0.00
55-59	2	13.5	9.55	2	29.7	20.99	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	5	61.5	27.50	3	86.3	49.80	2	43.0	30.39
70-74	3	50.6	29.23	2	81.8	57.82	1	28.7	28.74
75-79	6	135.3	55.26	2	117.8	83.29	4	146.3	73.13
80-84	7	242.6	91.71	3	291.5	168.32	4	215.5	107.76
85+	16	620.9	155.22	6	683.4	278.99	10	588.6	186.13
Total deaths	46			23			23		
Connecticut									
. Crude rate		8.7	-		8.9	-		8.6	-
. AAMR (1940 Std. mil.)		9.3	1.49		12.2	2.72		7.0	1.62
. AAMR (1970 Std. mil.)		15.2	2.33		19.0	4.18		12.4	2.67
. AAMR (2000 Std. mil.)		23.1	3.59		27.7	6.39		19.8	4.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.9	-		16.3	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.2	2.29	1	3.1	3.13	1	3.4	3.37
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.1	2.10	1	4.2	4.15	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.7	3.30	2	9.1	6.46	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.0	2.00	1	4.1	4.06	0	0.0	0.00
35-39	3	6.6	3.81	2	9.1	6.46	1	4.2	4.24
40-44	4	11.4	5.70	2	12.0	8.51	2	10.8	7.65
45-49	3	11.5	6.66	1	8.0	8.04	2	14.7	10.43
50-54	1	4.8	4.80	1	10.3	10.32	0	0.0	0.00
55-59	1	6.8	6.75	0	0.0	0.00	1	12.4	12.39
60-64	3	27.1	15.65	1	19.8	19.80	2	33.3	23.51
65-69	2	24.6	17.39	0	0.0	0.00	2	43.0	30.39
70-74	4	67.5	33.76	1	40.9	40.88	3	86.2	49.79
75-79	3	67.7	39.07	2	117.8	83.29	1	36.6	36.56
80-84	10	346.6	109.61	3	291.5	168.32	7	377.2	142.55
85+	4	155.2	77.61	2	227.8	161.07	2	117.7	83.24
Total deaths	44			20			24		
Connecticut									
. Crude rate		8.3	-		7.7	-		9.0	-
. AAMR (1940 Std. mil.)		9.8	1.55		9.5	2.23		9.8	2.12
. AAMR (1970 Std. mil.)		13.4	2.16		13.0	3.30		13.6	2.90
. AAMR (2000 Std. mil.)		18.2	3.02		18.3	4.95		18.2	3.88
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.1	-		26.1	-		17.8	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.2	2.29	1	3.1	3.13	1	3.4	3.37
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.1	2.10	1	4.2	4.15	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.7	3.30	2	9.1	6.46	0	0.0	0.00
25-29	1	2.1	2.09	0	0.0	0.00	1	4.1	4.11
30-34	1	2.0	2.00	1	4.1	4.06	0	0.0	0.00
35-39	4	8.8	4.40	3	13.7	7.92	1	4.2	4.24
40-44	6	17.1	6.98	2	12.0	8.51	4	21.6	10.82
45-49	5	19.2	8.60	2	16.1	11.37	3	22.1	12.77
50-54	4	19.2	9.60	2	20.6	14.60	2	17.9	12.69
55-59	4	27.0	13.51	2	29.7	20.99	2	24.8	17.52
60-64	9	81.3	27.11	4	79.2	39.60	5	83.1	37.17
65-69	7	86.1	32.54	2	57.5	40.66	5	107.4	48.05
70-74	6	101.3	41.34	2	81.8	57.82	4	115.0	57.49
75-79	12	270.7	78.14	6	353.4	144.26	6	219.4	89.56
80-84	15	519.9	134.25	6	583.1	238.05	9	484.9	161.64
85+	16	620.9	155.22	10	1139.0	360.17	6	353.1	144.17
Total deaths	95			46			49		
Connecticut									
. Crude rate		18.0	-		17.7	-		18.3	-
. AAMR (1940 Std. mil.)		21.7	2.35		23.7	3.69		20.5	3.10
. AAMR (1970 Std. mil.)		30.8	3.31		35.9	5.66		28.1	4.16
. AAMR (2000 Std. mil.)		42.5	4.67		52.6	8.71		37.1	5.52
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.6	1.62	0	0.0	0.00	1	3.4	3.37
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.1	2.10	1	4.2	4.15	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.7	3.30	2	9.1	6.46	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.0	2.00	1	4.1	4.06	0	0.0	0.00
35-39	3	6.6	3.81	2	9.1	6.46	1	4.2	4.24
40-44	1	2.8	2.85	0	0.0	0.00	1	5.4	5.41
45-49	1	3.8	3.85	0	0.0	0.00	1	7.4	7.37
50-54	1	4.8	4.80	1	10.3	10.32	0	0.0	0.00
55-59	1	6.8	6.75	0	0.0	0.00	1	12.4	12.39
60-64	2	18.1	12.78	0	0.0	0.00	2	33.3	23.51
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	33.8	23.87	1	40.9	40.88	1	28.7	28.74
75-79	1	22.6	22.56	0	0.0	0.00	1	36.6	36.56
80-84	1	34.7	34.66	0	0.0	0.00	1	53.9	53.88
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	18			8			10		
Connecticut									
. Crude rate		3.4	-		3.1	-		3.7	-
. AAMR (1940 Std. mil.)		4.1	1.01		-	-		-	-
. AAMR (1970 Std. mil.)		4.7	1.22		-	-		-	-
. AAMR (2000 Std. mil.)		5.4	1.45		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.1	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.09	0	0.0	0.00	1	4.1	4.11
30-34	2	4.0	2.83	1	4.1	4.06	1	3.9	3.95
35-39	2	4.4	3.11	2	9.1	6.46	0	0.0	0.00
40-44	4	11.4	5.70	4	24.1	12.04	0	0.0	0.00
45-49	10	38.5	12.16	8	64.3	22.74	2	14.7	10.43
50-54	9	43.2	14.40	6	61.9	25.29	3	26.9	15.54
55-59	4	27.0	13.51	3	44.5	25.71	1	12.4	12.39
60-64	7	63.3	23.91	4	79.2	39.60	3	49.9	28.80
65-69	4	49.2	24.59	3	86.3	49.80	1	21.5	21.49
70-74	3	50.6	29.23	1	40.9	40.88	2	57.5	40.65
75-79	2	45.1	31.90	0	0.0	0.00	2	73.1	51.71
80-84	2	69.3	49.02	1	97.2	97.18	1	53.9	53.88
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	50			33			17		
Connecticut									
. Crude rate		9.5	-		12.7	-		6.4	-
. AAMR (1940 Std. mil.)		13.2	1.90		18.7	3.36		8.3	2.05
. AAMR (1970 Std. mil.)		14.6	2.19		20.1	3.76		9.8	2.48
. AAMR (2000 Std. mil.)		16.7	2.51		22.7	4.25		11.3	2.89
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.3	-		10.5	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.09	0	0.0	0.00	1	4.1	4.11
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.8	2.85	1	6.0	6.02	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.8	4.80	1	10.3	10.32	0	0.0	0.00
55-59	5	33.8	15.10	2	29.7	20.99	3	37.2	21.46
60-64	2	18.1	12.78	0	0.0	0.00	2	33.3	23.51
65-69	3	36.9	21.30	0	0.0	0.00	3	64.5	37.22
70-74	3	50.6	29.23	2	81.8	57.82	1	28.7	28.74
75-79	3	67.7	39.07	1	58.9	58.89	2	73.1	51.71
80-84	2	69.3	49.02	1	97.2	97.18	1	53.9	53.88
85+	4	155.2	77.61	3	341.7	197.27	1	58.9	58.86
Total deaths	25			11			14		
Connecticut									
. Crude rate		4.7	-		4.2	-		5.2	-
. AAMR (1940 Std. mil.)		6.4	1.35		-	-		-	-
. AAMR (1970 Std. mil.)		8.8	1.81		-	-		-	-
. AAMR (2000 Std. mil.)		11.4	2.38		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		5.5	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.6	1.62	1	3.1	3.13	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.3	2.34	0	0.0	0.00	1	4.8	4.78
25-29	2	4.2	2.95	0	0.0	0.00	2	8.2	5.81
30-34	1	2.0	2.00	1	4.1	4.06	0	0.0	0.00
35-39	2	4.4	3.11	1	4.6	4.57	1	4.2	4.24
40-44	5	14.2	6.37	4	24.1	12.04	1	5.4	5.41
45-49	10	38.5	12.16	5	40.2	17.97	5	36.9	16.49
50-54	10	48.0	15.18	6	61.9	25.29	4	35.9	17.94
55-59	12	81.0	23.39	8	118.7	41.98	4	49.6	24.78
60-64	10	90.4	28.58	5	99.0	44.28	5	83.1	37.17
65-69	12	147.6	42.60	5	143.8	64.29	7	150.4	56.85
70-74	12	202.5	58.47	6	245.3	100.14	6	172.5	70.41
75-79	10	225.6	71.33	4	235.6	117.79	6	219.4	89.56
80-84	16	554.6	138.65	9	874.6	291.55	7	377.2	142.55
85+	12	465.7	134.42	5	569.5	254.68	7	412.0	155.72
Total deaths	116			60			56		
Connecticut									
. Crude rate		22.0	-		23.1	-		20.9	-
. AAMR (1940 Std. mil.)		29.3	2.84		35.6	4.76		24.8	3.49
. AAMR (1970 Std. mil.)		39.0	3.76		48.0	6.55		32.8	4.53
. AAMR (2000 Std. mil.)		50.1	4.94		62.7	8.96		41.8	5.81
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	4.2	2.95	1	4.3	4.25	1	4.1	4.11
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.8	2.85	1	6.0	6.02	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.8	4.80	1	10.3	10.32	0	0.0	0.00
55-59	6	40.5	16.54	3	44.5	25.71	3	37.2	21.46
60-64	3	27.1	15.65	1	19.8	19.80	2	33.3	23.51
65-69	4	49.2	24.59	1	28.8	28.75	3	64.5	37.22
70-74	3	50.6	29.23	2	81.8	57.82	1	28.7	28.74
75-79	3	67.7	39.07	1	58.9	58.89	2	73.1	51.71
80-84	2	69.3	49.02	1	97.2	97.18	1	53.9	53.88
85+	6	232.8	95.05	5	569.5	254.68	1	58.9	58.86
Total deaths	31			17			14		
Connecticut									
. Crude rate		5.9	-		6.5	-		5.2	-
. AAMR (1940 Std. mil.)		7.8	1.48		9.3	2.38		-	-
. AAMR (1970 Std. mil.)		10.7	1.98		13.8	3.49		-	-
. AAMR (2000 Std. mil.)		13.8	2.61		20.1	5.33		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.5	-		6.8	-		4.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	7	11.4	4.29	5	15.6	7.00	2	6.7	4.76
5-9	2	3.6	2.57	1	3.5	3.54	1	3.7	3.74
10-14	4	8.4	4.21	2	8.3	5.87	2	8.5	6.04
15-19	10	22.0	6.95	9	38.2	12.74	1	4.6	4.55
20-24	17	39.7	9.63	17	77.6	18.83	0	0.0	0.00
25-29	19	39.7	9.10	13	55.3	15.33	6	24.6	10.06
30-34	24	48.1	9.81	18	73.1	17.23	6	23.7	9.67
35-39	20	44.0	9.84	16	73.1	18.28	4	17.0	8.48
40-44	18	51.3	12.09	14	84.2	22.52	4	21.6	10.82
45-49	12	46.2	13.32	9	72.3	24.12	3	22.1	12.77
50-54	11	52.8	15.92	8	82.6	29.20	3	26.9	15.54
55-59	3	20.3	11.70	3	44.5	25.71	0	0.0	0.00
60-64	4	36.2	18.08	2	39.6	28.00	2	33.3	23.51
65-69	2	24.6	17.39	2	57.5	40.66	0	0.0	0.00
70-74	3	50.6	29.23	2	81.8	57.82	1	28.7	28.74
75-79	1	22.6	22.56	1	58.9	58.89	0	0.0	0.00
80-84	3	104.0	60.04	3	291.5	168.32	0	0.0	0.00
85+	2	77.6	54.88	0	0.0	0.00	2	117.7	83.24
Total deaths	162			125			37		
Connecticut									
. Crude rate		30.7	-		48.1	-		13.8	-
. AAMR (1940 Std. mil.)		32.0	2.59		52.1	4.86		13.6	2.31
. AAMR (1970 Std. mil.)		30.7	2.64		50.3	5.11		13.3	2.34
. AAMR (2000 Std. mil.)		34.8	3.08		56.9	6.08		15.4	2.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.1	-		42.8	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	1.8	1.82	1	3.5	3.54	0	0.0	0.00
10-14	2	4.2	2.98	0	0.0	0.00	2	8.5	6.04
15-19	6	13.2	5.38	5	21.2	9.49	1	4.6	4.55
20-24	8	18.7	6.61	8	36.5	12.92	0	0.0	0.00
25-29	9	18.8	6.27	7	29.8	11.25	2	8.2	5.81
30-34	6	12.0	4.90	2	8.1	5.74	4	15.8	7.90
35-39	4	8.8	4.40	2	9.1	6.46	2	8.5	6.00
40-44	6	17.1	6.98	4	24.1	12.04	2	10.8	7.65
45-49	4	15.4	7.69	2	16.1	11.37	2	14.7	10.43
50-54	7	33.6	12.70	5	51.6	23.09	2	17.9	12.69
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	18.1	12.78	1	19.8	19.80	1	16.6	16.63
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	16.9	16.88	1	40.9	40.88	0	0.0	0.00
75-79	1	22.6	22.56	1	58.9	58.89	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	57			39			18		
Connecticut									
. Crude rate		10.8	-		15.0	-		6.7	-
. AAMR (1940 Std. mil.)		11.8	1.59		16.9	2.80		7.0	1.68
. AAMR (1970 Std. mil.)		11.2	1.58		16.5	2.91		6.4	1.61
. AAMR (2000 Std. mil.)		11.9	1.73		17.5	3.28		7.0	1.73
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.0	-		21.7	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.2	2.29	1	3.1	3.13	1	3.4	3.37
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.4	3.11	2	8.5	6.00	0	0.0	0.00
20-24	1	2.3	2.34	1	4.6	4.57	0	0.0	0.00
25-29	1	2.1	2.09	0	0.0	0.00	1	4.1	4.11
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.20	1	4.6	4.57	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	7			5			2		
Connecticut									
. Crude rate		1.3	-		1.9	-		0.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.6	1.62	1	3.1	3.13	0	0.0	0.00
5-9	1	1.8	1.82	0	0.0	0.00	1	3.7	3.74
10-14	1	2.1	2.10	1	4.2	4.15	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.7	3.30	2	9.1	6.46	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.8	2.85	1	6.0	6.02	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	12.3	12.30	1	28.8	28.75	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	7			6			1		
Connecticut									
. Crude rate		1.3	-		2.3	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.9	-		1.4	-		0.9	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	6.6	3.80	2	8.5	6.00	1	4.6	4.55
20-24	5	11.7	5.22	4	18.3	9.13	1	4.8	4.78
25-29	3	6.3	3.62	3	12.8	7.36	0	0.0	0.00
30-34	3	6.0	3.47	3	12.2	7.04	0	0.0	0.00
35-39	6	13.2	5.39	6	27.4	11.20	0	0.0	0.00
40-44	3	8.5	4.94	1	6.0	6.02	2	10.8	7.65
45-49	1	3.8	3.85	1	8.0	8.04	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	6.8	6.75	1	14.8	14.84	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	12.3	12.30	1	28.8	28.75	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	26			22			4		
Connecticut									
. Crude rate		4.9	-		8.5	-		1.5	-
. AAMR (1940 Std. mil.)		5.1	1.02		8.8	1.96		-	-
. AAMR (1970 Std. mil.)		4.5	0.96		7.9	1.87		-	-
. AAMR (2000 Std. mil.)		4.9	1.01		8.5	1.98		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.5	-		17.4	-		4.0	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.6	1.62	0	0.0	0.00	1	3.4	3.37
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	13.2	5.38	6	25.5	10.40	0	0.0	0.00
20-24	17	39.7	9.63	16	73.1	18.26	1	4.8	4.78
25-29	4	8.4	4.18	4	17.0	8.50	0	0.0	0.00
30-34	2	4.0	2.83	1	4.1	4.06	1	3.9	3.95
35-39	2	4.4	3.11	2	9.1	6.46	0	0.0	0.00
40-44	2	5.7	4.03	2	12.0	8.51	0	0.0	0.00
45-49	2	7.7	5.44	1	8.0	8.04	1	7.4	7.37
50-54	2	9.6	6.79	1	10.3	10.32	1	9.0	8.97
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	12.3	12.30	1	28.8	28.75	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	39			34			5		
Connecticut									
. Crude rate		7.4	-		13.1	-		1.9	-
. AAMR (1940 Std. mil.)		7.9	1.29		13.9	2.44		-	-
. AAMR (1970 Std. mil.)		7.3	1.22		12.9	2.32		-	-
. AAMR (2000 Std. mil.)		6.9	1.17		12.0	2.21		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.1	-		12.5	-		3.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.6	1.62	0	0.0	0.00	1	3.4	3.37
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	13.2	5.38	6	25.5	10.40	0	0.0	0.00
20-24	17	39.7	9.63	16	73.1	18.26	1	4.8	4.78
25-29	4	8.4	4.18	4	17.0	8.50	0	0.0	0.00
30-34	2	4.0	2.83	1	4.1	4.06	1	3.9	3.95
35-39	2	4.4	3.11	2	9.1	6.46	0	0.0	0.00
40-44	2	5.7	4.03	2	12.0	8.51	0	0.0	0.00
45-49	2	7.7	5.44	1	8.0	8.04	1	7.4	7.37
50-54	2	9.6	6.79	1	10.3	10.32	1	9.0	8.97
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	12.3	12.30	1	28.8	28.75	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	39			34			5		
Connecticut									
. Crude rate		7.4	-		13.1	-		1.9	-
. AAMR (1940 Std. mil.)		7.9	1.29		13.9	2.44		-	-
. AAMR (1970 Std. mil.)		7.3	1.22		12.9	2.32		-	-
. AAMR (2000 Std. mil.)		6.9	1.17		12.0	2.21		-	-
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.6	-		12.4	-		3.3	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	13.0	4.59	5	15.6	7.00	3	10.1	5.83
5-9	2	3.6	2.57	1	3.5	3.54	1	3.7	3.74
10-14	4	8.4	4.21	2	8.3	5.87	2	8.5	6.04
15-19	19	41.7	9.57	17	72.2	17.50	2	9.1	6.44
20-24	40	93.4	14.77	38	173.5	28.15	2	9.6	6.76
25-29	28	58.5	11.05	21	89.3	19.48	7	28.7	10.86
30-34	30	60.1	10.97	22	89.4	19.05	8	31.6	11.17
35-39	28	61.6	11.64	24	109.7	22.39	4	17.0	8.48
40-44	23	65.5	13.66	17	102.3	24.81	6	32.5	13.26
45-49	15	57.7	14.90	11	88.4	26.66	4	29.5	14.75
50-54	13	62.4	17.31	9	92.9	30.97	4	35.9	17.94
55-59	4	27.0	13.51	4	59.4	29.69	0	0.0	0.00
60-64	4	36.2	18.08	2	39.6	28.00	2	33.3	23.51
65-69	4	49.2	24.59	4	115.0	57.50	0	0.0	0.00
70-74	3	50.6	29.23	2	81.8	57.82	1	28.7	28.74
75-79	1	22.6	22.56	1	58.9	58.89	0	0.0	0.00
80-84	3	104.0	60.04	3	291.5	168.32	0	0.0	0.00
85+	2	77.6	54.88	0	0.0	0.00	2	117.7	83.24
Total deaths	231			183			48		
Connecticut									
. Crude rate		43.8	-		70.4	-		17.9	-
. AAMR (1940 Std. mil.)		45.7	3.09		75.6	5.80		17.8	2.64
. AAMR (1970 Std. mil.)		43.2	3.07		71.7	5.93		17.0	2.62
. AAMR (2000 Std. mil.)		47.1	3.46		78.0	6.78		19.4	3.06
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		49.8	-		74.7	-		25.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	1.8	1.82	1	3.5	3.54	0	0.0	0.00
10-14	2	4.2	2.98	0	0.0	0.00	2	8.5	6.04
15-19	6	13.2	5.38	5	21.2	9.49	1	4.6	4.55
20-24	7	16.4	6.18	7	32.0	12.08	0	0.0	0.00
25-29	8	16.7	5.91	7	29.8	11.25	1	4.1	4.11
30-34	6	12.0	4.90	2	8.1	5.74	4	15.8	7.90
35-39	4	8.8	4.40	2	9.1	6.46	2	8.5	6.00
40-44	5	14.2	6.37	3	18.1	10.42	2	10.8	7.65
45-49	4	15.4	7.69	2	16.1	11.37	2	14.7	10.43
50-54	7	33.6	12.70	5	51.6	23.09	2	17.9	12.69
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	18.1	12.78	1	19.8	19.80	1	16.6	16.63
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	16.9	16.88	1	40.9	40.88	0	0.0	0.00
75-79	1	22.6	22.56	1	58.9	58.89	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	54			37			17		
Connecticut									
. Crude rate		10.2	-		14.2	-		6.4	-
. AAMR (1940 Std. mil.)		11.2	1.56		16.1	2.74		6.6	1.64
. AAMR (1970 Std. mil.)		10.7	1.56		15.7	2.87		6.1	1.58
. AAMR (2000 Std. mil.)		11.3	1.70		16.7	3.23		6.7	1.71
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		21.3	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	1	2.1	2.10	1	4.2	4.15	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	1	2.3	2.34	1	4.6	4.57	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	3	6.0	3.47	3	12.2	7.04	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	2	69.3	49.02	2	194.4	137.44	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	7			7			-		
Connecticut									
. Crude rate		1.3	-		2.7	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	13.2	5.38	6	25.5	10.40	0	0.0	0.00
20-24	17	39.7	9.63	16	73.1	18.26	1	4.8	4.78
25-29	5	10.4	4.67	5	21.3	9.50	0	0.0	0.00
30-34	2	4.0	2.83	2	8.1	5.74	0	0.0	0.00
35-39	4	8.8	4.40	4	18.3	9.14	0	0.0	0.00
40-44	1	2.8	2.85	1	6.0	6.02	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.8	4.80	1	10.3	10.32	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	36			35			1		
Connecticut									
. Crude rate		6.8	-		13.5	-		0.4	-
. AAMR (1940 Std. mil.)		7.0	1.18		13.5	2.30		-	-
. AAMR (1970 Std. mil.)		6.3	1.06		12.1	2.08		-	-
. AAMR (2000 Std. mil.)		5.8	0.98		11.3	1.95		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.2	-		21.1	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	1	2.3	2.34	1	4.6	4.57	0	-	-
25-29	2	4.2	2.95	2	8.5	6.01	0	-	-
30-34	2	4.0	2.83	2	8.1	5.74	0	-	-
35-39	3	6.6	3.81	3	13.7	7.92	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	8			8			-		
Connecticut									
. Crude rate		1.5	-		3.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		10.7	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	5	11.0	4.91	5	21.2	9.49	0	0.0	0.00
20-24	16	37.4	9.34	15	68.5	17.68	1	4.8	4.78
25-29	3	6.3	3.62	3	12.8	7.36	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.20	1	4.6	4.57	0	0.0	0.00
40-44	1	2.8	2.85	1	6.0	6.02	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.8	4.80	1	10.3	10.32	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	27			26			1		
Connecticut									
. Crude rate		5.1	-		10.0	-		0.4	-
. AAMR (1940 Std. mil.)		5.5	1.05		10.4	2.05		-	-
. AAMR (1970 Std. mil.)		5.0	0.97		9.5	1.89		-	-
. AAMR (2000 Std. mil.)		4.4	0.86		8.4	1.70		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.5	-		9.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	6	14.0	5.72	6	27.4	11.18	0	0.0	0.00
25-29	11	23.0	6.93	7	29.8	11.25	4	16.4	8.21
30-34	13	26.0	7.22	10	40.6	12.85	3	11.8	6.84
35-39	14	30.8	8.23	12	54.9	15.83	2	8.5	6.00
40-44	12	34.2	9.87	9	54.2	18.05	3	16.2	9.37
45-49	6	23.1	9.42	5	40.2	17.97	1	7.4	7.37
50-54	2	9.6	6.79	2	20.6	14.60	0	0.0	0.00
55-59	3	20.3	11.70	3	44.5	25.71	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	67			54			13		
Connecticut									
. Crude rate		12.7	-		20.8	-		4.9	-
. AAMR (1940 Std. mil.)		12.6	1.57		21.3	2.98		-	-
. AAMR (1970 Std. mil.)		10.7	1.38		18.4	2.67		-	-
. AAMR (2000 Std. mil.)		12.8	1.63		21.8	3.13		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		8.7	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	8.0	4.00	3	12.2	7.04	1	3.9	3.95
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	8.5	4.94	1	6.0	6.02	2	10.8	7.65
45-49	11	42.3	12.76	9	72.3	24.12	2	14.7	10.43
50-54	6	28.8	11.76	3	31.0	17.88	3	26.9	15.54
55-59	2	13.5	9.55	2	29.7	20.99	0	0.0	0.00
60-64	2	18.1	12.78	2	39.6	28.00	0	0.0	0.00
65-69	1	12.3	12.30	1	28.8	28.75	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	29			21			8		
Connecticut									
. Crude rate		5.5	-		8.1	-		3.0	-
. AAMR (1940 Std. mil.)		7.0	1.34		11.2	2.51		-	-
. AAMR (1970 Std. mil.)		6.9	1.35		11.2	2.60		-	-
. AAMR (2000 Std. mil.)		7.9	1.51		12.5	2.82		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		9.9	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.2	2.20	1	4.2	4.25	0	0.0	0.00
20-24	6	14.0	5.72	6	27.4	11.18	0	0.0	0.00
25-29	11	23.0	6.93	7	29.8	11.25	4	16.4	8.21
30-34	12	24.0	6.94	9	36.6	12.19	3	11.8	6.84
35-39	14	30.8	8.23	12	54.9	15.83	2	8.5	6.00
40-44	13	37.0	10.27	10	60.2	19.03	3	16.2	9.37
45-49	7	26.9	10.18	6	48.2	19.69	1	7.4	7.37
50-54	2	9.6	6.79	2	20.6	14.60	0	0.0	0.00
55-59	3	20.3	11.70	3	44.5	25.71	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	69			56			13		
Connecticut									
. Crude rate		13.1	-		21.6	-		4.9	-
. AAMR (1940 Std. mil.)		13.1	1.60		22.3	3.06		-	-
. AAMR (1970 Std. mil.)		11.2	1.42		19.4	2.76		-	-
. AAMR (2000 Std. mil.)		13.3	1.67		22.9	3.22		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.6	-		7.8	-		3.3	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher