

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	54	175.7	23.91	31	193.7	34.79	23	156.1	32.56
5-9	4	14.9	7.44	2	14.5	10.22	2	15.3	10.83
10-14	4	17.5	8.74	1	8.6	8.63	3	26.6	15.33
15-19	9	39.9	13.31	8	68.2	24.11	1	9.2	9.25
20-24	25	115.6	23.12	22	195.2	41.63	3	29.0	16.72
25-29	27	110.6	21.29	15	122.1	31.52	12	99.0	28.59
30-34	30	120.2	21.94	20	160.3	35.83	10	80.1	25.33
35-39	43	194.3	29.64	35	325.6	55.04	8	70.3	24.86
40-44	53	312.4	42.91	29	358.5	66.57	24	270.4	55.20
45-49	51	404.9	56.70	32	531.6	93.98	19	288.9	66.27
50-54	64	635.7	79.46	39	826.4	132.34	25	467.4	93.48
55-59	51	727.0	101.80	32	1010.7	178.68	19	493.6	113.25
60-64	53	1013.4	139.20	28	1162.3	219.66	25	886.2	177.24
65-69	52	1360.2	188.62	36	2229.1	371.52	16	724.6	181.16
70-74	61	2153.2	275.69	29	2468.1	458.31	32	1930.0	341.19
75-79	63	3042.0	383.26	27	3614.5	695.60	36	2719.0	453.17
80-84	53	4064.4	558.29	28	5970.1	1128.25	25	2994.0	598.80
85+	77	7103.3	809.50	35	9859.2	1666.50	42	5761.3	888.99
Total deaths	774			449			325		
Connecticut									
. Crude rate		298.7	-		348.9	-		249.1	-
. AAMR (1940 Std. mil.)		372.9	14.14		492.6	24.76		278.1	16.29
. AAMR (1970 Std. mil.)		472.2	18.37		624.0	33.28		360.5	21.10
. AAMR (2000 Std. mil.)		605.4	24.63		803.9	46.26		467.1	28.00
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		478.8	-		602.5	-		375.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	9.8	5.64	2	12.5	8.84	1	6.8	6.79
5-9	1	3.7	3.72	0	0.0	0.00	1	7.7	7.66
10-14	1	4.4	4.37	0	0.0	0.00	1	8.9	8.85
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	9.2	6.54	0	0.0	0.00	2	19.3	13.65
25-29	4	16.4	8.19	2	16.3	11.51	2	16.5	11.67
30-34	9	36.1	12.02	7	56.1	21.20	2	16.0	11.33
35-39	11	49.7	14.99	9	83.7	27.91	2	17.6	12.43
40-44	17	100.2	24.30	11	136.0	41.00	6	67.6	27.60
45-49	9	71.5	23.82	4	66.5	33.23	5	76.0	34.00
50-54	4	39.7	19.86	4	84.8	42.38	0	0.0	0.00
55-59	3	42.8	24.69	2	63.2	44.67	1	26.0	25.98
60-64	3	57.4	33.12	2	83.0	58.71	1	35.4	35.45
65-69	4	104.6	52.31	2	123.8	87.57	2	90.6	64.05
70-74	2	70.6	49.92	0	0.0	0.00	2	120.6	85.30
75-79	4	193.1	96.57	1	133.9	133.87	3	226.6	130.82
80-84	1	76.7	76.69	1	213.2	213.22	0	0.0	0.00
85+	2	184.5	130.46	0	0.0	0.00	2	274.3	193.99
Total deaths	80			47			33		
Connecticut									
. Crude rate		30.9	-		36.5	-		25.3	-
. AAMR (1940 Std. mil.)		34.9	4.09		42.8	6.64		27.6	4.99
. AAMR (1970 Std. mil.)		36.5	4.58		42.3	7.23		30.7	5.77
. AAMR (2000 Std. mil.)		44.9	5.75		51.8	8.87		37.5	7.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.5	-		18.1	-		9.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.5	4.52	0	0.0	0.00	1	8.8	8.79
40-44	2	11.8	8.34	1	12.4	12.36	1	11.3	11.27
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	9.9	9.93	1	21.2	21.19	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	38.2	27.04	1	41.5	41.51	1	35.4	35.45
65-69	2	52.3	36.99	0	0.0	0.00	2	90.6	64.05
70-74	2	70.6	49.92	0	0.0	0.00	2	120.6	85.30
75-79	3	144.9	83.63	1	133.9	133.87	2	151.1	106.81
80-84	1	76.7	76.69	1	213.2	213.22	0	0.0	0.00
85+	2	184.5	130.46	0	0.0	0.00	2	274.3	193.99
Total deaths	16			5			11		
Connecticut									
. Crude rate		6.2	-		3.9	-		8.4	-
. AAMR (1940 Std. mil.)		8.5	2.23		-	-		-	-
. AAMR (1970 Std. mil.)		11.8	3.08		-	-		-	-
. AAMR (2000 Std. mil.)		15.6	4.16		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		4.7	-		3.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.6	4.62	0	0.0	0.00	1	9.7	9.65
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	9.0	6.39	1	9.3	9.30	1	8.8	8.79
40-44	3	17.7	10.21	1	12.4	12.36	2	22.5	15.93
45-49	1	7.9	7.94	1	16.6	16.61	0	0.0	0.00
50-54	4	39.7	19.86	3	63.6	36.70	1	18.7	18.70
55-59	1	14.3	14.26	1	31.6	31.59	0	0.0	0.00
60-64	7	133.8	50.59	4	166.0	83.02	3	106.3	61.40
65-69	4	104.6	52.31	2	123.8	87.57	2	90.6	64.05
70-74	3	105.9	61.14	0	0.0	0.00	3	180.9	104.47
75-79	4	193.1	96.57	1	133.9	133.87	3	226.6	130.82
80-84	4	306.7	153.37	3	639.7	369.31	1	119.8	119.76
85+	6	553.5	225.97	2	563.4	398.37	4	548.7	274.35
Total deaths	40			19			21		
Connecticut									
. Crude rate		15.4	-		14.8	-		16.1	-
. AAMR (1940 Std. mil.)		21.0	3.48		23.8	5.64		18.8	4.36
. AAMR (1970 Std. mil.)		28.6	4.71		32.5	7.88		25.8	5.86
. AAMR (2000 Std. mil.)		37.7	6.39		42.9	11.17		34.1	7.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	3.7	3.72	0	0.0	0.00	1	7.7	7.66
10-14	1	4.4	4.37	0	0.0	0.00	1	8.9	8.85
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.6	4.62	0	0.0	0.00	1	9.7	9.65
25-29	4	16.4	8.19	2	16.3	11.51	2	16.5	11.67
30-34	8	32.0	11.33	6	48.1	19.63	2	16.0	11.33
35-39	6	27.1	11.07	5	46.5	20.80	1	8.8	8.79
40-44	10	58.9	18.64	7	86.5	32.70	3	33.8	19.52
45-49	8	63.5	22.45	4	66.5	33.23	4	60.8	30.41
50-54	3	29.8	17.20	3	63.6	36.70	0	0.0	0.00
55-59	3	42.8	24.69	2	63.2	44.67	1	26.0	25.98
60-64	1	19.1	19.12	1	41.5	41.51	0	0.0	0.00
65-69	2	52.3	36.99	2	123.8	87.57	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	48			32			16		
Connecticut									
. Crude rate		18.5	-		24.9	-		12.3	-
. AAMR (1940 Std. mil.)		20.6	3.09		29.8	5.58		12.8	3.25
. AAMR (1970 Std. mil.)		19.2	3.03		28.0	5.63		11.8	3.08
. AAMR (2000 Std. mil.)		22.3	3.42		33.0	6.31		13.2	3.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		9.1	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	4	18.5	9.25	3	26.6	15.37	1	9.7	9.65
25-29	4	16.4	8.19	1	8.1	8.14	3	24.8	14.29
30-34	4	16.0	8.01	0	0.0	0.00	4	32.0	16.02
35-39	6	27.1	11.07	4	37.2	18.61	2	17.6	12.43
40-44	6	35.4	14.44	1	12.4	12.36	5	56.3	25.20
45-49	6	47.6	19.45	2	33.2	23.50	4	60.8	30.41
50-54	18	178.8	42.14	7	148.3	56.07	11	205.6	62.00
55-59	11	156.8	47.28	5	157.9	70.63	6	155.9	63.64
60-64	15	286.8	74.05	5	207.6	92.82	10	354.5	112.10
65-69	16	418.5	104.63	13	805.0	223.25	3	135.9	78.44
70-74	16	564.8	141.19	7	595.7	225.17	9	542.8	180.94
75-79	12	579.4	167.27	6	803.2	327.91	6	453.2	185.01
80-84	10	766.9	242.51	8	1705.8	603.08	2	239.5	169.37
85+	6	553.5	225.97	4	1126.8	563.38	2	274.3	193.99
Total deaths	134			66			68		
Connecticut									
. Crude rate		51.7	-		51.3	-		52.1	-
. AAMR (1940 Std. mil.)		74.4	6.64		88.2	11.25		67.2	8.39
. AAMR (1970 Std. mil.)		92.7	8.46		118.4	15.47		78.5	10.04
. AAMR (2000 Std. mil.)		112.1	10.49		149.8	20.61		91.8	11.81
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		125.6	-		150.4	-		107.4	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	1	4.5	4.52	1	9.3	9.30	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	1	92.3	92.25	1	281.7	281.69	0	-	-
Total deaths	2			2			-		
Connecticut									
. Crude rate		0.8	-		1.6	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.0	-		3.1	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.1	4.10	1	8.1	8.14	0	0.0	0.00
30-34	1	4.0	4.01	0	0.0	0.00	1	8.0	8.01
35-39	2	9.0	6.39	2	18.6	13.16	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	14.3	14.26	0	0.0	0.00	1	26.0	25.98
60-64	3	57.4	33.12	3	124.5	71.90	0	0.0	0.00
65-69	1	26.2	26.16	1	61.9	61.92	0	0.0	0.00
70-74	2	70.6	49.92	0	0.0	0.00	2	120.6	85.30
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	153.4	108.45	1	213.2	213.22	1	119.8	119.76
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	13			8			5		
Connecticut									
. Crude rate		5.0	-		6.2	-		3.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.1	-		14.6	-		10.1	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.1	4.10	1	8.1	8.14	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	38.2	27.04	2	83.0	58.71	0	0.0	0.00
65-69	1	26.2	26.16	1	61.9	61.92	0	0.0	0.00
70-74	1	35.3	35.30	0	0.0	0.00	1	60.3	60.31
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	153.4	108.45	1	213.2	213.22	1	119.8	119.76
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	8			6			2		
Connecticut									
. Crude rate		3.1	-		4.7	-		1.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.1	-		12.1	-		8.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	4.0	4.01	0	0.0	0.00	1	8.0	8.01
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	14.3	14.26	0	0.0	0.00	1	26.0	25.98
60-64	1	19.1	19.12	1	41.5	41.51	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	35.3	35.30	0	0.0	0.00	1	60.3	60.31
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	5			2			3		
Connecticut									
. Crude rate		1.9	-		1.6	-		2.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.3	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	78.5	45.31	3	185.8	107.25	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	96.6	68.29	1	133.9	133.87	1	75.5	75.53
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	92.3	92.25	0	0.0	0.00	1	137.2	137.17
Total deaths	6			4			2		
Connecticut									
. Crude rate		2.3	-		3.1	-		1.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.3	-		5.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.9	5.89	0	0.0	0.00	1	11.3	11.27
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	19.9	14.05	1	21.2	21.19	1	18.7	18.70
55-59	3	42.8	24.69	1	31.6	31.59	2	52.0	36.74
60-64	2	38.2	27.04	2	83.0	58.71	0	0.0	0.00
65-69	5	130.8	58.49	5	309.6	138.46	0	0.0	0.00
70-74	4	141.2	70.60	2	170.2	120.36	2	120.6	85.30
75-79	4	193.1	96.57	1	133.9	133.87	3	226.6	130.82
80-84	1	76.7	76.69	1	213.2	213.22	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	22			13			9		
Connecticut									
. Crude rate		8.5	-		10.1	-		6.9	-
. AAMR (1940 Std. mil.)		13.9	3.00		-	-		-	-
. AAMR (1970 Std. mil.)		17.9	3.90		-	-		-	-
. AAMR (2000 Std. mil.)		20.8	4.61		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.7	-		52.7	-		27.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.9	5.89	0	0.0	0.00	1	11.3	11.27
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	19.9	14.05	1	21.2	21.19	1	18.7	18.70
55-59	3	42.8	24.69	1	31.6	31.59	2	52.0	36.74
60-64	1	19.1	19.12	1	41.5	41.51	0	0.0	0.00
65-69	5	130.8	58.49	5	309.6	138.46	0	0.0	0.00
70-74	4	141.2	70.60	2	170.2	120.36	2	120.6	85.30
75-79	4	193.1	96.57	1	133.9	133.87	3	226.6	130.82
80-84	1	76.7	76.69	1	213.2	213.22	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	21			12			9		
Connecticut									
. Crude rate		8.1	-		9.3	-		6.9	-
. AAMR (1940 Std. mil.)		13.2	2.92		-	-		-	-
. AAMR (1970 Std. mil.)		17.1	3.81		-	-		-	-
. AAMR (2000 Std. mil.)		20.1	4.55		-	-		-	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		37.4	-		50.4	-		27.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	7.9	7.94	1	16.6	16.61	0	0.0	0.00
50-54	1	9.9	9.93	1	21.2	21.19	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	92.3	92.25	0	0.0	0.00	1	137.2	137.17
Total deaths	3			2			1		
Connecticut									
. Crude rate		1.2	-		1.6	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	4.0	4.01	-	-	-	1	8.0	8.01
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	3	17.7	10.21	-	-	-	3	33.8	19.52
45-49	3	23.8	13.75	-	-	-	3	45.6	26.33
50-54	2	19.9	14.05	-	-	-	2	37.4	26.44
55-59	1	14.3	14.26	-	-	-	1	26.0	25.98
60-64	4	76.5	38.24	-	-	-	4	141.8	70.90
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	35.3	35.30	-	-	-	1	60.3	60.31
75-79	1	48.3	48.29	-	-	-	1	75.5	75.53
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	16			-			16		
Connecticut									
. Crude rate		-	-		-	-		12.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		16.1	4.12
. AAMR (1970 Std. mil.)		-	-		-	-		17.5	4.62
. AAMR (2000 Std. mil.)		-	-		-	-		19.7	5.12
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		19.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	4.1	4.10	-	-	-	1	8.3	8.25
30-34	1	4.0	4.01	-	-	-	1	8.0	8.01
35-39	1	4.5	4.52	-	-	-	1	8.8	8.79
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	3			-			3		
Connecticut									
. Crude rate		-	-		-	-		2.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	-	-	-	0	-	-
5-9	0	-	-	-	-	-	0	-	-
10-14	0	-	-	-	-	-	0	-	-
15-19	0	-	-	-	-	-	0	-	-
20-24	0	-	-	-	-	-	0	-	-
25-29	0	-	-	-	-	-	0	-	-
30-34	0	-	-	-	-	-	0	-	-
35-39	0	-	-	-	-	-	0	-	-
40-44	0	-	-	-	-	-	0	-	-
45-49	0	-	-	-	-	-	0	-	-
50-54	0	-	-	-	-	-	0	-	-
55-59	0	-	-	-	-	-	0	-	-
60-64	0	-	-	-	-	-	0	-	-
65-69	0	-	-	-	-	-	0	-	-
70-74	0	-	-	-	-	-	0	-	-
75-79	0	-	-	-	-	-	0	-	-
80-84	0	-	-	-	-	-	0	-	-
85+	0	-	-	-	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	4.1	4.10	-	-	-	1	8.3	8.25
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	2	19.9	14.05	-	-	-	2	37.4	26.44
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	19.1	19.12	-	-	-	1	35.4	35.45
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	4			-			4		
Connecticut									
. Crude rate		-	-		-	-		3.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		5.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	0	0.0	0.00	0	0.0	0.00	-	-	-
60-64	0	0.0	0.00	0	0.0	0.00	-	-	-
65-69	1	26.2	26.16	1	61.9	61.92	-	-	-
70-74	2	70.6	49.92	2	170.2	120.36	-	-	-
75-79	0	0.0	0.00	0	0.0	0.00	-	-	-
80-84	2	153.4	108.45	2	426.4	301.54	-	-	-
85+	1	92.3	92.25	1	281.7	281.69	-	-	-
Total deaths	6			6			-		
Connecticut									
. Crude rate		-	-		4.7	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		13.9	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	1	4.5	4.52	1	9.3	9.30	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	1	9.9	9.93	1	21.2	21.19	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	1	76.7	76.69	1	213.2	213.22	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	3			3			-		
Connecticut									
. Crude rate		1.2	-		2.3	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.1	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	9.2	6.54	2	17.7	12.55	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.9	5.89	0	0.0	0.00	1	11.3	11.27
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	29.8	17.20	0	0.0	0.00	3	56.1	32.38
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	26.2	26.16	1	61.9	61.92	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	48.3	48.29	1	133.9	133.87	0	0.0	0.00
80-84	1	76.7	76.69	1	213.2	213.22	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	9			5			4		
Connecticut									
. Crude rate		3.5	-		3.9	-		3.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.1	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	9.0	6.39	2	18.6	13.16	0	0.0	0.00
40-44	1	5.9	5.89	1	12.4	12.36	0	0.0	0.00
45-49	2	15.9	11.23	2	33.2	23.50	0	0.0	0.00
50-54	2	19.9	14.05	0	0.0	0.00	2	37.4	26.44
55-59	1	14.3	14.26	1	31.6	31.59	0	0.0	0.00
60-64	3	57.4	33.12	3	124.5	71.90	0	0.0	0.00
65-69	5	130.8	58.49	3	185.8	107.25	2	90.6	64.05
70-74	3	105.9	61.14	3	255.3	147.41	0	0.0	0.00
75-79	3	144.9	83.63	0	0.0	0.00	3	226.6	130.82
80-84	1	76.7	76.69	1	213.2	213.22	0	0.0	0.00
85+	2	184.5	130.46	1	281.7	281.69	1	137.2	137.17
Total deaths	25			17			8		
Connecticut									
. Crude rate		9.6	-		13.2	-		6.1	-
. AAMR (1940 Std. mil.)		14.3	2.96		22.5	5.68		-	-
. AAMR (1970 Std. mil.)		18.3	3.83		28.3	7.35		-	-
. AAMR (2000 Std. mil.)		22.5	4.79		33.9	9.17		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		14.8	-		12.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	9.0	6.39	2	18.6	13.16	0	0.0	0.00
40-44	6	35.4	14.44	4	49.4	24.72	2	22.5	15.93
45-49	6	47.6	19.45	6	99.7	40.70	0	0.0	0.00
50-54	9	89.4	29.80	3	63.6	36.70	6	112.2	45.79
55-59	6	85.5	34.92	4	126.3	63.17	2	52.0	36.74
60-64	15	286.8	74.05	7	290.6	109.83	8	283.6	100.26
65-69	9	235.4	78.47	3	185.8	107.25	6	271.7	110.94
70-74	9	317.7	105.89	4	340.4	170.21	5	301.6	134.87
75-79	12	579.4	167.27	4	535.5	267.74	8	604.2	213.63
80-84	9	690.2	230.06	5	1066.1	476.77	4	479.0	239.52
85+	8	738.0	260.93	3	845.1	487.90	5	685.9	306.73
Total deaths	91			45			46		
Connecticut									
. Crude rate		35.1	-		35.0	-		35.3	-
. AAMR (1940 Std. mil.)		50.7	5.49		57.2	8.79		45.5	6.99
. AAMR (1970 Std. mil.)		67.5	7.31		75.8	12.07		61.3	9.21
. AAMR (2000 Std. mil.)		85.5	9.51		97.9	16.47		76.8	11.63
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	0	-	-	0	-	-
5-9	0	-	-	0	-	-	0	-	-
10-14	0	-	-	0	-	-	0	-	-
15-19	0	-	-	0	-	-	0	-	-
20-24	0	-	-	0	-	-	0	-	-
25-29	0	-	-	0	-	-	0	-	-
30-34	0	-	-	0	-	-	0	-	-
35-39	0	-	-	0	-	-	0	-	-
40-44	0	-	-	0	-	-	0	-	-
45-49	0	-	-	0	-	-	0	-	-
50-54	0	-	-	0	-	-	0	-	-
55-59	0	-	-	0	-	-	0	-	-
60-64	0	-	-	0	-	-	0	-	-
65-69	0	-	-	0	-	-	0	-	-
70-74	0	-	-	0	-	-	0	-	-
75-79	0	-	-	0	-	-	0	-	-
80-84	0	-	-	0	-	-	0	-	-
85+	0	-	-	0	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.5	-		0.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	2	70.6	49.92	0	-	-	2	120.6	85.30
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	1	92.3	92.25	0	-	-	1	137.2	137.17
Total deaths	3			-			3		
Connecticut									
. Crude rate		1.2	-		-	-		2.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		2.5	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	16.3	7.28	2	12.5	8.84	3	20.4	11.76
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.4	4.44	1	8.5	8.53	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	8.2	5.79	1	8.1	8.14	1	8.3	8.25
30-34	1	4.0	4.01	0	0.0	0.00	1	8.0	8.01
35-39	8	36.2	12.78	4	37.2	18.61	4	35.2	17.58
40-44	9	53.1	17.68	5	61.8	27.64	4	45.1	22.54
45-49	13	103.2	28.62	8	132.9	46.99	5	76.0	34.00
50-54	19	188.7	43.29	11	233.1	70.28	8	149.6	52.88
55-59	22	313.6	66.86	15	473.8	122.33	7	181.9	68.74
60-64	18	344.2	81.12	12	498.1	143.80	6	212.7	86.83
65-69	13	340.0	94.31	8	495.4	175.13	5	226.4	101.27
70-74	23	811.9	169.28	13	1106.4	306.86	10	603.1	190.73
75-79	32	1545.1	273.15	14	1874.2	500.89	18	1359.5	320.44
80-84	24	1840.5	375.69	10	2132.2	674.26	14	1676.6	448.10
85+	38	3505.5	568.67	13	3662.0	1015.65	25	3429.4	685.87
Total deaths	228			117			111		
Connecticut									
. Crude rate		88.0	-		90.9	-		85.1	-
. AAMR (1940 Std. mil.)		115.9	8.04		149.4	14.30		90.4	9.17
. AAMR (1970 Std. mil.)		163.5	11.26		206.4	20.22		131.9	12.95
. AAMR (2000 Std. mil.)		223.7	15.88		274.1	28.50		187.7	18.62
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		167.1	-		214.2	-		128.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	16.3	7.28	2	12.5	8.84	3	20.4	11.76
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.4	4.44	1	8.5	8.53	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	8.2	5.79	1	8.1	8.14	1	8.3	8.25
30-34	1	4.0	4.01	0	0.0	0.00	1	8.0	8.01
35-39	7	31.6	11.96	3	27.9	16.12	4	35.2	17.58
40-44	5	29.5	13.18	3	37.1	21.41	2	22.5	15.93
45-49	11	87.3	26.33	8	132.9	46.99	3	45.6	26.33
50-54	14	139.1	37.16	8	169.5	59.94	6	112.2	45.79
55-59	15	213.8	55.21	10	315.9	99.88	5	129.9	58.09
60-64	16	305.9	76.48	10	415.1	131.27	6	212.7	86.83
65-69	12	313.9	90.61	8	495.4	175.13	4	181.2	90.58
70-74	17	600.1	145.54	10	851.1	269.13	7	422.2	159.57
75-79	23	1110.6	231.57	12	1606.4	463.74	11	830.8	250.50
80-84	20	1533.7	342.96	9	1919.0	639.66	11	1317.4	397.20
85+	32	2952.0	521.85	12	3380.3	975.80	20	2743.5	613.46
Total deaths	181			97			84		
Connecticut									
. Crude rate		69.8	-		75.4	-		64.4	-
. AAMR (1940 Std. mil.)		91.2	7.13		123.4	13.00		67.7	7.94
. AAMR (1970 Std. mil.)		129.3	10.01		173.3	18.62		98.6	11.17
. AAMR (2000 Std. mil.)		177.4	14.17		233.0	26.57		140.2	16.06
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		130.4	-		173.3	-		95.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	29.3	9.76	6	37.5	15.31	3	20.4	11.76
5-9	1	3.7	3.72	0	0.0	0.00	1	7.7	7.66
10-14	1	4.4	4.37	1	8.6	8.63	0	0.0	0.00
15-19	1	4.4	4.44	1	8.5	8.53	0	0.0	0.00
20-24	2	9.2	6.54	1	8.9	8.87	1	9.7	9.65
25-29	4	16.4	8.19	1	8.1	8.14	3	24.8	14.29
30-34	4	16.0	8.01	2	16.0	11.33	2	16.0	11.33
35-39	16	72.3	18.08	12	111.6	32.23	4	35.2	17.58
40-44	15	88.4	22.83	9	111.2	37.08	6	67.6	27.60
45-49	19	150.8	34.61	13	216.0	59.90	6	91.2	37.24
50-54	33	327.8	57.06	20	423.8	94.77	13	243.0	67.41
55-59	27	384.9	74.07	18	568.5	134.01	9	233.8	77.94
60-64	29	554.5	102.97	17	705.7	171.15	12	425.4	122.80
65-69	29	758.6	140.86	19	1176.5	269.90	10	452.9	143.22
70-74	35	1235.4	208.83	16	1361.7	340.43	19	1146.0	262.90
75-79	43	2076.3	316.63	18	2409.6	567.96	25	1888.2	377.64
80-84	33	2530.7	440.53	14	2985.1	797.79	19	2275.4	522.02
85+	51	4704.8	658.80	24	6760.6	1379.99	27	3703.7	712.78
Total deaths	352			192			160		
Connecticut									
. Crude rate		135.8	-		149.2	-		122.6	-
. AAMR (1940 Std. mil.)		180.1	10.07		234.4	17.71		138.9	11.63
. AAMR (1970 Std. mil.)		246.7	13.78		319.8	24.85		195.0	15.95
. AAMR (2000 Std. mil.)		329.8	19.02		428.0	35.46		264.3	21.88
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.4	4.44	1	8.5	8.53	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.1	4.10	0	0.0	0.00	1	8.3	8.25
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	3	17.7	10.21	2	24.7	17.48	1	11.3	11.27
45-49	8	63.5	22.45	6	99.7	40.70	2	30.4	21.50
50-54	12	119.2	34.41	7	148.3	56.07	5	93.5	41.80
55-59	12	171.1	49.38	7	221.1	83.57	5	129.9	58.09
60-64	12	229.4	66.24	7	290.6	109.83	5	177.2	79.27
65-69	9	235.4	78.47	7	433.4	163.82	2	90.6	64.05
70-74	11	388.3	117.07	5	425.5	190.30	6	361.9	147.74
75-79	20	965.7	215.94	12	1606.4	463.74	8	604.2	213.63
80-84	13	996.9	276.50	5	1066.1	476.77	8	958.1	338.73
85+	20	1845.0	412.56	8	2253.5	796.74	12	1646.1	475.19
Total deaths	123			68			55		
Connecticut									
. Crude rate		47.5	-		52.8	-		42.2	-
. AAMR (1940 Std. mil.)		65.0	6.10		89.4	11.16		47.4	6.81
. AAMR (1970 Std. mil.)		92.1	8.52		125.4	15.93		69.2	9.53
. AAMR (2000 Std. mil.)		124.5	11.87		167.6	22.55		96.2	13.37
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		100.4	-		137.4	-		70.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.3	3.25	0	0.0	0.00	1	6.8	6.79
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	26.2	26.16	0	0.0	0.00	1	45.3	45.29
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	153.4	108.45	2	426.4	301.54	0	0.0	0.00
85+	3	276.8	159.78	1	281.7	281.69	2	274.3	193.99
Total deaths	7			3			4		
Connecticut									
. Crude rate		2.7	-		2.3	-		3.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		6.6	-		5.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available





## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	23.8	13.75	3	49.8	28.78	0	0.0	0.00
50-54	4	39.7	19.86	2	42.4	29.97	2	37.4	26.44
55-59	3	42.8	24.69	2	63.2	44.67	1	26.0	25.98
60-64	2	38.2	27.04	0	0.0	0.00	2	70.9	50.13
65-69	3	78.5	45.31	2	123.8	87.57	1	45.3	45.29
70-74	9	317.7	105.89	4	340.4	170.21	5	301.6	134.87
75-79	8	386.3	136.57	2	267.7	189.32	6	453.2	185.01
80-84	5	383.4	171.48	3	639.7	369.31	2	239.5	169.37
85+	7	645.8	244.07	3	845.1	487.90	4	548.7	274.35
Total deaths	45			22			23		
Connecticut									
. Crude rate		17.4	-		17.1	-		17.6	-
. AAMR (1940 Std. mil.)		24.2	3.75		28.3	6.24		21.1	4.62
. AAMR (1970 Std. mil.)		35.2	5.37		40.8	9.15		31.3	6.61
. AAMR (2000 Std. mil.)		48.2	7.50		56.9	13.35		42.5	9.00
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	3	17.7	10.21	1	12.4	12.36	2	22.5	15.93
45-49	2	15.9	11.23	0	0.0	0.00	2	30.4	21.50
50-54	5	49.7	22.21	3	63.6	36.70	2	37.4	26.44
55-59	6	85.5	34.92	4	126.3	63.17	2	52.0	36.74
60-64	1	19.1	19.12	1	41.5	41.51	0	0.0	0.00
65-69	1	26.2	26.16	0	0.0	0.00	1	45.3	45.29
70-74	3	105.9	61.14	1	85.1	85.11	2	120.6	85.30
75-79	7	338.0	127.75	2	267.7	189.32	5	377.6	168.89
80-84	4	306.7	153.37	1	213.2	213.22	3	359.3	207.43
85+	6	553.5	225.97	1	281.7	281.69	5	685.9	306.73
Total deaths	39			15			24		
Connecticut									
. Crude rate		15.0	-		11.7	-		18.4	-
. AAMR (1940 Std. mil.)		19.8	3.28		18.9	5.00		19.8	4.26
. AAMR (1970 Std. mil.)		27.6	4.59		24.5	6.75		28.8	6.03
. AAMR (2000 Std. mil.)		38.4	6.56		31.6	9.27		41.5	8.77
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		25.9	-		27.9	-		24.1	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	1	48.3	48.29	0	-	-	1	75.5	75.53
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	0	0.0	0.00	0	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		0.4	-		-	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.1	-		2.4	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Atherosclerosis-related (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	28.5	20.16	2	63.2	44.67	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	70.6	49.92	2	170.2	120.36	0	0.0	0.00
75-79	5	241.4	107.97	1	133.9	133.87	4	302.1	151.06
80-84	2	153.4	108.45	1	213.2	213.22	1	119.8	119.76
85+	2	184.5	130.46	0	0.0	0.00	2	274.3	193.99
Total deaths	13			6			7		
Connecticut									
. Crude rate		5.0	-		4.7	-		5.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	1	14.3	14.26	1	31.6	31.59	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	1	35.3	35.30	1	85.1	85.11	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	2			2			-		
Connecticut									
. Crude rate		0.8	-		1.6	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.2	-		5.1	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.3	3.25	0	0.0	0.00	1	6.8	6.79
5-9	1	3.7	3.72	1	7.2	7.23	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.6	4.62	1	8.9	8.87	0	0.0	0.00
25-29	1	4.1	4.10	0	0.0	0.00	1	8.3	8.25
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	28.5	20.16	2	63.2	44.67	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	26.2	26.16	1	61.9	61.92	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	3	144.9	83.63	2	267.7	189.32	1	75.5	75.53
80-84	4	306.7	153.37	2	426.4	301.54	2	239.5	169.37
85+	7	645.8	244.07	4	1126.8	563.38	3	411.5	237.59
Total deaths	21			13			8		
Connecticut									
. Crude rate		8.1	-		10.1	-		6.1	-
. AAMR (1940 Std. mil.)		8.6	2.00		-	-		-	-
. AAMR (1970 Std. mil.)		14.6	3.31		-	-		-	-
. AAMR (2000 Std. mil.)		22.7	5.38		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.9	-		16.3	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.3	3.25	1	6.2	6.25	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	4.0	4.01	1	8.0	8.01	0	0.0	0.00
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	1	5.9	5.89	0	0.0	0.00	1	11.3	11.27
45-49	2	15.9	11.23	1	16.6	16.61	1	15.2	15.20
50-54	1	9.9	9.93	1	21.2	21.19	0	0.0	0.00
55-59	1	14.3	14.26	0	0.0	0.00	1	26.0	25.98
60-64	1	19.1	19.12	0	0.0	0.00	1	35.4	35.45
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	105.9	61.14	1	85.1	85.11	2	120.6	85.30
75-79	1	48.3	48.29	1	133.9	133.87	0	0.0	0.00
80-84	5	383.4	171.48	2	426.4	301.54	3	359.3	207.43
85+	3	276.8	159.78	1	281.7	281.69	2	274.3	193.99
Total deaths	21			10			11		
Connecticut									
. Crude rate		8.1	-		7.8	-		8.4	-
. AAMR (1940 Std. mil.)		9.8	2.25		-	-		-	-
. AAMR (1970 Std. mil.)		14.2	3.29		-	-		-	-
. AAMR (2000 Std. mil.)		20.4	4.85		-	-		-	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.1	-		26.1	-		17.8	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.3	3.25	1	6.2	6.25	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.1	4.10	0	0.0	0.00	1	8.3	8.25
30-34	1	4.0	4.01	1	8.0	8.01	0	0.0	0.00
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	1	5.9	5.89	0	0.0	0.00	1	11.3	11.27
45-49	3	23.8	13.75	2	33.2	23.50	1	15.2	15.20
50-54	3	29.8	17.20	2	42.4	29.97	1	18.7	18.70
55-59	2	28.5	20.16	1	31.6	31.59	1	26.0	25.98
60-64	3	57.4	33.12	1	41.5	41.51	2	70.9	50.13
65-69	3	78.5	45.31	2	123.8	87.57	1	45.3	45.29
70-74	3	105.9	61.14	1	85.1	85.11	2	120.6	85.30
75-79	5	241.4	107.97	2	267.7	189.32	3	226.6	130.82
80-84	7	536.8	202.90	3	639.7	369.31	4	479.0	239.52
85+	9	830.3	276.75	7	1971.8	745.28	2	274.3	193.99
Total deaths	43			24			19		
Connecticut									
. Crude rate		16.6	-		18.6	-		14.6	-
. AAMR (1940 Std. mil.)		20.6	3.32		26.6	5.73		17.0	4.07
. AAMR (1970 Std. mil.)		30.5	4.86		42.5	9.27		23.9	5.64
. AAMR (2000 Std. mil.)		43.8	7.18		66.1	15.23		32.0	7.66
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	4.0	4.01	1	8.0	8.01	0	0.0	0.00
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	7.9	7.94	0	0.0	0.00	1	15.2	15.20
50-54	1	9.9	9.93	1	21.2	21.19	0	0.0	0.00
55-59	1	14.3	14.26	0	0.0	0.00	1	26.0	25.98
60-64	1	19.1	19.12	0	0.0	0.00	1	35.4	35.45
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	70.6	49.92	1	85.1	85.11	1	60.3	60.31
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	76.7	76.69	0	0.0	0.00	1	119.8	119.76
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	9			4			5		
Connecticut									
. Crude rate		3.5	-		3.1	-		3.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.1	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	2	11.8	8.34	2	24.7	17.48	0	0.0	0.00
45-49	7	55.6	21.00	6	99.7	40.70	1	15.2	15.20
50-54	5	49.7	22.21	4	84.8	42.38	1	18.7	18.70
55-59	1	14.3	14.26	0	0.0	0.00	1	26.0	25.98
60-64	4	76.5	38.24	2	83.0	58.71	2	70.9	50.13
65-69	3	78.5	45.31	2	123.8	87.57	1	45.3	45.29
70-74	1	35.3	35.30	0	0.0	0.00	1	60.3	60.31
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	76.7	76.69	0	0.0	0.00	1	119.8	119.76
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	25			17			8		
Connecticut									
. Crude rate		9.6	-		13.2	-		6.1	-
. AAMR (1940 Std. mil.)		14.1	2.88		19.8	4.95		-	-
. AAMR (1970 Std. mil.)		15.4	3.24		20.3	5.28		-	-
. AAMR (2000 Std. mil.)		17.3	3.61		22.7	5.70		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.3	-		10.5	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.9	5.89	1	12.4	12.36	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	28.5	20.16	1	31.6	31.59	1	26.0	25.98
60-64	2	38.2	27.04	0	0.0	0.00	2	70.9	50.13
65-69	1	26.2	26.16	0	0.0	0.00	1	45.3	45.29
70-74	3	105.9	61.14	2	170.2	120.36	1	60.3	60.31
75-79	1	48.3	48.29	0	0.0	0.00	1	75.5	75.53
80-84	1	76.7	76.69	0	0.0	0.00	1	119.8	119.76
85+	3	276.8	159.78	2	563.4	398.37	1	137.2	137.17
Total deaths	14			6			8		
Connecticut									
. Crude rate		5.4	-		4.7	-		6.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		5.5	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.3	3.25	1	6.2	6.25	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.6	4.62	0	0.0	0.00	1	9.7	9.65
25-29	1	4.1	4.10	0	0.0	0.00	1	8.3	8.25
30-34	1	4.0	4.01	1	8.0	8.01	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	17.7	10.21	2	24.7	17.48	1	11.3	11.27
45-49	5	39.7	17.75	2	33.2	23.50	3	45.6	26.33
50-54	5	49.7	22.21	2	42.4	29.97	3	56.1	32.38
55-59	5	71.3	31.88	4	126.3	63.17	1	26.0	25.98
60-64	6	114.7	46.84	2	83.0	58.71	4	141.8	70.90
65-69	3	78.5	45.31	2	123.8	87.57	1	45.3	45.29
70-74	6	211.8	86.46	3	255.3	147.41	3	180.9	104.47
75-79	4	193.1	96.57	1	133.9	133.87	3	226.6	130.82
80-84	7	536.8	202.90	4	852.9	426.44	3	359.3	207.43
85+	3	276.8	159.78	2	563.4	398.37	1	137.2	137.17
Total deaths	51			26			25		
Connecticut									
. Crude rate		19.7	-		20.2	-		19.2	-
. AAMR (1940 Std. mil.)		27.6	3.99		32.4	6.61		24.4	5.03
. AAMR (1970 Std. mil.)		35.7	5.24		43.9	9.21		30.8	6.36
. AAMR (2000 Std. mil.)		44.9	6.80		57.3	12.79		37.6	7.91
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.9	5.89	1	12.4	12.36	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	28.5	20.16	1	31.6	31.59	1	26.0	25.98
60-64	2	38.2	27.04	0	0.0	0.00	2	70.9	50.13
65-69	2	52.3	36.99	1	61.9	61.92	1	45.3	45.29
70-74	3	105.9	61.14	2	170.2	120.36	1	60.3	60.31
75-79	1	48.3	48.29	0	0.0	0.00	1	75.5	75.53
80-84	1	76.7	76.69	0	0.0	0.00	1	119.8	119.76
85+	4	369.0	184.50	3	845.1	487.90	1	137.2	137.17
Total deaths	16			8			8		
Connecticut									
. Crude rate		6.2	-		6.2	-		6.1	-
. AAMR (1940 Std. mil.)		8.6	2.28		-	-		-	-
. AAMR (1970 Std. mil.)		12.5	3.19		-	-		-	-
. AAMR (2000 Std. mil.)		16.9	4.41		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.5	-		6.8	-		4.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	13.0	6.51	2	12.5	8.84	2	13.6	9.60
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	13.1	7.57	1	8.6	8.63	2	17.7	12.52
15-19	3	13.3	7.68	2	17.1	12.06	1	9.2	9.25
20-24	8	37.0	13.08	8	71.0	25.10	0	0.0	0.00
25-29	10	41.0	12.96	7	57.0	21.53	3	24.8	14.29
30-34	11	44.1	13.29	9	72.1	24.04	2	16.0	11.33
35-39	11	49.7	14.99	11	102.3	30.86	0	0.0	0.00
40-44	7	41.3	15.60	5	61.8	27.64	2	22.5	15.93
45-49	7	55.6	21.00	6	99.7	40.70	1	15.2	15.20
50-54	6	59.6	24.33	4	84.8	42.38	2	37.4	26.44
55-59	1	14.3	14.26	1	31.6	31.59	0	0.0	0.00
60-64	2	38.2	27.04	0	0.0	0.00	2	70.9	50.13
65-69	1	26.2	26.16	1	61.9	61.92	0	0.0	0.00
70-74	3	105.9	61.14	2	170.2	120.36	1	60.3	60.31
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	76.7	76.69	1	213.2	213.22	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	78			60			18		
Connecticut									
. Crude rate		30.1	-		46.6	-		13.8	-
. AAMR (1940 Std. mil.)		32.0	3.76		50.2	6.83		15.1	3.69
. AAMR (1970 Std. mil.)		30.5	3.84		47.5	7.10		15.3	3.91
. AAMR (2000 Std. mil.)		34.0	4.35		54.9	8.49		15.6	4.04
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.1	-		42.8	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	8.7	6.18	0	0.0	0.00	2	17.7	12.52
15-19	2	8.9	6.27	1	8.5	8.53	1	9.2	9.25
20-24	5	23.1	10.34	5	44.4	19.84	0	0.0	0.00
25-29	7	28.7	10.84	5	40.7	18.20	2	16.5	11.67
30-34	1	4.0	4.01	0	0.0	0.00	1	8.0	8.01
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	4	23.6	11.79	3	37.1	21.41	1	11.3	11.27
45-49	2	15.9	11.23	2	33.2	23.50	0	0.0	0.00
50-54	3	29.8	17.20	2	42.4	29.97	1	18.7	18.70
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	19.1	19.12	0	0.0	0.00	1	35.4	35.45
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	35.3	35.30	1	85.1	85.11	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	29			20			9		
Connecticut									
. Crude rate		11.2	-		15.5	-		6.9	-
. AAMR (1940 Std. mil.)		12.3	2.34		17.4	4.02		-	-
. AAMR (1970 Std. mil.)		11.7	2.33		16.3	4.04		-	-
. AAMR (2000 Std. mil.)		12.1	2.48		17.7	4.57		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.0	-		21.7	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	1	4.4	4.37	1	8.6	8.63	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	1	4.0	4.01	1	8.0	8.01	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	1	76.7	76.69	1	213.2	213.22	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	3			3			-		
Connecticut									
. Crude rate		1.2	-		2.3	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.6	-		1.7	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.3	3.25	0	0.0	0.00	1	6.8	6.79
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.4	4.44	1	8.5	8.53	0	0.0	0.00
20-24	1	4.6	4.62	1	8.9	8.87	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			3			1		
Connecticut									
. Crude rate		1.5	-		2.3	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.3	3.25	1	6.2	6.25	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	1			1			-		
Connecticut									
. Crude rate		0.4	-		0.8	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.9	-		1.4	-		0.9	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.4	4.44	1	8.5	8.53	0	0.0	0.00
20-24	2	9.2	6.54	2	17.7	12.55	0	0.0	0.00
25-29	1	4.1	4.10	1	8.1	8.14	0	0.0	0.00
30-34	3	12.0	6.94	3	24.0	13.88	0	0.0	0.00
35-39	2	9.0	6.39	2	18.6	13.16	0	0.0	0.00
40-44	2	11.8	8.34	1	12.4	12.36	1	11.3	11.27
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	14.3	14.26	1	31.6	31.59	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	12			11			1		
Connecticut									
. Crude rate		4.6	-		8.5	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.5	-		17.4	-		4.0	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	17.7	8.87	4	34.1	17.05	0	0.0	0.00
20-24	8	37.0	13.08	8	71.0	25.10	0	0.0	0.00
25-29	2	8.2	5.79	2	16.3	11.51	0	0.0	0.00
30-34	1	4.0	4.01	0	0.0	0.00	1	8.0	8.01
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	15.9	11.23	1	16.6	16.61	1	15.2	15.20
50-54	1	9.9	9.93	1	21.2	21.19	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	26.2	26.16	1	61.9	61.92	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	19			17			2		
Connecticut									
. Crude rate		7.3	-		13.2	-		1.5	-
. AAMR (1940 Std. mil.)		8.2	1.92		14.8	3.73		-	-
. AAMR (1970 Std. mil.)		7.8	1.89		14.3	3.75		-	-
. AAMR (2000 Std. mil.)		7.2	1.80		12.9	3.54		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.1	-		12.5	-		3.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	17.7	8.87	4	34.1	17.05	0	0.0	0.00
20-24	8	37.0	13.08	8	71.0	25.10	0	0.0	0.00
25-29	2	8.2	5.79	2	16.3	11.51	0	0.0	0.00
30-34	1	4.0	4.01	0	0.0	0.00	1	8.0	8.01
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	15.9	11.23	1	16.6	16.61	1	15.2	15.20
50-54	1	9.9	9.93	1	21.2	21.19	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	26.2	26.16	1	61.9	61.92	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	19			17			2		
Connecticut									
. Crude rate		7.3	-		13.2	-		1.5	-
. AAMR (1940 Std. mil.)		8.2	1.92		14.8	3.73		-	-
. AAMR (1970 Std. mil.)		7.8	1.89		14.3	3.75		-	-
. AAMR (2000 Std. mil.)		7.2	1.80		12.9	3.54		-	-
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.6	-		12.4	-		3.3	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	13.0	6.51	2	12.5	8.84	2	13.6	9.60
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	13.1	7.57	1	8.6	8.63	2	17.7	12.52
15-19	8	35.5	12.55	7	59.7	22.56	1	9.2	9.25
20-24	18	83.2	19.62	18	159.7	37.65	0	0.0	0.00
25-29	14	57.4	15.33	10	81.4	25.73	4	33.0	16.51
30-34	15	60.1	15.51	12	96.2	27.76	3	24.0	13.87
35-39	13	58.8	16.30	13	121.0	33.55	0	0.0	0.00
40-44	9	53.1	17.68	6	74.2	30.28	3	33.8	19.52
45-49	9	71.5	23.82	7	116.3	43.96	2	30.4	21.50
50-54	7	69.5	26.28	5	106.0	47.38	2	37.4	26.44
55-59	2	28.5	20.16	2	63.2	44.67	0	0.0	0.00
60-64	2	38.2	27.04	0	0.0	0.00	2	70.9	50.13
65-69	2	52.3	36.99	2	123.8	87.57	0	0.0	0.00
70-74	3	105.9	61.14	2	170.2	120.36	1	60.3	60.31
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	76.7	76.69	1	213.2	213.22	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	110			88			22		
Connecticut									
. Crude rate		42.4	-		68.4	-		16.9	-
. AAMR (1940 Std. mil.)		45.1	4.45		73.5	8.22		18.1	4.00
. AAMR (1970 Std. mil.)		42.6	4.46		69.2	8.40		17.8	4.13
. AAMR (2000 Std. mil.)		45.9	4.90		75.9	9.56		18.7	4.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		49.8	-		74.7	-		25.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	8.7	6.18	0	0.0	0.00	2	17.7	12.52
15-19	2	8.9	6.27	1	8.5	8.53	1	9.2	9.25
20-24	4	18.5	9.25	4	35.5	17.75	0	0.0	0.00
25-29	6	24.6	10.04	5	40.7	18.20	1	8.3	8.25
30-34	1	4.0	4.01	0	0.0	0.00	1	8.0	8.01
35-39	1	4.5	4.52	1	9.3	9.30	0	0.0	0.00
40-44	3	17.7	10.21	2	24.7	17.48	1	11.3	11.27
45-49	2	15.9	11.23	2	33.2	23.50	0	0.0	0.00
50-54	3	29.8	17.20	2	42.4	29.97	1	18.7	18.70
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	19.1	19.12	0	0.0	0.00	1	35.4	35.45
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	35.3	35.30	1	85.1	85.11	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	26			18			8		
Connecticut									
. Crude rate		10.0	-		14.0	-		6.1	-
. AAMR (1940 Std. mil.)		11.1	2.25		15.8	3.86		-	-
. AAMR (1970 Std. mil.)		10.7	2.26		14.9	3.91		-	-
. AAMR (2000 Std. mil.)		11.1	2.40		16.1	4.41		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		21.3	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	1	4.4	4.37	1	8.6	8.63	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	1	4.6	4.62	1	8.9	8.87	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	1	4.0	4.01	1	8.0	8.01	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	1	76.7	76.69	1	213.2	213.22	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	4			4			-		
Connecticut									
. Crude rate		1.5	-		3.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	3	13.3	7.68	3	25.6	14.77	0	-	-
20-24	7	32.4	12.23	7	62.1	23.48	0	-	-
25-29	3	12.3	7.10	3	24.4	14.09	0	-	-
30-34	2	8.0	5.66	2	16.0	11.33	0	-	-
35-39	1	4.5	4.52	1	9.3	9.30	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	1	9.9	9.93	1	21.2	21.19	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	17			17			-		
Connecticut									
. Crude rate		6.6	-		13.2	-		-	-
. AAMR (1940 Std. mil.)		6.6	1.62		13.0	3.19		-	-
. AAMR (1970 Std. mil.)		5.9	1.47		11.6	2.89		-	-
. AAMR (2000 Std. mil.)		5.5	1.36		10.8	2.72		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.2	-		21.1	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	1	4.1	4.10	1	8.1	8.14	0	-	-
30-34	2	8.0	5.66	2	16.0	11.33	0	-	-
35-39	1	4.5	4.52	1	9.3	9.30	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	4			4			-		
Connecticut									
. Crude rate		1.5	-		3.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		10.7	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	3	13.3	7.68	3	25.6	14.77	0	-	-
20-24	7	32.4	12.23	7	62.1	23.48	0	-	-
25-29	2	8.2	5.79	2	16.3	11.51	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	1	9.9	9.93	1	21.2	21.19	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	13			13			-		
Connecticut									
. Crude rate		5.0	-		10.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.5	-		9.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	9.2	6.54	2	17.7	12.55	0	0.0	0.00
25-29	4	16.4	8.19	2	16.3	11.51	2	16.5	11.67
30-34	6	24.0	9.81	5	40.1	17.92	1	8.0	8.01
35-39	8	36.2	12.78	8	74.4	26.32	0	0.0	0.00
40-44	4	23.6	11.79	2	24.7	17.48	2	22.5	15.93
45-49	4	31.8	15.88	3	49.8	28.78	1	15.2	15.20
50-54	2	19.9	14.05	2	42.4	29.97	0	0.0	0.00
55-59	2	28.5	20.16	2	63.2	44.67	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	32			26			6		
Connecticut									
. Crude rate		12.3	-		20.2	-		4.6	-
. AAMR (1940 Std. mil.)		12.6	2.29		21.4	4.36		-	-
. AAMR (1970 Std. mil.)		10.9	2.08		18.7	4.02		-	-
. AAMR (2000 Std. mil.)		13.1	2.45		22.4	4.69		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		8.7	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	4.0	4.01	1	8.0	8.01	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	11.8	8.34	0	0.0	0.00	2	22.5	15.93
45-49	5	39.7	17.75	4	66.5	33.23	1	15.2	15.20
50-54	3	29.8	17.20	2	42.4	29.97	1	18.7	18.70
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	38.2	27.04	2	83.0	58.71	0	0.0	0.00
65-69	1	26.2	26.16	1	61.9	61.92	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	14			10			4		
Connecticut									
. Crude rate		5.4	-		7.8	-		3.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		9.9	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1997

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	9.2	6.54	2	17.7	12.55	0	0.0	0.00
25-29	4	16.4	8.19	2	16.3	11.51	2	16.5	11.67
30-34	5	20.0	8.96	4	32.1	16.03	1	8.0	8.01
35-39	8	36.2	12.78	8	74.4	26.32	0	0.0	0.00
40-44	5	29.5	13.18	3	37.1	21.41	2	22.5	15.93
45-49	4	31.8	15.88	3	49.8	28.78	1	15.2	15.20
50-54	2	19.9	14.05	2	42.4	29.97	0	0.0	0.00
55-59	2	28.5	20.16	2	63.2	44.67	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	32			26			6		
Connecticut									
. Crude rate		12.3	-		20.2	-		4.6	-
. AAMR (1940 Std. mil.)		12.7	2.31		21.6	4.40		-	-
. AAMR (1970 Std. mil.)		11.1	2.09		19.0	4.06		-	-
. AAMR (2000 Std. mil.)		13.3	2.48		22.9	4.76		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.6	-		7.8	-		3.3	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher