

Complete Indicator Tables

4. Tobacco Indicators			
Type	Indicators	Baseline (data source)	5-year Target
Core	Percent of adults (18+ years of age) who currently smoke cigarettes	17.1% (2011 BRFSS)	15.0%
Health equity	Percent of adults (18+ years of age) with a household income of <\$25,000 who currently smoke cigarettes	25.0% (2011 BRFSS)	23.0%
Add'l	Percent of youth (high school) who currently smoke cigarettes	14.0% (2011 CSHS YTC)	13.0%
Add'l	Percent of youth (high school) who were exposed to secondhand smoke in a public place	47.1% (2011 CSHS YTC)	40.0%
5. Heart Health Indicators			
Type	Indicators	Baseline (data source)	5-year Target
Core	Rate of premature deaths (<75 years of age) from cardiovascular disease	889.0 per 100,000 (2007-2009 Death Registry)	540.0 per 100,000
Health Equity	Rate of premature deaths (<75 years of age) from cardiovascular disease in black adults	1,737.6 per 100,000 (2007-2009 Death Registry)	860.0 per 100,000
Add'l	Percent of adults (18+y) with diagnosed hypertension who are taking medication to control hypertension	60.1% (2011 BRFSS)	65.0%
Add'l	Percent of adults (18+y) who have had their blood cholesterol checked within the last five years	78.9 % (2011 BRFSS)	87.0%
6. Cancer Indicators			
Type	Indicators	Baseline (data source)	5-year Target
Core	Percent of adults (50+ years of age) who have ever had a sigmoidoscopy / colonoscopy	75.7% (2010 BRFSS)	79.5%
Health Equity	Percent of adults (50+ years of age) with a household income of <\$25,000 who have ever had sigmoidoscopy / colonoscopy	64.9% (2010 BRFSS)	68.2%
Health Equity	Percent of women (18+y) with a household income of <\$25,000 who have had pap-test within the past three years	70.7% (2010 BRFSS)	74.2%
Health Equity	Percent of women (50+y) with a household income of <\$25,000 who had a mammogram within the past two years	74.0% (2010 BRFSS)	77.7%
7. Diabetes Indicators			
Type	Indicators	Baseline (data source)	5-year Target
Core	Percent of adults (18+y) with diagnosed diabetes	8.5% (2011 BRFSS)	8.0%
Health Equity	Percent of adults (18+y) with a household income of <\$25,000 who have diagnosed diabetes	14.3% (2011 BRFSS)	12.0%
Add'l	Percent of adults (18+y) with diagnosed diabetes who received self-management education	41.6% (2011 BRFSS)	55.0%

Complete Indicator Tables

8. Asthma Indicators			
Type	Indicators	Baseline (data source)	5-year Target
Core	Rate of ED visits among all CT residents for which asthma was the primary diagnosis	73.0 per 10,000 (2009 HDD)	69.4 per 10,000
Health Equity	Rate of ED visits among all Hispanic CT residents for which asthma was the primary diagnosis	170.5 per 10,000 (2009 HDD)	162.0 per 10,000
Add'l	Percent of residents with current asthma who have ever taken a course on asthma self-management	10.4% (2007-2009 BRFSS ACBS)	30.0%
Add'l	Percent of school students in grades requiring a health assessment record that have an Asthma Action Plan	5.0% (2009 SBASS)	20.0%
9. Oral Health Indicators			
Type	Indicators	Baseline (data source)	5-year Target
Core	Percent of adults (18+y) who have visited a dentist or dental clinic in the last year	80.6% (2010 BRFSS)	84.0%
Health Equity	Percent of adults (18+y) with a household income <\$25,000 who have visited a dentist or dental clinic in the last year	62.1% (2010 BRFSS)	65.0%
Health Equity	Percent of adults (65+y) with a household income of <\$25,000 who have had all their natural teeth extracted	17.7% (2010 BRFSS)	15.0%
Add'l	Percent of children (7-9y) with at least 1 dental sealant	43.0% (2011 Oral Health Survey)	49.0%
Add'l	Percent of adults (65+y) who have had all their natural teeth extracted	9.2% (2010 BRFSS)	7.0%
10. Genomics & Health Indicators			
Type	Indicators	Baseline (data source)	5-year Target
Core	Percent of adults who have collected health information from their relatives for the purpose of developing their family health history	54.0% (2011 BRFSS)	60.0%
Health Equity	Percent of adults with a household income of less than \$25,000 who have collected health information from their relatives to develop their family health history	48.5% (2011 BRFSS)	55.0%
11. Health Care Quality Indicators			
Type	Indicators	Baseline (data source)	5-year Target
Core	Rate of preventable hospitalizations among all Connecticut residents	1,526.0 per 100,000 (2008 HDD)	1,450.0 per 100,000
Health Equity	Rate of preventable hospitalizations among all black Connecticut residents	2,171.0 per 100,000 (2008 HDD)	2,062.0 per 100,000

Complete Indicator Tables

12. Health Care Access Indicators			
Type	Indicators	Baseline (data source)	5-year Target
Core	Percent of adults (18+y) who have a regular source of care	83.9% (2011 BRFSS)	93.0%
Health Equity	Percent of adults (18+y) with a household income <\$25,000 who have a regular source of care	71.3% (2011 BRFSS)	83.0%
Add'l	Percent of adults (18-64y) who have health care coverage	84.7% (2011 BRFSS)	95.0%
Health Equity	Percent of adults (18-64y) with a household income <\$25,000 who have health care coverage	64.1% (2011 BRFSS)	80.0%