

Connecticut Registration Report

Births, Deaths, and Marriages Calendar Year 2015

**State of Connecticut
Department of Public Health**

Raul Pino, MD, MPH, Commissioner

July, 2018



<http://www.ct.gov/dph/RegistrationReport>

Prepared by:

Yongwen Jiang, PhD
Epidemiologist

Lloyd M. Mueller, PhD
Senior Epidemiologist

Karyn Backus, MPH
Epidemiologist 3

The authors gratefully acknowledge the contributions of the following staff of
The State of Connecticut, Department of Public Health:

Janet Brancifort, MPH, RRT
Deputy Commissioner

Diane Aye, MPH, PhD
Section Chief, Health Statistics and Surveillance

Vital Records Unit:
Jane Purtill, State Registrar
David Antolini, Supervisor
Dianne Gustafson
Carol Mangiafico
Lisa Carmona
Jibrelle Wilson-Williams

Information Technology Unit:
George Rypysc

Suggested citation:

Jiang, Y., Mueller, L.M., Backus, K. (2018). Registration Report for the Year Ended December 31, 2015, Connecticut Department of Public Health, Hartford, CT (<http://www.ct.gov/dph/RegistrationReport>).

Table of Contents


STATE RANKING HIGHLIGHTS OF 2015	5
LIST OF TABLES.....	7
LIST OF FIGURES.....	8
INTRODUCTION.....	9
POPULATION DISTRIBUTION.....	12
Age and Sex.....	12
Towns.....	13
BIRTHS.....	14
Number and Rate.....	14
Demographic Factors.....	14
Poor Birth Outcomes	16
Low Birth Weight	16
Preterm Births.....	21
Births to Teenage Mothers	23
Risk Factors For Poor Birth Outcomes	25
Prenatal Care.....	25
Tobacco Use During Pregnancy	27
Alcohol Use During Pregnancy.....	28
FETAL AND INFANT DEATHS.....	29
Fetal Deaths	29
Infant Deaths.....	30
DEATHS (All Ages)	33
All Causes of Death	33
Leading Causes of Death.....	34
Age and Sex.....	34
Race/Ethnicity and Sex.....	38
Leading Causes of Death, 2005-2015.....	39
MARRIAGES.....	41
Marriage Rate	41
Town of Occurrence.....	41
APPENDIX I: NOTES	42
APPENDIX II: RATE DEFINITIONS	42
APPENDIX III: HEALTH DISTRICT CONSTITUENT TOWNS	42
APPENDIX IV: GLOSSARY	42

APPENDIX V: STATISTICAL ANALYSES..... 42
REGISTRATION TABLES 2015..... 42

STATE RANKING HIGHLIGHTS OF 2015

Connecticut State Rankings for Selected Health Indicators, 2015

Outcomes to the right of the U.S. rank are better than most states



*For self-reported tobacco use during pregnancy, data was only available for 48 states; Connecticut ranks 47th, placing it among the top 5 states. The obstetric estimate (OE)-based gestational age was used for ranking the preterm births in 2015.

Of the 50 states and District of Columbia, Connecticut is among the best 5 states for:

Teen birth rate

- Number of births to women 15-19 years old per 1,000 female population aged 15-19.
- **United States:** 22.3 per 1,000; **Connecticut:** 10.1 per 1,000

Self-reported tobacco use during pregnancy

- Percentage of mothers reporting tobacco use during pregnancy.
- **United States:** 7.5%; **Connecticut:** 3.5%

Connecticut also has a lower percentage of:

Infant death rate

- Number of infant deaths per 1,000 live births.
- **United States:** 5.9 per 1,000; **Connecticut:** 5.6 per 1,000

Preterm births

- Percentage of all births born before 37 weeks gestation.
- **United States:** 9.6%; **Connecticut:** 9.3%

Low birth weight births

- Percentage of all births weighing less than 2,500 grams.
- **United States:** 8.1%; **Connecticut:** 7.9%

Note: All data obtained from CDC Wonder [1,2], CDC's NVSR report "Births: Final Data for 2015" [3], and 2015 Connecticut Registration Tables.



**Antibiotics:
Will they work
when you *really*
need them?**

Antibiotics do not fight viral illnesses like colds. Taking antibiotics for colds can be harmful to your child's health — in fact, unnecessary antibiotics can make future infections harder to treat. Work with your child's healthcare provider to find the best treatment for your sick child.

Get Smart About Antibiotics Week
November 18-24, 2013

Get helpful tips on how to treat the symptoms of viral infections, and learn more about antibiotic resistance: please visit www.cdc.gov/getsmart, or call 1-800-CDC-INFO.



CS121156

LIST OF TABLES

Table	Page
1 Connecticut, 2015: Estimated Population by Age and Sex	53
2A Connecticut, 2015: Population, Births, Deaths, Fetal Deaths, and Infant Deaths By Place of Occurrence and Residence and Marriages by Place of Occurrence	54
2B Connecticut, 2015: Resident Births, Deaths, Fetal Deaths, and Infant Deaths By Race and Hispanic Ethnicity for Counties, Health Districts, and Towns	57
3 Connecticut Resident Births, 2015: Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity; Infant's Sex; Place of Delivery; Plurality; Birth Order; Mother's Marital Status, Education, and Age; Initiation and Adequacy of Prenatal Care; and Smoking and Alcohol Use during Pregnancy	60
4 Connecticut Resident Births, 2015: Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity	65
5 Connecticut Resident Fetal Deaths, 2015: Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity, Sex, Place of Delivery, Gestational Age, Plurality, and Mother's Age	78
6 Connecticut Resident Fetal Deaths, 2015: Cause of Death by Mother's Race and Hispanic Ethnicity and by Gestational Age	81
7 Connecticut Resident Infant, Neonatal, and Postneonatal Deaths, 2015: Deaths by Infant's Race and Ethnicity for Counties, Health Districts, and Towns	82
8 Connecticut Resident Infant, Neonatal, and Postneonatal Deaths, 2015: Cause of Death by Infant's Race and Ethnicity	85
9 Connecticut Resident Deaths, 2015: Selected Causes of Death by Decedent's Age, Sex, Race, and Hispanic Ethnicity	86
10 Connecticut Resident Deaths, 2015: Top Five Leading Causes of Death by Age and Sex	108
11 Statistical Analysis of Birth Outcomes and Their Risk Factors, Infant Mortality and Fetal Mortality at the State, Health District, and Town Levels for Connecticut, 2015	113
12 Statistical Analysis of Birth Outcomes and Their Risk Factors for Racial and Ethnic Groups for Connecticut, 2015	116
13 Connecticut Teen Birth Rates, 2011-2015: Statistical Comparison of Town-level Teen Birth Rates (Ages 15-19) by Town	117
14 Connecticut Teen Birth Rates, 2011-2015: Statistical Comparison of State-level Teen Birth Rates (Ages 15-19) by Race/Ethnicity	121

LIST OF FIGURES

Figure 1. Estimated Population Age Distribution by Sex, Connecticut, 2015 12

Figure 2. Town Population Growth, Connecticut, 2005-2015 13

Figure 3. Rate of Resident Births by Town, Connecticut, 2015 14

Figure 4. Race Distribution for Singleton Births and Multiple Births, Connecticut, 2015 15

Figure 5. Percentage of Low Birth Weight by Race/Ethnicity, Connecticut, 2005-2015 17

Figure 6. Percentage of Low Birth Weight by Plurality and Race/Ethnicity, Connecticut, 2015 18

Figure 7. Preterm Births by LMP- and OE-Based Measures of Gestational Age, Connecticut, 2000-2015 21

Figure 8. Trend in Births to Teenage Mothers by Race/Ethnicity, Connecticut, 2000-2015 24

Figure 9. Percentage of Women Receiving Late or No Prenatal Care, Connecticut, 2015 26

Figure 10. Trend in Tobacco Use During Pregnancy, United States and Connecticut, 2005-2015 27

Figure 11. Trend in Infant Mortality Rate, United States and Connecticut, 2000-2015 30

Figure 12. Death Rates & Counts by Age and Race/Ethnicity, Connecticut, 2015..... 33

Figure 13. Top Three Leading Causes of Death by Age, Connecticut, 2015 35

Figure 14. Percentage of All Deaths by Age and Sex, Connecticut, 2015 37

INTRODUCTION

The *Registration Report* is a statistical summary of vital events for the State of Connecticut. The series has a long history, with annual reports beginning in 1848 and with only one year lost in 1852. Although the narrative portion of the *Registration Report* was not created between 1999 through 2009, tables for the registration report have been produced annually throughout this 12-year period and are available online (see **Availability on the Internet**, below). The Section's vital statistics database contains records pertaining to four types of events: births, deaths, fetal deaths, and marriages. Records of divorces are not maintained by the Connecticut Department of Public Health and therefore, are not included.

Completeness of Registration

The statistics presented in the *Registration Report* reflect not only vital events that occur in Connecticut, but also those involving Connecticut residents that occur in other states and Canada. The Connecticut Department of Public Health reciprocates with every state in the U.S. and the provinces of Canada to exchange copies of birth and death records for non-residents. The exception is New York City, which does not report cause of death for non-resident deaths or birth weight for non-resident births. Registration of births in Connecticut is essentially 100% complete, and there is virtually no under-reporting of deaths. Because there is no interstate transfer of marriage or fetal death records, however, it is not possible to determine the completeness of registration of these events for Connecticut residents.

Local Health District Information

Summary statistics are reported for multi-town Local Health Districts in **Table 2B**, **Table 4**, and **Table 7**. Summations for local health districts may enable local health agencies to better understand and serve their resident populations. The composition of the respective health

districts reflects membership as of July 1, 2015 (see listing and map in **Appendix III**).

Rates and Percentages

Rates were calculated using the equations given in **Appendix II**. Caution should be used in drawing conclusions based on rates or percentages that were calculated from small numbers of events. Due to the variability of these figures, the data tables do not contain rates or percentages based on less than five related events. Percentages based on birth data do not include records lacking information about the characteristic of interest. The term "unknown" as used in this report includes both "missing" responses (no code entered) and responses coded as "unknown".

Town specific birth rates for teenage women (15-19 years old) are included in this year's report (**Table 13**). Currently, these rates cannot be calculated annually due to the lack of appropriate town level population estimates. Table 13 takes advantage of town population data from the 2010 Census to calculate five-year (2011-2015) estimates for teen birth rates in each Connecticut town. Since the number of teen births for many towns is too low to produce reliable teen birth rate estimates, we have used 5-year aggregate rates to provide more stable estimates and to prevent many towns from being dropped out of the analysis due to small numbers.

Tests of Statistical Significance

Statistical assessments of data for birth risk factors and outcomes, infant deaths, and fetal deaths have been included to distinguish group differences attributable to chance from those signifying noteworthy patterns. Two types of assessments appear in **Table 11** and **Table 12**: 1) Comparisons between the current and prior years (2015 and 2014); and 2) Comparisons

among selected demographic subgroups or geographic regions for the current year alone. Town-to-state comparisons are provided (**Table 13**). The health status of the state's largest eight towns is discussed, regardless of the level of statistical significance, as these towns are considered to be of broad interest. A more complete discussion of the methods used in this assessment are given in **Appendix V**. In addition, trends across multiple years appear for selected indicators in this narrative, and these analyses were conducted with statistical software.

Population Estimation Methodology

Population estimates are used to calculate rates of births, deaths, and marriages. The U.S. Census Bureau's Population Estimates Program issues total population estimates for Connecticut counties as of July 1 of each year, by race, sex, ethnicity, and single age.

Inclusion Marital Status

"Presumptive marital status" in editions of the *Registration Report* prior to 2010 were estimated within the agency. In 1998, the birth record was modified to enable reporting of actual rather than presumptive marital status.

Comparability of Cause-of-Death Data

The system for classifying cause of death, the *International Classification of Diseases (ICD)*, is revised occasionally to reflect changes in medical practices and new medical knowledge. This edition of the *Registration Report* used the tenth revision of the ICD (known as the ICD-10), which became effective on October 1, 2015.

Same-Sex Marriages

Same-sex marriages in Connecticut became possible on November 11, 2008. Although not currently included in the 2015 Registration Tables, information about same-sex marriages is included in this report.

Divorces

Information about divorces is not gathered by DPH and is therefore not reported.

Availability on the Internet

Full reports (1992-1998, 2010-2015), tables (1998-2015), and methods discussion (1999-2006) are available on the internet at the following web site:

<http://www.ct.gov/dph/RegistrationReport>

For Further Information

Definitions of the technical terms used in this document are given in the *Glossary* in **Appendix IV**. For questions about this report, please contact the Health Statistics and Surveillance Section of the State of Connecticut Department of Public Health.

Mailing Address

410 Capitol Avenue, MS 11PSI,
P.O. Box 340308,
Hartford, Connecticut 06134-0308

Telephone

(860) 509-7658

3 FACTS

YOU SHOULD KNOW ABOUT

HEPATITIS C



Hepatitis C is a leading cause of liver cancer.



Millions of Americans have hepatitis C, but most don't know it.



Treatments can eliminate the hepatitis C virus.

**Talk to your doctor about getting tested.
It could save your life.**



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention

www.cdc.gov/knowmorehepatitis




POPULATION DISTRIBUTION

Age and Sex

The estimated July 1, 2015 population of Connecticut was 3,590,886 (**Table 1**), which is 80,589 (2.3%) higher than the census count a decade earlier on July 1, 2005 [4], and 5,791 (0.16%) lower than the census count the previous year on July 1, 2014 [5]. Of the total 2015 Connecticut population, 1,751,747 (48.8%) were males and 1,839,139 (51.2%) were females (**Table 1** and **Figure 1**). In the age groups from less than 1 year old through 25-29 years old, the number of males exceeded that of females. However, in all subsequent 5-year age cohorts, females exceeded males. By ages 80-84 and 85+ years old, females outnumbered males by factors of 1.5 and 2.0, respectively.

For both sexes, the population grew throughout the decade (2005-2015) for age groups 15-34 years, 50-74 years, and for individuals 85 years and older. Between 2005 and 2015, the population became smaller for ages 0-14, 35-49, and 75-84 years old (**Table 1**). The population of men ages 75-79 grew by 234 individuals over the past decade, while the population of women ages 75-79 decreased. The overall population of individuals ages 50 and up has increased by 101,808 since 2005. These data indicate a progressive increase in population over the past ten years with a shift toward greater numbers of older individuals in their fifth, sixth, seventh, and eighth decade of life.

Figure 1. Estimated Population Age Distribution by Sex, Connecticut, 2015




Towns

Compared to the estimated population of the 169 towns in Connecticut on July 1, 2005 [6], the 2015 estimated population was lower in 64 towns and greater in the remaining 105 towns (**Table 2A and Figure 2**). Thirteen towns experienced a decrease in population of at least 5%; these towns were Bridgewater, Sharon, Sherman, Salisbury, Hampton, Chaplin, Cornwall, Colebrook, Washington, Goshen, Roxbury, North Canaan, and Litchfield, with losses of 12.6% (239 residents), 11.3% (346), 11.2% (461), 10.9% (445), 9.1% (185), 8.8% (217), 6.9% (102), 6.8% (104), 6.1% (227), 6.1% (188), 6.0% (140), 5.8% (198), and 5.4% (472), respectively. The town of Union experienced the largest increase in population at 13.3% growth, or 99 residents. From 2003 to 2013 the population of Oxford grew by 20%.

Four other towns experienced population growth of over 10%; these towns were Lyme, Ellington, Chester, and Oxford, with growths of 13.1% (275 residents), 12.0% (1,699), 11.6% (445), and 11.1% (1,304), respectively.

Of the five towns in Connecticut with populations over 100,000, Stamford experienced the greatest increase from 2005 to 2015 with 8,829 new residents, an increase of 7.4% (**Table 2A**). The towns of Bridgeport, New Haven, and Waterbury increased by 6.2% (8,621 residents), 4.4% (5,531 residents) and 0.8% (900 residents), respectively. The town of Hartford decreased by 391 residents, a 0.3% decrease in population from 2005 to 2015.

Figure 2. Town Population Growth, Connecticut, 2005-2015



BIRTHS

Number and Rate

The total number of live births among Connecticut residents in 2015 was 35,711 (**Table 2A**). This represents a decrease of 419 live births compared to the previous year, or a decrease of 1.16%, keeping the downward trend in births from 2006 to 2015 [7]. In 2015, the birth rate, which is based on the entire population of state residents, was 10 live births per 1,000 population, the same as it was in 2014, and represents a total decrease of 2.0% since 2005.

Demographic Factors

Town of Residence

In 2015, town-specific resident birth rates in Connecticut ranged from a high of 14.8 per 1,000 population in Stamford and Hartford to a low of 2.2 per 1,000 in Sharon (**Table 2A and Figure 3**). Eight towns (Bridgeport, Stamford, Hartford, New Haven, Waterbury, Norwalk, Danbury, and New Britain)

each registered more than 1,000 births during the year. Together, these eight towns accounted for over one-third of all resident births.


Mother's Race and Ethnicity

In 2015, of the 35,711 resident live births in Connecticut, 19,976 (55.9%) were to non-Hispanic White mothers, 4,317 (12.1%) were to non-Hispanic Black/African American mothers, and 8,278 (23.2%) were to Hispanic/Latino mothers (**Table 3**). Relative to 2014 [8], these figures represented a decrease in births of 2.4% for non-Hispanic White mothers and 3.7% for non-Hispanic Black/African American mothers and an increase of 2.0% for Hispanic/Latino mothers. In 2015, race was classified as "Unknown Race/Ethnicity" for 136 births, representing less than 0.5% of all resident births.

Infant's Sex

Of all Connecticut resident births in 2015, 18,190 (50.9%) were male and 17,521 (49.1%) were female (**Table 3**), representing the same male-to-female ratio as the previous year [8].

Figure 3. Rate of Resident Births by Town, Connecticut, 2015



In 2015, the birth rate in Connecticut was:

- Less than 6.4 per 1,000 population in 41 towns;
- At least 10.0 per 1,000 population in 30 towns.

Place of Delivery

During 2015, all but 1,039 (2.9%) of Connecticut resident births occurred in hospitals (Table 3). There were 236 home births, and 803 births reported with an “Other and Unknown” place of delivery. These figures represent an increase of 23 home births and an increase of 72 births in an “Other and Unknown” place of delivery since 2014 (213 home births and 731 “Other and Unknown”).

Live Birth Order

Of babies delivered in Connecticut during 2015, 41.1% (14,677) were first-born, 35.0% (12,492) were second-born, and 23.9% (8,518) were third-born or of a greater birth order (Table 3). Of the remaining 24 deliveries, the birth order was not known.


Plurality

Live births can be singleton or they can be multiple, resulting in twins, triplets, and higher orders. Twins, triplets, and high order newborns are at a higher risk of poor birth outcomes than singleton babies (see **Poor Birth Outcomes**).

Of all Connecticut resident births in 2015, 1,472 (4.1%) were multiple births (Table 3); 60.7% (893 births) of the multiple births were to non-Hispanic White mothers, 12.5% (184 births) were to non-Hispanic Black/African American mothers, and 18.9% (278 births) were to Hispanic/Latino mothers (Figure 4). These percentages varied from both singleton births and all Connecticut births, indicating that a higher percentage of multiple births are to non-Hispanic White and non-Hispanic Black/African American mothers and a lower percentage are to Hispanic/Latino mothers.

Recent information from the CDC indicates that the incidence of multiple births throughout the nation has been steadily rising since 1980 [9]. This national surge corresponds to birth rates in Connecticut, which is significant due to the impact multiple births have on poor birth outcomes such as rates of preterm births and low birth weight. For more discussion on multiple births, see **Low Birth Weight**, in **Poor Birth Outcomes** (next section).

Figure 4. Race Distribution for Singleton Births and Multiple Births, Connecticut, 2015



Mother's Marital Status

In Connecticut during 2015, 13,391 resident births (37.5%) were to unmarried mothers (**Table 3**). A decade earlier, in 2005, only 32.1% of births were to unmarried mothers [8], indicating that births to unmarried mothers are becoming more common in the state.

Mother's Education

During 2015, 11,719 (32.8%) of resident births in Connecticut were to mothers with 12 or fewer years of education (**Table 3**), compared to 37.3% in 2005 [8].

Among all 2015 births to mothers with an education level of 12 years or less, 43.4% were Hispanic/Latino, 34.6% were non-Hispanic White and 16.4% were non-Hispanic Black/African American (**Table 3**). Of the remaining 23,992 births, 15,033 (62.7%) were born to mothers with at least some college education (13-16 years of total education) while 8,872 (37.0%) births were to mothers with a post-college education (17 or more years).

Foreign-Born Mothers

A mother born in one of the 50 states or the District of Columbia is classified as native-born. All others are defined as foreign-born, including those born in Puerto Rico or other U.S. territories [10]. During 2015, 29.5% of Connecticut births were to foreign-born mothers (**Table 4**). Seventeen towns reported birth rates over 30% for mothers born outside the U.S., including Danbury, Stamford, Rocky Hill, Norwalk, and Bridgeport, where 57.2%, 56.2%, 50.3%, 48.3%, and 47.2% of births were to foreign-born mothers, respectively.

Mother's Age

In 2015, 1,251 or 3.5% of all Connecticut resident births were to teenage mothers under 20 years old (**Table 4**). Before 2011, the percentage of births to teens had not changed significantly since 2004. However, in 2011, the number of teen births dropped significantly to 5.5% (2,045 births) following a rate of 6.1% in 2010 [8].

Of all resident births in 2015, 0.9% (334) were to mothers under the age of 18; these included 10 births to mothers less than 15 years old (**Tables 3 and 4**). Among all teen births, 22.1% were to non-Hispanic White mothers under the age of twenty years old, while 19.3% were to non-Hispanic Black/African American mothers. Births to Hispanic/Latino mothers under twenty years old accounted for over half (54.6%) of all teen births in 2015. In Connecticut, the percentage of births to Hispanic/Latino mothers under the age of twenty years old was 5.9-times higher than births to non-Hispanic White mothers under the age of twenty. More discussion of teen births is included in the next section, **Poor Birth Outcomes**.

Mothers aged 20 to 34 accounted for 26,551 (74.3%) of all 2015 resident births (**Table 3**); this percentage has not changed significantly since 1998 [8]. In 2015, those aged 20-24 years, 25-29 years, and 30-34 years represented 14.5%, 26.2%, and 33.7%, respectively, of all resident births. For the eighteenth consecutive year, more births occurred to women aged 30-34 than to women in any other 5-year age cohort [8].


Of all resident births in Connecticut during 2015, 7,694 (21.5%) were to mothers 35 years and older (**Table 3**). 1,464 (4.1%) of these births were to women at least 40 years old. This percentage was 0.1% less than the 4.2% that occurred in 2014, continuing the downward trend noted since 2009.

Poor Birth Outcomes

Low Birth Weight

Babies born with a birth weight less than 2,500 grams, or about 5.5 pounds, are classified as low birth weight. A low birth weight infant can be born too small, too early, or both. A subset of low birth weight babies are born weighing less than 1,500 grams, or about 3.3 pounds, and these births are classified as very low birth weight. Compared to babies born with a birth weight of at least 2,500 grams, babies born low birth

Figure 5. Percentage of Low Birth Weight by Race/Ethnicity, Connecticut, 2005-2015



weight or very low birth weight are at a higher risk of infant death and poor child development [11]. The rate of low birth weight and very low birth weight are expressed per 100 live births, and are shown in this report as a percentage. During 2015, a total of 2,832 or 7.9% of all births in Connecticut were low birth weight (**Table 4**), a slight increase from 7.6% in 2014 [8]. The percentage of low birth weight infants in Connecticut during 2015 was not significantly lower than the national rate of 8.1% (**Table 11**).

In 2015, a total of 556 or 1.6% of all births were very low birth weight, a slight increase from 1.4% in 2014 (**Table 4**). The percentage of very low birth weight has varied only slightly in the past 10 years, from a previous high of 1.7% in 2006 to a low of 1.4% in 2009, 2013, and 2014 [8]. The number of very low birth weight infants in 2015 increased slightly from the previous year and was not different from the U.S. percentage (**Table 11**).

As in the past, in 2015 the characteristics of low birth weight were not distributed evenly across all communities in the state (**Table 3** and **Table 4**). Variation in low birth weight occurred within

categories defined by mother's race/ethnicity, infant's sex, place of delivery, plurality of births, live birth order, mother's marital status, mother's education, mother's age, time of initiation and adequacy of prenatal care, tobacco and alcohol use during pregnancy, and mother's place of residence, as explained in greater detail in the following sections.

Mother's Race/Ethnicity

The percentages of low birth weight babies born in 2015 to non-Hispanic White, non-Hispanic Black/African American, and Hispanic/Latino mothers were 6.4%, 12.8%, and 8.5%, respectively (**Table 3, Table 4, Table 12** and **Figure 5**). The percentage of low birth weight babies born to non-Hispanic Black/African American and Hispanic/Latino mothers was 2.0-times and 1.3-times higher, respectively, than that of babies born to non-Hispanic White mothers. These numbers were significantly higher than that of babies born to non-Hispanic White mothers, though they were not significantly different from 2014 (**Table 12**). Racial and ethnic disparities in low birth weight have persisted across the decade; in 2005 6.8% of non-Hispanic White babies were low birth

weight in comparison to 13.7% of non-Hispanic Black/African American births and 8.3% of Hispanic/Latino births (Figure 5).

During 2015, 1.0% of all births to non-Hispanic White mothers had a very low birth weight (Table 3 and Table 4). In contrast, 3.3% of births to non-Hispanic Black/African American mothers were very low birth weight. The percentage of infants with a very low birth weight born to Hispanic/Latino mothers (1.9%) was also elevated compared to babies born to non-Hispanic White mothers. These percentages represent disparities of 3.3-times and 1.9-times higher than babies born to non-Hispanic White mothers and are significantly higher when compared to non-Hispanic White mothers (Table 12). Compared with 2014, the percent of very low birth weight births to non-Hispanic White mothers represented a significant increase, rising from 0.9% [8].

Infant's Sex

As in previous years, in 2015 the percentage of low birth weight female babies (8.5%) was greater than that among male babies (7.4%) (Table 3) [8]. A higher rate of low birth weight

among females was consistent for mothers of non-Hispanic Black/African American and Hispanic/Latino background, but lower for non-Hispanic White mothers (6.9%).


Among all infants born with a very low birth weight, female babies born to non-Hispanic Black/African American mothers had the highest percentage (3.3%) of very low birth weight (Table 3). Male babies born to non-Hispanic Black/African American mothers also reported a high percentage of very low birth weight at 3.3%. (Table 3).

Plurality

More than half (55.9%) of all multiple births in 2015 were low birth weight, compared to only 5.9% of singleton births (Table 3); the percentage of low birth weight among multiple births was almost 9.5-times higher than that among singleton births (Figure 6). This ratio was consistent with that of the previous year.

The percentage of very low birth weight among multiple births (11.7%) was 10.6-times higher than that among singleton births (1.1%) (Table 3). This ratio increased since the previous year,

Figure 6. Percentage of Low Birth Weight by Plurality and Race/Ethnicity, Connecticut, 2015



when the percentage of very low birth weight among multiples (8.7%) was just over 9.5-times higher than that of singleton births.

In 2015, racial and ethnic disparities among mothers who gave birth to very low birth weight infants were most pronounced among singleton births (**Table 3**). Of all singleton births, 1.1% were very low birth weight. Although only about one in 160 singleton babies born to non-Hispanic White mothers was very low birth weight (0.6%), about one in every 40 babies born to non-Hispanic Black/African American mothers was very low birth weight (2.6%). About one in every 65 singleton babies born to Hispanic/Latino mothers was very low birth weight (1.5%).

Of all singleton low birth weight babies, 24.8% of babies born to non-Hispanic Black/African American mothers were very low birth weight compared to only 14.2% of babies born to non-Hispanic White mothers (**Table 3**).

Live Birth Order

By order of live births to one mother in 2015, 8.1% of first-born infants had a low birth weight and 1.6% were very low birth weight (**Table 3**). These figures represent a higher rate of low birth weight among first-born infants compared to the overall incidence of these poor birth outcomes. In contrast, 7.0% and 1.3% of second-born babies were low birth weight and very low birth weight, respectively; 8.9% and 1.8% of third-order or higher-order babies born to one mother were low birth weight and very low birth weight, respectively.

Mother's Marital Status

Among all babies born to married mothers in 2015, 6.8% were low birth weight and 1.2% were very low birth weight (**Table 3**), which is lower than the overall incidence of these poor birth outcomes. The percentage of low birth weight and very low birth weight to unmarried mothers was correspondingly higher (9.9% and 2.1%, respectively).

Mother's Education

Of all 2015 births in Connecticut to mothers with a known level of education, mothers who did not complete high school or completed high school had an elevated incidence of low birth weight and very low birth weight (**Table 3**), compared to those who completed some post-high school education. The percentage of low birth weight infants to mothers with less than a high school degree (9.5%) was much higher than the overall percentage of low birth weight babies (7.9%).

The percentage of very low birth weight babies to mothers with at least 12 years of education (1.3%) was slightly lower than the overall percentage of 1.6% (**Table 3**). Births to mothers with an unknown level of education were at greatest risk for low birth weight (17.9%).

Mother's Age

Lower percentages of low birth weight were found among mothers who were over 20 years of age and younger than 40 years of age (**Table 3**). Mothers who were 17 years old or at least 45 years old had the highest percentages of low birth weight deliveries (14.8% and 23.6%, respectively).

Where calculations were available, rates of low birth weight deliveries were consistently elevated among non-Hispanic Black/African American mothers, with a low of 11.2% for 25-29 year old mothers and a high of 35.3% in the 45+ year old age cohort. Additionally, percentages of low birth weight among Hispanic/Latino mothers were higher than that for non-Hispanic White mothers across different age groups. Among Hispanic/Latino mothers, low birth weight was highest for mothers 17 year (13.1%).

Initiation of Prenatal Care

The trimester of pregnancy in which women begin prenatal care is a strong indicator for risk of low birth weight (**Table 3**). Pregnant women who do not receive adequate prenatal care run the risk that complications will go undetected or may not be managed in a timely manner, which increases the possibility of adverse outcomes for

the mother and baby. In general, the benefits of early and ongoing prenatal care are improved birth weight and decreased risk of preterm delivery.

Within the total 40 weeks gestation for a normal pregnancy, the first trimester constitutes the first 12 weeks of pregnancy. The second and third trimesters constitute between 13 and 28 weeks, and 29 and 40 weeks gestation, respectively.

The 2015 percentage of women in Connecticut who gave birth to low birth weight infants and who initiated prenatal care in their first trimester of pregnancy was 7.6% (**Table 3**). Among women who initiated prenatal care in their second trimester, the rate of low birth weight was 9.9%. Nearly 1 in every 4 women who received no prenatal care during pregnancy had a low birth weight baby, and about 1 in every 7 women gave birth to a very low birth weight baby.

Adequacy of Prenatal Care

Adequacy of prenatal care is measured using the Adequacy of Prenatal Care Utilization (APNCU) index, or Kotelchuck Index. This index measures two distinct components of prenatal care—adequacy of initiation and adequacy of received services (visits). While the APNCU captures these two components of utilization, the quality of prenatal care is not measured [12].

The APNCU Index uses five categories to characterize prenatal care: “Intensive,” “Adequate,” “Intermediate,” “Inadequate,” or “Unknown.” The category “Adequate” refers to the minimum recommended level of care (for a pregnancy with no complications), while “Intensive” refers to a level of care exceeding recommended standards.

In 2015, among women with “Inadequate” prenatal care, the low birth weight rate was 9.5% (**Table 3**). In contrast, among women with either “Intermediate” or “Adequate” prenatal care, the low birth weight rate was 3.8% and 4.5%, respectively. Women with “Intensive” prenatal care had a low birth weight rate of 13.6%, a

value much higher than any other known level of prenatal care adequacy. This number indicates that women with “Intensive” prenatal care may experience signs of preterm labor and exhibit other problems that lead to low birth weight babies.

Smoking During Pregnancy

Of women who gave birth in 2015, the rate of low birth weight was almost two times higher among those who reported smoking cigarettes during pregnancy (14.1%), compared to who did not smoke (7.7%) (**Table 3**). This relationship was true for all racial/ethnic subgroups.

Alcohol Use During Pregnancy

During 2015, the rate of low birth weight among women who reported alcohol consumption during pregnancy was 16.7% (**Table 3**), while the rate of low birth weight among women who did not drink alcohol while pregnant 7.5%. In 2014, 8.4% of mothers reported “yes” to alcohol consumption during pregnancy, representing an increase of 8.3%. However, the small number of women reporting alcohol consumption during pregnancy (90 women) could result in unreliable measures of low birth weight and alcohol use.

Mother’s Place of Residence

The rate of low birth weight during 2015 varied greatly across towns within Connecticut (**Table 4**). Of the eight towns with 1,000 or more births, six towns had a low birth weight rate that exceeded the overall state rate of 7.6%: Hartford (11.6%), New Britain (10.4%), Bridgeport (10.0%), Waterbury (9.9%), New Haven (8.6%), and Stamford (7.8%). Two towns had over 1,000 births, but fell below the overall state rate of low birth weight: Danbury (6.9%) and Norwalk (6.7%). The total number of low birth weight babies from these eight towns was 1,131, or 41.3% of all low birth weight babies born to Connecticut mothers.

Compared to the Connecticut value, for towns with 100 or more low birth weight infants born in 2015, percentages were significantly higher in Hartford, New Britain, Bridgeport, and Waterbury (**Table 11**). However, none of these

towns had significant changes in the rate of low birth weight between 2014 and 2015. Although the towns of East Hartford, Greenwich, Southington, Wallingford, and Windham had less than 100 low birth weight infants, it experienced a significant increase in the rate of low birth weight relative to 2014. Additionally, no town which had less than 100 low birth weight infants experienced significant decreases relative to 2014. For Darien, the rate was significantly lower than the statewide rate.

Preterm Births

A preterm, or premature, birth is one that occurs before 37 weeks gestation, whereas a full term birth occurs at 40 weeks. A premature baby is at increased risk of developmental delays, chronic health conditions, and poor academic achievement in childhood [13,14].


In 2014, the National Center for Health Statistics transitioned to a new standard for estimating the gestational age of a newborn [15].

The new measure, the obstetric estimate of gestation at delivery (OE), replaced the measure based on the date of the last normal menses (LMP).

This transition was made because of increasing evidence of the greater validity of the OE compared with the LMP-based measure [15]. The LMP- and OE-based measures showed similar patterns in Connecticut. Preterm birth rates decreased from 2008 through 2015 for the OE-based measure except the 2015 preterm rates. The decrease in the LMP preterm rate was slightly smaller than the OE rate (Figure 7).

In 2015, 9.3% of all Connecticut resident births were premature, which is not significantly different than the overall U.S. rate of preterm births (Table 11), though a slight increase from the previous year (9.2%) (Table 11) [16,17].

Figure 7. Preterm Births by LMP- and OE-Based Measures of Gestational Age, Connecticut, 2000-2015



Percentage of preterm births in Connecticut increased slightly from 9.2% in 2014 to 9.3% in 2015, while the United States preterm rate dropped dramatically from 11.3% in 2014 to 9.6% in 2015. Therefore, Connecticut's state ranking for preterm birth percent decreased from 46th in 2014 to 30th in 2015. See State Ranking Highlight of 2015, page 5.

Substantial variation occurred within the categories defined by mother's race/ethnicity, infant's sex, plurality, live birth order, mother's marital status, mother's education, mother's age, time of prenatal care initiation, adequacy of prenatal care, mother's use of tobacco and alcohol during pregnancy, and mother's place of residence. These differences were similar to those noted for low birth weight deliveries and are described in the following sections.

Mother's Race/Ethnicity

Premature births in 2015 were highest among non-Hispanic Black/African Americans at 12.6%. 8.1% and 10.5% of births were premature to non-Hispanic White and Hispanic/Latino mothers, respectively (**Table 3 and Table 12**). Relative to non-Hispanic Whites, the percentage of preterm delivery was 1.6-times greater for non-Hispanic Black/African Americans and 1.3-times greater for Hispanics/Latinos. For both minority racial/ethnic groups, percentages of prematurity were significantly higher than that for non-Hispanic Whites (**Table 12**).

Infant's Sex

Despite a higher percentage of low birth weight among female infants in 2015, the number of males born prematurely was higher when compared to females; 9.6% and 9.1%, respectively (**Table 3**).

Plurality

In 2015, infants were born prematurely 7.7-times more frequently with multiple births (56.3%) than with singleton births (7.3%) (**Table 3**).

Live Birth Order

In 2015, prematurity among third-or-more born infants occurred more frequently than among second-born or first-born infants (11.2%, 8.6%, and 8.9%, respectively; **Table 3**).

Mother's Marital Status

Among unmarried women, the percentage of premature delivery was 1.3-times higher than among married women at 10.8% and 8.5%, respectively (**Table 3**).

Mother's Education

The percentage of premature delivery declined with greater education (**Table 3**). Among mothers with less than 12 years of education, 11.0% of infants were born premature compared to mothers with at least a high school degree (10.1%), some college education or a college degree (9.1%), or post-college education (8.3%).

Mother's Age

The percentage of preterm births in 2015 among women aged 20-34 years old was less than the overall statewide percentage of 9.3% (**Table 3**). Women aged 16-19 and 35 years and older demonstrated a higher percentage of births born prematurely than the overall statewide percentage.

Premature births to non-Hispanic Black/African American mothers were consistently in the double digits for each age cohort, with a high of 35.3% for mothers 45+ years old (**Table 3**). Hispanic/Latino women had percentages of premature births in the single digits for mothers 20-29 years old. Percentages of premature birth for Hispanic/Latino women in age groups 30-44 years ranged from 10.9% to 13.2%, with a high of 31.3% for mothers 45 years and older. Data for mothers less than 16 years old were not available; data were also unavailable for non-Hispanic Black/African American mothers aged 16 year old.

Initiation of Prenatal Care

The trimester of pregnancy in which women begin prenatal care is a strong indicator for risk of low birth weight and prematurity. Generally,

the later prenatal care begins, the greater the likelihood of low birth weight and premature deliveries. Of 40 total weeks gestation, the first trimester constitutes the first 12 weeks of pregnancy. The second and third trimesters constitute between 13 and 28 weeks, and 29 and 40 weeks gestation, respectively. In 2015, relative to women who began prenatal care in the first trimester of gestation (9.1%), the percent of premature delivery was 3.8-times greater for those who received no prenatal care (34.5%). Among mothers who began prenatal care during the third trimester, 11.2% of births were premature (**Table 3**).

Adequacy of Prenatal Care

Premature delivery in 2015 varied with adequacy of prenatal care (**Table 3**). The percentage of women who had a preterm baby among those who received “Inadequate” care was over 2.5-times higher than for those who received “Adequate” care (9.9% and 3.9%, respectively). The percentage of women who had a premature delivery among those with “Intermediate” care was also slightly elevated (5.2%). Among women who had “Intensive” prenatal care, the percentage of preterm delivery was 16.9%. This figure indicates that women who experience signs of premature labor may receive “Intensive” prenatal care.

Smoking and Alcohol Use

Among women who reported smoking cigarettes during pregnancy in 2015, 12.0 % had a preterm delivery, over 2.7 percentage points higher than that among women who did not report smoking during pregnancy (9.3%; **Table 3**). Few women self-reported alcohol use during pregnancy, but among those who did indicate alcohol consumption, 10.2% had a preterm baby, compared to 9.3% of those who did not report drinking alcohol during pregnancy.

Mother’s Place of Residence

Towns in Connecticut with a rate of preterm birth significantly higher than the overall state rate were Bridgeport (11.6%), East Hartford (12.4%), Hartford (12.5%), and Waterbury (11.3%). Greenwich and Stratford did not have

percentages of preterm births that were significantly different than the state rate, though there was a significant increase in relation to the previous year (**Table 11**). Lastly, Farmington did not have a rate of premature birth (6.8%) significantly lower than the overall state rate, however decreased significantly from 2014.

Births to Teenage Mothers


Information about births to teenage women is described in two sets of tables, using two different indicators. As a characteristic of births, we report on “percentage of birth to teens” in **Table 4**. This indicator provides a relative measure of the fraction of teenagers within a birth subgroup. However it does not characterize to risk of teen birth as an outcome for a population teenage females. “Teen birth rates” provide a population-based measure that is more suitable for population group comparisons since it adjusts for the size of the underlying at-risk population (i.e. females aged 15 to 19). **Table 13 and Table 14** provide town and state-level teen birth rate statistics respectively. The discussion that follows focuses primarily on teen birth rates.

Connecticut’s 2015 teen birth rate (**Table 14**) was significantly lower and less than half the national teen birth rate, 10.1 versus 22.3 per 1,000 females aged 15-19. Between 2014 and 2015 Connecticut rate dropped by 11.9%, from 11.5 to 10.1 per 1,000 females aged 15-19. This trend continues the steep decline in Connecticut’s teen birth rates since 2008. The 2008-2015 annual average percent change in teen birth rates was of 11%, and resulted in a historically low rate in 2015 (see **figure 8**). The decline in Connecticut’s teen birth rates is mirrored in US trends and it is consistent across maternal race/ethnicity subgroups in Connecticut.

Race/Ethnicity

Teen birth rates vary considerably across maternal race/ethnicity groups. In 2015, the births rates for non-Hispanic white, for non-Hispanic black and Hispanic mothers were 3.6, 16.1, and 29.2 per 1,000 teenage females

Figure 8. Trend in Births to Teenage Mothers by Race/Ethnicity, Connecticut, 2000-2015



While disparities remain, between 2000 and 2015 the rate of teen births diminished for non-Hispanic Black/African American and Hispanic/Latino mothers.

In 2015, birth rates of teen mothers:

- non-Hispanic White: 3.6 births per 1,000 population;
- non-Hispanic Black/African American: 16.1 births per 1,000 population;
- Hispanic/Latino: 29.2 births per 1,000 population.

respectively. However, the magnitude of birth rate disparities in 2015, when measured as the difference in rates relative to rates among non-Hispanic white mothers and other subgroups has declined dramatically since 2000. Among non-Hispanic black mothers the rate difference declined between 2000 and 2015 from 34.5 to 12.5 per 1,000 women. Among Hispanic mothers it declined by about the same amount, dropping from 49.9 to 25.6 per 1,000 women. The declines in teen birth rates since 2000, among non-Hispanic White, non-Hispanic Black, and Hispanic mothers are illustrated in **Figure 8**. The reported disparities in 2015 teen birth rates as well as the 2000-2015 declines in the magnitude of the disparities by race/ethnicity are statistically significant ($P < 0.0001$). Teen birth rates have been in decline since before 2000 but since about 2008 the annual rate of decline has been steady at -11% to -12% per year for our three main maternal race/ethnicity subgroups (non-Hispanic White, non-Hispanic Black and Hispanic mothers).

Despite reductions in teen births significant racial/ethnic disparities persisted in 2015. Also, due to the higher proportion of teenage females

in the Hispanic and non-Hispanic black populations, disparities in the number of teen births within these subgroups will be elevated beyond the age-specific birth rate disparities. About 1 of every 12 births to Hispanic/Latino women was to a teen mother, and nearly 1 of every 18 births to non-Hispanic Black/African American women was to a teenager. In sharp contrast, approximately 1 of every 72 births to non-Hispanic White women was to a teen mother.

Town of Residence

Five-year (2011-2015) teen birth rates by town of residence are reported in **Table 13**. Five-year figures were used to provide a reliable basis for estimating teen birth rates where single-year figures would have been inadequate. In 2011-2015, Connecticut's town-specific teen birth rates spanned a wide range, from a low of 0.0 to a high of 34.9 teen birth per 1,000 population. Overall, 56 towns had birth rates that were significantly lower ($p < 0.05$) than the 5-year average state rate (13.2), after controlling for multiple test comparisons (see **Table 13**, last column). Conversely, 14 towns had teen birth rates that were significantly higher ($p < 0.05$) than

the 5-year average state rate (13.2). The five towns with the lowest rates were Avon, Darien, Easton, New Canaan, and Wilton. Rates in these five towns ranged from 0.0 to 0.7 per 1,000 females 15-19, well below the state rate. The five towns with the highest rates were Bridgeport, Hartford, Meriden, New Britain and Waterbury. Rates in these five towns range from 30.7 to 34.9 per 1,000 females 15-19, well above the Connecticut rate.

It is important to note that the town-specific teen birth rates reflect differences in each town's population fraction of 15-19 year old females by race/ethnicity. Following the statewide pattern of differences in birth rates by maternal race/ethnicity, the towns with the lowest overall teen birth rates tend to have the largest fraction female, 15-19 year old population who are non-Hispanic White. Conversely the towns with the highest teen rates tend to have the lowest population percentage who non-Hispanic white, but higher fractions of Hispanic and non-Hispanic black females. Unfortunately, Connecticut's teen birth counts by race/ethnicity are too small to permit a more detailed assessment of these patterns by town. Although town-level birth rate differences are correlated with state-wide differences in rates by maternal race-ethnicity, it is also important to point out that this descriptive assessment is not able to disentangle the likely contributions of other factors such as socioeconomic status, education and employment to explain this pattern of teen birth rate differences.

Risk Factors For Poor Birth Outcomes

Prenatal Care

The trimester of pregnancy in which a woman begins prenatal care is a strong indicator of risk for poor birth outcomes. Generally, the later prenatal care begins, the greater the likelihood of complications and low birth weight deliveries. A normal pregnancy consists of 40 weeks gestation. The first trimester constitutes the first 12 weeks of pregnancy, while the second and third trimester constitute between 13 and 28

weeks, and 29 and 40 weeks gestation, respectively.


Adequacy of prenatal care, as defined by the Adequacy of Prenatal Care Utilization (APNCU) index, or Kotelchuck Index, is a measure involving the timing of the first prenatal visit, the total number of prenatal visits, and the duration of gestation at the time of birth [12]. Categories of prenatal care adequacy increase from "Inadequate" and "Intermediate", to "Adequate" and "Intensive."

Initiation of Prenatal Care

Of all live births in Connecticut during 2015, 86.9% began prenatal care during the first trimester of pregnancy, 9.6% during the second trimester, and 1.7% in the third trimester (**Table 3**). An additional 95 women (0.3%) received no prenatal care, a 0.04% decrease from the previous year. Lastly, trimester of initiation of prenatal care was unknown for 137 (0.38%) of all births in the state. The statewide percentage of late or no prenatal care at 11.7% was not significantly different than the national percentage, however it decreased significantly from 2014 (12.3%) (**Table 11**).

The rate of late or no prenatal care was 18.2% for non-Hispanic Black/African American mothers and 16.9% for Hispanic/Latino mothers, compared to only 8.0% for non-Hispanic White mothers (**Table 4**), representing disparity ratios of 2.3 and 2.1, respectively. The percentage of late or no prenatal care for non-Hispanic White mothers represented a significantly lower rate compared to non-Hispanic Black/African American and Hispanic/Latino mothers (**Table 12**). Relative to 2014, the 2015 percentages of late or no prenatal care for non-Hispanic Black/African Americans and Hispanic/Latino mothers did not change significantly, though this percentage significantly decreased for non-Hispanic White mothers.

Figure 9. Percentage of Women Receiving Late or No Prenatal Care, Connecticut, 2015



Of the eight towns with 1,000 or more births in 2015, all exceeded the statewide percentage of late or no prenatal care (11.7%), accounting for 48.2% of all births to Connecticut women who received late or no prenatal care (**Table 4**). New Britain had the highest percentage at 18.5%; next were Hartford (17.2%), Stamford (17.2%), Waterbury (16.6%), New Haven (16.2%), Bridgeport (15.8%), Danbury (14.9%), and Norwalk (13.7%) (**Figure 9**).


Among the towns with 1,000 or more births in 2015, Stamford experienced a significant increase and Waterbury experienced a significant decrease in women receiving late or no prenatal care since 2014. The other six towns saw no significant difference since the previous year (**Table 11**). The towns of Bridgeport, Danbury, Hartford, New Britain, New Haven, New London, Stamford, Waterbury, and West Haven all had rates of late or no prenatal care that were significantly higher than the state percentage, while Branford, Fairfield, Greenwich, Groton, Milford, New Milford, and Trumbull all had significantly lower rates.

Although they had less than 1,000 births in 2015 (**Table 11**).

Adequacy of Prenatal Care

For all births in Connecticut during 2015 for which adequacy of prenatal care was known, 41.1% of mothers received “Adequate” prenatal care, 35.3% received “Intensive” prenatal care, and 23.6% received “Non-Adequate” prenatal care (**Table 4**). The percentage of mothers who received “Non-Adequate” care in the state decreased significantly from 2014 (**Table 11**), though this percentage was not significantly different from the national rate. Of note, adequacy of prenatal care was unknown for 1.0% (360) of all births in the state (**Table 3**). Of the eight towns with 1,000 or more births in 2015, four towns, Danbury (13.8%), Waterbury (18.6%), New Haven (19.5%), and Norwalk (21.8%), were below the state percentage for “Non-Adequate” care (23.7%) (**Table 4**). The remaining four towns with higher percentages of

Figure 10. Trend in Tobacco Use During Pregnancy, United States and Connecticut, 2005-2015



“Non-Adequate” prenatal care were New Britain (49.4%), Stamford (33.6%), Hartford (33.2%), and Bridgeport (30.5%), (**Table 11**). Among these four towns, the percentage of “Non-Adequate” prenatal care significantly increased in Stamford (12.9% to 17.2%) and significantly decreased in Waterbury (25.9% to 16.6%) between 2014 and 2015.

Tobacco Use During Pregnancy

Tobacco use during pregnancy is associated with miscarriage, low birth weight, and preterm birth, as well as placental problems and some birth defects [18]. In Connecticut, the likelihood of a low birth weight baby among mothers who report smoking during pregnancy is 2.2-times greater than that of mothers who do not smoke tobacco during pregnancy [19]. Underreporting of tobacco use during pregnancy is likely because of the well-known risks associated with this behavior.

In 2015, 1,244 (3.5%) of Connecticut births were to mothers who reported using tobacco during pregnancy (**Table 3**). This percentage was not significantly different than the national

figure, and did not change significantly from the 2014 rate of 3.7%. (**Table 11**).

The percentage of non-Hispanic Black/African American mothers who reported smoking during pregnancy was 3.3%, which is significantly lower than that of non-Hispanic White mothers (4.1%) (**Table 12**). The percentage among Hispanic/Latino mothers (2.9%) was significantly less than that among non-Hispanic White mothers.

Since 2005, the percentage of mothers reporting tobacco use during pregnancy has decreased from 6.2%, and has also decreased for all races and ethnicities. Among non-Hispanic White mothers the percentage of mothers indicating smoking during pregnancy decreased from 6.8% to 4.1%; among non-Hispanic Black/African American and Hispanic/Latino mothers the percentage declined from 6.6% to 3.3% and 5.7% to 2.9%, respectively (**Table 3** and **Table 12**). In 2015, the percentage of mothers who reported smoking during pregnancy was significantly higher than the statewide percentage in the following health districts: Northeast (11.8%), Uncas Regional (9.9%),

Torrington Area (7.8%), Bristol-Burlington (7.2%) (**Table 11**). Compared to the state percentage, 10 Connecticut towns reported a significantly higher percentage of births to mothers reporting smoking during pregnancy. Towns with a prevalence of smoking during pregnancy in the double digits were Norwich (11.0%) and Torrington (11.7%).

Alcohol Use During Pregnancy

Alcohol use during pregnancy is associated with an increased risk of fetal alcohol spectrum disorders, with an accompanying constellation of serious effects that include physical abnormalities and developmental and behavioral

disorders [20]. Alcohol use during pregnancy is also associated with miscarriages and stillbirths.

Similar to tobacco use during pregnancy, underreporting of alcohol use during pregnancy is likely because of the well-known risks associated with this behavior. In 2015, among births for which information was available, 90 mothers reported drinking alcohol during pregnancy, representing 0.2% of all births in Connecticut (**Table 3**). Information on alcohol use during pregnancy was not available for 830 births.

**The Secret to a Longer Life
Can Begin with a Mammogram.**

With no-cost mammograms* available at professional, medical facilities, there's no reason to wait. The sooner you have a mammogram, the greater your chances are of finding cancer in its early stages and making a full recovery. It's your life. Go live it.

Call 1-800-4-CANCER to schedule your mammogram today.

*Eligibility criteria may apply.

FETAL AND INFANT DEATHS

Fetal Deaths

Records of fetal death, or stillbirth, refer to an intrauterine death of a fetus occurring at 20 or more weeks gestation. During 2015, there were 166 resident fetal deaths in Connecticut, representing a statewide rate of 4.6 per 1,000 live births and fetal deaths (**Table 2A**). This rate significantly decreased relative to the 2014 rate of 3.9 per 1,000, and was also significantly lower from the national rate (**Table 11**) [21].

Among fetal deaths of known sex in 2015, 82 (49.4%) were male and 84 (50.6%) were female (**Table 5**). The majority of fetal deaths (134 or 80.7%) occurred between 17 and 36 weeks gestation. The remaining 32 (19.3%) occurred at 37 weeks or more gestation.

Of all fetal deaths in 2015 of known plurality, 19 (11.4%) were of multiple plurality (**Table 5**). A disproportionate burden of fetal deaths occurred among multiple births; in 2015, the percentage of multiple live births was only 4.1% (**Table 3**).

In Connecticut, the percentage of fetal deaths in 2015 among women less than 20 years of age was 4.8%, 44.6% for women 20-29 years old, 47.0% for women 30-39 years old, and 3.6% for women at least 40 years old (**Table 5**). In comparison, the percent of live births by mother's age among women less than 20 years old was 3.5%, 40.6% for women 20-29 years old, 51.1% for women 30-39 years old, and 4.1% for women at least 40 years of age (**Table 3**).

Mother's Race/Ethnicity

Of all resident fetal deaths of known race/ethnicity in 2015, 69 (41.6%) were to non-Hispanic White mothers, 34 (20.5%) were to non-Hispanic Black/African American mothers, and 42 (25.3%) were to Hispanic/Latino mothers (**Table 5**). A disproportionate burden of fetal deaths occurred among non-Hispanic

Black/African American women, where the percent distribution of live births was only 12.1% (**Table 3**). Compared to 2014, the percentage of fetal deaths among Hispanic mothers increased from 19.0% to 25.3%.

In 2015, the fetal death rate among non-Hispanic Black/African American mothers was 7.9 per 1,000 live births and fetal deaths, while that of non-Hispanic White mothers was 3.5 per 1,000 and for Hispanic mothers, 5.1 per 1,000 (**Table 12**). There was no significant difference between the non-Hispanic White fetal death rates and that of both Hispanic/Latino and non-Hispanic Black/African Americans, however there was a significant increase in fetal death rates for non-Hispanic Black/African American mothers since 2014, increasing from 5.8 per 1,000 to 7.9 per 1,000 (**Table 12**).

Town of Residence

Among the eight towns in Connecticut with 1,000 or more live births in 2015, seven had higher fetal death rates than the statewide rate of 4.6 per 1,000 live births and fetal deaths (**Table 2A**). Towns with higher fetal death rates were: Waterbury (8.7 per 1,000), Bridgeport (6.8), Norwalk (6.1), New Britain (5.8), Stamford (5.3), New Haven (5.2), and Hartford (4.9). In 2015, Danbury had 1,067 live births with only 1 resident fetal deaths. Manchester and Norwalk had higher fetal death rates (6.4 and 6.0 per 1,000) than the state overall (4.6), but single-year differences were not statistically significant. Compared with 2014, Manchester and Norwalk both had significant increases in fetal death rates (0 to 6.4 per 1,000 and 0 to 6.0 per 1,000, respectively) (**Table 11**) [21].

Low Birth Weight and Premature Delivery

In 2015, 76.5% of resident fetal deaths in Connecticut were low birth weight (less than 2,500 grams), and 62.7% were very low birth weight (less than 1,500 grams) (**Table 5**). The percent of fetal deaths with low birth weight was uniformly high for mothers of all racial/ethnic

groups, though lowest among non-Hispanic White mothers (70.1%). Overall, 81.2% of resident fetal deaths were delivered prematurely (less than 37 weeks of gestation).

Leading Causes of Fetal Death

In 2015, 147 of the 166 fetal deaths (88.6%) were caused by perinatal conditions (Table 6). Within this broad category of causes of death, the three leading causes were: 1) “Other disorders originating in perinatal period” (72 deaths); 2) “Disorders related to short gestation and low birthweight” (29 deaths); and 3) “Fetus affected by complications of placenta, cord, and membranes” (29 deaths) (Table 6). Congenital malformations, deformations, and chromosomal abnormalities were associated with 5 (3.0%) of all fetal deaths. The remaining 14 fetal deaths (8.4%) were associated with other undefined causes.


Infant Deaths

Infant deaths occur after a baby is born, but before the first year of life is completed, or within 364 days of life. An infant mortality rate

is an estimate of the number of infant deaths for every 1,000 live births. A neonatal death occurs before the first month of life (before 28 days), and a post-neonatal death occurs between 28 and 364 days of life. Neonatal deaths often occur as a result of a baby’s condition that is evident at birth, while post-neonatal deaths are usually related to other events. Infant mortality is considered an indicator of a population’s overall health and well-being [22].

In 2015, there were 200 resident infant deaths, with a mortality rate of 5.6 per 1,000 live births (Table 2A). This rate reflects a decrease in infant deaths over the past 15 years, falling from 283 infant deaths in 2000, with a mortality rate of 6.6 per 1,000 live births (Figure 11) [23]. Of all Connecticut infant deaths in 2015, 140 occurred in the neonatal period and 60 occurred in the post-neonatal period, with mortality rates of 3.9 and 1.7 per 1,000 live births, respectively. The overall infant mortality rate in the state of Connecticut was not significantly different than the national rate, nor did not change significantly from the previous year (Table 11) [21].

Figure 11. Trend in Infant Mortality Rate, United States and Connecticut, 2000-2015



Infant mortality has long been a basic measure of public health. The infant mortality rate in Connecticut increased 12 percent from 5.0 infant deaths per 1,000 live births in 2014 to 5.6 in 2015. The United States infant mortality rate only increased 1.7 percent from 5.8 infant deaths per 1,000 live births in 2014 to 5.9 in 2015. As a result, Connecticut's state ranking for infant death rate declined from 40 in 2014 to 33 in 2015. See State Ranking Highlight of 2015, page 5.

Infant's Race

In 2015, infant mortality rates varied dramatically by race, with a disproportionately high rate of deaths among infants born to non-Hispanic Black/African American mothers and Hispanic mothers (**Tables 7 and 12**). Of all infant deaths, 70 were babies born to non-Hispanic White mothers, while 55 and 64 were babies born to non-Hispanic Black/African American and Hispanic/Latino mothers, respectively (**Table 12**). The infant mortality rates for non-Hispanic Black/African American mothers as well as Hispanic mothers (12.9 per 1,000 live births, 7.8 per 1,000 live births, respectively) were significantly higher than that in the non-Hispanic White community (3.5 per 1,000) [21]. These disparities did not change significantly from the previous year.

Town of Residence

In 2015, infant deaths occurred to residents in 63 Connecticut towns (**Table 2A**). Eleven of these towns lost at least five babies during the year. These eleven towns suffered infant mortality rates ranging from a low of 2.7 per 1,000 live births in Stamford to 12.5 per 1,000 in New Britain. Overall, these eleven towns accounted for 57.0% of all infant deaths in the state of Connecticut.

The towns of Bridgeport, Hartford, and New Britain (10.7, 12.0, and 12.5 per 1,000, respectively) experienced an infant mortality rate significantly higher than the statewide rate of 5.6 per 1,000 live births (**Table 11**). The infant mortality rates in these three towns did

not significantly increased compared to the previous year.

Leading Causes of Infant Death


Neonatal deaths in 2015 occurred largely as a result of "Certain conditions originating in the perinatal period" (116 of 140 neonatal deaths; **Table 8**). Within this broad category, most deaths were caused by "Disorders relating to short gestation and low birth weight" (51 deaths) or "Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery" (28 deaths).

Of the 60 post-neonatal deaths that occurred in 2015, 10 were due to congenital malformations, 8 were caused by sudden infant death syndrome, 4 resulted from infectious and parasitic diseases, and 4 were due to diseases of the respiratory system (**Table 8**).

How is Your Town Protected—

with a 5cent lock


THIS LOCK
REPRESENTS



Poorly paid Health Officer
No public health nurses
Lack of school inspection
Inadequate milk control
Neglect of infant welfare
A "Trust to Luck" attitude

or with a 55 cent lock?

THIS LOCK
REPRESENTS



A full-time health officer
Public health nurses
Efficient school inspection
Good milk inspection
Infant welfare work
A "Safety First" attitude

State of Connecticut Health Bulletin 1920

DEATHS (All Ages)

There were 30,520 deaths to Connecticut residents in 2015, with a crude death rate of 8.5 deaths per 1,000 population (**Table 2A**). Males accounted for 14,658 (48.0%) resident deaths, while 15,862 (51.0%) deaths were females. In 2015, there were 19,212 deaths to persons aged 75 years and over, representing 62.9% of all resident deaths (**Table 9**).

Overall, 26,260 (86.3%) of Connecticut resident deaths were non-Hispanic White, 2,277 (7.5%) were non-Hispanic Black/African American, and 1,560 (5.1%) were Hispanic/Latino (**Table 9**). This percent distribution by race/ethnicity differs from that at the national level, where 78.3% of deaths were non-Hispanic White, 11.6% were non-Hispanic Black/African American, and 6.6% were Hispanic/Latino [24].

In 2015, among non-Hispanic White and non-Hispanic Black/African American residents, female deaths outnumbered male deaths, while deaths to Hispanic/Latino males outnumbered deaths to their female counterparts. Race was


unknown for 127 deaths, and ethnicity was unknown for 23 deaths (**Table 2B**, footnote b).

All Causes of Death

Age at Death

Age at Death is a very strong risk factor for mortality. Age-specific death rates (ASDRs) increase rapidly with age, roughly by a factor of 400-500 from the youngest to oldest age groups depending on the age definitions used. Age is an essential factor to consider when comparing death rates across population subgroups. One way to do this is to compare death rates, e.g. by sex, within the same age group. **Figure 12** provides an illustration of this approach by comparing the ASDRs of three race/ethnicity group within five broad age groups. Within each age group up to 79 years old, non-Hispanic blacks as having the highest rates. In the oldest age group, 80+, non-Hispanic whites have the highest ASDR. **Figure 12** also displays

Figure 12. Death Rates & Counts by Age and Race/Ethnicity, Connecticut, 2015



- Age-specific death rates (ASDRs) increase rapidly with age.
- ASDR differences by age are larger than rate differences by race/ethnicity.
- The disparity pattern by age group up to ages 80+ consistently finds non-Hispanic blacks as having the highest rates.
- In the oldest age group, non-Hispanic whites have the highest ASDR.
- Male ASDRs are consistently higher than among females, but this is not displayed for the sake of visual simplicity.

information about the death counts corresponding to each rate to help gauge the number of people affected in each subgroup. The 2015 ASDRs are consistently higher for males than among females. However, the magnitude of these rate differences does vary by age group. After collapsing age-groups with fewer deaths together, we evaluated differences across 14 age groups. The male rates range from about 20% to 100% higher than the corresponding age-specific female rates. All ASDR differences by sex were significant ($p < 0.05$) and were in the same direction.

ASDR differences by race/ethnicity are largely consistent over the whole age range, with some exceptions at the extremes. One notable exception occurs in the youngest group since Hispanic infant mortality rates are higher than the rates among non-Hispanic White mothers. In most other age groups Hispanic rates tend to be lowest of the three groups. Another exception is the “crossover” in non-Hispanic white and black death rates in the 80-84 and 85+ age groups. Despite lower ASDRs for non-Hispanic whites to age 79, at 80-84 or 85+ the ASDR pattern switches when black rates becoming lower than the corresponding white rates. Age-specific differences like this are easily overlooked when using summary measure such as age-adjusted mortality rates (AAMRs) instead. The examination of age-specific rates presents an opportunity to identify problematic, excess rates that might otherwise remain hidden by summary, age-adjusted rate measures. This crossover pattern at age 85+ can be found in most other US states as well. Several theories have been proposed to account for this crossover pattern [25-30] but none is yet considered definitive. A discussion of these theories is beyond the scope of this report. Detailed information about age-specific death counts can be found in **Table 9**, while ASDRs for leading causes of death can be found in **Table 10**.

Town of Residence

Of the five towns that reported 800 or more Connecticut resident deaths (**Table 2A**), only Waterbury (9.3 per 1,000) had a crude death rate

above the state rate of 8.5 per 1,000 population. The crude death rates for the remaining four towns were: Hartford (7.2 per 1,000), Bridgeport (6.6), Stamford (6.4), and New Haven (6.2). Among Connecticut’s 169 towns, Weston had the lowest crude death rate at 3.2 per 1,000 and North Canaan had the highest (19.4 per 1,000).

Leading Causes of Death

The five leading causes of death in 2015 for persons of all ages and sexes are shown in rank order in **Table 10**. By proportional share of total deaths, they were: 1) “Diseases of the heart” (23.5%); 2) “Malignant neoplasms” (21.8%); 3) “Accidents (unintentional injuries)” (5.8%); 4) “Chronic lower respiratory diseases” (4.6%); and 5) “Cerebrovascular disease” (4.5 %). These rankings remained identical to the 2014 leading causes. Additionally, since 2004, “Cerebrovascular disease” has shifted down from the third leading cause of death, previously outranking both “Chronic lower respiratory diseases” and “Accidents.”

Age and Sex

The five leading causes of death by age and sex are detailed in **Table 10** and summarized in **Figure 13** for top three leading causes. Over the last year, between 2014 and 2015, the number of deaths grew larger in age groups <1, 10-14, 20-44, 55-74, and 85+ years, whereas deaths in all other 5-year age groups became smaller. Total deaths in each age group during 2015 ranged from a low of 13 (ages 5-9) to a high of 12,367 (age 85+). A total of 200 deaths occurred among infants less than one year old. The number of male deaths exceeded or was equivalent to the number of female deaths for all age groups 1-74 years old (**Table 10** and **Figure 14**). Overall, in 2015, cause of death for both sexes was comparable to data from the previous year, with the most variation among ages 1-14, where fewer deaths contributed to greater variability in the rankings (**Table 10**).


“Accidents” was the leading cause of death for ages 5-44 years old. “Malignant neoplasms” was the leading cause of death for ages 45-84 years old. “Diseases of the heart” was the most common cause of death among those 85 years and older, and consistently ranked second for those aged 45-84 years old (**Table 10**).

Age <1 Year

See Infant Deaths, pages **30-31**.

Ages 1-19 Years

In 2015, deaths to residents 1 to 19 years old accounted for 123 or 0.4% of all deaths (**Table 10**). Of this number, a total of 48 deaths (39.0%) were caused by “Accidents”.



State Successes: Decreases in Opioid Prescribing

Average Morphine milligram equivalents (MME) per person decreased in most counties in Florida, Ohio, and Kentucky from 2010 to 2015.

Figure 13
Top Three Leading Causes of Death by Age, Connecticut, 2015


		Female Age (Years)											
Rank		1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
1	Congenital anomalies		Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Diseases of the heart
2	Unintentional injuries		Homicide Septicemia	Chronic lower respiratory diseases Nephritis, nephrotic syndrome, nephrosis	Suicide	Suicide	Suicide Malignant neoplasms	Unintentional injuries	Unintentional injuries	Diseases of the heart	Diseases of the heart	Diseases of the heart	Malignant neoplasms
3			Malignant neoplasms		Malignant neoplasms	Malignant neoplasms	Diseases of the heart	Diseases of the heart	Diseases of the heart	Unintentional injuries	Chronic lower respiratory diseases	Chronic lower respiratory diseases	Cerebrovascular disease

		Male Age (Years)											
Rank		1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
1	Malignant neoplasms		Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Diseases of the heart	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Diseases of the heart
2	Unintentional injuries		Congenital anomalies	Cerebrovascular disease Suicide	Suicide	Suicide Homicide	Suicide	Diseases of the heart	Malignant neoplasms	Diseases of the heart	Diseases of the heart	Diseases of the heart	Malignant neoplasms
3	Congenital anomalies Homicide		Homicide	Malignant neoplasms Congenital anomalies	Homicide	Malignant neoplasms	Homicide	Suicide	Unintentional injuries	Unintentional injuries	Chronic lower respiratory diseases	Chronic lower respiratory diseases	Cerebrovascular disease

Source: Table 10

Figure 13. Top Three Leading Causes of Death by Age, Connecticut, 2015

Figure 14. Percentage of All Deaths by Age and Sex, Connecticut, 2015



The percentage of deaths among males was greater than that among females for all age groups less than 85 years old.

Among teens 15-19 years old, there were a total of 75 deaths in 2015 (**Table 10**). “Accidents” was the most common cause of death in this age group, among both males and females (**Figure 13**). Of the 31 deaths due to “Accidents,” more than half (16 deaths or 51.6%) were caused by “Motor vehicle accidents,” 10 (62.5%) of which were to males and the remaining 6 (37.5%) to females (**Table 10**).

“Suicide” and “Homicide” ranked second and third for cause of death among males in this age group. For females, “Suicide” and “Malignant neoplasms” were ranked second and third, respectively (**Figure 13**).

Ages 20-34 Years

The age group including 20 to 34 year olds accounted for 648 deaths, or 2.1% of all deaths in 2015 (**Table 10**). Within this group, “Accidents” continued to be the leading cause of death. For males 20-34 and females 20-34 years old, “Suicide” was the next most common causes of death. Homicide” was the third leading cause for males ages 20-34, while “Malignant

neoplasms” was the third leading cause of death for females ages 20-34 (**Figure 13**).

For 20-34 year olds, there were a total of 324 deaths due to “Accidents” (**Table 10**).

Among 20-24 year olds, “Accidental poisoning & exposure to noxious substances” outnumbered “Motor vehicle accidents” by 30 deaths and was the most common accident, with 58 deaths (63.0%), 49 (84.5%) for males and 9 (15.5%) for females. For 25-34 year olds, “Accidental poisoning & exposure to noxious substances” claimed the most lives, with 173 deaths, or 74.6% of all deaths due to accidents.

Ages 35-54 Years

Deaths in 2015 to residents between 35 and 54 years old accounted for 2,318 deaths, or 7.6% of all deaths (**Table 10**). Within the 35-44 age group, “Accidents” continued to be the leading cause of death (**Figure 13**), followed by “Malignant neoplasms,” “Diseases of the heart,” “Suicide,” and “Chronic liver disease and cirrhosis.” Similarly, within the 45-54 age group, the leading causes of death varied slightly with “Accidents” as the third cause after

“Malignant neoplasms” and “Diseases of the heart.” “Suicide” and “Chronic liver disease and cirrhosis” were the fourth and fifth leading causes of death for this age group, respectively.

Within the 35-54 year age group, there were 515 (22.2%) deaths due to malignant neoplasms in 2015 (**Table 10**). Of this total, 243 (47.2%) occurred to males and the remaining 272 (52.8%) occurred to females. Of all deaths to males 45-54 years old due to this cause, “Trachea, bronchus & lung cancer” (32 deaths, 15.7%) was the most frequent, followed by “Colorectal cancer” (24 deaths, 11.8%). Of all female deaths aged 45-54 due to “Malignant neoplasms”, a total of 62 (29.5%) and 43 (20.5%) deaths were due to “Breast cancer” and “Trachea, bronchus & lung cancer,” respectively.

Ages 55-74 Years

The next two consecutive age groups, 55-64 and 65-74, accounted for 8,017 deaths, or 26.3% of all deaths in 2015 (**Table 10**). A total of 4,715 of these deaths were males and 3,302 females. The two leading causes of death for ages 55-74 did not differ between males and females, and were “Malignant neoplasms” (2,890 or 36.0% of all deaths to this age group) and “Diseases of the heart” (1,581 or 19.7% of all deaths). Among males ages 55-64, the remaining top three causes of death were “Accidents” (181, 8.6%), “Chronic liver disease and cirrhosis” (73, 3.5%), and “Suicide” (63, 3.0%), while among females ages 55-64 the corresponding causes were “Accidents” (60, 4.9%), “Chronic lower respiratory diseases” (52, 4.2%), and “Septicemia” (46, 3.7%) (**Table 10, Figure 13**). For males ages 65-74, the remaining top three causes were “Chronic lower respiratory diseases” (117, 4.5%), “Diabetes mellitus” (85, 3.3%), and “Cerebrovascular disease” (83, 3.2%), while among females ages 65-74 the remaining causes were “Chronic lower respiratory diseases” (135, 6.5%), “Cerebrovascular disease” (76, 3.7%), and “Diabetes mellitus” (62, 3.0%).

“Malignant neoplasms” remained the leading cause of death for both age groups between 55-74 years old. The most frequent cause of death in this category was “Trachea, bronchus & lung cancer,” with 741 deaths total, representing 25.8% of all cancer deaths to males and 25.5% of all cancer deaths to females (**Table 10**). For females in this age group, “Breast cancer” also had high numbers of deaths with 170 deaths or 12.9% of all cancer deaths to females.

Ages 75+ Years

The 75-84 and 85+ age groups accounted for the majority of deaths in 2015, totaling 19,212 deaths, or 62.9% of all deaths (**Table 10**). For both sexes in this age range, the two leading causes of death were either “Malignant neoplasms” with 3,185 or 16.6% of all deaths in this age group, or “Diseases of the heart” with 5,185 or 27.0% of all deaths in this age group. Whereas “Malignant neoplasms” was the leading cause of death among 75-84 year olds, “Diseases of the heart” was the primary cause of death among residents 85 years of age or older (**Figure 13**).

Race/Ethnicity and Sex

Of all deaths in 2015, a total of 26,260 were non-Hispanic White residents, 2,277 were non-Hispanic Black/African American residents, and 1,560 were Hispanic/Latino residents (**Table 9**). Among non-Hispanic White and non-Hispanic Black/African American resident deaths, a slight majority were female (52.6% and 51.0%, respectively). In contrast, among Hispanic/Latino residents 45.1% deaths were female.

Within each category of race, ethnicity, and sex, a majority of 2015 deaths were caused by the four leading causes of death: “Major cardiovascular diseases,” “Malignant neoplasms,” “Accidents,” and “Chronic lower respiratory diseases.” A greater percentage of deaths to Hispanic/Latino males were caused by accidents; 13.4% of all deaths to Hispanic/Latino males were caused by accidents compared to 7.6% of deaths to non-Hispanic

White males and 6.5% of non-Hispanic Black/African American males (**Table 9**).

In 2015, compared to non-Hispanic White females, a greater percentage of deaths to non-Hispanic Black/African American females was caused by malignant neoplasms. Similar to their male counterparts, Hispanic/Latino females also outnumbered non-Hispanic White and non-Hispanic Black/African American female deaths caused by accidents at 5.3%, compared to only 3.9% and 3.8% for the other groups, respectively.

The death frequencies reported in **Table 9** provide the reader with a descriptive sense of Connecticut mortality events - the number of deaths, types and population subgroups these deaths occur within. However, questions about the relative mortality risk in certain demographic subgroups is best addressed by referring to mortality rates, such as those displayed in **Table 10** of this report and in DPH's online mortality summaries of age-adjusted mortality rates (<https://portal.ct.gov/DPH/Health-Information-Systems--Reporting/Mortality/Mortality-Tables>)

Leading Causes of Death, 2005-2015

Compared to the top three leading causes of death in 2015 (**Table 10**), the leading causes of death in 2005 differed in several ways [31].

Both male and female age-specific death rates for each leading cause of death for children less than 15 years old were very small (<4.8) in 2005 and 2015 (**Table 10**). Furthermore, in both 2005 and 2015, the leading cause of death for both sexes was "Diseases of the heart" [31].

For deaths among women aged 15 to 34 years old, "Accidents" were the leading cause of death in both 2005 and 2015 (**Table 10**). The rate of accidents among females 15-19 years old in 2005 was 8.3 per 100,000 and increased over the decade to 9.8 per 100,000 in 2015. For females 20-24 years old, the rate of accidents increased from 13.1 per 100,000 in 2005 to 15.1 per 100,000 in 2015. For females 25-34 years old,

the rate of accidents increased from 11.0 per 100,000 in 2005 to 22.4 per 100,000 in 2015.

More striking was the decline in the death rate due to "Accidents" among 15-19 years old males, which dropped from 29.2 per 100,000 in 2005 to 14.9 per 100,000 in 2015; among 20-24 years old males, which dropped from 68.9 per 100,000 in 2005 to 58.0 per 100,000 in 2015. In both 2005 and 2015, accidents remained in the top two leading causes of death for males between 5 and 44 years old, but death rates after 25 years old did not exhibit the same substantial decline over the decade. These rates actually increased among 25-34 years old males (38.6 per 100,000 in 2005; 82.0 per 100,000 in 2015) and 35-44 year olds (40.5 per 100,000 in 2005; 75.4 per 100,000 in 2015).

From 2005 to 2015, "Malignant neoplasms" remained the leading cause of death for both sexes between ages 45-84 years old, with the exception of males ages 45-54 in 2005 and 2015, for whom "Diseases of the heart" was the leading cause of death. With respect to malignant neoplasms, there was a consistent reduction in the age-specific death rate between 2005 and 2015 among both males and females [31].

In both 2005 and 2015, "Diseases of the heart" remained the leading cause of death for ages 85+ years old. Both sexes in the 85+ age group experienced very high death rates due to "Diseases of the heart" in 2005 at 4,230.0 per 100,000 for males and 3965.6 per 100,000 for females. By 2015, the rates for males actually increased to 4,682.2 per 100,000 for males and decreased to 3,796.4 per 100,000 for females.



Photo by Hilmar

“Colorectal cancer often has no symptoms, so please get tested. I did.”

*Katie Couric, Co-Founder
EIF's National Colorectal Cancer
Research Alliance*

If you're over 50
talk to your
doctor and
get screened.



MARRIAGES

Marriage Rate


In 2015, there were 18,954 marriages in Connecticut (**Table 2A**), representing a decrease of 396 marriages since the previous year [32]. The marriage rate was 10.6 persons per 1,000 population, almost the same as it was in 2014. Of all marriages in the state during 2015, a total of 689 were same-sex marriages (data not shown). There were 1,057 same-sex marriages in 2014, 1,357 in 2013, 668 in 2012, 1,262 in 2011, 1,791 in 2010, 2,706 in 2009, and 543 in 2008, the first year for which same-sex marriages became possible in the state (data not shown).

marriages. Five towns each registered between 500 and 1,000 marriages in 2015. These towns were: Bridgeport (898 marriages), Stamford (739 marriages), Danbury (665 marriages), Waterbury (589 marriages), and Norwalk (500 marriages). The fewest number of marriages were registered in the towns of Colebrook, Salem, Union, and Hampton, each with five or less marriages.

Town of Occurrence

Marriages are registered by town of occurrence. Two towns registered over 1,000 marriages (**Table 2A**); New Haven registered 1,241 marriages and Hartford registered 1,057

The marriage rate in 2015 varied by town from a low of 2.3 persons per 1,000 population, to a high of 44.0 per 1,000 (**Table 2A**). The towns of East Granby (2.3 persons per 1,000), Salem (2.4), Durham (2.5), and Burlington (2.9) had the lowest marriage rates, while the towns of Westbrook (44.0 persons per 1,000), Bolton (38.8), Prospect (37.2), Stonington (34.6), and Salisbury (32.4) had the highest marriage rates.




State of Connecticut Health Bulletin 1918

APPENDIX I: NOTES

- [1] Centers for Disease Control and Prevention, National Center for Health Statistics. Linked Birth / Infant Death Records 2007-2015, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program, on CDC WONDER Online Database. Accessed at <http://wonder.cdc.gov/lbd-current.html> on March 8, 2018.
- [2] Centers for Disease Control and Prevention, National Center for Health Statistics. Natality public-use data 2007-2016, on CDC WONDER Online Database, November 28, 2017. Accessed at <http://wonder.cdc.gov/natality-current.html> on March 8, 2018.
- [3] Martin JA, Hamilton BE, Osterman MJ, Driscoll AK, Mathews TJ. Births: Final Data for 2015. National vital statistics reports : from the Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System. 2017 Jan;66(1):1. https://www.cdc.gov/nchs/data/nvsr/nvsr66/nvsr66_01.pdf, accessed on July 10, 2018.
- [4] Estimated Populations in Connecticut as of July 1, 2005. Annual Registration Report, 2005, Table 1, Connecticut Department of Public Health, Office of Policy, Planning and Evaluation (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on March 22, 2018.
- [5] Estimated Populations in Connecticut as of July 1, 2014. Annual Registration Report, 2014, Table 1, Connecticut Department of Public Health, Health Information Systems and Reporting (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on March 22, 2018.
- [6] Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence and Marriages by Place of Occurrence. Annual Registration Report, 2005, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on March 23, 2018.
- [7] Connecticut Resident births, 2006 through 2015, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on March 23, 2018.
- [8] Connecticut Resident births, 1998 through 2015, Tables 3 and 4, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on March 23, 2018.
- [9] Martin JA, Hamilton BE, Osterman MJ. Three decades of twin births in the United States, 1980-2009. NCHS Data Brief. 2012 Jan;(80):1-8. (<http://www.cdc.gov/nchs/data/databriefs/db80.htm>)
- [10] National Center for Health Statistics. Vital statistics available. Vital Statistics Data Available Online. Hyattsville, MD: National Center for Health Statistics. Available from http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm, accessed on March 29, 2018.

- [11] Aarnoudse-Moens CS, Weisglas-Kuperus N, van Goudoever JB, Oosterlaan J. *Pediatrics*. 2009;124(2):717-28.
- [12] Kotelchuck M. An evaluation of the Kessner Adequacy of Prenatal Care Index and a proposed Adequacy of Prenatal Care Utilization Index. *Am J Public Health*. 1994;84(9):1414-20.
- [13] Preterm Births. U.S. Centers for Disease Control and Prevention (<http://www.cdc.gov/reproductivehealth/maternalinfanthealth/pretermbirth.htm>), accessed on March 29, 2018.
- [14] Hack, M, Taylor, HG, Klein, N, Eiben, R, Schatshneider, C, Mercuri-Minich N. School-age outcomes in children with birth weights less than 750 grams. *New England J Med* 1994;331(12):753-759.
- [15] Martin JA, Osterman MJK, Kirmeyer SE, Gregory ECW. Measuring gestational age in vital statistics data: Transitioning to the obstetric estimate. *National vital statistics reports*; 64(5). *Natl Vital Stat Rep*. 2015;64(5):1-20. (http://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64_05.pdf).
- [16] Gestational age is calculated using the date of the last menstrual period (LMP) or the clinical estimate of gestational age, if the LMP is not available. (Table 3).
- [17] Connecticut Resident births, 2000 through 2015, Table 11, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on March 29, 2018.
- [18] United States Department of Health and Human Services, Centers for Disease Control and Prevention: Tobacco Use and Pregnancy (<http://www.cdc.gov/reproductivehealth/to> *baccousepregnancy*), accessed on April 5, 2018.
- [19] Stone, CL, Mueller, LM (2007) Association between WIC enrollment during pregnancy and low birth weight outcomes in Connecticut. Connecticut Department of Public Health, Hartford, Connecticut (<https://cslib.contentdm.oclc.org/digital/collection/p128501coll2/id/126065/>), accessed on April 5, 2018.
- [20] United States Department of Health and Human Services, Centers for Disease Control and Prevention: Alcohol Use and Pregnancy (<http://www.cdc.gov/ncbddd/fasd/alcohol-use.html>), accessed on April 5, 2018.
- [21] The annual number of fetal and infant deaths in Connecticut is small even in the most highly populated towns, so standard tests of single-year differences are statistically significant only when the changes are great. Methods other than the simple one-year comparisons are needed. Such analyses are, however, beyond the scope of this report.
- [22] Report of the Secretary's Advisory Committee on Infant Mortality (SACIM): Recommendations for Department of Health and Human Services (HHS) Action and Framework for a National Strategy, January 2013, (<http://www.hrsa.gov/advisorycommittees/mchbadvisory/InfantMortality/Correspondence/recommendationsjan2013.pdf>), accessed on April 6, 2018.
- [23] Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence and Marriages by Place of Occurrence. Annual Registration Report, 1998, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3>

- 132&q=394598), accessed on April 5, 2018.
- [24] Centers for Disease Control and Prevention, National Center for Health Statistics. Compressed Mortality File 1999-2016 on CDC WONDER Online Database, released December 2017. Data are from the Compressed Mortality File 1999-2015 Series No. 2T, 2015, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/cmfi-icd10.html> on April 6, 2018.
- [25] Black DA, Hsu YC, Sanders SG, Schofield LS, Taylor LJ. The Methuselah Effect: The Pernicious Impact of Unreported Deaths on Old-Age Mortality Estimates. *Demography*. 2017 Dec;54(6):2001-24.
- [26] Masters RK. Uncrossing the U.S black-white mortality crossover: the role of cohort forces in life course mortality risk. *Demography*. 2012 Aug;49(3):773-96.
- [27] Manton KG, Stallard E. Methods for evaluating the heterogeneity of aging processes in human populations using vital statistics data: explaining the black/white mortality crossover by a model of mortality selection. *Human biology*. 1981 Feb;53(1):47-67.
- [28] Lariscy JT. Differential record linkage by Hispanic ethnicity and age in linked mortality studies: implications for the epidemiologic paradox. *Journal of aging and health*. 2011 Dec;23(8):1263-84.
- [29] Lynch, S. M., Brown, J. S., & Harmsen, K. G. Black-white differences in mortality compression and deceleration and the mortality crossover reconsidered. *Research on Aging*. 2003;25(5), 456-483.
- [30] Preston, S. H., Elo, I. T., & Stewart, Q. Effects of age misreporting on mortality estimates at older ages. *Population Studies*. 1999;53(2), 165-177.
- [31] Connecticut Resident Deaths, 2005, Table 10, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on April 9, 2018.
- [32] Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence and Marriages by Place of Occurrence. Annual Registration Report, 2015, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (<http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598>), accessed on April 9, 2018.



State of Connecticut Health Bulletin 1918

APPENDIX II: RATE DEFINITIONS

Crude birth rate

$$\left(\frac{\text{Number of resident live births}}{\text{Total resident population}} \right) \times 1,000$$

Marriage rate

$$\left(\frac{\text{Number of registered marriages} \times 2}{\text{Mid-year total resident population}} \right) \times 1,000$$

Crude death rate

$$\left(\frac{\text{Number of resident deaths}}{\text{Total resident population}} \right) \times 1,000$$

Age-specific birth rate

$$\left(\frac{\text{Number of live births in a specific age group}}{\text{Total resident population in specific age group}} \right) \times 100,000$$

Age-specific death rate

$$\left(\frac{\text{Number of deaths in a specific age group}}{\text{Total resident population in specific age group}} \right) \times 100,000$$

Infant death rate

$$\left(\frac{\text{Number of infant deaths}}{\text{Number of live births}} \right) \times 1,000$$

Fetal death rate

$$\left(\frac{\text{Number of fetal deaths}}{\text{Number of live births and fetal deaths}} \right) \times 1,000$$


Feto-infant death rate

$$\left(\frac{\text{Number of fetal and infant deaths}}{\text{Number of live births and fetal deaths}} \right) \times 1,000$$

APPENDIX III: HEALTH DISTRICT CONSTITUENT TOWNS

Health District	District Number	Constituent Towns
Bristol-Burlington	1	Bristol, Burlington
Connecticut River Area	2	Clinton, Deep River, Old Saybrook
Central Connecticut	3	Berlin, Newington, Rocky Hill, Wethersfield
Chatham	4	Colchester, Hebron, Marlborough, Portland, East Hampton, Haddam, East Haddam
Chesprocott	5	Cheshire, Prospect, Wolcott
East Shore	6	Branford, East Haven, North Branford
Eastern Highlands	7	Andover, Ashford, Bolton, Chaplin, Columbia, Coventry, Mansfield, Scotland, Tolland, Willington
Farmington Valley	8	Avon, Barkhamsted, Canton, Colebrook, East Granby, Farmington, Granby, Hartland, New Hartford, Simsbury
Ledge Light	9	East Lyme, Groton, Ledyard, New London, Waterford
Naugatuck Valley	10	Ansonia, Beacon Falls, Derby, Naugatuck, Seymour, Shelton
Newtown	11	Bridgewater, Newtown, Roxbury
North Central	12	East Windsor, Ellington, Enfield, Stafford, Suffield, Vernon, Windsor Locks
Northeast	13	Brooklyn, Canterbury, Eastford, Hampton, Killingly, Plainfield, Pomfret, Putnam, Sterling, Thompson, Union, Woodstock
Plainville-Southington Regional	14	Plainville, Southington
Pomperaug	15	Oxford, Southbury, Woodbury
Quinnipiack Valley	16	Bethany, Hamden, North Haven, Woodbridge
Torrington Area	17	Bethlehem, Canaan, Cornwall, Goshen, Harwinton, Kent, Litchfield, Morris, Norfolk, North Canaan, Plymouth, Salisbury, Thomaston, Torrington, Warren, Watertown, Winchester
Trumbull-Monroe	18	Monroe, Trumbull
Uncas	19	Bozrah, Griswold, Lisbon, Montville, Norwich, Sprague, Voluntown
West Hartford-Bloomfield	20	Bloomfield, West Hartford
Westport Weston	21	Weston, Westport

State of Connecticut
Local Health Departments and Districts - July 2015



Health Districts¹

1. Bristol-Burlington Health District
2. Central Connecticut Health District
3. Chatham Health District
4. Chesproct Health District
5. CT River Area Health District
6. East Shore Health District
7. Eastern Highlands Health District
8. Farmington Valley Health District
9. Ledge Light Health District
10. Naugatuck Valley Health District
11. Newtown Health District
12. North Central District Health Department
13. Northeast District Dept of Health
14. Plainville-Southington Regional Health District
15. Pomperaug Health District
16. Quinnipiac Valley Health District
17. Torrington Area Health District
18. Uncas Health District
19. West-Hartford-Bloomfield Health District
20. Westport Weston Health District

¹Health Districts are towns, cities, and boroughs united to form departments of health and have a full-time Health Director.

Sovereign Nations

1. Mashantucket Health Department
2. Mohegan Health Department



July 6, 2015

APPENDIX IV: GLOSSARY

Adequacy of prenatal care: This publication uses the Adequacy of Prenatal Care Utilization (APNCU) Index as a measure of adequacy of prenatal care. The index characterizes prenatal care utilization based on two independent dimensions—time of initiation of prenatal care, and number of prenatal care visits after care has begun.

The APNCU Index classifies prenatal care utilization by comparing the *actual* number of prenatal care visits to the *expected* number of visits. The expected number of visits is the total number recommended by the American College of Obstetricians and Gynecologists (ACOG), adjusted for the length of gestation at birth. The ACOG recommendations for a full-term (40-week) pregnancy without complications are: one visit every 4 weeks for the first 28 weeks; one visit every 2-3 weeks until 36 weeks; and weekly visits for the rest of the pregnancy.

When prenatal care begins by the fourth month of pregnancy, the care is considered *intensive* if actual visits are 110% or more of expected visits, *adequate* if the actual-to-expected ratio is 80-109%, *intermediate* with an actual-to-expected ratio of 50-79%, and *inadequate* with an actual-to-expected ratio of less than 50%. In cases where prenatal care begins after the fourth month of gestation, the care is termed *inadequate* regardless of the total number of visits. The APNCU Index has been adopted by the National Center for Health Statistics for reporting adequacy of prenatal care.

Age-specific birth rate: The number of live births to women in a specific age group per 1,000 females in the population in the same age group.

Age-specific death rate: The number of deaths in a specific age group, per

1,000 population in the same age group.

Birth Order: The rank of the most recent birth, relative to other siblings by age.

Birth weight: The first weight of a fetus or infant at time of delivery. This weight is usually measured during the first hour of life. See also “Low birth weight” and “Very low birth weight.”

Cause of death: The underlying cause of death determined to be the primary condition leading to death, based on the international rules and sequential procedure set forth for manual classification of the underlying causes of death by the National Center for Health Statistics and the World Health Organization (*International Classification of Disease, Tenth Revision*). See also “Underlying cause of death.”

Crude death rate: The number of deaths per 1,000 population. This rate should not be used for making comparisons between different populations when the age, race, and sex distributions of the populations are different. See also “Age-specific death rate.”

Ethnicity: See “Hispanic/Latino ethnicity.”

Fetal death: Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.

Gestational age: The best obstetric estimate of the infant’s gestation in completed weeks based on the birth

attendant's final estimate of gestation [14].

Health district: A local governmental entity consisting of two or more towns that is responsible for the public health of its constituent towns. See [Appendix II](#) for a listing of the 20 health districts in existence in Connecticut as of July, 2010.

Hispanic/Latino ethnicity: Refers to people whose origins are from Spain, the Spanish-speaking countries of Central America, South America, and the Caribbean, or persons of Hispanic/Latino origin identifying themselves as Spanish, Spanish-American, Hispanic/Latino, Hispano, Latino, and so on. In Connecticut, the birth, death, and fetal death certificates have a separate line item for the individual's Hispanic/Latino status, to attempt to distinguish Hispanic/Latino ethnicity from race. Individuals identifying themselves as "Hispanic/Latino" can be of any race, and are also counted in the race breakdown as either "White," "Black/African American," or "Other."

Infant death: Death occurring to an individual of less than one year (365 days) of age, comprising the sum of *neonatal death* and *postneonatal death*. See also "Neonatal death" and "Postneonatal death."

Live birth: The complete expulsion or extraction from the mother of a product of conception, regardless of the duration of pregnancy; after such separation, the product shows signs of life (e.g., heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles).

Live birth order: The number of children born alive to the same mother, including the current birth (first born, second born, third born, etc.).

Low birth weight: A birth weight of less than 2,500 grams (approximately 5 lbs., 8 oz.).

Neonatal death: Death occurring to an infant less than 28 days of age.

Occurrence: Place of occurrence identifies where the vital event actually took place, regardless of the place of residence of the individual.

Plurality: The number of siblings born as the result of a single pregnancy; commonly expressed as *singleton* or *multiple*. A singleton pregnancy results in a single delivery, while a multiple pregnancy results in twins, triplets, or higher order deliveries.

Post-neonatal death: Death occurring to an infant aged 28 days to 364 days, inclusive.

Premature: A live birth or fetal death that occurs before the completion of the 37th week of gestation.

Race: A population of individuals who identify themselves from a common history, nationality, or geographical place. When responses in the "race" line item on vital records are associated with the definition of Hispanic/Latino origin, they are re-coded to "white race," as described in the National Center for Health Statistics instruction manuals for coding vital records. Individuals identifying themselves as either "White," "Black/African American," or "Other" race can be of any ethnic group. See also "Hispanic/Latino ethnicity."

Residence: The usual place of abode of the person to whom the vital event occurred. For births and fetal deaths, residence is defined as the mother's usual place of residence.


Teenage mother: A woman under 20 years of age on the date of delivery.

Trimester of pregnancy: One-third of the total gestation period of a full-term pregnancy, or 13 weeks per trimester. The "third trimester" classification comprises pregnancies of 27 or more weeks gestation. The weekly count begins on the first day of the last menstrual period.


Underlying cause of death: The disease or injury that initiated the sequence of events leading directly to death, or the circumstances of the accident or violence that produced the fatal injury.

Very low birth weight: A birth weight of less than 1,500 grams (approx. 3 lbs., 5 oz.).






HYPERTENSION WORLDWIDE




Worldwide, 1 in 3 adults has high blood pressure—a condition that leads to heart attack and stroke.



Everyone can take **five concrete steps** to help prevent high blood pressure:

-  Healthy diet
-  Physical activity
-  Avoiding tobacco
-  Avoiding harmful use of alcohol
-  Managing stress in healthy ways



APPENDIX V: STATISTICAL ANALYSES

Tests of statistical significance in this publication were conducted on data for birth outcomes and risk factors, infant deaths, and fetal deaths, by health district and town, and for racial/ethnic groups. Two types of statistical assessments were made: 1) Comparisons between the current and prior years (2015 and 2014) for the same town, health district, or racial/ethnic group; and 2) Comparisons between a reference group and the other groups within the current year. In the current-year comparisons, the reference group for towns and health districts was the state of Connecticut, while the reference group for racial/ethnic groups was “non-Hispanic/Latino White.” Results for the state, health districts, and towns are shown in **Table 11** and **Table 12**.

To balance the need to screen out random fluctuations with the need to detect meaningful differences, these analyses were limited to geographic regions with at least 200 reported pregnancies, and appropriate significance level thresholds were used. For determining annual significant changes for fetal and infant deaths, an additional criterion—a total of 10 or more deaths in both years combined—was applied. Comparisons were labeled “significant” in either of two situations: $p < 0.01$ for comparisons within the current data year; or $p < 0.05$ for differences between the current year and prior year. The latter, less stringent probability level was used because statistically significant changes over time are more difficult to detect than significant differences within the same year.

A limitation of annual significance testing is that single-year figures for some towns are too small to allow valid conclusions to be drawn. Readers are thus cautioned to use the statistical assessments as a guide, not as an absolute dictum. Also, the choice of an appropriate “p-value” for use as a reporting

threshold varies with the point of view of the reader or analyst. The *Registration Report* is often used by persons primarily concerned with information about a single town. The appropriate “p-value” for single-town analyses can differ considerably from that used in this report to survey all 169 Connecticut towns.

Table 13 provides p-values that are adjusted for maximum number of state-to-town rate comparisons. These adjusted probability levels are found in the far right column of **Table 13**. If the reader is interested in finding out which of Connecticut’s 169 towns have teen birth rates that differ significantly ($p < 0.05$) from the state rate, these are the figures to examine. For those who are interested in only a single town–state comparison, examine the figures in the adjacent column “Single Town–State Comparisons.”

For more information about the importance of adjusting for multiple comparisons in statistical assessments, please see the following webpage:
<https://authoring.ct.egov.com/-/media/Departments-and-Agencies/DPH/hisr/hcqsar/mortality/pdf/GuidetoAAMRStateTownComparisonspdf.pdf>



REGISTRATION TABLES 2015

TABLE 1
CONNECTICUT, 2015
 Estimated Population^a by Age and Sex

AGE (Years)	BOTH SEXES		MALES			FEMALES		
			Number	Percent of		Number	Percent of	
	Number	Age Group		Males	Age Group		Females	
All Ages	3,590,886	100.0%	1,751,747	48.8%	100.0%	1,839,139	51.2%	100.0%
<1 ^b	35,711	1.0%	18,190	50.9%	1.0%	17,521	49.1%	1.0%
1-4	151,909	4.2%	77,352	50.9%	4.4%	74,557	49.1%	4.1%
5-9	205,776	5.7%	105,039	51.0%	6.0%	100,737	49.0%	5.5%
10-14	225,743	6.3%	115,585	51.2%	6.6%	110,158	48.8%	6.0%
15-19	250,335	7.0%	127,825	51.1%	7.3%	122,510	48.9%	6.7%
20-24	246,800	6.9%	127,535	51.7%	7.3%	119,265	48.3%	6.5%
25-29	221,109	6.2%	113,304	51.2%	6.5%	107,805	48.8%	5.9%
30-34	220,441	6.1%	109,792	49.8%	6.3%	110,649	50.2%	6.0%
35-39	211,182	5.9%	103,625	49.1%	5.9%	107,557	50.9%	5.8%
40-44	220,141	6.1%	107,298	48.7%	6.1%	112,843	51.3%	6.1%
45-49	256,483	7.1%	124,478	48.5%	7.1%	132,005	51.5%	7.2%
50-54	281,484	7.8%	136,564	48.5%	7.8%	144,920	51.5%	7.9%
55-59	271,557	7.6%	132,070	48.6%	7.5%	139,487	51.4%	7.6%
60-64	225,409	6.3%	108,571	48.2%	6.2%	116,838	51.8%	6.4%
65-69	182,568	5.1%	85,417	46.8%	4.9%	97,151	53.2%	5.3%
70-74	132,162	3.7%	60,646	45.9%	3.5%	71,516	54.1%	3.9%
75-79	91,013	2.5%	39,719	43.6%	2.3%	51,294	56.4%	2.8%
80-84	70,939	2.0%	28,644	40.4%	1.6%	42,295	59.6%	2.3%
85+	90,124	2.5%	30,093	33.4%	1.7%	60,031	66.6%	3.3%

NOTES:

^a All figures except those for <1 year of age are estimates from the National Center for Health Statistics: Vintage 2015 postcensal estimates of the resident population of the United States for July 1, 2010-July 1, 2015, by year, county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex. Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of June 28, 2016, following release by the U.S. Census Bureau of the unbridged Vintage 2015 postcensal estimates by 5-year age group on June 27, 2016.

^b The <1 year age group represents registered 2015 Connecticut resident births. In 2015, there were 0 births of unknown sex.

TABLE 2A
CONNECTICUT, 2015
Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence
and Marriages by Place of Occurrence^{ab}

GEOGRAPHIC AREA	2015 ESTIMATED POPULATION	BIRTHS			DEATHS			FETAL DEATHS			INFANT DEATHS						MARRIAGES Occurrence ^b	
		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence						
			Number	Rate ^a		Number	Rate ^a		Number	Rate ^a		Total	Neonatal	Post-neonatal				
CONNECTICUT	3,590,886	37,243	35,711	10	30,600	30,520	9	175	166	5	201	200	6	140	4	60	2	18,954
COUNTY																		
Fairfield County	948,053	12,055	10,090	11	6,707	6,773	7	57	45	5	38	48	5	31	3	17	2	4,698
Hartford County	895,841	10,763	9,253	10	8,554	8,075	9	43	39	4	77	59	6	47	5	12	1	4,326
Litchfield County	183,603	705	1,442	8	1,377	1,899	10	2	8	6	4	4	a	4	a	-	-	915
Middlesex County	164,063	1,122	1,332	8	1,374	1,580	10	5	4	a	5	11	8	8	6	3	a	1,282
New Haven County	859,470	9,269	8,771	10	8,808	8,053	9	59	56	6	69	55	6	37	4	18	2	4,540
New London County	271,863	2,424	2,601	10	2,115	2,435	9	7	7	3	7	14	5	9	4	5	2	1,981
Tolland County	151,420	219	1,134	8	769	1,033	7	-	5	4	-	5	4	3	a	2	a	530
Windham County	116,573	686	1,088	9	893	1,083	9	2	2	a	1	7	6	3	a	4	a	682
HEALTH DISTRICT^c																		
Non-HD	1,966,885	31,639	21,922	11	18,705	15,553	8	155	111	5	173	145	7	105	5	40	2	11,384
Bristol-Burlington	70,075	590	713	10	582	648	9	-	1	a	1	2	a	2	a	-	-	224
Central Connecticut	97,552	8	816	8	532	1,015	10	-	2	a	1	3	a	-	-	3	a	286
Chatham	71,734	12	546	8	332	511	7	-	1	a	1	-	-	-	-	-	-	426
Chesprocott	55,674	3	342	6	280	522	9	-	6	18	-	2	a	2	a	-	-	321
CT River Area	27,723	1	154	6	171	284	10	-	1	a	-	1	a	1	a	-	-	223
East Shore	71,343	1	603	9	1,529	803	11	-	4	a	1	2	a	1	a	1	a	382
Eastern Highlands	81,073	12	506	6	242	466	6	-	2	a	-	2	a	2	a	-	-	314
Farmington Valley	109,230	641	804	7	812	878	8	6	1	a	15	3	a	2	a	1	a	551
Ledge Light	120,520	1,483	1,242	10	1,109	1,023	9	5	3	a	2	7	6	4	a	3	a	916
Naugatuck Valley	126,944	566	1,212	10	876	1,222	10	3	6	5	1	8	7	5	4	3	a	424
Newtown	31,868	1	213	7	113	221	7	-	-	-	-	-	-	-	-	-	-	92
North Central	165,433	358	1,557	9	1,233	1,471	9	2	5	3	-	7	5	3	a	4	a	586
Northeast	84,425	535	739	9	581	785	9	1	2	a	1	6	8	3	a	3	a	533
Plainville-Southgtn	61,590	3	537	9	359	574	9	-	2	a	-	1	a	1	a	-	-	246
Pomperaug	42,342	2	258	6	269	506	12	-	4	a	-	1	a	1	a	-	-	139
Quinnipiac Valley	99,442	12	853	9	493	1,003	10	-	4	a	-	1	a	1	a	-	-	401
Torrington Area	132,422	436	1,059	8	1,042	1,412	11	1	5	5	-	1	a	1	a	-	-	690
Uncas Regional	90,827	934	959	11	643	779	9	2	2	a	5	7	7	5	5	2	a	475
W Hrtfrd-Bloomfield	83,802	9	731	9	731	889	11	-	4	a	-	1	a	1	a	-	-	359
TOWN																		
Andover	3,262	1	22	7	12	24	7	-	-	-	-	-	-	-	-	-	-	6
Ansonia	18,854	1	210	11	53	189	10	-	3	a	-	1	a	-	-	1	a	59
Ashford	4,251	1	43	10	12	32	8	-	-	-	-	-	-	-	-	-	-	14
Avon	18,414	1	142	8	125	163	9	-	-	-	-	-	-	-	-	-	-	63
Barkhamsted	3,685	-	30	8	12	23	6	-	-	-	-	-	-	-	-	-	-	25
Beacon Falls	6,081	-	41	7	13	44	7	-	-	-	-	1	a	1	a	-	-	23
Berlin	20,560	2	128	6	81	203	10	-	-	-	-	-	-	-	-	-	-	58
Bethany	5,510	-	42	8	11	31	6	-	-	-	-	-	-	-	-	-	-	13
Bethel	19,529	-	182	9	94	156	8	-	2	a	-	-	-	-	-	-	-	57
Bethlehem	3,473	-	23	7	6	17	5	-	-	-	-	-	-	-	-	-	-	25
Bloomfield	20,749	1	156	8	171	247	12	-	2	a	-	1	a	1	a	-	-	82
Bolton	4,947	1	37	8	7	22	4	-	-	-	-	-	-	-	-	-	-	96
Bozrah	2,603	-	21	8	12	31	12	-	-	-	-	-	-	-	-	-	-	13
Branford	28,145	1	220	8	1,348	331	12	-	-	-	1	1	a	1	a	-	-	245
Bridgeport	147,629	3,436	2,054	14	1,613	970	7	23	14	7	25	22	11	15	7	7	3	898
Bridgewater	1,659	-	3	a	3	17	10	-	-	-	-	-	-	-	-	-	-	6
Bristol	60,452	590	645	11	556	595	10	-	1	a	1	2	a	2	a	-	-	210
Brookfield	17,143	-	138	8	36	97	6	-	-	-	-	1	a	1	a	-	-	159
Brooklyn	8,259	1	51	6	53	79	10	-	-	-	1	1	a	-	-	1	a	68
Burlington	9,623	-	68	7	26	53	6	-	-	-	-	-	-	-	-	-	-	14
Canaan	1,185	-	5	4	3	14	12	-	-	-	-	-	-	-	-	-	-	7
Canterbury	5,089	-	34	7	15	39	8	-	-	-	-	-	-	-	-	-	-	58
Canton	10,330	1	53	5	48	65	6	-	-	-	-	1	a	1	a	-	-	20
Chaplin	2,255	-	7	3	9	23	10	-	-	-	-	-	-	-	-	-	-	11
Cheshire	29,262	1	168	6	152	259	9	-	3	a	-	-	-	-	-	-	-	61
Chester	4,277	-	24	6	37	49	12	-	-	-	-	-	-	-	-	-	-	20
Clinton	13,047	1	94	7	52	119	9	-	-	-	-	1	a	1	a	-	-	58
Colchester	16,130	5	127	8	94	112	7	-	-	-	-	-	-	-	-	-	-	54
Colebrook	1,436	-	7	5	5	11	8	-	-	-	-	-	-	-	-	-	-	5
Columbia	5,434	-	39	7	15	34	6	-	-	-	-	-	-	-	-	-	-	16
Cornwall	1,387	-	4	a	9	13	9	-	-	-	-	-	-	-	-	-	-	13
Coventry	12,438	3	123	10	17	69	6	-	1	a	-	2	a	2	a	-	-	42
Cromwell	14,034	2	136	10	98	147	11	-	-	-	-	-	-	-	-	-	-	37
Danbury	84,657	2,149	1,067	13	1,132	573	7	6	1	a	6	5	5	2	a	3	a	665
Darien	21,787	1	210	10	46	117	5	-	-	-	-	-	-	-	-	-	-	111
Deep River	4,516	-	32	7	16	37	8	-	-	-	-	-	-	-	-	-	-	46
Derby	12,700	560	129	10	336	129	10	3	-	-	1	3	a	2	a	1	a	51
Durham	7,301	3	44	6	23	51	7	-	-	-	-	-	-	-	-	-	-	9
Eastford	1,750	-	14	8	4	10	6	-	-	-	-	-	-	-	-	-	-	7
East Granby	5,199	-	41	8	8	30	6	-	-	-	-	-	-	-	-	-	-	6
East Haddam	9,081	1	83	9	45	60	7	-	-	-	1	-	-	-	-	-	-	50
East Hampton	12,858	2	99	8	51	104	8	-	1	a	-	-	-	-	-	-	-	57
East Hartford	50,821	1	635	13	223	449	9	-	6	9	-	3	a	1	a	2	a	203
East Haven	28,935	-	279	10	129	332	12	-	3	a	-	-	-	-	-	-	-	62
East Lyme	19,343	2	114	6	134	172	9	-	-	-	-	2	a	2	a	-	-	107
Easton	7,625	-	47	6	17	46	6	-	1	a	-	-	-	-	-	-	-	20
East Windsor	11,400	-	105	9	56	118	10	-	-	-	-	1	a	-	-	1	a	74
Ellington	15,916	2	137	9	34	93	6	-	1	a	-	-	-	-	-	-	-	33

Connecticut Department of Public Health

TABLE 2A
CONNECTICUT, 2015
 Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence
 and Marriages by Place of Occurrence^{ab}

GEOGRAPHIC AREA	2015 ESTIMATED POPULATION	BIRTHS			DEATHS			FETAL DEATHS			INFANT DEATHS					MARRIAGES Occurrence ^b	
		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence					
			Number	Rate ^a		Number	Rate ^a		Number	Rate ^a		Total	Neonatal	Post-neonatal	Rate ^a		
Enfield	44,323	1	383	9	196	401	9	1	2	a	-	-	-	-	-	-	138
Essex	6,586	2	36	6	41	81	12	-	-	-	-	3	a	3	a	-	62
Fairfield	61,523	2	508	8	363	482	8	-	-	-	-	1	a	1	a	-	198
Farmington	25,629	635	206	8	427	249	10	6	1	a	15	1	a	1	a	-	140
Franklin	1,975	-	13	7	6	8	4	-	-	-	-	-	-	-	-	-	8
Glastonbury	34,678	1	247	7	193	301	9	-	-	-	-	1	a	1	a	-	140
Goshen	2,904	-	15	5	10	25	9	-	-	-	-	-	-	-	-	-	17
Granby	11,298	2	83	7	57	85	8	-	-	-	-	1	a	-	-	1	36
Greenwich	62,695	2,775	556	9	592	452	7	10	3	a	1	-	-	-	-	-	275
Griswold	11,830	-	101	9	25	87	7	-	-	-	-	1	a	1	a	-	66
Groton	39,692	8	506	13	199	280	7	-	-	-	1	4	a	2	a	2	344
Guilford	22,350	1	124	6	85	178	8	-	-	-	-	-	-	-	-	-	84
Haddam	8,292	1	66	8	25	68	8	-	-	-	-	-	-	-	-	-	92
Hamden	61,218	11	561	9	352	621	10	-	3	a	-	-	-	-	-	-	253
Hampton	1,849	-	11	6	5	12	7	-	-	-	-	-	-	-	-	-	4
Hartford	124,006	6,462	1,831	15	3,003	897	7	25	9	5	50	22	12	22	12	-	1,057
Hartland	2,127	-	10	5	3	13	6	-	-	-	-	-	-	-	-	-	6
Harwinton	5,493	1	35	6	13	36	7	-	-	-	-	-	-	-	-	-	62
Hebron	9,552	1	54	6	17	47	5	-	-	-	-	-	-	-	-	-	22
Kent	2,869	-	13	5	21	30	11	-	-	-	-	-	-	-	-	-	30
Killingly	17,131	1	185	11	150	209	12	-	1	a	-	2	a	1	a	1	70
Killingworth	6,455	2	52	8	19	49	8	-	-	-	-	-	-	-	-	-	25
Lebanon	7,259	3	51	7	24	59	8	-	-	-	-	-	-	-	-	-	26
Ledyard	15,025	2	153	10	47	111	7	-	1	a	-	-	-	-	-	-	59
Lisbon	4,310	-	32	7	11	37	9	-	-	-	-	-	-	-	-	-	9
Litchfield	8,212	1	52	6	58	102	12	-	1	a	-	-	-	-	-	-	82
Lyme	2,374	-	17	7	10	26	11	-	-	-	-	-	-	-	-	-	25
Madison	18,223	-	94	5	76	149	8	-	-	-	-	1	a	1	a	-	103
Manchester	58,007	1,421	780	13	529	484	8	6	5	6	2	4	a	3	a	1	290
Mansfield	26,043	2	86	3	62	101	4	-	-	-	-	-	-	-	-	-	52
Marlborough	6,430	1	43	7	59	41	6	-	-	-	-	-	-	-	-	-	13
Meriden	59,988	890	726	12	584	572	10	9	4	a	1	4	a	3	a	1	273
Middlebury	7,634	1	51	7	50	85	11	-	-	-	-	-	-	-	-	-	24
Middlefield	4,407	-	31	7	17	43	10	-	-	-	-	2	a	2	a	-	21
Middletown	46,756	1,107	494	11	759	431	9	5	2	a	4	5	10	2	a	3	396
Milford	53,592	33	423	8	364	502	9	-	-	-	-	3	a	2	a	1	252
Monroe	19,833	-	142	7	39	121	6	-	-	-	-	2	a	2	a	-	168
Montville	19,396	1	186	10	100	188	9	-	-	-	-	1	a	1	a	-	64
Morris	2,293	1	10	4	11	25	11	-	-	-	-	-	-	-	-	-	22
Naugatuck	31,538	2	333	11	158	294	9	-	3	a	-	3	a	2	a	1	93
New Britain	72,808	1,621	1,040	14	859	668	9	5	6	6	8	13	13	10	10	3	420
New Canaan	20,387	-	135	7	68	126	6	-	1	a	-	-	-	-	-	-	93
New Fairfield	14,126	-	95	7	17	83	6	-	1	a	-	-	-	-	-	-	27
New Hartford	6,764	-	37	6	11	46	7	-	-	-	-	-	-	-	-	-	19
New Haven	130,322	5,602	1,742	13	1,999	803	6	27	9	5	58	11	6	5	3	6	1,241
Newington	30,604	3	263	9	207	320	11	-	1	a	-	1	a	-	-	1	74
New London	27,179	1,470	335	12	567	222	8	5	1	a	1	1	a	-	-	1	241
New Milford	27,276	1	250	9	204	201	7	-	1	a	1	1	a	1	a	-	107
Newtown	28,022	-	199	7	104	191	7	-	-	-	-	-	-	-	-	-	80
Norfolk	1,643	-	9	6	6	20	12	-	-	-	-	-	-	-	-	-	21
North Branford	14,263	-	104	7	52	140	10	-	1	a	-	1	a	-	-	1	75
North Canaan	3,194	1	30	9	65	62	19	-	-	-	-	-	-	-	-	-	7
North Haven	23,828	1	189	8	68	250	11	-	-	-	-	-	-	-	-	-	108
North Stonington	5,256	-	30	6	15	37	7	-	1	a	-	-	-	-	-	-	63
Norwalk	88,485	1,354	1,151	13	661	565	6	6	7	6	1	5	4	3	a	2	500
Norwich	39,899	930	509	13	456	354	9	2	2	a	5	5	10	3	a	2	266
Old Lyme	7,521	-	35	5	28	76	10	-	-	-	-	-	-	-	-	-	82
Old Saybrook	10,160	-	28	3	103	128	13	-	1	a	-	-	-	-	-	-	119
Orange	13,944	2	98	7	56	116	8	-	1	a	-	-	-	-	-	-	71
Oxford	13,013	1	99	8	24	83	6	-	3	a	-	-	-	-	-	-	53
Plainfield	15,077	2	153	10	93	128	9	-	-	-	-	2	a	1	a	1	71
Plainville	17,773	1	155	9	80	157	9	-	-	-	-	-	-	-	-	-	46
Plymouth	11,813	-	103	9	50	107	9	-	1	a	-	-	-	-	-	-	25
Pomfret	4,163	1	18	4	8	25	6	-	-	-	-	-	-	-	-	-	59
Portland	9,391	1	74	8	41	79	8	-	-	-	-	-	-	-	-	-	138
Preston	4,707	1	31	7	17	51	11	-	-	-	-	-	-	-	-	-	35
Prospect	9,739	-	67	7	51	108	11	-	2	a	-	-	-	-	-	-	181
Putnam	9,372	525	108	12	197	112	12	1	-	-	-	1	a	1	a	-	51
Redding	9,293	-	58	6	55	76	8	-	-	-	-	-	-	-	-	-	23
Ridgefield	25,244	2	153	6	76	153	6	-	-	-	-	1	a	-	-	1	79
Rocky Hill	20,021	1	197	10	157	216	11	-	-	-	1	2	a	-	-	2	50
Roxbury	2,187	1	11	5	6	13	6	-	-	-	-	-	-	-	-	-	6
Salem	4,183	-	34	8	11	17	4	-	-	-	-	-	-	-	-	-	5
Salisbury	3,638	-	24	7	46	48	13	-	-	-	-	-	-	-	-	-	59
Scotland	1,686	-	14	8	4	8	5	-	-	-	-	-	-	-	-	-	10
Seymour	16,475	2	181	11	81	173	11	-	-	-	-	-	-	-	-	-	110
Sharon	2,706	268	6	2	109	33	12	1	-	-	3	-	-	-	-	-	26
Shelton	41,296	1	318	8	235	393	10	-	-	-	-	-	-	-	-	-	88
Sherman	3,668	1	20	6	9	26	7	-	-	-	-	-	-	-	-	-	17
Simsbury	24,348	2	195	8	116	193	8	-	-	-	-	-	-	-	-	-	231
Somers	11,432	-	59	5	31	77	7	-	-	-	-	-	-	-	-	-	41
Southbury	19,675	1	93	5	219	342	17	-	-	-	-	-	-	-	-	-	56
Southington	43,817	2	382	9	279	417	10	-	2	a	-	1	a	1	a	-	200
South Windsor	25,789	-	209	8	95	218	9	-	-	-	-	-	-	-	-	-	201

Connecticut Department of Public Health

TABLE 2A
CONNECTICUT, 2015
 Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence
 and Marriages by Place of Occurrence^{ab}

GEOGRAPHIC AREA	2015 ESTIMATED POPULATION	BIRTHS			DEATHS			FETAL DEATHS			INFANT DEATHS						MARRIAGES Occurrence ^e			
		Occur- rence	Residence		Occur- rence	Residence		Occur- rence	Residence		Occur- rence	Residence								
			Number	Rate ^c		Number	Rate ^c		Number	Rate ^c		Total Number	Total Rate ^d	Neonatal Number	Neonatal Rate ^d	Post-neonatal Number		Post-neonatal Rate ^d		
Sprague	2,951	-	37	13	7	24	8	-	-	-	-	-	-	-	-	-	-	-	-	21
Stafford	11,837	201	109	9	181	110	9	-	1	a	-	1	a	1	a	-	-	-	-	62
Stamford	128,874	2,328	1,875	15	856	820	6	12	10	5	5	3	1	a	4	a	-	-	-	739
Sterling	3,764	-	31	8	7	26	7	-	-	-	-	-	-	-	-	-	-	-	-	9
Stonington	18,370	1	112	6	182	282	15	-	1	a	-	-	-	-	-	-	-	-	-	318
Stratford	52,609	-	501	10	259	569	11	-	4	a	-	4	a	4	a	-	-	-	-	194
Suffield	15,662	-	107	7	120	132	8	-	-	-	-	-	-	-	-	-	-	-	-	34
Thomaston	7,621	2	58	8	12	71	9	-	2	a	-	-	-	-	-	-	-	-	-	28
Thompson	9,290	-	75	8	25	80	9	-	1	a	-	-	-	-	-	-	-	-	-	78
Tolland	14,849	3	104	7	89	109	7	-	1	a	-	-	-	-	-	-	-	-	-	54
Torrington	34,906	426	367	11	542	403	12	1	-	-	-	1	a	1	a	-	-	-	-	141
Trumbull	36,628	3	323	9	236	384	11	-	-	-	-	1	a	1	a	-	-	-	-	117
Union	843	-	2	a	4	8	10	-	-	-	-	-	-	-	-	-	-	-	-	5
Vernon	28,959	4	331	11	285	265	9	-	1	a	-	2	a	-	-	2	a	-	-	88
Voluntown	2,579	-	22	9	8	19	7	-	-	-	-	-	-	-	-	-	-	-	-	10
Wallingford	44,893	3	392	9	598	536	12	-	3	a	-	1	a	1	a	-	-	-	-	179
Warren	1,417	-	5	4	5	11	8	-	-	-	-	-	-	-	-	-	-	-	-	15
Washington	3,466	-	23	7	8	22	6	-	1	a	-	-	-	-	-	-	-	-	-	25
Waterbury	108,802	2,153	1,611	15	1,544	1,010	9	20	14	9	8	15	9	11	7	4	a	-	-	589
Waterford	19,281	1	134	7	162	238	12	-	1	a	-	-	-	-	-	-	-	-	-	165
Watertown	21,911	2	170	8	84	217	10	-	1	a	-	-	-	-	-	-	-	-	-	69
Westbrook	6,902	-	39	6	47	73	11	-	-	-	-	-	-	-	-	-	-	-	-	152
West Hartford	63,053	8	575	9	560	642	10	-	2	a	-	-	-	-	-	-	-	-	-	277
West Haven	54,927	1	622	11	267	445	8	-	2	a	-	6	10	4	a	2	a	-	-	175
Weston	10,387	1	62	6	16	33	3	-	-	-	-	-	-	-	-	-	-	-	-	34
Westport	27,899	1	156	6	83	169	6	-	-	-	-	-	-	-	-	-	-	-	-	121
Wethersfield	26,367	2	228	9	87	276	11	-	1	a	-	-	-	-	-	-	-	-	-	104
Willington	5,908	1	31	5	15	44	7	-	-	-	-	-	-	-	-	-	-	-	-	13
Wilton	18,714	1	136	7	100	148	8	-	1	a	-	1	a	1	a	-	-	-	-	35
Winchester	10,829	1	85	8	51	126	12	-	-	-	-	-	-	-	-	-	-	-	-	43
Windham	24,799	150	287	12	291	215	9	1	-	-	-	1	a	-	-	1	a	-	-	119
Windsor	29,016	4	247	9	164	243	8	-	1	a	-	2	a	2	a	-	-	-	-	101
Windsor Locks	12,537	-	98	8	70	137	11	-	-	-	-	2	a	2	a	-	-	-	-	38
Wolcott	16,673	2	107	6	77	155	9	-	1	a	-	2	a	2	a	-	-	-	-	79
Woodbridge	8,886	-	61	7	62	101	11	-	1	a	-	1	a	1	a	-	-	-	-	27
Woodbury	9,636	-	66	7	26	81	8	-	1	a	-	1	a	1	a	-	-	-	-	30
Woodstock	7,838	5	57	7	20	57	7	-	-	-	-	-	-	-	-	-	-	-	-	53
Out-Of-State		805	2,332	-	944	1,024	-	-	9	4	8	9	4	6	3	3	a	-	-	-
Unknown State		-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown CT Town		-	11	-	2	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES:

- ^a Rates are not calculated for less than five events because of the high degree of variability associated with small numbers.
- ^b A dash (-) represents the quantity zero.
- ^c Live birth and death rates are per 1,000 population. CT town of residence was unknown for 11 births and 27 deaths.
- ^d Fetal and infant death rates are per 1,000 live births. CT town of residence was unknown for 0 infant deaths.
- ^e Marriage statistics are based on the number of events occurring in a county or town and may or may not reflect the county or town of residence of either party.
- ^f Beginning with the 2010 Registration Reports, Health District statistics are tabulated using the districting that was in effect for the year during which these events occurred. Previous Registration Reports used the districting that was current at the time that the Registration Report was published.
- ^g Out-of-state occurrence refers to events to Connecticut residents that occurred in other states. Out-of-state residence refers to events that occurred in Connecticut to residents of other states.

TABLE 2B

CONNECTICUT, 2015

Resident Births, Deaths, Fetal Deaths, and Infant Deaths^a by Race and Hispanic Ethnicity^b for Counties, Health Districts, and Towns

GEOGRAPHIC AREA	RESIDENT BIRTHS					RESIDENT DEATHS					RESIDENT FETAL DEATHS					RESIDENT INFANT DEATHS				
	Mother's Race/Ethnicity					Decedent's Race/Ethnicity					Mother's Race/Ethnicity					Infant's Race/Ethnicity				
	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity
	Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other	
CONNECTICUT	35,711	27,395	4,807	3,416	8,278	30,520	27,726	2,331	336	1,558	166	109	42	11	42	200	124	61	8	64
COUNTY																				
Fairfield County	10,090	7,458	1,423	1,168	2,835	6,750	5,992	644	91	446	45	24	14	6	14	48	29	17	-	22
Hartford County	9,253	6,709	1,554	954	2,290	8,003	7,127	754	88	551	39	25	9	4	12	58	34	19	4	22
Litchfield County	1,442	1,340	45	55	119	1,774	1,736	16	14	21	8	8	-	-	-	3	2	-	1	-
Middlesex County	1,332	1,146	95	91	131	1,519	1,447	50	11	24	4	4	-	-	-	11	7	2	-	3
New Haven County	8,771	6,628	1,430	703	2,288	7,978	7,134	739	69	409	56	37	17	-	14	54	32	18	2	13
New London County	2,601	2,112	196	290	381	2,411	2,256	104	42	63	7	4	2	1	2	14	9	5	-	2
Tolland County	1,134	969	40	124	65	1,003	984	14	4	9	5	5	-	-	-	5	5	-	-	1
Windham County	1,088	1,033	24	31	169	1,055	1,025	9	17	30	2	2	-	-	-	7	6	-	1	1
HEALTH DISTRICT^c																				
Non-HD	21,867	15,608	3,939	2,250	6,701	15,508	13,414	1,838	191	1,255	111	64	33	10	37	145	88	46	5	54
Bristol-Burlington	713	612	57	41	130	648	633	10	2	19	1	1	-	-	-	2	1	1	-	1
Central Connecticut	816	651	31	131	79	1,015	972	27	13	24	2	1	-	1	-	3	1	1	1	1
Chatham	546	523	4	19	24	511	497	7	3	5	1	1	-	-	-	-	-	-	-	-
Chesprocott	342	311	9	22	16	522	509	8	2	5	6	6	-	-	1	2	2	-	-	-
CT River Area	154	150	2	2	14	284	278	2	1	2	1	1	-	-	-	1	7	-	-	1
East Shore	603	541	21	41	88	803	781	12	6	12	4	3	1	-	1	2	2	-	-	-
Eastern Highlands	506	447	8	50	23	466	460	3	3	4	2	2	-	-	-	2	2	-	-	-
Farmington Valley	804	700	21	82	44	878	852	13	12	3	1	1	-	-	-	3	2	1	-	-
Ledge Light	1,242	996	101	145	228	1,023	933	67	19	35	3	2	1	-	2	7	4	3	-	1
Naugatuck Valley	1,212	1,031	95	82	191	1,222	1,156	48	9	47	6	4	2	-	1	8	5	3	-	4
Newtown	213	203	2	7	14	221	219	1	1	2	-	-	-	-	-	-	-	-	-	-
North Central	1,557	1,324	84	148	231	1,471	1,428	29	11	34	5	4	1	-	-	7	4	3	-	2
Northeast	739	709	12	18	17	785	764	5	14	9	2	2	-	-	-	6	5	-	1	-
Plainville-Southngtn	537	494	11	29	37	574	569	3	2	6	2	1	1	-	-	1	1	-	-	-
Pomperaug	258	242	3	12	12	506	503	2	-	4	4	4	-	-	-	1	1	-	-	-
Quinnipiack Valley	853	599	149	105	101	1,003	895	95	10	22	4	2	2	-	-	1	1	-	-	-
Torrington Area	1,059	979	41	38	98	1,412	1,382	14	10	18	5	5	-	-	-	1	-	-	1	-
Uncas Regional	959	736	94	126	133	779	731	31	15	19	2	1	1	-	-	7	5	2	-	1
W Hrtfrd-Bloomfield	731	539	123	68	97	889	750	116	12	33	4	4	-	-	-	1	-	1	-	-
TOWN																				
Andover	22	21	1	-	-	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Ansonia	210	168	25	16	53	189	167	17	3	12	3	3	-	-	1	1	1	-	-	-
Ashford	43	42	1	-	4	32	31	-	1	-	-	-	-	-	-	-	-	-	-	-
Avon	142	114	1	27	8	163	158	2	3	-	-	-	-	-	-	-	-	-	-	-
Barkhamsted	30	25	1	4	-	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-
Beacon Falls	41	39	-	2	3	44	43	1	-	2	-	-	-	-	-	1	1	-	-	-
Berlin	128	122	-	6	6	203	203	-	-	1	-	-	-	-	-	-	-	-	-	-
Bethany	42	36	3	3	1	31	29	1	1	-	-	-	-	-	-	-	-	-	-	-
Bethel	182	155	8	18	31	156	152	4	-	1	2	1	1	-	-	-	-	-	-	-
Bethlehem	23	23	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomfield	156	53	95	7	22	247	153	86	-	4	2	2	-	-	-	1	-	1	-	-
Bolton	37	34	-	3	1	22	22	-	-	1	-	-	-	-	-	-	-	-	-	-
Bozrah	21	21	-	-	2	31	30	1	-	1	-	-	-	-	-	-	-	-	-	-
Branford	220	196	6	18	22	331	325	2	2	4	-	-	-	-	-	1	1	-	-	-
Bridgeport	2,054	1,147	731	176	980	970	661	292	10	234	14	9	4	1	8	22	10	11	-	10
Bridgewater	3	3	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-
Bristol	645	548	56	38	127	595	581	9	2	18	1	1	-	-	-	2	1	1	-	1
Brookfield	138	126	1	10	8	97	95	1	1	2	-	-	-	-	-	1	1	-	-	-
Brooklyn	51	49	-	2	2	79	76	1	1	-	-	-	-	-	-	1	1	-	-	-
Burlington	68	64	1	3	3	53	52	1	-	1	-	-	-	-	-	-	-	-	-	-
Canaan	5	5	-	-	-	14	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Canterbury	34	34	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-
Canton	53	51	-	2	-	65	65	-	-	1	-	-	-	-	-	1	1	-	-	-
Chaplin	7	6	1	-	-	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshire	168	145	4	19	5	259	253	4	-	3	3	3	-	-	-	-	-	-	-	-
Chester	24	21	-	3	1	49	47	-	1	-	-	-	-	-	-	-	-	-	-	-
Clinton	94	91	2	1	9	119	114	1	1	2	-	-	-	-	-	1	-	-	-	1
Colchester	127	121	1	5	7	112	110	1	-	2	-	-	-	-	-	-	-	-	-	-
Colebrook	7	7	-	-	1	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Columbia	39	38	-	1	3	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-
Cornwall	4	4	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-
Coventry	123	119	1	3	4	69	69	-	-	-	1	1	-	-	-	2	2	-	-	-
Cromwell	136	121	4	11	6	147	139	6	1	2	-	-	-	-	-	-	-	-	-	-
Danbury	1,067	743	118	179	435	573	522	29	18	35	1	1	-	-	1	5	5	-	-	4
Darien	210	193	2	15	8	117	115	-	2	1	-	-	-	-	-	-	-	-	-	-
Deep River	32	32	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-
Derby	129	105	13	11	29	129	120	7	-	11	-	-	-	-	-	3	1	2	-	2
Durham	44	42	1	1	-	51	49	1	-	-	-	-	-	-	-	-	-	-	-	-
Eastford	14	14	-	-	1	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-
East Granby	41	36	3	2	2	30	27	2	1	-	-	-	-	-	-	-	-	-	-	-
East Haddam	83	79	1	3	2	60	60	-	-	1	-	-	-	-	-	-	-	-	-	-
East Hampton	99	96	1	2	5	104	98	2	3	1	1	1	-	-	-	-	-	-	-	-
East Hartford	635	376	214	43	248	449	374	69	4	36	6	3	3	-	1	3	2	1	-	1
East Haven	279	246	14	19	61	332	319	9	4	8	3	2	1	-	1					

TABLE 2B
CONNECTICUT, 2015
 Resident Births, Deaths, Fetal Deaths, and Infant Deaths^a by Race and Hispanic Ethnicity^b for Counties, Health Districts, and Towns

GEOGRAPHIC AREA	RESIDENT BIRTHS					RESIDENT DEATHS					RESIDENT FETAL DEATHS					RESIDENT INFANT DEATHS				
	Mother's Race/Ethnicity					Decedent's Race/Ethnicity					Mother's Race/Ethnicity					Infant's Race/Ethnicity				
	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity
	Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other	
Farmington	206	174	7	24	17	249	238	7	3	2	1	1	-	-	1	-	1	-		
Franklin	13	12	-	1	1	8	8	-	-	1	-	-	-	-	-	-	-	-		
Glastonbury	247	206	8	33	13	301	296	2	2	5	-	-	-	-	1	1	-	-		
Goshen	15	13	-	2	-	25	25	-	-	-	-	-	-	-	-	-	-	-		
Granby	83	80	-	3	3	85	83	2	-	-	-	-	-	-	1	1	-	-		
Greenwich	556	478	9	67	77	452	431	14	7	10	3	2	-	-	1	-	-	-		
Griswold	101	96	1	4	5	87	84	1	2	1	-	-	-	-	1	1	-	-		
Groton	506	409	29	68	59	280	266	9	3	7	-	-	-	-	4	3	1	-		
Guilford	124	106	2	16	5	178	176	-	1	2	-	-	-	-	-	-	-	-		
Haddam	66	64	-	2	1	68	67	1	-	-	-	-	-	-	-	-	-	-		
Hamden	561	354	135	72	81	621	528	86	4	19	3	1	2	-	-	-	-	-		
Hampton	11	11	-	-	2	12	12	-	-	-	-	-	-	-	-	-	-	-		
Hartford	1,831	1,008	681	136	898	887	516	355	9	267	9	5	2	1	6	22	17	4		
Hartland	10	9	-	1	-	13	13	-	-	-	-	-	-	-	-	-	-	-		
Harwinton	35	34	1	-	1	36	36	-	-	-	-	-	-	-	-	-	-	-		
Hebron	54	53	-	1	2	47	45	1	-	1	-	-	-	-	-	-	-	-		
Kent	13	12	1	-	3	30	28	-	2	-	-	-	-	-	-	-	-	-		
Killingly	185	177	6	2	5	209	203	2	4	4	1	1	-	-	2	2	-	-		
Killingworth	52	49	-	3	-	49	49	-	-	1	-	-	-	-	-	-	-	-		
Lebanon	51	48	-	3	3	59	59	-	-	1	-	-	-	-	-	-	-	-		
Ledyard	153	140	2	11	12	111	102	4	5	-	1	1	-	-	1	-	-	-		
Lisbon	32	28	1	3	-	37	37	-	-	-	-	-	-	-	-	-	-	-		
Litchfield	52	51	-	1	2	102	102	-	-	2	1	1	-	-	-	-	-	-		
Lyme	17	16	-	1	-	26	26	-	-	-	-	-	-	-	-	-	-	-		
Madison	94	84	-	8	5	149	148	-	1	3	-	-	-	-	1	1	-	-		
Manchester	780	467	119	192	126	484	452	22	9	23	5	3	2	-	1	4	1	1		
Mansfield	86	53	4	28	8	101	100	1	-	3	-	-	-	-	-	-	-	-		
Marlborough	43	41	-	2	-	41	39	1	-	-	-	-	-	-	4	3	1	-		
Meriden	726	613	83	30	293	572	531	32	7	62	4	3	1	-	2	4	3	1		
Middlebury	51	46	2	2	7	85	84	1	-	-	-	-	-	-	-	-	-	-		
Middlefield	31	29	-	2	4	43	43	-	-	-	-	-	-	-	2	2	-	-		
Middletown	494	356	85	53	81	431	388	35	4	17	2	2	-	-	5	2	2	-		
Milford	423	350	10	63	31	502	484	10	7	8	-	-	-	-	3	1	-	1		
Monroe	142	130	1	11	13	121	117	3	1	4	-	-	-	-	2	2	-	-		
Montville	186	149	4	33	12	168	158	4	5	4	-	-	-	-	1	1	-	-		
Morris	10	8	2	-	-	25	25	-	-	1	-	-	-	-	-	-	-	-		
Naugatuck	333	283	27	21	47	294	279	12	1	7	3	1	2	-	3	2	1	-		
New Britain	1,040	800	149	78	542	668	599	64	3	119	6	5	-	1	4	13	8	4		
New Canaan	135	119	3	13	5	126	123	1	2	-	1	1	-	-	-	-	-	-		
New Fairfield	95	87	1	6	8	83	82	1	-	2	1	-	-	1	-	-	-	-		
New Hartford	37	35	1	1	1	46	46	-	-	-	-	-	-	-	-	-	-	-		
New Haven	1,742	986	584	171	622	803	477	310	12	101	9	1	7	-	1	11	5	5		
Newington	263	206	18	38	38	320	307	8	4	4	1	-	-	1	-	1	-	-		
New London	335	222	68	45	140	222	171	44	5	22	1	-	-	1	1	-	-	1		
New Milford	250	235	3	10	23	201	193	3	4	3	1	1	-	-	1	1	-	-		
Newtown	199	189	2	7	14	191	189	1	1	2	-	-	-	-	-	-	-	-		
Norfolk	9	9	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-	-		
North Branford	104	99	1	4	5	140	137	1	-	-	1	1	-	-	1	1	-	-		
North Canaan	30	29	1	-	3	62	59	1	1	3	-	-	-	-	-	-	-	-		
North Haven	189	157	9	23	15	250	240	6	4	3	-	-	-	-	-	-	-	-		
North Stonington	30	30	-	-	1	37	34	1	1	-	1	-	-	1	-	-	-	-		
Norwalk	1,151	869	148	130	394	565	451	101	10	39	7	2	4	1	1	5	2	3		
Norwich	509	343	88	77	106	354	321	25	7	12	2	1	1	-	5	3	2	-		
Old Lyme	35	33	-	2	4	76	73	2	1	2	-	-	-	-	-	-	-	-		
Old Saybrook	28	27	-	1	5	128	127	1	-	-	1	1	-	-	-	-	-	-		
Orange	98	86	2	10	5	116	114	1	1	1	1	1	-	-	-	-	-	-		
Oxford	99	93	-	5	6	83	81	1	-	-	3	3	-	-	-	-	-	-		
Plainfield	153	144	2	7	1	128	127	-	1	2	-	-	-	-	2	2	-	-		
Plainville	155	142	4	8	15	157	155	2	-	4	-	-	-	-	-	-	-	-		
Plymouth	103	99	-	4	5	107	104	2	1	2	1	1	-	-	-	-	-	-		
Pomfret	18	18	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-	-		
Portland	74	69	1	4	7	79	78	1	-	-	-	-	-	-	-	-	-	-		
Preston	31	30	-	1	2	51	50	-	-	1	-	-	-	-	-	-	-	-		
Prospect	67	63	1	3	4	108	105	2	1	-	2	2	-	-	-	-	-	-		
Putnam	108	102	2	4	4	112	105	1	5	1	-	-	-	-	1	-	-	1		
Redding	58	55	1	2	5	76	75	-	1	-	-	-	-	-	-	-	-	-		
Ridgefield	153	137	1	15	8	153	150	1	-	4	-	-	-	-	1	1	-	-		
Rocky Hill	197	121	6	70	11	216	192	14	8	8	-	-	-	-	2	-	1	1		
Roxbury	11	11	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-	-		
Salem	34	33	-	1	1	17	16	1	-	-	-	-	-	-	-	-	-	-		
Salisbury	24	23	-	1	-	48	48	-	-	-	-	-	-	-	-	-	-	-		
Scotland	14	14	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-	-		
Seymour	181	170	4	6	20	173	167	2	1	5	-	-	-	-	-	-	-	-		
Sharon	6	6	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-	-		
Shelton	318	266	26	26	39	393	380	9	4	10	-	-	-	-	-	-	-	-		
Sherman	20	19	-	1	1	26	26	-	-	2	-	-	-	-	-	-	-	-		
Simsbury	195	169	8	18	12	193	188	-	5	-	-	-	-	-	-	-	-	-		
Somers	59	59	-	-	-	77	77	-	-	1	-	-	-	-	-	-	-	-		
Southbury	93	88	2	3	4	342	341	1	-	4	-	-	-	-	-	-	-	-		
Southington	382	352	7	21	22	417	414	1	2	2	2	1	1	-	1	1	-	-		
South Windsor	209	167	7	35	12	218	207	3	8	2	-	-	-	-	-	-	-	-		
Sprague	37	31	-	4	4	24	23	-	1	-	-	-	-	-	-	-	-	-		
Stafford	109	104	1	4	2	110	110	-	-	-	1	1	-	-	1	1	-	-		
Stamford	1,875	1,327	228	319	606	820	689	108	18	58	10	3	4	3	1	5	5	-		
Sterling	31	30	-	1	1	26	25	1	-	2	-	-	-	-	-	-	-	-		
Stonington	112	104	-	8	4	282	275	1	6	3	1	1	-	-	-	-	-	-		
Stratford	501	354	107	39	110	569	519	46	3	26	4	3	1	-	2	4	1	2		

Connecticut Department of Public Health

TABLE 2B
CONNECTICUT, 2015

Resident Births, Deaths, Fetal Deaths, and Infant Deaths^a by Race and Hispanic Ethnicity^b for Counties, Health Districts, and Towns

GEOGRAPHIC AREA	RESIDENT BIRTHS					RESIDENT DEATHS					RESIDENT FETAL DEATHS					RESIDENT INFANT DEATHS				
	Mother's Race/Ethnicity					Decedent's Race/Ethnicity					Mother's Race/Ethnicity					Infant's Race/Ethnicity				
	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity
	Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other	
Suffield	107	100	2	5	3	132	130	1	-	-	-	-	-	-	-	-	-	-	-	-
Thomaston	58	58	-	-	5	71	71	-	-	-	2	2	-	-	-	-	-	-	-	-
Thompson	75	72	1	2	1	80	77	-	3	-	1	1	-	-	-	-	-	-	-	-
Tolland	104	94	-	10	2	109	105	2	2	-	1	1	-	-	-	-	-	-	-	-
Torrington	367	317	28	22	60	403	390	7	4	5	-	-	-	-	-	1	-	-	1	-
Trumbull	323	285	11	27	32	384	366	13	5	7	-	-	-	-	-	1	-	1	-	-
Union	2	2	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	331	248	30	53	35	265	257	7	1	3	1	1	-	-	-	2	2	-	-	1
Voluntown	22	20	-	2	1	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-
Wallingford	392	348	16	28	57	536	523	6	7	9	3	3	-	-	-	1	1	-	-	-
Warren	5	5	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	23	23	-	-	1	22	21	-	-	-	1	1	-	-	-	-	-	-	-	-
Waterbury	1,611	1,197	329	84	717	1,010	831	167	6	128	14	9	4	-	8	15	9	6	-	6
Waterford	134	120	2	12	12	238	226	7	5	5	1	1	-	-	-	-	-	-	-	-
Watertown	170	164	2	4	9	217	210	3	2	5	1	1	-	-	-	21	-	-	-	-
Westbrook	39	37	-	2	8	73	72	-	1	-	-	-	-	-	-	-	-	-	-	-
West Hartford	575	486	28	61	75	642	597	30	12	29	2	2	-	-	-	-	-	-	-	-
West Haven	622	413	151	58	178	445	383	56	4	15	2	2	-	-	-	6	2	3	1	-
Weston	62	54	-	8	8	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-
Westport	156	134	2	19	3	169	163	4	2	1	-	-	-	-	-	-	-	-	-	-
Wethersfield	228	202	7	17	24	276	270	5	1	11	1	1	-	-	-	-	-	-	-	-
Willington	31	26	-	5	1	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilton	136	111	1	23	10	148	144	2	2	-	1	1	-	-	-	1	1	-	-	-
Winchester	85	79	4	2	3	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-
Windham	287	264	10	13	148	215	207	4	2	21	-	-	-	-	-	1	1	-	-	1
Windsor	247	125	94	27	27	243	183	54	5	4	1	-	-	1	-	2	-	2	-	1
Windsor Locks	98	76	11	10	7	137	131	3	3	2	-	-	-	-	-	2	-	2	-	-
Wolcott	107	103	4	-	7	155	151	2	1	2	1	1	-	-	1	2	2	-	-	-
Woodbridge	61	52	2	7	4	101	98	2	1	-	1	1	-	-	-	1	1	-	-	-
Woodbury	66	61	1	4	2	81	81	-	-	-	1	1	-	-	-	1	1	-	-	-
Woodstock	57	56	1	-	-	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-
Out-Of-State	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown State	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown CT Town	11	7	2	2	2	27	25	1	-	5	-	-	-	-	-	-	-	-	-	-

NOTES:

^a A dash (-) represents the quantity zero.

^b Race and ethnicity as reported here are not mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race and are counted in the race breakdown as either "white," "black," or "other". "Other" refers to cases where a self-reported race is something other than "white" or "black" but is not "unknown". For reporting purposes, only the main components of race and only the Hispanic component of ethnicity are shown; counts for those of unknown race or ethnicity are omitted. Consequently, the race and/or the ethnicity components do not sum to the total number of events. For CT residents, race is unknown for 93 births, 127 deaths, 7 infant deaths, and 4 fetal deaths; ethnicity of CT residents is unknown for 95 births, 23 deaths, 0 infant deaths, and 9 fetal deaths.

^c Beginning with the 2010 Registration Reports, Health District statistics are tabulated using the districting that was in effect for the year during which these events occurred. Previous Registration Reports used the districting that was current at the time that the Registration Report was published.

TABLE 3
CONNECTICUT RESIDENT BIRTHS, 2015
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity; Infant's Sex; Place of Delivery; Plurality;
 Birth Order; Mother's Marital Status, Education, and Age; Initiation and Adequacy of Prenatal Care; and
 Smoking and Alcohol Use during Pregnancy^{a,b,c}

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							Un-known	% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^{e,f}			% Pre-mature ^{g,h}
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	WKS				37+ WKS	Un-known		
MOTHER'S RACE & ETHNICITY															
MOTHER'S RACE/ETHNICITY	35,711	62	202	292	2,276	19,862	12,979	38	1.6	7.9	3,334	32,338	39	9.3	
White non-Hispanic	19,976	14	80	111	1,081	10,411	8,268	11	1.0	6.4	1,624	18,333	19	8.1	
Black non-Hispanic	4,317	20	61	60	410	2,588	1,173	5	3.3	12.8	542	3,773	2	12.6	
Other non-Hispanic	3,004	3	13	34	229	1,906	816	3	1.7	9.3	286	2,716	2	9.5	
Hispanic	8,278	24	48	87	544	4,887	2,683	5	1.9	8.5	870	7,407	1	10.5	
Unknown Race/Ethn	136	1	-	-	12	70	39	14	b	b	12	109	15	9.9	
MOTHER'S RACE															
MOTHER'S RACE	35,711	62	202	292	2,276	19,862	12,979	38	1.6	7.9	3,334	32,338	39	9.3	
White	27,395	35	121	180	1,578	14,779	10,680	22	1.2	7.0	2,408	24,958	29	8.8	
Black	4,807	23	65	70	437	2,879	1,327	6	3.3	12.4	600	4,205	2	12.5	
Other	3,416	3	16	42	252	2,149	947	7	1.8	9.2	317	3,094	5	9.3	
Unknown	93	1	-	-	9	55	25	3	b	11.1	9	81	3	10.0	
MOTHER'S ETHNICITY															
MOTHER'S ETHNICITY	35,711	62	202	292	2,276	19,862	12,979	38	1.6	7.9	3,334	32,338	39	9.3	
Non-Hispanic	27,338	37	154	205	1,723	14,932	10,268	19	1.4	7.8	2,453	24,862	23	9.0	
Hispanic	8,278	24	48	87	544	4,887	2,683	5	1.9	8.5	870	7,407	1	10.5	
Unknown	95	1	-	-	9	43	28	14	b	b	11	69	15	13.8	
INFANT'S SEX															
MALE															
MALE	18,190	27	108	161	1,051	9,277	7,548	18	1.6	7.4	1,749	16,422	19	9.6	
White Non-Hispanic	10,241	9	43	72	490	4,791	4,830	6	1.2	6.0	859	9,372	10	8.4	
Black Non-Hispanic	2,209	9	37	26	183	1,265	686	3	3.3	11.6	284	1,924	1	12.9	
Other Non-Hispanic	1,479	3	4	19	117	875	460	1	1.8	9.7	155	1,323	1	10.5	
Hispanic	4,194	6	24	44	254	2,313	1,551	2	1.8	7.8	443	3,751	-	10.6	
Unknown Race/Ethn	67	-	-	-	7	33	21	6	b	11.5	8	52	7	13.3	
FEMALE															
FEMALE	17,521	35	94	131	1,225	10,585	5,431	20	1.5	8.5	1,585	15,916	20	9.1	
White Non-Hispanic	9,735	5	37	39	591	5,620	3,438	5	0.8	6.9	765	8,961	9	7.9	
Black Non-Hispanic	2,108	11	24	34	227	1,323	487	2	3.3	14.1	258	1,849	1	12.2	
Other Non-Hispanic	1,525	-	9	15	112	1,031	356	2	1.6	8.9	131	1,393	1	8.6	
Hispanic	4,084	18	24	43	290	2,574	1,132	3	2.1	9.2	427	3,656	1	10.5	
Unknown Race/Ethn	69	1	-	-	5	37	18	8	b	b	4	57	8	a	
UNKNOWN															
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PLACE OF DELIVERY															
IN-HOSPITAL															
IN-HOSPITAL	34,672	61	196	277	2,218	19,308	12,599	13	1.5	7.9	3,241	31,419	12	9.4	
White Non-Hispanic	19,204	13	75	104	1,044	10,017	7,950	1	1.0	6.4	1,557	17,640	7	8.1	
Black Non-Hispanic	4,262	20	61	57	404	2,554	1,161	5	3.2	12.7	537	3,723	2	12.6	
Other Non-Hispanic	2,925	3	13	32	224	1,856	795	2	1.6	9.3	279	2,644	2	9.5	
Hispanic	8,185	24	47	84	536	4,829	2,660	5	1.9	8.4	859	7,325	1	10.5	
Unknown Race/Ethn	96	1	-	-	10	52	33	-	a	11.5	9	87	-	9.4	
HOME BIRTH															
HOME BIRTH	236	-	-	-	8	105	123	-	a	3.4	5	229	2	2.1	
White Non-Hispanic	180	-	-	-	1	75	104	-	a	a	2	176	2	a	
Black Non-Hispanic	18	-	-	-	3	9	6	-	a	a	1	17	-	a	
Other Non-Hispanic	10	-	-	-	2	4	4	-	a	a	1	9	-	a	
Hispanic	25	-	-	-	2	16	7	-	a	a	1	24	-	a	
Unknown Race/Ethn	3	-	-	-	-	1	2	-	a	a	-	3	-	a	
Other AND UNKNOWN															
Other AND UNKNOWN	803	1	6	15	50	449	257	25	b	9.3	88	690	25	11.3	
White Non-Hispanic	592	1	5	7	36	319	214	10	2.2	8.4	65	517	10	11.2	
Black Non-Hispanic	37	-	-	3	3	25	6	-	a	16.2	4	33	-	a	
Other Non-Hispanic	69	-	-	2	3	46	17	1	a	7.4	6	63	-	8.7	
Hispanic	68	-	1	3	6	42	16	-	a	14.7	10	58	-	14.7	
Unknown Race/Ethn	37	-	-	-	2	17	4	14	b	b	3	19	15	a	
PLURALITY															
SINGLETONS															
SINGLETONS	34,238	46	143	195	1,628	19,235	12,958	33	1.1	5.9	2,506	31,694	38	7.3	
White Non-Hispanic	19,082	8	44	66	711	9,988	8,255	10	0.6	4.3	1,139	17,925	18	6.0	
Black Non-Hispanic	4,133	16	49	43	327	2,526	1,168	4	2.6	10.5	442	3,689	2	10.7	
Other Non-Hispanic	2,895	3	10	24	175	1,864	816	3	1.3	7.3	231	2,662	2	8.0	
Hispanic	8,000	18	40	62	405	4,793	2,680	2	1.5	6.6	687	7,312	1	8.6	
Unknown Race/Ethn	128	1	-	-	10	64	39	14	b	b	7	106	15	6.2	
MULTIPLE BIRTHS															
MULTIPLE BIRTHS	1,472	16	59	97	648	627	21	4	11.7	55.9	828	644	-	56.3	
White Non-Hispanic	893	6	36	45	370	423	13	-	9.7	51.2	485	408	-	54.3	
Black Non-Hispanic	184	4	12	17	83	62	5	1	18.0	63.4	100	84	-	54.3	
Other Non-Hispanic	109	-	3	10	54	42	-	-	11.9	61.5	55	54	-	50.5	
Hispanic	278	6	8	25	139	94	3	3	14.2	64.7	183	95	-	65.8	
Unknown Race/Ethn	8	-	-	-	2	6	-	-	a	a	5	3	-	62.5	
UNKNOWN															
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 3
CONNECTICUT RESIDENT BIRTHS, 2015
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity; Infant's Sex; Place of Delivery; Plurality;
 Birth Order; Mother's Marital Status, Education, and Age; Initiation and Adequacy of Prenatal Care; and
 Smoking and Alcohol Use during Pregnancy^{a,b,c}

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^a							Un-known	% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^{b,d}			% Pre-mature ^d
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	17-36 WKS				37+ WKS	Un-known		
LIVE BIRTH ORDER															
FIRST BORN	14,677	34	86	120	954	8,634	4,839	10	1.6	8.1	1,302	13,371	4	8.9	
White Non-Hispanic	8,643	9	32	46	470	4,855	3,228	3	1.0	6.4	672	7,967	4	7.8	
Black Non-Hispanic	1,677	11	25	22	172	1,046	399	2	3.5	13.7	203	1,474	-	12.1	
Other Non-Hispanic	1,421	1	4	15	102	938	360	1	1.4	8.6	124	1,297	-	8.7	
Hispanic	2,892	13	25	37	205	1,770	838	4	2.6	9.7	301	2,591	-	10.4	
Unknown Race/Ethn	44	-	-	-	5	25	14	-	a	11.4	2	42	-	a	
SECOND BORN	12,492	16	63	85	715	6,658	4,947	8	1.3	7.0	1,075	11,408	9	8.6	
White Non-Hispanic	7,226	4	24	35	350	3,536	3,274	3	0.9	5.7	549	6,670	7	7.6	
Black Non-Hispanic	1,345	4	20	15	99	811	394	2	2.9	10.3	145	1,198	2	10.8	
Other Non-Hispanic	1,093	1	6	13	86	668	317	2	1.8	9.7	103	990	-	9.4	
Hispanic	2,785	6	13	22	179	1,615	949	1	1.5	7.9	274	2,511	-	9.8	
Unknown Race/Ethn	43	1	-	-	1	28	13	-	a	a	4	39	-	a	
THIRD OR MORE	8,518	12	53	87	604	4,566	3,192	4	1.8	8.9	954	7,555	9	11.2	
White Non-Hispanic	4,101	1	24	30	261	2,016	1,766	3	1.3	7.7	402	3,693	6	9.8	
Black Non-Hispanic	1,295	5	16	23	139	731	380	1	3.4	14.1	194	1,101	-	15.0	
Other Non-Hispanic	490	1	3	6	41	300	139	-	2.0	10.4	59	429	2	12.1	
Hispanic	2,599	5	10	28	158	1,502	896	-	1.7	7.7	293	2,305	1	11.3	
Unknown Race/Ethn	33	-	-	-	5	17	11	-	a	15.2	6	27	-	18.2	
UNKNOWN	24	-	-	-	3	4	1	16	b	b	3	4	17	b	
White Non-Hispanic	6	-	-	-	-	4	-	2	b	b	1	3	2	a	
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	2	-	-	-	2	-	-	-	a	a	2	-	-	a	
Unknown Race/Ethn	16	-	-	-	1	-	1	14	b	b	-	1	15	b	
MOTHER'S MARITAL STATUS															
MARRIED	22,308	18	88	167	1,236	12,023	8,747	29	1.2	6.8	1,885	20,395	28	8.5	
White Non-Hispanic	15,190	8	49	87	761	7,766	6,509	10	0.9	6.0	1,176	14,001	13	7.7	
Black Non-Hispanic	1,505	3	21	21	127	876	456	1	3.0	11.4	189	1,316	-	12.6	
Other Non-Hispanic	2,507	2	6	27	186	1,616	667	3	1.4	8.8	227	2,278	2	9.1	
Hispanic	3,005	5	12	32	156	1,713	1,084	3	1.6	6.8	285	2,720	-	9.5	
Unknown Race/Ethn	101	-	-	-	6	52	31	12	b	b	8	80	13	9.1	
UNMARRIED	13,391	42	114	125	1,038	7,835	4,229	8	2.1	9.9	1,446	11,935	10	10.8	
White Non-Hispanic	4,782	5	31	24	320	2,644	1,757	1	1.3	7.9	447	4,329	6	9.4	
Black Non-Hispanic	2,812	17	40	39	283	1,712	717	4	3.4	13.5	353	2,457	2	12.6	
Other Non-Hispanic	497	1	7	7	43	290	149	-	3.0	11.7	59	438	-	11.9	
Hispanic	5,270	19	36	55	388	3,171	1,599	2	2.1	9.5	585	4,684	1	11.1	
Unknown Race/Ethn	30	-	-	-	4	18	7	1	b	a	2	27	1	a	
UNKNOWN	12	2	-	-	2	4	3	1	a	a	3	8	1	a	
White Non-Hispanic	4	1	-	-	-	1	2	-	a	a	1	3	-	a	
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	3	-	-	-	-	3	-	-	a	a	-	3	-	a	
Unknown Race/Ethn	5	1	-	-	2	-	1	1	a	a	2	2	1	a	
MOTHER'S EDUCATION															
HIGH SCHOOL (<=11)	3,436	3	24	37	261	2,062	1,049	-	1.9	9.5	378	3,056	2	11.0	
White Non-Hispanic	596	-	3	4	45	341	203	-	1.2	8.7	66	529	1	11.1	
Black Non-Hispanic	447	-	4	7	53	272	111	-	2.5	14.3	49	398	-	11.0	
Other Non-Hispanic	192	-	1	2	19	119	51	-	a	11.5	27	165	-	14.1	
Hispanic	2,195	3	16	24	144	1,324	684	-	2.0	8.5	236	1,958	1	10.8	
Unknown Race/Ethn	6	-	-	-	-	6	-	-	a	a	-	6	-	a	
HIGH SCHOOL (12)	8,283	24	68	78	586	4,747	2,773	7	2.1	9.1	837	7,440	6	10.1	
White Non-Hispanic	3,462	4	26	14	213	1,875	1,327	3	1.3	7.4	305	3,152	5	8.8	
Black Non-Hispanic	1,473	8	24	26	133	880	401	1	3.9	13.0	188	1,284	1	12.8	
Other Non-Hispanic	433	1	3	9	33	257	129	1	3.0	10.6	44	389	-	10.2	
Hispanic	2,890	11	15	29	202	1,722	909	2	1.9	8.9	296	2,594	-	10.2	
Unknown Race/Ethn	25	-	-	-	5	13	7	-	a	20.0	4	21	-	a	
COLLEGE (13-16 YRS)	15,033	30	73	113	916	8,223	5,662	16	1.4	7.5	1,362	13,655	16	9.1	
White Non-Hispanic	9,321	6	31	51	496	4,814	3,920	3	0.9	6.3	738	8,577	6	7.9	
Black Non-Hispanic	1,884	12	24	25	172	1,130	517	4	3.2	12.4	247	1,636	1	13.1	
Other Non-Hispanic	1,256	2	5	8	91	804	345	1	1.2	8.4	107	1,147	2	8.5	
Hispanic	2,510	10	13	29	156	1,438	862	2	2.1	8.3	268	2,242	-	10.7	
Unknown Race/Ethn	62	-	-	-	1	37	18	6	b	b	2	53	7	a	
POST-COLLEGE (17+YRS)	8,872	3	37	64	500	4,786	3,470	12	1.2	6.8	739	8,121	12	8.3	
White Non-Hispanic	6,572	3	20	42	323	3,372	2,807	5	1.0	5.9	508	6,057	7	7.7	
Black Non-Hispanic	501	-	9	2	50	299	141	-	2.2	12.2	55	446	-	11.0	
Other Non-Hispanic	1,119	-	4	15	86	724	289	1	1.7	9.4	107	1,012	-	9.6	
Hispanic	649	-	4	5	39	379	221	1	1.4	7.4	67	582	-	10.3	
Unknown Race/Ethn	31	-	-	-	2	12	12	5	b	b	2	24	5	a	
UNKNOWN	87	2	-	-	13	44	25	3	b	17.9	18	66	3	21.4	
White Non-Hispanic	25	1	-	-	4	9	11	-	a	20.0	7	18	-	28.0	
Black Non-Hispanic	12	-	-	-	2	7	3	-	a	a	3	9	-	a	
Other Non-Hispanic	4	-	-	-	-	2	2	-	a	a	1	3	-	a	
Hispanic	34	-	-	-	3	24	7	-	a	a	3	31	-	a	
Unknown Race/Ethn	12	1	-	-	4	2	2	3	b	55.6	4	5	3		

TABLE 3
CONNECTICUT RESIDENT BIRTHS, 2015
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity; Infant's Sex; Place of Delivery; Plurality;
 Birth Order; Mother's Marital Status, Education, and Age; Initiation and Adequacy of Prenatal Care; and
 Smoking and Alcohol Use during Pregnancy^{a,b,c}

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^a						Un-known	% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^{b,d}			% Pre-mature ^{f,i}
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+				17-36 WKS	37+ WKS	Un-known	
MOTHER'S AGE														
LESS THAN 15 YRS	10	-	-	1	2	6	1	a	a	4	6	-	a	
White Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black Non-Hispanic	4	-	-	-	1	3	-	a	a	2	2	-	a	
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	6	-	-	1	1	3	1	a	a	2	4	-	a	
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	
15 YRS	36	-	-	-	3	26	7	a	a	1	35	-	a	
White Non-Hispanic	5	-	-	-	-	2	3	a	a	-	5	-	a	
Black Non-Hispanic	11	-	-	-	-	11	-	a	a	-	11	-	a	
Other Non-Hispanic	2	-	-	-	-	1	1	a	a	-	2	-	a	
Hispanic	18	-	-	-	3	12	3	a	a	1	17	-	a	
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	
16 YRS	106	-	2	1	10	69	24	a	12.3	12	94	-	11.3	
White Non-Hispanic	14	-	-	-	2	8	4	a	a	-	14	-	a	
Black Non-Hispanic	20	-	-	-	3	13	4	a	a	3	17	-	a	
Other Non-Hispanic	2	-	-	-	-	2	-	a	a	-	2	-	a	
Hispanic	70	-	2	1	5	46	16	a	11.4	9	61	-	12.9	
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	
17 YRS	182	-	1	3	23	105	50	a	14.8	25	157	-	13.7	
White Non-Hispanic	34	-	-	-	4	18	12	a	a	5	29	-	14.7	
Black Non-Hispanic	41	-	1	-	7	21	12	a	19.5	5	36	-	12.2	
Other Non-Hispanic	8	-	-	-	2	3	3	a	a	3	5	-	a	
Hispanic	99	-	-	3	10	63	23	a	13.1	12	87	-	12.1	
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	
18 YRS	353	1	5	3	30	232	82	2.5	11.0	38	315	-	10.8	
White Non-Hispanic	96	-	1	-	6	58	31	a	7.3	4	92	-	a	
Black Non-Hispanic	60	-	3	1	4	46	6	a	13.3	10	50	-	16.7	
Other Non-Hispanic	12	-	-	-	-	5	7	a	a	1	11	-	a	
Hispanic	184	1	1	2	20	122	38	a	13.0	23	161	-	12.5	
Unknown Race/Ethn	1	-	-	-	-	1	-	a	a	-	1	-	a	
19 YRS	564	-	7	6	50	364	137	2.3	11.2	63	501	-	11.2	
White Non-Hispanic	128	-	2	-	4	75	47	a	4.7	12	116	-	9.4	
Black Non-Hispanic	105	-	1	2	14	63	25	a	16.2	15	90	-	14.3	
Other Non-Hispanic	24	-	2	-	1	18	3	a	a	3	21	-	a	
Hispanic	306	-	2	4	30	208	62	2.0	11.8	33	273	-	10.8	
Unknown Race/Ethn	1	-	-	-	1	-	-	a	a	-	1	-	a	
20-24 YRS	5,164	15	35	46	334	3,065	1,664	1.9	8.3	469	4,688	7	9.1	
White Non-Hispanic	1,828	3	8	8	96	1,006	705	2	1.0	6.3	152	1,672	4	8.3
Black Non-Hispanic	927	6	12	13	79	576	240	1	3.3	11.9	94	832	1	10.2
Other Non-Hispanic	291	-	1	-	25	188	77	-	a	8.9	22	269	-	7.6
Hispanic	2,103	6	14	25	132	1,285	640	1	2.1	8.4	200	1,902	1	9.5
Unknown Race/Ethn	15	-	-	-	2	10	2	1	b	a	1	13	1	a
25-29 YRS	9,352	18	54	61	530	5,297	3,383	9	1.4	7.1	775	8,570	7	8.3
White Non-Hispanic	5,011	3	22	21	238	2,660	2,065	2	0.9	5.7	354	4,654	3	7.1
Black Non-Hispanic	1,212	5	18	12	101	739	334	3	2.9	11.2	134	1,078	-	11.1
Other Non-Hispanic	762	2	4	10	46	499	201	-	2.1	8.1	57	705	-	7.5
Hispanic	2,332	8	10	18	143	1,383	770	-	1.5	7.7	229	2,103	-	9.8
Unknown Race/Ethn	35	-	-	-	2	16	13	4	b	b	1	30	4	a
30-34 YRS	12,035	22	57	97	730	6,558	4,558	13	1.5	7.5	1,102	10,919	14	9.2
White Non-Hispanic	7,833	7	28	50	420	4,033	3,291	4	1.1	6.5	647	7,180	6	8.3
Black Non-Hispanic	1,080	6	14	15	95	655	294	1	3.2	12.0	123	956	1	11.4
Other Non-Hispanic	1,157	-	4	16	95	742	299	1	1.7	9.9	118	1,037	2	10.2
Hispanic	1,918	8	11	16	115	1,104	662	2	1.8	7.8	209	1,709	-	10.9
Unknown Race/Ethn	47	1	-	-	5	24	12	5	b	14.3	5	37	5	11.9
35-39 YRS	6,230	5	30	56	408	3,249	2,472	10	1.5	8.0	615	5,605	10	9.9
White Non-Hispanic	4,003	1	17	28	228	2,012	1,714	3	1.2	6.9	336	3,661	6	8.4
Black Non-Hispanic	657	2	5	12	73	356	209	-	2.9	14.0	104	553	-	15.8
Other Non-Hispanic	572	1	2	5	47	342	174	1	1.4	9.6	61	511	-	10.7
Hispanic	981	1	6	11	59	532	370	2	1.8	7.9	112	869	-	11.4
Unknown Race/Ethn	17	-	-	-	1	7	5	4	b	b	2	11	4	a
40-44 YRS	1,341	1	11	14	115	688	512	-	1.9	10.5	171	1,169	1	12.8
White Non-Hispanic	817	-	2	4	59	419	333	-	0.7	8.0	80	737	-	9.8
Black Non-Hispanic	169	1	7	4	27	86	44	-	7.1	23.1	45	124	-	26.6
Other Non-Hispanic	133	-	-	2	11	78	42	-	a	9.8	17	116	-	12.8
Hispanic	219	-	2	4	18	105	90	-	2.7	11.0	29	190	-	13.2
Unknown Race/Ethn	3	-	-	-	-	-	3	-	a	a	-	2	1	a
45+ YRS	123	-	-	-	29	64	30	-	a	23.6	33	90	-	26.8
White Non-Hispanic	77	-	-	-	16	39	22	-	a	20.8	18	59	-	23.4
Black Non-Hispanic	17	-	-	-	6	9	2	-	a	35.3	6	11	-	35.3
Other Non-Hispanic	10	-	-	-	2	6	2	-	a	a	2	8	-	a
Hispanic	16	-	-	-	4	9	3	-	a	a	5	11	-	31.3
Unknown Race/Ethn	3	-	-	-	1	1	1	-	a	a	2	1	-	a
UNKNOWN	215	-	-	4	12	139	59	1	a	7.5	26	189	-	12.1
White Non-Hispanic	130	-	-	-	8	81	41	-	a	6.2	16	114	-	12.3
Black Non-Hispanic	14	-	-	1	-	10	3	-	a	a	1	13	-	a
Other Non-Hispanic	31	-	-	1	-	22	7	1	a	a	2	29	-	a
Hispanic	26	-	-	2	4	15	5	-	a	23.1	6	20	-	23.1
Unknown Race/Ethn	14	-	-	-	-	11	3	-	a	a	1	13	-	a

TABLE 3
CONNECTICUT RESIDENT BIRTHS, 2015
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity; Infant's Sex; Place of Delivery; Plurality;
 Birth Order; Mother's Marital Status, Education, and Age; Initiation and Adequacy of Prenatal Care; and
 Smoking and Alcohol Use during Pregnancy^{a,b,c}

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^a							Un-known	% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^{b,d}			% Pre-mature ^d
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	17-36 WKS				37+ WKS	Un-known		
INITIATION OF PRENATAL CARE															
NONE	95	3	5	5	13	47	21	1	13.8	27.7	30	57	8	34.5	
White Non-Hispanic	54	2	3	2	4	29	14	-	13.0	20.4	13	36	5	26.5	
Black Non-Hispanic	17	1	1	1	7	1	5	1	a	62.5	8	8	1	50.0	
Other Non-Hispanic	2	-	-	-	-	2	-	-	a	a	1	-	1	a	
Hispanic	21	-	1	2	1	15	2	-	a	a	7	13	1	35.0	
Unknown Race/Ethn	1	-	-	-	1	-	-	-	a	a	1	-	-	a	
FIRST TRIMESTER															
White Non-Hispanic	18,324	12	69	94	974	9,528	7,639	8	1.0	6.3	1,466	16,848	10	8.0	
Black Non-Hispanic	3,513	19	50	50	323	2,109	958	4	3.4	12.6	446	3,066	1	12.7	
Other Non-Hispanic	2,616	3	12	21	195	1,657	725	3	1.4	8.8	238	2,377	1	9.1	
Hispanic	6,842	21	34	66	424	4,052	2,240	5	1.8	8.0	698	6,144	-	10.2	
Unknown Race/Ethn	107	-	-	-	7	60	31	9	b	b	8	89	10	8.2	
SECOND TRIMESTER															
White Non-Hispanic	1,324	3	27	43	270	1,979	1,136	4	2.1	9.9	347	3,111	4	10.0	
Black Non-Hispanic	626	-	6	13	85	709	509	2	1.4	7.9	118	1,204	2	8.9	
Other Non-Hispanic	311	-	9	7	63	374	173	-	2.6	12.6	69	557	-	11.0	
Hispanic	1,183	-	7	26	198	80	-	-	2.3	10.6	31	280	-	10.0	
Unknown Race/Ethn	18	2	12	16	94	691	368	-	2.5	10.5	127	1,056	-	10.7	
THIRD TRIMESTER															
White Non-Hispanic	615	-	1	7	52	364	191	-	1.3	9.8	69	546	-	11.2	
Black Non-Hispanic	219	-	-	2	15	116	86	-	a	7.8	21	198	-	9.6	
Other Non-Hispanic	138	-	1	2	13	92	30	-	a	11.6	14	124	-	10.1	
Hispanic	63	-	-	2	6	45	10	-	a	12.7	10	53	-	15.9	
Unknown Race/Ethn	4	-	-	1	17	109	64	-	a	9.4	23	168	-	12.0	
UNKNOWN															
White Non-Hispanic	137	1	4	6	18	66	38	4	8.3	21.8	32	100	5	24.2	
Black Non-Hispanic	55	-	2	-	3	29	20	1	a	9.3	6	47	2	11.3	
Other Non-Hispanic	23	-	-	-	4	12	7	-	a	a	5	18	-	21.7	
Hispanic	12	-	1	4	2	4	1	-	41.7	58.3	6	6	-	50.0	
Unknown Race/Ethn	41	1	1	2	8	20	9	-	a	29.3	15	26	-	36.6	
ADEQUACY OF PRENATAL CARE (APNCU INDEX)															
INTENSIVE	12,465	50	116	188	1,335	6,843	3,925	8	2.8	13.6	2,105	10,358	2	16.9	
White Non-Hispanic	7,026	9	50	76	681	3,749	2,461	-	1.9	11.6	1,059	5,967	-	15.1	
Black Non-Hispanic	1,467	15	34	41	224	794	356	3	6.1	21.4	341	1,125	1	23.3	
Other Non-Hispanic	1,018	2	9	20	132	613	239	3	3.1	16.1	178	839	1	17.5	
Hispanic	2,910	23	23	51	294	1,663	854	2	3.3	13.4	519	2,391	-	17.8	
Unknown Race/Ethn	44	1	-	-	4	24	15	-	a	11.4	8	36	-	18.2	
ADEQUATE	14,525	5	34	29	477	8,150	5,827	3	0.5	3.8	573	13,950	2	3.9	
White Non-Hispanic	8,561	2	10	14	220	4,425	3,889	1	0.3	2.9	277	8,282	2	3.2	
Black Non-Hispanic	1,549	2	15	7	85	988	452	-	1.5	7.0	85	1,464	-	5.5	
Other Non-Hispanic	1,264	1	1	-	58	826	378	-	a	4.7	54	1,210	-	4.3	
Hispanic	3,107	-	8	8	113	1,881	1,095	2	0.5	4.2	157	2,950	-	5.1	
Unknown Race/Ethn	44	-	-	-	1	30	13	-	a	a	-	44	-	a	
INTERMEDIATE	5,248	3	22	19	194	2,886	2,122	2	0.8	4.5	273	4,975	-	5.2	
White Non-Hispanic	2,895	1	11	7	81	1,454	1,341	-	0.7	3.5	134	2,761	-	4.6	
Black Non-Hispanic	650	2	5	2	39	404	197	1	1.4	7.4	44	606	-	6.8	
Other Non-Hispanic	409	-	1	3	13	267	125	-	a	4.2	19	390	-	4.6	
Hispanic	1,275	-	5	7	59	751	452	1	0.9	5.6	75	1,200	-	5.9	
Unknown Race/Ethn	19	-	-	-	2	10	7	-	a	a	1	18	-	a	
INADEQUATE	3,113	3	19	39	234	1,814	1,003	1	2.0	9.5	306	2,799	8	9.9	
White Non-Hispanic	1,304	2	7	9	87	689	510	-	1.4	8.1	127	1,172	5	9.8	
Black Non-Hispanic	596	1	3	7	53	376	155	1	1.8	10.8	55	540	1	9.2	
Other Non-Hispanic	295	-	-	7	24	191	73	-	2.4	10.5	28	266	1	9.5	
Hispanic	909	-	9	16	67	554	263	-	2.8	10.1	93	815	1	10.2	
Unknown Race/Ethn	9	-	-	-	3	4	2	-	a	a	3	6	-	a	
UNKNOWN															
White Non-Hispanic	360	1	11	17	36	169	102	24	8.6	19.3	77	256	27	23.1	
Black Non-Hispanic	190	-	2	5	12	94	67	10	b	10.6	27	151	12	15.2	
Other Non-Hispanic	55	-	4	3	9	26	13	-	12.7	29.1	17	38	-	30.9	
Hispanic	18	-	2	4	2	9	1	-	33.3	44.4	7	11	-	38.9	
Unknown Race/Ethn	77	1	3	5	11	38	19	-	11.7	26.0	26	51	-	33.8	
SMOKING DURING PREGNANCY															
YES	1,244	4	9	17	145	783	284	2	2.4	14.1	149	1,093	2	12.0	
White Non-Hispanic	814	3	5	8	96	505	196	1	2.0	13.8	92	721	1	11.3	
Black Non-Hispanic	140	-	-	6	17	85	32	-	4.3	16.4	21	119	-	15.0	
Other Non-Hispanic	43	1	1	-	8	20	13	-	a	23.3	8	35	-	18.6	
Hispanic	241	-	3	3	23	170	42	-	2.5	12.0	28	213	-	11.6	
Unknown Race/Ethn	6	-	-	-	1	3	1	1	b	a	-	5	1	a	
NO	34,434	58	193	275	2,129	19,063	12,684	32	1.5	7.7	3,183	31,218	33	9.3	
White Non-Hispanic	19,147	11	75	103	984	9,898	8,067	9	1.0	6.1	1,531	17,599	17	8.0	
Black Non-Hispanic	4,172	20	61	54	393	2,500	1,139	5	3.2	12.7	521	3,649	2	12.5	
Other Non-Hispanic	2,960	2	12	34	221	1,885	803	3	1.6	9.1	278	2,680	2	9.4	
Hispanic	8,029	24	45	84	521	4,713	2,637	5	1.9	8.4	842	7,186	1	10.5	
Unknown Race/Ethn	126	1	-	-	10	67	38	10	b	9.5	11	104	11	9.6	
UNKNOWN															
White Non-Hispanic	33	-	-	-	2	16	11	4	b	b	2	27	4	a	
Black Non-Hispanic	15	-	-	-	1	8	5	1	b	a	1	13	1	a	
Other Non-Hispanic	5	-	-	-	-	3	2	-	a	a	-	5	-	a	
Hispanic	1	-	-	-	-	1	-	-	a	a	-	1	-	a	
Unknown Race/Ethn	8	-	-	-	-	4	4	-	a	a	-	8	-	a	
Unknown Race/Ethn	4	-	-	-	1	-	-	3	b	b	1	-	3	b	

TABLE 3
CONNECTICUT RESIDENT BIRTHS, 2015
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity; Infant's Sex; Place of Delivery; Plurality;
 Birth Order; Mother's Marital Status, Education, and Age; Initiation and Adequacy of Prenatal Care; and
 Smoking and Alcohol Use during Pregnancy^{a,b,c}

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							Un-known	% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^{e,i}			% Pre-mature ^{f,j}
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	17-36 WKS				37+ WKS	Un-known		
ALCOHOL USE DURING PREGNANCY															
YES	90	-	2	4	9	53	22	-	6.7	16.7	9	79	2	10.2	
White Non-Hispanic	55	-	-	4	6	30	15	-	a	18.2	5	48	2	9.4	
Black Non-Hispanic	14	-	-	-	2	9	3	-	a	a	1	13	-	a	
Other Non-Hispanic	3	-	-	-	-	3	-	-	a	a	-	3	-	a	
Hispanic	17	-	2	-	1	11	3	-	a	a	3	14	-	a	
Unknown Race/Ethn	1	-	-	-	-	-	1	-	a	a	-	1	-	a	
NO	34,791	61	194	273	2,216	19,348	12,686	13	1.5	7.9	3,236	31,543	12	9.3	
White Non-Hispanic	19,320	13	75	100	1,039	10,058	8,034	1	1.0	6.4	1,554	17,759	7	8.0	
Black Non-Hispanic	4,259	20	61	57	405	2,552	1,159	5	3.2	12.8	537	3,720	2	12.6	
Other Non-Hispanic	2,930	3	13	32	226	1,855	799	2	1.6	9.4	280	2,648	2	9.6	
Hispanic	8,185	24	45	84	537	4,830	2,660	5	1.9	8.4	857	7,327	1	10.5	
Unknown Race/Ethn	97	1	-	-	9	53	34	-	a	10.3	8	89	-	8.2	
UNKNOWN	830	1	6	15	51	461	271	25	b	9.1	89	716	25	11.1	
White Non-Hispanic	601	1	5	7	36	323	219	10	2.2	8.3	65	526	10	11.0	
Black Non-Hispanic	44	-	-	3	3	27	11	-	a	13.6	4	40	-	a	
Other Non-Hispanic	71	-	-	2	3	48	17	1	a	7.1	6	65	-	8.5	
Hispanic	76	-	1	3	6	46	20	-	a	13.2	10	66	-	13.2	
Unknown Race/Ethn	38	-	-	-	3	17	4	14	b	b	4	19	15	a	

NOTES:

Starting with 2007 births, the reported birthweight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics. The quality assurance edits for GAGE include 1) changing the GAGE range to 17-47 weeks; 2) applying a series of consistency checks between BWT, GAGE based on mother's report of last menstrual period (LMP), and clinical estimate of GAGE; and 3) imputing GAGE using values from records with similar BWT and race/ethnicity for births where month and year of LMP is known but day of LMP is unknown. The imputation process used by NCHS to impute unknown GAGE values cannot be precisely reproduced at the state level; however, DPH staff developed an analytic process to approximate it.

^a Percentages were not calculated for less than five events because of the high degree of variability associated with small numbers. Denominators used for calculating percentages exclude records with missing data (i.e., denominator = total births minus unknowns).

^b Percentages were not calculated when the number of unknown events was greater than the number of known events

^c A dash (-) represents the quantity zero.

^d In 2015, BWT was recoded to 'unknown' for 14 records where BWT values were inconsistent with both clinical and LMP-based estimates of gestational age.

^e In 2015, 702 gestational age values were imputed of which 8.55% were preterm.

^f "Prematurity" refers to births of less than 37 weeks gestation for events where gestational age was known or imputed.

^g Mother's Race/Ethnicity represents mutually exclusive groups.

^h "Live birth order" identifies the birth order of each child based on the current pregnancy and all previous pregnancies.

ⁱ "Trimester of initiation of prenatal care" refers to the pregnancy stage in which the first prenatal visit occurred.

Beginning with the 2015 data year, Connecticut has transitioned to using the obstetric estimate of gestation at delivery as the measure for gestational age. This transition is consistent with the National Center for Health Statistic's transition in 2015 to using the obstetric estimate of gestation at delivery (OE) instead of the date of the last normal menses (LMP). This transition is being made because of increasing evidence of the greater validity of the OE compared with the LMP-based measure.

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{a,b}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		TIMING (Late ^e or None)	PRENATAL CARE ADEQUACY (APNCU Index)				FOREIGN-BORN MOTHERS ^f						
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT		Non-Adequate ^g	Adequate	Intensive								
		No.	%	No.	%	No.	%	No.	%		No.	%	No.	%							
CONNECTICUT																					
MOTHER'S RACE/ETHN	35,711	10	0.0	334	0.9	1,251	3.5	556	1.6	2,832	7.9	4,172	11.7	8,361	23.7	14,525	41.1	12,465	35.3	10,519	29.5
White non-Hisp	19,976	-	a	53	0.3	277	1.4	205	1.0	1,286	6.4	1,597	8.0	4,199	21.2	8,561	43.3	7,026	35.5	2,416	12.1
Black non-Hisp	4,317	4	a	76	1.8	241	5.6	141	3.3	551	12.8	781	18.2	1,246	29.2	1,549	36.3	1,467	34.4	1,421	32.9
Other non-Hisp	3,004	-	a	12	0.4	48	1.6	50	1.7	279	9.3	376	12.6	704	23.6	1,264	42.3	1,018	34.1	2,265	75.4
Hispanic	8,278	6	0.1	193	2.3	683	8.3	159	1.9	703	8.5	1,395	16.9	2,184	26.6	3,107	37.9	2,910	35.5	4,382	53.0
Unk Race/Ethn	136	-	a	-	-	2	a	1	a	13	10.7	23	17.7	28	24.1	44	37.9	44	37.9	35	26.7
MOTHER'S RACE	35,711	10	0.0	334	0.9	1,251	3.5	556	1.6	2,832	7.9	4,172	11.7	8,361	23.7	14,525	41.1	12,465	35.3	10,519	29.5
White	27,395	4	a	212	0.8	872	3.2	336	1.2	1,914	7.0	2,842	10.4	6,184	22.8	11,331	41.8	9,616	35.4	6,328	23.1
Black	4,807	5	0.1	97	2.0	290	6.1	158	3.3	595	12.4	868	18.2	1,362	28.7	1,737	36.6	1,647	34.7	1,618	33.7
Other	3,416	1	a	24	0.7	85	2.5	61	1.8	313	9.2	440	12.9	794	23.4	1,431	42.2	1,163	34.3	2,527	74.0
Unknown	93	-	a	1	a	4	a	1	a	10	11.1	22	25.3	21	24.4	26	30.2	39	45.3	46	52.3
MOTHER'S ETHNICITY	35,711	10	0.0	334	0.9	1,251	3.5	556	1.6	2,832	7.9	4,172	11.7	8,361	23.7	14,525	41.1	12,465	35.3	10,519	29.5
Non-Hispanic	27,338	4	a	141	0.5	567	2.1	396	1.4	2,119	7.8	2,758	10.1	6,160	22.8	11,389	42.1	9,524	35.2	6,121	22.4
Hispanic	8,278	6	0.1	193	2.3	683	8.3	159	1.9	703	8.5	1,395	16.9	2,184	26.6	3,107	37.9	2,910	35.5	4,382	53.0
Unknown	95	-	a	-	-	1	a	1	a	10	12.3	19	20.9	17	22.1	29	37.7	31	40.3	16	17.8
COUNTIES																					
Fairfield County	10,086	3	a	89	0.9	288	2.9	140	1.4	771	7.7	1,236	12.3	2,386	23.8	4,090	40.8	3,543	35.4	4,099	40.7
White non-Hisp	5,083	-	a	6	0.1	25	0.5	44	0.9	319	6.3	381	7.5	1,054	20.8	2,152	42.6	1,850	36.6	1,004	19.8
Black non-Hisp	1,198	1	a	22	1.9	60	5.0	38	3.2	149	12.4	216	18.1	372	31.4	444	37.4	370	31.2	492	41.1
Other non-Hisp	933	-	a	1	a	9	1.0	10	1.1	77	8.3	104	11.2	208	22.3	402	43.2	321	34.5	737	79.0
Hispanic	2,834	2	a	60	2.1	193	6.9	48	1.7	224	7.9	532	18.8	746	26.5	1,080	38.4	988	35.1	1,858	65.7
Unk Race/Ethn	38	-	a	-	-	1	a	-	-	2	a	3	a	6	18.8	12	37.5	14	43.8	8	21.1
Hartford County	9,252	2	a	96	1.0	361	3.9	162	1.8	815	8.8	1,211	13.1	3,185	34.6	3,641	39.6	2,367	25.7	2,811	30.4
White non-Hisp	4,552	-	a	10	0.2	55	1.2	40	0.9	302	6.6	458	10.1	1,590	35.1	1,872	41.3	1,069	23.6	568	12.5
Black non-Hisp	1,459	-	a	20	1.4	76	5.2	60	4.1	197	13.5	247	17.0	509	35.2	541	37.4	395	27.3	527	36.1
Other non-Hisp	903	-	a	2	a	6	0.7	12	1.3	89	9.9	145	16.1	292	32.5	387	43.0	220	24.5	743	82.3
Hispanic	2,290	2	a	64	2.8	223	9.7	49	2.1	220	9.6	352	15.4	781	34.3	826	36.3	671	29.5	955	41.8
Unk Race/Ethn	48	-	a	-	-	1	a	1	a	7	16.7	9	19.1	13	32.5	15	37.5	12	30.0	18	40.9
Litchfield County	1,441	-	a	2	a	27	1.9	19	1.3	94	6.5	123	8.6	211	14.7	662	46.2	559	39.0	181	12.6
White non-Hisp	1,240	-	a	2	a	21	1.7	16	1.3	82	6.6	95	7.7	173	14.0	567	46.0	493	40.0	67	5.4
Black non-Hisp	26	-	a	-	-	1	a	1	a	2	a	8	30.8	9	34.6	11	42.3	6	23.1	7	26.9
Other non-Hisp	49	-	a	-	-	-	-	2	a	5	10.2	5	10.2	8	16.3	25	51.0	16	32.7	37	75.5
Hispanic	119	-	a	-	-	5	4.2	-	-	5	4.2	15	12.6	21	17.8	56	47.5	41	34.7	68	57.1
Unk Race/Ethn	7	-	a	-	-	-	-	-	-	-	-	-	-	-	-	3	a	3	a	2	a
Middlesex County	1,332	-	a	3	a	23	1.7	22	1.7	91	6.8	105	7.9	218	16.4	530	39.8	582	43.8	207	15.5
White non-Hisp	1,027	-	a	-	-	8	0.8	15	1.5	57	5.6	68	6.6	162	15.8	402	39.2	462	45.0	75	7.3
Black non-Hisp	90	-	a	2	a	9	10.0	2	a	13	14.4	16	17.8	25	27.8	31	34.4	34	37.8	17	18.9
Other non-Hisp	83	-	a	-	-	-	-	2	a	10	12.0	7	8.4	12	14.5	33	39.8	38	45.8	57	68.7
Hispanic	131	-	a	1	a	6	4.6	3	a	11	8.4	14	10.7	19	14.6	63	48.5	48	36.9	58	44.3
Unk Race/Ethn	1	-	a	-	-	-	-	-	-	-	-	-	-	-	-	1	a	-	-	-	-
New Haven County	8,767	4	a	104	1.2	365	4.2	146	1.7	719	8.2	1,090	12.5	1,518	17.6	3,425	39.8	3,671	42.6	2,445	27.9
White non-Hisp	4,509	-	a	12	0.3	69	1.5	55	1.2	311	6.9	368	8.2	641	14.5	1,904	43.0	1,885	42.6	547	12.1
Black non-Hisp	1,318	3	a	28	2.1	83	6.3	36	2.7	159	12.1	260	19.9	281	21.8	446	34.5	564	43.7	294	22.3
Other non-Hisp	632	-	a	6	1.0	12	1.9	15	2.4	56	8.9	73	11.6	108	17.3	245	39.3	271	43.4	452	71.6
Hispanic	2,287	1	a	58	2.5	201	8.8	40	1.7	191	8.4	384	17.0	483	21.5	824	36.6	942	41.9	1,148	50.2
Unk Race/Ethn	21	-	a	-	-	-	-	-	-	2	a	5	25.0	5	25.0	6	30.0	9	45.0	4	a
New London County	2,600	1	a	21	0.8	125	4.8	36	1.4	182	7.0	222	8.6	385	15.0	1,184	46.0	1,003	39.0	440	16.9
White non-Hisp	1,789	-	a	7	0.4	56	3.1	16	0.9	100	5.6	103	5.8	234	13.2	854	48.2	682	38.5	73	4.1
Black non-Hisp	168	-	a	4	a	10	6.0	4	a	23	13.7	27	16.1	31	18.5	58	34.5	79	47.0	66	39.5
Other non-Hisp	253	-	a	1	a	19	7.6	6	2.4	27	10.7	26	10.4	38	15.2	109	43.6	103	41.2	123	48.6
Hispanic	381	1	a	9	2.4	40	10.5	10	2.6	31	8.1	64	16.8	81	21.5	159	42.2	137	36.3	177	46.5
Unk Race/Ethn	9	-	a	-	-	-	-	-	-	1	a	2	a	1	a	4	a	2	a	1	a
Tolland County	1,134	-	a	2	a	16	1.4	12	1.1	79	7.0	100	8.8	305	27.0	532	47.1	293	25.9	186	16.4
White non-Hisp	908	-	a	2	a	15	1.7	8	0.9	53	5.8	70	7.7	240	26.5	441	48.7	224	24.8	45	5.0
Black non-Hisp	34	-	a	-	-	-	-	-	-	4	a	5	15.2	16	48.5	10	30.3	7	21.2	16	48.5
Other non-Hisp	123	-	a	-	-	-	-	2	a	14	11.4	14	11.4	32	26.0	55	44.7	36	29.3	102	82.9
Hispanic	65	-	a	-	-	1	a	2	a	8	12.3	10	15.4	16	24.6	25	38.5	24	36.9	22	33.8
Unk Race/Ethn	4	-	a	-	-	-	-	-	-	-	-	1	a	1	a	1	a	2	a	1	a
Windham County	1,088	-	a	17	1.6	46	4.2	19	1.8	81	7.5	82	7.6	150	14.3	459	43.6	443	42.1	149	13.7
White non-Hisp	862	-	a	14	1.6	28	3.2	11	1.3	62	7.3	52	6.0	105	12.6	367	44.2	359	43.2	37	4.3
Black non-Hisp	22	-	a	-	-	2	a	-	-	4	a	2	a	2	a	8	38.1	11	52.4	2	a
Other non-Hisp	27	-	a	2	a	2															

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{ab}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{cd}		PRENATAL CARE ADEQUACY (APNCU Index)						FOREIGN-BORN MOTHERS ^e					
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	Timing (Late ^o or None)	Adequacy			Intensive							
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%								
CT River Area	154	-	a	-	a	1	a	2	a	5	3.2	11	7.1	19	12.3	55	35.7	80	51.9	21	13.6
White non-Hisp	137	-	a	-	a	1	a	-	a	3	a	10	7.3	18	13.1	46	33.6	73	53.3	8	5.8
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Other non-Hisp	2	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a	1	a	2	a
Hispanic	14	-	a	-	a	-	a	1	a	1	a	1	a	-	a	8	57.1	6	42.9	11	78.6
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Shore	603	-	a	7	1.2	17	2.8	4	a	35	5.8	50	8.3	55	9.2	250	41.8	293	49.0	121	20.1
White non-Hisp	457	-	a	1	a	6	1.3	2	a	22	4.8	31	6.8	38	8.4	194	42.8	221	48.8	28	6.1
Black non-Hisp	19	-	a	-	a	-	a	-	a	-	a	2	a	2	a	9	47.4	8	42.1	8	42.1
Other non-Hisp	39	-	a	1	a	1	a	-	a	6	15.4	4	a	6	15.8	12	31.6	20	52.6	27	69.2
Hispanic	88	-	a	5	5.7	10	11.4	2	a	7	8.0	13	14.8	9	10.2	35	39.8	44	50.0	58	65.9
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern Highlands	506	-	a	2	a	7	1.4	7	1.4	31	6.1	43	8.5	122	24.1	250	49.4	134	26.5	78	15.5
White non-Hisp	424	-	a	2	a	6	1.4	4	a	24	5.7	35	8.3	102	24.1	212	50.0	110	25.9	25	5.9
Black non-Hisp	8	-	a	-	a	-	a	-	a	1	a	1	a	4	a	2	a	2	a	3	a
Other non-Hisp	49	-	a	-	a	-	a	1	a	4	a	4	a	12	24.5	24	49.0	13	26.5	42	85.7
Hispanic	23	-	a	-	a	1	a	2	a	2	a	2	a	4	a	11	47.8	8	34.8	7	30.4
Unk Race/Ethn	2	-	-	-	-	-	-	-	-	-	-	1	a	-	-	1	a	1	a	1	a
Farmington Valley	804	-	a	-	a	3	a	11	1.4	51	6.3	70	8.7	280	35.0	325	40.7	194	24.3	141	17.5
White non-Hisp	661	-	a	-	a	1	a	7	1.1	36	5.4	55	8.3	233	35.5	266	40.5	158	24.0	51	7.7
Black non-Hisp	19	-	a	-	a	-	a	4	a	6	31.6	4	a	8	42.1	4	a	7	36.8	5	26.3
Other non-Hisp	80	-	a	-	a	-	a	-	a	5	6.3	11	13.8	25	31.3	36	45.0	19	23.8	69	86.3
Hispanic	44	-	a	-	a	2	a	-	a	4	a	-	a	14	32.6	19	44.2	10	23.0	16	36.4
Unk Race/Ethn	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ledge Light	1,242	1	a	12	1.0	52	4.2	19	1.5	90	7.3	114	9.2	202	16.4	660	53.7	366	29.8	250	20.2
White non-Hisp	802	-	a	3	a	20	2.5	5	0.6	42	5.2	44	5.5	110	13.8	460	57.9	225	28.3	36	4.5
Black non-Hisp	84	-	a	2	a	4	a	2	a	15	17.9	14	16.7	14	16.7	37	44.0	33	39.3	27	32.1
Other non-Hisp	127	-	a	1	a	7	5.5	4	a	15	11.8	10	8.0	19	15.3	65	52.4	40	32.3	63	49.6
Hispanic	228	1	a	6	2.6	21	9.2	8	3.5	18	7.9	46	20.3	59	26.2	98	43.6	68	30.2	123	53.9
Unk Race/Ethn	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	a
Naugatuck Valley	1,212	-	a	8	0.7	29	2.4	19	1.6	104	8.6	118	9.8	205	17.2	494	41.4	495	41.5	257	21.2
White non-Hisp	858	-	a	4	a	17	2.0	9	1.0	71	8.3	75	8.8	135	15.9	364	43.0	348	41.1	105	12.3
Black non-Hisp	86	-	a	1	a	4	a	2	a	11	12.8	13	15.3	18	21.4	27	32.1	39	46.4	33	38.4
Other non-Hisp	73	-	a	-	a	-	a	2	a	6	8.2	11	15.1	18	24.7	24	32.9	31	42.5	56	76.7
Hispanic	191	-	a	3	a	8	4.2	6	3.1	16	8.4	18	9.6	34	18.3	77	41.4	75	40.3	60	31.4
Unk Race/Ethn	4	-	-	-	-	-	-	-	-	-	-	1	a	-	-	2	a	2	a	3	a
Newtown	213	-	a	-	a	2	a	-	a	16	7.5	15	7.0	23	10.8	72	33.8	118	55.4	28	13.2
White non-Hisp	191	-	a	-	a	1	a	-	a	13	6.8	12	6.3	22	11.5	66	34.6	103	53.9	15	7.9
Black non-Hisp	2	-	a	-	a	1	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a
Other non-Hisp	6	-	a	-	a	-	a	-	a	-	a	3	a	-	a	3	a	3	a	6	100.0
Hispanic	14	-	a	-	a	-	a	-	a	3	a	-	a	1	a	3	a	10	71.4	6	42.9
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Central	1,557	-	a	8	0.5	44	2.8	19	1.2	125	8.1	170	10.9	413	26.9	699	45.5	425	27.7	312	20.1
White non-Hisp	1,094	-	a	4	a	23	2.1	9	0.8	74	6.8	107	9.8	301	27.8	503	46.5	278	25.9	59	5.4
Black non-Hisp	76	-	a	-	a	1	a	2	a	11	14.5	10	13.3	22	29.3	30	40.0	23	30.7	27	35.5
Other non-Hisp	145	-	a	2	a	2	a	1	a	15	10.3	19	13.1	36	25.0	67	46.5	41	28.5	113	77.9
Hispanic	231	-	a	2	a	18	7.8	7	3.0	24	10.4	31	13.5	51	22.2	98	42.6	81	35.2	111	48.1
Unk Race/Ethn	11	-	-	-	-	-	-	-	-	1	a	3	a	3	a	1	a	2	a	2	a
Northeast	739	-	a	12	1.6	27	3.7	10	1.4	49	6.7	42	5.7	79	11.2	297	42.1	330	46.7	43	5.8
White non-Hisp	688	-	a	12	1.7	25	3.6	9	1.3	46	6.8	34	5.0	68	10.3	284	43.1	307	46.6	24	3.5
Black non-Hisp	12	-	a	-	a	2	a	-	a	1	a	2	a	1	a	3	a	7	63.6	2	a
Other non-Hisp	16	-	a	-	a	-	a	1	a	1	a	2	a	4	a	2	a	9	60.0	8	50.0
Hispanic	17	-	a	-	a	-	a	-	a	-	a	2	a	5	29.4	7	41.2	5	29.4	9	56.3
Unk Race/Ethn	6	-	-	-	-	-	-	-	-	1	a	2	a	1	a	1	a	2	a	-	-
Plainville-Southgtn	537	-	a	1	a	3	a	2	a	34	6.3	56	10.5	178	33.4	244	45.8	111	20.8	91	16.9
White non-Hisp	461	-	a	1	a	3	a	2	a	30	6.5	46	10.0	144	31.4	218	47.6	96	21.0	47	10.2
Black non-Hisp	10	-	a	-	a	-	a	-	a	1	a	1	a	4	a	3	a	2	a	3	a
Other non-Hisp	26	-	a	-	a	-	a	-	a	2	a	3	a	15	57.7	5	19.2	6	23.1	20	76.9
Hispanic	37	-	a	-	a	-	a	-	a	1	a	5	13.5	14	37.8	16	43.2	7	18.9	19	51.4
Unk Race/Ethn	3	-	-	-	-	-	-	-	-	-	-	1	a	1	a	2	a	-	-	2	a
Pomperaug	258	-	a	-	a	2	a	3	a	21	8.1	20	7.8	25	9.7	92	35.8	140	54.5	24	9.3
White non-Hisp	231	-	a	-	a	2	a	3	a	20	8.7	17	7.4	19	8.3	83	36.1	128	55.7	10	4.3
Black non-Hisp	3	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a	-	a	1	a
Other non-Hisp	10	-	a	-	a	-	a	-	a	-	a	-	a	2	a	5	50.0	3	a	8	80.0
Hispanic	12	-	a	-	a	-	a	-	a	1	a	2	a	1	a	3	a	8	66.7	5	41.7
Unk Race/Ethn	2	-	-	-	-	-	-	-	-	-	-	-	-	1	a	-	-	1	a	-	-
Quinnipiac Valley	853	-	a	2	a	13	1.5	12	1.4	57	6.7	74	8.8	111	13.2	337	40.2	390	46.5	222	26.0
White non-Hisp	514	-	a	1	a	5	1.0	3	a	25	4.9	29	5.7	55	10.9	217	43.1	232	46.0	62	12.1
Black non-Hisp	137	-	a	-	a	5	3.6	5	3.6	19	13.9	23	16.8	18	13.4	49	36.6	67	50.0	37	27.0
Other non-Hisp	101	-	a	-	a	-	a	2	a	6	5.9	9	9.0	19	19.0	40	40.0	41	41.0	77	76.2
Hispanic	101	-	a	1	a	3	a	2	a	7	6.9	13	13.0	19	19.0	31	31.0	50	50.0	46	45.5
Unk Race/Ethn	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Torrington Area	1,059	-	a	1	a	19	1.8	13	1.2	67	6.3	96	9.1	165	15.7	530	50.5	355	33.8	126	11.9
White non-Hisp	901	-	a	1	a	14	1.6	11	1.2	55	6.1	75	8.4	134	15.0	450	50.3	310	34.7	42	4.7
Black non-Hisp	22	-	a	-	a	1	a	-	a	2	a	5	22.7	4	a	11	50.0	7	31.8	4	a
Other non-Hisp	34	-	a	-	a	-	a	2	a	5	14.7	3	a	8	23.5	16	47.1	10	29.4	25	73.5
Hispanic	98	-	a	-	a	4	a	-	a	5	5.1	13	13.3	19	19.6	51	52.6	27	27.8	55	56.1
Unk Race/Ethn	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	a	1	a	-	-
Uncas Regional	959	-	a	8	0.8	63	6.6	15	1.6	73	7.6	90	9.4	128	13.4	348	36.4	479	50.2	158	16.5
White non-Hisp	630	-	a	3	a	29	4.6	9	1.4	41	6.5	45	7.1	7							

Connecticut Department of Public Health

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{a,b}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		TIMING (Late ^e or None)	PRENATAL CARE ADEQUACY (APNCU Index)			FOREIGN- BORN MOTHERS ^f							
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT		Non-Adequate ^g	Adequate	Intensive								
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%						
TOWNS																					
Andover	22	-	a	-	a	-	a	1	a	1	a	-	a	3	a	10	45.5	9	40.9	2	a
White non-Hisp	21	-	a	-	a	-	a	1	a	1	a	-	a	3	a	10	47.6	8	38.1	2	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ansonia	210	-	a	3	a	7	3.3	5	2.4	14	6.7	21	10.0	39	18.8	84	40.4	85	40.9	49	23.3
White non-Hisp	118	-	a	1	a	5	4.2	2	a	6	5.1	7	6.0	18	15.4	52	44.4	47	40.2	14	11.9
Black non-Hisp	25	-	a	1	a	1	a	1	a	3	a	4	a	3	a	11	45.8	10	41.7	6	24.0
Other non-Hisp	13	-	a	-	a	-	a	-	a	3	a	4	a	4	a	3	a	6	46.2	9	69.2
Hispanic	53	-	a	1	a	1	a	1	a	2	a	6	11.3	14	26.4	18	34.0	21	39.6	20	37.7
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Ashford	43	-	a	1	a	1	a	-	a	5	11.6	5	11.6	9	20.9	23	53.5	11	25.6	6	14.3
White non-Hisp	38	-	a	1	a	1	a	-	a	5	13.2	5	13.2	9	23.7	20	52.6	9	23.7	5	13.5
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avon	142	-	a	-	a	-	a	1	a	10	7.0	14	9.9	49	34.5	56	39.4	37	26.1	34	23.9
White non-Hisp	107	-	a	-	a	-	a	-	a	5	4.7	7	6.5	40	37.4	39	36.4	28	26.2	6	5.6
Black non-Hisp	1	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a	1	a	-	a
Other non-Hisp	26	-	a	-	a	-	a	-	a	2	a	7	26.9	7	26.9	13	50.0	6	23.1	23	88.5
Hispanic	8	-	a	-	a	-	a	-	a	2	a	-	a	2	a	4	a	2	a	5	62.5
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barkhamsted	30	-	a	-	a	-	a	-	a	-	a	4	a	8	26.7	11	36.7	11	36.7	3	a
White non-Hisp	25	-	a	-	a	-	a	-	a	-	a	2	a	6	24.0	9	36.0	10	40.0	-	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a	1	a	3	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beacon Falls	41	-	a	-	a	-	a	1	a	3	a	2	a	4	a	16	39.0	21	51.2	5	12.2
White non-Hisp	36	-	a	-	a	-	a	1	a	3	a	2	a	4	a	13	36.1	19	52.8	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Berlin	128	-	a	1	a	1	a	-	a	10	7.8	13	10.2	50	39.1	49	38.3	29	22.7	28	21.9
White non-Hisp	116	-	a	-	a	-	a	-	a	9	7.8	10	8.6	47	40.5	43	37.1	26	22.4	21	18.1
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	6	-	a	-	a	-	a	-	a	1	a	2	a	1	a	4	a	1	a	5	83.3
Hispanic	6	-	a	1	a	1	a	-	a	-	a	1	a	2	a	2	a	2	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethany	42	-	a	-	a	-	a	-	a	3	a	2	a	2	a	18	45.0	20	50.0	2	a
White non-Hisp	35	-	a	-	a	-	a	-	a	3	a	2	a	2	a	13	39.4	18	54.5	-	a
Black non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	-	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	2	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethel	182	-	a	-	a	3	a	-	a	8	4.4	13	7.1	16	8.8	46	25.4	119	65.7	54	29.7
White non-Hisp	133	-	a	-	a	-	a	-	a	6	4.5	7	5.3	11	8.3	30	22.7	91	68.9	17	12.8
Black non-Hisp	3	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a	2	a
Other non-Hisp	15	-	a	-	a	1	a	-	a	-	a	2	a	2	a	6	40.0	7	46.7	13	86.7
Hispanic	31	-	a	-	a	2	a	-	a	2	a	3	a	2	a	9	29.0	20	64.5	22	71.0
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethlehem	23	-	a	-	a	-	a	-	a	1	a	2	a	3	a	8	34.8	12	52.2	-	a
White non-Hisp	23	-	a	-	a	-	a	-	a	1	a	2	a	3	a	8	34.8	12	52.2	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomfield	156	-	a	1	a	7	4.5	3	a	12	7.7	19	12.2	62	40.0	55	35.5	38	24.5	43	27.6
White non-Hisp	35	-	a	1	a	1	a	-	a	2	a	3	a	17	48.6	11	31.4	7	20.0	3	a
Black non-Hisp	92	-	a	-	a	5	5.4	3	a	8	8.7	12	13.0	34	37.0	33	35.9	25	27.2	31	33.7
Other non-Hisp	5	-	a	-	a	-	a	-	a	-	a	1	a	4	a	-	a	1	a	3	a
Hispanic	22	-	a	-	a	1	a	-	a	2	a	3	a	7	33.3	9	42.9	5	23.8	6	27.3
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a
Bolton	37	-	a	-	a	-	a	-	a	1	a	5	13.5	10	27.0	19	51.4	8	21.6	5	13.5
White non-Hisp	33	-	a	-	a	-	a	-	a	1	a	5	15.2	9	27.3	18	54.5	6	18.2	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	2	a	3	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bozrah	21	-	a	-	a	-	a	-	a	1	a	2	a	3	a	9	42.9	9	42.9	1	a
White non-Hisp	19	-	a	-	a	-	a	-	a	1	a	2	a	3	a	8	42.1	8	42.1	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a</

Connecticut Department of Public Health

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{ab}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		PRENATAL CARE ADEQUACY (APNCU Index)			FOREIGN-BORN MOTHERS ^e								
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	Timing (Late ^o or None)	Adequacy										
		No.	%	No.	%	No.	%	No.	%	No.	%	No.		%	No.	%					
Bristol	645	-	a	4	a	18	2.8	10	1.6	44	6.8	83	12.9	189	29.3	287	44.5	169	26.2	126	19.5
White non-Hisp	427	-	a	-	a	3	a	5	1.2	28	6.6	46	10.8	127	29.7	202	47.3	98	23.0	33	7.7
Black non-Hisp	52	-	a	-	a	2	a	2	a	4	a	15	28.8	17	32.7	21	40.4	14	26.9	16	30.8
Other non-Hisp	36	-	a	-	a	-	a	-	a	2	a	2	a	8	22.2	18	50.0	10	27.8	26	72.2
Hispanic	127	-	a	4	a	13	10.2	3	a	10	7.9	19	15.0	36	28.3	45	35.4	46	36.2	51	40.2
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a	-	a
Brookfield	138	-	a	1	a	1	a	3	a	9	6.5	9	6.5	11	8.0	35	25.4	92	66.7	27	19.6
White non-Hisp	118	-	a	1	a	1	a	2	a	7	5.9	8	6.8	8	6.8	29	24.6	81	68.6	15	12.7
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	10	-	a	-	a	-	a	-	a	-	a	1	a	2	a	2	a	6	60.0	8	80.0
Hispanic	8	-	a	-	a	-	a	1	a	2	a	-	a	1	a	3	a	4	a	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Brooklyn	51	-	a	1	a	1	a	-	a	3	a	2	a	7	14.0	18	36.0	25	50.0	3	a
White non-Hisp	46	-	a	1	a	1	a	-	a	2	a	-	a	5	11.1	16	35.6	24	53.3	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	1	a	1	a	1	a	-	a	-	a	-	a
Burlington	68	-	a	-	a	-	a	-	a	2	a	6	8.8	24	35.3	25	36.8	19	27.9	10	14.7
White non-Hisp	61	-	a	-	a	-	a	-	a	2	a	6	9.8	22	36.1	22	36.1	17	27.9	6	9.8
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	3	a
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canaan	5	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	3	a	1	a
White non-Hisp	5	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	3	a	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canterbury	34	-	a	-	a	-	a	-	a	-	a	2	a	2	a	14	41.2	18	52.9	3	a
White non-Hisp	34	-	a	-	a	-	a	-	a	-	a	2	a	2	a	14	41.2	18	52.9	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canton	53	-	a	-	a	-	a	-	a	1	a	3	a	17	33.3	25	49.0	9	17.6	4	a
White non-Hisp	51	-	a	-	a	-	a	-	a	1	a	3	a	16	32.7	25	51.0	8	16.3	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chaplin	7	-	a	-	a	-	a	-	a	-	a	2	a	1	a	5	71.4	1	a	1	a
White non-Hisp	5	-	a	-	a	-	a	-	a	-	a	1	a	1	a	3	a	1	a	-	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	1	a
Cheshire	168	-	a	-	a	-	a	2	a	11	6.5	9	5.4	17	10.3	75	45.5	73	44.2	28	16.7
White non-Hisp	140	-	a	-	a	-	a	1	a	8	5.7	5	3.6	13	9.4	65	47.1	60	43.5	8	5.7
Black non-Hisp	4	-	a	-	a	-	a	-	a	1	a	-	a	-	a	3	a	1	a	2	a
Other non-Hisp	19	-	a	-	a	-	a	1	a	2	a	3	a	3	a	5	27.8	10	55.6	17	89.5
Hispanic	5	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a	2	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chester	24	-	a	-	a	-	a	-	a	2	a	2	a	1	a	14	58.3	9	37.5	3	a
White non-Hisp	21	-	a	-	a	-	a	-	a	2	a	2	a	1	a	12	57.1	8	38.1	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clinton	94	-	a	-	a	-	a	2	a	3	a	6	6.4	11	11.7	35	37.2	48	51.1	13	13.8
White non-Hisp	83	-	a	-	a	-	a	-	a	1	a	6	7.2	10	12.0	31	37.3	42	50.6	4	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Other non-Hisp	1	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a	1	a	1	a
Hispanic	9	-	a	-	a	-	a	1	a	1	a	-	a	-	a	4	a	5	55.6	8	88.9
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colchester	127	-	a	-	a	1	a	-	a	5	3.9	6	4.8	24	19.0	56	44.4	46	36.5	6	4.7
White non-Hisp	111	-	a	-	a	-	a	-	a	4	a	5	4.5	19	17.3	49	44.5	42	38.2	3	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a
Other non-Hisp	5	-	a	-	a	1	a	-	a	1	a	-	a	2	a	-	a	3	a	2	a
Hispanic	7	-	a	-	a	-	a	-	a	-	a	-	a	2	a	4	a	1	a	-	a
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	-	a	3	a	-	a	-	a	-	a
Colebrook	7	-	a	-	a	-	a	-	a	1	a	-	a	-	a	6	85.7	1	a	-	a
White non-Hisp	6	-	a	-	a	-	a	-	a	1	a	-	a	-	a	5	83.3	1	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Un																					

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{ab}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{cd}		PRENATAL CARE				FOREIGN-BORN MOTHERS ^e							
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^g or None)	ADEQUACY (APNCU Index)										
		No.	%	No.	%	No.	%	No.	%		No.	%	No.		%						
Cromwell	136	-	a	-	a	1	a	1	a	8	5.9	14	10.3	32	23.7	53	39.3	50	37.0	26	19.1
White non-Hisp	115	-	a	-	a	1	a	1	a	6	5.2	10	8.7	28	24.6	43	37.7	43	37.7	15	13.0
Black non-Hisp	4	-	a	-	a	-	a	-	a	1	a	2	a	-	a	1	a	3	a	-	a
Other non-Hisp	6	-	a	-	a	-	a	-	a	1	a	-	a	3	a	5	45.5	3	a	8	72.7
Hispanic	11	-	a	-	a	-	a	-	a	-	a	2	a	1	a	4	a	1	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Danbury	1,067	-	a	13	1.2	35	3.3	13	1.2	73	6.9	159	14.9	146	13.8	293	27.6	621	58.6	610	57.2
White non-Hisp	458	-	a	2	a	5	1.1	7	1.5	34	7.4	40	8.8	49	10.8	122	26.8	284	62.4	140	30.6
Black non-Hisp	53	-	a	1	a	2	a	1	a	7	13.2	9	17.0	8	15.1	14	26.4	31	58.5	25	47.2
Other non-Hisp	112	-	a	-	a	1	a	1	a	11	9.8	12	10.7	16	14.3	30	26.8	66	58.9	88	78.6
Hispanic	435	-	a	10	2.3	27	6.2	5	1.1	21	4.8	96	22.1	72	16.6	123	28.4	238	55.0	352	80.9
Unk Race/Ethn	9	-	a	-	a	-	a	-	a	-	a	2	a	1	a	4	a	2	a	5	55.6
Darien	210	-	a	-	a	-	a	-	a	4	a	18	8.6	59	28.6	103	50.0	44	21.4	29	13.8
White non-Hisp	181	-	a	-	a	-	a	-	a	3	a	15	8.3	50	28.1	90	50.6	38	21.3	13	7.2
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	1	a
Other non-Hisp	15	-	a	-	a	-	a	-	a	1	a	2	a	2	a	8	53.3	5	33.3	11	73.3
Hispanic	8	-	a	-	a	-	a	-	a	-	a	1	a	5	62.5	3	a	-	a	3	a
Unk Race/Ethn	4	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	1	a	1	a
Deep River	32	-	a	-	a	-	a	-	a	1	a	4	a	6	18.8	12	37.5	14	43.8	2	a
White non-Hisp	32	-	a	-	a	-	a	-	a	1	a	4	a	6	18.8	12	37.5	14	43.8	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Derby	129	-	a	2	a	4	a	3	a	11	8.5	11	8.5	21	16.4	56	43.8	51	39.8	30	23.3
White non-Hisp	81	-	a	-	a	-	a	-	a	5	6.2	5	6.2	11	13.8	38	47.5	31	38.8	13	16.0
Black non-Hisp	10	-	a	-	a	1	a	1	a	1	a	2	a	2	a	2	a	6	60.0	2	a
Other non-Hisp	9	-	a	-	a	-	a	1	a	1	a	2	a	2	a	3	a	4	a	7	77.8
Hispanic	29	-	a	2	a	3	a	2	a	4	a	4	a	6	20.7	13	44.8	10	34.5	8	27.6
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Durham	44	-	a	-	a	1	a	-	a	2	a	2	a	6	13.6	20	45.5	18	40.9	6	13.6
White non-Hisp	42	-	a	-	a	-	a	-	a	2	a	1	a	5	11.9	20	47.6	17	40.5	5	11.9
Black non-Hisp	1	-	a	-	a	1	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastford	14	-	a	-	a	-	a	-	a	-	a	-	a	1	a	8	57.1	5	35.7	1	a
White non-Hisp	13	-	a	-	a	-	a	-	a	-	a	-	a	1	a	7	53.8	5	38.5	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Granby	41	-	a	-	a	-	a	4	a	6	14.6	4	a	16	39.0	12	29.3	13	31.7	6	14.6
White non-Hisp	34	-	a	-	a	-	a	4	a	4	a	4	a	15	44.1	8	23.5	11	32.4	3	a
Black non-Hisp	3	-	a	-	a	-	a	-	a	2	a	-	a	-	a	2	a	1	a	1	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Haddam	83	-	a	-	a	1	a	3	a	5	6.0	5	6.0	15	18.1	27	32.5	41	49.4	8	9.6
White non-Hisp	77	-	a	-	a	1	a	3	a	4	a	5	6.5	14	18.2	25	32.5	38	49.4	6	7.8
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	2	a	2	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Hampton	99	-	a	-	a	2	a	2	a	6	6.1	11	11.1	19	19.2	31	31.3	49	49.5	9	9.1
White non-Hisp	91	-	a	-	a	2	a	2	a	4	a	9	9.9	17	18.7	28	30.8	46	50.5	5	5.5
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	-	a	1	a
Hispanic	5	-	a	-	a	-	a	-	a	2	a	-	a	-	a	2	a	3	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Hartford	635	-	a	6	0.9	42	6.6	16	2.5	77	12.1	92	14.5	194	30.8	255	40.5	181	28.7	268	42.2
White non-Hisp	145	-	a	1	a	5	3.4	2	a	18	12.4	10	6.9	45	31.0	62	42.8	38	26.2	14	9.7
Black non-Hisp	205	-	a	1	a	9	4.4	7	3.4	30	14.6	31	15.2	66	32.7	79	39.1	57	28.2	103	50.2
Other non-Hisp	36	-	a	-	a	1	a	1	a	5	13.9	6	16.7	7	19.4	19	52.8	10	27.8	26	72.2
Hispanic	248	-	a	4	a	27	10.9	6	2.4	24	9.7	45	18.1	76	30.9	95	38.6	75	30.5	125	50.4
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
East Haven	279	-	a	3	a	11	3.9	3	a	16	5.7	30	10.8	32	11.5	109	39.2	137	49.3	68	24.4
White non-Hisp	186	-	a	1	a	5	2.7	2	a	7	3.8	14	7.6	17	9.2	75	40.5	93	50.3	9	4.8
Black non-Hisp	13	-	a	-	a	-	a	-	a	-	a	1	a	1	a	5	38.5	7	53.8	3	a
Other non-Hisp	19	-	a	1	a	1	a	-	a	4	a	4	a	5	26.3	6	31.6	8	42.1	13	68.4
Hispanic	61	-	a	1	a	5	8.2	1	a	5	8.2	11	18.0	9	14.8	23	37.7	29	47.5	43	70.5
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Lyme	114	-	a	-	a	1	a	2	a	10	8.9	8	7.2	15	13.8	54	49.5	40	36.7	9	8.0
White non-Hisp	99	-	a	-	a	1	a	2	a	9	9.2	7	7.3	14	14.7	49	51.6	32	33.7	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	9	-	a	-	a	-	a	-	a	1	a	1	a	1	a	4	a	4	a	5	55.6
Hispanic	5	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	4	a	2	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a
Easton	47	-	a	-	a	-	a	1	a	5	10.6	3	a	11	23.9	22	47.8	13	28.3	8	17.0
White non-Hisp	38	-	a	-	a	-	a	-	a	1	a	2	a	8	21.6	20	54.1	9	24.3	2	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a
Other non-Hisp	5	-	a	-	a	-	a	1	a	3	a	1	a	2	a	-	a	3	a	5	100.0
Hispanic	3	-	a	-	a	-	a	-	a	1	a	-	a	-	a	2	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Windsor	105	-	a	-	a	2	a	1	a	6	5.8	13	12.4	32	30.5	50	47.6	23	21.9	27	25.7
White non-Hisp	65	-	a	-	a	1	a	-	a	3	a	10	15.4	19	29.2	31	47.7	15	23.1	4	a
Black non-Hisp	10	-	a	-	a	-	a	1	a	2	a	1	a								

Connecticut Department of Public Health

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{ab}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{cd}		PRENATAL CARE ADEQUACY (APNCU Index)				FOREIGN-BORN MOTHERS ^e					
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^o or None)	Non-Adequacy ^e								
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		No.	%			
Hartland	10	-	a	-	a	-	a	-	a	2	a	3	a	4	a	3	a	2	a
White non-Hisp	9	-	a	-	a	-	a	-	a	2	a	2	a	4	a	3	a	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Harwinton	35	-	a	-	a	1	a	-	a	2	a	6	17.1	19	54.3	10	28.6	4	a
White non-Hisp	33	-	a	-	a	1	a	-	a	1	a	6	18.2	17	51.5	10	30.3	3	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	-	a
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hebron	54	-	a	-	a	-	a	-	a	7	13.0	17	31.5	21	38.9	16	29.6	5	9.3
White non-Hisp	51	-	a	-	a	-	a	-	a	6	11.8	16	31.4	21	41.2	14	27.5	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	1	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent	13	-	a	-	a	-	a	-	a	-	a	-	a	5	38.5	8	61.5	2	a
White non-Hisp	10	-	a	-	a	-	a	-	a	-	a	-	a	5	50.0	5	50.0	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Killingly	185	-	a	3	a	7	3.8	2	a	10	5.5	15	8.1	22	12.6	77	43.1	7	3.8
White non-Hisp	170	-	a	3	a	5	2.9	2	a	10	5.9	12	7.1	18	11.2	72	44.7	7	4.1
Black non-Hisp	6	-	a	-	a	2	a	-	a	1	a	1	a	2	a	2	a	1	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a	1	a
Hispanic	5	-	a	-	a	-	a	-	a	1	a	-	a	2	a	1	a	2	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Killingworth	52	-	a	-	a	-	a	-	a	3	a	4	a	25	48.1	23	44.2	2	a
White non-Hisp	49	-	a	-	a	-	a	-	a	3	a	3	a	24	49.0	22	44.9	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a	-	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lebanon	51	-	a	-	a	1	a	-	a	1	a	5	9.8	16	31.4	21	41.2	14	27.5
White non-Hisp	46	-	a	-	a	1	a	-	a	1	a	4	a	15	32.6	18	39.1	13	28.3
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Hispanic	3	-	a	-	a	-	a	-	a	1	a	1	a	2	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ledyard	153	-	a	-	a	2	a	-	a	2	a	10	6.5	21	13.8	77	50.7	54	35.5
White non-Hisp	129	-	a	-	a	1	a	-	a	1	a	7	5.4	17	13.2	60	46.9	42	32.6
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Other non-Hisp	10	-	a	-	a	1	a	-	a	1	a	2	a	2	a	6	60.0	4	a
Hispanic	12	-	a	-	a	-	a	-	a	2	a	2	a	4	a	5	45.5	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lisbon	32	-	a	-	a	-	a	-	a	1	a	2	a	11	34.4	19	59.4	2	a
White non-Hisp	28	-	a	-	a	-	a	-	a	1	a	1	a	10	35.7	16	57.1	1	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	-	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Litchfield	52	-	a	-	a	1	a	-	a	2	a	3	a	6	11.5	33	63.5	13	25.0
White non-Hisp	49	-	a	-	a	-	a	-	a	2	a	3	a	6	12.2	30	61.2	13	26.5
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Hispanic	2	-	a	-	a	1	a	-	a	-	a	-	a	2	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme	17	-	a	-	a	-	a	-	a	1	a	4	a	6	35.3	7	41.2	3	a
White non-Hisp	16	-	a	-	a	-	a	-	a	1	a	3	a	6	37.5	7	43.8	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	94	-	a	-	a	1	a	1	a	7	7.4	6	6.5	7	7.6	45	48.9	40	43.5
White non-Hisp	79	-	a	-	a	1	a	1	a	4	a	6	7.7	7	9.1	41	53.2	29	37.7
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	8	-	a	-	a	-	a	-	a	2	a	-	a	3	a	5	62.5	7	87.5
Hispanic	5	-	a	-	a	-	a	-	a	-	a	-	a	1	a	4	a	3	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	1	a	-	a	-	a	2	a	-	a
Manchester	780	-	a	4	a	21	2.7	11	1.4	70	9.0	77	9.9	173	22.3	393	50.6	210	27.1
White non-Hisp	352	-	a	2	a	8	2.3	2	a	23	6.5	26	7.4	78	22.2	180	51.3	93	26.5
Black non-Hisp	115	-	a	1	a	3	a	4	a	16	13.9	11	9.6	22	19.5	62	54.9	29	25.7
Other non-Hisp	183	-	a	-	a	2	a	3	a	20	11.0	18	9.8	45	24.6	92	50.3	46	25.1
Hispanic	126	-	a	1	a	8	6.3	2	a	11	8.8	22	17.5	26	20.6	58	46.0	42	33.3
Unk Race/Ethn	4	-	a	-	a	-	a	-	a	1	a	-	a	2	a	1	a	-	a
Mansfield	86	-	a	1	a	3	a	1	a	5	5.8	6	7.0	17	19.8	44	51.2	25	29.1
White non-Hisp	46	-	a	1	a	2	a	-	a	1	a	4	a	6	13.0	25	54.3	15	32.6
Black non-Hisp	4	-	a	-	a	-	a	-	a	1	a	1	a	3	a	1	a	3	a
Other non-Hisp	27	-	a	-	a	-	a	1	a	3	a	-	a	6	22.2	15	55.6	6	22.2
Hispanic	8	-	a	-	a	1	a	-	a	-	a	1	a	2	a	4	a	2	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Marlborough	43	-	a	-	a	-	a	-	a	4	a	3	a	10	23.3	14	32.6	19	44.2
White non-Hisp	41	-	a	-	a	-	a	-	a	4	a	3	a	9	22.0	13	31.7	19	46.3
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	2	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meriden	726	-	a	13	1.8	50	6.9	16	2.2	65	9.0	102	14.2	215	29.9	362	50.3	142	19.7
White non-Hisp	334	-	a	3	a	9	2.7	2	a	25	7.5	43	13.0	97	29.3	170	51.4	64	19.3
Black non-Hisp	69	-	a	1	a	5	7.2	4	a	11	15.9	10	14.9	12	17.9	38	56.7	17	25.4
Other non-Hisp	28	-	a	1	a	1	a	1	a	2	a	8	28.6	7	25.0	13	46.4	8	28.6
Hispanic	293	-	a	8	2.7	35	11.9	9	3.1	27	9.2	41	14.1	98	33.7	140	48.1	53	18.2
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{ab}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		PRENATAL CARE ADEQUACY (APNCU Index)						FOREIGN-BORN MOTHERS ^e					
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^o or None)		Non-Adequate ^o		Adequate			Intensive				
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		No.	%			
Newtown	199	-	a	-	a	2	a	-	a	16	8.0	14	7.0	19	9.5	68	34.2	112	56.3	28	14.1
White non-Hisp	177	-	a	-	a	1	a	-	a	13	7.3	11	6.2	18	10.2	62	35.0	97	54.8	15	8.5
Black non-Hisp	2	-	a	-	a	1	a	-	a	-	a	-	a	-	a	2	a	2	a	1	a
Other non-Hisp	6	-	a	-	a	-	a	-	a	-	a	3	a	-	a	3	a	3	a	3	a
Hispanic	14	-	a	-	a	-	a	-	a	3	a	-	a	1	a	3	a	10	71.4	6	42.9
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Norfolk	9	-	a	-	a	-	a	-	a	-	a	2	a	4	a	4	a	1	a	1	a
White non-Hisp	9	-	a	-	a	-	a	-	a	-	a	2	a	4	a	4	a	1	a	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Branford	104	-	a	1	a	1	a	-	a	3	a	7	6.7	8	7.8	42	40.8	53	51.5	6	5.8
White non-Hisp	94	-	a	-	a	-	a	-	a	3	a	7	7.4	7	7.5	38	40.9	48	51.6	-	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a	3	a
Hispanic	5	-	a	1	a	1	a	-	a	-	a	-	a	-	a	2	a	3	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Canaan	30	-	a	-	a	1	a	-	a	1	a	5	16.7	5	16.7	15	50.0	10	33.3	3	a
White non-Hisp	25	-	a	-	a	1	a	-	a	1	a	3	a	5	20.0	12	48.0	8	32.0	-	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	-	a
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	2	a	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
North Haven	189	-	a	-	a	2	a	3	a	7	3.7	13	7.0	26	14.1	75	40.8	83	45.1	37	19.6
White non-Hisp	143	-	a	-	a	2	a	2	a	6	4.2	6	4.3	14	10.1	58	41.7	67	48.2	11	7.7
Black non-Hisp	9	-	a	-	a	-	a	-	a	-	a	2	a	2	a	5	55.6	2	a	5	55.6
Other non-Hisp	22	-	a	-	a	-	a	1	a	1	a	4	a	7	31.8	6	27.3	9	40.9	15	68.2
Hispanic	15	-	a	-	a	-	a	-	a	1	a	1	a	3	a	6	42.9	5	35.7	6	40.0
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Stonington	30	-	a	-	a	1	a	-	a	3	a	-	a	2	a	10	37.0	15	55.6	1	a
White non-Hisp	29	-	a	-	a	-	a	-	a	3	a	-	a	2	a	9	34.6	15	57.7	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	1	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwalk	1,151	1	a	4	a	31	2.7	14	1.2	77	6.7	158	13.7	250	21.8	515	44.9	382	33.3	556	48.3
White non-Hisp	509	-	a	-	a	2	a	3	a	27	5.3	30	5.9	95	18.7	245	48.2	168	33.1	96	18.9
Black non-Hisp	136	-	a	1	a	2	a	4	a	19	14.0	28	20.6	42	31.1	52	38.5	41	30.4	61	44.9
Other non-Hisp	110	-	a	-	a	2	a	1	a	8	7.3	10	9.1	12	10.9	52	47.3	46	41.8	85	77.3
Hispanic	394	1	a	3	a	25	6.4	6	1.5	23	5.8	89	22.6	99	25.3	166	42.3	127	32.4	314	79.7
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	1	a	2	a	2	a	2	a	-	a	-	a
Norwich	509	-	a	8	1.6	43	8.5	10	2.0	43	8.4	51	10.0	65	12.8	170	33.5	273	53.7	126	24.8
White non-Hisp	256	-	a	3	a	15	5.9	4	a	16	6.3	16	6.3	28	10.9	87	34.0	141	55.1	13	5.1
Black non-Hisp	77	-	a	2	a	5	6.5	2	a	7	9.1	10	13.0	14	18.2	20	26.0	43	55.8	37	48.7
Other non-Hisp	68	-	a	-	a	7	10.6	2	a	8	11.8	9	13.2	8	11.8	23	33.8	37	54.4	37	54.4
Hispanic	106	-	a	3	a	16	15.1	2	a	12	11.3	15	14.2	14	13.3	40	38.1	51	48.6	39	36.8
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	1	a	1	a	1	a	-	a	1	a	-	a
Old Lyme	35	-	a	-	a	-	a	-	a	2	a	1	a	7	20.0	12	34.3	16	45.7	5	14.3
White non-Hisp	30	-	a	-	a	-	a	-	a	2	a	1	a	7	23.3	10	33.3	13	43.3	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Saybrook	28	-	a	-	a	1	a	-	a	1	a	1	a	2	a	6	28.6	18	64.3	6	21.4
White non-Hisp	22	-	a	-	a	1	a	-	a	1	a	-	a	2	a	3	a	17	77.3	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Hispanic	5	-	a	-	a	-	a	-	a	-	a	1	a	-	a	4	a	1	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Orange	98	-	a	-	a	-	a	2	a	9	9.2	12	12.4	14	14.7	29	30.5	52	54.7	24	24.5
White non-Hisp	82	-	a	-	a	-	a	1	a	5	6.1	8	9.9	11	13.9	24	30.4	44	55.7	12	14.6
Black non-Hisp	1	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a	1	a
Other non-Hisp	10	-	a	-	a	-	a	1	a	1	a	1	a	2	a	4	a	4	a	8	80.0
Hispanic	5	-	a	-	a	-	a	-	a	2	a	2	a	1	a	1	a	3	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	99	-	a	-	a	-	a	-	a	6	6.1	3	a	9	9.2	40	40.8	49	50.0	7	7.1
White non-Hisp	87	-	a	-	a	-	a	-	a	6	6.9	3	a	6	7.0	37	43.0	43	50.0	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	5	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	1	a	3	a
Hispanic	6	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	5	83.3	2	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Plainfield	153	-	a	1	a	4	a	5	3.3	18	11.8	7	4.6	15	10.0	54	36.0	81	54.0	8	5.2
White non-Hisp	142	-	a	1	a	4	a	5	3.5	18	12.7	6	4.3	12	8.6	53	38.1	74	53.2	3	a
Black non-Hisp	2	-	a	-	a	-</															

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{a,b}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		PRENATAL CARE ADEQUACY (APNCU Index)						FOREIGN-BORN MOTHERS ^e					
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^o or None)			ADEQUACY								
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		No.	%			
Portland	74	-	a	-	a	1	a	-	a	6	8.1	8	10.8	15	20.3	27	36.5	32	43.2	9	12.2
White non-Hisp	63	-	a	-	a	1	a	-	a	2	a	4	a	12	19.0	24	38.1	27	42.9	3	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	-	a	2	a
Hispanic	7	-	a	-	a	-	a	-	a	4	a	3	a	1	a	1	a	5	71.4	4	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Preston	31	-	a	-	a	2	a	-	a	2	a	2	a	4	a	10	32.3	17	54.8	2	a
White non-Hisp	28	-	a	-	a	2	a	-	a	2	a	2	a	4	a	9	32.1	15	53.6	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prospect	67	-	a	-	a	-	a	-	a	2	a	3	a	5	7.6	27	40.9	34	51.5	6	9.0
White non-Hisp	59	-	a	-	a	-	a	-	a	2	a	2	a	5	8.6	26	44.8	27	46.6	2	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	1	a
Hispanic	4	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	3	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putnam	108	-	a	4	a	9	8.3	1	a	10	9.5	7	6.5	14	13.7	48	47.1	40	39.2	9	8.3
White non-Hisp	99	-	a	4	a	9	9.1	-	a	8	8.3	6	6.1	13	13.8	46	48.9	35	37.2	7	7.1
Black non-Hisp	2	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	2	a	-	a
Other non-Hisp	3	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a	2	a	1	a
Hispanic	4	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Redding	58	-	a	-	a	1	a	2	a	8	13.8	2	a	7	12.1	25	43.1	26	44.8	15	25.9
White non-Hisp	49	-	a	-	a	-	a	2	a	6	12.2	2	a	7	14.3	20	40.8	22	44.9	10	20.4
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	1	a
Hispanic	5	-	a	-	a	1	a	2	a	-	a	-	a	-	a	1	a	4	a	4	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Ridgefield	153	-	a	-	a	-	a	-	a	2	a	9	5.9	12	7.9	72	47.4	68	44.7	32	21.1
White non-Hisp	130	-	a	-	a	-	a	-	a	2	a	7	5.4	9	6.9	60	46.2	61	46.9	19	14.7
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	13	-	a	-	a	-	a	-	a	1	a	2	a	9	69.2	2	a	2	a	10	76.9
Hispanic	8	-	a	-	a	-	a	-	a	1	a	1	a	2	a	4	a	4	a	3	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	-	a
Rocky Hill	197	-	a	1	a	1	a	5	2.5	14	7.1	21	10.7	57	28.9	82	41.6	58	29.4	99	50.3
White non-Hisp	110	-	a	-	a	-	a	4	a	4	a	3	a	28	25.5	47	42.7	35	31.8	23	20.9
Black non-Hisp	6	-	a	1	a	1	a	1	a	1	a	2	a	3	a	1	a	2	a	4	a
Other non-Hisp	69	-	a	-	a	-	a	3	a	9	13.0	15	21.7	21	30.4	30	43.5	18	26.1	68	98.6
Hispanic	11	-	a	-	a	-	a	-	a	-	a	1	a	5	45.5	3	a	3	a	4	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Roxbury	11	-	a	-	a	-	a	-	a	-	a	1	a	3	a	4	a	4	a	-	a
White non-Hisp	11	-	a	-	a	-	a	-	a	-	a	1	a	3	a	4	a	4	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salem	34	-	a	-	a	2	a	-	a	2	a	2	a	5	14.7	16	47.1	13	38.2	2	a
White non-Hisp	32	-	a	-	a	2	a	-	a	2	a	2	a	4	a	15	46.9	13	40.6	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salisbury	24	-	a	-	a	-	a	1	a	2	a	1	a	5	22.7	9	40.9	8	36.4	-	a
White non-Hisp	22	-	a	-	a	-	a	1	a	2	a	1	a	4	a	9	42.9	8	38.1	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Scotland	14	-	a	-	a	-	a	-	a	-	a	2	a	2	a	7	50.0	5	35.7	-	a
White non-Hisp	14	-	a	-	a	-	a	-	a	-	a	2	a	2	a	7	50.0	5	35.7	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seymour	181	-	a	-	a	1	a	2	a	16	8.8	14	7.8	25	14.0	73	40.8	81	45.3	33	18.2
White non-Hisp	149	-	a	-	a	1	a	2	a	16	10.7	12	8.2	21	14.3	62	42.2	64	43.5	15	10.1
Black non-Hisp	4	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a	1	a	4	a
Other non-Hisp	6	-	a	-	a	-	a	-	a	-	a	-	a	1	a	3	a	2	a	5	83.3
Hispanic	20	-	a	-	a	-	a	-	a	-	a	1	a	5	25.0	14	70.0	7	35.0	7	35.0
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a	2	a
Sharon	6	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	3	a	-	a
White non-Hisp	6	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	3	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-																

Connecticut Department of Public Health

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{ab}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{cd}		PRENATAL CARE ADEQUACY (APNCU Index)				FOREIGN-BORN MOTHERS ^e							
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	Timing (Late ^g or None)	Adequacy										
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		No.	%					
Somers	59	-	a	-	a	1	a	-	a	1	a	6	10.2	16	27.6	27	46.6	15	25.9	3	a
White non-Hisp	59	-	a	-	a	1	a	-	a	1	a	6	10.2	16	27.6	27	46.6	15	25.9	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southbury	93	-	a	-	a	1	a	1	a	9	9.7	5	5.4	6	6.5	31	33.3	56	60.2	8	8.6
White non-Hisp	85	-	a	-	a	1	a	1	a	8	9.4	4	a	5	5.9	29	34.1	51	60.0	4	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	4	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a	3	a	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Southington	382	-	a	-	a	2	a	2	a	25	6.5	31	8.2	114	30.0	179	47.1	87	22.9	63	16.5
White non-Hisp	332	-	a	-	a	2	a	2	a	22	6.6	27	8.2	92	27.8	160	48.3	79	23.9	32	9.6
Black non-Hisp	7	-	a	-	a	-	a	-	a	1	a	1	a	4	a	2	a	-	a	3	a
Other non-Hisp	19	-	a	-	a	-	a	-	a	2	a	2	a	11	57.9	4	a	4	a	16	84.2
Hispanic	22	-	a	-	a	-	a	-	a	1	a	7	31.8	11	50.0	4	a	4	a	10	45.5
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a	2	a
South Windsor	209	-	a	-	a	-	a	2	a	13	6.2	22	10.5	72	34.4	81	38.8	56	26.8	50	23.9
White non-Hisp	155	-	a	-	a	-	a	1	a	8	5.2	13	8.4	55	35.5	64	41.3	36	23.2	14	9.0
Black non-Hisp	7	-	a	-	a	-	a	-	a	1	a	1	a	3	a	3	a	1	a	3	a
Other non-Hisp	35	-	a	-	a	-	a	1	a	5	14.3	5	14.3	10	28.6	8	22.9	17	48.6	28	80.0
Hispanic	12	-	a	-	a	-	a	-	a	3	a	4	a	6	50.0	2	a	5	41.7	5	41.7
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sprague	37	-	a	-	a	-	a	-	a	2	a	2	a	2	a	14	37.8	21	56.8	1	a
White non-Hisp	28	-	a	-	a	-	a	-	a	1	a	1	a	-	a	13	46.4	15	53.6	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a	2	a	-	a
Hispanic	4	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	3	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Stafford	109	-	a	1	a	2	a	1	a	7	6.4	13	11.9	28	26.2	55	51.4	24	22.4	4	a
White non-Hisp	103	-	a	1	a	2	a	1	a	7	6.8	12	11.7	26	25.7	52	51.5	23	22.8	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	1	a	1	a	3	a	-	a	2	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford	1,875	2	a	18	1.0	44	2.4	23	1.2	146	7.8	322	17.2	626	33.6	739	39.7	498	26.7	1,051	56.2
White non-Hisp	748	-	a	1	a	3	a	7	0.9	48	6.4	84	11.2	246	33.0	306	41.1	193	25.9	206	27.5
Black non-Hisp	213	1	a	5	2.4	11	5.2	5	2.3	23	10.8	47	22.4	95	45.5	69	33.0	45	21.5	107	50.2
Other non-Hisp	304	-	a	-	a	-	a	4	a	28	9.2	42	13.8	99	32.6	125	41.1	80	26.3	267	87.8
Hispanic	606	1	a	12	2.0	30	5.0	7	1.2	47	7.8	149	24.6	186	30.9	236	39.3	179	29.8	471	78.2
Unk Race/Ethn	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	1	a	-	a
Sterling	31	-	a	-	a	1	a	-	a	-	a	1	a	2	a	13	44.8	14	48.3	2	a
White non-Hisp	29	-	a	-	a	1	a	-	a	-	a	1	a	2	a	13	48.1	12	44.4	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stonington	112	-	a	1	a	4	a	1	a	3	a	5	4.5	8	7.5	63	59.4	35	33.0	13	11.6
White non-Hisp	99	-	a	1	a	3	a	1	a	2	a	2	a	6	6.4	56	59.6	32	34.0	9	9.1
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	7	-	a	-	a	1	a	-	a	-	a	2	a	1	a	5	71.4	1	a	2	a
Hispanic	4	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a	2	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a	-	a	-	a
Stratford	501	-	a	5	1.0	13	2.6	11	2.2	48	9.6	48	9.6	91	18.3	232	46.7	174	35.0	135	26.9
White non-Hisp	262	-	a	-	a	3	a	5	1.9	18	6.9	25	9.5	45	17.4	132	51.0	82	31.7	36	13.7
Black non-Hisp	99	-	a	1	a	1	a	4	a	19	19.4	8	8.1	20	20.2	40	40.4	39	39.4	38	38.4
Other non-Hisp	28	-	a	1	a	2	a	-	a	1	a	4	a	6	21.4	14	50.0	8	28.6	19	67.9
Hispanic	110	-	a	3	a	6	5.5	2	a	10	9.1	11	10.1	20	18.3	45	41.3	44	40.4	42	38.2
Unk Race/Ethn	2	-	a	-	a	1	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Suffield	107	-	a	-	a	1	a	-	a	8	7.5	9	8.4	25	24.5	49	48.0	28	27.5	8	7.5
White non-Hisp	96	-	a	-	a	1	a	-	a	6	6.3	8	8.3	24	25.8	45	48.4	24	25.8	3	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Other non-Hisp	5	-	a	-	a	-	a	-	a	1	a	1	a	1	a	2	a	1	a	4	a
Hispanic	3	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	2	a	-	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Thomaston	58	-	a	-	a	-	a	-	a	4	a	5	8.8	11	19.6	19	33.9	26	46.4	4	a
White non-Hisp	53	-	a	-	a	-	a	-	a	4	a	5	9.6	10	19.6	17	33.3	24	47.1	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	5	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	2	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thompson	75	-	a	-	a	2	a	1	a	6	8.5	4	a	8	11.9	24	35.8	35	52.2	4	a
White non-Hisp	71	-	a	-	a	2	a	1	a	6	8.8	3	a	7	10.9	24	37.5	33	51.6		

Connecticut Department of Public Health

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{ab}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		PRENATAL CARE							FOREIGN-BORN MOTHERS ^e				
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^g or None)	ADEQUACY (APNCU Index)			MOTHERS ^e					
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%				
Union	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a		
White non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a		
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Vernon	331	-	a	-	a	6	1.8	4	a	31	9.4	36	10.9	107	32.4	144	43.6	79	23.9	80	24.2
White non-Hisp	216	-	a	-	a	6	2.8	3	a	15	6.9	18	8.3	73	33.8	98	45.4	45	20.8	17	7.9
Black non-Hisp	26	-	a	-	a	-	-	-	a	2	a	3	a	11	44.0	9	36.0	5	20.0	11	42.3
Other non-Hisp	53	-	a	-	a	-	-	1	a	8	15.1	7	13.2	16	30.2	24	45.3	13	24.5	42	79.2
Hispanic	35	-	a	-	a	-	-	-	a	6	17.1	8	22.9	7	20.0	13	37.1	15	42.9	10	28.6
Unk Race/Ethn	1	-	a	-	a	-	-	-	a	-	-	-	-	-	-	-	-	1	a	-	-
Voluntown	22	-	a	-	a	-	-	-	a	1	a	5	22.7	3	a	12	57.1	6	28.6	1	a
White non-Hisp	19	-	a	-	a	-	-	-	a	1	a	3	a	2	a	10	55.6	6	33.3	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	-	-	a	-	a	1	a	-	a	2	a	-	a	-	a
Hispanic	1	-	a	-	a	-	-	-	a	-	a	1	a	1	a	-	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wallingford	392	-	a	-	a	4	a	4	a	26	6.6	37	9.5	83	21.2	164	41.9	144	36.8	75	19.1
White non-Hisp	292	-	a	-	a	3	a	4	a	20	6.8	25	8.6	53	18.2	124	42.6	114	39.2	17	5.8
Black non-Hisp	13	-	a	-	a	-	-	-	a	2	a	2	a	4	a	6	46.2	3	a	5	38.5
Other non-Hisp	28	-	a	-	a	-	-	-	a	1	a	3	a	7	25.0	11	39.3	10	35.7	26	92.9
Hispanic	57	-	a	-	a	1	a	-	a	3	a	7	12.3	19	33.3	22	38.6	16	28.1	27	47.4
Unk Race/Ethn	2	-	a	-	a	-	-	-	a	-	-	-	-	-	-	1	a	1	a	-	-
Warren	5	-	a	-	a	-	-	-	a	-	-	-	-	1	a	1	a	3	a	-	-
White non-Hisp	5	-	a	-	a	-	-	-	a	-	-	-	-	1	a	1	a	3	a	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	23	-	a	-	a	1	a	-	a	-	-	2	a	4	a	12	52.2	7	30.4	3	a
White non-Hisp	22	-	a	-	a	1	a	-	a	-	-	2	a	3	a	12	54.5	7	31.8	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	-	-	a	-	-	-	-	1	a	-	-	-	a	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterbury	1,611	1	a	34	2.1	126	7.8	40	2.5	159	9.9	263	16.6	292	18.6	600	38.2	680	43.3	525	32.7
White non-Hisp	527	-	a	1	a	14	2.7	11	2.1	49	9.3	62	11.9	75	14.5	203	39.2	240	46.3	98	18.7
Black non-Hisp	293	1	a	11	3.8	27	9.2	11	3.8	41	14.0	54	18.7	53	18.7	101	35.7	129	45.6	64	22.0
Other non-Hisp	72	-	a	3	a	7	9.7	1	a	7	9.7	8	11.1	12	16.7	31	43.1	29	40.3	35	48.6
Hispanic	717	-	a	19	2.7	78	10.9	17	2.4	62	8.6	138	19.7	152	21.8	265	38.0	280	40.2	328	45.8
Unk Race/Ethn	2	-	a	-	a	-	-	-	-	-	-	1	a	-	-	1	a	2	a	-	-
Waterford	134	-	a	1	a	3	a	2	a	8	6.0	4	a	14	10.6	78	59.1	40	30.3	18	13.4
White non-Hisp	110	-	a	-	a	1	a	-	a	4	a	2	a	13	11.8	65	59.1	32	29.1	6	5.5
Black non-Hisp	2	-	a	-	a	-	-	-	-	1	a	-	-	-	-	1	a	1	a	1	a
Other non-Hisp	10	-	a	-	a	1	a	2	a	4	a	-	-	-	-	6	75.0	2	a	6	60.0
Hispanic	12	-	a	1	a	1	a	-	-	-	-	1	a	1	a	6	50.0	5	41.7	5	41.7
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watertown	170	-	a	-	a	4	a	-	a	12	7.1	13	7.7	10	5.9	79	46.7	80	47.3	18	10.7
White non-Hisp	155	-	a	-	a	4	a	-	a	11	7.1	13	8.4	9	5.8	71	46.1	74	48.1	10	6.5
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	a	-	-	-	-
Other non-Hisp	4	-	a	-	a	-	-	-	-	1	a	-	-	1	a	-	-	2	a	4	a
Hispanic	9	-	a	-	a	-	-	-	-	-	-	-	-	-	-	5	55.6	4	a	4	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westbrook	39	-	a	-	a	-	-	2	a	2	a	1	a	-	-	23	59.0	16	41.0	8	20.5
White non-Hisp	30	-	a	-	a	-	-	2	a	2	a	-	-	-	-	17	56.7	13	43.3	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	-	-	-	-	-	-	-	-	-	1	a	-	-	1	a
Hispanic	8	-	a	-	a	-	-	-	-	-	-	1	a	-	-	5	62.5	3	a	7	87.5
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hartford	575	-	a	2	a	7	1.2	4	a	36	6.3	62	10.8	222	38.8	230	40.2	120	21.0	131	22.8
White non-Hisp	409	-	a	1	a	3	a	3	a	23	5.6	37	9.1	164	40.2	162	39.7	82	20.1	46	11.2
Black non-Hisp	27	-	a	-	a	2	a	-	a	4	a	2	a	9	33.3	8	29.6	10	37.0	6	22.2
Other non-Hisp	61	-	a	-	a	-	-	1	a	6	9.8	14	23.3	25	41.7	26	43.3	9	15.0	49	80.3
Hispanic	75	-	a	1	a	2	a	-	a	2	a	7	9.3	23	31.1	34	45.9	17	23.0	30	40.0
Unk Race/Ethn	3	-	a	-	a	-	-	-	-	1	a	2	a	1	a	-	-	2	a	-	-
West Haven	622	-	a	4	a	22	3.5	13	2.1	49	7.9	100	16.2	120	19.8	215	35.5	271	44.7	260	41.8
White non-Hisp	256	-	a	1	a	2	a	7	2.7	19	7.4	25	9.8	49	20.0	88	35.9	108	44.1	53	20.7
Black non-Hisp	139	-	a	3	a	7	5.0	3	a	13	9.4	37	26.8	39	28.7	45	33.1	52	38.2	61	43.9
Other non-Hisp	49	-	a	-	a	1	a	2	a	6	12.2	4	a	3	a	20	41.7	25	52.1	39	79.6
Hispanic	178	-	a	-	a	12	6.7	1	a	11	6.2	34	19.1	29	16.4	62	35.0	86	48.6	107	60.1
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weston	62	-	a	-	a	-	-	-	-	2	a	3	a	13	21.0	32	51.6	17	27.4	12	19.4
White non-Hisp	47	-	a	-	a	-	-	-	-	2	a										

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2015
 Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
 for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{a,b}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		PRENATAL CARE ADEQUACY (APNCU Index)				FOREIGN-BORN MOTHERS ^e							
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^o or None)		Non-Adequate		Adequate	Intensive		No.	%			
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
Wilton	136	-	a	-	a	-	a	3	a	16	11.8	8	5.9	29	21.6	57	42.5	48	35.8	40	29.4
White non-Hisp	103	-	a	-	a	-	a	2	a	8	7.8	4	a	22	21.8	41	40.6	38	37.6	15	14.6
Black non-Hisp	1	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	21	-	a	-	a	-	a	-	a	4	a	2	a	3	a	11	52.4	7	33.3	16	76.2
Hispanic	10	-	a	-	a	-	a	-	a	3	a	2	a	4	a	4	a	2	a	7	70.0
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Winchester	85	-	a	-	a	1	a	2	a	5	5.9	7	8.2	18	21.2	46	54.1	21	24.7	6	7.1
White non-Hisp	77	-	a	-	a	1	a	2	a	5	6.5	7	9.1	17	22.1	40	51.9	20	26.0	2	a
Black non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	-	a	-	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	2	a
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	-	a	2	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Windham	287	-	a	4	a	18	6.3	9	3.1	27	9.4	31	10.8	59	20.8	128	45.1	97	34.2	99	34.5
White non-Hisp	119	-	a	1	a	2	a	2	a	11	9.2	10	8.4	25	21.4	54	46.2	38	32.5	8	6.7
Black non-Hisp	8	-	a	-	a	-	a	-	a	3	a	-	a	1	a	3	a	4	a	-	a
Other non-Hisp	11	-	a	2	a	2	a	-	a	-	a	-	a	2	a	6	54.5	3	a	5	45.5
Hispanic	148	-	a	1	a	14	9.5	7	4.7	13	8.8	21	14.3	30	20.4	65	44.2	52	35.4	86	58.1
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Windsor	247	-	a	3	a	7	2.8	8	3.3	20	8.2	33	13.4	96	39.7	86	35.5	60	24.8	64	25.9
White non-Hisp	100	-	a	1	a	2	a	3	a	5	5.0	11	11.0	40	40.8	37	37.8	21	21.4	7	7.0
Black non-Hisp	91	-	a	1	a	2	a	4	a	9	10.0	14	15.4	40	44.9	30	33.7	19	21.3	33	36.3
Other non-Hisp	27	-	a	-	a	-	a	1	a	3	a	6	22.2	9	33.3	11	40.7	7	25.9	19	70.4
Hispanic	27	-	a	1	a	3	a	-	a	2	a	7	25.9	8	29.6	8	29.6	12	44.4	5	18.5
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	1	a	-	a
Windsor Locks	98	-	a	2	a	5	5.1	2	a	9	9.3	12	12.2	33	34.0	42	43.3	22	22.7	22	22.7
White non-Hisp	67	-	a	1	a	2	a	1	a	3	a	9	13.4	27	40.3	28	41.8	12	17.9	6	9.0
Black non-Hisp	11	-	a	-	a	-	a	1	a	2	a	1	a	3	a	5	45.5	3	a	5	45.5
Other non-Hisp	10	-	a	-	a	-	a	-	a	1	a	1	a	1	a	6	60.0	3	a	9	90.0
Hispanic	7	-	a	1	a	3	a	-	a	2	a	-	a	1	a	3	a	3	a	2	a
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a	-	a
Wolcott	107	-	a	1	a	1	a	5	4.7	11	10.3	13	12.1	21	19.6	50	46.7	36	33.6	10	9.3
White non-Hisp	98	-	a	1	a	1	a	5	5.1	9	9.2	13	13.3	21	21.4	47	48.0	30	30.6	8	8.2
Black non-Hisp	2	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	2	a	-	a
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	7	-	a	-	a	-	a	-	a	1	a	-	a	-	a	3	a	4	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodbridge	61	-	a	-	a	-	a	-	a	3	a	5	8.5	5	8.5	28	47.5	26	44.1	16	26.2
White non-Hisp	49	-	a	-	a	-	a	-	a	3	a	3	a	4	a	23	47.9	21	43.8	8	16.3
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	7	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	3	a	6	85.7
Hispanic	4	-	a	-	a	-	a	-	a	-	a	2	a	1	a	1	a	2	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodbury	66	-	a	-	a	1	a	2	a	6	9.1	12	18.2	10	15.2	21	31.8	35	53.0	9	13.6
White non-Hisp	59	-	a	-	a	1	a	2	a	6	10.2	10	16.9	8	13.6	17	28.8	34	57.6	4	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	1	a	4	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodstock	57	-	a	1	a	1	a	-	a	1	a	3	a	7	12.7	25	45.5	23	41.8	4	a
White non-Hisp	56	-	a	1	a	1	a	-	a	1	a	3	a	7	13.0	24	44.4	23	42.6	4	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown CT Town	11	-	a	-	a	-	a	-	a	-	a	3	a	3	a	2	a	4	a	1	a
White non-Hisp	6	-	a	-	a	-	a	-	a	-	a	2	a	-	a	2	a	2	a	-	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES:
 Starting with 2007 births, the reported birthweight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics. The quality assurance edits for GAGE include 1) changing the GAGE range to 17-47 weeks; 2) applying a series of consistency checks between BWT, GAGE based on mother's report of last menstrual period (LMP), and clinical estimate of GAGE; and 3) imputing GAGE using values from records with similar BWT and race/ethnicity for births where month and year of LMP is known but day of LMP is unknown. The imputation process used by NCHS to impute unknown GAGE values cannot be precisely reproduced at the state level; however, DPH staff developed an analytic process to approximate it.
^a Percentages were not calculated for less than five events because of the high degree of variability associated with small numbers. Denominators used for calculating percentages exclude records with missing data (i.e., denominator = total births minus unknowns).
^b A dash (-) represents the quantity zero.
^c In 2015, BWT was recoded to 'unknown' for 14 records where BWT values were inconsistent with both clinical and LMP-based estimates of gestational age.
^d Very low birthweight is defined as less than 1,500 grams. Low birthweight is defined as less than 2,500 grams.
^e Late prenatal care is defined as prenatal care beginning in the second or third trimester of pregnancy.
^f Non-adequate prenatal care comprises intermediate and inadequate prenatal care based on the Adequacy of Prenatal Care Utilization (APNCU) Index.
^g Mother's Race/Ethnicity represents mutually exclusive groups.
^h Foreign-born status is determined using the mother's self-reported country of birth. Foreign-born is defined as any birth place other than the 50 states and Washington D.C. Denominators used for calculating percentages exclude records with missing or unknown country of birth.

TABLE 5
CONNECTICUT RESIDENT FETAL DEATHS, 2015
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity,
 Sex, Place of Delivery, Gestational Age, Plurality, and Mother's Age^{a-c}

	TOTAL DEATHS	BIRTHWEIGHT (Grams)							% Very Low BWT <1500g	% Low BWT <2500g	GESTATIONAL AGE			% PRE-MATURE ^d
		< 500	500-999	1000-1499	1500-2499	2500-3499	3500+	UN-KNOWN			17-36 WKS	37+ WKS	UN-KNOWN	
MOTHER'S RACE & ETHNICITY^e														
MOTHER'S RACE/ETHNICITY	166	54	24	18	21	26	10	13	62.7	76.5	134	31	1	81.2
White non-Hispanic	69	20	7	10	10	15	5	2	55.2	70.1	52	17	-	75.4
Black non-Hispanic	34	13	5	2	4	5	2	3	64.5	77.4	29	5	-	85.3
Other non-Hispanic	11	4	3	-	1	2	1	-	63.6	72.7	6	5	-	54.5
Hispanic	42	16	5	6	6	4	2	3	69.2	84.6	37	4	1	90.2
Unknown Race/Ethn	10	1	4	-	-	-	-	5	100.0	100.0	10	-	-	100.0
MOTHER'S RACE														
MOTHER'S RACE	166	54	24	18	21	26	10	13	62.7	76.5	134	31	1	81.2
White	109	37	13	13	16	18	6	6	61.2	76.7	87	21	1	80.6
Black	42	13	8	4	4	5	2	6	69.4	80.6	37	5	-	88.1
Other	11	4	3	-	1	2	1	-	63.6	72.7	6	5	-	54.5
Unknown	4	-	-	1	-	1	1	1	a	a	4	-	-	a
MOTHER'S ETHNICITY														
MOTHER'S ETHNICITY	166	54	24	18	21	26	10	13	62.7	76.5	134	31	1	81.2
Non-Hispanic	115	37	15	12	15	22	8	6	58.7	72.5	88	27	-	76.5
Hispanic	42	16	5	6	6	4	2	3	69.2	84.6	37	4	1	90.2
Unknown	9	1	4	-	-	-	-	4	100.0	100.0	9	-	-	100.0
SEX														
SEX	82	21	16	6	9	17	5	8	58.1	70.3	66	16	-	80.5
MALE	82	21	16	6	9	17	5	8	58.1	70.3	66	16	-	80.5
White non-Hispanic	33	8	7	1	4	9	3	1	50.0	62.5	27	6	-	81.8
Black non-Hispanic	12	5	1	-	1	2	2	1	54.5	63.6	8	4	-	66.7
Other non-Hispanic	7	2	3	-	-	2	-	-	71.4	71.4	4	3	-	a
Hispanic	25	6	3	5	4	4	-	3	63.6	81.8	22	3	-	88.0
Unknown Race/Ethn	5	-	2	-	-	-	-	3	b	b	5	-	-	100.0
FEMALE	84	33	8	12	12	9	5	5	67.1	82.3	68	15	1	81.9
White non-Hispanic	36	12	-	9	6	6	2	1	60.0	77.1	25	11	-	69.4
Black non-Hispanic	22	8	4	2	3	3	-	2	70.0	85.0	21	1	-	95.5
Other non-Hispanic	4	2	-	-	1	-	1	-	a	a	2	2	-	a
Hispanic	17	10	2	1	2	-	2	-	76.5	88.2	15	1	1	93.8
Unknown Race/Ethn	5	1	2	-	-	-	-	2	a	a	5	-	-	100.0
UNKNOWN														
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACE OF DELIVERY														
PLACE OF DELIVERY	164	53	24	18	21	26	10	12	62.5	76.3	132	31	1	81.0
IN-HOSPITAL	164	53	24	18	21	26	10	12	62.5	76.3	132	31	1	81.0
White non-Hispanic	68	19	7	10	10	15	5	2	54.5	69.7	51	17	-	75.0
Black non-Hispanic	34	13	5	2	4	5	2	3	64.5	77.4	29	5	-	85.3
Other non-Hispanic	11	4	3	-	1	2	1	-	63.6	72.7	6	5	-	54.5
Hispanic	42	16	5	6	6	4	2	3	69.2	84.6	37	4	1	90.2
Unknown Race/Ethn	9	1	4	-	-	-	-	4	100.0	100.0	9	-	-	100.0
HOME BIRTH														
HOME BIRTH	1	1	-	-	-	-	-	-	a	a	1	-	-	a
White non-Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER & UNKNOWN														
OTHER & UNKNOWN	1	-	-	-	-	-	-	1	b	b	1	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	1	-	-	-	-	-	-	1	b	b	1	-	-	a
GESTATIONAL AGE														
GESTATIONAL AGE	76	50	15	3	1	-	-	7	98.6	100.0	76	-	-	100.0
20-27 WEEKS	76	50	15	3	1	-	-	7	98.6	100.0	76	-	-	100.0
White non-Hispanic	25	17	5	1	-	-	-	2	100.0	100.0	25	-	-	100.0
Black non-Hispanic	20	13	3	1	1	-	-	2	94.4	100.0	20	-	-	100.0
Other non-Hispanic	5	4	1	-	-	-	-	-	100.0	100.0	5	-	-	100.0
Hispanic	20	15	3	1	-	-	-	1	100.0	100.0	20	-	-	100.0
Unknown Race/Ethn	6	1	3	-	-	-	-	2	a	a	6	-	-	100.0
28-31 WEEKS	26	3	8	7	2	-	-	6	90.0	100.0	26	-	-	100.0
White non-Hispanic	9	3	2	4	-	-	-	-	100.0	100.0	9	-	-	100.0
Black non-Hispanic	5	-	2	1	1	-	-	1	a	a	5	-	-	100.0
Other non-Hispanic	1	-	1	-	-	-	-	-	a	a	1	-	-	a
Hispanic	7	-	2	2	1	-	-	2	a	100.0	7	-	-	100.0
Unknown Race/Ethn	4	-	1	-	-	-	-	3	b	b	4	-	-	a

Connecticut Department of Public Health

	TOTAL DEATHS	BIRTHWEIGHT (Grams)							% Very Low BWT <1500g	% Low BWT <2500g	GESTATIONAL AGE			% PRE-MATURE ^d
		< 500	500-999	1000-1499	1500-2499	2500-3499	3500+	UN-KNOWN			17-36 WKS	37+ WKS	UN-KNOWN	
32-35 WEEKS	29	-	-	6	14	7	2	-	20.7	69.0	29	-	-	100.0
White non-Hispanic	17	-	-	3	8	5	1	-	a	64.7	17	-	-	100.0
Black non-Hispanic	3	-	-	-	1	2	-	-	a	a	3	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	9	-	-	3	5	-	1	-	a	88.9	9	-	-	100.0
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36 WEEKS	3	-	-	-	2	1	-	-	a	a	3	-	-	a
White non-Hispanic	1	-	-	-	1	-	-	-	a	a	1	-	-	a
Black non-Hispanic	1	-	-	-	1	-	-	-	a	a	1	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	1	-	-	a	a	1	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37-39 WEEKS	25	-	1	2	2	14	6	-	a	20.0	-	25	-	a
White non-Hispanic	14	-	-	2	1	9	2	-	a	a	-	14	-	a
Black non-Hispanic	3	-	-	-	-	1	2	-	a	a	-	3	-	a
Other non-Hispanic	5	-	1	-	1	2	1	-	a	a	-	5	-	a
Hispanic	3	-	-	-	-	2	1	-	a	a	-	3	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40+ WEEKS	6	-	-	-	-	4	2	-	a	a	-	6	-	a
White non-Hispanic	3	-	-	-	-	1	2	-	a	a	-	3	-	a
Black non-Hispanic	2	-	-	-	-	2	-	-	a	a	-	2	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	1	-	-	a	a	-	1	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	-	-	a	a	-	-	1	b
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	1	-	-	-	-	-	-	a	a	-	-	1	b
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLURALITY														
SINGLETONS	147	45	21	17	19	24	10	11	61.0	75.0	117	29	1	80.1
White non-Hispanic	61	19	5	9	8	13	5	2	55.9	69.5	46	15	-	75.4
Black non-Hispanic	28	9	5	2	4	5	2	1	59.3	74.1	23	5	-	82.1
Other non-Hispanic	10	3	3	-	1	2	1	-	60.0	70.0	5	5	-	50.0
Hispanic	38	13	4	6	6	4	2	3	65.7	82.9	33	4	1	89.2
Unknown Race/Ethn	10	1	4	-	-	-	-	5	100.0	100.0	10	-	-	100.0
MULTIPLE BIRTHS	19	9	3	1	2	2	-	2	76.5	88.2	17	2	-	89.5
White non-Hispanic	8	1	2	1	2	2	-	-	a	75.0	6	2	-	75.0
Black non-Hispanic	6	4	-	-	-	-	-	2	a	a	6	-	-	100.0
Other non-Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Hispanic	4	3	1	-	-	-	-	-	a	a	4	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOTHER'S AGE														
LESS THAN 15 YRS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 YRS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 YRS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 YRS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

	TOTAL DEATHS	BIRTHWEIGHT (Grams)						% Very Low BWT <1500g	% Low BWT <2500g	GESTATIONAL AGE			% PRE-MATURE ^d	
		< 500	500-999	1000-1499	1500-2499	2500-3499	3500+			UN-KNOWN	17-36 WKS	37+ WKS		UN-KNOWN
18 YRS	3	3	-	-	-	-	-	-	a	a	3	-	-	a
White non-Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Black non-Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19 YRS	5	3	-	1	-	1	-	-	a	a	4	1	-	a
White non-Hispanic	1	-	-	1	-	-	-	-	a	a	1	-	-	a
Black non-Hispanic	1	-	-	-	-	1	-	-	a	a	-	1	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	3	-	-	-	-	-	-	a	a	3	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 YRS	13	2	3	3	3	1	-	1	66.7	91.7	10	2	1	83.3
White non-Hispanic	4	-	-	1	2	1	-	-	a	a	2	2	-	a
Black non-Hispanic	1	-	1	-	-	-	-	-	a	a	1	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	7	2	1	2	1	-	-	1	83.3	100.0	6	-	1	100.0
Unknown Race/Ethn	1	-	1	-	-	-	-	-	a	a	1	-	-	a
25-29 YRS	61	21	9	8	6	10	4	3	65.5	75.9	51	10	-	83.6
White non-Hispanic	19	4	1	4	3	5	2	-	47.4	63.2	14	5	-	73.7
Black non-Hispanic	13	6	3	2	-	2	-	-	84.6	84.6	13	-	-	100.0
Other non-Hispanic	5	3	1	-	1	-	-	-	a	100.0	3	2	-	a
Hispanic	20	7	4	2	2	3	2	-	65.0	75.0	17	3	-	85.0
Unknown Race/Ethn	4	1	-	-	-	-	-	3	b	b	4	-	-	a
30-34 YRS	45	15	6	2	7	6	4	5	57.5	75.0	37	8	-	82.2
White non-Hispanic	22	8	3	1	2	5	2	1	57.1	66.7	17	5	-	77.3
Black non-Hispanic	11	4	1	-	3	-	1	2	55.6	88.9	10	1	-	90.9
Other non-Hispanic	3	-	1	-	-	1	1	-	a	a	1	2	-	a
Hispanic	7	3	-	1	2	-	-	1	a	100.0	7	-	-	100.0
Unknown Race/Ethn	2	-	1	-	-	-	-	1	a	a	2	-	-	a
35-39 YRS	33	8	5	4	3	8	2	3	56.7	66.7	23	10	-	69.7
White non-Hispanic	19	6	2	3	2	4	1	1	61.1	72.2	14	5	-	73.7
Black non-Hispanic	5	1	-	-	-	2	1	1	a	a	2	3	-	a
Other non-Hispanic	3	1	1	-	-	1	-	-	a	a	2	1	-	a
Hispanic	4	-	-	1	1	1	-	1	a	a	3	1	-	a
Unknown Race/Ethn	2	-	2	-	-	-	-	-	a	a	2	-	-	a
40-44 YRS	6	2	1	-	2	-	-	1	a	100.0	6	-	-	100.0
White non-Hispanic	3	1	1	-	1	-	-	-	a	a	3	-	-	a
Black non-Hispanic	2	1	-	-	1	-	-	-	a	a	2	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	1	-	-	-	-	-	-	1	b	b	1	-	-	a
45+ YRS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES:

- ^a Fetal deaths are deaths of fetuses after 20 or more weeks of gestation.
- ^b Percentages were not calculated for less than five events because of the high degree of variability associated with small numbers. Denominators used for calculating percentages exclude records with missing data (i.e., denominator = total births minus unknowns).
- ^c A dash (-) represents the quantity zero.
- ^d "Premature" refers to fetal deaths of less than 37 weeks gestation when gestational age was known.
- ^e Mother's Race/Ethnicity represents mutually exclusive groups.

TABLE 6
CONNECTICUT RESIDENT FETAL DEATHS, 2015
 Cause of Death by Mother's Race and Hispanic Ethnicity and by Gestational Age^{a,b}

ICD-10 CODE AND CAUSE OF DEATH	TOTAL DEATHS	MOTHER'S RACE/ETHNICITY ^c					GESTATIONAL AGE		
		WHITE NON-HISP	BLACK NON-HISP	OTHER NON-HISP	HISP-ANIC	UN-KNOWN	20-36 WKS	37+ WKS	UN-KNOWN
TOTAL: ALL CAUSES	166	69	34	11	42	10	134	31	1
P00-P96 Perinatal conditions									
P00 Fetus affected by maternal conditions unrelated to pregnancy	3	2	-	-	-	1	3	-	-
P01 Fetus affected by maternal complications of pregnancy	8	3	3	-	2	-	8	-	-
P02 Fetus affected by complications of placenta, cord and membranes	29	14	7	3	3	2	20	9	-
P03 Fetus affected by other labor, delivery complications	1	-	1	-	-	-	1	-	-
P05 Slow fetal growth and fetal malnutrition	-	-	-	-	-	-	-	-	-
P07 Disorders related to short gestation and low birthweight	29	9	8	3	9	-	28	-	1
P20-P21 Intrauterine hypoxia and birth asphyxia	3	2	1	-	-	-	1	2	-
P23-P28 Other respiratory conditions originating in the perinatal period	-	-	-	-	-	-	-	-	-
P29 Cardiovascular disorders originating in perinatal period	1	-	-	-	1	-	-	1	-
P35-P39 Infections specific to the perinatal period	-	-	-	-	-	-	-	-	-
P61 Other perinatal hematological disorders	-	-	-	-	-	-	-	-	-
P80-P83 Conditions involving fetus integument & temperature regulation	1	1	-	-	-	-	1	-	-
P90-P96 Other disorders originating in perinatal period	72	31	11	5	20	5	59	13	-
Q00-Q99 Congenital malformations, deformations, & chromosomal abnormalities									
Q00 Anencephaly and similar malformations	1	1	-	-	-	-	1	-	-
Q05 Spina bifida	-	-	-	-	-	-	-	-	-
Q01-Q02,Q04,Q06-Q07 Other congenital malformations of nervous system	-	-	-	-	-	-	-	-	-
Q24 Other congenital malformation of the heart	1	1	-	-	-	-	-	1	-
Q30-Q34 Congenital malformation of respiratory system	1	-	1	-	-	-	1	-	-
Q60-Q64 Congenital malformation of urinary system	-	-	-	-	-	-	-	-	-
Q68 Other congenital musculoskeletal deformities	-	-	-	-	-	-	-	-	-
Q90,Q91 Chromosomal abnormalities	1	1	-	-	-	-	1	-	-
Q89 Other congenital malformations	1	-	-	-	1	-	1	-	-
R95-R99 Other ill-defined and unknown causes of mortality	-	-	-	-	-	-	-	-	-
All Other Causes^d	13	4	1	0	6	2	9	4	0
Unknown Condition	1	-	1	-	-	-	-	1	-

NOTES:

^a Fetal deaths are deaths of fetuses after 20 or more weeks of gestation.

^b A dash (-) represents the quantity zero.

^c Mother's Race/Ethnicity represents mutually exclusive groups.

^d There was 1 records with unknown cause of death.

TABLE 7
CONNECTICUT RESIDENT INFANT, NEONATAL, AND POSTNEONATAL DEATHS, 2015
 Deaths by Infant's Race and Ethnicity for Counties, Health Districts, and Towns^{a,b}

GEOGRAPHIC AREA	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC
		WHITE	BLACK	OTHER			WHITE	BLACK	OTHER			WHITE	BLACK	OTHER	
CONNECTICUT	200	124	61	8	64	140	88	41	7	44	60	36	20	1	20
COUNTY:															
Fairfield County	48	29	17	-	22	31	15	14	-	13	17	14	3	-	9
Hartford County	58	34	19	4	22	47	28	15	3	20	11	6	4	1	2
Litchfield County	3	2	-	1	-	3	2	-	1	-	-	-	-	-	-
Middlesex County	11	7	2	-	3	8	6	1	-	2	3	1	1	-	1
New Haven County	54	32	18	2	13	36	24	10	2	7	18	8	8	-	6
New London County	14	9	5	-	2	9	8	1	-	2	5	1	4	-	-
Tolland County	5	5	-	-	1	3	3	-	-	-	2	2	-	-	1
Windham County	7	6	-	1	1	3	2	-	1	-	4	4	-	-	1
HEALTH DISTRICT:															
Bristol-Burlington	2	1	1	-	1	2	1	1	-	1	-	-	-	-	-
Central Connecticut	3	1	1	1	-	-	-	-	-	-	3	1	1	1	-
Chatham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chesprocott	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
CT River Area	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
East Shore	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-
Eastern Highlands	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
Farmington Valley	3	2	1	-	-	2	1	1	-	-	1	1	-	-	-
Ledge Light	7	4	3	-	1	4	3	1	-	1	3	1	2	-	-
Naugatuck Valley	8	5	3	-	4	5	3	2	-	2	3	2	1	-	2
Newtown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Central	7	4	3	-	2	3	1	2	-	-	4	3	1	-	2
Northeast	6	5	-	1	-	3	2	-	1	-	3	3	-	-	-
Plainville-Southngtn	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Pomperaug	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Quinnipiack Valley	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Torrington Area	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Uncas Regional	7	5	2	-	1	5	5	-	-	1	2	-	2	-	-
W Hrtfd-Bloomfield	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
TOWN:															
Andover	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ansonia	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Ashford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barkhamsted	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beacon Falls	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Berlin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethany	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethlehem	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomfield	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
Bolton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bozrah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Branford	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Bridgeport	22	10	11	-	10	15	6	8	-	7	7	4	3	-	3
Bridgewater	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bristol	2	1	1	-	1	2	1	1	-	1	-	-	-	-	-
Brookfield	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Brooklyn	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Burlington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canaan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canterbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Canton	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Chaplin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshire	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clinton	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Colchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colebrook	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cornwall	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coventry	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
Cromwell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Danbury	5	5	-	-	4	2	2	-	-	2	3	3	-	-	2
Darien	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deep River	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Derby	3	1	2	-	2	2	1	1	-	1	1	-	1	-	1
Durham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Granby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Haddam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Hampton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Hartford	3	2	1	-	1	1	1	-	-	1	2	1	1	-	-

Connecticut Department of Public Health

GEOGRAPHIC AREA	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC
		RACE					RACE					RACE			
		WHITE	BLACK	OTHER			WHITE	BLACK	OTHER			WHITE	BLACK	OTHER	
East Haven	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Lyme	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-
Easton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Windsor	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
Ellington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Essex	3	3	-	-	-	3	3	-	-	-	-	-	-	-	-
Fairfield	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Farmington	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glastonbury	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
Goshen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Granby	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Greenwich	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Griswold	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Groton	4	3	1	-	1	2	2	-	-	1	2	1	1	-	-
Guilford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haddam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hamden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hartford	22	17	4	1	11	22	17	4	1	11	-	-	-	-	-
Hartland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Harwinton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hebron	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Killingly	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-
Killingworth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lebanon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ledyard	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lisbon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Litchfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Manchester	4	1	1	2	-	3	-	1	2	-	1	1	-	-	-
Mansfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marlborough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meriden	4	3	1	-	-	3	3	-	-	-	1	-	1	-	-
Middlebury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlefield	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
Middletown	5	2	2	-	2	2	1	1	-	1	3	1	1	-	1
Milford	3	1	-	1	-	2	1	-	1	-	1	-	-	-	-
Monroe	2	2	-	-	1	2	2	-	-	1	-	-	-	-	-
Montville	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Morris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Naugatuck	3	2	1	-	2	2	1	1	-	1	1	1	-	-	1
New Britain	13	8	4	-	7	10	6	3	-	5	3	2	1	-	2
New Canaan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Haven	11	5	5	-	3	5	2	3	-	-	6	3	2	-	3
Newington	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
New London	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
New Milford	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Newtown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Norfolk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Branford	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
North Canaan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Haven	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Stonington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwalk	5	2	3	-	2	3	-	3	-	1	2	2	-	-	1
Norwich	5	3	2	-	1	3	3	-	-	1	2	-	2	-	-
Old Lyme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Saybrook	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Orange	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plainfield	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-
Plainville	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plymouth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pomfret	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Preston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prospect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putnam	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Redding	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ridgefield	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Rocky Hill	2	-	1	1	-	-	-	-	-	-	2	-	1	1	-
Roxbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salem	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salisbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

GEOGRAPHIC AREA	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC
		WHITE	BLACK	OTHER			WHITE	BLACK	OTHER			WHITE	BLACK	OTHER	
Seymour	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sharon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shelton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sherman	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simsbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somers	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southington	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
South Windsor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sprague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stafford	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Stamford	5	5	-	-	3	1	1	-	-	-	4	4	-	-	3
Sterling	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stonington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford	4	1	2	-	2	4	1	2	-	2	-	-	-	-	-
Suffield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thomaston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thompson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tolland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Torrington	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Trumbull	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	2	2	-	-	1	-	-	-	-	-	2	2	-	-	1
Voluntown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wallingford	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Warren	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterbury	15	9	6	-	6	11	7	4	-	5	4	2	2	-	1
Waterford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watertown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westbrook	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Haven	6	2	3	1	-	4	2	1	1	-	2	-	2	-	-
Weston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westport	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wethersfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilton	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Winchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Windham	1	1	-	-	1	-	-	-	-	-	1	1	-	-	1
Windsor	2	-	2	-	-	2	-	2	-	1	-	-	-	-	-
Windsor Locks	2	-	2	-	-	2	-	2	-	-	-	-	-	-	-
Wolcott	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
Woodbridge	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Woodbury	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Woodstock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Out-Of-State	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES:

^a A dash (-) represents the quantity zero.

^b Race and ethnicity as reported here are not mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race and are counted in the race breakdown as either "white," "black," or "other". "Other" refers to cases where a self-reported race is something other than "white" or "black" but is not "unknown". For reporting purposes, only the main components of race and only the Hispanic component of ethnicity are shown; counts for those of unknown race or ethnicity are omitted. Consequently, the race and/or the ethnicity components do not sum to the total number of events. Overall, there are 7 infant deaths with unknown race and 0 with unknown ethnicity.

TABLE 8
CONNECTICUT RESIDENT INFANT, NEONATAL, AND POSTNEONATAL DEATHS, 2015
Cause of Death by Infant's Race and Ethnicity^{a,b}

ICD-10 CODE AND CAUSE OF DEATH	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC
		WHITE	BLACK	OTHER			WHITE	BLACK	OTHER			WHITE	BLACK	OTHER	
ALL CAUSES	200	124	61	8	64	140	88	41	7	44	60	36	20	1	20
A00-B99 Certain infectious and parasitic diseases	5	4	-	-	3	-	-	-	-	-	5	4	-	-	3
C00-C97 Malignant neoplasms	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
G00-G98 Diseases of the nervous system	3	2	1	-	1	-	-	-	-	-	3	2	1	-	1
I00-I99 Disease of the circulatory system	3	3	-	-	2	2	2	-	-	1	1	1	-	-	1
J00-J98 Diseases of the respiratory system	6	4	2	-	2	1	1	-	-	-	5	3	2	-	2
Q00-Q99 Congenital malformations	19	14	3	1	7	9	7	1	1	3	10	7	2	-	4
Q00-Q07 Anencephalus,hydrocephalus, spina bifida, other congenital anomalies of nervous system	3	1	-	1	1	2	1	-	1	1	1	-	-	-	-
Q20-Q28 Congenital malformation of the circulatory system	2	2	-	-	-	-	-	-	-	-	2	2	-	-	-
Q30-Q34 Congenital malformation of respiratory system	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
Q35-Q45 Congenital malformation of digestive system	2	1	1	-	-	1	1	-	-	-	1	-	1	-	-
Q60-Q64 Congenital malformation of urinary system	3	2	1	-	-	3	2	1	-	-	-	-	-	-	-
Q90-Q91 Down's, Edward's and Patau's syndrome	4	3	1	-	2	1	1	-	-	-	3	2	1	-	2
Q10-Q18,Q86-Q89 Other and unspecified congenital	2	2	-	-	2	1	1	-	-	1	1	1	-	-	1
P00-P96 Certain conditions originating in the perinatal period	125	73	43	6	39	116	71	36	6	37	9	2	7	-	2
P00-P04 Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery	29	17	10	1	10	28	17	9	1	10	1	-	1	-	-
P01 Fetus and newborn affected by maternal complications of pregnancy	17	12	4	-	8	17	12	4	-	8	-	-	-	-	-
P01.0-P01.3 Incompetent cervix; premature rupture of membranes/oligohydramnios/polyhydramnios	16	11	4	-	8	16	11	4	-	8	-	-	-	-	-
P01.5 Fetus and newborn affected by multiple pregnancy	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
P02 Fetus and newborn affected by complications of placenta, cord, membranes	10	3	6	1	1	9	3	5	1	1	1	-	1	-	-
P03 Fetus and newborn affected by other complications of labor and delivery	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
P07 Disorders relating to short gestation and low birth weight, not elsewhere classified	52	30	19	2	17	51	30	18	2	17	1	-	1	-	-
P10-P15 Birth trauma	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
P20-P21 Intrauterine hypoxia and birth asphyxia	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-
P22 Respiratory distress of newborn	8	6	2	-	2	8	6	2	-	2	-	-	-	-	-
P23-P28 Other respiratory conditions in perinatal period	10	4	6	-	3	5	3	2	-	1	5	1	4	-	2
P28.0-P28.1 Atelectasis	3	1	-	1	-	3	1	-	1	-	-	-	-	-	-
P36 Bacterial sepsis of newborn	1	-	-	1	1	1	-	-	1	1	-	-	-	-	-
R00-R99 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	18	12	5	1	7	1	1	-	-	1	17	11	5	1	6
R95 Sudden infant death syndrome	8	5	3	-	3	-	-	-	-	-	8	5	3	-	3
V01-X59 Accidents (unintentional injuries)	3	1	2	-	-	1	-	1	-	-	2	1	1	-	-
X85-Y09 Assault(homicide)	2	1	-	-	1	-	-	-	-	-	2	1	-	-	1

NOTES:

^a A dash (-) represents the quantity zero.

^b Race and ethnicity as reported here are not mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race and are counted in the race breakdown as either "white," "black," or "other". "Other" refers to cases where a self-reported race is something other than "white" or "black" but is not "unknown". For reporting purposes, only the main components of race and only the Hispanic component of ethnicity are shown; counts for those of unknown race or ethnicity are omitted. Consequently, the race and/or the ethnicity components do not sum to the total number of events. Overall, there were 7 infant deaths with unknown race and 0 with unknown ethnicity.

^c Cause of death was unknown for 1 infant death.

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
TOTAL, ALL CAUSES																				
All Races/Ethnicities	30520	216	13	19	75	172	231	245	278	347	639	1054	1513	1824	2193	2487	2966	3879	12367	2
Male	14658	105	6	12	51	124	167	180	191	221	382	669	941	1164	1259	1351	1495	1869	4470	1
Female	15862	111	7	7	24	48	64	65	87	126	257	385	572	660	934	1136	1471	2010	7897	1
White non-Hisp	26260	81	2	7	44	112	151	169	183	233	461	804	1160	1457	1828	2091	2516	3438	11522	1
Male	12454	41	2	4	28	84	103	129	125	148	278	514	734	942	1045	1130	1279	1687	4181	-
Female	13806	40	-	3	16	28	48	40	58	85	183	290	426	515	783	961	1237	1751	7341	1
Black non-Hisp	2277	58	5	4	12	29	35	35	43	43	93	129	210	207	205	204	256	237	471	1
Male	1115	26	2	1	10	19	25	25	31	23	52	75	113	115	117	119	111	92	158	1
Female	1162	32	3	3	2	10	10	10	12	20	41	54	97	92	88	85	145	145	313	-
Other non-Hisp	327	7	-	1	2	4	6	2	4	10	8	11	18	26	25	36	33	42	92	-
Male	180	5	-	1	1	2	6	2	2	5	6	8	13	20	16	20	21	22	30	-
Female	147	2	-	-	1	2	-	-	2	5	2	3	5	6	9	16	12	20	62	-
Hispanic	1560	66	6	7	16	24	37	36	47	60	76	106	119	127	130	150	153	149	251	-
Male	857	30	2	6	11	17	32	22	32	44	46	70	77	83	78	79	80	62	86	-
Female	703	36	4	1	5	7	5	14	15	16	30	36	42	44	52	71	73	87	165	-
A04,A07-A09 Certain other intestinal infections																				
All Races/Ethnicities	92	4	-	-	-	-	-	-	-	1	1	1	3	8	7	10	13	16	28	-
Male	38	-	-	-	-	-	-	-	-	-	1	-	2	2	4	6	4	9	10	-
Female	52	4	-	-	-	-	-	-	-	1	-	1	1	6	3	4	7	7	18	-
White non-Hisp	77	1	-	-	-	-	-	-	-	1	1	1	3	7	4	10	8	14	27	-
Male	32	-	-	-	-	-	-	-	-	-	1	-	2	2	2	6	2	7	10	-
Female	45	1	-	-	-	-	-	-	-	1	-	1	1	5	2	4	6	7	17	-
Black non-Hisp	9	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	2	-	-
Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
A16-A19 Tuberculosis																				
All Races/Ethnicities	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	1	-
Male	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
White non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Black non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A16 Respiratory Tuberculosis																				
All Races/Ethnicities	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-
Male	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
A17-A19 Other Tuberculosis																				
All Races/Ethnicities	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
White non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A39 Meningococcal infection																				
All Races/Ethnicities	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A40-A41 Septicemia																				
All Races/Ethnicities	645	-	1	-	-	2	2	2	3	7	10	14	28	50	54	70	74	76	252	-
Male	271	-	-	-	-	1	1	-	3	4	6	8	10	22	26	39	35	32	84	-
Female	370	-	1	-	-	1	1	2	-	3	4	6	18	28	28	29	39	42	168	-
White non-Hisp	532	-	-	-	-	1	1	2	1	4	9	7	18	44	37	53	64	62	229	-
Male	225	-	-	-	-	1	1	-	1	1	5	5	7	22	19	29	30	28	76	-
Female	307	-	-	-	-	-	-	2	-	3	4	2	11	22	18	24	34	34	153	-
Black non-Hisp	63	-	1	-	-	1	-	-	1	2	1	5	8	3	9	6	5	9	12	-
Male	27	-	-	-	-	-	-	-	1	2	1	2	2	-	3	5	2	4	5	-
Female	36	-	1	-	-	1	-	-	-	-	-	-	3	6	6	1	3	5	7	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-
Hispanic	39	-	-	-	-	-	1	-	1	1	-	2	2	3	7	8	3	1	10	-
Male	16	-	-	-	-	-	-	-	1	1	-	1	1	-	3	4	2	-	3	-
Female	23	-	-	-	-	-	1	-	-	-	-	1	1	3	4	4	1	1	7	-
B15-B19 Viral Hepatitis																				
All Races/Ethnicities	57	-	-	-	-	-	-	-	2	3	4	11	15	12	6	1	1	-	2	-
Male	41	-	-	-	-	-	-	-	1	2	2	7	14	9	4	1	1	-	-	-
Female	16	-	-	-	-	-	-	-	1	1	2	4	1	3	2	-	-	-	2	-
White non-Hisp	42	-	-	-	-	-	-	-	2	1	3	10	9	8	5	1	1	-	2	-
Male	29	-	-	-	-	-	-	-	1	1	1	6	9	5	4	1	1	-	-	-
Female	13	-	-	-	-	-	-	-	1	-	2	4	-	3	1	-	-	-	2	-
Black non-Hisp	5	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	9	-	-	-	-	-	-	-	-	2	1	1	2	2	1	-	-	-	-	-
Male	6	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown			
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84	85+
B20-B24 Human immunodeficiency virus (HIV) disease																				
All Races/Ethnicities	70	-	-	-	-	2	1	6	3	1	7	10	12	12	5	5	3	1	2	-
Male	38	-	-	-	-	1	-	1	-	1	3	4	9	8	5	3	1	1	1	-
Female	30	-	-	-	-	1	1	3	3	-	4	6	3	4	-	2	2	-	1	-
White non-Hisp	13	-	-	-	-	-	-	-	1	-	1	2	1	1	3	2	2	-	-	-
Male	7	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	1	-	-	-
Female	6	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1	-	-	-
Black non-Hisp	40	-	-	-	-	2	1	2	1	-	4	7	8	6	2	3	1	1	2	-
Male	21	-	-	-	-	1	-	-	-	-	2	2	5	5	2	2	-	1	1	-
Female	19	-	-	-	-	1	1	2	1	-	2	5	3	1	-	1	1	-	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	14	-	-	-	-	-	-	2	1	1	2	1	3	4	-	-	-	-	-	-
Male	9	-	-	-	-	-	-	1	-	1	1	1	3	2	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-
Other & unspecified infections & parasitic diseases & sequelae																				
All Races/Ethnicities	75	2	-	1	-	-	-	-	-	-	3	3	2	4	5	7	10	10	28	-
Male	30	-	-	-	-	-	-	-	-	-	3	2	1	1	3	5	1	4	10	-
Female	43	-	-	1	-	-	-	-	-	-	1	1	3	3	2	2	9	6	18	-
White non-Hisp	63	-	-	-	-	-	-	-	-	-	1	3	2	3	4	6	8	10	26	-
Male	26	-	-	-	-	-	-	-	-	-	1	2	1	1	2	5	1	4	9	-
Female	37	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	7	6	17	-
Black non-Hisp	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	7	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	6	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-
C00-C97 Malignant neoplasms																				
All Races/Ethnicities	6666	4	1	1	9	9	11	24	39	63	133	284	527	670	825	874	889	885	1418	-
Male	3346	4	-	1	6	5	5	11	16	22	59	144	277	396	447	452	442	450	609	-
Female	3280	-	1	-	3	2	4	11	21	41	72	136	248	272	374	418	443	429	805	-
White non-Hisp	5713	4	-	-	5	2	8	15	23	41	93	213	416	546	718	754	758	789	1328	-
Male	2873	4	-	-	4	2	4	10	11	11	43	106	224	328	385	387	383	402	569	-
Female	2840	-	-	-	1	-	4	5	12	30	50	107	192	218	333	367	375	387	759	-
Black non-Hisp	516	-	-	-	1	3	-	4	5	10	15	36	65	79	58	64	78	48	50	-
Male	250	-	-	-	1	2	-	1	1	4	4	22	29	38	32	39	31	21	25	-
Female	266	-	-	-	-	1	-	3	4	6	11	14	36	41	26	25	47	27	25	-
Other non-Hisp	87	-	-	-	-	-	-	-	1	3	5	5	7	9	10	15	11	9	12	-
Male	50	-	-	-	-	-	-	-	-	2	4	2	3	8	5	8	7	7	4	-
Female	37	-	-	-	-	-	-	-	1	1	1	3	4	1	5	7	4	2	8	-
Hispanic	310	-	1	1	3	2	1	3	8	9	18	26	37	34	35	37	38	33	24	-
Male	173	-	-	1	1	1	1	-	4	5	8	14	21	22	25	18	21	20	11	-
Female	137	-	1	-	2	1	-	3	4	4	10	12	16	12	10	19	17	13	13	-
C00-C14 Lip, oral cavity and pharynx cancer																				
All Races/Ethnicities	96	-	-	-	-	-	1	-	-	1	2	4	12	8	14	14	15	11	14	-
Male	56	-	-	-	-	-	1	-	-	1	2	4	6	4	10	8	8	5	7	-
Female	38	-	-	-	-	-	-	-	-	-	-	4	4	4	4	6	7	6	7	-
White non-Hisp	80	-	-	-	-	-	1	-	-	-	2	3	6	7	11	12	14	10	14	-
Male	47	-	-	-	-	-	1	-	-	-	2	3	4	4	7	6	8	5	7	-
Female	33	-	-	-	-	-	-	-	-	-	-	2	3	3	4	6	6	5	7	-
Black non-Hisp	10	-	-	-	-	-	-	-	-	-	-	3	1	1	3	1	1	1	1	-
Male	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
C15 Oesophagus cancer																				
All Races/Ethnicities	165	-	-	-	-	-	-	-	-	1	4	4	23	28	23	24	18	24	16	-
Male	134	-	-	-	-	-	-	-	-	-	4	4	22	22	20	20	12	18	12	-
Female	29	-	-	-	-	-	-	-	-	1	-	-	1	6	3	4	6	4	4	-
White non-Hisp	148	-	-	-	-	-	-	-	-	1	3	3	21	25	19	24	14	22	16	-
Male	123	-	-	-	-	-	-	-	-	-	3	3	20	20	17	20	10	18	12	-
Female	25	-	-	-	-	-	-	-	-	1	-	-	1	5	2	4	4	4	4	-
Black non-Hisp	9	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	3	-	-	-
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
Male	4	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C16 Stomach cancer																				
All Races/Ethnicities	139	-	-	-	-	-	-	3	2	3	6	8	7	8	16	18	18	25	25	-
Male	80	-	-	-	-	-	-	1	-	3	3	5	3	5	12	15	9	10	14	-
Female	55	-	-	-	-	-	-	-	2	-	3	3	4	3	4	3	9	13	11	-
White non-Hisp	99	-	-	-	-	-	-	1	-	-	4	4	4	7	15	11	12	20	21	-
Male	63	-	-	-	-	-	-	1	-	-	3	2	2	5	11	11	5	10	13	-
Female	36	-	-	-	-	-	-	-	-	-	1	2	2	2	4	-	7	10	8	-
Black non-Hisp	17	-	-	-	-	-	-	1	1	1	1	1	2	-	-	3	4	2	2	-
Male	8	-	-	-	-	-	-	-	1	-	1	1	1	-	-	3	2	-	-	-
Female	9	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	2	2	2	-
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Hispanic	16	-	-	-	-	-	-	1	2	1	3	1	1	1	1	3	1	1	1	-
Male	8	-	-	-	-	-	-	-	2	-	2	-	-	-	1	1	1	-	1	-
Female	8	-	-	-	-	-	-	1	-	1	1	1	1	1	-	2	-	1	-	-
C18-C21 Colorectal cancer																				
All Races/Ethnicities	537	-	-	-	-	-	-	1	5	7	15	26	48	47	56	62	57	79	134	-
Male	257	-	-	-	-	-	-	1	1	3	9	15	24	28	25	34	28	41	48	-
Female	280	-	-	-	-	-	-	-	4	4	6	11	24	19	31	28	29	38	86	-
White non-Hisp	448	-	-	-	-	-	-	1	2	6	11	17	41	31	44	54	47	69	125	-
Male	211	-	-	-	-	-	-	1	-	3	6	10	19	19	20	31	25	34	43	-
Female	237	-	-	-	-	-	-	-	2	3	5	7	22	12	24	23	22	35	82	-
Black non-Hisp	47	-	-	-	-	-	-	1	1	2	4	3	10	10	7	6	3	4	6	-
Male	22	-	-	-	-	-	-	-	-	1	3	2	5	5	3	2	-	2	4	-
Female	25	-	-	-	-	-	-	1	1	1	1	1	5	5	4	4	3	2	2	-
Other non-Hisp	12	-	-	-	-	-	-	1	-	2	1	1	2	2	1	1	2	-	1	-
Male	7	-	-	-	-	-	-	-	-	2	1	1	2	2	-	1	-	-	-	-
Female	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	1	-
Hispanic	30	-	-	-	-	-	-	1	-	-	4	3	4	4	4	1	5	6	2	-
Male	17	-	-	-	-	-	-	1	-	-	1	2	2	2	2	-	3	5	1	-
Female	13	-	-	-	-	-	-	-	-	-	3	1	2	2	2	1	2	1	1	-
C22 Liver cancer																				
All Races/Ethnicities	292	-	-	-	1	-	-	-	2	3	3	15	29	49	59	36	31	27	37	-
Male	191	-	-	-	1	-	-	-	2	-	2	10	23	38	46	22	16	16	15	-
Female	99	-	-	-	-	-	-	-	-	3	1	3	6	11	13	14	15	11	22	-
White non-Hisp	218	-	-	-	1	-	-	-	1	1	-	11	15	35	48	24	25	24	33	-
Male	140	-	-	-	1	-	-	-	1	-	-	8	12	28	36	13	14	14	13	-
Female	78	-	-	-	-	-	-	-	-	1	-	3	3	7	12	11	11	10	20	-
Black non-Hisp	30	-	-	-	-	-	-	-	1	1	1	7	5	3	3	7	2	1	2	-
Male	19	-	-	-	-	-	-	-	-	-	1	5	3	3	2	6	-	1	1	-
Female	11	-	-	-	-	-	-	-	1	1	-	2	2	2	1	1	2	-	1	-
Other non-Hisp	9	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-	-	1	-
Male	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Hispanic	33	-	-	-	-	-	-	-	1	1	2	1	5	8	6	2	4	2	1	-
Male	25	-	-	-	-	-	-	-	1	-	2	1	4	6	6	1	2	1	1	-
Female	8	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	2	1	-	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
C25 Pancreatic cancer																				
All Races/Ethnicities	483	-	-	-	-	-	-	-	2	5	4	23	39	54	69	58	61	76	92	-
Male	228	-	-	-	-	-	-	-	1	2	2	14	23	32	47	31	22	28	26	-
Female	255	-	-	-	-	-	-	-	1	3	2	9	16	22	22	27	39	48	66	-
White non-Hisp	408	-	-	-	-	-	-	-	2	3	2	16	26	45	62	47	50	70	85	-
Male	193	-	-	-	-	-	-	-	1	1	1	8	15	28	45	24	19	27	24	-
Female	215	-	-	-	-	-	-	-	1	2	1	8	11	17	17	23	31	43	61	-
Black non-Hisp	44	-	-	-	-	-	-	-	-	-	1	3	9	6	4	8	7	4	2	-
Male	16	-	-	-	-	-	-	-	-	-	1	3	5	2	-	5	-	-	-	-
Female	28	-	-	-	-	-	-	-	-	-	-	-	4	4	4	3	7	4	2	-
Other non-Hisp	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	1	3	-
Male	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	2	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Hispanic	22	-	-	-	-	-	-	-	-	1	1	4	4	3	3	1	2	1	2	-
Male	12	-	-	-	-	-	-	-	-	-	-	3	3	2	2	-	2	-	1	-
Female	10	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1	2
C32 Larynx cancer																				
All Races/Ethnicities	36	-	-	-	-	-	-	-	-	1	4	7	6	3	3	5	1	6	-	-
Male	24	-	-	-	-	-	-	-	-	-	3	6	5	2	2	4	-	2	-	-
Female	12	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	4	-	-
White non-Hisp	29	-	-	-	-	-	-	-	-	1	3	5	5	2	3	4	-	6	-	-
Male	19	-	-	-	-	-	-	-	-	-	2	5	4	1	2	3	-	2	-	-
Female	10	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	4	-	-
Black non-Hisp	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C33-C34 Trachea, bronchus & lung cancer																				
All Races/Ethnicities	1567	-	-	-	-	-	-	1	5	6	19	56	117	175	211	239	266	212	260	-
Male	770	-	-	-	-	-	-	-	1	3	8	24	66	111	115	113	122	102	105	-
Female	787	-	-	-	-	-	-	1	2	3	11	32	51	64	94	126	140	108	155	-
White non-Hisp	1383	-	-	-	-	-	-	1	2	14	44	101	153	189	212	232	185	250	-	-
Male	667	-	-	-	-	-	-	-	-	7	18	59	96	101	95	103	87	101	-	-
Female	716	-	-	-	-	-	-	1	2	7	26	42	57	88	117	129	98	149	-	-
Black non-Hisp	99	-	-	-	-	-	-	-	1	2	7	12	15	13	13	19	12	5	-	-
Male	57	-	-	-	-	-	-	-	1	-	3	6	9	9	10	12	5	2	-	-
Female	42	-	-	-	-	-	-	-	-	2	4	6	6	4	3	7	7	3	-	-
Other non-Hisp	18	-	-	-	-	-	-	-	-	1	1	1	3	2	3	1	4	2	-	-
Male	12	-	-	-	-	-	-	-	-	1	-	-	3	1	2	1	3	1	-	-
Female	6	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	1	-	-
Hispanic	57	-	-	-	-	-	-	1	2	3	2	4	3	4	5	11	10	9	3	-
Male	34	-	-	-	-	-	-	-	1	2	-	3	1	3	4	6	6	7	1	-
Female	23	-	-	-	-	-	-	1	1	1	2	1	2	1	1	5	4	2	2	-
C43 Skin cancer																				
All Races/Ethnicities	90	-	-	-	-	1	-	-	1	1	3	2	7	8	13	19	8	11	16	-
Male	60	-	-	-	-	1	-	-	1	1	2	2	4	6	7	12	6	10	8	-
Female	30	-	-	-	-	-	-	-	-	-	1	-	3	2	6	7	2	1	8	-
White non-Hisp	89	-	-	-	-	1	-	-	1	1	3	2	7	8	13	18	8	11	16	-
Male	59	-	-	-	-	1	-	-	1	1	2	2	4	6	7	11	6	10	8	-
Female	30	-	-	-	-	-	-	-	-	-	1	-	3	2	6	7	2	1	8	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown			
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84	85+
C50 Breast cancer																				
All Races/Ethnicities	439	-	-	-	-	2	2	4	4	11	32	31	45	39	43	46	36	50	94	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
Female	430	-	-	-	-	-	2	4	4	11	30	31	44	39	42	44	36	49	94	-
White non-Hisp	372	-	-	-	-	-	2	4	2	7	24	26	33	29	38	39	32	46	90	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
Female	369	-	-	-	-	-	2	4	2	7	24	26	32	29	37	39	32	45	90	-
Black non-Hisp	34	-	-	-	-	-	-	-	-	1	2	2	3	7	8	2	3	3	2	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	34	-	-	-	-	-	-	-	1	2	2	3	7	8	2	3	3	2	1	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	7	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	-	-	1	-
Hispanic	20	-	-	-	-	-	-	-	1	1	4	2	3	2	2	-	1	2	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	20	-	-	-	-	-	-	-	1	1	4	2	3	2	2	-	1	2	2	-
C53 Cervical cancer																				
All Races/Ethnicities	24	-	-	-	-	-	-	1	1	1	1	3	5	2	4	2	-	2	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	24	-	-	-	-	-	-	1	1	1	1	3	5	2	4	2	-	2	2	-
White non-Hisp	18	-	-	-	-	-	-	-	1	1	1	3	5	-	2	1	-	2	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	18	-	-	-	-	-	-	-	1	1	1	3	5	-	2	1	-	2	2	-
Black non-Hisp	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C54-C55 Cancer of corpus uteri & uterus, parts unspecified																				
All Races/Ethnicities	116	-	-	-	-	1	-	-	-	1	-	4	10	16	25	16	16	12	15	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	114	-	-	-	-	1	-	-	-	1	-	4	10	14	25	16	16	12	15	-
White non-Hisp	92	-	-	-	-	-	-	-	-	1	-	2	7	11	22	13	13	11	12	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	92	-	-	-	-	-	-	-	-	1	-	2	7	11	22	13	13	11	12	-
Black non-Hisp	17	-	-	-	-	-	-	-	-	-	-	2	3	3	3	1	1	1	3	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	17	-	-	-	-	-	-	-	-	-	-	2	3	3	3	1	1	1	3	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-
C56 Ovarian cancer																				
All Races/Ethnicities	169	-	-	-	-	1	1	1	1	2	2	6	20	16	27	24	20	20	28	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	169	-	-	-	-	1	1	1	1	2	2	6	20	16	27	24	20	20	28	-
White non-Hisp	140	-	-	-	-	-	1	-	-	1	2	1	14	14	25	22	16	18	25	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	140	-	-	-	-	-	1	-	-	1	2	1	14	14	25	22	16	18	25	-
Black non-Hisp	18	-	-	-	-	1	-	-	-	-	1	2	4	2	2	-	3	2	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	18	-	-	-	-	1	-	-	-	-	1	2	4	2	2	-	3	2	1	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Hispanic	9	-	-	-	-	-	-	1	-	-	-	3	2	-	-	-	2	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	9	-	-	-	-	-	-	1	-	-	-	3	2	-	-	-	2	-	1	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
C61 Prostate cancer																				
All Races/Ethnicities	324	-	-	-	-	-	-	-	-	-	1	4	10	20	33	35	39	54	128	-
Male	320	-	-	-	-	-	-	-	-	-	1	4	10	20	31	35	39	54	126	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	273	-	-	-	-	-	-	-	-	-	1	2	7	14	28	26	34	47	114	-
Male	273	-	-	-	-	-	-	-	-	-	1	2	7	14	28	26	34	47	114	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	34	-	-	-	-	-	-	-	-	-	-	2	2	5	2	5	3	5	10	-
Male	34	-	-	-	-	-	-	-	-	-	-	2	2	5	2	5	3	5	10	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	2
Male	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	2
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64,C65 Kidney and renal pelvis cancer																				
All Races/Ethnicities	141	-	-	-	-	-	-	-	1	1	4	5	11	15	19	19	26	11	29	-
Male	92	-	-	-	-	-	-	-	1	1	3	2	10	9	11	16	16	10	13	-
Female	49	-	-	-	-	-	-	-	-	-	1	3	1	6	8	3	10	1	16	-
White non-Hisp	123	-	-	-	-	-	-	-	1	-	3	3	9	11	16	19	23	9	29	-
Male	79	-	-	-	-	-	-	-	1	-	2	2	8	6	9	16	14	8	13	-
Female	44	-	-	-	-	-	-	-	-	-	1	1	1	5	7	3	9	1	16	-
Black non-Hisp	8	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	2	-	-
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Hispanic	7	-	-	-	-	-	-	-	1	1	-	2	-	2	-	1	-	-	-	-
Male	6	-	-	-	-	-	-	-	1	1	-	2	-	1	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
C67 Bladder cancer																				
All Races/Ethnicities	227	-	-	-	-	-	-	-	1	-	1	3	12	20	19	32	27	41	71	-
Male	168	-	-	-	-	-	-	-	-	-	1	2	9	15	15	26	23	29	48	-
Female	59	-	-	-	-	-	-	-	1	-	-	1	3	5	4	6	4	12	23	-
White non-Hisp	205	-	-	-	-	-	-	-	-	-	1	3	9	17	15	28	26	39	67	-
Male	154	-	-	-	-	-	-	-	-	-	1	2	7	13	12	24	22	29	44	-
Female	51	-	-	-	-	-	-	-	-	-	-	1	2	4	3	4	4	10	23	-
Black non-Hisp	13	-	-	-	-	-	-	-	1	-	-	-	1	3	3	3	-	-	2	-
Male	9	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	2	-	-
Female	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-
Other non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	9	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	2	-
Male	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-
C70-C72 Cancer of meninges, brain & other parts of the central nervous system																				
All Races/Ethnicities	212	1	1	1	2	2	1	6	4	4	11	14	23	21	34	30	17	20	20	-
Male	119	1	-	1	-	2	1	5	1	1	8	10	14	15	18	16	9	11	6	-
Female	93	-	1	-	2	-	-	1	3	3	3	4	9	6	16	14	8	9	14	-
White non-Hisp	186	1	-	-	1	1	1	5	4	4	7	12	22	20	30	27	14	19	18	-
Male	107	1	-	-	-	1	1	5	1	1	6	9	14	14	16	15	8	10	5	-
Female	79	-	-	-	1	-	-	-	3	3	1	3	8	6	14	12	6	9	13	-
Black non-Hisp	12	-	-	-	-	1	-	1	-	-	1	1	-	-	3	3	1	-	1	-
Male	5	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	-	-	-	-
Female	7	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	1	-	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hispanic	13	-	1	1	1	-	-	-	-	-	3	-	1	1	1	-	2	1	1	-
Male	7	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	1	1	1	-
Female	6	-	1	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
C81 Hodgkin's disease																				
All Races/Ethnicities	18	-	-	-	-	-	-	-	1	1	-	3	2	1	1	-	4	3	2	-
Male	12	-	-	-	-	-	-	-	1	1	-	3	1	1	1	-	1	2	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	-
White non-Hisp	17	-	-	-	-	-	-	-	1	1	-	3	2	1	1	-	4	2	2	-
Male	11	-	-	-	-	-	-	-	1	1	-	3	1	1	1	-	1	1	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85 Non-Hodgkin's lymphoma																				
All Races/Ethnicities	258	-	-	-	-	-	1	2	2	-	5	7	15	19	20	25	45	41	76	-
Male	144	-	-	-	-	-	1	2	1	-	4	4	10	13	11	12	30	24	32	-
Female	112	-	-	-	-	-	-	-	1	-	1	3	5	6	9	11	15	17	44	-
White non-Hisp	229	-	-	-	-	-	1	2	-	-	2	6	14	15	17	22	40	37	73	-
Male	130	-	-	-	-	-	1	2	-	-	2	4	10	9	9	11	29	22	31	-
Female	99	-	-	-	-	-	-	-	-	-	2	4	6	6	8	11	11	15	42	-
Black non-Hisp	13	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	4	2	2	-
Male	6	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	1	1	-
Female	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hispanic	13	-	-	-	-	-	-	-	1	-	3	-	-	2	2	1	1	2	1	-
Male	8	-	-	-	-	-	-	-	-	-	2	-	-	2	2	1	-	1	-	-
Female	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	1	-
C90 Multiple Myeloma																				
All Races/Ethnicities	132	-	-	-	-	-	-	-	-	1	5	8	7	10	12	19	21	15	34	-
Male	69	-	-	-	-	-	-	-	-	1	2	5	3	7	8	13	11	3	16	-
Female	63	-	-	-	-	-	-	-	-	-	3	3	4	3	4	6	10	12	18	-
White non-Hisp	106	-	-	-	-	-	-	-	-	1	3	6	4	8	12	17	14	11	30	-
Male	56	-	-	-	-	-	-	-	-	1	2	3	1	7	8	12	5	3	14	-
Female	50	-	-	-	-	-	-	-	-	-	1	3	3	1	4	5	9	8	16	-
Black non-Hisp	18	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	6	3	3	-
Male	9	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	5	-	1	-
Female	9	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	3	2	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Hispanic	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	1	-
Male	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
C91-C95 Leukemia																				
All Races/Ethnicities	268	-	-	-	3	2	3	1	2	2	2	15	17	23	24	39	46	30	59	-
Male	142	-	-	-	2	2	1	1	2	1	1	10	5	13	14	21	27	18	24	-
Female	122	-	-	-	1	-	-	-	-	1	1	3	12	10	10	18	19	12	35	-
White non-Hisp	230	-	-	-	-	-	-	-	1	2	2	9	14	19	21	35	42	29	56	-
Male	123	-	-	-	-	-	-	-	1	1	1	6	4	11	12	20	26	17	24	-
Female	107	-	-	-	-	-	-	-	-	1	1	3	10	8	9	15	16	12	32	-
Black non-Hisp	20	-	-	-	1	1	-	1	-	-	4	2	2	2	2	2	3	1	1	-
Male	13	-	-	-	1	1	-	1	-	-	4	1	1	1	1	1	1	1	1	-
Female	7	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Hispanic	13	-	-	-	2	1	1	-	1	-	-	-	1	2	1	1	1	-	2	-
Male	6	-	-	-	1	1	1	-	1	-	-	-	-	1	1	-	-	-	-	-
Female	7	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
D00-D48 In situ neoplasms, benign neoplasms & neoplasms of unknown behavior																				
All Races/Ethnicities	223	-	-	-	-	-	-	2	-	1	1	3	11	10	13	32	16	51	83	-
Male	117	-	-	-	-	-	-	2	-	-	1	3	3	5	9	15	10	25	44	-
Female	104	-	-	-	-	-	-	-	-	1	-	-	8	5	4	17	6	24	39	-
White non-Hisp	196	-	-	-	-	-	-	-	-	-	-	1	8	10	11	27	13	46	80	-
Male	102	-	-	-	-	-	-	-	-	-	-	1	3	5	8	13	8	23	41	-
Female	94	-	-	-	-	-	-	-	-	-	-	-	5	5	3	14	5	23	39	-
Black non-Hisp	12	-	-	-	-	-	-	2	-	-	1	1	2	-	-	1	2	2	1	-
Male	8	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	1	2	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-
Other non-Hisp	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Hispanic	10	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	1	2	-
Male	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-
D50-D64 Anemias																				
All Races/Ethnicities	88	2	-	-	-	1	-	-	-	-	-	1	2	3	2	6	10	13	48	-
Male	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	2	15	-
Female	57	-	-	-	-	1	-	-	-	-	-	1	2	2	1	1	7	9	33	-
White non-Hisp	78	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	9	10	47	-
Male	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	2	15	-
Female	52	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	6	8	32	-
Black non-Hisp	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E10-E14 Diabetes mellitus																				
All Races/Ethnicities	655	-	-	-	-	-	1	4	1	5	15	23	43	45	72	76	76	76	218	-
Male	344	-	-	-	-	-	1	2	1	3	9	16	27	31	33	51	41	37	92	-
Female	305	-	-	-	-	-	-	2	-	2	6	7	16	12	37	25	35	39	124	-
White non-Hisp	504	-	-	-	-	-	-	2	1	2	10	15	33	34	54	52	55	57	189	-
Male	280	-	-	-	-	-	-	1	1	2	8	10	20	26	28	38	32	29	85	-
Female	224	-	-	-	-	-	-	1	-	-	2	5	13	8	26	14	23	28	104	-
Black non-Hisp	82	-	-	-	-	-	1	-	-	1	5	5	6	5	10	13	14	9	13	-
Male	34	-	-	-	-	-	1	-	-	-	1	4	4	2	2	9	6	3	2	-
Female	48	-	-	-	-	-	-	-	-	1	4	1	2	3	8	4	8	6	11	-
Other non-Hisp	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-
Hispanic	55	-	-	-	-	-	-	2	-	2	-	3	4	4	6	9	6	8	11	-
Male	27	-	-	-	-	-	-	1	-	1	-	2	3	3	3	4	3	3	4	-
Female	28	-	-	-	-	-	-	1	-	1	-	1	1	1	3	5	3	5	7	-
E40-E64 Nutritional deficiencies																				
All Races/Ethnicities	34	-	-	-	-	-	1	1	-	-	1	-	-	-	2	2	4	1	22	-
Male	18	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	12	-
Female	16	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	2	-	10	-
White non-Hisp	30	-	-	-	-	-	1	-	-	-	1	-	-	-	2	2	3	1	20	-
Male	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	10	-
Female	16	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	2	-	10	-
Black non-Hisp	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-
Male	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
F10.2 Alcohol dependence syndrome																				
All Races/Ethnicities	73	-	-	-	-	-	1	2	2	3	10	10	14	16	8	5	1	1	-	-
Male	59	-	-	-	-	-	1	2	2	2	9	7	12	12	6	4	1	1	-	-
Female	14	-	-	-	-	-	-	-	-	1	1	3	2	4	2	1	-	-	-	-
White non-Hisp	62	-	-	-	-	-	1	1	2	3	9	10	12	12	6	4	1	1	-	-
Male	50	-	-	-	-	-	1	1	2	2	8	7	10	10	4	3	1	1	-	-
Female	12	-	-	-	-	-	-	-	-	1	1	3	2	2	2	1	-	-	-	-
Black non-Hisp	7	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	-	-	-	-
Male	5	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Other non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-
Male	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G00,G03 Meningitis																				
All Races/Ethnicities	6	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	1	1	-	-
Male	3	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
White non-Hisp	5	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	1	-	-
Male	3	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Black non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G20-G21 Parkinson's disease																				
All Races/Ethnicities	331	-	-	-	-	-	-	-	-	-	1	1	3	3	6	19	46	79	173	-
Male	189	-	-	-	-	-	-	-	-	-	-	-	3	2	4	12	26	55	87	-
Female	142	-	-	-	-	-	-	-	-	1	1	-	1	1	2	7	20	24	86	-
White non-Hisp	307	-	-	-	-	-	-	-	-	-	1	3	2	2	4	15	41	75	166	-
Male	178	-	-	-	-	-	-	-	-	-	-	3	2	3	9	25	53	83	-	-
Female	129	-	-	-	-	-	-	-	-	-	1	-	-	2	1	6	16	22	83	-
Black non-Hisp	11	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	2	4	-
Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	-
Female	5	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-
Other non-Hisp	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hispanic	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-
G30 Alzheimer's disease																				
All Races/Ethnicities	964	-	-	-	-	-	-	-	-	-	1	2	6	6	19	38	73	135	690	-
Male	260	-	-	-	-	-	-	-	-	-	1	-	3	3	8	12	25	51	160	-
Female	698	-	-	-	-	-	-	-	-	-	-	2	3	11	24	48	84	526	-	-
White non-Hisp	873	-	-	-	-	-	-	-	-	-	1	2	4	4	14	32	63	118	639	-
Male	240	-	-	-	-	-	-	-	-	-	1	-	1	1	6	10	23	47	152	-
Female	633	-	-	-	-	-	-	-	-	-	-	-	3	3	8	22	40	71	487	-
Black non-Hisp	42	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	8	24	-
Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	1	-
Female	34	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	4	23	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	6	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Hispanic	36	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	5	9	17	-
Male	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	5	-
Female	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	9	12	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown			
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84	85+
I00-I78 Major cardiovascular diseases																				
All Races/Ethnicities	9192	2	-	2	4	5	14	21	27	52	126	221	326	441	548	622	808	1176	4795	2
Male	4379	2	-	2	4	4	10	16	23	36	84	162	232	322	359	361	440	575	1746	1
Female	4757	-	-	-	-	1	4	5	4	14	42	55	90	115	187	259	360	593	3027	1
White non-Hisp	8034	1	-	-	1	3	5	15	14	31	78	168	243	348	453	510	693	1024	4446	1
Male	3815	1	-	-	1	3	2	10	12	26	54	123	178	259	299	303	382	523	1639	-
Female	4219	-	-	-	-	-	3	5	2	5	24	45	65	89	154	207	311	501	2807	1
Black non-Hisp	651	-	-	-	2	2	4	5	8	9	30	28	47	51	60	61	62	79	202	1
Male	318	-	-	-	2	1	3	5	7	5	18	21	31	36	34	33	31	28	62	1
Female	333	-	-	-	-	1	1	-	1	4	12	7	16	15	26	28	31	51	140	-
Other non-Hisp	82	-	-	1	-	-	-	-	-	1	-	3	4	7	4	8	8	14	32	-
Male	42	-	-	1	-	-	-	-	-	-	-	3	3	5	4	5	4	6	11	-
Female	40	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	4	8	21	-
Hispanic	369	1	-	1	1	-	5	1	5	9	18	18	28	31	29	41	37	51	93	-
Male	204	1	-	1	1	-	5	1	4	5	12	15	20	22	22	20	23	18	34	-
Female	165	-	-	-	-	-	-	-	1	4	6	3	8	9	7	21	14	33	59	-
I00-I09, I11, I13, I20-I51 Diseases of heart																				
All Races/Ethnicities	7190	2	-	-	3	5	13	20	24	42	105	188	270	369	441	505	611	893	3697	2
Male	3552	2	-	-	3	4	9	16	20	30	75	137	200	278	300	295	331	446	1405	1
Female	3592	-	-	-	-	1	4	4	4	10	30	47	66	91	139	208	274	439	2274	1
White non-Hisp	6308	1	-	-	1	3	5	14	13	26	63	143	200	301	371	419	527	786	3434	1
Male	3108	1	-	-	1	3	2	10	11	22	46	104	152	230	255	254	288	411	1318	-
Female	3200	-	-	-	-	-	3	4	2	4	17	39	48	71	116	165	239	375	2116	1
Black non-Hisp	499	-	-	-	1	2	3	5	7	7	26	26	38	39	47	46	43	53	155	1
Male	258	-	-	-	1	1	2	5	6	4	18	20	27	26	29	22	23	22	51	1
Female	241	-	-	-	-	1	1	-	1	3	8	6	11	13	18	24	20	31	104	-
Other non-Hisp	63	-	-	-	-	-	-	-	-	-	-	3	3	5	4	6	7	10	25	-
Male	32	-	-	-	-	-	-	-	-	-	-	3	2	4	4	4	4	3	8	-
Female	31	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	7	17	-
Hispanic	274	1	-	-	1	-	5	1	4	7	16	12	25	24	17	32	28	36	65	-
Male	154	1	-	-	1	-	5	1	3	4	11	10	19	18	12	15	16	10	28	-
Female	120	-	-	-	-	-	-	-	-	1	3	5	2	6	5	17	12	26	37	-
I00-I09 Acute rheumatic fever & chronic rheumatic heart disease																				
All Races/Ethnicities	31	-	-	-	-	-	-	1	-	-	-	-	3	-	4	4	2	7	10	-
Male	6	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	1	-	-
Female	25	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	6	10	-
White non-Hisp	26	-	-	-	-	-	-	1	-	-	-	-	1	-	4	4	1	6	9	-
Male	5	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-
Female	21	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	5	9	-
Black non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
I11 Hypertensive heart disease																				
All Races/Ethnicities	326	-	-	-	-	1	1	4	4	10	16	19	20	29	21	10	23	27	141	-
Male	158	-	-	-	-	1	1	4	3	9	10	16	15	18	16	5	11	11	38	-
Female	168	-	-	-	-	-	-	-	1	1	6	3	5	11	5	5	12	16	103	-
White non-Hisp	268	-	-	-	-	1	-	3	-	7	7	15	16	23	17	10	18	22	129	-
Male	126	-	-	-	-	1	-	3	-	7	6	12	12	13	13	5	9	9	36	-
Female	142	-	-	-	-	-	-	-	-	-	1	3	4	10	4	5	9	13	93	-
Black non-Hisp	38	-	-	-	-	-	1	1	3	2	6	1	3	1	4	-	4	3	9	-
Male	21	-	-	-	-	-	1	1	3	2	2	1	2	1	3	-	1	2	2	-
Female	17	-	-	-	-	-	-	-	-	-	4	-	1	-	1	-	3	1	7	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	3	-
Male	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Hispanic	13	-	-	-	-	-	-	-	-	1	1	3	2	1	3	-	-	1	1	-
Male	8	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-	-	1	-	-
Female	5	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-

Connecticut Department of Public Health

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
I13 Hypertensive heart and renal disease																				
All Races/Ethnicities	40	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	4	6	21	-
Male	16	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	2	7	-
Female	24	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	4	14	-
White non-Hisp	34	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	5	20	-
Male	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	7	-
Female	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	13	-
Black non-Hisp	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I20-I25 Ischemic heart disease																				
All Races/Ethnicities	3758	-	-	-	-	-	-	7	12	21	53	108	172	222	253	295	344	471	1798	2
Male	2028	-	-	-	-	-	-	4	12	14	39	85	133	172	175	184	211	253	745	1
Female	1704	-	-	-	-	-	-	3	-	7	14	23	35	50	76	109	127	216	1043	1
White non-Hisp	3307	-	-	-	-	-	-	5	8	13	36	84	123	184	218	246	303	411	1675	1
Male	1794	-	-	-	-	-	-	2	8	11	25	67	100	144	152	160	190	233	702	-
Female	1513	-	-	-	-	-	-	3	-	2	11	17	23	40	66	86	113	178	973	1
Black non-Hisp	247	-	-	-	-	-	-	2	1	5	11	14	23	22	22	28	16	32	70	1
Male	129	-	-	-	-	-	-	2	1	2	9	10	16	17	14	12	10	12	23	1
Female	118	-	-	-	-	-	-	-	-	3	2	4	7	5	8	16	6	20	47	-
Other non-Hisp	32	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	2	6	9	-
Male	20	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	2	4	-
Female	12	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	4	5	-
Hispanic	146	-	-	-	-	-	-	3	3	6	9	19	13	-	8	14	17	20	34	-
Male	85	-	-	-	-	-	-	3	1	5	7	15	9	-	6	8	9	6	16	-
Female	61	-	-	-	-	-	-	2	1	2	4	4	4	-	2	6	8	14	18	-
I10,I12 Essential hypertension & hypertensive renal disease																				
All Races/Ethnicities	316	-	-	-	-	-	-	-	-	-	6	10	11	14	14	11	21	45	184	-
Male	116	-	-	-	-	-	-	-	-	-	3	6	7	10	9	6	10	15	50	-
Female	200	-	-	-	-	-	-	-	-	-	3	4	4	4	5	5	11	30	134	-
White non-Hisp	282	-	-	-	-	-	-	-	-	-	4	9	9	12	11	8	19	36	174	-
Male	107	-	-	-	-	-	-	-	-	-	3	6	7	9	8	3	10	13	48	-
Female	175	-	-	-	-	-	-	-	-	-	1	3	2	3	3	5	9	23	126	-
Black non-Hisp	27	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	2	7	9	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-
Female	23	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	2	6	8	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
I46.0 Cardiac arrest																				
All Races/Ethnicities	526	-	-	-	-	-	2	-	-	1	9	11	24	29	40	47	56	68	239	-
Male	238	-	-	-	-	-	2	-	-	-	7	4	19	19	23	23	22	35	84	-
Female	284	-	-	-	-	-	-	-	-	1	2	5	5	10	17	24	34	31	155	-
White non-Hisp	456	-	-	-	-	-	-	-	-	1	5	7	21	24	34	40	51	58	215	-
Male	206	-	-	-	-	-	-	-	-	-	5	3	16	16	19	21	19	31	76	-
Female	250	-	-	-	-	-	-	-	-	1	-	4	5	8	15	19	32	27	139	-
Black non-Hisp	32	-	-	-	-	-	1	-	-	-	2	2	1	2	3	2	4	4	11	-
Male	16	-	-	-	-	-	1	-	-	-	1	1	1	1	2	-	2	3	4	-
Female	16	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	2	1	7	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	5	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Hispanic	27	-	-	-	-	-	1	-	-	-	2	-	2	3	2	4	1	4	8	-
Male	14	-	-	-	-	-	1	-	-	-	1	-	2	2	1	2	1	1	3	-
Female	13	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	3	5	-

Connecticut Department of Public Health

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown					
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+	
I50.0 Congestive heart failure																					
All Races/Ethnicities	777	-	-	-	-	-	-	-	-	1	-	6	4	10	23	32	53	94	554	-	
Male	318	-	-	-	-	-	-	-	-	1	-	3	1	7	16	18	29	41	202	-	
Female	457	-	-	-	-	-	-	-	-	-	-	3	3	3	7	14	24	51	352	-	
White non-Hisp	713	-	-	-	-	-	-	-	-	1	-	4	4	9	19	22	43	85	526	-	
Male	288	-	-	-	-	-	-	-	-	1	-	1	1	6	14	14	21	38	192	-	
Female	425	-	-	-	-	-	-	-	-	-	-	3	3	3	5	8	22	47	334	-	
Black non-Hisp	42	-	-	-	-	-	-	-	-	-	-	1	-	1	3	6	6	5	20	-	
Male	19	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	5	2	7	-	
Female	23	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	3	13	-	
Other non-Hisp	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	
Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	
Hispanic	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	6	-	
Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	-	
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	
I60-I69 Cerebrovascular disease																					
All Races/Ethnicities	1390	-	-	2	1	-	-	1	2	8	11	18	30	48	73	86	143	191	776	-	
Male	568	-	-	2	1	-	-	-	2	4	3	14	17	28	37	46	74	95	245	-	
Female	816	-	-	-	-	-	-	1	-	4	8	4	13	18	36	40	67	96	529	-	
White non-Hisp	1177	-	-	-	-	-	-	1	1	3	7	12	21	28	53	67	116	161	707	-	
Male	475	-	-	-	-	-	-	-	1	2	2	9	12	15	25	35	61	83	230	-	
Female	702	-	-	-	-	-	-	1	-	1	5	3	9	13	28	32	55	78	477	-	
Black non-Hisp	111	-	-	-	1	-	-	-	-	2	3	1	5	10	10	12	17	15	35	-	
Male	47	-	-	-	1	-	-	-	-	1	-	1	3	9	4	8	8	3	9	-	
Female	64	-	-	-	-	-	-	-	-	1	3	-	2	1	6	4	9	12	26	-	
Other non-Hisp	16	-	-	1	-	-	-	-	-	1	-	-	-	1	2	-	1	1	3	6	-
Male	7	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	-	
Female	9	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	4	-	
Hispanic	80	-	-	1	-	-	-	-	1	2	1	5	3	6	10	6	7	12	26	-	
Male	39	-	-	1	-	-	-	-	1	1	1	4	1	3	8	3	5	7	4	-	
Female	41	-	-	-	-	-	-	-	-	1	-	1	2	3	2	3	2	5	22	-	
I64 Stroke, not specified as infarction																					
All Races/Ethnicities	738	-	-	-	-	-	-	-	-	1	1	4	8	20	31	41	73	96	463	-	
Male	281	-	-	-	-	-	-	-	-	1	-	4	5	15	12	23	36	45	140	-	
Female	453	-	-	-	-	-	-	-	-	-	-	1	-	3	19	18	35	51	323	-	
White non-Hisp	622	-	-	-	-	-	-	-	-	-	-	2	3	12	25	32	56	74	418	-	
Male	237	-	-	-	-	-	-	-	-	-	-	2	2	9	10	18	28	37	131	-	
Female	385	-	-	-	-	-	-	-	-	-	-	-	-	1	15	14	28	37	287	-	
Black non-Hisp	65	-	-	-	-	-	-	-	-	1	1	-	1	4	4	6	12	11	25	-	
Male	25	-	-	-	-	-	-	-	-	1	-	-	1	4	1	4	7	1	6	-	
Female	40	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	5	10	19	-	
Other non-Hisp	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	3	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Hispanic	38	-	-	-	-	-	-	-	-	-	-	2	3	1	2	3	2	8	17	-	
Male	15	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	5	3	-	
Female	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	14	-	
I70 Atherosclerosis																					
All Races/Ethnicities	71	-	-	-	-	-	-	-	-	-	-	-	-	3	1	6	6	12	43	-	
Male	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	6	10	-	
Female	44	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	6	31	-	
White non-Hisp	64	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	5	11	40	-	
Male	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	9	-	
Female	43	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	6	31	-	
Black non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	

Connecticut Department of Public Health

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
I71 Aortic aneurysm and dissection																				
All Races/Ethnicities	121	-	-	-	-	-	1	-	1	2	1	4	8	5	13	9	15	20	42	-
Male	72	-	-	-	-	-	1	-	1	2	1	4	6	4	8	7	13	7	18	-
Female	49	-	-	-	-	-	-	-	-	-	-	-	2	1	5	2	2	13	24	-
White non-Hisp	107	-	-	-	-	-	-	-	-	2	1	4	7	4	12	8	14	16	39	-
Male	62	-	-	-	-	-	-	-	-	2	1	4	6	3	7	6	12	5	16	-
Female	45	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	2	11	23	-
Black non-Hisp	8	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	3	2	-
Male	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I72-I78 Other diseases of arteries, arterioles and capillaries																				
All Races/Ethnicities	104	-	-	-	-	-	-	-	-	3	1	4	5	5	6	5	12	15	53	-
Male	46	-	-	-	-	-	-	-	-	2	1	1	2	2	4	3	9	6	18	-
Female	56	-	-	-	-	-	-	-	-	1	-	3	3	3	2	2	3	9	35	-
White non-Hisp	96	-	-	-	-	-	-	-	-	3	-	3	3	3	5	4	12	14	52	-
Male	42	-	-	-	-	-	-	-	-	2	-	-	2	2	3	2	9	6	18	-
Female	54	-	-	-	-	-	-	-	-	1	-	3	1	1	2	2	3	8	34	-
Black non-Hisp	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
J10-J18 Influenza and Pneumonia																				
All Races/Ethnicities	666	-	-	-	-	-	3	3	1	2	6	5	11	16	28	39	55	100	397	-
Male	279	-	-	-	-	-	2	2	1	1	3	4	6	10	13	17	25	53	142	-
Female	383	-	-	-	-	-	1	1	-	1	3	1	5	6	15	22	30	47	251	-
White non-Hisp	605	-	-	-	-	-	2	-	-	1	5	3	8	13	24	32	48	92	377	-
Male	250	-	-	-	-	-	1	-	-	1	3	3	3	8	12	15	22	49	133	-
Female	355	-	-	-	-	-	1	-	-	-	2	-	5	5	12	17	26	43	244	-
Black non-Hisp	24	-	-	-	-	-	1	1	1	-	-	1	3	2	3	2	1	4	5	-
Male	15	-	-	-	-	-	1	1	1	-	-	1	3	1	1	1	-	2	3	-
Female	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	2	-
Other non-Hisp	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Hispanic	25	-	-	-	-	-	2	-	-	1	1	1	-	1	1	4	5	1	8	-
Male	9	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1	4	-
Female	16	-	-	-	-	-	1	-	-	1	1	1	-	-	1	4	3	-	4	-
J10-J11 Influenza																				
All Races/Ethnicities	82	-	-	-	-	-	1	-	-	-	-	-	-	1	6	3	10	11	50	-
Male	32	-	-	-	-	-	1	-	-	-	-	-	-	1	2	3	6	6	13	-
Female	50	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	5	37	-
White non-Hisp	73	-	-	-	-	-	-	-	-	-	-	-	-	1	6	2	7	9	48	-
Male	28	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	13	-
Female	45	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	3	35	-
Black non-Hisp	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other non-Hisp	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Hispanic	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

Connecticut Department of Public Health

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84	85+
J12-J18 Pneumonia																				
All Races/Ethnicities	584	-	-	-	-	-	2	3	1	2	6	5	11	15	22	36	45	89	347	-
Male	247	-	-	-	-	-	1	2	1	1	3	4	6	9	11	14	19	47	129	-
Female	333	-	-	-	-	-	1	1	-	1	3	1	5	6	11	22	26	42	214	-
White non-Hisp	532	-	-	-	-	-	2	-	-	1	5	3	8	12	18	30	41	83	329	-
Male	222	-	-	-	-	-	1	-	-	1	3	3	3	7	10	13	18	43	120	-
Female	310	-	-	-	-	-	1	-	-	2	-	5	5	8	17	23	40	209	-	
Black non-Hisp	22	-	-	-	-	-	-	1	1	-	-	1	3	2	3	2	-	4	5	-
Male	14	-	-	-	-	-	-	1	1	-	-	1	3	1	1	1	-	2	3	-
Female	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	-
Other non-Hisp	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hispanic	22	-	-	-	-	-	-	2	-	1	1	1	-	1	1	4	4	1	6	-
Male	8	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	4	-
Female	14	-	-	-	-	-	-	1	-	1	1	1	-	-	1	4	3	-	2	-
J40-J47 Chronic lower respiratory diseases																				
All Races/Ethnicities	1369	-	-	1	1	2	2	4	3	7	26	44	50	105	147	190	257	530	-	
Male	553	-	-	-	-	2	2	4	1	13	21	21	52	65	79	112	180	-		
Female	812	-	-	1	1	-	-	-	2	6	13	23	29	53	82	111	145	346	-	
White non-Hisp	1231	-	-	-	1	2	1	1	2	6	22	27	40	89	131	165	244	500	-	
Male	494	-	-	-	-	2	1	1	1	12	13	18	43	59	65	109	170	-		
Female	737	-	-	-	1	-	-	-	1	6	10	14	22	46	72	100	135	330	-	
Black non-Hisp	83	-	-	1	-	-	-	2	-	1	2	9	7	10	10	15	11	15	-	
Male	34	-	-	-	-	-	-	2	-	1	1	4	3	8	2	6	2	5	-	
Female	49	-	-	1	-	-	-	-	-	1	5	4	2	8	9	9	10	-		
Other non-Hisp	7	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	3	-	
Male	5	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	1	-	
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
Hispanic	44	-	-	-	-	-	-	1	1	-	2	8	3	5	6	8	2	8	-	
Male	20	-	-	-	-	-	-	1	-	-	4	-	-	-	4	6	1	4	-	
Female	24	-	-	-	-	-	-	-	1	-	2	4	3	5	2	2	1	4	-	
J43 Emphysema																				
All Races/Ethnicities	67	-	-	-	-	-	-	-	-	1	1	3	4	7	9	8	13	21	-	
Male	30	-	-	-	-	-	-	-	-	-	1	2	3	4	4	4	4	8	-	
Female	35	-	-	-	-	-	-	-	-	1	-	1	1	3	5	4	9	11	-	
White non-Hisp	63	-	-	-	-	-	-	-	-	1	1	3	4	7	9	7	13	18	-	
Male	29	-	-	-	-	-	-	-	-	-	1	2	3	4	4	3	4	8	-	
Female	34	-	-	-	-	-	-	-	-	1	-	1	1	3	5	4	9	10	-	
Black non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
J45-J46 Asthma																				
All Races/Ethnicities	48	-	-	1	1	2	2	2	2	3	5	5	3	2	3	1	2	14	-	
Male	14	-	-	-	-	2	2	2	1	-	2	2	-	1	2	-	-	-	-	
Female	34	-	-	1	1	-	-	-	1	3	3	3	3	1	1	1	2	14	-	
White non-Hisp	33	-	-	-	1	2	1	-	2	3	3	-	-	2	2	1	2	14	-	
Male	8	-	-	-	-	2	1	-	1	-	1	-	-	1	2	-	-	-	-	
Female	25	-	-	-	1	-	-	-	1	3	2	-	-	1	-	1	2	14	-	
Black non-Hisp	8	-	-	1	-	-	-	2	-	-	1	2	2	-	-	-	-	-	-	
Male	4	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	
Female	4	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	
Other non-Hisp	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	6	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Female	5	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown				
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84	85+	
J69 Pneumonitis due to solids and liquids																					
All Races/Ethnicities	385	-	-	-	-	-	-	-	-	-	2	8	3	13	22	33	35	59	210	-	
Male	206	-	-	-	-	-	-	-	-	-	1	7	3	10	14	18	17	33	103	-	
Female	179	-	-	-	-	-	-	-	-	-	1	1	-	3	8	15	18	26	107	-	
White non-Hisp	348	-	-	-	-	-	-	-	-	-	2	4	3	10	19	31	31	54	194	-	
Male	188	-	-	-	-	-	-	-	-	-	1	4	3	8	11	17	17	31	96	-	
Female	160	-	-	-	-	-	-	-	-	-	1	-	-	2	8	14	14	23	98	-	
Black non-Hisp	24	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	3	2	12	-	
Male	12	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	7	-	
Female	12	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	5	-	
Other non-Hisp	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	
Hispanic	9	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	2	2	-	
Male	5	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	1	-	
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	
K25-K28 Peptic ulcer																					
All Races/Ethnicities	33	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	6	2	6	10	-
Male	14	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	1	3	1	-
Female	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	3	9	-
White non-Hisp	30	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	6	1	5	10	-
Male	13	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	1	3	1	-	-
Female	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	9	-	-
Black non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
K40-K46 Hernia																					
All Races/Ethnicities	34	-	-	-	-	-	-	-	1	-	-	-	3	1	3	1	5	7	13	-	
Male	20	-	-	-	-	-	-	-	1	-	-	-	3	1	2	1	1	3	8	-	
Female	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	5	-	
White non-Hisp	28	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	5	4	12	-	
Male	16	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	1	2	7	-	
Female	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	5	-	
Black non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	
Male	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
K70,K73-K74 Chronic liver disease and cirrhosis																					
All Races/Ethnicities	363	-	-	-	-	-	3	4	10	15	32	50	59	55	39	27	34	17	18	-	
Male	226	-	-	-	-	-	3	2	5	10	23	31	37	36	26	19	19	6	9	-	
Female	137	-	-	-	-	-	-	2	5	5	9	19	22	19	13	8	15	11	9	-	
White non-Hisp	294	-	-	-	-	-	1	2	7	10	25	38	51	46	34	23	28	14	15	-	
Male	183	-	-	-	-	-	1	2	3	7	18	24	33	29	23	15	15	6	7	-	
Female	111	-	-	-	-	-	-	-	4	3	7	14	18	17	11	8	13	8	8	-	
Black non-Hisp	26	-	-	-	-	-	1	1	1	1	2	4	6	4	2	3	-	1	-	-	
Male	12	-	-	-	-	-	1	-	1	-	1	2	3	3	1	3	-	-	-	-	
Female	14	-	-	-	-	-	-	1	-	1	2	3	4	1	1	-	-	1	-	-	
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	2	-	1	-	
Male	5	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	2	-	-	-	
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	
Hispanic	36	-	-	-	-	-	1	1	2	4	4	6	2	5	2	1	4	2	2	-	
Male	26	-	-	-	-	-	1	-	1	3	4	4	2	4	2	1	2	-	2	-	
Female	10	-	-	-	-	-	-	1	1	1	1	2	1	1	-	-	2	2	-	-	

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
K70 Alcoholic liver disease																				
All Races/Ethnicities	181	-	-	-	-	-	2	4	8	11	20	37	37	27	14	12	6	2	1	-
Male	125	-	-	-	-	-	2	2	3	7	16	23	26	19	12	8	5	1	1	-
Female	56	-	-	-	-	-	-	-	5	4	4	14	11	8	2	4	1	1	-	-
White non-Hisp	150	-	-	-	-	-	1	2	7	8	16	27	35	23	12	12	4	2	1	-
Male	105	-	-	-	-	-	1	2	3	5	13	18	25	15	10	8	3	1	1	-
Female	45	-	-	-	-	-	-	-	4	3	3	9	10	8	2	4	1	1	-	-
Black non-Hisp	10	-	-	-	-	-	-	1	-	-	1	4	1	2	1	-	-	-	-	-
Male	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
Female	6	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	-	-	-
Other non-Hisp	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-
Male	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	17	-	-	-	-	-	1	1	1	3	2	4	1	2	1	-	1	-	-	-
Male	12	-	-	-	-	-	1	-	-	2	2	2	1	2	1	-	1	-	-	-
Female	5	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-
N00-N07,N17-N19,N25-N27 Nephritis, nephrotic syndrome, nephrosis																				
All Races/Ethnicities	585	-	-	1	-	-	-	1	-	2	3	10	21	28	39	39	57	94	290	-
Male	290	-	-	-	-	-	-	1	-	1	1	5	14	15	20	27	36	53	117	-
Female	293	-	-	1	-	-	-	-	-	1	2	5	7	13	19	12	21	41	171	-
White non-Hisp	465	-	-	-	-	-	-	1	-	-	2	5	9	18	32	27	42	78	251	-
Male	237	-	-	-	-	-	-	1	-	-	1	2	8	8	17	22	26	45	107	-
Female	228	-	-	-	-	-	-	-	-	-	1	3	1	10	15	5	16	33	144	-
Black non-Hisp	78	-	-	1	-	-	-	-	-	1	1	1	9	6	2	10	13	12	22	-
Male	36	-	-	-	-	-	-	-	-	1	-	1	4	5	1	3	9	5	7	-
Female	42	-	-	1	-	-	-	-	-	-	1	-	5	1	1	7	4	7	15	-
Other non-Hisp	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	5	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	-
Hispanic	30	-	-	-	-	-	-	-	-	1	-	4	3	2	5	1	2	2	10	-
Male	13	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	1	2	2	-
Female	17	-	-	-	-	-	-	-	-	1	-	2	1	1	3	-	1	-	8	-
N10-N12,N13.6,N15.1 Infections of kidney																				
All Races/Ethnicities	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	4	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Female	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	3	-
White non-Hisp	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	4	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Female	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	3	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N40 Hyperplasia of prostate																				
All Races/Ethnicities	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	6	-
Male	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	6	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	6	-
Male	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	6	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
Q00-Q99 Congenital anomalies																				
All Races/Ethnicities	71	24	2	1	1	2	2	2	1	1	3	6	5	7	3	1	2	4	4	-
Male	35	6	2	1	1	-	1	2	-	1	1	3	3	6	1	1	1	3	2	-
Female	34	16	-	-	-	2	1	-	1	-	2	3	2	1	2	-	1	1	2	-
White non-Hisp	44	10	1	-	-	1	1	1	-	1	2	5	2	7	3	1	2	3	4	-
Male	27	4	1	-	-	-	1	1	-	1	1	2	2	6	1	1	1	3	2	-
Female	17	6	-	-	-	1	-	-	-	-	1	3	-	1	2	-	1	-	2	-
Black non-Hisp	13	4	1	-	-	1	1	1	1	-	-	1	2	-	-	-	-	1	-	-
Male	3	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	10	4	-	-	-	1	1	-	1	-	-	-	2	-	-	-	-	1	-	-
Other non-Hisp	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	11	7	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Male	5	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	6	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
V01-X59,Y85-Y86 Accidents (unintentional injuries)																				
All Races/Ethnicities	1781	7	5	8	32	93	127	106	110	102	133	156	155	87	64	57	70	90	379	-
Male	1145	4	2	5	18	73	101	82	83	76	90	112	112	68	42	31	45	43	158	-
Female	628	3	3	3	12	18	24	24	27	26	43	44	41	19	22	26	25	47	221	-
White non-Hisp	1485	2	1	4	23	74	92	94	85	77	104	123	123	68	57	47	66	82	363	-
Male	947	2	1	2	14	59	73	74	62	56	71	90	90	52	39	25	43	41	153	-
Female	538	-	-	2	9	15	19	20	23	21	33	33	33	16	18	22	23	41	210	-
Black non-Hisp	116	4	-	2	1	6	11	3	9	6	13	16	15	10	2	3	3	4	8	-
Male	72	2	-	1	-	5	8	2	7	2	10	11	10	9	-	2	2	-	1	-
Female	44	2	-	1	1	1	3	1	2	4	3	5	5	1	2	1	1	4	7	-
Other non-Hisp	20	-	-	-	2	3	3	-	-	1	-	1	2	2	2	1	-	2	1	-
Male	11	-	-	-	1	2	3	-	-	1	-	1	2	1	-	-	-	-	-	-
Female	9	-	-	-	1	1	-	-	-	-	-	-	-	1	2	1	-	2	1	-
Hispanic	152	1	4	2	4	8	19	9	16	18	16	16	13	7	3	6	1	2	7	-
Male	115	-	1	2	3	7	17	6	14	17	9	10	10	6	3	4	-	2	4	-
Female	37	1	3	-	1	1	2	3	2	1	7	6	3	1	-	2	1	-	3	-
Motor vehicle accidents*																				
All Races/Ethnicities	281	2	5	4	16	29	26	20	13	21	22	30	28	17	14	9	6	7	12	-
Male	199	-	2	3	10	18	22	14	12	18	15	21	22	10	11	6	4	4	7	-
Female	80	2	3	1	6	9	4	6	1	3	7	9	6	7	3	3	2	3	5	-
White non-Hisp	196	-	1	2	10	19	13	14	9	14	17	20	22	12	11	7	6	7	12	-
Male	141	-	1	1	6	13	11	10	8	12	12	14	17	7	10	4	4	4	7	-
Female	55	-	-	1	4	6	2	4	1	2	5	6	5	5	1	3	2	3	5	-
Black non-Hisp	28	1	-	-	1	3	4	3	2	3	3	5	1	1	1	-	-	-	-	-
Male	20	-	-	-	-	2	3	2	2	2	3	4	1	1	-	-	-	-	-	-
Female	8	1	-	-	1	1	1	1	-	1	-	1	-	-	1	-	-	-	-	-
Other non-Hisp	8	-	-	-	1	2	-	-	-	1	-	1	1	1	1	-	-	-	-	-
Male	5	-	-	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-
Female	3	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hispanic	47	1	4	2	4	3	9	3	2	3	2	4	4	3	1	2	-	-	-	-
Male	33	-	1	2	3	2	8	2	2	3	-	2	3	2	1	2	-	-	-	-
Female	14	1	3	-	1	1	1	1	-	-	2	2	1	1	-	-	-	-	-	-
W00-W19 Falls																				
All Races/Ethnicities	440	1	-	-	-	1	2	3	1	2	3	8	12	18	15	25	42	55	252	-
Male	216	1	-	-	-	1	1	2	1	2	2	8	11	12	8	13	25	26	103	-
Female	224	-	-	-	-	-	1	1	-	-	1	-	1	6	7	12	17	29	149	-
White non-Hisp	411	1	-	-	-	-	2	2	-	2	2	6	9	16	14	21	42	50	244	-
Male	200	1	-	-	-	-	1	1	-	2	2	6	8	10	8	11	25	24	101	-
Female	211	-	-	-	-	-	1	1	-	-	-	-	1	6	6	10	17	26	143	-
Black non-Hisp	7	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	3	-
Male	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	-
Other non-Hisp	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-
Hispanic	17	-	-	-	-	1	-	1	1	-	-	1	2	2	-	3	-	2	4	-
Male	14	-	-	-	-	1	-	1	1	-	-	1	2	2	-	2	-	2	2	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c														Unknown			
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69		70-74	75-79	80-84
W32-W34 Accidental discharge of firearm																			
All Races/Ethnicities	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W65-W74 Accidental drowning and submersion																			
All Races/Ethnicities	15	-	-	2	3	2	1	1	-	-	1	1	1	-	-	-	3	-	-
Male	9	-	-	-	-	2	1	1	-	-	1	1	-	-	-	-	3	-	-
Female	4	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
White non-Hisp	9	-	-	1	-	-	1	1	-	-	1	1	1	-	-	-	3	-	-
Male	7	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	3	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Black non-Hisp	3	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X00 Exposure to uncontrolled fire in building or structure																			
All Races/Ethnicities	17	-	-	1	-	-	-	-	1	1	1	1	4	2	2	-	2	-	2
Male	10	-	-	1	-	-	-	-	-	-	-	-	4	2	2	-	1	-	-
Female	7	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	2
White non-Hisp	10	-	-	-	-	-	-	-	1	1	-	-	3	1	2	-	1	-	1
Male	7	-	-	-	-	-	-	-	-	-	-	3	1	2	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1
Black non-Hisp	5	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1
Male	3	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
X40-X49 Accidental poisoning & exposure to noxious substances*																			
All Races/Ethnicities	766	1	-	-	9	58	95	79	92	68	96	102	96	37	13	10	-	2	8
Male	552	-	-	-	5	49	74	63	68	47	66	70	63	32	7	5	-	1	2
Female	210	1	-	-	4	9	19	16	24	21	30	32	31	5	6	5	-	1	6
White non-Hisp	632	-	-	-	9	52	75	74	72	53	76	86	76	31	11	8	-	2	7
Male	457	-	-	-	5	43	59	60	52	36	52	61	51	26	6	3	-	1	2
Female	175	-	-	-	4	9	16	14	20	17	24	25	25	5	5	5	-	1	5
Black non-Hisp	48	1	-	-	-	1	5	-	7	3	8	6	10	4	1	2	-	-	-
Male	30	-	-	-	-	1	3	-	5	-	6	3	6	4	-	2	-	-	-
Female	18	1	-	-	-	-	2	-	2	3	2	3	4	-	1	-	-	-	-
Other non-Hisp	5	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-
Male	5	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	77	-	-	-	-	4	10	5	13	12	12	10	7	2	1	-	-	-	1
Male	60	-	-	-	-	4	9	3	11	11	8	6	5	2	1	-	-	-	-
Female	17	-	-	-	-	-	1	2	2	1	4	4	2	-	-	-	-	-	1

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																		
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unknown
X60-X84,Y87.0,X85-Y09,Y87.1,Y35,Y89.0 Intentional Injuries																				
All Races/Ethnicities	511	3	2	3	24	34	41	44	37	39	51	70	59	40	17	18	8	11	10	-
Male	379	2	1	3	17	26	28	37	29	31	29	54	44	29	14	13	7	10	5	-
Female	130	1	1	-	7	8	13	7	8	8	22	16	15	11	3	3	1	1	5	-
White non-Hisp	366	1	-	2	12	14	23	23	19	29	38	62	50	37	14	16	7	9	10	-
Male	269	-	-	2	8	10	12	20	16	24	21	47	37	28	12	13	6	8	5	-
Female	97	1	-	-	4	4	11	3	3	5	17	15	13	9	2	3	1	1	5	-
Black non-Hisp	69	-	2	-	7	10	11	10	8	7	6	3	4	-	-	-	-	1	-	-
Male	59	-	1	-	6	8	9	10	8	6	5	2	3	-	-	-	-	1	-	-
Female	10	-	1	-	1	2	2	-	-	1	1	1	1	-	-	-	-	-	-	-
Other non-Hisp	13	-	-	-	-	1	2	1	2	2	-	-	2	1	1	-	1	-	-	-
Male	8	-	-	-	-	-	2	1	1	-	-	-	2	-	1	-	1	-	-	-
Female	5	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-
Hispanic	61	2	-	1	5	9	5	10	8	1	7	5	3	2	2	-	-	1	-	-
Male	43	2	-	1	3	8	5	6	4	1	3	5	2	1	1	-	-	1	-	-
Female	18	-	-	-	2	1	-	4	4	-	4	-	1	1	1	-	-	-	-	-
X60-X84,Y87.0 Suicide																				
All Races/Ethnicities	382	-	-	2	14	20	23	26	20	31	42	61	47	38	16	15	6	11	10	-
Male	280	-	-	2	9	13	13	20	16	25	25	47	35	28	13	13	6	10	5	-
Female	102	-	-	-	5	7	10	6	4	6	17	14	12	10	3	2	-	1	5	-
White non-Hisp	328	-	-	2	9	13	19	21	14	26	36	57	44	35	13	15	5	9	10	-
Male	246	-	-	2	7	9	10	18	12	22	21	43	33	27	11	13	5	8	5	-
Female	82	-	-	-	2	4	9	3	2	4	15	14	11	8	2	2	-	1	5	-
Black non-Hisp	15	-	-	-	3	3	1	1	2	2	1	1	-	-	-	-	-	1	-	-
Male	12	-	-	-	2	2	-	1	2	2	1	1	-	-	-	-	-	1	-	-
Female	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	12	-	-	-	-	1	2	1	1	2	-	-	2	1	1	-	1	-	-	-
Male	7	-	-	-	-	2	1	-	-	-	-	-	2	-	1	-	1	-	-	-
Female	5	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-
Hispanic	27	-	-	-	2	3	1	3	3	1	5	3	1	2	2	-	-	1	-	-
Male	15	-	-	-	-	2	1	-	2	1	3	3	-	1	1	-	-	1	-	-
Female	12	-	-	-	2	1	-	3	1	-	2	-	1	1	1	-	-	-	-	-
X85-Y09,Y87.1,Y35,Y89.0 Homicide & Legal Intervention																				
All Races/Ethnicities	129	3	2	1	10	14	18	18	17	8	9	9	12	2	1	3	2	-	-	-
Male	99	2	1	1	8	13	15	17	13	6	4	7	9	1	1	-	1	-	-	-
Female	28	1	1	-	2	1	3	1	4	2	5	2	3	1	-	1	1	-	-	-
White non-Hisp	38	1	-	-	3	1	4	2	5	3	2	5	6	2	1	1	2	-	-	-
Male	23	-	-	-	1	1	2	2	4	2	-	4	4	1	1	-	1	-	-	-
Female	15	1	-	-	2	-	2	-	1	1	2	1	2	1	-	1	1	-	-	-
Black non-Hisp	54	-	2	-	4	7	10	9	6	5	5	2	4	-	-	-	-	-	-	-
Male	47	-	1	-	4	6	9	9	6	4	4	1	3	-	-	-	-	-	-	-
Female	7	-	1	-	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	34	2	-	1	3	6	4	7	5	-	2	2	2	-	-	-	-	-	-	-
Male	28	2	-	1	3	6	4	6	2	-	-	2	2	-	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-	-
X85-Y09,Y87.1 Homicide																				
All Races/Ethnicities	124	3	2	1	10	14	17	17	16	7	9	8	12	2	1	3	2	-	-	-
Male	94	2	1	1	8	13	14	16	12	5	4	6	9	1	1	-	1	-	-	-
Female	28	1	1	-	2	1	3	1	4	2	5	2	3	1	-	1	1	-	-	-
White non-Hisp	33	1	-	-	3	1	3	1	4	2	2	4	6	2	1	1	2	-	-	-
Male	18	-	-	-	1	1	1	1	3	1	-	3	4	1	1	-	1	-	-	-
Female	15	1	-	-	2	-	2	-	1	1	2	1	2	1	-	1	1	-	-	-
Black non-Hisp	54	-	2	-	4	7	10	9	6	5	5	2	4	-	-	-	-	-	-	-
Male	47	-	1	-	4	6	9	9	6	4	4	1	3	-	-	-	-	-	-	-
Female	7	-	1	-	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	34	2	-	1	3	6	4	7	5	-	2	2	2	-	-	-	-	-	-	-
Male	28	2	-	1	3	6	4	6	2	-	-	2	2	-	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c																	
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
X93-X95 Homicide by discharge of firearm																			
All Races/Ethnicities	79	-	-	1	8	10	13	15	13	5	5	3	5	-	-	1	-	-	-
Male	66	-	-	1	8	10	12	14	10	4	3	1	3	-	-	-	-	-	-
Female	13	-	-	-	-	-	1	1	3	1	2	2	-	-	1	-	-	-	-
White non-Hisp	14	-	-	-	1	-	-	1	3	-	1	2	5	-	-	1	-	-	-
Male	8	-	-	-	1	-	-	1	2	-	-	1	3	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-
Black non-Hisp	42	-	-	-	4	4	10	9	5	4	1	-	-	-	-	-	-	-	-
Male	38	-	-	-	4	4	9	9	5	4	3	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	22	-	-	1	3	6	3	5	4	-	-	-	-	-	-	-	-	-	-
Male	19	-	-	1	3	6	3	4	2	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Y10-Y34,Y87.2,Y89.9 Events of Undetermined Intent																			
All Races/Ethnicities	25	1	-	-	-	1	2	1	1	2	3	4	2	5	1	-	1	1	-
Male	18	-	-	-	-	-	2	1	-	2	2	3	2	4	1	-	-	1	-
Female	7	1	-	-	-	1	-	-	1	-	1	1	-	1	-	-	1	-	-
White non-Hisp	16	-	-	-	-	-	1	-	1	1	3	3	1	4	-	-	1	1	-
Male	11	-	-	-	-	-	1	-	-	1	2	2	1	3	-	-	-	1	-
Female	5	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	-
Black non-Hisp	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	6	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	-	-
Male	6	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y40-Y84,Y88 Complications of medical & surgical care																			
All Races/Ethnicities	23	-	-	-	-	-	-	-	-	1	1	-	-	-	4	3	2	7	5
Male	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	3
Female	14	-	-	-	-	-	-	-	-	1	-	-	-	-	4	2	1	4	2
White non-Hisp	18	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	2	5	5
Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3
Female	11	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	2	2
Black non-Hisp	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Firearm deaths*																			
All Races/Ethnicities	188	-	-	1	12	13	19	25	22	15	12	16	16	8	8	9	3	6	3
Male	167	-	-	1	11	13	18	23	19	13	9	12	13	8	7	8	3	6	3
Female	21	-	-	-	1	-	1	2	3	2	3	4	3	-	1	1	-	-	-
White non-Hisp	114	-	-	-	5	3	6	10	10	8	6	15	15	8	8	9	3	5	3
Male	102	-	-	-	4	3	6	10	9	7	5	12	12	8	7	8	3	5	3
Female	12	-	-	-	1	-	-	-	1	1	1	3	3	-	1	1	-	-	-
Black non-Hisp	45	-	-	-	4	4	10	9	6	6	4	1	-	-	-	-	-	1	-
Male	41	-	-	-	4	4	9	9	6	5	3	-	-	-	-	-	-	1	-
Female	4	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
Other non-Hisp	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Male	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	27	-	-	1	3	6	3	6	5	1	2	-	-	-	-	-	-	-	-
Male	22	-	-	1	3	6	3	4	3	1	1	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2015
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown			
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84	85+
Alcohol-induced deaths*																				
All Races/Ethnicities	334	-	-	-	1	4	4	9	14	22	44	57	69	49	24	20	9	5	3	-
Male	239	-	-	-	-	1	3	6	8	16	32	36	54	36	19	15	7	4	2	-
Female	95	-	-	-	1	3	1	3	6	6	12	21	15	13	5	5	2	1	1	-
White non-Hisp	280	-	-	-	1	3	3	6	13	16	38	44	62	41	20	18	7	5	3	-
Male	202	-	-	-	-	1	2	5	8	11	28	30	48	30	15	13	5	4	2	-
Female	78	-	-	-	1	2	1	1	5	5	10	14	14	11	5	5	2	1	1	-
Black non-Hisp	22	-	-	-	-	-	-	-	1	-	-	2	6	4	5	3	1	-	-	-
Male	13	-	-	-	-	-	-	-	-	-	1	2	3	3	3	1	-	-	-	-
Female	9	-	-	-	-	-	-	-	1	-	-	1	4	1	2	-	-	-	-	-
Other non-Hisp	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-
Male	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	28	-	-	-	-	1	1	2	1	6	3	5	3	3	1	1	1	-	-	-
Male	20	-	-	-	-	-	1	1	-	5	2	2	3	3	1	1	1	-	-	-
Female	8	-	-	-	-	1	-	1	1	1	1	3	-	-	-	-	-	-	-	-
Drug-induced deaths*																				
All Races/Ethnicities	821	2	2	-	9	58	97	83	95	66	103	121	101	47	13	11	-	1	12	-
Male	576	-	1	-	5	48	76	64	69	46	68	83	63	39	7	5	-	-	2	-
Female	239	2	1	-	4	10	19	17	26	20	35	38	36	8	6	6	-	1	10	-
White non-Hisp	676	1	-	-	9	50	77	73	74	52	81	105	80	41	11	10	-	1	11	-
Male	478	-	-	-	5	42	61	60	52	37	52	73	51	33	6	4	-	-	2	-
Female	198	1	-	-	4	8	16	13	22	15	29	32	29	8	5	6	-	1	9	-
Black non-Hisp	51	1	2	-	-	1	5	-	8	4	8	6	10	4	1	1	-	-	-	-
Male	32	-	1	-	-	1	3	-	6	1	6	3	6	4	-	1	-	-	-	-
Female	19	1	1	-	-	-	2	-	2	3	2	3	4	-	-	-	-	-	-	-
Other non-Hisp	7	-	-	-	-	2	3	-	-	1	-	-	1	-	-	-	-	-	-	-
Male	5	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Hispanic	81	-	-	-	-	5	10	8	13	9	14	10	8	2	1	-	-	-	1	-
Male	61	-	-	-	-	4	9	4	11	8	10	7	5	2	1	-	-	-	-	-
Female	20	-	-	-	-	1	1	4	2	1	4	3	3	-	-	-	-	-	1	-

NOTES:

^a Totals for age groups and racial/ethnic groups represent total deaths from all causes combined; however, only selected causes of death are itemized in this table. A listing of all Connecticut deaths by ICD-10 code, age, sex, and race/ethnicity is available from the CT DPH, Health Statistics and Surveillance, Statistics Analysis & Reporting unit as Supplement Table B. A dash (-) represents the quantity zero.

^b Beginning with the 2011 report, race and ethnicity are reported here using mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race. For reporting purposes, only "White non-Hisp", "Black non-Hisp", "Other non-Hisp", and "Hispanic" are shown; counts for those of unknown race and ethnicity are omitted. There were 94 records with unknown race, 21 records with unknown ethnicity, and 2 records with both unknown race and unknown ethnicity.

^c There were 2 records where age was unknown and 0 records where sex was unknown.

^d Cause of death was unknown for 123 decedents.

^e The category "Motor vehicle accidents" includes codes V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2.

^f The category "Poisoning" includes deaths resulting from accidental drug/medication overdose, and accidental poisoning by alcohol, cleaning agents, paints, solvents, agricultural/horticultural chemicals (insecticides, herbicides, fungicides, etc.), corrosives and caustics, foodstuffs and plants, metals, and gases (including carbon monoxide and motor vehicle exhaust).

^g The category "Fire arm deaths" includes codes W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0.

^h The category "Alcohol-induced deaths" includes codes F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15.

ⁱ The category "Drug-induced deaths" includes codes F11.0-F11.5,F11.4-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7,F14.9,F15.0-F15.5,F15.7-F15.9, F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14.

TABLE 10
CONNECTICUT RESIDENT DEATHS, 2015
Top Five Leading Causes of Death^a by Age and Sex

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
TOTAL-ALL AGES												
TOTAL, ALL CAUSES	--	30,520	849.9	100.0	--	14,658	836.8	100.0	--	15,862	862.5	100.0
I00-I09,I11,I13,I20-I51 Diseases of heart	1	7,167	199.6	23.5	1	3,565	203.5	24.3	1	3,602	195.9	22.7
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		31	0.9	0.1		6	0.3	0.0		25	1.4	0.2
... I11 Hypertensive heart disease		326	9.1	1.1		158	9.0	1.1		168	9.1	1.1
... I13 Hypertensive heart and renal disease		40	1.1	0.1		16	0.9	0.1		24	1.3	0.2
... I20-I25 Ischemic heart disease		3,745	104.3	12.3		2,037	116.3	13.9		1,708	92.9	10.8
... I26-I51 Other heart diseases		3,025	84.2	9.9		1,348	77.0	9.2		1,677	91.2	10.6
C00-C97 Malignant neoplasms	2	6,646	185.1	21.8	2	3,356	191.6	22.9	2	3,290	178.9	20.7
... C00-C14 Lip, oral & pharynx cancer		95	2.6	0.3		57	3.3	0.4		38	2.1	0.2
... C18-C21 Colorectal cancer		537	15.0	1.8		257	14.7	1.8		280	15.2	1.8
... C25 Pancreatic cancer		483	13.5	1.6		228	13.0	1.6		255	13.9	1.6
... C33-C34 Trachea, bronchus & lung cancer		1,562	43.5	5.1		773	44.1	5.3		789	42.9	5.0
... C43 Skin cancer		90	2.5	0.3		60	3.4	0.4		30	1.6	0.2
... C50 Breast cancer		436	12.1	1.4		3	0.2	0.0		433	23.5	2.7
... C53 Cervical cancer		24	0.7	0.1						24	1.3	0.2
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		115	3.2	0.4						115	6.3	0.7
... C56 Ovarian cancer		169	4.7	0.6						169	9.2	1.1
... C61 Prostate cancer		322	9.0	1.1		322	18.4	2.2				
... C67 Bladder cancer		227	6.3	0.7		168	9.6	1.1		59	3.2	0.4
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		212	5.9	0.7		119	6.8	0.8		93	5.1	0.6
... C91-C95 Leukemia		266	7.4	0.9		143	8.2	1.0		123	6.7	0.8
V01-X59,Y85-Y86 Accidents (unintentional injuries)	3	1,777	49.5	5.8	3	1,148	65.5	7.8				
... Motor vehicle accidents (e)		280	7.8	0.9		200	11.4	1.4				
... W00-W19 Falls		440	12.3	1.4		216	12.3	1.5				
... W32-W34 Accidental discharge of firearms		1	0.0	0.0		1	0.1	0.0				
... W65-W74 Accidental drowning and submersion		14	0.4	0.0		10	0.6	0.1				
... X00-X09 Accidental exposure to smoke, fire & flames		17	0.5	0.1		10	0.6	0.1				
... X40-X49 Accidental poisoning & exposure to noxious substances		764	21.3	2.5		553	31.6	3.8				
I60-I69 Cerebrovascular disease	4	1,387	38.6	4.5	4	569	32.5	3.9	3	818	44.5	5.2
J40-J47 Chronic lower respiratory diseases	5	1,367	38.1	4.5	5	555	31.7	3.8	4	812	44.2	5.1
... J45-J46 Asthma		48	1.3	0.2		14	0.8	0.1		34	1.8	0.2
G30 Alzheimer's disease									5	700	38.1	4.4
<1 YEAR OLD												
TOTAL, ALL CAUSES	--	200	5.6	100	--	96	5.3	100	--	104	5.9	100
P07 Disorders relating to short gestation and unspecified low birthweight	1	52	1.5	26	1	22	1.2	22.9	1	30	1.7	28.8
Q00-Q99 Congenital anomalies	2	19	0.5	9.5	3	6	0.3	6.3	2	13	0.7	12.5
P01 Fetus/Newborn affected by maternal complications of pregnancy	3	17	0.5	8.5	2	7	0.4	7.3	3	10	0.6	9.6
P02 Fetus/Newborn Affected by complications of placenta	4	10	0.3	5	4	5	0.3	5.2	4	5	0.3	4.8
P22 Respiratory distress syndrome	5	8	0.2	4	5	3	0.2	3.1	4	5	0.3	4.8
1-4 YEARS OLD												
TOTAL, ALL CAUSES	--	16	10.5	100	--	9	11.6	100	--	7	9.4	100
Q00-Q99 Congenital anomalies	1	4	2.6	25	3	1	1.3	11.1	1	3	4	42.9
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	4	2.6	25	2	2	2.6	22.2	2	2	2.7	28.6
... Motor vehicle accidents (e)		2	1.3	12.5						2	2.7	28.6
... W00-W19 Falls		1	0.7	6.3		1	1.3	11.1				
C00-C97 Malignant neoplasms	3	3	2	18.8	1	3	3.9	33.3				
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		1	0.7	6.3		1	1.3	11.1				
X85-Y09,Y87.1 Homicide	4	1	0.7	6.3	3	1	1.3	11.1				
5-9 YEARS OLD												
TOTAL, ALL CAUSES	--	13	6.3	100	--	6	5.7	100	--	7	6.9	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	5	2.4	38.5	1	2	1.9	33.3	1	3	3	42.9
... Motor vehicle accidents (e)		5	2.4	38.5		2	1.9	33.3		3	3	42.9
Q00-Q99 Congenital anomalies	2	2	1	15.4	1	2	1.9	33.3				
X85-Y09,Y87.1 Homicide	2	2	1	15.4	3	1	1	16.7	2	1	1	14.3
A40-A41 Septicemia	4	1	0.5	7.7					2	1	1	14.3
C00-C97 Malignant neoplasms	4	1	0.5	7.7					2	1	1	14.3
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		1	0.5	7.7						1	1	14.3
10-14 YEARS OLD												
TOTAL, ALL CAUSES	--	19	8.4	100	--	12	10.4	100	--	7	6.4	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	8	3.5	42.1	1	5	4.3	41.7	1	3	2.7	42.9
... Motor vehicle accidents (e)		4	1.8	21.1		3	2.6	25		1	0.9	14.3
... W65-W74 Accidental drowning and submersion		2	0.9	10.5						2	1.8	28.6
... X00-X09 Accidental exposure to smoke, fire & flames		1	0.4	5.3		1	0.9	8.3				
I60-I69 Cerebrovascular disease	2	2	0.9	10.5	2	2	1.7	16.7				
X60-X84,Y87.0 Suicide	2	2	0.9	10.5	2	2	1.7	16.7				
C00-C97 Malignant neoplasms	4	1	0.4	5.3	4	1	0.9	8.3				
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		1	0.4	5.3		1	0.9	8.3				
J40-J47 Chronic lower respiratory diseases	4	1	0.4	5.3					2	1	0.9	14.3
... J45-J46 Asthma		1	0.4	5.3						1	0.9	14.3
N00-N07,N17-N19,N25-N27 Nephritis, nephrotic syndrome, nephrosis									2	1	0.9	14.3
Q00-Q99 Congenital anomalies					4	1	0.9	8.3				

TABLE 10
CONNECTICUT RESIDENT DEATHS, 2015
Top Five Leading Causes of Death^a by Age and Sex

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
15-19 YEARS OLD												
TOTAL, ALL CAUSES	--	75	30	100	--	51	39.9	100	--	24	19.6	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	31	12.4	41.3	1	19	14.9	37.3	1	12	9.8	50
... Motor vehicle accidents (e)		16	6.4	21.3		10	7.8	19.6		6	4.9	25
... W65-W74 Accidental drowning and submersion		2	0.8	2.7		1	0.8	2		1	0.8	4.2
... X40-X49 Accidental poisoning & exposure to noxious substances		9	3.6	12		5	3.9	9.8		4	3.3	16.7
X60-X84,Y87.0 Suicide	2	14	5.6	18.7	2	9	7	17.6	2	5	4.1	20.8
X85-Y09,Y87.1 Homicide	3	10	4	13.3	3	8	6.3	15.7	4	2	1.6	8.3
... X93-X95 Homicide by discharge of firearm		8	3.2	10.7		8	6.3	15.7		3	2.4	12.5
C00-C97 Malignant neoplasms	4	9	3.6	12	4	6	4.7	11.8	3	3	2.4	12.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		2	0.8	2.7						2	1.6	8.3
... C91-C95 Leukemia		3	1.2	4		2	1.6	3.9		1	0.8	4.2
I00-I09,I11,I13,I20-I51 Diseases of heart	5	3	1.2	4	5	3	2.3	5.9				
... I26-I51 Other heart diseases		3	1.2	4		3	2.3	5.9				
J40-J47 Chronic lower respiratory diseases									5	1	0.8	4.2
... J45-J46 Asthma									1	0.8	4.2	
20-24 YEARS OLD												
TOTAL, ALL CAUSES	--	172	69.7	100	--	124	97.2	100	--	48	40.2	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	92	37.3	53.5	1	74	58	59.7	1	18	15.1	37.5
... Motor vehicle accidents (e)		28	11.3	16.3		19	14.9	15.3		9	7.5	18.8
... W00-W19 Falls		1	0.4	0.6		1	0.8	0.8				
... W65-W74 Accidental drowning and submersion		2	0.8	1.2		2	1.6	1.6				
... X40-X49 Accidental poisoning & exposure to noxious substances		58	23.5	33.7		49	38.4	39.5		9	7.5	18.8
X60-X84,Y87.0 Suicide	2	20	8.1	11.6	2	13	10.2	10.5	2	7	5.9	14.6
X85-Y09,Y87.1 Homicide	3	14	5.7	8.1	2	13	10.2	10.5				
... X93-X95 Homicide by discharge of firearm		10	4.1	5.8		10	7.8	8.1				
C00-C97 Malignant neoplasms	4	8	3.2	4.7	4	5	3.9	4	3	3	2.5	6.3
... C43 Skin cancer		1	0.4	0.6		1	0.8	0.8				
... C50 Breast cancer		1	0.4	0.6						1	0.8	2.1
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		1	0.4	0.6						1	0.8	2.1
... C56 Ovarian cancer		1	0.4	0.6						1	0.8	2.1
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		2	0.8	1.2		2	1.6	1.6				
... C91-C95 Leukemia		2	0.8	1.2		2	1.6	1.6				
I00-I09,I11,I13,I20-I51 Diseases of heart	5	5	2	2.9	5	4	3.1	3.2				
... I11 Hypertensive heart disease		1	0.4	0.6		1	0.8	0.8				
... I26-I51 Other heart diseases		4	1.6	2.3		3	2.4	2.4				
Q00-Q99 Congenital anomalies									4	2	1.7	4.2
A40-A41 Septicemia									5	1	0.8	2.1
25-34 YEARS OLD												
TOTAL, ALL CAUSES	--	476	107.8	100	--	347	155.5	100	--	129	59.1	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	232	52.5	48.7	1	183	82	52.7	1	49	22.4	38
... Motor vehicle accidents (e)		46	10.4	9.7		36	16.1	10.4		10	4.6	7.8
... W00-W19 Falls		5	1.1	1.1		3	1.3	0.9		2	0.9	1.6
... W32-W34 Accidental discharge of firearms		1	0.2	0.2		1	0.4	0.3				
... W65-W74 Accidental drowning and submersion		2	0.5	0.4		2	0.9	0.6				
... X40-X49 Accidental poisoning & exposure to noxious substances		173	39.2	36.3		137	61.4	39.5		36	16.5	27.9
X60-X84,Y87.0 Suicide	2	49	11.1	10.3	2	33	14.8	9.5	2	16	7.3	12.4
X85-Y09,Y87.1 Homicide	3	34	7.7	7.1	3	30	13.4	8.6				
... X93-X95 Homicide by discharge of firearm		28	6.3	5.9		26	11.7	7.5				
C00-C97 Malignant neoplasms	4	33	7.5	6.9	5	17	7.6	4.9	2	16	7.3	12.4
... C00-C14 Lip, oral & pharynx cancer		1	0.2	0.2		1	0.4	0.3				
... C18-C21 Colorectal cancer		1	0.2	0.2		1	0.4	0.3				
... C33-C34 Trachea, bronchus & lung cancer		1	0.2	0.2						1	0.5	0.8
... C50 Breast cancer		6	1.4	1.3						6	2.7	4.7
... C53 Cervical cancer		1	0.2	0.2						1	0.5	0.8
... C56 Ovarian cancer		2	0.5	0.4						2	0.9	1.6
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		7	1.6	1.5		6	2.7	1.7		1	0.5	0.8
... C91-C95 Leukemia		3	0.7	0.6		3	1.3	0.9				
I00-I09,I11,I13,I20-I51 Diseases of heart	4	33	7.5	6.9	4	25	11.2	7.2	4	8	3.7	6.2
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		1	0.2	0.2		1	0.4	0.3				
... I11 Hypertensive heart disease		5	1.1	1.1		5	2.2	1.4				
... I20-I25 Ischemic heart disease		7	1.6	1.5		4	1.8	1.2		3	1.4	2.3
... I26-I51 Other heart diseases		20	4.5	4.2		15	6.7	4.3		5	2.3	3.9
B20-B24 Human immunodeficiency virus (HIV) disease									5	4	1.8	3.1

TABLE 10
CONNECTICUT RESIDENT DEATHS, 2015
Top Five Leading Causes of Death^a by Age and Sex

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
35-44 YEARS OLD												
TOTAL, ALL CAUSES	--	625	144.9	100	--	412	195.3	100	--	213	96.6	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	212	49.2	33.9	1	159	75.4	38.6	2	53	24	24.9
... Motor vehicle accidents (e)		34	7.9	5.4		30	14.2	7.3		4	1.8	1.9
... W00-W19 Falls		3	0.7	0.5		3	1.4	0.7				
... X00-X09 Accidental exposure to smoke, fire & flames		2	0.5	0.3						2	0.9	0.9
... X40-X49 Accidental poisoning & exposure to noxious substances		160	37.1	25.6		115	54.5	27.9		45	20.4	21.1
C00-C97 Malignant neoplasms	2	101	23.4	16.2	4	39	18.5	9.5	1	62	28.1	29.1
... C00-C14 Lip, oral & pharynx cancer		1	0.2	0.2		1	0.5	0.2				
... C18-C21 Colorectal cancer		12	2.8	1.9		4	1.9	1		8	3.6	3.8
... C25 Pancreatic cancer		7	1.6	1.1		3	1.4	0.7		4	1.8	1.9
... C33-C34 Trachea, bronchus & lung cancer		10	2.3	1.6		5	2.4	1.2		5	2.3	2.3
... C43 Skin cancer		2	0.5	0.3		2	0.9	0.5				
... C50 Breast cancer		15	3.5	2.4						15	6.8	7
... C53 Cervical cancer		2	0.5	0.3						2	0.9	0.9
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		1	0.2	0.2						1	0.5	0.5
... C56 Ovarian cancer		3	0.7	0.5						3	1.4	1.4
... C67 Bladder cancer		1	0.2	0.2						1	0.5	0.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		8	1.9	1.3		2	0.9	0.5		6	2.7	2.8
... C91-C95 Leukemia		4	0.9	0.6		3	1.4	0.7		1	0.5	0.5
I00-I09,I11,I13,I20-I51 Diseases of heart	3	65	15.1	10.4	2	51	24.2	12.4	3	14	6.4	6.6
... I11 Hypertensive heart disease		14	3.2	2.2		12	5.7	2.9		2	0.9	0.9
... I20-I25 Ischemic heart disease		33	7.7	5.3		26	12.3	6.3		7	3.2	3.3
... I26-I51 Other heart diseases		18	4.2	2.9		13	6.2	3.2		5	2.3	2.3
X60-X84,Y87.0 Suicide	4	51	11.8	8.2	3	41	19.4	10	4	10	4.5	4.7
K70,K73-K74 Chronic liver disease and cirrhosis	5	25	5.8	4					4	10	4.5	4.7
... K70 Alcoholic liver disease		19	4.4	3						9	4.1	4.2
X85-Y09,Y87.1 Homicide					5	17	8.1	4.1				
... X93-X95 Homicide by discharge of firearm						14	6.6	3.4				
45-54 YEARS OLD												
TOTAL, ALL CAUSES	--	1,693	314.7	100	--	1,051	402.6	100	--	642	231.8	100
C00-C97 Malignant neoplasms	1	414	77	24.5	2	204	78.1	19.4	1	210	75.8	32.7
... C00-C14 Lip, oral & pharynx cancer		6	1.1	0.4		6	2.3	0.6				
... C18-C21 Colorectal cancer		41	7.6	2.4		24	9.2	2.3		17	6.1	2.6
... C25 Pancreatic cancer		27	5	1.6		16	6.1	1.5		11	4	1.7
... C33-C34 Trachea, bronchus & lung cancer		75	13.9	4.4		32	12.3	3		43	15.5	6.7
... C43 Skin cancer		5	0.9	0.3		4	1.5	0.4		1	0.4	0.2
... C50 Breast cancer		62	11.5	3.7						62	22.4	9.7
... C53 Cervical cancer		4	0.7	0.2						4	1.4	0.6
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		4	0.7	0.2						4	1.4	0.6
... C56 Ovarian cancer		8	1.5	0.5						8	2.9	1.2
... C61 Prostate cancer		5	0.9	0.3		5	1.9	0.5				
... C67 Bladder cancer		4	0.7	0.2		3	1.1	0.3		1	0.4	0.2
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		25	4.6	1.5		18	6.9	1.7		7	2.5	1.1
... C91-C95 Leukemia		16	3	0.9		11	4.2	1		5	1.8	0.8
I00-I09,I11,I13,I20-I51 Diseases of heart	2	291	54.1	17.2	1	213	81.6	20.3	3	78	28.2	12.1
... I11 Hypertensive heart disease		35	6.5	2.1		26	10	2.5		9	3.2	1.4
... I13 Hypertensive heart and renal disease		1	0.2	0.1		1	0.4	0.1				
... I20-I25 Ischemic heart disease		161	29.9	9.5		124	47.5	11.8		37	13.4	5.8
... I26-I51 Other heart diseases		94	17.5	5.6		62	23.8	5.9		32	11.6	5
V01-X59,Y85-Y86 Accidents (unintentional injuries)	3	289	53.7	17.1	3	202	77.4	19.2	2	87	31.4	13.6
... Motor vehicle accidents (e)		52	9.7	3.1		36	13.8	3.4		16	5.8	2.5
... W00-W19 Falls		11	2	0.6		10	3.8	1		1	0.4	0.2
... W65-W74 Accidental drowning and submersion		2	0.4	0.1		2	0.8	0.2				
... X00-X09 Accidental exposure to smoke, fire & flames		2	0.4	0.1						2	0.7	0.3
... X40-X49 Accidental poisoning & exposure to noxious substances		198	36.8	11.7		136	52.1	12.9		62	22.4	9.7
X60-X84,Y87.0 Suicide	4	103	19.1	6.1	4	72	27.6	6.9	4	31	11.2	4.8
K70,K73-K74 Chronic liver disease and cirrhosis	5	82	15.2	4.8	5	54	20.7	5.1	5	28	10.1	4.4
... K70 Alcoholic liver disease		57	10.6	3.4		39	14.9	3.7		18	6.5	2.8

TABLE 10
CONNECTICUT RESIDENT DEATHS, 2015
Top Five Leading Causes of Death^a by Age and Sex

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
55-64 YEARS OLD												
TOTAL, ALL CAUSES	--	3,337	671.5	100	--	2,105	874.7	100	--	1,232	480.6	100
C00-C97 Malignant neoplasms	1	1,195	240.5	35.8	1	674	280.1	32	1	521	203.3	42.3
... C00-C14 Lip, oral & pharynx cancer		19	3.8	0.6		11	4.6	0.5		8	3.1	0.6
... C18-C21 Colorectal cancer		95	19.1	2.8		52	21.6	2.5		43	16.8	3.5
... C25 Pancreatic cancer		93	18.7	2.8		55	22.9	2.6		38	14.8	3.1
... C33-C34 Trachea, bronchus & lung cancer		292	58.8	8.8		177	73.6	8.4		115	44.9	9.3
... C43 Skin cancer		15	3	0.4		10	4.2	0.5		5	2	0.4
... C50 Breast cancer		84	16.9	2.5		1	0.4	0		83	32.4	6.7
... C53 Cervical cancer		7	1.4	0.2						7	2.7	0.6
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		25	5	0.7						25	9.8	2
... C56 Ovarian cancer		36	7.2	1.1						36	14	2.9
... C61 Prostate cancer		30	6	0.9		30	12.5	1.4				
... C67 Bladder cancer		32	6.4	1		24	10	1.1		8	3.1	0.6
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		44	8.9	1.3		29	12.1	1.4		15	5.9	1.2
... C91-C95 Leukemia		40	8	1.2		18	7.5	0.9		22	8.6	1.8
I00-I09,I11,I13,I20-I51 Diseases of heart	2	637	128.2	19.1	2	480	199.5	22.8	2	157	61.3	12.7
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		3	0.6	0.1		1	0.4	0		2	0.8	0.2
... I11 Hypertensive heart disease		49	9.9	1.5		33	13.7	1.6		16	6.2	1.3
... I13 Hypertensive heart and renal disease		4	0.8	0.1		2	0.8	0.1		2	0.8	0.2
... I20-I25 Ischemic heart disease		392	78.9	11.7		307	127.6	14.6		85	33.2	6.9
... I26-I51 Other heart diseases		189	38	5.7		137	56.9	6.5		52	20.3	4.2
V01-X59,Y85-Y86 Accidents (unintentional injuries)	3	241	48.5	7.2	3	181	75.2	8.6	3	60	23.4	4.9
... Motor vehicle accidents (e)		45	9.1	1.3		32	13.3	1.5		13	5.1	1.1
... W00-W19 Falls		30	6	0.9		23	9.6	1.1		7	2.7	0.6
... W65-W74 Accidental drowning and submersion		1	0.2	0						1	0.4	0.1
... X00-X09 Accidental exposure to smoke, fire & flames		6	1.2	0.2		6	2.5	0.3				
... X40-X49 Accidental poisoning & exposure to noxious substances		132	26.6	4		96	39.9	4.6		36	14	2.9
K70,K73-K74 Chronic liver disease and cirrhosis	4	114	22.9	3.4	4	73	30.3	3.5				
... K70 Alcoholic liver disease		64	12.9	1.9		45	18.7	2.1				
J40-J47 Chronic lower respiratory diseases	5	94	18.9	2.8					4	52	20.3	4.2
... J45-J46 Asthma		8	1.6	0.2						6	2.3	0.5
A40-A41 Septicemia									5	46	17.9	3.7
X60-X84,Y87.0 Suicide					5	63	26.2	3				
65-74 YEARS OLD												
TOTAL, ALL CAUSES	--	4,680	1487	100	--	2,610	1786.9	100	--	2,070	1227.3	100
C00-C97 Malignant neoplasms	1	1,695	538.6	36.2	1	902	617.5	34.6	1	793	470.2	38.3
... C00-C14 Lip, oral & pharynx cancer		28	8.9	0.6		18	12.3	0.7		10	5.9	0.5
... C18-C21 Colorectal cancer		118	37.5	2.5		59	40.4	2.3		59	35	2.9
... C25 Pancreatic cancer		127	40.4	2.7		78	53.4	3		49	29.1	2.4
... C33-C34 Trachea, bronchus & lung cancer		449	142.7	9.6		229	156.8	8.8		220	130.4	10.6
... C43 Skin cancer		32	10.2	0.7		19	13	0.7		13	7.7	0.6
... C50 Breast cancer		88	28	1.9		1	0.7	0		87	51.6	4.2
... C53 Cervical cancer		6	1.9	0.1						6	3.6	0.3
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		41	13	0.9						41	24.3	2
... C56 Ovarian cancer		51	16.2	1.1						51	30.2	2.5
... C61 Prostate cancer		67	21.3	1.4		67	45.9	2.6				
... C67 Bladder cancer		51	16.2	1.1		41	28.1	1.6		10	5.9	0.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		64	20.3	1.4		34	23.3	1.3		30	17.8	1.4
... C91-C95 Leukemia		63	20	1.3		35	24	1.3		28	16.6	1.4
I00-I09,I11,I13,I20-I51 Diseases of heart	2	944	299.9	20.2	2	595	407.4	22.8	2	349	206.9	16.9
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		8	2.5	0.2		3	2.1	0.1		5	3	0.2
... I11 Hypertensive heart disease		31	9.8	0.7		21	14.4	0.8		10	5.9	0.5
... I13 Hypertensive heart and renal disease		4	1.3	0.1		2	1.4	0.1		2	1.2	0.1
... I20-I25 Ischemic heart disease		546	173.5	11.7		359	245.8	13.8		187	110.9	9
... I26-I51 Other heart diseases		355	112.8	7.6		210	143.8	8		145	86	7
J40-J47 Chronic lower respiratory diseases	3	252	80.1	5.4	3	117	80.1	4.5	3	135	80	6.5
... J45-J46 Asthma		5	1.6	0.1		3	2.1	0.1		2	1.2	0.1
I60-I69 Cerebrovascular disease	4	159	50.5	3.4	5	83	56.8	3.2	4	76	45.1	3.7
E10-E14 Diabetes mellitus	5	147	46.7	3.1	4	85	58.2	3.3	5	62	36.8	3

TABLE 10
CONNECTICUT RESIDENT DEATHS, 2015
Top Five Leading Causes of Death^a by Age and Sex

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
75-84 YEARS OLD												
TOTAL, ALL CAUSES	--	6,845	4226.6	100	--	3,364	4920.8	100	--	3,481	3719.5	100
C00-C97 Malignant neoplasms	1	1,769	1092.3	25.8	1	894	1307.7	26.6	1	875	934.9	25.1
... C00-C14 Lip, oral & pharynx cancer		26	16.1	0.4		13	19	0.4		13	13.9	0.4
... C18-C21 Colorectal cancer		136	84	2		69	100.9	2.1		67	71.6	1.9
... C25 Pancreatic cancer		137	84.6	2		50	73.1	1.5		87	93	2.5
... C33-C34 Trachea, bronchus & lung cancer		475	293.3	6.9		225	329.1	6.7		250	267.1	7.2
... C43 Skin cancer		19	11.7	0.3		16	23.4	0.5		3	3.2	0.1
... C50 Breast cancer		86	53.1	1.3		1	1.5	0		85	90.8	2.4
... C53 Cervical cancer		2	1.2	0						2	2.1	0.1
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		28	17.3	0.4						28	29.9	0.8
... C56 Ovarian cancer		40	24.7	0.6						40	42.7	1.1
... C61 Prostate cancer		93	57.4	1.4		93	136	2.8				
... C67 Bladder cancer		68	42	1		52	76.1	1.5		16	17.1	0.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		37	22.8	0.5		20	29.3	0.6		17	18.2	0.5
... C91-C95 Leukemia		76	46.9	1.1		45	65.8	1.3		31	33.1	0.9
I00-I09,I11,I13,I20-I51 Diseases of heart	2	1,497	924.3	21.9	2	782	1143.9	23.2	2	715	764	20.5
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		9	5.6	0.1		1	1.5	0		8	8.5	0.2
... I11 Hypertensive heart disease		50	30.9	0.7		22	32.2	0.7		28	29.9	0.8
... I13 Hypertensive heart and renal disease		10	6.2	0.1		4	5.9	0.1		6	6.4	0.2
... I20-I25 Ischemic heart disease		811	500.8	11.8		467	683.1	13.9		344	367.6	9.9
... I26-I51 Other heart diseases		617	381	9		288	421.3	8.6		329	351.5	9.5
J40-J47 Chronic lower respiratory diseases	3	447	276	6.5	3	191	279.4	5.7	3	256	273.5	7.4
... J45-J46 Asthma		3	1.9	0						3	3.2	0.1
I60-I69 Cerebrovascular disease	4	333	205.6	4.9	4	169	247.2	5	4	164	175.2	4.7
G30 Alzheimer's disease	5	208	128.4	3					5	132	141	3.8
N00-N07,N17-N19,N25-N27 Nephritis, nephrotic syndrome, nephrosis					5	89	130.2	2.6				
85+ YEARS OLD												
TOTAL, ALL CAUSES	--	12,367	13722.2	100	--	4,470	14854	100	--	7,897	13154.9	100
I00-I09,I11,I13,I20-I51 Diseases of heart	1	3,688	4092.1	29.8	1	1,409	4682.2	31.5	1	2,279	3796.4	28.9
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		10	11.1	0.1						10	16.7	0.1
... I11 Hypertensive heart disease		141	156.5	1.1		38	126.3	0.9		103	171.6	1.3
... I13 Hypertensive heart and renal disease		21	23.3	0.2		7	23.3	0.2		14	23.3	0.2
... I20-I25 Ischemic heart disease		1,793	1989.5	14.5		749	2489	16.8		1,044	1739.1	13.2
... I26-I51 Other heart diseases		1,723	1911.8	13.9		615	2043.7	13.8		1,108	1845.7	14
C00-C97 Malignant neoplasms	2	1,416	1571.2	11.4	2	610	2027	13.6	2	806	1342.6	10.2
... C00-C14 Lip, oral & pharynx cancer		14	15.5	0.1		7	23.3	0.2		7	11.7	0.1
... C18-C21 Colorectal cancer		134	148.7	1.1		48	159.5	1.1		86	143.3	1.1
... C25 Pancreatic cancer		92	102.1	0.7		26	86.4	0.6		66	109.9	0.8
... C33-C34 Trachea, bronchus & lung cancer		260	288.5	2.1		105	348.9	2.3		155	258.2	2
... C43 Skin cancer		16	17.8	0.1		8	26.6	0.2		8	13.3	0.1
... C50 Breast cancer		94	104.3	0.8						94	156.6	1.2
... C53 Cervical cancer		2	2.2	0						2	3.3	0
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		15	16.6	0.1						15	25	0.2
... C56 Ovarian cancer		28	31.1	0.2						28	46.6	0.4
... C61 Prostate cancer		127	140.9	1		127	422	2.8				
... C67 Bladder cancer		71	78.8	0.6		48	159.5	1.1		23	38.3	0.3
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		20	22.2	0.2		6	19.9	0.1		14	23.3	0.2
... C91-C95 Leukemia		59	65.5	0.5		24	79.8	0.5		35	58.3	0.4
I60-I69 Cerebrovascular disease	3	775	859.9	6.3	3	245	814.1	5.5	3	530	882.9	6.7
G30 Alzheimer's disease	4	688	763.4	5.6	5	161	535	3.6	4	527	877.9	6.7
J40-J47 Chronic lower respiratory diseases	5	528	585.9	4.3	4	182	604.8	4.1	5	346	576.4	4.4
... J45-J46 Asthma		14	15.5	0.1						14	23.3	0.2
Unknown AGE												
TOTAL, ALL CAUSES	--	2		100	--	1		100	--	1		100
I00-I09,I11,I13,I20-I51 Diseases of heart	--	2		100	--	1		100	--	1		100
... I20-I25 Ischemic heart disease		2		100		1		100		1		100

NOTES:

^a The leading causes of death are ranked by sex within each age category. When a major cause-of-death group ranks among the top five, counts and rates for selected cause-of-death subgroups also are given. The causes are listed in rank order based on the "Both Sexes Combined" column, followed by the "Male" and "Female" columns. There were 123 death records including 1 infant death record where the cause of death was unknown. There were 2 records where age was unknown and 0 record where sex was unknown.

^b Age-specific death rates and crude death rates were calculated per 100,000 population using 2015 population counts (Table 1) as the denominators. Rates for persons under 1 year of age were the exception; for this group, rates were calculated per 1,000 live births. Denominators for the 1-4 year age group were derived by subtracting 2015 resident births of known sex from the population figure for the 0-4 year age group. Crude death rates were used for persons of all ages combined because this grouping is not age-specific.

^c Within a given age/sex category, causes of death having the same number of deaths were assigned the same rank. As a result, fewer than five numerical ranks may be assigned in a given age/sex group, and/or more than five causes of death may receive ranks. Where a cause of death is not ranked for all three sex categories within a given age group, unranked counts are shown in parenthesis to allow comparisons to be made.

^d For the Total All Ages category, records with unknown sex but known age are included in the calculation of the "Both Sexes" columns.

^e The category "Motor vehicle accidents" includes codes V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.1,V82.0-V82.1,V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0, and V89.2.

TABLE 11
 Statistical Analysis of Birth Outcomes and Their Risk Factors, Infant Mortality and Fetal Mortality
 at the State, Health District, and Town Levels for Connecticut, 2015^e

GEOGRAPHIC AREA	2015			Significantly Different from Reference Group ^{ab} (p<0.01)	2014 Percent	Significant Change 2014-2015ab (p<0.05)
	No. Events	Denominator	Percent			
LOW BIRTHWEIGHT						
<i>Connecticut</i>	2,832	35,673	7.9	n.s.	7.6	n.s.
<i>Health District</i>						
Plainville-Southington	34	537	6.3	n.s.	3.6	Increase
<i>Town</i>						
Bridgeport	205	2051	10	Higher	9.2	n.s.
Darien	4	209	1.9	Lower	4.1	n.s.
East Hartford	77	635	12.1	Higher	8.6	Increase
Greenwich	39	555	7	n.s.	4	Increase
Hartford	213	1830	11.6	Higher	10.6	n.s.
New Britain	108	1,038	10.4	Higher	9.9	n.s.
Southington	25	382	6.5	n.s.	3.3	Increase
Wallingford	26	392	6.6	n.s.	2.5	Increase
Waterbury	159	1610	9.9	Higher	10.5	n.s.
Windham	27	287	9.4	n.s.	4.7	Increase
VERY LOW BIRTHWEIGHT						
<i>Connecticut</i>	556	35,673	1.6	n.s.	1.4	Increase
<i>Health District</i>						
Chesprocott	7	342	2	n.s.	0.3	Increase
<i>Town</i>						
Bridgeport	50	2051	2.4	Higher	2	n.s.
Hartford	57	1830	3.1	Higher	2.3	n.s.
Waterbury	40	1610	2.5	Higher	2.1	n.s.
Windham	9	287	3.1	n.s.	0.4	Increase
BIRTHS TO TEENS						
<i>Connecticut</i>	1,251	35,496	3.5	Lower	4	Decrease
<i>Health District</i>						
Central Connecticut	8	816	1	Lower	1.3	n.s.
Chatham	5	546	0.9	Lower	1.3	n.s.
Chesprocott	1	341	0.3	Lower	0.8	n.s.
Eastern Highlands	7	506	1.4	Lower	2.4	n.s.
Farmington Valley	3	804	0.4	Lower	0.6	n.s.
Ledge Light	52	1242	4.2	n.s.	2.7	Increase
Plainville-Southington	3	537	0.6	Lower	1.4	n.s.
Quinnipiack Valley	13	853	1.5	Lower	2.1	n.s.
Torrington Area	19	1057	1.8	Lower	3.2	Decrease
Uncas Regional	63	956	6.6	Higher	4.9	n.s.
<i>Town</i>						
Bridgeport	145	2,041	7.1	Higher	7.2	n.s.
East Hartford	42	635	6.6	Higher	6.1	n.s.
Fairfield	1	492	0.2	Lower	0.7	n.s.
Glastonbury	0	247	0	Lower	0.4	n.s.
Greenwich	2	512	0.4	Lower	0.8	n.s.
Groton	21	506	4.2	n.s.	2	Increase
Hartford	153	1827	8.4	Higher	9.7	n.s.
Meriden	50	726	6.9	Higher	7.3	n.s.
Milford	4	423	0.9	Lower	1.3	n.s.
New Britain	76	1039	7.3	Higher	8.6	n.s.
New Haven	103	1,739	5.9	Higher	7.5	n.s.
New London	25	335	7.5	Higher	5.5	n.s.
Norwich	43	506	8.5	Higher	5.5	n.s.
Southington	2	382	0.5	Lower	1.9	n.s.
South Windsor	0	209	0	Lower	3	Decrease
Stamford	44	1,845	2.4	Lower	2.2	n.s.
Trumbull	0	321	0	Lower	1.3	n.s.
Wallingford	4	391	1	Lower	1.7	n.s.
Waterbury	126	1607	7.8	Higher	8.4	n.s.
West Hartford	7	575	1.2	Lower	2.1	n.s.

TABLE 11
 Statistical Analysis of Birth Outcomes and Their Risk Factors, Infant Mortality and Fetal Mortality
 at the State, Health District, and Town Levels for Connecticut, 2015^e

GEOGRAPHIC AREA	2015			Significantly Different from Reference Group ^{ab} (p<0.01)	2014 Percent	Significant Change 2014-2015ab (p<0.05)
	No. Events	Denominator	Percent			
LATE OR NO PRENATAL CARE						
<i>Connecticut</i>	4,172	35,574	11.7	Not Av	12.3	Decrease
<i>Health District</i>						
Chatham	39	545	7.2	Lower	5.4	n.s.
East Shore	50	601	8.3	Lower	9	n.s.
Farmington Valley	70	802	8.7	Lower	9.6	n.s.
Ledge Light	114	1236	9.2	Lower	10.4	n.s.
Northeast	42	736	5.7	Lower	5.5	n.s.
Quinnipiack Valley	74	844	8.8	Lower	8.6	n.s.
Torrington Area	96	1055	9.1	Lower	11.3	n.s.
<i>Town</i>						
Branford	13	219	5.9	Lower	6.9	n.s.
Bridgeport	323	2,045	15.8	Higher	14.3	n.s.
Danbury	159	1064	14.9	Higher	15.6	n.s.
Fairfield	26	506	5.1	Lower	3.8	n.s.
Greenwich	29	554	5.2	Lower	6.1	n.s.
Groton	32	505	6.3	Lower	9.3	n.s.
Hartford	315	1830	17.2	Higher	19.4	n.s.
Milford	30	416	7.2	Lower	6.7	n.s.
New Britain	191	1035	18.5	Higher	21.2	n.s.
New Haven	280	1729	16.2	Higher	17.8	n.s.
New London	60	335	17.9	Higher	15.7	n.s.
New Milford	12	250	4.8	Lower	9.7	n.s.
Stamford	322	1872	17.2	Higher	12.9	Increase
Trumbull	19	323	5.9	Lower	7.2	n.s.
Waterbury	263	1584	16.6	Higher	25.9	Decrease
West Haven	100	619	16.2	Higher	16.5	n.s.
PREMATURITY^c						
<i>Connecticut</i>	3,334	35,672	9.3	n.s.	9.2	n.s.
<i>Health District</i>						
Farmington Valley	52	803	6.5	Lower	8.6	n.s.
<i>Town</i>						
Bridgeport	238	2054	11.6	Higher	10.3	n.s.
East Hartford	79	635	12.4	Higher	10.3	n.s.
Farmington	14	205	6.8	n.s.	13.4	Decrease
Greenwich	53	555	9.5	n.s.	5.4	Increase
Hartford	229	1828	12.5	Higher	11.6	n.s.
Stratford	62	501	12.4	n.s.	7.3	Increase
Waterbury	182	1,610	11.3	Higher	11.1	n.s.
SMOKING DURING PREGNANCY						
<i>Connecticut</i>	1,244	35,678	3.5	Lower	3.7	n.s.
<i>Health District</i>						
Bristol-Burlington	51	712	7.2	Higher	7.3	n.s.
Central Connecticut	9	816	1.1	Lower	1.9	n.s.
Farmington Valley	6	804	0.7	Lower	2.3	Decrease
Northeast	87	739	11.8	Higher	13	n.s.
Quinnipiack Valley	14	853	1.6	Lower	2.3	n.s.
Torrington Area	83	1058	7.8	Higher	8.4	n.s.
Uncas Regional	95	959	9.9	Higher	9.1	n.s.
West Hartford-Bloomfield	3	731	0.4	Lower	0.6	n.s.

TABLE 11
 Statistical Analysis of Birth Outcomes and Their Risk Factors, Infant Mortality and Fetal Mortality
 at the State, Health District, and Town Levels for Connecticut, 2015^e

GEOGRAPHIC AREA	2015				2014 Percent	Significant Change 2014-2015ab (p<0.05)
	No. Events	Denominator	Percent	Significantly Different from		
				Reference Group ^{ab} (p<0.01)		
<i>Town</i>						
Ansonia	17	209	8.1	Higher	6.4	n.s.
Bridgeport	42	2,052	2	Lower	2	n.s.
Bristol	50	644	7.8	Higher	8	n.s.
Danbury	14	1061	1.3	Lower	1.4	n.s.
Darien	0	210	0	Lower	0	n.s.
East Hartford	10	635	1.6	Lower	2.5	n.s.
Fairfield	2	508	0.4	Lower	0.5	n.s.
Glastonbury	0	247	0	Lower	0.4	n.s.
Greenwich	4	555	0.7	Lower	0.3	n.s.
Meriden	52	724	7.2	Higher	5.5	n.s.
Middletown	36	494	7.3	Higher	4.2	Increase
Naugatuck	7	331	2.1	n.s.	5.5	Decrease
New Britain	74	1,040	7.1	Higher	7	n.s.
New Haven	90	1,741	5.2	Higher	5.3	n.s.
New London	14	335	4.2	n.s.	1.4	Increase
Norwalk	19	1150	1.7	Lower	2.1	n.s.
Norwich	56	509	11	Higher	10.7	n.s.
Stamford	13	1874	0.7	Lower	1.3	n.s.
Torrington	43	367	11.7	Higher	13.8	n.s.
Trumbull	0	323	0	Lower	0	n.s.
Waterbury	95	1604	5.9	Higher	6.2	n.s.
West Hartford	2	575	0.3	Lower	0.5	n.s.
Wethersfield	0	228	0	Lower	0	n.s.
Windham	19	287	6.6	Higher	9.8	n.s.
Windsor	1	247	0.4	Lower	0.4	n.s.
INFANT MORTALITY (per 1,000 live births)						
<i>Connecticut</i>	200	35,711	5.6	n.s.	5.04	n.s.
<i>Health District</i>						
none	-	-	-	-	-	-
<i>Town</i>						
Bridgeport	22	2054	10.71	Higher	11.78	n.s.
Hartford	22	1831	12.02	Higher	8.00	n.s.
New Britain	13	1040	12.5	Higher	12.12	n.s.
FETAL MORTALITY (per 1,000 live births+fetal deaths)						
<i>Connecticut</i>	166	35,877	4.63	Lower	3.91	n.s.
<i>Health District</i>						
Chesprocott	6	348	17.24	Higher	0	Increase
<i>Town</i>						
Manchester	5	785	6.37	n.s.	0	Increase
Norwalk	7	1,158	6.04	n.s.	0	Increase

NOTES:

- ^a The reference group used for comparison with Connecticut statistics is the U.S. whenever appropriate national figures are available. The reference group used for comparison with the local sub-state regions (town, health district) is the State of Connecticut.
- ^b A "n.s." signifies that the difference was not statistically significant at p< 0.05. A "n/a" indicates that the comparison was not applicable.
- ^c Starting with 2007 births, the reported birth weight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics.
- ^d National rates for this indicator are not available.
- ^e The indicator "NON-ADEQUATE PRENATAL CARE (APNCU Index)" was removed from this table due to poor data quality.

TABLE 12
 Statistical Analysis of Birth Outcomes and Their Risk Factors
 for Racial and Ethnic Groups for Connecticut, 2015^c

RACE/ETHNICITY	2015				2014 Percent	Significant Change 2014-2015a (p<0.05)
	No. Events	Denominator	Percent	Significantly Different from		
				White-NH ^a (p<0.01)		
LOW BIRTHWEIGHT						
White, non-Hispanic	1,238	19,395	6.4	n.a.	6.5	n.s.
Black, non-Hispanic	545	4,276	12.7	Higher	11.8	n.s.
Hispanic	693	8,205	8.4	Higher	8	n.s.
VERY LOW BIRTHWEIGHT						
White, non-Hispanic	192	19,395	1	n.a.	0.9	n.s.
Black, non-Hispanic	138	4,276	3.2	Higher	3	n.s.
Hispanic	155	8,205	1.9	Higher	1.7	n.s.
BIRTHS TO TEENS						
White, non-Hispanic	275	19,397	1.4	n.a.	1.8	Decrease
Black, non-Hispanic	241	4,281	5.6	Higher	6.2	n.s.
Hispanic	680	8,207	8.3	Higher	9	n.s.
LATE OR NO PRENATAL CARE						
White, non-Hispanic	1,540	19,342	8.0	n.a.	8.8	Decrease
Black, non-Hispanic	776	4,258	18.2	Higher	19.3	n.s.
Hispanic	1,381	8,169	16.9	Higher	17.2	n.s.
PREMATURITY^b						
White, non-Hispanic	1,561	19,387	8.1	n.a.	8.4	n.s.
Black, non-Hispanic	538	4,279	12.6	Higher	12.2	n.s.
Hispanic	860	8,209	10.5	Higher	9.9	n.s.
SMOKING DURING PREGNANCY						
White, non-Hispanic	794	19,382	4.1	n.a.	4.6	Decrease
Black, non-Hispanic	140	4,276	3.3	Lower	3.1	n.s.
Hispanic	238	8,202	2.9	Lower	2.6	n.s.
INFANT MORTALITY (per 1,000 live births)						
White, non-Hispanic	70	19,397	3.61	n.a.	3.42	n.s.
Black, non-Hispanic	55	4,281	12.85	Higher	8.7	n.s.
Hispanic	64	8,210	7.8	Higher	7.76	n.s.
FETAL MORTALITY (per 1,000 live births + fetal deaths)						
White, non-Hispanic	69	19,466	3.54	n.a.	3.07	n.s.
Black, non-Hispanic	34	4,315	7.88	Higher	5.77	n.s.
Hispanic	42	8,252	5.09	n.s.	3.31	n.s.

NOTES:

^a A "n.s." signifies that the difference was not statistically significant.

A "n/a" indicates that the comparison was not applicable.

^b Starting with 2007 births, the reported birth weight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics.

^c The indicator "NON-ADEQUATE PRENATAL CARE (APNCU Index)" was removed from this table due to poor data quality.

TABLE 13
CONNECTICUT TEEN BIRTH RATES BY TOWN, 2011-2015
 Statistical Comparison of Town-State Teen Birth Rates (Ages 15-19)

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
Connecticut	8,177	618,204	13.2		
Andover	1	610	1.6	<i>f</i>	<i>f</i>
Ansonia	51	3,255	15.7	n.s.	n.s.
Ashford	7	700	10.0	<i>f</i>	<i>f</i>
Avon	2	3,035	0.7	Lower	Lower
Barkhamsted	-	720	0.0	<i>f</i>	<i>f</i>
Beacon Falls	8	935	8.6	<i>f</i>	<i>f</i>
Berlin	14	2,915	4.8	Lower	Lower
Bethany	-	940	0.0	<i>f</i>	<i>f</i>
Bethel	11	3,115	3.5	Lower	Lower
Bethlehem	2	725	2.8	<i>f</i>	<i>f</i>
Bloomfield	39	2,955	13.2	n.s.	n.s.
Bolton	4	765	5.2	<i>f</i>	<i>f</i>
Bozrah	3	425	7.1	<i>f</i>	<i>f</i>
Branford	21	3,675	5.7	Lower	Lower
Bridgeport	876	27,615	31.7	Higher	Higher
Bridgewater	-	185	0.0	<i>f</i>	<i>f</i>
Bristol	124	8,340	14.9	n.s.	n.s.
Brookfield	7	2,895	2.4	Lower	Lower
Brooklyn	17	1,325	12.8	n.s.	n.s.
Burlington	3	1,485	2.0	Lower	Lower
Canaan	-	145	0.0	<i>f</i>	<i>f</i>
Canterbury	7	875	8.0	<i>f</i>	<i>f</i>
Canton	2	1,430	1.4	Lower	Lower
Chaplin	2	325	6.2	<i>f</i>	<i>f</i>
Cheshire	10	4,305	2.3	Lower	Lower
Chester	3	525	5.7	<i>f</i>	<i>f</i>
Clinton	13	1,905	6.8	n.s.	n.s.
Colchester	9	2,830	3.2	Lower	Lower
Colebrook	2	215	9.3	<i>f</i>	<i>f</i>
Columbia	3	1,035	2.9	<i>f</i>	<i>f</i>
Cornwall	-	210	0.0	<i>f</i>	<i>f</i>
Coventry	12	1,860	6.5	n.s.	n.s.
Cromwell	7	1,980	3.5	Lower	Lower
Danbury	216	12,760	16.9	Higher	Higher
Darien	1	3,775	0.3	Lower	Lower
Deep River	5	595	8.4	<i>f</i>	<i>f</i>
Derby	31	1,830	16.9	n.s.	n.s.
Durham	3	1,365	2.2	Lower	Lower
Eastford	2	230	8.7	<i>f</i>	<i>f</i>
East Granby	4	690	5.8	<i>f</i>	<i>f</i>
East Haddam	5	1,395	3.6	Lower	n.s.
East Hampton	6	1,965	3.1	Lower	Lower
East Hartford	232	8,145	28.5	Higher	Higher
East Haven	54	4,075	13.3	n.s.	n.s.
East Lyme	9	2,785	3.2	Lower	Lower
Easton	-	1,440	0.0	Lower	Lower
East Windsor	19	1,530	12.4	n.s.	n.s.
Ellington	7	2,300	3.0	Lower	Lower
Enfield	68	6,265	10.9	n.s.	n.s.

TABLE 13
CONNECTICUT TEEN BIRTH RATES BY TOWN, 2011-2015
 Statistical Comparison of Town-State Teen Birth Rates (Ages 15-19)

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
Connecticut	8,177	618,204	13.2		
Essex	3	750	4.0	<i>f</i>	<i>f</i>
Fairfield	18	13,420	1.3	Lower	Lower
Farmington	11	3,755	2.9	Lower	Lower
Franklin	1	305	3.3	<i>f</i>	<i>f</i>
Glastonbury	6	5,565	1.1	Lower	Lower
Goshen	1	410	2.4	<i>f</i>	<i>f</i>
Granby	3	1,890	1.6	Lower	Lower
Greenwich	22	9,340	2.4	Lower	Lower
Griswold	30	2,120	14.2	n.s.	n.s.
Groton	104	5,065	20.5	Higher	Higher
Guilford	6	3,420	1.8	Lower	Lower
Haddam	4	1,175	3.4	Lower	n.s.
Hamden	94	14,795	6.4	Lower	Lower
Hampton	-	255	0.0	<i>f</i>	<i>f</i>
Hartford	1,019	29,175	34.9	Higher	Higher
Hartland	1	325	3.1	<i>f</i>	<i>f</i>
Harwinton	1	875	1.1	<i>f</i>	<i>f</i>
Hebron	4	1,605	2.5	Lower	Lower
Kent	3	425	7.1	<i>f</i>	<i>f</i>
Killingly	54	2,650	20.4	Higher	n.s.
Killingworth	-	1,055	0.0	<i>f</i>	<i>f</i>
Lebanon	10	1,225	8.2	n.s.	n.s.
Ledyard	13	2,480	5.2	Lower	n.s.
Lisbon	8	805	9.9	<i>f</i>	<i>f</i>
Litchfield	5	1,445	3.5	Lower	n.s.
Lyme	1	265	3.8	<i>f</i>	<i>f</i>
Madison	3	3,450	0.9	Lower	Lower
Manchester	131	8,155	16.1	n.s.	n.s.
Mansfield	13	15,560	0.8	Lower	Lower
Marlborough	2	850	2.4	<i>f</i>	<i>f</i>
Meriden	308	10,025	30.7	Higher	Higher
Middlebury	3	1,185	2.5	Lower	n.s.
Middlefield	3	600	5.0	<i>f</i>	<i>f</i>
Middletown	104	8,375	12.4	n.s.	n.s.
Milford	41	7,040	5.8	Lower	Lower
Monroe	5	3,495	1.4	Lower	Lower
Montville	34	2,790	12.2	n.s.	n.s.
Morris	2	380	5.3	<i>f</i>	<i>f</i>
Naugatuck	66	5,140	12.8	n.s.	n.s.
New Britain	494	14,660	33.7	Higher	Higher
New Canaan	1	3,885	0.3	Lower	Lower
New Fairfield	2	2,645	0.8	Lower	Lower
New Hartford	5	1,135	4.4	Lower	n.s.
New Haven	755	29,235	25.8	Higher	Higher
Newington	25	4,085	6.1	Lower	Lower
New London	133	7,045	18.9	Higher	Higher
New Milford	33	4,460	7.4	Lower	n.s.
Newtown	19	4,785	4.0	Lower	Lower
Norfolk	1	235	4.3	<i>f</i>	<i>f</i>
North Branford	5	2,165	2.3	Lower	Lower
North Canaan	5	470	10.6	<i>f</i>	<i>f</i>

TABLE 13
CONNECTICUT TEEN BIRTH RATES BY TOWN, 2011-2015
 Statistical Comparison of Town-State Teen Birth Rates (Ages 15-19)

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
Connecticut	8,177	618,204	13.2		
North Haven	16	3,475	4.6	Lower	Lower
North Stonington	4	655	6.1	<i>f</i>	<i>f</i>
Norwalk	187	11,090	16.9	Higher	n.s.
Norwich	199	6,585	30.2	Higher	Higher
Old Lyme	1	1,230	0.8	Lower	Lower
Old Saybrook	6	1,445	4.2	Lower	n.s.
Orange	4	2,210	1.8	Lower	Lower
Oxford	8	1,780	4.5	Lower	n.s.
Plainfield	43	2,695	16.0	n.s.	n.s.
Plainville	16	2,635	6.1	Lower	n.s.
Plymouth	14	2,040	6.9	n.s.	n.s.
Pomfret	5	775	6.5	<i>f</i>	<i>f</i>
Portland	10	1,330	7.5	n.s.	n.s.
Preston	4	780	5.1	<i>f</i>	<i>f</i>
Prospect	5	1,530	3.3	Lower	n.s.
Putnam	39	1,385	28.2	Higher	Higher
Redding	4	1,440	2.8	Lower	n.s.
Ridgefield	4	4,525	0.9	Lower	Lower
Rocky Hill	10	2,325	4.3	Lower	Lower
Roxbury	1	300	3.3	<i>f</i>	<i>f</i>
Salem	5	725	6.9	<i>f</i>	<i>f</i>
Salisbury	2	460	4.3	<i>f</i>	<i>f</i>
Scotland	3	225	13.3	<i>f</i>	<i>f</i>
Seymour	16	2,695	5.9	Lower	n.s.
Sharon	1	380	2.6	<i>f</i>	<i>f</i>
Shelton	45	5,585	8.1	Lower	n.s.
Sherman	1	630	1.6	<i>f</i>	<i>f</i>
Simsbury	5	4,330	1.2	Lower	Lower
Somers	6	1,535	3.9	Lower	n.s.
Southbury	4	2,875	1.4	Lower	Lower
Southington	25	6,330	3.9	Lower	Lower
South Windsor	21	4,250	4.9	Lower	Lower
Sprague	7	560	12.5	<i>f</i>	<i>f</i>
Stafford	19	1,785	10.6	n.s.	n.s.
Stamford	240	15,635	15.4	n.s.	n.s.
Sterling	5	640	7.8	<i>f</i>	<i>f</i>
Stonington	23	2,395	9.6	n.s.	n.s.
Stratford	115	8,025	14.3	n.s.	n.s.
Suffield	9	2,485	3.6	Lower	Lower
Thomaston	6	1,320	4.5	Lower	n.s.
Thompson	13	1,410	9.2	n.s.	n.s.
Tolland	8	2,275	3.5	Lower	Lower
Torrington	100	4,915	20.3	Higher	Higher
Trumbull	14	5,700	2.5	Lower	Lower
Union	-	120	0.0	<i>f</i>	<i>f</i>
Vernon	57	3,995	14.3	n.s.	n.s.
Voluntown	3	405	7.4	<i>f</i>	<i>f</i>
Wallingford	32	6,665	4.8	Lower	Lower
Warren	-	190	0.0	<i>f</i>	<i>f</i>
Washington	1	455	2.2	<i>f</i>	<i>f</i>
Waterbury	710	20,325	34.9	Higher	Higher

TABLE 13
CONNECTICUT TEEN BIRTH RATES BY TOWN, 2011-2015
 Statistical Comparison of Town-State Teen Birth Rates (Ages 15-19)

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
Connecticut	8,177	618,204	13.2		
Waterford	16	3,115	5.1	Lower	Lower
Watertown	19	3,575	5.3	Lower	Lower
Westbrook	6	930	6.5	<i>f</i>	<i>f</i>
West Hartford	71	11,175	6.4	Lower	Lower
West Haven	164	11,525	14.2	n.s.	n.s.
Weston	2	2,210	0.9	Lower	Lower
Westport	4	4,660	0.9	Lower	Lower
Wethersfield	20	3,560	5.6	Lower	Lower
Willington	7	880	8.0	<i>f</i>	<i>f</i>
Wilton	2	3,210	0.6	Lower	Lower
Winchester	21	1,785	11.8	n.s.	n.s.
Windham	135	7,295	18.5	Higher	Higher
Windsor	45	4,585	9.8	n.s.	n.s.
Windsor Locks	30	1,935	15.5	n.s.	n.s.
Wolcott	12	3,065	3.9	Lower	Lower
Woodbridge	2	1,680	1.2	Lower	Lower
Woodbury	3	1,450	2.1	Lower	Lower
Woodstock	5	1,395	3.6	Lower	n.s.

NOTES:

^a Births to CT residents aged 15-19 years. These figures includes births that occurred in states other than CT.

^b The population values used for rate denominators are from the 4/1/2010 US Census. The 4/1/2010 Census data are the only available source for town-level population counts by age and sex. Since the 4/1/2010 population counts are not the mid-point of the 2011-2015 series, the 4/1/2010 population count may underrepresent the actual 2010-2014 population and thereby slightly over-estimate the rates. The town-based rates published here may be revised when more accurate denominator counts become available.

^c Birth rates are calculated as births to mothers 15-19 years per 1,000 female population 15-19 years.

^d "Single town-state comparison" results are valid for making a single town-state rate comparison. Comparison results are only displayed where differences are statistically significant at $p < .01$.

^e "Multiple town-state comparison" results are valid for evaluating town-state rate comparisons for all towns that could be evaluated. The statistical adjustment for multiple comparisons reduces the chance of reporting a false-positive result. These town-state comparison results are only displayed where differences are statistically significant at $p < .05$, after adjusting for multiple comparisons.

^f State-town comparisons were not made for towns with fewer than 15 births unless the number of expected births was greater than or equal to 15. These exclusions were made because the rates were considered unreliable. The consideration of "expected counts" in defining this threshold allows us to evaluate stable, low town rates which are based on large denominators and small numerators.

^g Comparison results are only displayed where differences are statistically significant at $p < .01$.

TABLE 14
CONNECTICUT TEEN BIRTH RATES, 2011-2015
 Statistical Comparison of State-level Teen Birth Rates (Ages 15-19) by Race/Ethnicity

YEAR	RACE/ETHNICITY	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	COMPARISON TO STATEWIDE TEEN BIRTH RATE ^{d,e}
2011-2015	Connecticut	8,177	618,204	13.2	
2011-2015	White-NH	2,018	401,742	5.0	Lower
2011-2015	Black-NH	1,643	75,597	21.7	Higher
2011-2015	Asian-NH	65	26,400	2.5	Lower
2011-2015	Hispanic	4,195	112,521	37.3	Higher
2011	Connecticut	2,021	123,249	16.4	
2011	White-NH	472	81,124	5.8	Lower
2011	Black-NH	450	15,467	29.1	Higher
2011	Asian-NH	15	4,599	3.3	Lower
2011	Hispanic	1,022	21,670	47.2	Higher
2012	Connecticut	1,890	124,986	15.1	
2012	White-NH	508	82,481	6.2	Lower
2012	Black-NH	365	15,101	24.2	Higher
2012	Asian-NH	16	4,873	3.3	Lower
2012	Hispanic	944	22,126	42.7	Higher
2013	Connecticut	1,607	124,102	12.9	
2013	White-NH	395	80,896	4.9	Lower
2013	Black-NH	315	15,114	20.8	Higher
2013	Asian-NH	13	5,254	2.5	Lower
2013	Hispanic	837	22,438	37.3	Higher
2014	Connecticut	1,418	123,357	11.5	
2014	White-NH	368	79,407	4.6	Lower
2014	Black-NH	276	14,914	18.5	Higher
2014	Asian-NH	11	5,733	1.9	Lower
2014	Hispanic	718	22,932	31.3	Higher
2015	Connecticut	1,241	122,510	10.1	
2015	White-NH	275	77,834	3.5	Lower
2015	Black-NH	237	15,001	15.8	Higher
2015	Asian-NH	10	5,941	1.7	Lower
2015	Hispanic	674	23,355	28.9	Higher

NOTES:

^a Births to CT residents aged 15-19 years. These figures includes births that occurred in states other than CT.

^b The population values used for rate denominators are from the 4/1/2010 US Census. The 4/1/2010 Census data are the only available source for town-level population counts by age and sex. Since the 4/1/2010 population counts are not the mid-point of the 2011-2015 series, the 4/1/2010 population count may underrepresent the actual 2011-2015 population and thereby slightly over-estimate the rates. The town-based rates published here may be revised when more accurate denominator counts become available.

^c Birth rates are calculated as births to mothers 15-19 years per 1,000 female population 15-19 years.

^d State-town comparisons were not made for towns with fewer than 15 births unless the number of expected births was greater than or equal to 15. These exclusions were made because the rates were considered unreliable. The consideration of "expected counts" in defining this threshold allows us to evaluate stable, low town rates which are based on large denominators and small numerators.

^e Comparison results are only displayed where differences are statistically significant at $p < .01$. A statistical adjustment for multiple comparisons has been applied which reduces the chance of reporting a false-positive result.